

PROJECT: DF18311.2095167.PR REFERENCE: N/A

STATE	STATE PROJECT REFERENCE NO.	SHEET NO.	TOTAL SHEETS
N.C.	N/A	1	

**STATE OF NORTH CAROLINA**  
**DEPARTMENT OF TRANSPORTATION**  
**DIVISION OF HIGHWAYS**  
**GEOTECHNICAL ENGINEERING UNIT**

---

---

**STRUCTURE**  
**SUBSURFACE INVESTIGATION**

---

---

COUNTY WATAUGA

PROJECT DESCRIPTION DIVISION II EMERGENCY  
BRIDGES

SITE DESCRIPTION BRIDGE NO. 058 ON SR 1139  
(KELLERSVILLE ROAD) OVER BEECH CREEK

**CONTENTS**

<u>SHEET NO.</u>	<u>DESCRIPTION</u>
1	TITLE SHEET
2, 2A	LEGEND (SOIL & ROCK)
2B, 2C	SUPPLEMENTAL LEGEND (GSI)
3	SITE PLAN
4-15	BORE LOGS, CORE REPORTS, & CORE PHOTOGRAPHS
16	GEOPHYSICAL TEST RESULTS
17	SOIL & ROCK TEST RESULTS
18	SITE PHOTOGRAPHS

PERSONNEL

R. WELCH

CG2 EXPLORATION

INVESTIGATED BY CG2, PLLC

DRAWN BY M. MALISHER, E.I.T.

CHECKED BY K. DE MONTBRUN, P.E.

SUBMITTED BY CG2, PLLC

DATE MAY 2025

**CAUTION NOTICE**

THE SUBSURFACE INFORMATION AND THE SUBSURFACE INVESTIGATION ON WHICH IT IS BASED WERE MADE FOR THE PURPOSE OF PREPARING THE SCOPE OF WORK TO BE INCLUDED IN THE REQUEST FOR PROPOSAL. THE VARIOUS FIELD BORING LOGS, ROCK CORES AND SOIL TEST DATA AVAILABLE MAY BE REVIEWED OR INSPECTED IN RALEIGH BY CONTACTING THE N.C. DEPARTMENT OF TRANSPORTATION, GEOTECHNICAL ENGINEERING UNIT AT (919) 707-6850. THE SUBSURFACE PLANS AND REPORTS, FIELD BORING LOGS, ROCK CORES AND SOIL TEST DATA ARE NOT PART OF THE CONTRACT.

SOIL AND ROCK BOUNDARIES WITHIN A BOREHOLE ARE BASED ON GEOTECHNICAL INTERPRETATION UNLESS ENCOUNTERED IN A SAMPLE. INTERPRETED BOUNDARIES MAY NOT NECESSARILY REFLECT ACTUAL SUBSURFACE CONDITIONS BETWEEN SAMPLED STRATA AND BOREHOLE INFORMATION MAY NOT NECESSARILY REFLECT ACTUAL SUBSURFACE CONDITIONS BETWEEN BORINGS. THE LABORATORY SAMPLE DATA AND THE IN SITU (IN-PLACE) TEST DATA CAN BE RELIED ON ONLY TO THE DEGREE OF RELIABILITY INHERENT IN THE STANDARD TEST METHOD. THE OBSERVED WATER LEVELS OR SOIL MOISTURE CONDITIONS INDICATED IN THE SUBSURFACE INVESTIGATIONS ARE AS RECORDED AT THE TIME OF THE INVESTIGATION. THESE WATER LEVELS OR SOIL MOISTURE CONDITIONS MAY VARY CONSIDERABLY WITH TIME ACCORDING TO CLIMATIC CONDITIONS INCLUDING TEMPERATURES, PRECIPITATION AND WIND, AS WELL AS OTHER NON-CLIMATIC FACTORS.

THE BIDDER OR CONTRACTOR IS CAUTIONED THAT DETAILS SHOWN ON THE SUBSURFACE PLANS ARE PRELIMINARY ONLY AND IN MANY CASES THE FINAL DESIGN DETAILS ARE DIFFERENT. FOR BIDDING AND CONSTRUCTION PURPOSES, REFER TO THE CONSTRUCTION PLANS AND DOCUMENTS FOR FINAL DESIGN INFORMATION ON THIS PROJECT. THE DEPARTMENT DOES NOT WARRANT OR GUARANTEE THE SUFFICIENCY OR ACCURACY OF THE INVESTIGATION MADE, NOR THE INTERPRETATIONS MADE, OR OPINION OF THE DEPARTMENT AS TO THE TYPE OF MATERIALS AND CONDITIONS ENCOUNTERED. THE BIDDER OR CONTRACTOR IS CAUTIONED TO PERFORM INDEPENDENT SUBSURFACE INVESTIGATIONS AND MAKE INTERPRETATIONS AS NECESSARY TO CONFIRM CONDITIONS ENCOUNTERED ON THE PROJECT. THE CONTRACTOR SHALL HAVE NO CLAIM FOR ADDITIONAL COMPENSATION OR FOR AN EXTENSION OF TIME FOR ANY REASON RESULTING FROM THE ACTUAL CONDITIONS ENCOUNTERED AT THE SITE DIFFERING FROM THOSE INDICATED IN THE SUBSURFACE INFORMATION.

NOTES:

- THE INFORMATION CONTAINED HEREIN IS NOT IMPLIED OR GUARANTEED BY THE N.C. DEPARTMENT OF TRANSPORTATION AS ACCURATE NOR IS IT CONSIDERED PART OF THE PLANS, SPECIFICATIONS OR CONTRACT FOR THE PROJECT.
- BY HAVING REQUESTED THIS INFORMATION, THE CONTRACTOR SPECIFICALLY WAIVES ANY CLAIMS FOR INCREASED COMPENSATION OR EXTENSION OF TIME BASED ON DIFFERENCES BETWEEN THE CONDITIONS INDICATED HEREIN AND THE ACTUAL CONDITIONS AT THE PROJECT SITE.

Prepared in the Office of:  
 **CAROLINAS  
GEOTECHNICAL  
GROUP**  
1805 SARDIS ROAD NORTH  
SUITE 100  
CHARLOTTE, NC 28270  
(980) 339-8684



DocuSigned by:

D. Matthew Brewer

05/15/2025

386129C0A4C31624  
SIGNATURE

DATE

**DOCUMENT NOT CONSIDERED FINAL  
UNLESS ALL SIGNATURES COMPLETED**

N/A

2

**NORTH CAROLINA DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS  
GEOTECHNICAL ENGINEERING UNIT**

# SUBSURFACE INVESTIGATION

## SOIL AND ROCK LEGEND, TERMS, SYMBOLS, AND ABBREVIATIONS (PAGE 1 OF 2)

SOIL DESCRIPTION										GRADATION																																																																																																																																	
SOIL IS CONSIDERED UNCONSOLIDATED, SEMI-CONSOLIDATED, OR WEATHERED EARTH MATERIALS THAT CAN BE PENETRATED WITH A CONTINUOUS FLIGHT POWER AUGER AND YIELD LESS THAN 100 BLOWS PER FOOT ACCORDING TO THE STANDARD PENETRATION TEST (AASHTO T 206, ASTM D1586). SOIL CLASSIFICATION IS BASED ON THE AASHTO SYSTEM. BASIC DESCRIPTIONS GENERALLY INCLUDE THE FOLLOWING: CONSISTENCY, COLOR, TEXTURE, MOISTURE, AASHTO CLASSIFICATION, AND OTHER PERTINENT FACTORS SUCH AS MINERALOGICAL COMPOSITION, ANGULARITY, STRUCTURE, PLASTICITY, ETC. FOR EXAMPLE, VERY STIFF, GRAY, SILTY CLAY, MOIST WITH INTERBEDDED FINE SAND LAYERS, HIGHLY PLASTIC, A-7-6										WELL GRADED - INDICATES A GOOD REPRESENTATION OF PARTICLE SIZES FROM FINE TO COARSE. UNIFORMLY GRADED - INDICATES THAT SOIL PARTICLES ARE ALL APPROXIMATELY THE SAME SIZE. GAP-GRADED - INDICATES A MIXTURE OF UNIFORM PARTICLE SIZES OF TWO OR MORE SIZES.																																																																																																																																	
SOIL LEGEND AND AASHTO CLASSIFICATION										ANGULARITY OF GRAINS																																																																																																																																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>GENERAL CLASS.</th> <th colspan="6">GRANULAR MATERIALS (≤ 35% PASSING #200)</th> <th colspan="4">SILT-CLAY MATERIALS (&gt; 35% PASSING #200)</th> <th colspan="4">ORGANIC MATERIALS</th> </tr> <tr> <th>GROUP CLASS.</th> <th colspan="2">A-1</th> <th colspan="2">A-3</th> <th colspan="2">A-2</th> <th colspan="2">A-4</th> <th colspan="2">A-5</th> <th colspan="2">A-6</th> <th colspan="2">A-7</th> </tr> <tr> <th>SYMBOL</th> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <th>% PASSING</th> <td colspan="2">50 MX 30 MX 15 MX</td> <td colspan="2">50 MX 25 MX 10 MX</td> <td colspan="2">50 MN 35 MX 10 MX</td> <td colspan="2">35 MX 35 MX 10 MX</td> <td colspan="2">35 MX 35 MX 10 MX</td> <td colspan="2">35 MN 35 MN 10 MN</td> <td colspan="2">35 MN 35 MN 10 MN</td> </tr> <tr> <th>MATERIAL PASSING #40 LL PI</th> <td colspan="2">— 6 MX</td> <td colspan="2">— NP</td> <td colspan="2">40 MX 10 MX 10 MX</td> <td colspan="2">41 MN 10 MX 11 MN</td> <td colspan="2">40 MX 11 MN 11 MN</td> <td colspan="2">40 MN 10 MX 11 MN</td> <td colspan="2">41 MN 11 MN 11 MN</td> </tr> <tr> <th>GROUP INDEX</th> <td colspan="2">0</td> <td colspan="2">0</td> <td colspan="2">0</td> <td colspan="2">4 MX</td> <td colspan="2">8 MX</td> <td colspan="2">12 MX</td> <td colspan="2">16 MX</td> </tr> <tr> <th>USUAL TYPES OF MAJOR MATERIALS</th> <td colspan="2">STONE FRAGS, GRAVEL, AND SAND</td> <td colspan="2">FINE SAND</td> <td colspan="2">SILTY OR CLAYEY GRAVEL AND SAND</td> <td colspan="2">SILTY SOILS</td> <td colspan="2">CLAYEY SOILS</td> <td colspan="2" rowspan="2">SOILS WITH LITTLE OR MODERATE AMOUNTS OF ORGANIC MATTER</td> <td colspan="2" rowspan="2">HIGHLY ORGANIC SOILS</td> </tr> <tr> <th>GEN. RATING AS SUBGRADE</th> <td colspan="4">EXCELLENT TO GOOD</td> <td colspan="4">FAIR TO POOR</td> <td colspan="2">FAIR TO POOR</td> <td colspan="2">POOR</td> <td colspan="2">UNSATISFACTORY</td> </tr> </table>										GENERAL CLASS.	GRANULAR MATERIALS (≤ 35% PASSING #200)						SILT-CLAY MATERIALS (> 35% PASSING #200)				ORGANIC MATERIALS				GROUP CLASS.	A-1		A-3		A-2		A-4		A-5		A-6		A-7		SYMBOL															% PASSING	50 MX 30 MX 15 MX		50 MX 25 MX 10 MX		50 MN 35 MX 10 MX		35 MX 35 MX 10 MX		35 MX 35 MX 10 MX		35 MN 35 MN 10 MN		35 MN 35 MN 10 MN		MATERIAL PASSING #40 LL PI	— 6 MX		— NP		40 MX 10 MX 10 MX		41 MN 10 MX 11 MN		40 MX 11 MN 11 MN		40 MN 10 MX 11 MN		41 MN 11 MN 11 MN		GROUP INDEX	0		0		0		4 MX		8 MX		12 MX		16 MX		USUAL TYPES OF MAJOR MATERIALS	STONE FRAGS, GRAVEL, AND SAND		FINE SAND		SILTY OR CLAYEY GRAVEL AND SAND		SILTY SOILS		CLAYEY SOILS		SOILS WITH LITTLE OR MODERATE AMOUNTS OF ORGANIC MATTER		HIGHLY ORGANIC SOILS		GEN. RATING AS SUBGRADE	EXCELLENT TO GOOD				FAIR TO POOR				FAIR TO POOR		POOR		UNSATISFACTORY		THE ANGULARITY OR ROUNDNESS OF SOIL GRAINS IS DESIGNATED BY THE TERMS: ANGULAR, SUBANGULAR, SUBROUNDED, OR ROUNDED.									
GENERAL CLASS.	GRANULAR MATERIALS (≤ 35% PASSING #200)						SILT-CLAY MATERIALS (> 35% PASSING #200)				ORGANIC MATERIALS																																																																																																																																
GROUP CLASS.	A-1		A-3		A-2		A-4		A-5		A-6		A-7																																																																																																																														
SYMBOL																																																																																																																																											
% PASSING	50 MX 30 MX 15 MX		50 MX 25 MX 10 MX		50 MN 35 MX 10 MX		35 MX 35 MX 10 MX		35 MX 35 MX 10 MX		35 MN 35 MN 10 MN		35 MN 35 MN 10 MN																																																																																																																														
MATERIAL PASSING #40 LL PI	— 6 MX		— NP		40 MX 10 MX 10 MX		41 MN 10 MX 11 MN		40 MX 11 MN 11 MN		40 MN 10 MX 11 MN		41 MN 11 MN 11 MN																																																																																																																														
GROUP INDEX	0		0		0		4 MX		8 MX		12 MX		16 MX																																																																																																																														
USUAL TYPES OF MAJOR MATERIALS	STONE FRAGS, GRAVEL, AND SAND		FINE SAND		SILTY OR CLAYEY GRAVEL AND SAND		SILTY SOILS		CLAYEY SOILS		SOILS WITH LITTLE OR MODERATE AMOUNTS OF ORGANIC MATTER		HIGHLY ORGANIC SOILS																																																																																																																														
GEN. RATING AS SUBGRADE	EXCELLENT TO GOOD				FAIR TO POOR				FAIR TO POOR						POOR		UNSATISFACTORY																																																																																																																										
CONSISTENCY OR DENSENESS										MINERALOGICAL COMPOSITION																																																																																																																																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>PRIMARY SOIL TYPE</th> <th>COMPACTNESS OR CONSISTENCY</th> <th>RANGE OF STANDARD PENETRATION RESISTANCE (N-VALUE)</th> <th>RANGE OF UNCONFINED COMPRESSIVE STRENGTH (TONS/FT<sup>2</sup>)</th> </tr> <tr> <td rowspan="3">GENERALLY GRANULAR MATERIAL (NON-COHESIVE)</td> <td>VERY LOOSE</td> <td>&lt; 4</td> <td>&lt; 0.25</td> </tr> <tr> <td>LOOSE</td> <td>4 TO 10</td> <td>0.25 TO 0.5</td> </tr> <tr> <td>MEDIUM DENSE</td> <td>10 TO 30</td> <td>0.5 TO 1.0</td> </tr> <tr> <td rowspan="3">GENERALLY SILT-CLAY MATERIAL (COHESIVE)</td> <td>DENSE</td> <td>30 TO 50</td> <td>1 TO 2</td> </tr> <tr> <td>VERY DENSE</td> <td>&gt; 50</td> <td>2 TO 4</td> </tr> <tr> <td>VERY SOFT</td> <td>&lt; 2</td> <td>&lt; 0.25</td> </tr> <tr> <td rowspan="3">GENERALLY SILT-CLAY MATERIAL (COHESIVE)</td> <td>SOFT</td> <td>2 TO 4</td> <td>0.25 TO 0.5</td> </tr> <tr> <td>MEDIUM STIFF</td> <td>4 TO 8</td> <td>0.5 TO 1.0</td> </tr> <tr> <td>STIFF</td> <td>8 TO 15</td> <td>1 TO 2</td> </tr> <tr> <td rowspan="2">VERY STIFF</td> <td>15 TO 30</td> <td>2 TO 4</td> </tr> <tr> <td>HARD</td> <td>&gt; 30</td> <td>&gt; 4</td> </tr> </table>										PRIMARY SOIL TYPE	COMPACTNESS OR CONSISTENCY	RANGE OF STANDARD PENETRATION RESISTANCE (N-VALUE)	RANGE OF UNCONFINED COMPRESSIVE STRENGTH (TONS/FT <sup>2</sup> )	GENERALLY GRANULAR MATERIAL (NON-COHESIVE)	VERY LOOSE	< 4	< 0.25	LOOSE	4 TO 10	0.25 TO 0.5	MEDIUM DENSE	10 TO 30	0.5 TO 1.0	GENERALLY SILT-CLAY MATERIAL (COHESIVE)	DENSE	30 TO 50	1 TO 2	VERY DENSE	> 50	2 TO 4	VERY SOFT	< 2	< 0.25	GENERALLY SILT-CLAY MATERIAL (COHESIVE)	SOFT	2 TO 4	0.25 TO 0.5	MEDIUM STIFF	4 TO 8	0.5 TO 1.0	STIFF	8 TO 15	1 TO 2	VERY STIFF	15 TO 30	2 TO 4	HARD	> 30	> 4	MINERAL NAMES SUCH AS QUARTZ, FELDSPAR, MICA, TALC, KAOLIN, ETC. ARE USED IN DESCRIPTIONS WHEN THEY ARE CONSIDERED OF SIGNIFICANCE.																																																																																									
PRIMARY SOIL TYPE	COMPACTNESS OR CONSISTENCY	RANGE OF STANDARD PENETRATION RESISTANCE (N-VALUE)	RANGE OF UNCONFINED COMPRESSIVE STRENGTH (TONS/FT <sup>2</sup> )																																																																																																																																								
GENERALLY GRANULAR MATERIAL (NON-COHESIVE)	VERY LOOSE	< 4	< 0.25																																																																																																																																								
	LOOSE	4 TO 10	0.25 TO 0.5																																																																																																																																								
	MEDIUM DENSE	10 TO 30	0.5 TO 1.0																																																																																																																																								
GENERALLY SILT-CLAY MATERIAL (COHESIVE)	DENSE	30 TO 50	1 TO 2																																																																																																																																								
	VERY DENSE	> 50	2 TO 4																																																																																																																																								
	VERY SOFT	< 2	< 0.25																																																																																																																																								
GENERALLY SILT-CLAY MATERIAL (COHESIVE)	SOFT	2 TO 4	0.25 TO 0.5																																																																																																																																								
	MEDIUM STIFF	4 TO 8	0.5 TO 1.0																																																																																																																																								
	STIFF	8 TO 15	1 TO 2																																																																																																																																								
VERY STIFF	15 TO 30	2 TO 4																																																																																																																																									
	HARD	> 30	> 4																																																																																																																																								
TEXTURE OR GRAIN SIZE										COMPRESSIBILITY																																																																																																																																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>U.S. STD. SIEVE SIZE OPENING (MM)</th> <th>4</th> <th>10</th> <th>40</th> <th>60</th> <th>200</th> <th>270</th> </tr> <tr> <td></td> <td>4.75</td> <td>2.00</td> <td>0.42</td> <td>0.25</td> <td>0.075</td> <td>0.053</td> </tr> <tr> <th>BOULDER (BLDR.)</th> <th>COBBLE (COB.)</th> <th>GRAVEL (GR.)</th> <th>COARSE SAND (CSE, SD.)</th> <th>FINE SAND (F SD.)</th> <th>SILT (SL.)</th> <th>CLAY (CL.)</th> </tr> </table>										U.S. STD. SIEVE SIZE OPENING (MM)	4	10	40	60	200	270		4.75	2.00	0.42	0.25	0.075	0.053	BOULDER (BLDR.)	COBBLE (COB.)	GRAVEL (GR.)	COARSE SAND (CSE, SD.)	FINE SAND (F SD.)	SILT (SL.)	CLAY (CL.)	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>SLIGHTLY COMPRESSIBLE</th> <th>MODERATELY COMPRESSIBLE</th> <th>HIGHLY COMPRESSIBLE</th> </tr> <tr> <td>LL &lt; 31</td> <td>LL = 31 - 50</td> <td>LL &gt; 50</td> </tr> </table>										SLIGHTLY COMPRESSIBLE	MODERATELY COMPRESSIBLE	HIGHLY COMPRESSIBLE	LL < 31	LL = 31 - 50	LL > 50																																																																																													
U.S. STD. SIEVE SIZE OPENING (MM)	4	10	40	60	200	270																																																																																																																																					
	4.75	2.00	0.42	0.25	0.075	0.053																																																																																																																																					
BOULDER (BLDR.)	COBBLE (COB.)	GRAVEL (GR.)	COARSE SAND (CSE, SD.)	FINE SAND (F SD.)	SILT (SL.)	CLAY (CL.)																																																																																																																																					
SLIGHTLY COMPRESSIBLE	MODERATELY COMPRESSIBLE	HIGHLY COMPRESSIBLE																																																																																																																																									
LL < 31	LL = 31 - 50	LL > 50																																																																																																																																									
SOIL MOISTURE - CORRELATION OF TERMS										PERCENTAGE OF MATERIAL																																																																																																																																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>SOIL MOISTURE SCALE (ATTERBERG LIMITS)</th> <th>FIELD MOISTURE DESCRIPTION</th> <th>GUIDE FOR FIELD MOISTURE DESCRIPTION</th> </tr> <tr> <td rowspan="2">LL — LIQUID LIMIT PL — PLASTIC LIMIT</td> <td>- SATURATED - (SAT.)</td> <td>USUALLY LIQUID; VERY WET, USUALLY FROM BELOW THE GROUND WATER TABLE</td> </tr> <tr> <td>- WET - (W)</td> <td>SEMISOLID; REQUIRES DRYING TO ATTAIN OPTIMUM MOISTURE</td> </tr> <tr> <td rowspan="2">OM — OPTIMUM MOISTURE SHRINKAGE LIMIT SL —</td> <td>- MOIST - (M)</td> <td>SOLID; AT OR NEAR OPTIMUM MOISTURE</td> </tr> <tr> <td>- DRY - (D)</td> <td>REQUIRES ADDITIONAL WATER TO ATTAIN OPTIMUM MOISTURE</td> </tr> </table>										SOIL MOISTURE SCALE (ATTERBERG LIMITS)	FIELD MOISTURE DESCRIPTION	GUIDE FOR FIELD MOISTURE DESCRIPTION	LL — LIQUID LIMIT PL — PLASTIC LIMIT	- SATURATED - (SAT.)	USUALLY LIQUID; VERY WET, USUALLY FROM BELOW THE GROUND WATER TABLE	- WET - (W)	SEMISOLID; REQUIRES DRYING TO ATTAIN OPTIMUM MOISTURE	OM — OPTIMUM MOISTURE SHRINKAGE LIMIT SL —	- MOIST - (M)	SOLID; AT OR NEAR OPTIMUM MOISTURE	- DRY - (D)	REQUIRES ADDITIONAL WATER TO ATTAIN OPTIMUM MOISTURE	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>ORGANIC MATERIAL</th> <th>GRANULAR SOILS</th> <th>SILT - CLAY SOILS</th> <th>OTHER MATERIAL</th> </tr> <tr> <td>TRACE OF ORGANIC MATTER</td> <td>2 - 3%</td> <td>3 - 5%</td> <td>TRACE</td> </tr> <tr> <td>LITTLE ORGANIC MATTER</td> <td>3 - 5%</td> <td>5 - 12%</td> <td>LITTLE</td> </tr> <tr> <td>MODERATELY ORGANIC</td> <td>5 - 10%</td> <td>12 - 20%</td> <td>SOME</td> </tr> <tr> <td>HIGHLY ORGANIC</td> <td>&gt; 10%</td> <td>&gt; 20%</td> <td>HIGHLY</td> </tr> </table>										ORGANIC MATERIAL	GRANULAR SOILS	SILT - CLAY SOILS	OTHER MATERIAL	TRACE OF ORGANIC MATTER	2 - 3%	3 - 5%	TRACE	LITTLE ORGANIC MATTER	3 - 5%	5 - 12%	LITTLE	MODERATELY ORGANIC	5 - 10%	12 - 20%	SOME	HIGHLY ORGANIC	> 10%	> 20%	HIGHLY																																																																																							
SOIL MOISTURE SCALE (ATTERBERG LIMITS)	FIELD MOISTURE DESCRIPTION	GUIDE FOR FIELD MOISTURE DESCRIPTION																																																																																																																																									
LL — LIQUID LIMIT PL — PLASTIC LIMIT	- SATURATED - (SAT.)	USUALLY LIQUID; VERY WET, USUALLY FROM BELOW THE GROUND WATER TABLE																																																																																																																																									
	- WET - (W)	SEMISOLID; REQUIRES DRYING TO ATTAIN OPTIMUM MOISTURE																																																																																																																																									
OM — OPTIMUM MOISTURE SHRINKAGE LIMIT SL —	- MOIST - (M)	SOLID; AT OR NEAR OPTIMUM MOISTURE																																																																																																																																									
	- DRY - (D)	REQUIRES ADDITIONAL WATER TO ATTAIN OPTIMUM MOISTURE																																																																																																																																									
ORGANIC MATERIAL	GRANULAR SOILS	SILT - CLAY SOILS	OTHER MATERIAL																																																																																																																																								
TRACE OF ORGANIC MATTER	2 - 3%	3 - 5%	TRACE																																																																																																																																								
LITTLE ORGANIC MATTER	3 - 5%	5 - 12%	LITTLE																																																																																																																																								
MODERATELY ORGANIC	5 - 10%	12 - 20%	SOME																																																																																																																																								
HIGHLY ORGANIC	> 10%	> 20%	HIGHLY																																																																																																																																								
PLASTICITY										GROUND WATER																																																																																																																																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>NON PLASTIC</th> <th>SLIGHTLY PLASTIC</th> <th>MODERATELY PLASTIC</th> <th>HIGHLY PLASTIC</th> </tr> <tr> <td>0-5</td> <td>6-15</td> <td>16-25</td> <td>26 OR MORE</td> </tr> <tr> <th>VERY LOW</th> <th>SLIGHT</th> <th>MEDIUM</th> <th>HIGH</th> </tr> </table>										NON PLASTIC	SLIGHTLY PLASTIC	MODERATELY PLASTIC	HIGHLY PLASTIC	0-5	6-15	16-25	26 OR MORE	VERY LOW	SLIGHT	MEDIUM	HIGH	WATER LEVEL IN BORE HOLE IMMEDIATELY AFTER DRILLING STATIC WATER LEVEL AFTER 24 HOURS PERCHED WATER, SATURATED ZONE, OR WATER BEARING STRATA SPRING OR SEEP																																																																																																																					
NON PLASTIC	SLIGHTLY PLASTIC	MODERATELY PLASTIC	HIGHLY PLASTIC																																																																																																																																								
0-5	6-15	16-25	26 OR MORE																																																																																																																																								
VERY LOW	SLIGHT	MEDIUM	HIGH																																																																																																																																								
COLOR										MISCELLANEOUS SYMBOLS																																																																																																																																	
DESCRIPTIONS MAY INCLUDE COLOR OR COLOR COMBINATIONS (TAN, RED, YELLOW-BROWN, BLUE-GRAY). MODIFIERS SUCH AS LIGHT, DARK, STREAKED, ETC. ARE USED TO DESCRIBE APPEARANCE.										<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>																																																																																																																																	
RECOMMENDATION SYMBOLS										ABBREVIATIONS																																																																																																																																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table>																<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>AR - AUGER REFUSAL</td> <td>MED. - MEDIUM</td> <td>VST - VANE SHEAR TEST</td> </tr> <tr> <td>BT - BORING TERMINATED</td> <td>MICA - MICACEOUS</td> <td>WEA. - WEATHERED</td> </tr> <tr> <td>CL - CLAY</td> <td>MOD. - MODERATELY</td> <td>γ - UNIT WEIGHT</td> </tr> <tr> <td>CPT - CONE PENETRATION TEST</td> <td>NP - NON PLASTIC</td> <td>γ<sub>d</sub> - DRY UNIT WEIGHT</td> </tr> <tr> <td>CSE. - COARSE</td> <td>ORG. - ORGANIC</td> <td></td> </tr> <tr> <td>DMT - DILATOMETER TEST</td> <td>PMT - PRESSUREMETER TEST</td> <td><b>SAMPLE ABBREVIATIONS</b></td> </tr> <tr> <td>DPT - DYNAMIC PENETRATION TEST</td> <td>SAP. - SAPROLITIC</td> <td>S - BULK</td> </tr> <tr> <td>e - VOID RATIO</td> <td>SD. - SAND, SANDY</td> <td>SS - SPLIT SPOON</td> </tr> <tr> <td>F - FINE</td> <td>SL. - SILT, SILTY</td> <td>ST - SHELBY TUBE</td> </tr> <tr> <td>FOSS. - FOSSILIFEROUS</td> <td>SLI. - SLIGHTLY</td> <td>RS - ROCK</td> </tr> <tr> <td>FRAC. - FRACTURED, FRACTURES</td> <td>TCR - TRICONE REFUSAL</td> <td>RT - RECOMPACTED TRIAXIAL</td> </tr> <tr> <td>FRAGS. - FRAGMENTS</td> <td>w - MOISTURE CONTENT</td> <td>CBR - CALIFORNIA BEARING RATIO</td> </tr> <tr> <td>HI. - HIGHLY</td> <td>V - VERY</td> <td></td> </tr> </table>										AR - AUGER REFUSAL	MED. - MEDIUM	VST - VANE SHEAR TEST	BT - BORING TERMINATED	MICA - MICACEOUS	WEA. - WEATHERED	CL - CLAY	MOD. - MODERATELY	γ - UNIT WEIGHT	CPT - CONE PENETRATION TEST	NP - NON PLASTIC	γ <sub>d</sub> - DRY UNIT WEIGHT	CSE. - COARSE	ORG. - ORGANIC		DMT - DILATOMETER TEST	PMT - PRESSUREMETER TEST	<b>SAMPLE ABBREVIATIONS</b>	DPT - DYNAMIC PENETRATION TEST	SAP. - SAPROLITIC	S - BULK	e - VOID RATIO	SD. - SAND, SANDY	SS - SPLIT SPOON	F - FINE	SL. - SILT, SILTY	ST - SHELBY TUBE	FOSS. - FOSSILIFEROUS	SLI. - SLIGHTLY	RS - ROCK	FRAC. - FRACTURED, FRACTURES	TCR - TRICONE REFUSAL	RT - RECOMPACTED TRIAXIAL	FRAGS. - FRAGMENTS	w - MOISTURE CONTENT	CBR - CALIFORNIA BEARING RATIO	HI. - HIGHLY	V - VERY																																																																												
AR - AUGER REFUSAL	MED. - MEDIUM	VST - VANE SHEAR TEST																																																																																																																																									
BT - BORING TERMINATED	MICA - MICACEOUS	WEA. - WEATHERED																																																																																																																																									
CL - CLAY	MOD. - MODERATELY	γ - UNIT WEIGHT																																																																																																																																									
CPT - CONE PENETRATION TEST	NP - NON PLASTIC	γ <sub>d</sub> - DRY UNIT WEIGHT																																																																																																																																									
CSE. - COARSE	ORG. - ORGANIC																																																																																																																																										
DMT - DILATOMETER TEST	PMT - PRESSUREMETER TEST	<b>SAMPLE ABBREVIATIONS</b>																																																																																																																																									
DPT - DYNAMIC PENETRATION TEST	SAP. - SAPROLITIC	S - BULK																																																																																																																																									
e - VOID RATIO	SD. - SAND, SANDY	SS - SPLIT SPOON																																																																																																																																									
F - FINE	SL. - SILT, SILTY	ST - SHELBY TUBE																																																																																																																																									
FOSS. - FOSSILIFEROUS	SLI. - SLIGHTLY	RS - ROCK																																																																																																																																									
FRAC. - FRACTURED, FRACTURES	TCR - TRICONE REFUSAL	RT - RECOMPACTED TRIAXIAL																																																																																																																																									
FRAGS. - FRAGMENTS	w - MOISTURE CONTENT	CBR - CALIFORNIA BEARING RATIO																																																																																																																																									
HI. - HIGHLY	V - VERY																																																																																																																																										
EQUIPMENT USED ON SUBJECT PROJECT										HAMMER TYPE:																																																																																																																																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>DRILL UNITS:</th> <th>ADVANCING TOOLS:</th> </tr> <tr> <td><input type="checkbox"/> CME-45C</td> <td><input type="checkbox"/> CLAY BITS</td> </tr> <tr> <td><input type="checkbox"/> CME-55</td> <td><input type="checkbox"/> 6" CONTINUOUS FLIGHT AUGER</td> </tr> <tr> <td><input type="checkbox"/> CME-550</td> <td><input type="checkbox"/> 8" HOLLOW AUGERS</td> </tr> <tr> <td><input type="checkbox"/> VANE SHEAR TEST</td> <td><input type="checkbox"/> HARD FACED FINGER BITS</td> </tr> <tr> <td><input type="checkbox"/> PORTABLE HOIST</td> <td><input type="checkbox"/> TUNG-CARBIDE INSERTS</td> </tr> <tr> <td><input checked="" type="checkbox"/> MOBILE B-29</td> <td><input checked="" type="checkbox"/> CASING <input checked="" type="checkbox"/> W/ ADVANCER</td> </tr> <tr> <td></td> <td><input type="checkbox"/> TRICONE _____ * STEEL TEETH</td> </tr> <tr> <td></td> <td><input type="checkbox"/> TRICONE _____ * TUNG.-CARB.</td> </tr> <tr> <td></td> <td><input checked="" type="checkbox"/> CORE BIT</td> </tr> </table>										DRILL UNITS:	ADVANCING TOOLS:	<input type="checkbox"/> CME-45C	<input type="checkbox"/> CLAY BITS	<input type="checkbox"/> CME-55	<input type="checkbox"/> 6" CONTINUOUS FLIGHT AUGER	<input type="checkbox"/> CME-550	<input type="checkbox"/> 8" HOLLOW AUGERS	<input type="checkbox"/> VANE SHEAR TEST	<input type="checkbox"/> HARD FACED FINGER BITS	<input type="checkbox"/> PORTABLE HOIST	<input type="checkbox"/> TUNG-CARBIDE INSERTS	<input checked="" type="checkbox"/> MOBILE B-29	<input checked="" type="checkbox"/> CASING <input checked="" type="checkbox"/> W/ ADVANCER		<input type="checkbox"/> TRICONE _____ * STEEL TEETH		<input type="checkbox"/> TRICONE _____ * TUNG.-CARB.		<input checked="" type="checkbox"/> CORE BIT	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td><input checked="" type="checkbox"/> AUTOMATIC</td> <td><input type="checkbox"/> MANUAL</td> </tr> <tr> <td>CORE SIZE:</td> <td></td> </tr> <tr> <td><input type="checkbox"/> -B _____</td> <td><input type="checkbox"/> -H _____</td> </tr> <tr> <td><input checked="" type="checkbox"/> -N _____</td> <td></td> </tr> <tr> <td>HAND TOOLS:</td> <td></td> </tr> <tr> <td><input type="checkbox"/> POST HOLE DIGGER</td> <td></td> </tr> <tr> <td><input type="checkbox"/> HAND AUGER</td> <td></td> </tr> <tr> <td><input type="checkbox"/> SOUNDING ROD</td> <td></td> </tr> <tr> <td><input type="checkbox"/> VANE SHEAR TEST</td> <td></td> </tr> </table>										<input checked="" type="checkbox"/> AUTOMATIC	<input type="checkbox"/> MANUAL	CORE SIZE:		<input type="checkbox"/> -B _____	<input type="checkbox"/> -H _____	<input checked="" type="checkbox"/> -N _____		HAND TOOLS:		<input type="checkbox"/> POST HOLE DIGGER		<input type="checkbox"/> HAND AUGER		<input type="checkbox"/> SOUNDING ROD		<input type="checkbox"/> VANE SHEAR TEST																																																																																			
DRILL UNITS:	ADVANCING TOOLS:																																																																																																																																										
<input type="checkbox"/> CME-45C	<input type="checkbox"/> CLAY BITS																																																																																																																																										
<input type="checkbox"/> CME-55	<input type="checkbox"/> 6" CONTINUOUS FLIGHT AUGER																																																																																																																																										
<input type="checkbox"/> CME-550	<input type="checkbox"/> 8" HOLLOW AUGERS																																																																																																																																										
<input type="checkbox"/> VANE SHEAR TEST	<input type="checkbox"/> HARD FACED FINGER BITS																																																																																																																																										
<input type="checkbox"/> PORTABLE HOIST	<input type="checkbox"/> TUNG-CARBIDE INSERTS																																																																																																																																										
<input checked="" type="checkbox"/> MOBILE B-29	<input checked="" type="checkbox"/> CASING <input checked="" type="checkbox"/> W/ ADVANCER																																																																																																																																										
	<input type="checkbox"/> TRICONE _____ * STEEL TEETH																																																																																																																																										
	<input type="checkbox"/> TRICONE _____ * TUNG.-CARB.																																																																																																																																										
	<input checked="" type="checkbox"/> CORE BIT																																																																																																																																										
<input checked="" type="checkbox"/> AUTOMATIC	<input type="checkbox"/> MANUAL																																																																																																																																										
CORE SIZE:																																																																																																																																											
<input type="checkbox"/> -B _____	<input type="checkbox"/> -H _____																																																																																																																																										
<input checked="" type="checkbox"/> -N _____																																																																																																																																											
HAND TOOLS:																																																																																																																																											
<input type="checkbox"/> POST HOLE DIGGER																																																																																																																																											
<input type="checkbox"/> HAND AUGER																																																																																																																																											
<input type="checkbox"/> SOUNDING ROD																																																																																																																																											
<input type="checkbox"/> VANE SHEAR TEST																																																																																																																																											





N/A

2A

**NORTH CAROLINA DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS  
GEOTECHNICAL ENGINEERING UNIT**

# SUBSURFACE INVESTIGATION

## SOIL AND ROCK LEGEND, TERMS, SYMBOLS, AND ABBREVIATIONS (PAGE 2 OF 2)

ROCK DESCRIPTION		TERMS AND DEFINITIONS
HARD ROCK IS NON-COASTAL PLAIN MATERIAL THAT WOULD YIELD SPT REFUSAL IF TESTED. AN INFERRED ROCK LINE INDICATES THE LEVEL AT WHICH NON-COASTAL PLAIN MATERIAL WOULD YIELD SPT REFUSAL. SPT REFUSAL IS PENETRATION BY A SPLIT SPOON SAMPLER EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS IN NON-COASTAL PLAIN MATERIAL. THE TRANSITION BETWEEN SOIL AND ROCK IS OFTEN REPRESENTED BY A ZONE OF WEATHERED ROCK. ROCK MATERIALS ARE TYPICALLY DIVIDED AS FOLLOWS:		<b>ALLUVIUM (ALLUV.)</b> - SOILS THAT HAVE BEEN TRANSPORTED BY WATER.
WEATHERED ROCK (WR)		<b>AQUIFER</b> - A WATER BEARING FORMATION OR STRATA.
		<b>ARENACEOUS</b> - APPLIED TO ROCKS THAT HAVE BEEN DERIVED FROM SAND OR THAT CONTAIN SAND.
CRYSTALLINE ROCK (CR)		<b>ARGILLACEOUS</b> - APPLIED TO ALL ROCKS OR SUBSTANCES COMPOSED OF CLAY MINERALS, OR HAVING A NOTABLE PROPORTION OF CLAY IN THEIR COMPOSITION, SUCH AS SHALE, SLATE, ETC.
NON-CRYSTALLINE ROCK (NCR)		<b>ARTESIAN</b> - GROUND WATER THAT IS UNDER SUFFICIENT PRESSURE TO RISE ABOVE THE LEVEL AT WHICH IT IS ENCOUNTERED, BUT WHICH DOES NOT NECESSARILY RISE TO OR ABOVE THE GROUND SURFACE.
COASTAL PLAIN SEDIMENTARY ROCK (CP)		<b>CALCAREOUS (CALC.)</b> - SOILS THAT CONTAIN APPRECIABLE AMOUNTS OF CALCIUM CARBONATE.
<b>WEATHERING</b>		<b>COLLUVIUM</b> - ROCK FRAGMENTS MIXED WITH SOIL DEPOSITED BY GRAVITY ON SLOPE OR AT BOTTOM OF SLOPE.
FRESH	ROCK FRESH, CRYSTALS BRIGHT, FEW JOINTS MAY SHOW SLIGHT STAINING. ROCK RINGS UNDER HAMMER IF CRYSTALLINE.	<b>CORE RECOVERY (REC.)</b> - TOTAL LENGTH OF ALL MATERIAL RECOVERED IN THE CORE BARREL DIVIDED BY TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE.
VERY SLIGHT (V SL.)	ROCK GENERALLY FRESH, JOINTS STAINED, SOME JOINTS MAY SHOW THIN CLAY COATINGS IF OPEN. CRYSTALS ON A BROKEN SPECIMEN FACE SHINE BRIGHTLY. ROCK RINGS UNDER HAMMER BLOWS IF OF A CRYSTALLINE NATURE.	<b>DIKE</b> - A TABULAR BODY OF IGNEOUS ROCK THAT CUTS ACROSS THE STRUCTURE OF ADJACENT ROCKS OR CUTS MASSIVE ROCK.
SLIGHT (SL.)	ROCK GENERALLY FRESH, JOINTS STAINED AND DISCOLORATION EXTENDS INTO ROCK UP TO 1 INCH. OPEN JOINTS MAY CONTAIN CLAY. IN GRANITOID ROCKS SOME OCCASIONAL FELDSPAR CRYSTALS ARE DULL AND DISCOLORED. CRYSTALLINE ROCKS RING UNDER HAMMER BLOWS.	<b>DIP</b> - THE ANGLE AT WHICH A STRATUM OR ANY PLANAR FEATURE IS INCLINED FROM THE HORIZONTAL.
MODERATE (MOD.)	SIGNIFICANT PORTIONS OF ROCK SHOW DISCOLORATION AND WEATHERING EFFECTS. IN GRANITOID ROCKS, MOST FELDSPARS ARE DULL AND DISCOLORED, SOME SHOW CLAY. ROCK HAS DULL SOUND UNDER HAMMER BLOWS AND SHOWS SIGNIFICANT LOSS OF STRENGTH AS COMPARED WITH FRESH ROCK.	<b>DIP DIRECTION (DIP AZIMUTH)</b> - THE DIRECTION OR BEARING OF THE HORIZONTAL TRACE OF THE LINE OF DIP, MEASURED CLOCKWISE FROM NORTH.
MODERATELY SEVERE (MOD. SEV.)	ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. IN GRANITOID ROCKS, ALL FELDSPARS DULL AND DISCOLORED AND A MAJORITY SHOW KAOLINIZATION. ROCK SHOWS SEVERE LOSS OF STRENGTH AND CAN BE EXCAVATED WITH A GEOLOGIST'S PICK. ROCK GIVES "CLUNK" SOUND WHEN STRUCK. <u>IF TESTED, WOULD YIELD SPT REFUSAL</u>	<b>FAULT</b> - A FRACTURE OR FRACTURE ZONE ALONG WHICH THERE HAS BEEN DISPLACEMENT OF THE SIDES RELATIVE TO ONE ANOTHER PARALLEL TO THE FRACTURE.
SEVERE (SEV.)	ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC CLEAR AND EVIDENT BUT REDUCED IN STRENGTH TO STRONG SOIL. IN GRANITOID ROCKS ALL FELDSPARS ARE KAOLINIZED TO SOME EXTENT. SOME FRAGMENTS OF STRONG ROCK USUALLY REMAIN. <u>IF TESTED, WOULD YIELD SPT N VALUES &gt; 100 BPF</u>	<b>FISSILE</b> - A PROPERTY OF SPLITTING ALONG CLOSELY SPACED PARALLEL PLANES.
VERY SEVERE (V SEV.)	ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC ELEMENTS ARE DISCERNIBLE BUT MASS IS EFFECTIVELY REDUCED TO SOIL STATUS, WITH ONLY FRAGMENTS OF STRONG ROCK REMAINING. SAPROLITE IS AN EXAMPLE OF ROCK WEATHERED TO A DEGREE THAT ONLY MINOR VESTIGES OF ORIGINAL ROCK FABRIC REMAIN. <u>IF TESTED, WOULD YIELD SPT N VALUES &lt; 100 BPF</u>	<b>FLOAT</b> - ROCK FRAGMENTS ON SURFACE NEAR THEIR ORIGINAL POSITION AND DISLODGED FROM PARENT MATERIAL.
COMPLETE	ROCK REDUCED TO SOIL. ROCK FABRIC NOT DISCERNIBLE, OR DISCERNIBLE ONLY IN SMALL AND SCATTERED CONCENTRATIONS. QUARTZ MAY BE PRESENT AS DIKES OR STRINGERS. SAPROLITE IS ALSO AN EXAMPLE.	<b>FLOOD PLAIN (FP)</b> - LAND BORDERING A STREAM, BUILT OF SEDIMENTS DEPOSITED BY THE STREAM.
<b>ROCK HARDNESS</b>		<b>FORMATION (FM.)</b> - A MAPPABLE GEOLOGIC UNIT THAT CAN BE RECOGNIZED AND TRACED IN THE FIELD.
VERY HARD	CANNOT BE SCRATCHED BY KNIFE OR SHARP PICK. BREAKING OF HAND SPECIMENS REQUIRES SEVERAL HARD BLOWS OF THE GEOLOGIST'S PICK.	<b>JOINT</b> - FRACTURE IN ROCK ALONG WHICH NO APPRECIABLE MOVEMENT HAS OCCURRED.
HARD	CAN BE SCRATCHED BY KNIFE OR PICK ONLY WITH DIFFICULTY. HARD HAMMER BLOWS REQUIRED TO DETACH HAND SPECIMEN.	<b>LEDGE</b> - A SHELF-LIKE RIDGE OR PROJECTION OF ROCK WHOSE THICKNESS IS SMALL COMPARED TO ITS LATERAL EXTENT.
MODERATELY HARD	CAN BE SCRATCHED BY KNIFE OR PICK. GOUGES OR GROOVES TO 0.25 INCHES DEEP CAN BE EXCAVATED BY HARD BLOW OF A GEOLOGIST'S PICK. HAND SPECIMENS CAN BE DETACHED BY MODERATE BLOWS.	<b>LENS</b> - A BODY OF SOIL OR ROCK THAT THINS OUT IN ONE OR MORE DIRECTIONS.
MEDIUM HARD	CAN BE GROOVED OR GOUGED 0.05 INCHES DEEP BY FIRM PRESSURE OF KNIFE OR PICK POINT. CAN BE EXCAVATED IN SMALL CHIPS TO PIECES 1 INCH MAXIMUM SIZE BY HARD BLOWS OF THE POINT OF A GEOLOGIST'S PICK.	<b>MOTTLED (MOT.)</b> - IRREGULARLY MARKED WITH SPOTS OF DIFFERENT COLORS. MOTTLING IN SOILS USUALLY INDICATES POOR AERATION AND LACK OF GOOD DRAINAGE.
SOFT	CAN BE GROVED OR GOUGED READILY BY KNIFE OR PICK. CAN BE EXCAVATED IN FRAGMENTS FROM CHIPS TO SEVERAL INCHES IN SIZE BY MODERATE BLOWS OF A PICK POINT. SMALL, THIN PIECES CAN BE BROKEN BY FINGER PRESSURE.	<b>PERCHED WATER</b> - WATER MAINTAINED ABOVE THE NORMAL GROUND WATER LEVEL BY THE PRESENCE OF AN INTERVENING IMPERVIOUS STRATUM.
VERY SOFT	CAN BE CARVED WITH KNIFE. CAN BE EXCAVATED READILY WITH POINT OF PICK. PIECES 1 INCH OR MORE IN THICKNESS CAN BE BROKEN BY FINGER PRESSURE. CAN BE SCRATCHED READILY BY FINGERNAIL.	<b>RESIDUAL (RES.) SOIL</b> - SOIL FORMED IN PLACE BY THE WEATHERING OF ROCK.
<b>FRACTURE SPACING</b>		<b>ROCK QUALITY DESIGNATION (RQD)</b> - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE.
TERM	SPACING	<b>SAPROLITE (SAP.)</b> - RESIDUAL SOIL THAT RETAINS THE RELIC STRUCTURE OR FABRIC OF THE PARENT ROCK.
VERY WIDE	MORE THAN 10 FEET	<b>SILL</b> - AN INTRUSIVE BODY OF IGNEOUS ROCK OF APPROXIMATELY UNIFORM THICKNESS AND RELATIVELY THIN COMPARED WITH ITS LATERAL EXTENT, THAT HAS BEEN EMPLACED PARALLEL TO THE BEDDING OR SCHISTOSITY OF THE INTRUDED ROCKS.
WIDE	3 TO 10 FEET	<b>SLICKENSIDE</b> - POLISHED AND STRIATED SURFACE THAT RESULTS FROM FRICTION ALONG A FAULT OR SLIP PLANE.
MODERATELY CLOSE	1 TO 3 FEET	<b>STANDARD PENETRATION TEST (PENETRATION RESISTANCE) (SPT)</b> - NUMBER OF BLOWS IN OR BPF OF A 140 LB. HAMMER FALLING 30 INCHES REQUIRED TO PRODUCE A PENETRATION OF 1 FOOT INTO SOIL WITH A 2 INCH OUTSIDE DIAMETER SPLIT SPOON SAMPLER. SPT REFUSAL IS PENETRATION EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS.
CLOSE	0.16 TO 1 FOOT	<b>STRATA CORE RECOVERY (SREC.)</b> - TOTAL LENGTH OF STRATA MATERIAL RECOVERED DIVIDED BY TOTAL LENGTH OF STRATUM AND EXPRESSED AS A PERCENTAGE.
VERY CLOSE	LESS THAN 0.16 FEET	<b>STRATA ROCK QUALITY DESIGNATION (SROD)</b> - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS WITHIN A STRATUM EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF STRATA AND EXPRESSED AS A PERCENTAGE.
<b>BEDDING</b>		<b>TOPSOIL (TS.)</b> - SURFACE SOILS USUALLY CONTAINING ORGANIC MATTER.
TERM	THICKNESS	<b>BENCH MARK:</b>
VERY THICKLY BEDDED	4 FEET	
THICKLY BEDDED	1.5 - 4 FEET	ELEVATION: FEET
THINLY BEDDED	0.16 - 1.5 FEET	
VERY THINLY BEDDED	0.03 - 0.16 FEET	
THICKLY LAMINATED	0.008 - 0.03 FEET	
THINLY LAMINATED	< 0.008 FEET	
<b>INDURATION</b>		<b>NOTES:</b>
FOR SEDIMENTARY ROCKS, INDURATION IS THE HARDENING OF MATERIAL BY CEMENTING, HEAT, PRESSURE, ETC.		BORING COLLAR ELEVATIONS OBTAINED USING CARLSON BRX7 (SURVEY GRADE GPS).
FRIABLE	RUBBING WITH FINGER FREES NUMEROUS GRAINS; GENTLE BLOW BY HAMMER DISINTEGRATES SAMPLE.	
MODERATELY INDURATED	GRAINS CAN BE SEPARATED FROM SAMPLE WITH STEEL PROBE; BREAKS EASILY WHEN HIT WITH HAMMER.	
INDURATED	GRAINS ARE DIFFICULT TO SEPARATE WITH STEEL PROBE; DIFFICULT TO BREAK WITH HAMMER.	
EXTREMELY INDURATED	SHARP HAMMER BLOWS REQUIRED TO BREAK SAMPLE; SAMPLE BREAKS ACROSS GRAINS.	

N/A

2B

**NORTH CAROLINA DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS  
GEOTECHNICAL ENGINEERING UNIT**

# SUBSURFACE INVESTIGATION

## SUPPLEMENTAL LEGEND, GEOLOGICAL STRENGTH INDEX (GSI) TABLES FROM AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS (PAGE 1 OF 2)

AASHTO LRFD Figure 10.4.6.4-1 — Determination of GSI for Jointed Rock Mass (Marinos and Hoek, 2000)

### GEOLOGICAL STRENGTH INDEX (GSI) FOR JOINTED ROCKS (Hoek and Marinos, 2000)

From the lithology, structure and surface conditions of the discontinuities, estimate the average value of GSI. Do not try to be too precise. Quoting a range from 33 to 37 is more realistic than stating that GSI = 35. Note that the table does not apply to structurally controlled failures. Where weak planar structural planes are present in an unfavorable orientation with respect to the excavation face, these will dominate the rock mass behaviour. The shear strength of surfaces in rocks that are prone to deterioration as a result of changes in moisture content will be reduced if water is present. When working with rocks in the fair to very poor categories, a shift to the right may be made for wet conditions. Water pressure is dealt with by effective stress analysis.

SURFACE CONDITIONS

**VERY GOOD**  
Very rough, fresh unweathered surfaces

**GOOD**  
Rough, slightly weathered, iron stained surfaces


**FAIR**  
Smooth, moderately weathered and altered surfaces

**POOR**  
Slackensided, highly weathered surfaces with compact coatings or fillings or angular fragments


**VERY POOR**  
Slackensided, highly weathered surfaces with soft clay coatings or fillings

## STRUCTURE


DECREASING SURFACE QUALITY



INTACT OR MASSIVE - intact rock specimens or massive in situ rock with few widely spaced discontinuities




BLOCKY - well interlocked undisturbed rock mass consisting of cubical blocks formed by three intersecting discontinuity sets




VERY BLOCKY - interlocked, partially disturbed mass with multi-faceted angular blocks formed by 4 or more joint sets



BLOCKY/DISTURBED/SEAMY - folded with angular blocks formed by many intersecting discontinuity sets. Persistence of bedding planes or schistosity



DISINTEGRATED - poorly interlocked, heavily broken rock mass with mixture of angular and rounded rock pieces



LAMINATED/SHEARED - Lack of blockiness due to close spacing of weak schistosity or shear planes

DECREASING INTERLOCKING OF ROCK PIECES



90

80

70

60

50

40

30

20

10

N/A

N/A

N/A

N/A



N/A

2C

**NORTH CAROLINA DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS  
GEOTECHNICAL ENGINEERING UNIT**

# SUBSURFACE INVESTIGATION

## SUPPLEMENTAL LEGEND, GEOLOGICAL STRENGTH INDEX (GSI) TABLES FROM AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS (PAGE 2 OF 2)

AASHTO LRFD Figure 10.4.6.4-2 — Determination of GSI for Tectonically Deformed Heterogeneous Rock Masses (Marinos and Hoek, 2000)

GSI FOR HETEROGENEOUS ROCK MASSES SUCH AS FLYSCH (Marinos, P and Hoek E., 2000)

From a description of the lithology, structure and surface conditions (particularly of the bedding planes), choose a box in the chart. Locate the position in the box that corresponds to the condition of the discontinuities and estimate the average value of GSI from the contours. Do not attempt to be too precise. Quoting a range from 33 to 37 is more realistic than giving GSI = 35. Note that the Hoek-Brown criterion does not apply to structurally controlled failures. Where unfavourably oriented continuous weak planar discontinuities are present, these will dominate the behaviour of the rock mass. The strength of some rock masses is reduced by the presence of groundwater and this can be allowed for by a slight shift to the right in the columns for fair, poor and very poor conditions. Water pressure does not change the value of GSI and it is dealt with by using effective stress analysis.

SURFACE CONDITIONS OF DISCONTINUITIES  
(Predominantly bedding planes)

VERY GOOD - Very Rough, fresh unweathered surfaces


GOOD - Rough, slightly weathered surfaces

FAIR - Smooth, moderately weathered and altered surfaces


POOR - Very smooth, occasionally slickensided surfaces with compact coatings or fillings with angular fragments

VERY POOR - Very smooth, slickensided or highly weathered surfaces with soft clay coatings or fillings

### COMPOSITION AND STRUCTURE



**A. Thick bedded, very blocky sandstone**  
The effect of pelitic coatings on the bedding planes is minimized by the confinement of the rock mass. In shallow tunnels or slopes these bedding planes may cause structurally controlled instability.




**B. Sandstone with thin inter-layers of siltstone**



**C. Sandstone and siltstone in similar amounts**



**D. Siltstone or silty shale with sandstone layers**



**E. Weak siltstone or clayey shale with sandstone layers**

**C, D, E, and G** - may be more or less folded than illustrated but this does not change the strength. Tectonic deformation, faulting and loss of continuity moves these categories to **F** and **H**.



**F. Tectonically deformed, intensively folded/faulted, sheared clayey shale or siltstone with broken and deformed sandstone layers forming an almost chaotic structure**



**G. Undisturbed silty or clayey shale with or without a few very thin sandstone layers**



**H. Tectonically deformed silty or clayey shale forming a chaotic structure with pockets of clay. Thin layers of sandstone are transformed into small rock pieces.**

➡ Means deformation after tectonic disturbance



NC DOT BORE SINGLE WATAUGA 058.GPJ NC\_DOT.GDT 3/31/25

# GEOTECHNICAL BORING REPORT

## CORE LOG

SHEET 5

<b>WBS</b> DF18311.2095167.PR				<b>TIP</b> N/A		<b>COUNTY</b> WATAUGA				<b>GEOLOGIST</b> R. Welch				
<b>SITE DESCRIPTION</b> Bridge No. 058 on SR 1139 (Kellersville Road) over Beech Creek										<b>GROUND WTR (ft)</b>				
<b>BORING NO.</b> EB1-A				<b>STATION</b> 10+30			<b>OFFSET</b> 10 ft LT			<b>ALIGNMENT</b> -L-				
<b>COLLAR ELEV.</b> 2,692.9 ft				<b>TOTAL DEPTH</b> 37.4 ft			<b>NORTHING</b> 920,721			<b>EASTING</b> 1,145,279				
<b>DRILL RIG/HAMMER EFF./DATE</b> CG29022 Mobile B-29 92% 04/09/2024										<b>DRILL METHOD</b> NW Casing W/SPT & Core			<b>HAMMER TYPE</b> Automatic	
<b>DRILLER</b> M. Brewer				<b>START DATE</b> 01/14/25			<b>COMP. DATE</b> 01/14/25			<b>SURFACE WATER DEPTH</b> N/A				
<b>CORE SIZE</b> N/A				<b>TOTAL RUN</b> 24.0 ft										
ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN		SAMP. NO.	STRATA		L O G	DESCRIPTION AND REMARKS	DEPTH (ft)		
					REC. (ft) %	RQD (ft) %		REC. (ft) %	RQD (ft) %					
2679.5														
	2,679.5	13.4	4.0	N=60/0.0 6:03/1.0 6:01/1.0 2:15/1.0 6:35/1.0	(2.5) 63%	(1.7) 43%		(21.9) 91%	(11.5) 48%		Begin Coring @ 13.4 ft			
2675	2,675.5	17.4									<b>CRYSTALLINE ROCK</b>	13.4		
			5.0	4:11/1.0 5:08/1.0 4:30/1.0 3:00/1.0 2:48/1.0	(5.0) 100%	(3.5) 70%					Moderately Severe Weathering to Fresh, Medium Hard to Very Hard, Pink-White-Gray, (Granitic Gneiss), with Very Close to Moderately Close Fracture Spacing			
2670	2,670.5	22.4					RS-01				RS-01: 21.9-22.4' Unit Weight: 163.7 pcf Unconfined Compressive Strength: 3,370 psi (485 ksf)			
			5.0	6:20/1.0 4:06/1.0 6:00/1.0 5:41/1.0 2:05/1.0	(4.9) 98%	(1.9) 38%					RS-02: 31.2-31.6' Unit Weight: 168.3 pcf Unconfined Compressive Strength: 12,990 psi (1,870 ksf)			
2665	2,665.5	27.4									GSI= 35-40			
			5.0	6:40/1.0 3:52/1.0 4:28/1.0 5:15/1.0 3:17/1.0	(4.6) 92%	(1.4) 28%					Weathered Rock seam from 15.4 to 16.7 feet			
2660	2,660.5	32.4					RS-02							
			5.0	4:55/1.0 4:07/1.0 5:03/1.0 7:32/1.0 5:30/1.0	(4.9) 98%	(3.0) 60%								
	2,655.5	37.4									Boring Terminated at Elevation 2,655.5 ft In Crystalline Rock (Granitic Gneiss)	37.4		




Bridge No. 058 on SR 1139 (Kellersville Road) over Beech Creek

Watauga County, North Carolina

Rock Core Photographs

Boring: EB1-A

13.4 to 37.4 Feet



FEET




**Bridge No. 058 on SR 1139 (Kellersville Road) over Beech Creek**

**Watauga County, North Carolina**

**Rock Core Photographs Cont.**

**Boring: EB1-A**

**13.4 to 37.4 Feet**









# GEOTECHNICAL BORING REPORT

## CORE LOG

SHEET 9

WBS DF18311.2095167.PR				TIP N/A		COUNTY WATAUGA				GEOLOGIST R. Welch			
SITE DESCRIPTION Bridge No. 058 on SR 1139 (Kellersville Road) over Beech Creek											GROUND WTR (ft)		
BORING NO. EB1-B				STATION 10+40			OFFSET 24 ft RT			ALIGNMENT -L-			
COLLAR ELEV. 2,695.7 ft				TOTAL DEPTH 19.4 ft			NORTHING 920,686			EASTING 1,145,283			
DRILL RIG/HAMMER EFF./DATE CG29022 Mobile B-29 92% 04/09/2024							DRILL METHOD NW Casing W/SPT & Core			HAMMER TYPE Automatic			
DRILLER M. Brewer				START DATE 01/14/25			COMP. DATE 01/14/25			SURFACE WATER DEPTH N/A			
CORE SIZE N/A				TOTAL RUN 6.5 ft									
ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN		SAMP. NO.	STRATA		L O G	DESCRIPTION AND REMARKS	DEPTH (ft)	
					REC. (ft) %	RQD (ft) %		REC. (ft) %	RQD (ft) %				
2682.8	2,682.8	12.9	1.5	N=60/0.0	(1.3)	(0.6)		(6.2)	(5.1)		2,682.8	12.9	
2680	2,681.3	14.4	5.0	8:03/1.0	87%	40%		95%	78%			Moderately Weathered to Fresh, Moderately Hard to Hard, White-Black-Pink, (Granitic Gneiss), with Very Close to Moderately Close Fracture Spacing	
				3:01/0.5									
				4:00/1.0	(4.9)	(4.5)							
				3:53/1.0	98%	90%							
				2:38/1.0									
	2,676.3	19.4		3:45/1.0							2,676.3	19.4	
				4:05/1.0							Boring Terminated at Elevation 2,676.3 ft In Crystalline Rock (Granitic Gneiss)		

NCDOT CORE SINGLE WATAUGA 058.GPJ NC\_DOT.GDT 3/31/25







**Bridge No. 058 on SR 1139 (Kellersville Road) over Beech Creek**

**Watauga County, North Carolina**

**Rock Core Photographs**

**Boring: EB1-B**

**12.9 to 19.4 Feet**



## SHEET 11

NCDOT BORE SINGLE WATAUGA 058.GPJ NC\_DOT.GDT 3/31/25

# GEOTECHNICAL BORING REPORT

## BORE LOG

SHEET 12

WBS DF18311.2095167.PR			TIP N/A		COUNTY WATAUGA			GEOLOGIST R. Welch						
SITE DESCRIPTION Bridge No. 058 on SR 1139 (Kellersville Road) over Beech Creek										GROUND WTR (ft)				
BORING NO. EB2-B			STATION 11+54			OFFSET 11 ft RT			ALIGNMENT -L-		0 HR. N/A			
COLLAR ELEV. 2,694.4 ft			TOTAL DEPTH 50.7 ft			NORTHING 920,680			EASTING 1,145,396		24 HR. 7.4			
DRILL RIG/HAMMER EFF./DATE CG29022 Mobile B-29 92% 04/09/2024						DRILL METHOD NW Casing W/SPT & Core			HAMMER TYPE Automatic					
DRILLER M. Brewer			START DATE 01/15/25			COMP. DATE 01/15/25			SURFACE WATER DEPTH N/A					
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100			ELEV. (ft)	DEPTH (ft)
2695	2,694.4	0.0											2,694.4	0.0
2690	2,689.5	4.9	2	4	4						M		GROUND SURFACE	
2685	2,684.5	9.9	9	9	6						M		ROADWAY EMBANKMENT Loose to Medium Dense, Brown-Black, Silty Coarse Sandy GRAVEL (A-1-a)	
2680	2,680.3	14.1	31	43	20						M		2,686.9	7.5
2675													ALLUVIAL Very Dense, Brown-Gray, Silty Coarse Sandy GRAVEL (A-1-a)	
2670													2,680.3	14.1
2665	2,667.6	26.8	28	72/0.4									(Boulder)	
2660													2,674.5	19.9
2655													RESIDUAL Tan-Brown, Silty CLAY (A-7)	
2650													2,670.3	24.1
2645													CRYSTALLINE ROCK White-Gray, (Granitic Gneiss)	
											RS-03		2,667.6	26.8
													2,666.7	27.7
													REC= 85% RQD= 74% GSI= 55-60	
													WEATHERED ROCK Tan-Brown, (Granitic Gneiss)	
													CRYSTALLINE ROCK White-Gray-Black-Pink, (Granitic Gneiss)	
											RS-04		REC=92% RQD= 22% GSI= 25-30	
													2,643.7	50.7
													Boring Terminated at Elevation 2,643.7 ft In Crystalline Rock (Granitic Gneiss)	
													Higher N-Values in Alluvial Material are possible result of boulders and cobbles	

NCDOT BORE SINGLE WATAUGA 058.GPJ NC\_DOT.GDT 3/31/25

# GEOTECHNICAL BORING REPORT

## CORE LOG

SHEET 13

WBS DF18311.2095167.PR				TIP N/A		COUNTY WATAUGA			GEOLOGIST R. Welch			
SITE DESCRIPTION Bridge No. 058 on SR 1139 (Kellersville Road) over Beech Creek										GROUND WTR (ft)		
BORING NO. EB2-B				STATION 11+54			OFFSET 11 ft RT		ALIGNMENT -L-		0 HR. N/A	
COLLAR ELEV. 2,694.4 ft				TOTAL DEPTH 50.7 ft			NORTHING 920,680		EASTING 1,145,396		24 HR. 7.4	
DRILL RIG/HAMMER EFF./DATE CG29022 Mobile B-29 92% 04/09/2024							DRILL METHOD NW Casing W/SPT & Core			HAMMER TYPE Automatic		
DRILLER M. Brewer				START DATE 01/15/25			COMP. DATE 01/15/25		SURFACE WATER DEPTH N/A			
CORE SIZE N/A				TOTAL RUN 35.7 ft								
ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	REC. (ft) %	ROD (ft) %	SAMP. NO.	STRATA REC. (ft) %	ROD (ft) %	L O G	DESCRIPTION AND REMARKS	
											ELEV. (ft) DEPTH (ft)	
2680.3											Begin Coring @ 14.1 ft	
	2,680.3	14.1	1.5	N=60/0.0	(1.4)	(1.4)					ALLUVIAL	
	2,678.8	15.6	5.0	5:59/1.0	93%	93%					(Boulder)	
				2:14/0.5	(4.3)	(4.3)						
				4:00/1.0	86%	86%						
2675				4:00/1.0								
	2,673.8	20.6		4:15/1.0								
				3:15/1.0								
			5.0	5:09/1.0	(1.5)	(1.2)					RESIDUAL	
				6:08/1.0	30%	24%					Tan-Brown, Silty CLAY (A-7)	
				5:06/1.0								
2670				3:48/1.0								
	2,668.8	25.6		4:26/1.0				(2.3) 85%	(2.0) 74%		CRYSTALLINE ROCK	
	2,667.6	26.8	1.2	4:02/1.0	(0.8)	(0.8)					Very Slightly Weathered to Fresh, Moderately Hard to Hard, White-Gray, (Granitic Gneiss), with Very Close to Close Fracture Spacing	
	2,666.7	27.7		2:10/0.2	67%	67%						
			3.0	N=100/0.9	(1.2)	(0.0)		(21.2) 92%	(5.0) 22%		GSI= 55-60	
	2,663.7	30.7		5:04/1.0	40%	0%					WEATHERED ROCK	
				5:32/1.0							Tan-Brown, (Granitic Gneiss)	
			5.0	4:17/1.0	(5.0)	(0.5)					CRYSTALLINE ROCK	
				6:22/1.0	100%	10%					Moderately Weathered to Very Slightly Weathered, Moderately Hard to Hard, White-Black-Gray-Pink, (Granitic Gneiss), with Very Close to Close Fracture Spacing	
				3:37/1.0								
				3:25/1.0								
2660				3:02/1.0								
	2,658.7	35.7		2:46/1.0	(5.0)	(1.3)	RS-03					
			5.0	3:18/1.0	100%	26%						
				4:27/1.0								
				3:05/1.0								
2655				5:13/1.0							RS-03: 36.0-36.4'	
	2,653.7	40.7		5:08/1.0	(5.0)	(1.0)					Unit Weight: 174.4 pcf	
			5.0	4:09/1.0	100%	20%					Unconfined Compressive Strength: 5,970 psi (860 ksf)	
				6:04/1.0								
				4:34/1.0								
2650				5:14/1.0							RS-04: 46.1-46.5'	
	2,648.7	45.7		5:20/1.0	(5.0)	(2.2)	RS-04				Unit Weight: 177.3 pcf	
			5.0	5:42/1.0	100%	44%					Unconfined Compressive Strength: 12,550 psi (1,807 ksf)	
				2:57/1.0								
				6:55/1.0								
2645				4:52/1.0							GSI= 25-30	
	2,643.7	50.7		4:52/1.0								
											Boring Terminated at Elevation 2,643.7 ft In Crystalline Rock (Granitic Gneiss)	
											Higher N-Values in Alluvial Material are possible result of boulders and cobbles	

NCDOT CORE SINGLE WATAUGA 058.GPJ NC\_DOT.GDT 3/31/25





Bridge No. 058 on SR 1139 (Kellersville Road) over Beech Creek

Watauga County, North Carolina

Rock Core Photographs

Boring: EB2-B

14.1 to 50.7 Feet








Bridge No. 058 on SR 1139 (Kellersville Road) over Beech Creek

Watauga County, North Carolina

Rock Core Photographs Cont.


Boring: EB2-B

14.1 to 50.7 Feet



PROJECT REFERENCE NO.	SHEET NO.
N/A	16

# **GEOPHYSICAL TEST RESULTS – SEISMIC REFRACTION LINE SR-1**



CG2 ESTIMATED WAVE SPEED FOR WEATHERED ROCK: 4,500 FT/SEC

CG2 ESTIMATED WAVE SPEED FOR CRYSTALLINE ROCK: 6,000 FT/SEC

<i>PROJECT REFERENCE NO.</i>	<i>SHEET NO.</i>
N/A	17

### SOIL TEST RESULTS

<i>BORING ID</i>	<i>SAMPLE NO.</i>	<i>OFFSET</i>	<i>STATION</i>	<i>NORTHING</i>	<i>EASTING</i>	<i>DEPTH INTERVAL</i>	<i>AASHTO CLASS.</i>	<i>L.L.</i>	<i>P.I.</i>	<i>% BY WEIGHT</i>				<i>% PASSING (SIEVES)</i>			<i>% MOISTURE</i>	<i>% ORGANIC</i>
										<i>C. SAND</i>	<i>F. SAND</i>	<i>SILT</i>	<i>CLAY</i>	<i>10</i>	<i>40</i>	<i>200</i>		
EB2-A	SS-100	17' LT	11+32 -L-	920711	1145381	0.0 - 1.5'	A-4(0)	31	3	42.2	13.7	32.0	12.1	79.8	52.8	37.0	31.5	ND

### ROCK TEST RESULTS

<i>SAMPLE NO.</i>	<i>BORING</i>	<i>STATION</i>	<i>OFFSET</i>	<i>DEPTH INTERVAL</i>	<i>ROCK TYPE</i>	<i>UNIT WEIGHT (PCF)</i>	<i>UNCONFINED COMPRESSIVE STRENGTH</i>
RS-01	EB1-A	10+30 -L-	10' LT	21.9 - 22.4'	GRANITIC GNEISS	163.7	3,370 psi (485 ksf)
RS-02	EB1-A	10+30 -L-	10' LT	31.2 - 31.6'	GRANITIC GNEISS	168.3	12,990 psi (1,870 ksf)
RS-03	EB2-B	11+54 -L-	11' RT	36.0 - 36.4'	GRANITIC GNEISS	174.4	5,970 psi (860 ksf)
RS-04	EB2-B	11+54 -L-	11' RT	46.1 - 46.5'	GRANITIC GNEISS	177.3	12,550 psi (1,807 ksf)

*Alex M. Atkinson*

**AUTHORIZED SIGNATURE**  
NCDOT CERT NO. 130-04-0212

*Prepared in the Office of:*  
F&ME CONSULTANTS, INC.  
COLUMBIA, SOUTH CAROLINA  
NCDOT LAB CERT. NO. 130-0212



WBS: DFI83II.2095I67.PR  
BRIDGE NO. 058 ON SR 1139 (KELLERSVILLE  
ROAD) OVER BEECH CREEK



PHOTO #1: VIEW FACING NORTHWEST TOWARD BORING EB1-B.



PHOTO #2: VIEW FACING SOUTH.