

TECHNICIAN'S CHECKLIST
SECTION 610
ASPHALT-PAVEMENT PLANT MIX - GENERAL

PROJECT: _____
 REVIEW DATE: _____

TECHNICIAN: _____
 REVIEWER: _____

ACTION	YES	NO	N/A	COMMENTS
Study Specifications, Plans, and Special Provisions				
THE CONTRACTOR SHALL:				
Select a location for calibration testing 0.10 miles in length. The location should be reasonably flat and measured and approved by the Engineer.				
Perform daily calibration procedures and record measurements and calibration settings in a calibration log book. Calibrations should include Distance measurement (within ± 1.00 ft.), vertical displacement (within ± 0.01181 inches), and accelerometer (within manufacturer's instructions which may include both a static dynamic test.). Calibration Log should include date of calibration, Instrument calibrated, measurement results, and any adjustments, in any, made to the equipment based on the results. Calibration testing should be done in the presents of the Engineer or his representative. A copy of the calibration log should be given to the Engineer each day.				
Provide IRI data in accordance with the most current version of ASTM E 1926.				
Provide a competent operator trained in the operation of the inertial profiler per AASHTO R 57.				
Provide the user selected inertial profiler settings to the Engineer or his representative for the project records.				
Provide equipment in good working condition.				
Remove all objects or foreign materials on the pavement prior to longitudinal pavement profile testing.				
Operate the profiler at the manufacturer's recommendations (The manufacturer's recommendation should be provided to the Engineer or his representative).				
Operate the Profiler at a speed which is constant within ± 3 mph of the intended speed.				
Operate the in the direction of the final traffic pattern.				
Collect IRI data from both wheel paths during the same run (it is permissible to collect data one wheel path at the time if each wheel path is tested and evaluated separately).				
When using an inertial profiler that collects a single trace per pass should take care to ensure that the measurements from each trace in a travel lane start and stop at the same longitudinal locations.				
Operate the automatic triggering method at all times unless impractical.				
Reach the intended operating speed before entering the test section (the runup and runout distances should be sufficient to obtain the intended operating speed and to slow down after testing is complete).				

TECHNICIAN'S CHECKLIST
SECTION 610
ASPHALT-PAVEMENT PLANT MIX - GENERAL

ACTION	YES	NO	N/A	COMMENTS
Mark the limits of structures and other special area to be excluded from testing using the profiler's event identifier.				
Perform all smoothness testing in the presents of the Engineer or his representative.				
Perform surface testing on the finished surface of the competed project, or at the completion of a major state of construction as approved by the Engineer.				
Coordinate with and receive authorization from the Engineer before starting smoothness testing.				
Perform all smoothness testing with 7 days after receiving authorization from the Engineer.				
After testing, transfer immediately the profile data, compatible with the latest version of ProVAL, from the profiler portable computer's hard drive to a write once storage media (DVD-R or CD-R) or electronic media approved by Engineer. The media approved will not be returned.				
Label the electronic media with the project number, route, file number, date, operator, and termini of the profile data.				
Submit report data and documentation of the evaluation for each section to the Engineer within 10 days after completion of the smoothness testing. See the example below. (The evaluation should be done in tabular form with each 0.10 mile segment occupying a row. Include each row with the beginning and ending station for the section, the length of the section, the original IRI values from each wheel path, and the MRI value for the section. Each continuous run for a section will occupy a separate table and each table will include a header with Project No., County, Roadway designation, lane designation, JMF used on final layer, dates of the smoothness testing, and the beginning and ending stations of the continuous run. Summarize each table at the bottom.)				
THE ENGINEER OR HIS REPRESENTATIVE SHALL:				
Study Specifications, Plans, and Special Provisions				
Witness all daily calibration testing.				
Coordinate daily testing schedules.				
Note daily calibration testing has been done in the Daily Inspector's Diary.				
Observe area before smoothness testing begins to see that all objects or foreign materials on the pavement prior to longitudinal pavement profile testing have been removed.				
Observe all smoothness testing.				
Observe the operator to see that he/she are keeping a steady line in the lane.				
Retrieve data from the operator at the conclusion of smoothness testing on the approved media.				
The Engineer should acquire a copy of the latest version of ProVAL software so as to check Contractor's figures.				
Record in diary all conversations, observations, spot checks made, and work performed.				

Sample Report:

Contract # C 000755
 FILENAME: F:\20220\20220N2.P01
 DATE COLLECTED: 5/3/2011
 SENSOR CAL DATE: 1/4/2011
 COUNTY: Randolph
 ROUTE: 20000220
 DIRECTION: North(+)
 LANE: 2
 JMF # 00-0001-832
 COMMENT1: Somewhat rough
 OPERATOR: Eric House
 DRIVER: Eric House
 VEHICLE: 17
 DCF: 7052.5
 TIME COLLECTED: 9:59:58

Miles			IN/MI		
From	To	Rough Dist	IRI 1	IRI 2	MRI (Avg IRI)
0.0	0.1	0.1	95	90	92
0.1	0.2	0.1	87	83	85
0.2	0.3	0.1	102	77	90
0.3	0.4	0.1	100	79	89
0.4	0.5	0.1	98	97	97
0.5	0.6	0.1	207	190	199
0.6	0.7	0.1	57	52	55
0.7	0.8	0.1	78	55	67
0.8	0.9	0.1	56	52	54
0.9	1.0	0.1	66	48	57
1.0	1.1	0.1	53	43	48
1.1	1.2	0.1	62	59	60
1.2	1.3	0.1	61	54	57
1.3	1.4	0.1	70	57	64
1.4	1.5	0.1	71	61	66
1.5	1.6	0.1	65	61	63
1.6	1.7	0.1	65	52	58
1.7	1.8	0.1	98	93	96
1.8	1.9	0.1	67	62	64
1.9	2.0	0.1	57	63	60
2.0	2.1	0.1	73	71	72

2.1	2.2	0.1	70	67	68
2.2	2.3	0.1	64	67	66
2.3	2.4	0.1	65	66	66
2.4	2.5	0.1	65	79	72
2.5	2.6	0.1	75	69	72
2.6	2.7	0.1	62	66	64
2.7	2.8	0.1	68	64	66
2.8	2.9	0.1	69	67	68
2.9	3.0	0.1	74	83	79
3.0	3.1	0.1	63	56	59
3.1	3.2	0.1	65	59	62
3.2	3.3	0.1	67	56	62
3.3	3.4	0.1	70	48	59
3.4	3.5	0.1	60	52	56
3.5	3.6	0.1	71	55	63
3.6	3.7	0.1	55	56	56
3.7	3.8	0.1	67	56	62
3.8	3.9	0.1	90	65	78
3.9	4.0	0.1	72	64	68
4.0	4.1	0.1	80	68	74
4.1	4.2	0.1	83	65	74
4.2	4.3	0.1	119	149	134
4.3	4.4	0.1	75	110	92
4.4	4.5	0.1	63	94	78
4.5	4.6	0.1	79	98	89
4.6	4.7	0.1	71	84	78
4.7	4.8	0.1	135	130	133
4.8	4.9	0.1	85	87	86
4.9	5.0	0.1	108	123	115
5.0	5.1	0.1	91	115	103
5.1	5.2	0.1	72	73	72
5.2	5.3	0.1	92	74	83
5.3	5.4	0.1	78	64	71
5.4	5.5	0.1	91	82	87
5.5	5.6	0.1	101	92	97
5.6	5.7	0.1	71	76	73
5.7	5.8	0.1	62	75	69
5.8	5.9	0.1	63	74	68
5.9	6.0	0.1	98	116	107
6.0	6.1	0.1	59	49	54
6.1	6.2	0.1	54	41	47
6.2	6.3	0.1	64	48	56
6.3	6.4	0.1	136	141	138

6.4	6.5	0.1	77	81	79
6.5	6.6	0.1	65	47	56
6.6	6.7	0.1	84	75	80
6.7	6.8	0.1	121	108	114
6.8	6.9	0.1	90	73	82
6.9	7.0	0.1	83	79	81
7.0	7.1	0.1	70	68	69
7.1	7.2	0.1	76	73	75
7.2	7.3	0.1	92	82	87
7.3	7.4	0.1	103	73	88
7.4	7.5	0.1	71	47	59
7.5	7.6	0.1	69	51	60
7.6	7.7	0.1	132	73	102
7.7	7.8	0.1	87	69	78
7.8	7.9	0.1	60	54	57
7.9	8.0	0.1	76	44	60
8.0	8.1	0.1	57	44	51
8.1	8.2	0.1	63	43	53
8.2	8.3	0.1	67	53	60
8.3	8.4	0.05	56	58	57
=====	=====	=====	=====	=====	=====
0.0	8.4	8.35	79	73	76