

ATTN:

TEMPERATURE		78°		ENGINEERING DEPARTMENT		DATE		MONTH	DAY	YEAR												
INSPECTOR NUMBER		Patriot Rail		DAILY TRACK INSPECTION REPORT		Patriot Rail		10	23	14												
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE	1	OF 1												
MT Holly		FROM 23		TO 11.3		SG 1 2 3 P SD O																
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER							
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						
MAIN LINE SWITCHES INSPECTED		MP:	TO MP:	DATE	INSPECTOR		DATE		10-23-14													
RAIL CROSSING INSPECTED		MP:	TO MP:	DATE	SUPERVISOR REVIEW		DATE															
YARD TRACK SWITCHES INSPECTED		MP:	TO MP:	DATE	REGIONAL ROADMASTER REVIEW		DATE															

No Defects

[Signature]

[illegible]

[illegible]

APR 1997

TEMPERATURE		90°		 ENGINEERING DEPARTMENT		 Patriot Rail		DATE		MONTH	DAY	YEAR										
INSPECTOR NUMBER				DAILY TRACK INSPECTION REPORT						9	15	14										
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/32 MILE		TRACKS INSPECTED		PAGE		1	OF	1										
		M8 Holly		FROM 23 TO 11.3		36 3 2 S P SD D																
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER							
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						
MAIN LINE SWITCHES INSPECTED		MP.	TO MP.		DATE		INSPECTOR		DATE		9-15-14											
RAIL CROSSING INSPECTED		MP.	TO MP		DATE		SUPERVISOR REVIEW		DATE													
YARD TRACK SWITCHES INSPECTED		MP.	TO MP.		DATE		REGIONAL ROADMASTER REVIEW		DATE													

No Defects

ATP/EP

TEMPERATURE		89°		ENGINEERING DEPARTMENT										DATE		MONTH	DAY	YEAR				
INSPECTOR NUMBER				Patriot Rail										Patriot Rail		9	8	14				
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE										TRACKS INSPECTED		PAGE	1	OF	1			
		MT Holly		FROM	23		TO	11.3		SC		1		2	3	P	SD	O				
TRACK	LOCATION OF DEFECT	DEFECT(S) Belmont Branch MP 20 to 1.5										ACTION TAKEN BY INSPECTOR		ACTION TAKEN BY ROADMASTER								
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						
MAIN LINE SWITCHES INSPECTED		MP:	TO MP:		DATE		INSPECTOR		DATE		SUPERVISOR REVIEW		DATE		REGIONAL/ROADMASTER REVIEW		DATE					
RAIL CROSSING INSPECTED		MP:	TO MP:		DATE		u.s. Sankel		9-8-14													
YARD TRACK SWITCHES INSPECTED		MP:	TO MP:		DATE																	

No Defects

u.s. Sankel

9-8-14

TEMPERATURE		90°		ENGINEERING DEPARTMENT		Patriot Rail		DATE		MONTH	DAY	YEAR										
INSPECTOR NUMBER				Patriot Rail		DAILY TRACK INSPECTION REPORT		Patriot Rail		9	2	14										
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE		1	OF	1										
		M8/Holly		FROM	23	TO	11.3	1	2	3	P	SD	D									
TRACK	LOCATION OF DEFECT	DEFECT(S) Belmont Branch MP 0.0 to 1.5										ACTION TAKEN BY INSPECTOR		ACTION TAKEN BY ROADMASTER								
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED: FEET IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						

No Defects

MAIN LINE SWITCHES INSPECTED	MP. 23	TO MP. 11.3	DATE 9-2-14	INSPECTOR <i>[Signature]</i>	DATE 9-2-14
RAIL CROSSING INSPECTED	MP.	TO MP.	DATE	SUPERVISOR REVIEW	DATE
YARD TRACK SWITCHES INSPECTED	MP.	TO MP.	DATE	REGIONAL ROADMASTER REVIEW	DATE

APPEF

TEMPERATURE		92°		 ENGINEERING DEPARTMENT DAILY TRACK INSPECTION REPORT				DATE		MONTH	DAY	YEAR										
INSPECTOR NUMBER								8		25		14										
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE		1	OF	1										
		mt Holly		FROM	23	TO	11.3	56		1	2	3	P	SD	O							
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER							
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						
MAIN LINE SWITCHES INSPECTED		MP:	TO MP:		DATE		INSPECTOR		DATE		8.25.14											
RAIL CROSSING INSPECTED		MP:	TO MP:		DATE		SUPERVISOR REVIEW		DATE:													
YARD TRACK SWITCHES INSPECTED		MP:	TO MP:		DATE		REGIONAL / ROADMASTER REVIEW		DATE:													

No Defects

TEMPERATURE		90°		ENGINEERING DEPARTMENT		Patriot Rail		DATE		MONTH	DAY	YEAR	
INSPECTOR NUMBER		Patriot Rail		DAILY TRACK INSPECTION REPORT		Patriot Rail		PAGE		1	OF	11	
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE		1	OF	11	
LOCATION OF DEFECT		FROM		TO		23		11.3		2		3	
DEFECT(S)		BOLTS MISSING/BROKEN		BROKEN JOINT BARS		BROKEN RAIL		IRREGULAR LINE		IRREGULAR SURFACE		SUPERELEVATION	
ACTION TAKEN BY INSPECTOR		INSPECTOR CORRECTED		SLOW ORDER		OUT OF SERVICE		DATE CORRECTED		REPORT NOTED		INSPECTED DEFECT	
ACTION TAKEN BY ROADMASTER		INSPECTED CORRECTIVE ACTION											
1													
2													
3													
4													
5													
6													
7													
8													
9													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
TOTAL(S)													
MAIN LINE SWITCHES INSPECTED		MP.	TO MP.	DATE	INSPECTOR		DATE		8.5.14				
RAIL CROSSING INSPECTED		MP.	TO MP.	DATE	SUPERVISOR REVIEW		DATE						
YARD TRACK SWITCHES INSPECTED		MP.	TO MP.	DATE	REGIONAL ROADMASTER REVIEW		DATE						

No Defects

[Signature]

APPEP

TEMPERATURE		80°		ENGINEERING DEPARTMENT		Patriot Rail		DATE	MONTH	DAY	YEAR											
INSPECTOR NUMBER				Patriot Rail		DAILY TRACK INSPECTION REPORT			8	5	14											
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE	1	OF	1											
		Mt Holly		FROM	23	TO	11.3		06	1	2											
									3	P	50											
									0													
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER							
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSS TIES	SWITCH PARTS	TROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						
MAIN LINE SWITCHES INSPECTED		MP.	23	TO MP.	11.3	DATE	8-5-14	INSPECTOR		W. H. B. A.		DATE	8-5-14	SUPERVISOR REVIEW				DATE				
RAIL CROSSING INSPECTED		MP.		TO MP.		DATE		REGIONAL ROADMASTER REVIEW				DATE										
YARD TRACK SWITCHES INSPECTED		MP.		TO MP.		DATE						DATE										

No Defects

TEMPERATURE		INSPECTOR NUMBER		DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		DATE		MONTH	DAY	YEAR						
85.0						MSR/Holly		FROM 23 TO 11.3		☒ SG ☒ 1 ☐ 2 ☐ 3 ☐ P ☐ SD ☐ O		PAGE 1		OF 1	7	29	14					
LOCATION OF DEFECT		DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER							
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						

No Defects

MAIN LINE SWITCHES INSPECTED	MP:	TO MP:	DATE	INSPECTOR	DATE: 7-29-14
RAIL CROSSING INSPECTED	MP:	TO MP:	DATE	SUPERVISOR REVIEW	DATE:
YARD TRACK SWITCHES INSPECTED	MP:	TO MP:	DATE	REGIONAL / ROADMASTER REVIEW	DATE:

APPEP

TEMPERATURE		89°		ENGINEERING DEPARTMENT		Patriot Rail		DATE	MONTH	DAY	YEAR											
INSPECTOR NUMBER				Patriot Rail		DAILY TRACK INSPECTION REPORT			7	21	14											
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE	1	OF	1											
Mt Holly		FROM 23		TO 11.3		SG 1 2 3 P SO O																
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER							
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						
MAIN LINE SWITCHES INSPECTED		MP.	TO MP.		DATE		INSPECTOR		DATE		7-21-14											
RAIL CROSSING INSPECTED		MP.	TO MP.		DATE		SUPERVISOR REVIEW		DATE													
YARD TRACK SWITCHES INSPECTED		MP.	TO MP.		DATE		REGIONAL ROADMASTER REVIEW		DATE													

No Defects.

APPROVED

TEMPERATURE		98°		ENGINEERING DEPARTMENT		Patriot Rail		DATE		MONTH	DAY	YEAR										
INSPECTOR NUMBER				Patriot Rail		DAILY TRACK INSPECTION REPORT		Patriot Rail		7	14	14										
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE		1	OF	1										
		Mg Holly		FROM	23	TO	11.3	(SG) (1) 2 3 P SD O														
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER							
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						

No Defects noted

MAIN LINE SWITCHES INSPECTED	MP:	TO MP:	DATE	INSPECTOR	DATE: 7-14-14
RAIL CROSSING INSPECTED	MP:	TO MP:	DATE	SUPERVISOR REVIEW	DATE:
YARD TRACK SWITCHES INSPECTED	MP:	TO MP:	DATE	REGIONAL ROADMASTER REVIEW	DATE:

APPEL

TEMPERATURE		98°		ENGINEERING DEPARTMENT		Patriot Rail		DATE		MONTH	DAY	YEAR										
INSPECTOR NUMBER				Patriot Rail		DAILY TRACK INSPECTION REPORT		Patriot Rail		7	7	14										
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE		1	OF	1										
		not Holly		FROM 23 TO 11.3		SG 1 2 3 4 5 6 7 8 9 10																
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR		ACTION TAKEN BY ROADMASTER								
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	TROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1	SG MP 22.1														Replace damaged - missing cotter keys #1-2 rods				7-10			
2															Broken Bolt - Loose St				7-7			
3	M MP 14.1	✓																				
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						
MAIN LINE SWITCHES INSPECTED		MP.	23	TO MP.	11.3	DATE	7-7-14	INSPECTOR		[Signature]		DATE	7-7-14									
RAIL CROSSING INSPECTED		MP.		TO MP		DATE		SUPERVISOR REVIEW				DATE										
YARD TRACK SWITCHES INSPECTED		MP.		TO MP		DATE		REGIONAL ROADMASTER REVIEW				DATE										

APPEND

TEMPERATURE		990		ENGINEERING DEPARTMENT		Patriot Rail		DATE		MONTH	DAY	YEAR										
INSPECTOR NUMBER				Patriot Rail		DAILY TRACK INSPECTION REPORT				6	30	14										
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE		1	OF	1										
		Mt Holly		FROM	23	TO	11.7															
						65 1 2 3 P 50 0																
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER							
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSS TIES	SWITCH PARTS	TROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						
MAIN LINE SWITCHES INSPECTED		MP.	TO MP.		DATE		INSPECTOR		DATE		6-30-14		SUPERVISOR REVIEW		DATE		REGIONAL / ROADMASTER REVIEW		DATE			
RAIL CROSSING INSPECTED		MP.	TO MP.		DATE																	
YARD TRACK SWITCHES INSPECTED		MP.	TO MP.		DATE																	

No Defects

APPEL

TEMPERATURE		90°		ENGINEERING DEPARTMENT		Patriot Rail		DATE		MONTH	DAY	YEAR										
INSPECTOR NUMBER				Patriot Rail		DAILY TRACK INSPECTION REPORT		Patriot Rail		6	23	14										
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE		1	OF	1										
		mt Holly		FROM	23	TO	11.3	(6) (1) 2 3 P 50 0														
TRACK	LOCATION OF DEFECT	DEFECT(S)						ACTION TAKEN BY INSPECTOR		ACTION TAKEN BY ROADMASTER												
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSS TIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						
MAIN LINE SWITCHES INSPECTED		MP.	TO MP.		DATE		INSPECTOR		DATE		6.23.14											
RAIL CROSSING INSPECTED		MP.	TO MP.		DATE		SUPERVISOR REVIEW		DATE													
YARD TRACK SWITCHES INSPECTED		MP.	TO MP.		DATE		REGIONAL / ROADMASTER REVIEW		DATE													

No Defects

- Special Inspection -

APPEY	TEMPERATURE	98°		ENGINEERING DEPARTMENT		Patriot Rail		DATE	MONTH	DAY	YEAR												
	INSPECTOR NUMBER			Patriot Rail		DAILY TRACK INSPECTION REPORT		6		20	14												
	DIVISION	TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE	1	OF	1												
		mt/Half		FROM	23	TO	11.3	☒ SG ☒ 1 2 3 P SD O															
	TRACK	LOCATION OF DEFECT	DEFECT(S)								ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER									
			BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																							
2																							
3																							
4																							
5																							
6																							
7																							
8																							
9																							
10																							
11																							
12																							
13																							
14																							
15																							
16																							
17																							
18																							
19																							
20																							
TOTAL(S)																							
MAIN LINE SWITCHES INSPECTED			MP.	TO MP.		DATE		INSPECTOR <i>[Signature]</i>			DATE: 6-20-14												
RAIL CROSSING INSPECTED			MP.	TO MP.		DATE		SUPERVISOR REVIEW			DATE:												
YARD TRACK SWITCHES INSPECTED			MP.	TO MP.		DATE		REGIONAL ROADMASTER REVIEW			DATE:												

No Defects

[illegible]

- Special Inspection -

TEMPERATURE	89°		ENGINEERING DEPARTMENT										DATE		MONTH	DAY	YEAR						
INSPECTOR NUMBER			Patriot Rail We Put Our Passion On The Line										Patriot Rail We Put Our Passion On The Line		6		12		14				
DIVISION	TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE										TRACKS INSPECTED		PAGE		1		OF 1				
	Mt Holly		FROM	23		TO	11.3		6		1												
TRACK	LOCATION OF DEFECT		DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER							
			BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																							
2																							
3																							
4																							
5																							
6																							
7																							
8																							
9																							
10																							
11																							
12																							
13																							
14																							
15																							
16																							
17																							
18																							
19																							
20																							
TOTAL(S)																							
MAIN LINE SWITCHES INSPECTED			MP:			TO MP:			DATE			INSPECTOR		<i>[Signature]</i>		DATE:		6-12-14					
RAIL CROSSING INSPECTED			MP:			TO MP:			DATE			SUPERVISOR REVIEW				DATE:							
YARD TRACK SWITCHES INSPECTED			MP:			TO MP:			DATE			REGIONAL ROADMASTER REVIEW				DATE:							

No defects

APPEL

TEMPERATURE		90°		ENGINEERING DEPARTMENT		Patriot Rail		DATE		MONTH	DAY	YEAR										
INSPECTOR NUMBER				Patriot Rail		DAILY TRACK INSPECTION REPORT		Patriot Rail		6	9	14										
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE		1	OF	1										
		mt/folly		FROM 23 TO 11.3		(S) (1) 2 3 P SO O																
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER							
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						
MAIN LINE SWITCHES INSPECTED		MP.	TO MP.		DATE		INSPECTOR		DATE		6-9-14											
RAIL CROSSING INSPECTED		MP.	TO MP.		DATE		SUPERVISOR REVIEW		DATE													
YARD TRACK SWITCHES INSPECTED		MP.	TO MP.		DATE		REGIONAL ROADMASTER REVIEW		DATE													

No Defects

TEMPERATURE		90°		ENGINEERING DEPARTMENT										DATE		MONTH	DAY	YEAR				
INSPECTOR NUMBER				Patriot Rail										DAILY TRACK INSPECTION REPORT		Patriot Rail		6		3	14	
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE										TRACKS INSPECTED		PAGE		1	OF	1		
		MT Holly		FROM	23		TO	11.3		36		1	2	3	P	S	0	0				
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER							
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1	M MP22.6														Previously reported							
2															Bank failed - ditch/tree stump blocking ditch							
3	M MP19.6	✓														✓			6-3-14			
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						

MAIN LINE SWITCHES INSPECTED	MP. 23	TO MP. 11.3	DATE 6-3-14	INSPECTOR <i>Paul Santaf</i>	DATE 6-3-14
RAIL CROSSING INSPECTED	MP.	TO MP.	DATE	SUPERVISOR REVIEW	DATE
YARD TRACK SWITCHES INSPECTED	MP.	TO MP.	DATE	REGIONAL ROADMASTER REVIEW	DATE

PRC Notified

TEMPERATURE				ENGINEERING DEPARTMENT								DATE		MONTH DAY YEAR										
INSPECTOR NUMBER				Patriot Rail We Put Our Name On The Line								DAILY TRACK INSPECTION REPORT		Patriot Rail We Put Our Name On The Line		5 30 14								
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE						TRACKS INSPECTED						PAGE		1 OF 1						
		MA Holly		FROM 23		TO 11.3		C 1 2 3 P SD O																
TRACK		LOCATION OF DEFECT		DEFECT(S)												ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER					
				BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																								
2																								
3																								
4																								
5																								
6																								
7																								
8																								
9																								
10																								
11																								
12																								
13																								
14																								
15																								
16																								
17																								
18																								
19																								
20																								
TOTAL(S)																								

MAIN LINE SWITCHES INSPECTED		MP:	TO MP:	DATE	INSPECTOR		SUPERVISOR REVIEW		REGIONAL rROADMASTER REVIEW		DATE: 5-30-14	
RAIL CROSSING INSPECTED		MP:	TO MP:	DATE							DATE:	
YARD TRACK SWITCHES INSPECTED		MP:	TO MP:	DATE							DATE:	

A DPER

TEMPERATURE		90°		 ENGINEERING DEPARTMENT DAILY TRACK INSPECTION REPORT				DATE		MONTH	DAY	YEAR										
INSPECTOR NUMBER								5		28	14											
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE		1	OF	1										
		NOT Holly		FROM	23	TO	11.3	SC 0 2 3 P SD O														
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER							
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						
MAIN LINE SWITCHES INSPECTED		MP:	TO MP:		DATE		INSPECTOR		DATE: 5-28-14													
RAIL CROSSING INSPECTED		MP:	TO MP:		DATE		SUPERVISOR REVIEW		DATE:													
YARD TRACK SWITCHES INSPECTED		MP:	TO MP:		DATE		REGIONAL / ROADMASTER REVIEW		DATE:													

NO Defects

TEMPERATURE		79°		ENGINEERING DEPARTMENT										DATE		MONTH	DAY	YEAR				
INSPECTOR NUMBER				Patriot Rail We Put Our Name On The Line										Patriot Rail We Put Our Name On The Line		5		19	14			
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE										TRACKS INSPECTED		PAGE		1	OF	1		
		Mt Holly		FROM	23		TO	11.3		☒ BG ☒ 1 ☐ 2 ☐ 3 ☐ P ☐ SD ☐ D												
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER							
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						

no defects

MAIN LINE SWITCHES INSPECTED	MP:	TO MP:	DATE	INSPECTOR	DATE: 5-19-14
RAIL CROSSING INSPECTED	MP:	TO MP:	DATE	SUPERVISOR REVIEW	DATE:
YARD TRACK SWITCHES INSPECTED	MP:	TO MP:	DATE	REGIONAL ROADMASTER REVIEW	DATE:

TEMPERATURE		74°		ENGINEERING DEPARTMENT		Patriot Rail		DATE		MONTH		DAY		YEAR								
INSPECTOR NUMBER				Patriot Rail		DAILY TRACK INSPECTION REPORT		Patriot Rail		5		15		14								
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE		1		OF		1								
		M&Holly		FROM 23 TO 11.3		SG 1 2 3 P SO O																
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER							
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						

No Defects

MAIN LINE SWITCHES INSPECTED	MP:	TO MP:	DATE	INSPECTOR	DATE: 5-15-14
RAIL CROSSING INSPECTED	MP:	TO MP:	DATE	SUPERVISOR REVIEW	DATE:
YARD TRACK SWITCHES INSPECTED	MP:	TO MP:	DATE	REGIONAL ROADMASTER REVIEW	DATE:

Special Inspection

APPROVED	TEMPERATURE	84°		ENGINEERING DEPARTMENT		DATE		MONTH	DAY	YEAR												
	INSPECTOR NUMBER			Patriot Rail		Patriot Rail		5	10	14												
	DIVISION	TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE	1	OF 1												
		Mt Holly		FROM	23	TO	11.3															
TRACK	LOCATION OF DEFECT	DEFECT(S)								ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER									
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						
MAIN LINE SWITCHES INSPECTED		MP.	TO MP.		DATE		INSPECTOR		DATE		SUPERVISOR REVIEW		DATE		REGIONAL ROADMASTER REVIEW		DATE					
RAIL CROSSING INSPECTED		MP.	TO MP.		DATE		DATE															
YARD TRACK SWITCHES INSPECTED		MP.	TO MP.		DATE																	

No Defect

[Signature]

DATE 5-10-14

TEMPERATURE		90°		ENGINEERING DEPARTMENT		Patriot Rail		DATE		MONTH		DAY		YEAR								
INSPECTOR NUMBER				Patriot Rail		DAILY TRACK INSPECTION REPORT		Patriot Rail		5		9		14								
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE		1		OF		1								
		MCH Holly		FROM 23 TO 11.3		④ ① 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20																
TRACK	LOCATION OF DEFECT	DEFECT(S) Belmont Branch MP 0.0 to 1.5										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER							
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSS TIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED F IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						
MAIN LINE SWITCHES INSPECTED		MP.	TO MP.	DATE	INSPECTOR		DATE 5-9-14															
RAIL CROSSING INSPECTED		MP.	TO MP.	DATE	SUPERVISOR REVIEW		DATE															
YARD TRACK SWITCHES INSPECTED		MP.	TO MP.	DATE	REGIONAL / ROADMASTER REVIEW		DATE															

No Defects

TEMPERATURE		74°		ENGINEERING DEPARTMENT										Patriot Rail		DATE		MONTH		DAY		YEAR					
INSPECTOR NUMBER				DAILY TRACK INSPECTION REPORT										Patriot Rail				5		1		14					
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE										TRACKS INSPECTED				PAGE		1		OF		1			
		1000 Holly		FROM		23		TO		11.3		③ ① 2 3 P SD O															
TRACK		LOCATION OF DEFECT		DEFECT(S)										ACTION TAKEN BY INSPECTOR				ACTION TAKEN BY ROADMASTER									
														INSPECTOR CORRECTED		SLOW ORDER		OUT OF SERVICE		DATE CORRECTED		REPORT NOTED		INSPECTED DEFECT		INSPECTED CORRECTIVE ACTION	
														DEVIATION MEASURED IF IN EXCESS OF FRA													
1																											
2																											
3																											
4																											
5																											
6																											
7																											
8																											
9																											
10																											
11																											
12																											
13																											
14																											
15																											
16																											
17																											
18																											
19																											
20																											
TOTAL(S)																											
MAIN LINE SWITCHES INSPECTED				MP: 23		TO MP: 11.3		DATE: 5-1-14		INSPECTOR: [Signature]				DATE: 5-1-14													
RAIL CROSSING INSPECTED				MP:		TO MP:		DATE:		SUPERVISOR REVIEW				DATE:													
YARD TRACK SWITCHES INSPECTED				MP:		TO MP:		DATE:		REGIONAL / ROADMASTER REVIEW				DATE:													

- Special Inspection -

ARPEP	TEMPERATURE	70°		ENGINEERING DEPARTMENT		DATE		MONTH	DAY	YEAR												
	INSPECTOR NUMBER	Patriot Rail		DAILY TRACK INSPECTION REPORT		Patriot Rail		4	19	14												
	DIVISION	TIMETABLE SUBDIVISION	MILEPOST INSPECTED TO NEAREST 1/10TH MILE			TRACKS INSPECTED			PAGE	OF												
		Mt Holly	FROM	23	TO	11.3	④ ① 2 3 P 10 0			1												
TRACK	LOCATION OF DEFECT	DEFECT(S) Belmont Branch mp 0.0 to MP 1.					ACTION TAKEN BY INSPECTOR		ACTION TAKEN BY ROADMASTER													
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSS TIES	SWITCH PARTS	TROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED F IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1	M	MP 22.5 additional bank failure - just reported 5-6-13.																				
2																						
3	M	MP 0.05 Bel Br - water breaching ditches behind Dellinger Plant.														4-30						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						
MAIN LINE SWITCHES INSPECTED		MP.	TO MP.		DATE		INSPECTOR		DATE		4-19-14											
RAIL CROSSING INSPECTED		MP.	TO MP.		DATE		SUPERVISOR REVIEW		DATE													
YARD TRACK SWITCHES INSPECTED		MP.	TO MP.		DATE		REGIONAL / ROADMASTER REVIEW		DATE													

PRC mobilized Backhoe & Labor on 4-29 - Issues caught on 4-30.

TEMPERATURE		65°		ENGINEERING DEPARTMENT DAILY TRACK INSPECTION REPORT								DATE		MONTH	DAY	YEAR							
INSPECTOR NUMBER				PATRIOT RAIL We Put Our Name On The Line								PAGE		1	OF	1							
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE				TRACKS INSPECTED															
		Mt Holly		FROM	23	TO	11.3	(SG)	(O)	2	3	P	SD	O									
TRACK	LOCATION OF DEFECT	DEFECT(S) Belmont Spn MP 0.0 to 1.0										ACTION TAKEN BY INSPECTOR		ACTION TAKEN BY ROADMASTER									
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION	
1	M	MP 0.5 Belmont Spn - Clean out ditches E + W side from Cady Ln. to 400' + North. - flow again Enterswiss Plant.																					
2																							
3																							
4																							
5																							
6																							
7																							
8																							
9																							
10																							
11																							
12																							
13																							
14																							
15																							
16																							
17																							
18																							
19																							
20																							
TOTAL(S)																							

Veg heavy rain last night 3.5"- more forecasted today. Additional scum & erosion observed at locations previously reported.

MAIN LINE SWITCHES INSPECTED MP: TO MP: DATE

RAIL CROSSING INSPECTED MP: TO MP: DATE

YARD TRACK SWITCHES INSPECTED MP: TO MP: DATE

INSPECTOR
 SUPERVISOR REVIEW
 REGIONAL ROADMASTER REVIEW

DATE: 4-15-14

DATE:

DATE:

TEMPERATURE		65°		ENGINEERING DEPARTMENT		Patriot Rail		DATE		MONTH		DAY		YEAR	
INSPECTOR NUMBER				Patriot Rail		DAILY TRACK INSPECTION REPORT		Patriot Rail		4		8		14	
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE		1		OF		1	
		M8 Holly		FROM 23 TO 11.3		SG 1 2 3 P SD D									
TRACK		LOCATION OF DEFECT		DEFECT(S)		ACTION TAKEN BY INSPECTOR		ACTION TAKEN BY ROADMASTER							
				BOLTS MISSING/BROKEN BROKEN JOINT BARS BROKEN RAIL IRREGULAR LINE IRREGULAR SURFACE SUPERELEVATION PULL APART INSULATED JOINT WIDE GAGE CROSS TIES SWITCH PARTS FROG PARTS NOT LISTED / OTHER		DEVIATION MEASURED IF IN EXCESS OF FRA		INSPECTOR CORRECTED SLOW ORDER OUT OF SERVICE DATE CORRECTED REPORT NOTED INSPECTED DEFECT INSPECTED CORRECTIVE ACTION							
1															
2															
3															
4															
5															
6															
7															
8															
9															
10															
11															
12															
13															
14															
15															
16															
17															
18															
19															
20															
TOTAL(S)															

no additional defects other than those previously reported.
Experienced heavy rains (3") last night, Tornado activity reported in area. Observed additional scour/erosion at locations previously reported. Rpt'd on daily conf. call.

MAIN LINE SWITCHES INSPECTED	MP:	TO MP:	DATE	INSPECTOR	DATE: 4-8-14
RAIL CROSSING INSPECTED	MP:	TO MP:	DATE	SUPERVISOR REVIEW	DATE:
YARD TRACK SWITCHES INSPECTED	MP:	TO MP:	DATE	REGIONAL/ROADMASTER REVIEW	DATE:

TEMPERATURE		65°		ENGINEERING DEPARTMENT		Patriot Rail		DATE		MONTH	DAY	YEAR										
INSPECTOR NUMBER				Patriot Rail		DAILY TRACK INSPECTION REPORT		Patriot Rail		3	31	14										
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE		1	OF	1										
		Mt Holly		FROM	23	TO	11.3	(Sg)	(1)	2	3	P	SD	O								
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER							
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						

No defects other than those previously reported.

MAIN LINE SWITCHES INSPECTED	MP:	TO MP:	DATE	INSPECTOR	DATE: 3.31.14
RAIL CROSSING INSPECTED	MP:	TO MP:	DATE	SUPERVISOR REVIEW	DATE:
YARD TRACK SWITCHES INSPECTED	MP:	TO MP:	DATE	REGIONAL ROADMASTER REVIEW	DATE:

Lubed switches

APPR

TEMPERATURE		45°		ENGINEERING DEPARTMENT		Patriot Rail		DATE		MONTH	DAY	YEAR									
INSPECTOR NUMBER				Patriot Rail		DAILY TRACK INSPECTION REPORT		Patriot Rail		3	26	14									
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE		1	OF	1									
		mt Holly		FROM	23	TO	11.3	☒ S ☒ 1 2 3 P SD O													
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER						
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT
1	M MP 13.8	✓						✓						Tighten 2 JTS. Replaced Bolt	✓			3-26			
2																					
3																					
4																					
5																					
6																					
7																					
8																					
9																					
10																					
11																					
12																					
13																					
14																					
15																					
16																					
17																					
18																					
19																					
20																					
TOTAL(S)																					

No additional defects other than those previously reported

MAIN LINE SWITCHES INSPECTED	MP:	TO MP:	DATE	INSPECTOR	DATE
RAIL CROSSING INSPECTED	MP:	TO MP:	DATE	SUPERVISOR REVIEW	DATE
YARD TRACK SWITCHES INSPECTED	MP:	TO MP:	DATE	REGIONAL ROADMASTER REVIEW	DATE

APPEL

TEMPERATURE		33 °		ENGINEERING DEPARTMENT										DATE		MONTH	DAY	YEAR			
INSPECTOR NUMBER				Patriot Rail We Put Your Name On The Line										Patriot Rail We Put Your Name On The Line		3	18	14			
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE				TRACKS INSPECTED						PAGE		1	OF	3			
		Mt Holly		FROM	23		TO	11.3		☒ S ☒ T 2 3 P SD O											
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER						
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT
1																					
2																					
3																					
4																					
5																					
6																					
7																					
8																					
9																					
10																					
11																					
12																					
13																					
14																					
15																					
16																					
17																					
18																					
19																					
20																					
TOTAL(S)																					

MAIN LINE SWITCHES INSPECTED	MP: 23	TO MP: 11.3	DATE 3-18-14	INSPECTOR <i>[Signature]</i>	DATE: 3-18-14
RAIL CROSSING INSPECTED	MP:	TO MP:	DATE	SUPERVISOR REVIEW	DATE:
YARD TRACK SWITCHES INSPECTED	MP:	TO MP:	DATE	REGIONAL ROADMASTER REVIEW	DATE:

*See attached List
and those previous reported*

- 11.7 - add riprap to pipe inlet for bungalow driveway
11.7 to 11.9 - Clean out E & WS ditches
11.96 - Clean out culvert
11.98 to 12.3 - Clean out E & WS ditches
12.38 to 12.5 - Clean out WS ditch
12.49 - ~~to~~ # 73 & 74 culverts need opened up.
13.09 - WS pipe under Clear Water Lake Road - open up
13.62 to 13.8 - Clean out WS ditch
13.6 - Open up culvert
13.79 - Clean out culvert and outfall. add rip rap to infall
13.8 to MP14-acme Street - Clean out WS ditch
14.04 - add rip rap at pipe outfall
14.1 to 14.3 - Clean out WS Ditch
14.37 - add riprap to outfall
14.3 to 14.5 - Pull ES shoulder ballast back to tie ends acc of Motor Cycles
14.5 - Open up pipe
14.5 to 14.6 - open up ES ditch
14.55 to 17.74 - clean out WS ditch
14.6 to 15.2 - Pull shoulder ballast back to tie ends at spots, Block
access to 4 wheelers on Row
15.2 to 15.28 - Clean out WS ditch
15.28 - Open up outfall and water path
15.48 - Culvert 20 - Clean out
15.48 - Culvert 21 - Clean out infall area
15.48 to 15.6 - Clean out WS ditch
15.5 to 15.9 - Block 4 wheeler access to Row
15.77 - Clean out infall area. Pull shoulder ballast back to tie end.
16.84 - E and W end pipe bent. Open up, clean out.
17. to 17.2 - Clean out ES ditch
17.2 to 17.3 - Clean out ES ditch
17.65 to 18 - Pull shoulder ballast at spots. Block access to 4 wheelers.
17.8 to 17.94 - Clean out ES ditch
17.94 - Open up pipe infall
17.99 - Open up pipe infall
18. to 18.23 - Clean out E & WS ditches
18.08 - Infall blocked - Clean outfall
18.2 to 18.38 - E & WS ditches need cleaned

3-18-14

WGB

- 18.38 - Oakland Drive - E and WS pipe outfalls need cleaned
18.38 to 18.46 - E and WS ditches need cleaned
18.46 - Pipe Blocked
18.6 to 18.78 - Clean out E and WS ditches
18.78 - Open up drop inlet and ditch, NW crossing quadrant
19.11 - Open up infall/outfall of pipes. Remove dirt on SE quadrant of crossing
19.15 - Open up infall/outfall of pipes E+WSide of crossing. Clean Ditches
19.26 - Open up infall/outfall of pipes E+W Side of crossing. Clean Ditches
19.46 - Open up infall/outfall of pipes E+W side of crossing. Clean Ditches
19.83 - add rip rap to SE crossing quadrant drain
20. to 20.7 - Clean out W Side ditch
21. to 21.1 - Clean out E+W ditches
21.33 - Clean out ditch and pipe inlet
21.54 - Pipe blocked
21.54 to 21.64 - Clean out E and W side ditches
21.84 - Clean dirt off NE crossing quadrant to keep water off track
22.14 - Clean out ditch - Pipe inlet
22.42 - Clean out Pipe inlet/outlet and ditches
22.50 - NS overpass - Clean out ditches and pipe inlet
22.8 - Pipe blocked - Clean out ditches
22.51 - Clean out Pipe
22.56 - Pipe Inlet/outlet blocked. Clean out ditches
22.56 to 22.61 - Clean out W Side ditch
22.71 - Open up pipe
22.78 - Open up pipe at NW crossing quadrant
22.87 - Open up ditch at pipe Inlet.

3-18-14

WGB

TEMPERATURE		54°		ENGINEERING DEPARTMENT		Patriot Rail		DATE		MONTH		DAY		YEAR								
INSPECTOR NUMBER				Patriot Rail		DAILY TRACK INSPECTION REPORT		Patriot Rail		3		10		14								
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE		1		OF		1								
		M9 Holly		FROM 23 TO 11.3		SG 1 2 3 P SD O																
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER							
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						

No defects other than those previously reported.

MAIN LINE SWITCHES INSPECTED	MP:	TO MP:	DATE	INSPECTOR	DATE: 3-10-14
RAIL CROSSING INSPECTED	MP:	TO MP:	DATE	SUPERVISOR REVIEW	DATE:
YARD TRACK SWITCHES INSPECTED	MP:	TO MP:	DATE	REGIONAL ROADMASTER REVIEW	DATE:

[illegible]

TEMPERATURE		60°		ENGINEERING DEPARTMENT		Patriot Rail		DATE		MONTH		DAY		YEAR	
INSPECTOR NUMBER				Patriot Rail		DAILY TRACK INSPECTION REPORT		Patriot Rail		2		27		19	
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE		1		OF		1	
		Mx Holly		FROM		TO		16		1		2		3	
TRACK		LOCATION OF DEFECT		DEFECT(S)		ACTION TAKEN BY INSPECTOR		ACTION TAKEN BY ROADMASTER							
				BOLTS MISSING/BROKEN BROKEN JOINT BARS BROKEN RAIL IRREGULAR LINE IRREGULAR SURFACE SUPERELEVATION PULL APART INSULATED JOINT WIDE GAGE CROSSTIES SWITCH PARTS FROG PARTS NOT LISTED / OTHER		INSPECTOR CORRECTED SLOW ORDER OUT OF SERVICE		DATE CORRECTED		REPORT NOTED		INSPECTED DEFECT		INSPECTED CORRECTIVE ACTION	
1	M/	MP 21.8													
2															
3															
4															
5															
6															
7															
8															
9															
10															
11															
12															
13															
14															
15															
16															
17															
18															
19															
20															
TOTAL(S)															

no defects other than those previously reported.

MAIN LINE SWITCHES INSPECTED	MP.	TO MP.	DATE	INSPECTOR	DATE: 2-27-19
RAIL CROSSING INSPECTED	MP.	TO MP.	DATE	SUPERVISOR REVIEW	DATE:
YARD TRACK SWITCHES INSPECTED	MP.	TO MP.	DATE	REGIONAL ROADMASTER REVIEW	DATE:

Special Inspection

TEMPERATURE		70°		ENGINEERING DEPARTMENT		Patriot Rail		DATE		MONTH		DAY		YEAR									
INSPECTOR NUMBER				Patriot Rail		DAILY TRACK INSPECTION REPORT		Patriot Rail		2		22		14									
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE		1		OF		1									
		Mt Holly		FROM 23 TO 11.3		SG 1 2 3 P SD O																	
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER								
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION	
1	M MP21.8	Water runs off street surface carrying sand/fines into track gage. Water laying wet soil causing false activation of grade crossing signals.																					
2																							
3																							
4																							
5																							
6																							
7																							
8																							
9																							
10																							
11																							
12																							
13																							
14																							
15																							
16																							
17		No significant change to conditions previously reported.																					
18																							
19																							
20																							
TOTAL(S)																							
MAIN LINE SWITCHES INSPECTED		MP:		TO MP:		DATE		INSPECTOR		DATE: 2-22-14													
RAIL CROSSING INSPECTED		MP:		TO MP:		DATE		SUPERVISOR REVIEW		DATE:													
YARD TRACK SWITCHES INSPECTED		MP:		TO MP:		DATE		REGIONAL ROADMASTER REVIEW		DATE:													

APPENDIX

2

APPEX

TEMPERATURE		70°		ENGINEERING DEPARTMENT		Patriot Rail		DATE		MONTH		DAY		YEAR										
INSPECTOR NUMBER				Patriot Rail		DAILY TRACK INSPECTION REPORT		Patriot Rail		2		18		14										
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE		1		OF		1										
MT Holly		FROM		23		TO		11.3		36		1		2 3 P SD O										
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR		ACTION TAKEN BY ROADMASTER										
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION		
1	M	MP 13.6 - Cason St. - Observed significant increase in scow/bank loss since condition was first reported on 5-6-13 due to recent weather conditions heavy snow rain, ice and saturated ground. (Reported to D. Mayes, CO on 2-18-14 during 5 PM operational call.																						
2																								
3																								
4																								
5																								
6																								
7																								
8																								
9																								
10																								
11																								
12																								
13																								
14																								
15																								
16																								
17																								
18																								
19																								
20																								
TOTAL(S)																								
MAIN LINE SWITCHES INSPECTED		MP:	23	TO MP:	11.3	DATE	2-18-14	INSPECTOR		C. M. Sater		DATE:	2-18-14	SUPERVISOR REVIEW				DATE:						
RAIL CROSSING INSPECTED		MP:		TO MP:		DATE		REGIONAL ROADMASTER REVIEW				DATE:						DATE:						
YARD TRACK SWITCHES INSPECTED		MP:		TO MP:		DATE						DATE:						DATE:						

No other defects than those previously reported

ARND

TEMPERATURE		4/50		ENGINEERING DEPARTMENT		Patriot Rail		DATE		MONTH	DAY	YEAR										
INSPECTOR NUMBER				Patriot Rail		DAILY TRACK INSPECTION REPORT		Patriot Rail		2	14	14										
D.VISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/320TH MILE		TRACKS INSPECTED		PAGE		1	OF	1										
LOCATION OF DEFECT		FROM		TO		1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20																
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER							
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED F N EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						

no Defects other than those previously reported

MAIN LINE SWITCHES INSPECTED	MP.	TO MP.	DATE	INSPECTOR	DATE
RAIL CROSSING INSPECTED	MP.	TO MP.	DATE	SUPERVISOR REVIEW	DATE
YARD TRACK SWITCHES INSPECTED	MP.	TO MP.	DATE	REGIONAL ROADMASTER REVIEW	DATE

APD

TEMPERATURE		58°		ENGINEERING DEPARTMENT		Patriot Rail		DATE		MONTH		DAY		YEAR								
INSPECTOR NUMBER				Patriot Rail		DAILY TRACK INSPECTION REPORT		Patriot Rail		2		5		19								
DIVISION		TIMETABLE SURVIVIS ON		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE		1		OF		1								
		Not Holly		FROM 23 TO 11.3		9 1 2 3 P SD 0																
TRACK	LOCATION OF DEFECT	DEFECT(S)												ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER					
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED F N EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						
MAIN LINE SWITCHES INSPECTED		MP.	TO MP.		DATE		INSPECTOR		DATE		2-5-19											
RAIL CROSSING INSPECTED		MP.	TO MP.		DATE		SUPERVISOR REVIEW		DATE													
YARD TRACK SWITCHES INSPECTED		MP.	TO MP.		DATE		REGIONAL / ROADMASTER REVIEW		DATE													

No Defects other than those previously reported

- Special Inspection -

APPEL	TEMPERATURE	30°		ENGINEERING DEPARTMENT		DATE		MONTH	DAY	YEAR												
	INSPECTOR NUMBER			Patriot Rail		Patriot Rail		1	30	14												
	DIVISION	TIMETABLE SUBDIVISION	MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE	1	OF	1												
		mt. Holly	FROM	23	TO	11.3	69 0 2 3 P SD 0															
	TRACK	LOCATION OF DEFECT	DEFECT(S)				ACTION TAKEN BY INSPECTOR		ACTION TAKEN BY ROADMASTER													
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						
MAIN LINE SWITCHES INSPECTED		MP:	TO MP:		DATE		INSPECTOR		DATE: 1-30-14													
RAIL CROSSING INSPECTED		MP:	TO MP:		DATE		SUPERVISOR REVIEW		DATE:													
YARD TRACK SWITCHES INSPECTED		MP:	TO MP:		DATE		REGIONAL ROADMASTER REVIEW		DATE:													

No defects other than those previously reported

APPROP

TEMPERATURE		65°		ENGINEERING DEPARTMENT		DATE		MONTH	DAY	YEAR												
INSPECTOR NUMBER				Patriot Rail We Put Our Name On The Line		Patriot Rail We Put Our Name On The Line		1	27	14												
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE	1	OF 1												
		M&H Holly		FROM	23	TO	11.3	56	1	2 3 P 5D 0												
TRACK	LOCATION OF DEFECT	DEFECT(S)						ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER											
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						
MAIN LINE SWITCHES INSPECTED		MP:	TO MP:	DATE	INSPECTOR		DATE: 1-27-14															
RAIL CROSSING INSPECTED		MP:	TO MP:	DATE	SUPERVISOR REVIEW		DATE:															
YARD TRACK SWITCHES INSPECTED		MP:	TO MP:	DATE	REGIONAL ROADMASTER REVIEW		DATE:															

No Defects other than those previously reported

APPD

TEMPERATURE		36 (4)		ENGINEERING DEPARTMENT		Patriot Rail		DATE		MONTH		DAY		YEAR								
INSPECTOR NUMBER				Patriot Rail		DAILY TRACK INSPECTION REPORT		Patriot Rail		1		22		14								
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE		1		OF		1								
		W. Holly		FROM 23 TO 11.3		⑤ ① 2 3 P SD O																
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER							
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1	W. Holly														Cold Shims - Surt Tension				1-22-14			
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						

no Defects other than those previously reported

MAIN LINE SWITCHES INSPECTED	MP: 23	TO MP: 11.3	DATE: 1-22-14	INSPECTOR: <i>C. St. John</i>	DATE: 1-22-14
RAIL CROSSING INSPECTED	MP:	TO MP:	DATE:	SUPERVISOR REVIEW	DATE:
YARD TRACK SWITCHES INSPECTED	MP:	TO MP:	DATE:	REGIONAL / ROADMASTER REVIEW	DATE:

Special Insp.

TEMPERATURE		58°		ENGINEERING DEPARTMENT		Patriot Rail		DATE	MONTH	DAY	YEAR											
INSPECTOR NUMBER				Patriot Rail		DAILY TRACK INSPECTION REPORT			1	15	14											
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE	1	OF	1											
		M9 Holly		FROM	23	TO	19															
					SG		2															
TRACK	LOCATION OF DEFECT	DEFECT(S)						ACTION TAKEN BY INSPECTOR		ACTION TAKEN BY ROADMASTER												
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						
MAIN LINE SWITCHES INSPECTED		MP.	TO MP.		DATE		INSPECTOR		DATE		1-15-14											
RAIL CROSSING INSPECTED		MP.	TO MP.		DATE		SUPERVISOR REVIEW		DATE													
YARD TRACK SWITCHES INSPECTED		MP.	TO MP.		DATE		REGIONAL ROADMASTER REVIEW		DATE													

No Defects other than those previously reported

[Signature]

APPEP

TEMPERATURE		45°		ENGINEERING DEPARTMENT										Patriot Rail		DATE		MONTH	DAY	YEAR	
INSPECTOR NUMBER				Patriot Rail										DAILY TRACK INSPECTION REPORT		Patriot Rail		1		13	14
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE										TRACKS INSPECTED		PAGE		1	OF	1	
		North Holly		FROM		23		TO		11.3		(56) (1) 2 3 P SD O									
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER						
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT
1																					
2																					
3																					
4																					
5																					
6																					
7																					
8																					
9																					
10																					
11																					
12																					
13																					
14																					
15																					
16																					
17																					
18																					
19																					
20																					
TOTAL(S)																					
MAIN LINE SWITCHES INSPECTED		MP:	TO MP:		DATE:		INSPECTOR		DATE:		1-13-14										
RAIL CROSSING INSPECTED		MP:	TO MP:		DATE:		SUPERVISOR REVIEW		DATE:												
YARD TRACK SWITCHES INSPECTED		MP:	TO MP:		DATE:		REGIONAL ROADMASTER REVIEW		DATE:												

No Defects other than those previously reported

TEMPERATURE		50°		ENGINEERING DEPARTMENT		Patriot Rail		DATE		MONTH		DAY		YEAR								
INSPECTOR NUMBER				Patriot Rail		DAILY TRACK INSPECTION REPORT		Patriot Rail		1		7		14								
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE		1		OF		1								
		mt Holly		FROM 23 TO 11.3		(SG) (1) 2 3 P SD D																
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER							
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						

No Defects other than those previously reported

MAIN LINE SWITCHES INSPECTED	MP:	TO MP:	DATE	INSPECTOR	DATE: 1-7-14
RAIL CROSSING INSPECTED	MP:	TO MP:	DATE	SUPERVISOR REVIEW	DATE:
YARD TRACK SWITCHES INSPECTED	MP:	TO MP:	DATE	REGIONAL ROADMASTER REVIEW	DATE:

APPEX	TEMPERATURE	55°		ENGINEERING DEPARTMENT		Patriot Rail We Put Our Name On The Line		DATE	MONTH	DAY	YEAR											
	INSPECTOR NUMBER			DAILY TRACK INSPECTION REPORT		Patriot Rail We Put Our Name On The Line		12	31	13												
	DIVISION	TIMETABLE SUBDIVISION	MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE	1	OF	1												
		MT Holly	FROM	23	TO	11.3																
TRACK	LOCATION OF DEFECT	DEFECT(S)								ACTION TAKEN BY INSPECTOR		ACTION TAKEN BY ROADMASTER										
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSS TIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						
MAIN LINE SWITCHES INSPECTED		MP:	TO MP:	DATE	INSPECTOR		12-31-13															
RAIL CROSSING INSPECTED		MP:	TO MP:	DATE	SUPERVISOR REVIEW		DATE:															
YARD TRACK SWITCHES INSPECTED		MP:	TO MP:	DATE	REGIONAL ROADMASTER REVIEW		DATE:															

No Defects other than those previously reported

APPEL

TEMPERATURE		55°		ENGINEERING DEPARTMENT		Patriot Rail We Put Our Name On The Line		DATE		MONTH	DAY	YEAR											
INSPECTOR NUMBER				Patriot Rail We Put Our Name On The Line		DAILY TRACK INSPECTION REPORT				12	26	13											
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE		1	OF	1											
		MP/Holly		FROM	23	TO	11.3	(SG) (1) 2 3 P SD O															
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER								
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION	
1	M	MP 16.9														Shin Swt.				12-26			
2																							
3																							
4																							
5																							
6																							
7																							
8																							
9																							
10																							
11																							
12																							
13																							
14																							
15																							
16																							
17																							
18																							
19																							
20																							
TOTAL(S)																							

NO Defects other than those previously reported

MAIN LINE SWITCHES INSPECTED	MP: 23	TO MP: 11.3	DATE: 12.26.13	INSPECTOR: <i>[Signature]</i>	DATE: 12.26.13
RAIL CROSSING INSPECTED	MP:	TO MP:	DATE:	SUPERVISOR REVIEW:	DATE:
YARD TRACK SWITCHES INSPECTED	MP:	TO MP:	DATE:	REGIONAL / ROADMASTER REVIEW:	DATE:

Storm Inspection (Special)

TEMPERATURE	55°		ENGINEERING DEPARTMENT										DATE	MONTH	DAY	YEAR									
INSPECTOR NUMBER			Patriot Rail We Put Our Name On The Line										Patriot Rail We Put Our Name On The Line												
DIVISION			TIMETABLE SUBDIVISION			MILEPOST INSPECTED TO NEAREST 1/10TH MILE				TRACKS INSPECTED				PAGE		1	OF	1							
			FROM			23				TO				11.3											
										SC				1		2		3		P		SD		O	
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER										
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION			
1																									
2																									
3																									
4																									
5																									
6																									
7																									
8																									
9																									
10																									
11																									
12																									
13																									
14																									
15																									
16																									
17																									
18																									
19																									
20																									
TOTAL(S)																									

MAIN LINE SWITCHES INSPECTED MP: TO MP: DATE

RAIL CROSSING INSPECTED MP: TO MP: DATE

YARD TRACK SWITCHES INSPECTED MP: TO MP: DATE

INSPECTOR *[Signature]* DATE: 12-23-13

SUPERVISOR REVIEW DATE:

REGIONAL ROADMASTER REVIEW DATE:

Numerous Limits Down 12-21

NO Defects other than those previously reported

TEMPERATURE		74°		ENGINEERING DEPARTMENT								Patriot Rail We Put Our Name On The Line		DATE		MONTH		DAY		YEAR					
INSPECTOR NUMBER				DAILY TRACK INSPECTION REPORT								Patriot Rail We Put Our Name On The Line		PAGE		1		OF		1					
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE								TRACKS INSPECTED													
		Ma Holly		FROM		23		TO		11.3		SG		1		2		3		P		SD		O	
TRACK		LOCATION OF DEFECT		DEFECT(S)								ACTION TAKEN BY INSPECTOR				ACTION TAKEN BY ROADMASTER									
												INSPECTOR CORRECTED				DATE CORRECTED		REPORT NOTED		INSPECTED DEFECT		INSPECTED CORRECTIVE ACTION			
1																									
2																									
3																									
4																									
5																									
6																									
7																									
8																									
9																									
10																									
11																									
12																									
13																									
14																									
15																									
16																									
17																									
18																									
19																									
20																									
TOTAL(S)																									

No Defects other than those previous reported

[Signature]

MAIN LINE SWITCHES INSPECTED	MP:	TO MP:	DATE	INSPECTOR	DATE: 12-17-13
RAIL CROSSING INSPECTED	MP:	TO MP:	DATE	SUPERVISOR REVIEW	DATE:
YARD TRACK SWITCHES INSPECTED	MP:	TO MP:	DATE	REGIONAL ROADMASTER REVIEW	DATE:

TEMPERATURE		50°		ENGINEERING DEPARTMENT		Patriot Rail		DATE		MONTH		DAY		YEAR	
INSPECTOR NUMBER				Patriot Rail		DAILY TRACK INSPECTION REPORT		Patriot Rail		12		10		13	
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE		TRACKS INSPECTED		PAGE		OF					
				FROM		TO		5G		1		2		3	
								P		SD		O			
TRACK		LOCATION OF DEFECT		DEFECT(S)		ACTION TAKEN BY INSPECTOR		ACTION TAKEN BY ROADMASTER							
				BOLTS MISSING/BROKEN		BROKEN JOINT BARS		BROKEN RAIL		IRREGULAR LINE		IRREGULAR SURFACE		SUPERELEVATION	
				PULL APART		INSULATED JOINT		WIDE GAGE		CROSSIES		SWITCH PARTS		FROG PARTS	
				NOT LISTED / OTHER		DEVIATION MEASURED IF IN EXCESS OF FRA		INSPECTOR CORRECTED		SLOW ORDER		OUT OF SERVICE		DATE CORRECTED	
								REPORT NOTED		INSPECTED DEFECT		INSPECTED CORRECTIVE ACTION			
1															
2															
3															
4															
5															
6															
7															
8															
9															
10															
11															
12															
13															
14															
15															
16															
17															
18															
19															
20															
TOTAL(S)															

MAIN LINE SWITCHES INSPECTED MP: 23 TO MP: 11.3 DATE:

INSPECTOR: *Lucas Garcia* DATE: 12-10-13

RAIL CROSSING INSPECTED MP: TO MP: DATE:

SUPERVISOR REVIEW DATE:

YARD TRACK SWITCHES INSPECTED MP: TO MP: DATE:

REGIONAL / ROADMASTER REVIEW DATE:

APPER

TEMPERATURE		450		ENGINEERING DEPARTMENT										DATE		MONTH	DAY	YEAR				
INSPECTOR NUMBER				Patriot Rail We Put Our Name On The Line										Patriot Rail We Put Our Name On The Line		11		25	13			
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE										TRACKS INSPECTED		PAGE		1	OF	1		
		M/A Holly		FROM	23		TO	11.3		① ① 2 3 P 50 0												
TRACK	LOCATION OF DEFECT	DEFECT(S)										ACTION TAKEN BY INSPECTOR			ACTION TAKEN BY ROADMASTER							
		BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						
TOTAL(S)																						

No Defects other than those previously reported

MAIN LINE SWITCHES INSPECTED	MP:	TO MP:	DATE	INSPECTOR	DATE: 11-25-13
RAIL CROSSING INSPECTED	MP:	TO MP:	DATE	SUPERVISOR REVIEW	DATE:
YARD TRACK SWITCHES INSPECTED	MP:	TO MP:	DATE	REGIONAL ROADMASTER REVIEW	DATE:

TEMPERATURE		70°		ENGINEERING DEPARTMENT DAILY TRACK INSPECTION REPORT								DATE		MONTH	DAY	YEAR								
INSPECTOR NUMBER				Patriot Rail We Put Our Name On The Line										11	6	13								
DIVISION		TIMETABLE SUBDIVISION		MILEPOST INSPECTED TO NEAREST 1/10TH MILE				TRACKS INSPECTED				PAGE		1	OF	1								
		msholly		FROM	23		TO	11.3		(SG) (1) 2 3 P SD O														
TRACK		LOCATION OF DEFECT		DEFECT(S) Belmont Br. MP CO - 1.5								ACTION TAKEN BY INSPECTOR		ACTION TAKEN BY ROADMASTER										
				BOLTS MISSING/BROKEN	BROKEN JOINT BARS	BROKEN RAIL	IRREGULAR LINE	IRREGULAR SURFACE	SUPERELEVATION	PULL APART	INSULATED JOINT	WIDE GAGE	CROSSTIES	SWITCH PARTS	FROG PARTS	NOT LISTED / OTHER	DEVIATION MEASURED IF IN EXCESS OF FRA	INSPECTOR CORRECTED	SLOW ORDER	OUT OF SERVICE	DATE CORRECTED	REPORT NOTED	INSPECTED DEFECT	INSPECTED CORRECTIVE ACTION
1																								
2																								
3																								
4																								
5																								
6																								
7																								
8																								
9																								
10																								
11																								
12																								
13																								
14																								
15																								
16																								
17																								
18																								
19																								
20																								
TOTAL(S)																								
MAIN LINE SWITCHES INSPECTED				MP:	23	TO MP:	11.3	DATE	11-6-13	INSPECTOR				[Signature]				DATE	11-6-13					
RAIL CROSSING INSPECTED				MP:		TO MP:		DATE		SUPERVISOR REVIEW								DATE						
YARD TRACK SWITCHES INSPECTED				MP:		TO MP:		DATE		REGIONAL /ROADMASTER REVIEW								DATE						



ROAD NAME: PNRB PATRIOT MONTHLY TURNOUT INSPECTION REPORT SWITCH NAME / NUMBER:

INITIAL	Date of Inspection 10-9-14	100' Approach	Stand	Switch	Frog	100' Approach
			Stand or Machine Secure	Switch Lever	Frog Bolts	
			Switch Lock / Keeper	Switch Clips / Bolts	Curve Lead Gauge	
			Target	Connecting Rod / Fastenings	Heel of Switch Gauge/Loose	
			Throw Torque	Switch Rod / Bolts	Stock Rail Secured	
				Collar Pins	Wheel tread contacting stock rail	
				Rail Braces	Point Stops	
				Metal Flow	Rail Graces	
				Switch point, if chipped or worn show C or W & inches from the ti	Frog Bolts	
				Gauge at Endblocks	Guard wear / Self Guarded	
					Guard Rails-Gauge / Loose	
					Frog, if battered or chipped indicate amount	
					Surface Line & Gauge	
					Rail Anchors	
					Tie Condition	

Comments: NO DEFECTS NOTED ON ANY SWITCHES Inspector: Long Canicio



PATRIOT MONTHLY TURNOUT INSPECTION REPORT
ROAD NAME: PNRW SWITCH NAME / NUMBER: J.B. DUKE

INITIAL	Date of Inspection	100' Approach	Stand												Switch				Frog				100' Approach							
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the ti	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts	Frog, if battered or chipped indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge	
WLS	5-1-14	OK	/	/	/	/	/	5 1/4	/	NO	/	/	/	/	/	/	/	/	/	NO	- NO	5 1/4	/	NO	- NO	/	/	/	/	OK
WLS	6-3-14	OK	/	/	/	/	/	5 1/4	/	NO	/	/	/	/	/	/	/	/	/	NO	- NO	5 1/4	/	NO	- NO	/	/	/	/	OK
WLS	7-7-14	OK	/	/	/	/	/	5 1/4	/	NO	/	/	/	/	/	/	/	/	/	NO	- NO	5 1/4	/	NO	- NO	/	/	/	/	OK
WLS	8-5-14	OK	/	/	/	/	/	5 1/4	/	NO	/	/	/	/	/	/	/	/	/	NO	- NO	5 1/4	/	NO	- NO	/	/	/	/	OK
WLS	9-2-14	OK	/	/	/	/	/	5 1/4	/	NO	/	/	/	/	/	/	/	/	/	NO	- NO	5 1/4	/	NO	- NO	/	/	/	/	OK

Comments:

Inspector:

[Signature]



ROAD NAME: PNRW PATRIOT MONTHLY TURNOUT INSPECTION REPORT SWITCH NAME / NUMBER: SE WS HEAD

INITIAL	Date of Inspection	100' Approach	Stand					Switch												Frog					100' Approach				
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the ti	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts	Frog, if battered or chipped indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge
WLB	5-1-14	OK	✓	✓	✓	✓	✓	5 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2	✓	NO	-	✓	✓	✓	✓	OK
WLB	6-3-14	OK	✓	✓	✓	✓	✓	5 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2	✓	NO	-	✓	✓	✓	✓	OK
WLB	7-7-14	OK	✓	✓	✓	✓	✓	5 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2	✓	NO	-	✓	✓	✓	✓	OK
WLB	8-5-14	OK	✓	✓	✓	✓	✓	5 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2	✓	NO	-	✓	✓	✓	✓	OK
WLB	9-2-14	OK	✓	✓	✓	✓	✓	5 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2	✓	NO	-	✓	✓	✓	✓	OK

Comments: _____

Inspector: Chris Sath

Chris Sath



ROAD NAME :

PNRW

PATRIOT MONTHLY

TURNOUT INSPECTION REPORT

SPLIT RAIL

SWITCH NAME / NUMBER: SE WS HEAD

INITIAL	Date of Inspection	100' Approach	Stand	Switch	Frog	100' Approach
WCB	5-1-14	OK	✓	✓	✓	✓
WCB	6-3-14	OK	✓	✓	✓	✓
WCB	7-7-14	OK	✓	✓	✓	✓
WCB	8-5-14	OK	✓	✓	✓	✓
WCB	9-2-14	OK	✓	✓	✓	✓

Comments:

Inspector:

Jm. B. B. B.




ROAD NAME: PNRW PATRIOT MONTHLY TURNOUT INSPECTION REPORT SWITCH NAME / NUMBER: NE WS HEAD

INITIAL	Date of Inspection	100' Approach	Stand										Switch					Frog					100' Approach							
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the ti	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts	Frog, if battered or chipped indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge	
WGB	5-1-14	OK	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	✓	✓	✓	✓	OK
WGB	6-3-14	OK	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	✓	✓	✓	✓	OK
WGB	7-7-14	OK	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	✓	✓	✓	✓	OK
WGB	8-5-14	OK	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	✓	✓	✓	✓	OK
WGB	9-2-14	OK	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	✓	✓	✓	✓	OK

Comments:

Inspector:

[Signature]



ROAD NAME:

ANRW

PATRIOT MONTHLY

TURNOUT INSPECTION REPORT

SWITCH NAME / NUMBER: SE

T B HARRIS

INITIAL	Date of Inspection	100' Approach	Stand					Switch										Frog			100' Approach								
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the ti	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts	Frog, if battered or chipped indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge
WBS	5-1-14	OK	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	-	✓	✓	✓	OK
WBS	6-3-14	OK	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	-	✓	✓	✓	OK
WBS	7-7-14	OK	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	-	✓	✓	✓	OK
WBS	8-5-14	OK	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	-	✓	✓	✓	OK
WBS	9-2-14	OK	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	-	✓	✓	✓	OK

Comments:

Inspector:

Robert A. Dahl



ROAD NAME:

PNRW

PATRIOT MONTHLY

TURNOUT INSPECTION REPORT

SWITCH NAME / NUMBER: SE J-B HARRIS[illegible]

Comments:

Inspector:

[Handwritten signature]



PATRIOT MONTHLY TURNOUT INSPECTION REPORT

ROAD NAME: PNRW

SWITCH NAME / NUMBER: SE BEAL

INITIAL	Date of Inspection	100' Approach	Stand														Switch				Frog				100' Approach					
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the ti	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts	Frog if battered or chipped indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge	
WGS	5-1-14	OK	✓	✓	✓	✓	✓	5 1/4	✓	N	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	-	✓	✓	✓	✓	OK
WGS	6-3-14	OK	✓	✓	✓	✓	✓	5 1/4	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	-	✓	✓	✓	✓	OK
WGS	7-7-14	OK	✓	✓	✓	✓	✓	5 1/4	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	-	✓	✓	✓	✓	OK
WGS	8-5-14	OK	✓	✓	✓	✓	✓	5 1/4	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	-	✓	✓	✓	✓	OK
WGS	9-2-14	OK	✓	✓	✓	✓	✓	5 1/4	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	-	✓	✓	✓	✓	OK

Comments:

Inspector:

Wm. S. B. S.

ROAD NAME: **PNRW**

PATRIOT MONTHLY

TURNOUT INSPECTION REPORT

SWITCH NAME / NUMBER: **BEAL WAREHOUSE**

INITIAL	Date of Inspection	100' Approach	Stand					Switch												Frog			100' Approach						
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the ti	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts	Frog, if battered or chipped indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge
WCB	5-1-14	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	5 1/2	✓	NO	OK	-	✓	✓	✓
WCB	6-3-14	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	5 1/2	✓	NO	OK	-	✓	✓	✓
WCB	7-7-14	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	5 1/2	✓	NO	OK	-	✓	✓	✓
WCB	8-5-14	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	5 1/2	✓	NO	OK	-	✓	✓	✓
WCB	9-2-14	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	5 1/2	✓	NO	OK	-	✓	✓	✓

NOTE: NEW CONSTRUCTION IN 2012
RAISE OUTSIDE CURVE BEFORE
PLACING IN SERVICE-DUE TO SETTLING *

Comments: _____

Inspector: _____



PATRIOT MONTHLY TURNOUT INSPECTION REPORT
ROAD NAME: PNRW SWITCH NAME / NUMBER: NE BEAL

INITIAL	Date of Inspection	100' Approach	Stand					Switch												Frog					100' Approach				
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the tip	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts	Frog, if battered or chipped indicate amount		Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors
WGS	5-1-14	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	NO	-	✓	✓	✓	OK
WGS	6-3-14	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	NO	-	✓	✓	✓	OK
WGS	7-7-14	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	NO	-	✓	✓	✓	OK
WGS	8-5-14	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	NO	-	✓	✓	✓	OK
WGS	9-2-14	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	NO	-	✓	✓	✓	OK
											</																		

Comments:

Inspector:

W. B. B. B.

ROAD NAME: PNRW

PATRIOT MONTHLY

TURNOUT INSPECTION REPORT

SWITCH NAME / NUMBER: SE WS LEE

INITIAL	Date of Inspection	100' Approach	Stand												Switch			Frog			100' Approach									
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the ti	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts	Frog, if battered or chipped indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge	100' Approach
WBS	5-1-14	OK	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	✓	✓	✓	✓	OK
WBS	6-3-14	OK	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	✓	✓	✓	✓	OK
WBS	7-7-14	OK	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	✓	✓	✓	✓	OK
WBS	8-5-14	OK	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	✓	✓	✓	✓	OK
WBS	9-2-14	OK	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	✓	✓	✓	✓	OK

Comments:

Inspector:

ROAD NAME: PNRW

PATRIOT MONTHLY

TURNOUT INSPECTION REPORT

SWITCH NAME / NUMBER: NE WS LEE

INITIAL	Date of Inspection	100' Approach	Stand					Switch												Frog				100' Approach						
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the ti	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts		Frog, if battered or chipped indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge
WGS	5-1-14	OK	✓	✓	✓	✓	✓	54 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	54 1/2	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	6-8-14	OK	✓	✓	✓	✓	✓	54 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	54 1/2	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	7-7-14	OK	✓	✓	✓	✓	✓	54 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	54 1/2	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	8-5-14	OK	✓	✓	✓	✓	✓	54 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	54 1/2	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	9-3-14	OK	✓	✓	✓	✓	✓	54 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	54 1/2	✓	NO	-	✓	✓	✓	✓	✓	OK

Comments:

Inspector:

John Barty

ROAD NAME:

PNRW

PATRIOT MONTHLY

TURNOUT INSPECTION REPORT

SWITCH NAME / NUMBER: BELMONT JCT.

[illegible]

Comments:

Inspector:

Wm. B. E. Smith



PATRIOT MONTHLY TURNOUT INSPECTION REPORT SWITCH NAME / NUMBER: SE DR EATON

ROAD NAME: PNRW

INITIAL	Date of Inspection	100' Approach	Stand				Switch												Frog				100' Approach							
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the tip	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge		Frog Bolts	Frog, if battered or chipped indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge
W263	5-1-14	OK	✓	✓	✓	✓	✓	5/16	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5/16	✓	NO	✓	✓	✓	✓	✓	✓	OK
W263	6-3-14	OK	✓	✓	✓	✓	✓	5/16	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5/16	✓	NO	✓	✓	✓	✓	✓	✓	OK
W263	7-7-14	OK	✓	✓	✓	✓	✓	5/16	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5/16	✓	NO	✓	✓	✓	✓	✓	✓	OK
W263	8-5-14	OK	✓	✓	✓	✓	✓	5/16	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5/16	✓	NO	✓	✓	✓	✓	✓	✓	OK
W263	9-2-14	OK	✓	✓	✓	✓	✓	5/16	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5/16	✓	NO	✓	✓	✓	✓	✓	✓	OK

Comments: _____ Inspector: Wm. S. Sauter



ROAD NAME :

PNRW

PATRIOT MONTHLY

TURNOUT INSPECTION REPORT

SWITCH NAME / NUMBER: NE DR EATON

INITIAL	Date of Inspection	100' Approach	Stand					Switch					Frog					100' Approach												
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the ti	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts	Frog, if battered or chipped indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge	100' Approach
WES	5-1-14	OK	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	OK
WES	6-3-14	OK	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	OK
WES	7-7-14	OK	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	OK
WES	8-5-14	OK	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	OK
WES	9-2-14	OK	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	OK

Comments:

Inspector:

W. Santa



ROAD NAME :

PVRW

PATRIOT MONTHLY

TURNOUT INSPECTION REPORT

SWITCH NAME / NUMBER:

MT. HOLLY

MP 11.3
SPLIT RAIL

INITIAL	Date of Inspection	100' Approach	Stand					Switch										Frog				100' Approach							
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the tie	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts	Frog, if battered or chipped indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge
WGS	5-1-14	OK	✓	✓	✓	✓	✓	5 1/2"	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	6-3-14	OK	✓	✓	✓	✓	✓	5 1/2"	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	7-7-14	OK	✓	✓	✓	✓	✓	5 1/2"	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	8-5-14	OK	✓	✓	✓	✓	✓	5 1/2"	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	9-2-14	OK	✓	✓	✓	✓	✓	5 1/2"	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Comments:

Inspector:



ROAD NAME:

PATRIOT MONTHLY

TURNOUT INSPECTION REPORT

SWITCH NAME / NUMBER:

JB Duke

PNAW

INITIAL	Date of Inspection	100' Approach	Stand					Switch												Frog			100' Approach						
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the ti	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge		Frog Bolts	Frog, if battered or chipped Indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors
WDS	5-17-13	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2	✓	NO	-	NO	✓	✓	✓	OK
WDS	6-5	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2	✓	NO	-	NO	✓	✓	✓	OK
WDS	7-24	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2	✓	NO	-	NO	✓	✓	✓	OK
WDS	8-16	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2	✓	NO	-	NO	✓	✓	✓	OK
WDS	9-4	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2	✓	NO	-	NO	✓	✓	✓	OK
WDS	10-15	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2	✓	NO	-	NO	✓	✓	✓	OK
WDS	11-6	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2	✓	NO	-	NO	✓	✓	✓	OK
WDS	12-26	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2	✓	NO	-	NO	✓	✓	✓	OK
WDS	1-22-14	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2	✓	NO	-	NO	✓	✓	✓	OK
WDS	2-16	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2	✓	NO	-	NO	✓	✓	✓	OK
WDS	3-18	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2	✓	NO	-	NO	✓	✓	✓	OK
WDS	4-16	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2	✓	NO	-	NO	✓	✓	✓	OK

Comments:

Inspector:



ROAD NAME:

P.N.R.W

PATRIOT MONTHLY

TURNOUT INSPECTION REPORT

SWITCH NAME / NUMBER:

SE WS HEAD

INITIAL	Date of Inspection	100' Approach	Stand					Switch										Frog					100' Approach								
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headlocks	Switch point, if chipped or worn show C or W & inches from the tie	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge		Frog Bolts	Frog, if battered or chipped indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge	
WGS	5-17-05	OK	✓	✓	✓	✓	✓	SGA	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	SGA	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	6-5	OK	✓	✓	✓	✓	✓	SGA	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	SGA	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	7-24	OK	✓	✓	✓	✓	✓	SGA	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	SGA	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	8-16	OK	✓	✓	✓	✓	✓	SGA	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	SGA	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	9-4	OK	✓	✓	✓	✓	✓	SGA	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	SGA	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	10-15	OK	✓	✓	✓	✓	✓	SGA	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	SGA	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	11-4	OK	✓	✓	✓	✓	✓	SGA	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	SGA	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	12-26	OK	✓	✓	✓	✓	✓	SGA	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	SGA	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	1-22-14	OK	✓	✓	✓	✓	✓	SGA	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	SGA	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	2-18-14	OK	✓	✓	✓	✓	✓	SGA	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	SGA	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	3-18-14	OK	✓	✓	✓	✓	✓	SGA	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	SGA	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	4-16-14	OK	✓	✓	✓	✓	✓	SGA	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	SGA	✓	NO	-	✓	✓	✓	✓	✓	OK

Comments:

Inspector:



SE WS HEAD

PATRIOT MONTHLY TURNOUT INSPECTION REPORT

SPLIT RAIL

ROAD NAME:

SWITCH NAME / NUMBER:

PNRW

INITIAL	Date of Inspection	100' Approach	Stand					Switch										Frog			100' Approach								
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the ti	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts	Frog, if battered or chipped indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge
WGS	5-17-13	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	6-5	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	7-24	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	8-16	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	9-4	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	10-15	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	11-6	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	12-26	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	1-28-14	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	2-14-14	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	3-18-14	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	4-16-14	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Comments:

Inspector:

W. J. Baker



ROAD NAME:

P&RW

PATRIOT MONTHLY

TURNOUT INSPECTION REPORT

SWITCH NAME / NUMBER:

NE WS HEAD

INITIAL	Date of Inspection	100' Approach	Stand					Switch										Frog					100' Approach						
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the ti	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge		Frog Bolts	Frog, if battered or chipped indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors
WGS	5-17	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	OK
WGS	6-5	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	OK
WGS	7-24	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	OK
WGS	8-16	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	OK
WGS	9-4	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	OK
WGS	10-15	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	OK
WGS	11-4	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	OK
WGS	12-26	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	OK
WGS	1-22-14	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	OK
WGS	2-18	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	OK
WGS	3-18	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	OK
WGS	4-16	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	OK

Comments:

Inspector:

ROAD NAME: PNRW

PATRIOT MONTHLY

TURNOUT INSPECTION REPORT

SWITCH NAME / NUMBER: SE JB HARRIS

INITIAL	Date of Inspection	100' Approach	Stand						Switch												Frog			100' Approach						
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the ti	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts		Frog, if battered or chipped indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge
WGS	5-17-13	OK	✓	✓	✓	✓	✓	5 1/2"	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2"	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	6-5	OK	✓	✓	✓	✓	✓	5 1/2"	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2"	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	7-24	OK	✓	✓	✓	✓	✓	5 1/2"	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2"	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	8-16	OK	✓	✓	✓	✓	✓	5 1/2"	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2"	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	9-4	OK	✓	✓	✓	✓	✓	5 1/2"	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2"	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	10-15	OK	✓	✓	✓	✓	✓	5 1/2"	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2"	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	11-6	OK	✓	✓	✓	✓	✓	5 1/2"	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2"	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	12-26	OK	✓	✓	✓	✓	✓	5 1/2"	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2"	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	1-22-14	OK	✓	✓	✓	✓	✓	5 1/2"	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2"	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	2-18	OK	✓	✓	✓	✓	✓	5 1/2"	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2"	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	3-18	OK	✓	✓	✓	✓	✓	5 1/2"	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2"	✓	NO	-	✓	✓	✓	✓	✓	OK
WGS	4-16	OK	✓	✓	✓	✓	✓	5 1/2"	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	5 1/2"	✓	NO	-	✓	✓	✓	✓	✓	OK

Comments:

Inspector:



SE JB HARRIS

PATRIOT MONTHLY TURNOUT INSPECTION REPORT

ROAD NAME:

PNRW

SWITCH NAME / NUMBER:

SPLIT RAIL

INITIAL	Date of Inspection	100' Approach	Stand					Switch												Frog				100' Approach					
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the ti	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts	Frog if battered or chipped indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge
WGS	5-17-13	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	OK
WGS	6-5	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	OK
WGS	7-24	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	OK
WGS	8-16	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	OK
WGS	9-4	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	OK
WGS	10-15	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	OK
WGS	11-6	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	OK
WGS	12-26	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	OK
WGS	1-22-14	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	OK
WGS	2-18	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	OK
WGS	3-18	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	OK
WGS	4-16	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	OK

Comments:

Inspector:



ROAD NAME:

PARR

PATRIOT MONTHLY

TURNOUT INSPECTION REPORT

SWITCH NAME/NUMBER: NE JB HARRIS

INITIAL	Date of Inspection	100' Approach	Stand					Switch												Frog				100' Approach					
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the tip	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts	Frog, if battered or chipped indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge
WGS	5-17	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WGS	6-5	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WGS	7-24	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WGS	8-16	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WGS	9-4	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WGS	10-15	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WGS	11-6	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WGS	12-26	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WGS	1-22-14	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WGS	2-18	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WGS	3-18	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WGS	4-16	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK

Comments:

Inspector:



ROAD NAME:

PATRIOT MONTHLY

TURNOUT INSPECTION REPORT

SWITCH NAME / NUMBER:

SE BEAL

INITIAL	Date of Inspection	100' Approach	Stand					Switch												Frog				100' Approach					
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the tie	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts	Frog, if battered or chipped indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge
WGS	5-17-03	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	-	✓	✓	✓	✓	OK
WGS	6-5-03	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	-	✓	✓	✓	✓	OK
WGS	7-24-03	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	-	✓	✓	✓	✓	OK
WGS	8-16-03	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	-	✓	✓	✓	✓	OK
WGS	9-4-03	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	-	✓	✓	✓	✓	OK
WGS	10-15-03	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	-	✓	✓	✓	✓	OK
WGS	11-6-03	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	-	✓	✓	✓	✓	OK
WGS	12-26-03	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	-	✓	✓	✓	✓	OK
WGS	1-22-04	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	-	✓	✓	✓	✓	OK
WGS	2-18-04	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	-	✓	✓	✓	✓	OK
WGS	3-18-04	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	-	✓	✓	✓	✓	OK
WGS	4-16-04	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	-	✓	✓	✓	✓	OK

Comments:

Inspector:



ROAD NAME:

PNRW

PATRIOT MONTHLY

TURNOUT INSPECTION REPORT

SWITCH NAME / NUMBER:

BEAL WAREHOUSE

INITIAL	Date of Inspection	100' Approach	Stand					Switch												Frog				100' Approach						
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the tie	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts		Frog, if battered or chipped indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge
WGS	5-17-03	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	OK	OK	✓	✓	✓	SEE NOTE
WGS	6-5	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	OK	OK	✓	✓	✓	"
WGS	7-24	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	OK	OK	✓	✓	✓	"
WGS	8-16	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	OK	OK	✓	✓	✓	"
WGS	9-4	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	OK	OK	✓	✓	✓	"
WGS	10-15	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	OK	OK	✓	✓	✓	"
WGS	11-6	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	OK	OK	✓	✓	✓	"
WGS	12-26	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	OK	OK	✓	✓	✓	"
WGS	1-22-11	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	OK	OK	✓	✓	✓	"
WGS	2-18	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	OK	OK	✓	✓	✓	"
WGS	3-18	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	OK	OK	✓	✓	✓	"
WGS	4-16	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	OK	OK	✓	✓	✓	"

2012 - NOTE: New Construction - raise out seat
curve before using spec due to
settling etc.

Comments:

Inspector:



ROAD NAME: PVRW PATRIOT MONTHLY TURNOUT INSPECTION REPORT SWITCH NAME / NUMBER: NE BEAL

INITIAL	Date of Inspection	100' Approach	Stand					Switch												Frog			100' Approach							
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the ti	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts	Frog, if battered or chipped indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge	
WGB	5-17-13	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	-	✓	✓	✓	✓	OK
WGB	6-5	OK	✓	✓	✓	✓	✓	54 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	-	✓	✓	✓	✓	OK
WGB	7-24	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	54 1/2	✓	NO	-	✓	✓	✓	✓	OK
WGB	8-16	OK	✓	✓	✓	✓	✓	52 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	-	✓	✓	✓	✓	OK
WGB	9-4	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	-	✓	✓	✓	✓	OK
WGB	10-15	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	-	✓	✓	✓	✓	OK
WGB	11-6	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	-	✓	✓	✓	✓	OK
WGB	12-26	OK	✓	✓	✓	✓	✓	51 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	54 1/2	✓	NO	-	✓	✓	✓	✓	OK
WGB	1-22-14	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	-	✓	✓	✓	✓	OK
WGB	2-18	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	54 1/2	✓	NO	-	✓	✓	✓	✓	OK
WGB	3-18	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	-	✓	✓	✓	✓	OK
WGB	4-16	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	-	✓	✓	✓	✓	OK

[Signature]

ROAD NAME: PARR

PATRIOT MONTHLY

TURNOUT INSPECTION REPORT

SWITCH NAME / NUMBER: SE WSLLEE

INITIAL	Date of Inspection	100' Approach	Stand						Switch													Frog				100' Approach				
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the ti	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts	Frog, if battered or chipped indicate amount	Guard wear / Self Guarded		Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge
WCS	5-17-13	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WCS	6-5	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WCS	7-24	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WCS	8-16	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WCS	9-4	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WCS	10-15	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WCS	11-6	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WCS	12-26	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WCS	1-27-14	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WCS	2-18	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WCS	3-18	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WCS	4-16	OK	✓	✓	✓	✓	✓	56 1/2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK

Comments: _____

Inspector: [Signature]



ROAD NAME:

PNRW

PATRIOT MONTHLY TURNOUT INSPECTION REPORT

SWITCH NAME / NUMBER:

NE WS LEE

INITIAL	Date of Inspection	100' Approach	Stand						Switch												Frog				100' Approach					
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the tip	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts	Frog, if battered or chipped indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge	100' Approach
WGS	5-17-13	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WGS	6-5	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WGS	7-24	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WGS	8-16	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WGS	9-4	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WGS	10-15	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WGS	11-6	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WGS	12-26	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WGS	1-22-14	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WGS	2-18	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WGS	3-18	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK
WGS	4-16	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	OK

Comments:

Inspector:

ROAD NAME: PURW

PATRIOT MONTHLY

TURNOUT INSPECTION REPORT

SWITCH NAME / NUMBER: BELMONT JCT.

INITIAL	Date of Inspection	100' Approach	Stand					Switch													Frog					100' Approach				
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the tie	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts	Frog, if battered or chipped indicate amount	Guard wear / Self Guarded		Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge
WGS	5-17-13	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	OK
WGS	6-5	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	OK
WGS	7-24	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	OK
WGS	8-16	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	OK
WGS	9-4	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	OK
WGS	10-15	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	OK
WGS	11-6	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	OK
WGS	12-26	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	OK
WGS	1-22-14	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	OK
WGS	2-18	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	OK
WGS	3-18	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	OK
WGS	4-16	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	OK

Comments: _____

Inspector: _____



ROAD NAME:

PNRW

PATRIOT MONTHLY

TURNOUT INSPECTION REPORT

SWITCH NAME / NUMBER: SE

DR EATON

INITIAL	Date of Inspection	100' Approach	Stand						Switch												Frog				100' Approach					
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the ti	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts	Frog, if battered or chipped indicate amount		Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge
WGS	5-17-13	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/4	✓	NO	✓	✓	✓	✓	✓	✓	OK
WGS	6-5	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/4	✓	NO	✓	✓	✓	✓	✓	✓	OK
WGS	7-24	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/4	✓	NO	✓	✓	✓	✓	✓	✓	OK
WGS	8-16	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/4	✓	NO	✓	✓	✓	✓	✓	✓	OK
WGS	9-4	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/4	✓	NO	✓	✓	✓	✓	✓	✓	OK
WGS	10-15	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/4	✓	NO	✓	✓	✓	✓	✓	✓	OK
WGS	11-4	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/4	✓	NO	✓	✓	✓	✓	✓	✓	OK
WGS	12-26	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/4	✓	NO	✓	✓	✓	✓	✓	✓	OK
WGS	1-22-14	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/4	✓	NO	✓	✓	✓	✓	✓	✓	OK
WGS	2-18	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/4	✓	NO	✓	✓	✓	✓	✓	✓	OK
WGS	3-18	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/4	✓	NO	✓	✓	✓	✓	✓	✓	OK
WGS	4-16	OK	✓	✓	✓	✓	✓	56 1/2	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	56 1/4	✓	NO	✓	✓	✓	✓	✓	✓	OK

Comments:

Inspector:

[Signature]



ROAD NAME: PNRW PATRIOT MONTHLY TURNOUT INSPECTION REPORT SWITCH NAME/NUMBER: NE DR EATON

INITIAL	Date of Inspection	100' Approach	Stand				Switch										Frog				100' Approach								
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the ti	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured		Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts	Frog, if battered or chipped indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors
WGS	5-17-03	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	✓	✓	✓	✓	OK
WGS	6-5-03	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	✓	✓	✓	✓	OK
WGS	7-24-03	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	✓	✓	✓	✓	OK
WGS	8-16-03	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	✓	✓	✓	✓	OK
WGS	9-4-03	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	✓	✓	✓	✓	OK
WGS	10-15-03	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	✓	✓	✓	✓	OK
WGS	11-6-03	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	✓	✓	✓	✓	OK
WGS	12-26-03	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	✓	✓	✓	✓	OK
WGS	1-22-04	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	✓	✓	✓	✓	OK
WGS	2-18-04	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	✓	✓	✓	✓	OK
WGS	3-18-04	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	✓	✓	✓	✓	OK
WGS	4-16-04	OK	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	NO	✓	✓	✓	✓	✓	OK

Comments:

Inspector:

[Signature]



Mt. Holly MP 11.3

ROAD NAME:

PWRW

PATRIOT MONTHLY

TURNOUT INSPECTION REPORT

SWITCH NAME / NUMBER:

SPLIT RAIL

INITIAL	Date of Inspection	100' Approach	Stand					Switch												Frog			100' Approach							
			Stand or Machine Secure	Switch Lever	Switch Lock / Keeper	Target	Throw Torque	Gauge at Headblocks	Switch point, if chipped or worn show C or W & inches from the tip	Metal Flow	Fit of Normal Switch point	Fit of Turnout Switch Point	Switch Clips / Bolts	Connecting Rod / Fastenings	Switch Rod / Bolts	Cotter Pins	Rail Braces	Point Stops	Wheel tread contacting stock rail	Stock Rail-Secured	Heel of Switch Gauge/Loose	Curve Lead Gauge	Frog Bolts	Frog, if battered or chipped indicate amount	Guard wear / Self Guarded	Guard Rails-Gauge / Loose	Tie Condition	Rail Anchors	Surface Line & Gauge	100' Approach
WGS	5-17-13	OK	✓	✓	✓	✓	✓	5 1/4	✓	NO	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	6-5	OK	✓	✓	✓	✓	✓	5 1/4	✓	NO	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	7-24	OK	✓	✓	✓	✓	✓	5 1/4	✓	NO	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	8-16	OK	✓	✓	✓	✓	✓	5 1/4	✓	NO	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	9-4	OK	✓	✓	✓	✓	✓	5 1/4	✓	NO	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	10-15	OK	✓	✓	✓	✓	✓	5 1/4	✓	NO	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	11-4	OK	✓	✓	✓	✓	✓	5 1/4	✓	NO	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	12-26	OK	✓	✓	✓	✓	✓	5 1/4	✓	NO	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	1-22-14	OK	✓	✓	✓	✓	✓	5 1/4	✓	NO	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	2-18	OK	✓	✓	✓	✓	✓	5 1/4	✓	NO	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	3-18	OK	✓	✓	✓	✓	✓	5 1/4	✓	NO	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
WGS	4-16	OK	✓	✓	✓	✓	✓	5 1/4	✓	NO	✓	✓	✓	✓	✓	✓	✓	NO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Comments:

Inspector: