



STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

MICHAEL F. EASLEY
GOVERNOR

LYNDO TIPPETT
SECRETARY

January 20, 2004

NOTICE TO: All Prequalified Contractors
FROM: R.A.Garris, P.E. *R.A. Garris*
Contract Officer
Re: Electronic Bid Bond, Non-Collusion Affidavit, and Debarment Certification

As we move toward total electronic bid submittals, we are implementing the following changes effective with the March 16, 2004 formal highway letting.

1. The Department will require an electronic bid bond to be included with each electronic bid submission.
2. In order to comply with Federal and State laws and regulations, an original, properly executed **Non-Collusion Affidavit, and Debarment Certification** must be on file in the Contract Office from each prospective bidder prior to submitting an electronic bid. It will not be necessary that it be submitted with each bid and letting. The **Non-Collusion Affidavit, and Debarment Certification** filed with the Department will be valid for all bids submitted through the December 21, 2004 letting.

Properly executed forms shall be delivered to the Department no later than 5:00 p.m. the day prior to the advertised letting in which you intend to submit your first total electronic bid. Forms may be downloaded from the following web-site:
(http://www.doh.dot.state.nc.us/preconstruct/highway/dsn_srvc/contracts/letting.htm).

The form shall be placed in a sealed envelope with the Contractor name clearly labeled, and delivered to:

Physical Address:
State Contract Officer
Design Services Unit
Century Center Bldg. B
1020 Birch Ridge Drive
Raleigh, NC 27610

Mailing Address:
State Contract Officer
NC Department of Transportation
Contracts and Proposals
1591 Mail Service Center
Raleigh, NC 27699-1591

We will be formulating procedures for renewal in the near future and will involve the industry as they are developed.

If you have any questions, please do not hesitate to call me at (919) 250-4124.

MAILING ADDRESS:
NC DEPARTMENT OF TRANSPORTATION
DESIGN SERVICES UNIT
1591 MAIL SERVICE CENTER
RALEIGH, NC 27699-1591

TELEPHONE: 919-250-4124
FAX: 919-250-4127
WEBSITE: WWW.DOH.DOT.STATE.NC.US

LOCATION:
CENTURY CENTER COMPLEX
ENTRANCE B15
1020 BIRCH RIDGE DRIVE
RALEIGH, NC 27610




STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

MICHAEL F. EASLEY
GOVERNOR

LYNDO TIPPETT
SECRETARY

December 23, 2003

NOTICE TO: All Prequalified Contractors
FROM: R.A. Garris, P.E. 
Contract Officer
Re: Electronic (Internet) Bid Bond Submission

Beginning with the March 16, 2004 letting Electronic Bid Bond submission will become a mandatory addition to electronic bid submissions via Bidx.com. Only those bids submitted as described in the Special Provision titled "On-Line Electronic Bidding" will be considered responsive.

It is important that both the prospective bidder and their bonding agent contact either Surety 2000 (www.surety2000.com) or Surepath (www.insurevision.com) bond management providers to acquire the necessary service prior to the March 16, 2004 letting. Bid Express and the Expedite software will interface with both bond management providers.

If you do not currently have an account with one of the above bond management providers, please visit one of the above websites to open an account.

You must either have an account with one of the above bond management providers for electronic bid and bid bond submittal or provide the Contract Office with a bid deposit as described in the Special Provision titled "On-Line Electronic Bidding" for the March 16, 2004 letting.

Additional notices will follow, as more information becomes available.

If you have any questions, I can be reached at (919) 250-4124.

MAILING ADDRESS:
NC DEPARTMENT OF TRANSPORTATION
CONTRACTS & PROPOSALS
1591 MAIL SERVICE CENTER
RALEIGH NC 27699-1591

TELEPHONE: 919-250-4124
FAX: 919-250-4127

WEBSITE: WWW.DOH.DOT.STATE.NC.US

LOCATION:
CENTURY CENTER COMPLEX
BUILDING B - ENTRANCE B 15
1020 BIRCH RIDGE DRIVE
RALEIGH NC



STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

MICHAEL F. EASLEY
GOVERNOR

LYNDO TIPPETT
SECRETARY

December 23, 2003

NOTICE TO: Plan Holders
FROM: R. A. Garris, P.E.
Contract Officer
SUBJECT: Delays in Billing

A handwritten signature in black ink, appearing to read "R. A. Garris", written over the typed name in the "FROM:" field.

Invoices for all plans and proposals since April 2003 will be mailed in the next few weeks. The Department transitioned to a new financial system in March 2003, and billing delays occurred as a result. Invoices for each Highway Letting in which you ordered plans or proposals will be mailed separately. You will also receive a list itemizing each project that you ordered. Also, the payment due date will be extended from 30 days to 90 days from the date the invoice is mailed. We apologize for any inconvenience that this has caused.

If you have any questions, please contact Kim Canady at (919) 250-4124 or e-mail her at klcanady@dot.state.nc.us.

MAILING ADDRESS:
NC DEPARTMENT OF TRANSPORTATION
DESIGN SERVICES UNIT
1591 MAIL SERVICE CENTER
RALEIGH NC 27699-1591

TELEPHONE: 919-250-4124
FAX: 919-250-4127
WEBSITE: WWW.DOH.DOT.STATE.NC.US

LOCATION:
CENTURY CENTER COMPLEX
ENTRANCE B15
1020 BIRCH RIDGE DRIVE
RALEIGH NC 27610




STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

MICHAEL F. EASLEY
GOVERNOR

LYNDO TIPPETT
SECRETARY

October 21, 2003

MEMORANDUM TO: Prime Contractors
FROM: R. A. Garris, P. E. 
Contract Officer
SUBJECT: Plan & Proposal Distribution Upon Award

Effective with the November 18, 2003 Letting, prime contractors who are awarded projects will be limited to the number of sets of plans that can be distributed free of charge. The limits are as follows:

Roadway Plans: (8) 22"x34", (16) 11"x17", (8) subsurface & (8) cross-sections
Structure Plans: (10) 22"x34", (10) 11"x17", (10) subsurface
Proposals (20)

Additional requests will be invoiced at the project's advertised price. Requests should be made to Kim Canady or Larry Strickland at 919-250-4124.

MAILING ADDRESS:
NC DEPARTMENT OF TRANSPORTATION
DESIGN SERVICES UNIT
1591 MAIL SERVICE CENTER
RALEIGH NC 27609-1591

TELEPHONE: 919-250-4124
FAX: 919-250-4127
WEBSITE: WWW.DOH.DOT.STATE.NC.US

LOCATION:
CENTURY CENTER COMPLEX
ENTRANCE B15
1020 BIRCH RIDGE DRIVE
RALEIGH NC 27610

**STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
INVITATION TO BID**

ELECTRONIC BIDS FOR THE CONSTRUCTION OF THE FOLLOWING PROJECTS WILL BE PUBLICLY READ IN ROOM 156-A/B, THE DESIGN SERVICES LARGE CONFERENCE ROOM, LOCATED IN BUILDING B AT 1020 BIRCH RIDGE DRIVE, RALEIGH, N.C. AT **2:00 PM** ON **MARCH 16, 2004**. NO ELECTRONIC BIDS WILL BE RECEIVED AFTER 10:00AM.

BIDS SHALL BE SUBMITTED IN ACCORDANCE WITH THE SPECIAL PROVISION TITLED "ON-LINE ELECTRONIC BIDDING" CONTAINED IN EACH PROPOSAL FORM.

1. AN ORIGINAL PROPERLY EXECUTED NON-COLLUSION AFFIDAVIT AND DEBARMENT CERTIFICATION SHALL BE ON FILE IN THE CONTRACT OFFICE FROM EACH PROSPECTIVE BIDDER PRIOR TO SUBMITTING AN ELECTRONIC BID. FORMS ARE AVAILABLE AT
http://www.doh.dot.state.nc.us/preconstruct/highway/dsn_srvc/contracts/letting.htm

2. A BID BOND OR BID DEPOSIT IN THE AMOUNT OF 5% OF THE TOTAL AMOUNT BID WILL BE REQUIRED. THE BIDDER SHALL SUBMIT AN ELECTRONIC BID BOND WITH EACH ELECTRONIC BID SUBMITTAL UNLESS HE ELECTS TO FURNISH A BID DEPOSIT.

3. UPON RECEIPT OF AWARD LETTER, THE SUCCESSFUL BIDDER SHALL FURNISH A PROPERLY EXECUTED EXECUTION OF CONTRACT, NON-COLLUSION AFFIDAVIT AND DEBARMENT CERTIFICATION, AND EXECUTED PAYMENT AND PERFORMANCE BONDS FOR EACH CONTRACT. AFFIDAVIT FORMS AND BOND FORMS ARE AVAILABLE AS PART OF THE CONTRACT EXECUTION FORMS AT THE FOLLOWING WEBSITE
http://www.doh.dot.state.nc.us/preconstruct/highway/dsn_srvc/contracts/letting.htm

THE MINIMUM WAGE FOR LABOR WILL BE SHOWN IN THE PROPOSAL FORM FOR FEDERAL AID PROJECTS.

CONTRACTOR'S LICENSE: A GENERAL CONTRACTOR'S LICENSE IS REQUIRED IN ORDER TO SUBMIT A BID ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$30,000.00 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD. FOR ADDITIONAL INFORMATION OR TO MAKE APPLICATION FOR A LICENSE, APPLY TO THE EXECUTIVE SECRETARY OF THE CONTRACTOR LICENSING BOARD, P.O. BOX 17187, RALEIGH, NC 27619, (919-571-4183).

STATE PRIVILEGE LICENSE TAXES: CONTRACTORS WHO BID UPON AND/OR ARE AWARDED NORTH CAROLINA HIGHWAY CONSTRUCTION PROJECTS ARE SUBJECT TO CONTRACTOR BIDDERS AND/OR CONTRACTOR PROJECT PRIVILEGE LICENSE TAXES UNDER G.S. 105-54 OF THE STATE REVENUE LAWS. FOR INFORMATION, WRITE TO THE NORTH CAROLINA DEPARTMENT OF REVENUE, LICENSE AND EXCISE TAX DIVISION, P.O. BOX 25000, RALEIGH, NC 27640, OR CALL 919-733-3673.

PREQUALIFYING TO BID: ALL PROSPECTIVE BIDDERS SHALL BE PREQUALIFIED WITH THE DEPARTMENT OF TRANSPORTATION PRIOR TO SUBMITTING A BID. CONTRACTORS WHO ARE NOT PREQUALIFIED MAY OBTAIN INFORMATION AND FORMS FOR PREQUALIFYING FROM THE MANAGER OF CONSTRUCTION, DIVISION OF HIGHWAYS, DEPARTMENT OF TRANSPORTATION, 1543 MAIL SERVICE CENTER, RALEIGH, N. C., 27699-1543. ALL REQUIRED PREQUALIFICATION STATEMENTS AND DOCUMENTS SHALL BE FILED WITH THE MANAGER OF CONSTRUCTION AT LEAST TWO WEEKS PRIOR TO THE DATE OF OPENING BIDS.

THE DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS INVITATION TO BID, MINORITY BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, OR NATIONAL ORIGIN IN COMPENSATION TO THIS AWARD.

PROPOSAL FORMS AT **\$25.00** EACH, PLANS (SMALL SIZE) AT **\$40.00** PER SET, PLANS (LARGE SIZE) AT **\$100.00** PER SET, AND CROSS-SECTIONS AT **\$40.00** PER SET, PLUS SALES TAX FOR N.C. RESIDENTS, MAY BE OBTAINED BY TELEPHONING (919-250-4124), FAXING (919-250-4127), OR WRITING TO : PLANS AND PROPOSALS, DESIGN SERVICES UNIT, DEPARTMENT OF TRANSPORTATION, 1591 MAIL SERVICE CENTER, RALEIGH, N.C., 27699-1591. THESE CHARGES ARE NOT DEPOSITS AND WILL NOT BE REFUNDED. ALL ORDERS FOR PROPOSAL FORMS, PLANS AND CROSS-SECTIONS DELIVERED IN NORTH CAROLINA ARE SUBJECT TO 7% SALES TAX. ORDERS MAILED TO OUT OF STATE CONTRACTORS ARE NOT SUBJECT TO SALES TAX. MAKE ALL CHECKS PAYABLE TO THE "N.C. DEPARTMENT OF TRANSPORTATION".

THE RIGHT IS RESERVED TO REJECT ANY OR ALL BIDS.

TODAY'S DATE IS FEBRUARY 17, 2004.
BY ORDER OF THE DEPARTMENT OF TRANSPORTATION
(THE WORK WILL CONSIST APPROXIMATELY AS SHOWN ON THE FOLLOWING SHEETS)

REVIEW OF PLANS AND PROPOSALS IN DIVISION OFFICE

IN ORDER TO FACILITATE AND ENCOURAGE THE INVOLVEMENT OF MINORITY BUSINESS ENTERPRISES IN THE HIGHWAY CONSTRUCTION PROCESS, IT IS THE POLICY OF THE DEPARTMENT OF TRANSPORTATION, DIVISION OF HIGHWAYS, THAT A SET OF PLANS AND PROPOSAL FOR EACH PROJECT TO BE LET WILL BE MAINTAINED FOR REVIEW BY ANY CONTRACTOR INTERESTED IN BIDDING UPON OR QUOTING WORK IN AN ADVERTISED PROJECT.

THE PROPOSALS AND PLANS WILL BE AVAILABLE FOR REVIEW BEGINNING TWO WEEKS PRIOR TO THE DATE OF BID OPENING IN THE DIVISION OFFICE WHICH WILL ADMINISTER THE CONTRACT. THE DEPARTMENT WILL, UPON REQUEST, MAKE AVAILABLE FROM ITS STAFF A PERSON TO EXPLAIN THE PROPOSED PROJECT AND TO ANSWER GENERAL QUESTIONS RELATING TO THE PROJECT. THE PLANS AND PROPOSALS CAN BE REVIEWED ANY TIME MONDAY THRU FRIDAY, EXCLUDING HOLIDAYS, BETWEEN THE HOURS OF 8:00 A.M. AND 4:30 P.M. IN THE DIVISION OFFICE. IN ORDER TO HAVE A MEMBER OF THE STAFF EXPLAIN THE PROJECT AND/OR ANSWER GENERAL QUESTIONS PERTAINING TO THE PROJECT, PRIOR APPOINTMENTS MUST BE MADE BY CALLING THE APPROPRIATE DIVISION OFFICE.

FOLLOWING ARE THE LOCATIONS AND TELEPHONE NUMBERS OF THE OFFICES IN WHICH THE PLANS AND PROPOSALS WILL BE MADE AVAILABLE, REFERENCE SHOULD BE MADE TO THE SHEETS CONTAINING THE INDIVIDUAL PROJECT QUANTITIES TO DETERMINE WHICH DIVISION OFFICE WILL ADMINISTER THE CONTRACT.

<u>DIV NO.</u>	<u>DIVISION ENGINEER</u>	<u>LOCATION</u>	<u>TOWN</u>	<u>TELEPHONE</u>
00001	D. R. Conner	113 AIRPORT DR. SUITE 100	EDENTON	(252) 482-7977
00002	C. E. Lassiter, Jr.	105 PACTOLUS ROAD	GREENVILLE	(252) 830-3490
00003	H. A. Pope	124 DIVISION DRIVE	WILMINGTON	(910) 251-5724
00004	Anthony W. Roper , PE	509 WARD BOULEVARD	WILSON	(252) 237-6164
00005	J. G. Nance	2612 NORTH DUKE STREET	DURHAM	(919) 560-6851
00006	T. R. Gibson	558 GILLESPIE STREET	FAYETTEVILLE	(910) 486-1493
00007	J. M. Mills	1534 YANCEYVILLE STREET	GREENSBORO	(336) 334-3192
00008	Tim Johnson, PE	902 N. SANDHILLS BOULEVARD	ABERDEEN	(910) 944-2344
00009	S. P. Ivey	2125 CLOVERDALE AVENUE	WINSTON-SALEM	(336) 631-1340
00010	B. G. Payne	716 WEST MAIN STREET	ALBEMARLE	(704) 982-0101
00011	Michael A. Pettyjohn, PE	NC-115 WEST	NORTH WILKESBORO	(336) 667-9111
00012	M. L. Holder	1710 EAST MARION STREET	SHELBY	(704) 480-5400
00013	J. J. Swain	55 ORANGE STREET	ASHEVILLE	(828) 251-6171
00014	R. G. Watson	253 WEBSTER ROAD	SYLVA	(828) 586-2141

===== SUMMARY OF PROPOSALS =====

Bid Letting Number L040316

RPN	Contract Id	WBS	County	Length	JobType
001	C201146	2CR.10401.1 ETC.	GREENE, PITT	13.350 MI	WIDENING, RESURFACING & PAVEMENT MARKINGS.
002	C201147	37054 ETC.	CRAVEN, PITT	21.700 MI	WIDENING, GRADING, DRAINAGE, RESURFACING & PVMT MARKINGS.
003	C200790	33213.3.1	JOHNSTON	0.170 MI	GRADING, DRAINAGE, PAVING & STRUCTURE.
004	C200831	33214.3.1	JOHNSTON	0.177 MI	GRADING, DRAINAGE, PAVING & STRUCTURE.
005	C201155	33085.3.1	HALIFAX	0.142 MI	GRADING, DRAINAGE, PAVING & CULVERT.
006	C201153	34365.3.34 ETC.	WAKE	9.670 MI	HEAD & WINGWALL EXT, PVT REM, MILLING, RESURFACING & GRDRAIL.
007	C201154	37214 ETC.	CUMBERLAND, HARNETT	23.430 MI	WIDENING, GRADING, MILLING, RESURFACING, & SHDR RECONST.
008	C201159	36781	BLADEN, ROBESON	28.400 MI	WIDENING, DRAINAGE, RESURFACING & PVT MARKINGS.
009	C201161	6CR.10781.5 ETC.	ROBESON	40.960 MI	MILLING, RESURFACING, SHOULDER RECONST & PVMT MARKINGS.
010	C201162	6CR.10091.7 ETC.	BLADEN, COLUMBUS	46.500 MI	MILLING, SHLDR RECONST, RESURFACING & PVMT MARKINGS.
011	C200853	33156.3.2	ALAMANCE	0.246 MI	GRADING, DRAINAGE, PAVING & STRUCTURE.
012	C201076	34820.3.22	GUILFORD	43.000 KM	ITS.
013	C201145	37108 ETC.	MONTGOMERY	9.700 MI	WIDENING, MILLING, SHDR RECONST, RESURFACING & PVMT MRKINGS.
014	C201156	33049.3.2	CABARRUS	0.213 MI	GRADING, DRAINAGE, PAVING & CULVERT.
015	C201157	10CR.10841.2 ETC	STANLY	13.400 MI	MILLING, SHOULDER RECONST, RESURFACING & PAVEMENT MARKINGS.
016	C201160	36704	CALDWELL	2.700 MI	SHOULDER RECONST, MILLING, RESURFACING & PVMT MARKINGS.
017	C200804	33043.3.2	BUNCOMBE	0.350 MI	GRADING, DRAINAGE, PAVING & STRUCTURE.
018	C201148	37230	BUNCOMBE	2.010 MI	WIDENING, DRAINAGE, SHDR RECONST, GUARDRAIL & RESURFACING.
019	C201149	37240	MADISON	2.342 MI	WIDENING, MILLING, SHLDR RECONST, GUARDRAIL & RESURFACING.
020	C201150	37244	YANCEY	11.970 MI	WIDENING, SHLDR RECONST, RESURFACING, GUARDRAIL & PVT MRKGS.
021	C201151	37251	MCDOWELL	1.180 MI	WIDENING, DRAINAGE, PAVING, C&G, GUARDRAIL & PVMT MARKINGS.
022	C200789	33092.3.2	HENDERSON	0.167 MI	GRADING, DRAINAGE, PAVING & STRUCTURE.
023	C200813	33102.3.1	MACON	0.108 MI	GRADING, DRAINAGE, PAVING & STRUCTURE.

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L040316 001

CONTRACT ID : C201146 2CR.10401.1

DIV OFFICE GREENVILLE

LENGTH = 13.350 MI

COUNTY : GREENE, PITT

WIDENING, RESURFACING & PAVEMENT MARKINGS.

MBE GOAL 8.0% WBE 4.0% COMPLETION DATE : NOV 30 2004

US-264A IN PITT CO FROM US-13 TO GREENE CO, NC-121 IN GREENE CO FROM US-264A TO US-264 AND FROM PITT CO TO WILSON CO.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
7,746	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
4,473	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B
23,497	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,954	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
3	EA	ADJUSTMENT OF MANHOLES
4	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
120,081	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
112,768	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
283	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
288	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
288	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
28	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
113	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L040316 002

CONTRACT ID : C201147 37054

DIV OFFICE GREENVILLE

LENGTH = 21.700 MI

COUNTY : CRAVEN, PITT

WIDENING, GRADING, DRAINAGE, RESURFACING & PVMT MARKINGS.

MBE GOAL 10.0% WBE 5.0% COMPLETION DATE : OCT 01 2005

NC-43 IN CRAVEN CO FROM NC-118 TO PITT CO & NC-43 IN PITT CO FROM CRAVEN CO LINE TO CURB & GUTTER SECTION IN GREENVILLE.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	GRADING
100	CY	UNDERCUT EXCAVATION
100	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRS
384	LF	15" SIDE DRAIN PIPE
332	LF	18" SIDE DRAIN PIPE
30	LF	24" RC PIPE CULVERTS, CLASS III
192	LF	72" RC PIPE CULVERTS, CLASS III
891	LF	PIPE REMOVAL
200	TON	INCIDENTAL STONE BASE
12,781	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
12,781	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B
37,151	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
3,379	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
25	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR
14.8	CY	REINFORCED ENDWALLS
7	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
120	TON	PLAIN RIP RAP, CLASS B
244,790	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
172,664	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
235	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
12	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
96	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
54,508	LF	PAINT PAVEMENT MARKING LINES (4")
120	LF	PAINT PAVEMENT MARKING LINES (24")
43	EA	PAINT PAVEMENT MARKING SYMBOL
90	TON	STONE FOR EROSION CONTROL, CLASS B
10	TON	SEDIMENT CONTROL STONE
3	ACR	SEEDING & MULCHING
31	LB	SEED FOR REPAIR SEEDING
1	TON	FERTILIZER FOR REPAIR SEEDING
2	TON	FERTILIZER TOPDRESSING

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L040316 003

CONTRACT ID : C200790 33213.3.1

DIV OFFICE WILSON

LENGTH = 0.170 MI

COUNTY : JOHNSTON

GRADING, DRAINAGE, PAVING & STRUCTURE.

DBE GOAL 7.0% COMPLETION DATE : NOV 15 2005

BRIDGE OVER HANNAH CREEK & APPROACHES ON NC-96.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	CONSTRUCTION SURVEYING
Lump Sum	LS	REINFORCED BRIDGE APPROACH FILL, STATION ***** (16+66.00)
Lump Sum	LS	GRADING
1	ACR	SUPPLEMENTARY CLEARING & GRUB- BING
100	CY	UNDERCUT EXCAVATION
100	CY	SELECT GRANULAR MATERIAL
100	SY	FABRIC FOR SOIL STABILIZATION
36	TON	FOUNDATION CONDITIONING MATE- RIAL, MINOR STRS
64	LF	15" SIDE DRAIN PIPE
48	LF	15" RC PIPE CULVERTS, CLASS III
52	LF	PIPE REMOVAL
50	TON	INCIDENTAL STONE BASE
7.4	SMI	SHOULDER RECONSTRUCTION
425	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
3,910	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
273	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
50	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR
10	EA	RIGHT OF WAY MARKERS
1	EA	MASONRY DRAINAGE STRUCTURES
1	EA	STEEL FRAME WITH TWO GRATES, STD 840.37
60	LF	SHOULDER BERM GUTTER
450	LF	STEEL BM GUARDRAIL
75	LF	STEEL BM GUARDRAIL, SHOP CURVED
2	EA	GUARDRAIL ANCHOR UNITS, TYPE AT-1
4	EA	GUARDRAIL ANCHOR UNITS, TYPE III
2	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
150	SY	FILTER FABRIC FOR DRAINAGE
2	EA	PREFORMED SCOUR HOLES WITH LEVEL SPREADER APRON
14	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
1	EA	RELOCATE SIGN, TYPE ***** (E)
9	EA	DISPOSAL OF SIGN SYSTEM, U- CHANNEL
2	EA	DISPOSAL OF SIGN SYSTEM, WOOD
481	SF	WORK ZONE SIGNS (STATIONARY)
74	SF	WORK ZONE SIGNS (PORTABLE)
90	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
6	EA	WARNING FLAG SETS
139	EA	CONES
120	LF	BARRICADES (TYPE III)
120	HR	FLAGGER
1,900	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
1,900	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
158,000	LF	PAINT PAVEMENT MARKING LINES (4")
280	EA	PERMANENT RAISED PAVEMENT MARKERS
400	LF	TEMPORARY SILT FENCE
80	TON	STONE FOR EROSION CONTROL, CLASS A
210	TON	STONE FOR EROSION CONTROL, CLASS B
60	TON	SEDIMENT CONTROL STONE
1.5	ACR	TEMPORARY MULCHING
50	LB	SEED FOR TEMPORARY SEEDING
0.25	TON	FERTILIZER FOR TEMPORARY SEED- ING

50	LF	TEMPORARY SLOPE DRAINS
2	EA	INLET PROTECTION AT TEMPORARY SLOPE DRAINS
400	CY	SILT EXCAVATION
350	SY	SYNTHETIC ROVING
650	SY	MATting FOR EROSION CONTROL
20	LF	1/4" HARDWARE CLOTH
2	ACR	SEEDING & MULCHING
1	ACR	MOWING
50	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
50	LB	SEED FOR SUPPLEMENTAL SEEDING
1.25	TON	FERTILIZER TOPDRESSING
1.5	HR	SPECIALIZED HAND MOWING
8	EA	RESPONSE FOR EROSION CONTROL

STRUCTURE ITEMS

Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (16+66.00-L-)
650	CY	UNCLASSIFIED STRUCTURE EXCAVA- TION
58.2	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ***** (16+66.00-L-)
10,062	LB	REINFORCING STEEL (BRIDGE)
500	LF	HP12X53 STEEL PILES
870	LF	HP14X73 STEEL PILES
Lump Sum	LS	GALVANIZING STEEL PILES AT STA ***** (16+66.00-L-)
295.75	LF	CONCRETE BARRIER RAIL
525	TON	PLAIN RIP RAP CLASS II (2'-0" THICK)
580	SY	FILTER FABRIC FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS
1,768.5	LF	3'-0" X 1'-9" PRESTRESSED CONC CORED SLABS

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L040316 004

CONTRACT ID : C200831 33214.3.1

DIV OFFICE WILSON

LENGTH = 0.177 MI

COUNTY : JOHNSTON

GRADING, DRAINAGE, PAVING & STRUCTURE.

DBE GOAL 7.0% COMPLETION DATE : DEC 31 2004

BRIDGE OVER BERNAL CREEK & APPROACHES ON SR-1229.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	CONSTRUCTION SURVEYING
Lump Sum	LS	REINFORCED BRIDGE APPROACH FILL, STATION ***** (15+41.00)
Lump Sum	LS	GRADING
1	ACR	SUPPLEMENTARY CLEARING & GRUB- BING
1,100	CY	UNDERCUT EXCAVATION
55	CY	DRAINAGE DITCH EXCAVATION
600	CY	SELECT GRANULAR MATERIAL
600	SY	FABRIC FOR SOIL STABILIZATION
14	TON	FOUNDATION CONDITIONING MATE- RIAL, MINOR STRS
132	LF	**** X **** CS PIPE ARCH CUL- VERTS, ***** THICK (72" X 44", 0.139")
199	LF	PIPE REMOVAL
256	TON	AGGREGATE BASE COURSE
50	TON	INCIDENTAL STONE BASE
250	GAL	PRIME COAT
120	SY	INCIDENTAL MILLING
410	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
450	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
47	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
11	EA	RIGHT OF WAY MARKERS
70	CY	SUBDRAIN EXCAVATION
52	CY	SUBDRAIN FINE AGGREGATE
300	LF	6" PERFORATED SUBDRAIN PIPE
9	EA	6" SUBDRAIN PIPE WYES, TEES, & ELBOWS
1	EA	CONCRETE PAD FOR SUBDRAIN PIPE OUTLET
6	LF	6" OUTLET PIPE (SUBDRAINS)
75	LF	SHOULDER BERM GUTTER
325	LF	STEEL BM GUARDRAIL
5	EA	ADDITIONAL GUARDRAIL POSTS
4	EA	GUARDRAIL ANCHOR UNITS, TYPE III
4	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
1	EA	GUARDRAIL ANCHOR UNITS, TYPE 350 TEMPORARY
225	SY	FILTER FABRIC FOR DRAINAGE
15.5	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (E)
40	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
3	EA	SIGN ERECTION, TYPE E
8	EA	DISPOSAL OF SIGN SYSTEM, U- CHANNEL
124	SF	WORK ZONE SIGNS (STATIONARY)
88	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
2	EA	WARNING FLAG SETS
25	EA	DRUMS
25	EA	CONES
144	LF	BARRICADES (TYPE III)
960	HR	FLAGGER
2	EA	WARNING LIGHTS (TYPE B)
50	EA	TEMPORARY RAISED PAVEMENT MARKERS
2,600	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
2,600	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
40	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
12,400	LF	PAINT PAVEMENT MARKING LINES (4")
35	EA	PERMANENT RAISED PAVEMENT MARKERS
850	LF	TEMPORARY SILT FENCE

125	TON	STONE FOR EROSION CONTROL, CLASS A
350	TON	STONE FOR EROSION CONTROL, CLASS B
100	TON	SEDIMENT CONTROL STONE
1.5	ACR	TEMPORARY MULCHING
50	LB	SEED FOR TEMPORARY SEEDING
0.25	TON	FERTILIZER FOR TEMPORARY SEED- ING
50	LF	TEMPORARY SLOPE DRAINS
2	EA	INLET PROTECTION AT TEMPORARY SLOPE DRAINS
410	CY	SILT EXCAVATION
360	SY	SYNTHETIC ROVING
635	SY	MATTING FOR EROSION CONTROL
375	SY	PERMANENT SOIL REINFORCEMENT MAT
1.5	ACR	SEEDING & MULCHING
1	ACR	MOWING
50	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
50	LB	SEED FOR SUPPLEMENTAL SEEDING
1	TON	FERTILIZER TOPDRESSING
1.5	HR	SPECIALIZED HAND MOWING
8	EA	RESPONSE FOR EROSION CONTROL
0.5	ACR	REFORESTATION

STRUCTURE ITEMS

Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (15+41.00-L-)
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVA- TION AT STATION ***** (15+41.00-L-)
22.4	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ***** (15+41.00-L-)
3,572	LB	REINFORCING STEEL (BRIDGE)
270	LF	HP12X53 STEEL PILES
99.5	LF	CONCRETE BARRIER RAIL
220	TON	PLAIN RIP RAP CLASS II (2'-0" THICK)
240	SY	FILTER FABRIC FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS
497.5	LF	3'-0" X 1'-9" PRESTRESSED CONC CORED SLABS

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L040316 005

CONTRACT ID : C201155 33085.3.1

DIV OFFICE WILSON

LENGTH = 0.142 MI

COUNTY : HALIFAX

GRADING, DRAINAGE, PAVING & CULVERT.

DBE GOAL 10.0% COMPLETION DATE : NOV 15 2004

CULVERT ON SPRING BRANCH & APPROACHES SR-1002.

ROADWAY ITEMS

CULVERT ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	GRADING
1	ACR	SUPPLEMENTARY CLEARING & GRUB-BING
200	CY	UNDERCUT EXCAVATION
50	TON	INCIDENTAL STONE BASE
170	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
175	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0B
355	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
39	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
12	EA	RIGHT OF WAY MARKERS
375	LF	STEEL BM GUARDRAIL
5	EA	ADDITIONAL GUARDRAIL POSTS
4	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
1	TON	PLAIN RIP RAP, CLASS B
154	SY	FILTER FABRIC FOR DRAINAGE
211	SF	WORK ZONE SIGNS (STATIONARY)
114	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
2	EA	WARNING FLAG SETS
80	LF	BARRICADES (TYPE III)
1,650	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
1,650	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
10	EA	PERMANENT RAISED PAVEMENT MARKERS
5	TON	FOUNDATION CONDITIONING MATERIAL, UTILITIES CLASS ***** (VI)
5	TON	BEDDING MATERIAL, UTILITIES CLASS ***** (IV)
81	LF	8" DI WATER PIPE, PC 350
440	LB	DUCTILE IRON WATER PIPE FITTINGS, 250# MIN WP
125	LF	GENERIC UTILITY ITEM 10" HDPE WATER PIPE, SDR 9, 200# WP BY DIRECTIONAL BORE
600	LF	TEMPORARY SILT FENCE
75	TON	STONE FOR EROSION CONTROL, CLASS A
160	TON	STONE FOR EROSION CONTROL, CLASS B
50	TON	SEDIMENT CONTROL STONE
2	ACR	TEMPORARY MULCHING
100	LB	SEED FOR TEMPORARY SEEDING
0.25	TON	FERTILIZER FOR TEMPORARY SEEDING
50	LF	TEMPORARY SLOPE DRAINS
2	EA	INLET PROTECTION AT TEMPORARY SLOPE DRAINS
350	CY	SILT EXCAVATION
300	SY	SYNTHETIC ROVING
475	SY	MATTING FOR EROSION CONTROL
150	CY	STILLING BASINS
2	ACR	SEEDING & MULCHING
1	ACR	MOWING
50	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
50	LB	SEED FOR SUPPLEMENTAL SEEDING
1.25	TON	FERTILIZER TOPDRESSING
160	LF	IMPERVIOUS DIKE
1	HR	SPECIALIZED HAND MOWING
8	EA	RESPONSE FOR EROSION CONTROL

Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (16+95.00 -L-)
Lump Sum	LS	CULVERT EXCAVATION, STA ***** (16+95.00 -L-)
114.1	TON	FOUNDATION CONDITIONING MATERIAL, BOX CULVERT
129.4	CY	CLASS A CONCRETE (CULVERT)
24,365	LB	REINFORCING STEEL (CULVERT)

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L040316 006

CONTRACT ID : C201153 34365.3.34

DIV OFFICE DURHAM

LENGTH = 9.670 MI

COUNTY : WAKE

HEAD & WINGWALL EXT, PVT REM, MILLING, RESURFACING & GRDRAIL.

MBE GOAL 10.0% WBE 5.0% COMPLETION DATE : NOV 01 2004

US-1 FROM NORTH OF HOMESTEAD RD TO THE FRANKLIN COUNTY LINE AND SR-2045 FROM US-1 TO THE END OF CURB & GUTTER.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	GENERIC MISCELLANEOUS ITEM
		HEADWALL & WINGWALL EXTENSION
27,366	SY	REMOVAL OF EXISTING ASPHALT PAVEMENT
61,312	LB	SEALING EXISTING PAVEMENT CRACKS
114	TON	INCIDENTAL STONE BASE
1	SMI	SHOULDER CONSTRUCTION
37.32	SMI	SHOULDER RECONSTRUCTION
150	LF	DITCHING
81,331	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (2")
13,760	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
22,855	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C
81,810	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
1,666	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
4,909	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
200	LF	SHOULDER BERM GUTTER
460	SY	4" CONCRETE PAVED DITCH
1,000	SY	5" MONOLITHIC CONCRETE ISLANDS (SURFACE MOUNTED)
20	EA	ADJUSTMENT OF DROP INLETS
15	EA	ADJUSTMENT OF MANHOLES
18	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
2,000	LF	STEEL BM GUARDRAIL
1	EA	GUARDRAIL ANCHOR UNITS, TYPE CAT-1
1	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
6,000	LF	REMOVE & RESET EXISTING GUARD- RAIL
206,162	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
27,849	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
500	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
1,019	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
60	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
363	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
110,600	LF	PAINT PAVEMENT MARKING LINES (4")
2,208	LF	PAINT PAVEMENT MARKING LINES (24")
20	EA	PAINT PAVEMENT MARKING CHARAC- TER
412	EA	PAINT PAVEMENT MARKING SYMBOL
26	EA	PERMANENT RAISED PAVEMENT MARKERS
1,938	EA	SNOWPLOWABLE RAISED PAVEMENT MARKERS
Lump Sum	LS	PORTABLE LIGHTING
500	SY	MATTING FOR EROSION CONTROL
33	ACR	SEEDING & MULCHING
10,400	LF	INDUCTIVE LOOP SAWCUT

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L040316 007

CONTRACT ID : C201154 37214

DIV OFFICE FAYETTEVILLE

LENGTH = 23.430 MI

COUNTY : CUMBERLAND, HARNETT

WIDENING, GRADING, MILLING, RESURFACING, & SHDR RECONST.

MBE GOAL 10.0% WBE 5.0% COMPLETION DATE : JUN 30 2005

2 SECTIONS OF NC-217, 1 SECTION OF US-301 AND 4 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	GRADING
1,600	CY	BORROW EXCAVATION
56	LF	18" RC PIPE CULVERTS, CLASS III
645	TON	INCIDENTAL STONE BASE
46.04	SMI	SHOULDER RECONSTRUCTION
3,500	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (2")
1,500	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (4")
1,600	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (0" TO 1-1/2")
1,300	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (0" TO 2")
18,650	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
1,650	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0B
27,750	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
2,545	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
175	TON	PATCHING EXISTING PAVEMENT
400	LF	2'-6" CONCRETE CURB & GUTTER
650	SY	6" CONCRETE DRIVEWAY
3	EA	ADJUSTMENT OF DROP INLETS
25	EA	ADJUSTMENT OF MANHOLES
20	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
198,700	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
170,330	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
230	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
100	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
266	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
4	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
40	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
1,500	LF	PAINT PAVEMENT MARKING LINES (4")
1,805	EA	PERMANENT RAISED PAVEMENT MARKERS
50	LF	TRENCHING (PAVED)
25	LF	TRENCHING (UNPAVED)
1	EA	JUNCTION BOX (STANDARD SIZE)
1	EA	2" RISER WITH WEATHERHEAD
600	LF	INDUCTIVE LOOP SAWCUT
100	LF	LEAD-IN CABLE

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L040316 008

CONTRACT ID : C201159 36781

DIV OFFICE FAYETTEVILLE

LENGTH = 28.400 MI

COUNTY : BLADEN, ROBESON

WIDENING, DRAINAGE, RESURFACING & PVT MARKINGS.

MBE GOAL 5.0% WBE 3.0% COMPLETION DATE : AUG 26 2005

NC-211 FROM SNAKE RD TO BLADEN COUNTY LINE & FROM NC-242 TO COLUMBUS COUNTY LINE.

ROADWAY ITEMS

			50	LB	SEED FOR REPAIR SEEDING	
			0.26	TON	FERTILIZER FOR REPAIR SEEDING	
			2,400	LF	INDUCTIVE LOOP SAWCUT	
			450	LF	LEAD-IN CABLE	
Lump Sum	LS	MOBILIZATION				
Lump Sum	LS	CONSTRUCTION SURVEYING				
Lump Sum	LS	CLEARING & GRUBBING . ACRE(S)				
2	ACR	SUPPLEMENTARY CLEARING & GRUB- BING			***** BEGIN SCHEDULE AA ***** ***** (2 ALTERNATES) *****	
1,500	CY	UNCLASSIFIED EXCAVATION	419,700	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (2")	
6,000	CY	BORROW EXCAVATION				
10	TON	FOUNDATION CONDITIONING MATE- RIAL, MINOR STRS	70,600	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0B	
88	LF	18" RC PIPE CULVERTS, CLASS III	6,352	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22	
132	LF	24" RC PIPE CULVERTS, CLASS III			*** OR ***	
Lump Sum	LS	FINE GRADING	530	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0B	
860	TON	INCIDENTAL STONE BASE				
48.12	SMI	SHOULDER RECONSTRUCTION	3,531	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22	
1,180	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B	10,495	TON	GENERIC PAVING ITEM HOT MIX ASPHALT ADMIXTURE	
45,900	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B	62,955	GAL	GENERIC PAVING ITEM EMULSIFIED ASPHALT REJUVENAT- ING AGENT	
5	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR	419,700	SY	GENERIC PAVING ITEM HOT IN-PLACE RECYCLED ASPHALT CONC, TYPE I-19.0B	
5	TON	PATCHING EXISTING PAVEMENT				
4.3	CY	ENDWALLS				
800	LF	2'-6" CONCRETE CURB & GUTTER				
33	SY	CONCRETE WHEELCHAIR RAMPS				
15	SY	6" CONCRETE DRIVEWAY			*** END SCHEDULE AA ***	
290	SY	5" MONOLITHIC CONCRETE ISLANDS (KEYED IN)				
16	EA	ADJUSTMENT OF MANHOLES				
12	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES				
3,790	LF	STEEL BM GUARDRAIL				
30	EA	ADDITIONAL GUARDRAIL POSTS				
2	EA	GUARDRAIL ANCHOR UNITS, TYPE ***** (BP-50)				
4	EA	GUARDRAIL ANCHOR UNITS, TYPE ***** (III POST & BEAM)				
20	EA	GUARDRAIL ANCHOR UNITS, TYPE 350				
3,800	LF	REMOVE EXISTING GUARDRAIL				
25	TON	PLAIN RIP RAP, CLASS B				
70	SY	FILTER FABRIC FOR DRAINAGE				
288,300	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)				
158,825	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)				
1,467	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)				
86	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)				
240	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)				
4	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)				
31	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)				
447,125	LF	PAINT PAVEMENT MARKING LINES (4")				
1,467	LF	PAINT PAVEMENT MARKING LINES (8")				
172	LF	PAINT PAVEMENT MARKING LINES (16")				
288	LF	PAINT PAVEMENT MARKING LINES (24")				
4	EA	PAINT PAVEMENT MARKING CHARAC- TER				
31	EA	PAINT PAVEMENT MARKING SYMBOL				
480	EA	PERMANENT RAISED PAVEMENT MARKERS				
600	LF	TEMPORARY SILT FENCE				
40	TON	STONE FOR EROSION CONTROL, CLASS B				
20	TON	SEDIMENT CONTROL STONE				
40.29	ACR	SEEDING & MULCHING				

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L040316 009

CONTRACT ID : C201161 6CR.10781.5

DIV OFFICE FAYETTEVILLE

LENGTH = 40.960 MI

COUNTY : ROBESON

MILLING, RESURFACING, SHOULDER RECONST & PVMT MARKINGS.

MBE GOAL 7.0% WBE 4.0% COMPLETION DATE : AUG 26 2005

2 SECTIONS OF NC-20 & NC-72, 1 SECTION OF NC-71, NC-41 & US-501 AND 23 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	DESCRIPTION
	LS	MOBILIZATION
962	TON	INCIDENTAL STONE BASE
80.48	SMI	SHOULDER RECONSTRUCTION
10,396	SY	MILLING ASPHALT PAVEMENT, **** TO *****" DEPTH (0" TO 2")
3,110	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0B
22,449	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5A
18,296	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
2,795	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
8	EA	ADJUSTMENT OF MANHOLES
17	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
164,300	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
140,300	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
1,400	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
100	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
278	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
16	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
23	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
457,700	LF	PAINT PAVEMENT MARKING LINES (4")
1,400	LF	PAINT PAVEMENT MARKING LINES (8")
1,875	EA	PERMANENT RAISED PAVEMENT MARKERS
102	ACR	SEEDING & MULCHING
950	LF	INDUCTIVE LOOP SAWCUT
100	LF	LEAD-IN CABLE

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L040316 010

CONTRACT ID : C201162 6CR.10091.7

DIV OFFICE FAYETTEVILLE

LENGTH = 46.500 MI

COUNTY : BLADEN, COLUMBUS

MILLING, SHLDR RECONST, RESURFACING & PVMT MARKINGS.

MBE GOAL 8.0% WBE 4.0% COMPLETION DATE : SEE SPECIAL PROVISIONS

VARIOUS SECTIONS OF US-701, NC-41, NC-87 & NC-901 AND 17 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
1,071	TON	INCIDENTAL STONE BASE
91.66	SMI	SHOULDER RECONSTRUCTION
12,438	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (0" TO 1-1/2")
6,336	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (0" TO 3")
283	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
10,925	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
39,934	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
3,318	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
1	EA	WHEELCHAIR RAMPS
20	EA	GENERIC PAVING ITEM WHEELCHAIR RAMP CURB CUTS
7	EA	ADJUSTMENT OF MANHOLES
9	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
116,700	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
87,200	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
300	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
225	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
250	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
314	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
22	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
20	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
682,800	LF	PAINT PAVEMENT MARKING LINES (4")
2,660	EA	PERMANENT RAISED PAVEMENT MARKERS
111	ACR	SEEDING & MULCHING
1,080	LF	INDUCTIVE LOOP SAWCUT
100	LF	LEAD-IN CABLE

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L040316 011

CONTRACT ID : C200853 33156.3.2

DIV OFFICE GREENSBORO

LENGTH = 0.246 MI

COUNTY : ALAMANCE

GRADING, DRAINAGE, PAVING & STRUCTURE.

DBE GOAL 8.0% COMPLETION DATE : DEC 31 2005

BRIDGE OVER ALAMANCE CREEK AND APPROACHES ON SR-2312.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	REINFORCED BRIDGE APPROACH FILL, STATION ***** (17+18.00)
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING
500	CY	UNDERCUT EXCAVATION
Lump Sum	LS	GRADING
2,100	CY	BORROW EXCAVATION
100	CY	DRAINAGE DITCH EXCAVATION
40	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRS
160	LF	15" SIDE DRAIN PIPE
176	LF	15" RC PIPE CULVERTS, CLASS III
72	LF	24" RC PIPE CULVERTS, CLASS III
10	EA	*** PIPE END SECTION (15")
28	LF	15" BIT COAT CS PIPE CULVERTS, TYPE B 0.064" THICK
2	EA	15" BIT COAT CS PIPE ELBOWS, TYPE B 0.064" THICK
139	LF	PIPE REMOVAL
200	TON	INCIDENTAL STONE BASE
485	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
645	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B
555	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
85	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
100	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR
7	EA	RIGHT OF WAY MARKERS
5	EA	MASONRY DRAINAGE STRUCTURES
1	EA	FRAME WITH GRATE, STD 840.**** (840.24)
3	EA	FRAME WITH TWO GRATES, STD 840.24
1	EA	FRAME WITH TWO GRATES, STD 840.29
1	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (E)
55	LF	2'-6" CONCRETE CURB & GUTTER
50	LF	SHOULDER BERM GUTTER
30	SY	4" CONCRETE SIDEWALK
325	LF	STEEL BM GUARDRAIL
5	EA	ADDITIONAL GUARDRAIL POSTS
4	EA	GUARDRAIL ANCHOR UNITS, TYPE III
4	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
90	TON	PLAIN RIP RAP, CLASS B
910	SY	FILTER FABRIC FOR DRAINAGE
10	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (E)
26	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
2	EA	SIGN ERECTION, TYPE E
16	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
110	SF	WORK ZONE SIGNS (STATIONARY)
112	SF	WORK ZONE SIGNS (PORTABLE)
20	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
30	EA	DRUMS
30	EA	CONES
48	LF	BARRICADES (TYPE III)
90	MD	FLAGGER
20,900	LF	PAINT PAVEMENT MARKING LINES (4")
425	LF	TEMPORARY SILT FENCE

150	TON	STONE FOR EROSION CONTROL, CLASS A
260	TON	STONE FOR EROSION CONTROL, CLASS B
265	TON	SEDIMENT CONTROL STONE
2	ACR	TEMPORARY MULCHING
100	LB	SEED FOR TEMPORARY SEEDING
0.25	TON	FERTILIZER FOR TEMPORARY SEEDING
30	LF	TEMPORARY SLOPE DRAINS
1	EA	INLET PROTECTION AT TEMPORARY SLOPE DRAINS
650	CY	SILT EXCAVATION
500	SY	SYNTHETIC ROVING
770	SY	MATTING FOR EROSION CONTROL
100	LF	1/4" HARDWARE CLOTH
8	EA	SPECIAL STILLING BASINS
2	ACR	SEEDING & MULCHING
1	ACR	MOWING
50	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
50	LB	SEED FOR SUPPLEMENTAL SEEDING
1.25	TON	FERTILIZER TOPDRESSING
1.5	HR	SPECIALIZED HAND MOWING
8	EA	RESPONSE FOR EROSION CONTROL
0.75	ACR	REFORESTATION

STRUCTURE ITEMS

Lump Sum	LS	CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP ACCESS AT STA ***** (17+20.00-L-)
Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (17+20.00-L-)
Lump Sum	LS	FOUNDATION EXCAVATION FOR END BENT ** AT STATION ***** (1, 17+20.00-L-)
91.5	LF	**'-***" DIA DRILLED PIERS IN SOIL (3'-0")
22	LF	**'-***" DIA DRILLED PIERS NOT IN SOIL (3'-0")
84.6	LF	PERMANENT STEEL CASING FOR **'-***" DIA DRILLED PIER (3'-0")
2	EA	CROSSHOLE SONIC LOGGING
494.4	LF	CSL TUBES
96.9	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ***** (17+20.00-L-)
20,994	LB	REINFORCING STEEL (BRIDGE)
2,110	LB	SPIRAL COLUMN REINFORCING STEEL (BRIDGE)
175	LF	HP12X53 STEEL PILES
110	LF	THREE BAR METAL RAIL
117.7	LF	CONCRETE BARRIER RAIL
360	TON	PLAIN RIP RAP CLASS II (2'-0" THICK)
410	SY	FILTER FABRIC FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS
1,526.3	LF	3'-0" X 1'-9" PRESTRESSED CONC CORED SLABS

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L040316 012

CONTRACT ID : C201076 34820.3.22

DIV OFFICE GREENSBORO

LENGTH = 43.000 KM

COUNTY : GUILFORD

ITS.

MBE GOAL 0.0% WBE 0.0% COMPLETION DATE : APR 01 2006

GREENSBORO OUTER LOOP.

ROADWAY ITEMS

			3	EA	TRUCK MOUNTED IMPACT ATTENUATOR (60 MPH)
			72	HR	POLICE
Lump Sum	LS	MOBILIZATION	2,600	M	MESSENGER CABLE (6.35MM)
384.81	M	STEEL BM GUARDRAIL	50	M	JACK & BORE
10	EA	ADDITIONAL GUARDRAIL POSTS	36,000	M	TRACER WIRE
2	EA	GUARDRAIL ANCHOR UNITS, TYPE CAT-1	2,000	M	DIRECTIONAL DRILL POLYETHYLENE CONDUIT, 31.75MM (** CONDUIT) (2)
6	EA	GUARDRAIL ANCHOR UNITS, TYPE M-350	2,500	M	DIRECTIONAL DRILL POLYETHYLENE CONDUIT, 31.75MM (** CONDUIT) (4)
3	EA	CABLE GUIDERAIL ANCHOR UNITS	30	EA	JUNCTION BOX (*****)(SPECIAL)
160.875	M	GENERIC GUARDRAIL ITEM REMOVE AND RESET EXISTING CABLE GUIDERAIL	218	EA	JUNCTION BOX (OVER-SIZED)
102.375	M	GENERIC GUARDRAIL ITEM REMOVE EXISTING CABLE GUIDERAIL	6	EA	WOOD POLE
1	EA	GENERIC GUARDRAIL ITEM REMOVE AND RESET EXISTING CAT-1	19	EA	GUY ASSEMBLY
1	EA	GENERIC GUARDRAIL ITEM REMOVE AND RESET EXISTING IMPACT ATTENUATOR UNIT	22	EA	****MM RISER WITH ***** (50MM, HEAT SHRINK TUBING)
Lump Sum	LS	OVERHEAD DYNAMIC MESSAGE SIGN ASSEMBLY "DMS-1" (DMS-1)	8,000	M	COMMUNICATIONS CABLE (**FIBER) (12)
Lump Sum	LS	OVERHEAD DYNAMIC MESSAGE SIGN ASSEMBLY "DMS-2" (DMS-2)	40,000	M	COMMUNICATIONS CABLE (**FIBER) (144)
Lump Sum	LS	OVERHEAD DYNAMIC MESSAGE SIGN ASSEMBLY "DMS-3" (DMS-3)	5,500	M	DROP CABLE
Lump Sum	LS	OVERHEAD DYNAMIC MESSAGE SIGN ASSEMBLY "DMS-4" (DMS-4)	30	EA	AERIAL SPLICE ENCLOSURE
Lump Sum	LS	OVERHEAD DYNAMIC MESSAGE SIGN ASSEMBLY "DMS-5" (DMS-5)	42	EA	INTERCONNECT CENTER
Lump Sum	LS	OVERHEAD DYNAMIC MESSAGE SIGN ASSEMBLY "DMS-6" (DMS-6)	198	EA	DELINEATOR MARKER
Lump Sum	LS	DYNAMIC MESSAGE SIGN SYSTEM INTEGRATION	5	EA	SIGNAL CABINET FOUNDATION
Lump Sum	LS	DYNAMIC MESSAGE SIGN SYSTEM "DMS-1" (DMS-1)	3	EA	CABINET BASE ADAPTER
Lump Sum	LS	DYNAMIC MESSAGE SIGN SYSTEM "DMS-2" (DMS-2)	3	EA	SPLICE CABINET
Lump Sum	LS	DYNAMIC MESSAGE SIGN SYSTEM "DMS-3" (DMS-3)	26	EA	GENERIC SIGNAL ITEM CCTV ASSEMBLY A
Lump Sum	LS	DYNAMIC MESSAGE SIGN SYSTEM "DMS-4" (DMS-4)	2	EA	GENERIC SIGNAL ITEM CCTV ASSEMBLY B
Lump Sum	LS	DYNAMIC MESSAGE SIGN SYSTEM "DMS-5" (DMS-5)	28	EA	GENERIC SIGNAL ITEM CCTV METAL POLE
Lump Sum	LS	DYNAMIC MESSAGE SIGN SYSTEM "DMS-6" (DMS-6)	4	EA	GENERIC SIGNAL ITEM FIBER OPTIC DEMULTIPLEXER (FOTDEMUX)
Lump Sum	LS	DYNAMIC MESSAGE SIGN SYSTEM "DMS-1" (DMS-1)	4	EA	GENERIC SIGNAL ITEM FIBER OPTIC MULTIPLEXER (FOTMUX)
Lump Sum	LS	DYNAMIC MESSAGE SIGN SYSTEM "DMS-2" (DMS-2)	9	EA	GENERIC SIGNAL ITEM FIBER OPTIC TRANSCIEVER (FOT)
Lump Sum	LS	DYNAMIC MESSAGE SIGN SYSTEM "DMS-3" (DMS-3)	1	EA	GENERIC SIGNAL ITEM FURNISH FIBER OPTIC DEMULTIPLEXER (FOTDEMUX)
Lump Sum	LS	DYNAMIC MESSAGE SIGN SYSTEM "DMS-4" (DMS-4)	1	EA	GENERIC SIGNAL ITEM FURNISH FIBER OPTIC MULTIPLEXER (FOTMUX)
Lump Sum	LS	DYNAMIC MESSAGE SIGN SYSTEM "DMS-5" (DMS-5)	1	EA	GENERIC SIGNAL ITEM FURNISH FIBER OPTIC TRANSCIEVER (FOT)
Lump Sum	LS	DYNAMIC MESSAGE SIGN SYSTEM "DMS-6" (DMS-6)	1	EA	GENERIC SIGNAL ITEM FURNISH VIDEO OPTICAL RECEIVER (VOR-D)
Lump Sum	LS	DYNAMIC MESSAGE SIGN MAINTENANCE TRAINING	1	EA	GENERIC SIGNAL ITEM FURNISH VIDEO OPTICAL RECEIVER DEMULTIPLEXER (VORDEMUX)
Lump Sum	LS	DYNAMIC MESSAGE SIGN SYSTEM DESIGN APPROVAL TESTS	1	EA	GENERIC SIGNAL ITEM FURNISH VIDEO OPTICAL TRANSMITTER MULTIPLEXER (VOTMUX)
Lump Sum	LS	DYNAMIC MESSAGE SIGN SYSTEM OPERATIONAL FACTORY TESTS	26	EA	GENERIC SIGNAL ITEM VIDEO OPTICAL RECEIVER (VOR-D)
Lump Sum	LS	DYNAMIC MESSAGE SIGN SYSTEM OPERATIONAL FIELD TESTS	2	EA	GENERIC SIGNAL ITEM VIDEO OPTICAL RECEIVER DEMULTIPLEXER (VORDEMUX)
Lump Sum	LS	DYNAMIC MESSAGE SIGN BENCH TEST UNIT	2	EA	GENERIC SIGNAL ITEM VIDEO OPTICAL TRANSMITTER MULTIPLEXER (VOTMUX)
29	M2	WORK ZONE SIGNS (STATIONARY)	26	EA	GENERIC SIGNAL ITEM VIDEO OPTICAL TRANSMITTER (VOT-D)
74	M2	WORK ZONE SIGNS (PORTABLE)	32,500	M	GENERIC SIGNAL ITEM UNDERGROUND POLYETHYLENE CONDUITS, 31.75MM (4)
2	EA	FLASHING ARROW PANELS, TYPE C			
4	EA	CHANGEABLE MESSAGE SIGNS			
2	EA	WARNING FLAG SETS			
200	EA	DRUMS			
200	EA	CONES			
90	MD	FLAGGER			

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L040316 013

CONTRACT ID : C201145 37108

DIV OFFICE ABERDEEN

LENGTH = 9.700 MI

COUNTY : MONTGOMERY

WIDENING, MILLING, SHDR RECONST, RESURFACING & PVMT MRKINGS.

MBE GOAL 10.0% WBE 5.0% COMPLETION DATE : NOV 19 2004

SR-1110 FROM NC-731 TO SR-1111, SR-1111 FROM SR-1110 TO NC-73 & SR-1162 FROM DAVIDSON CO LINE TO
END OF PAVEMENT.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
30	TON	INCIDENTAL STONE BASE
19.4	SMI	SHOULDER RECONSTRUCTION
1,284	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (0" TO 2")
300	SY	INCIDENTAL MILLING
10,141	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
21,469	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,831	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
846	TON	PATCHING EXISTING PAVEMENT
3	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
516,064	LF	PAINT PAVEMENT MARKING LINES (4")
860	EA	SNOWPLOWABLE RAISED PAVEMENT MARKERS
13.5	ACR	SEEDING & MULCHING

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L040316 014

CONTRACT ID : C201156 33049.3.2

DIV OFFICE ALBEMARLE

LENGTH = 0.213 MI

COUNTY : CABARRUS

GRADING, DRAINAGE, PAVING & CULVERT.

DBE GOAL 9.0% COMPLETION DATE : JUN 01 2005

RC BOX CULVERT AT THREE MILE BRANCH & APPROACHES ON SR-1002.

ROADWAY ITEMS

			6	EA	WARNING FLAG SETS
			160	EA	DRUMS
			30	EA	CONES
			200	LF	BARRICADES (TYPE III)
Lump Sum	LS	MOBILIZATION	1,500	HR	FLAGGER
Lump Sum	LS	CONSTRUCTION SURVEYING	2	EA	WARNING LIGHTS (TYPE B)
1	ACR	SUPPLEMENTARY CLEARING & GRUB-BING	100	HR	POLICE
200	CY	UNDERCUT EXCAVATION	86	EA	TEMPORARY RAISED PAVEMENT MARKERS
Lump Sum	LS	GRADING	2,740	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
24,200	CY	BORROW EXCAVATION	4,190	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
160	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRS	35	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
184	LF	15" SIDE DRAIN PIPE	205	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
952	LF	15" RC PIPE CULVERTS, CLASS III	20	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
172	LF	18" RC PIPE CULVERTS, CLASS III	12,360	LF	PAINT PAVEMENT MARKING LINES (4")
52	LF	15" BIT COAT CS PIPE CULVERTS, TYPE B 0.064" THICK	70	LF	PAINT PAVEMENT MARKING LINES (8")
108	LF	18" BIT COAT CS PIPE CULVERTS, TYPE B 0.064" THICK	360	LF	PAINT PAVEMENT MARKING LINES (24")
2	EA	15" BIT COAT CS PIPE ELBOWS, TYPE B 0.064" THICK	36	EA	PAINT PAVEMENT MARKING SYMBOL
4	EA	18" BIT COAT CS PIPE ELBOWS, TYPE B 0.064" THICK	1,500	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
250	LF	PIPE REMOVAL	45	LF	REMOVAL OF PAVEMENT MARKING LINES (24")
300	TON	INCIDENTAL STONE BASE	4	EA	REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS
730	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B	86	EA	PERMANENT RAISED PAVEMENT MARKERS
1,000	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B	Lump Sum	LS	PORTABLE LIGHTING
1,400	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B	90	TON	FOUNDATION CONDITIONING MATERIAL, UTILITIES CLASS ***** (IV)
170	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22	90	TON	BEDDING MATERIAL, UTILITIES CLASS ***** (VI)
200	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR	10	TON	PAVEMENT REPAIR FOR UTILITY WORK
2	EA	TEMPORARY STEEL PLATE COVERS FOR MASONRY DRAINAGE STRUCTURE	13	LF	***" COPPER WATER PIPE, TYPE K (2")
15	EA	MASONRY DRAINAGE STRUCTURES	22	LF	1" COPPER WATER PIPE, TYPE K
4	EA	FRAME WITH TWO GRATES, STD 840.16	1	EA	1" CORPORATION STOP
2	EA	FRAME WITH TWO GRATES, STD 840.24	1	EA	**" GATE VALVE & VALVE BOX, *****WP (2", 200# WP)
5	EA	FRAME WITH TWO GRATES, STD 840.29	1	EA	**" GATE VALVE & VALVE BOX, *****WP (4", 200# WP)
2	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (E)	1	EA	6" GATE VALVE & VALVE BOX, 200# WP
1	EA	FRAME WITH COVER, STD 840.54	7	EA	8" GATE VALVE & VALVE BOX, *****WP (200# WP)
1,400	LF	***X *** CONCRETE CURB (8" X 18")	2	EA	RELOCATE EXISTING WATER METER
540	LF	2'-6" CONCRETE CURB & GUTTER	43	LF	10" DI SEWER PIPE, PC 350
6	EA	ADJUSTMENT OF MANHOLES	3	EA	SANITARY SEWER CLEAN-OUT
19	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES	100	LF	GENERIC UTILITY ITEM 4" PVC SEWER PIPE, SCHEDULE 40
962.5	LF	STEEL BM GUARDRAIL	2.8	LF	SEWER MANHOLE OUTSIDE DROP ASSEMBLY
125	LF	STEEL BM GUARDRAIL, SHOP CURVED	43	LF	FILL OR REMOVE ABANDONED *** PIPE, ***** (10", PVC SEWER)
5	EA	ADDITIONAL GUARDRAIL POSTS	1	EA	GENERIC UTILITY ITEM 4" WATER METER & METER VAULT
2	EA	GUARDRAIL ANCHOR UNITS, TYPE 350	2	EA	GENERIC UTILITY ITEM 8" TRANSITION COUPLING (DI TO CI WATER)
690	LF	REMOVE EXISTING GUARDRAIL	1	EA	GENERIC UTILITY ITEM 8" X 1" TAPPING SADDLE
920	TON	PLAIN RIP RAP, CLASS I	2	EA	GENERIC UTILITY ITEM 8" X 2" TAPPING SADDLE
5	TON	PLAIN RIP RAP, CLASS B	1	EA	GENERIC UTILITY ITEM FIRE HYDRANT, 200# WP
1,300	SY	FILTER FABRIC FOR DRAINAGE	1	EA	GENERIC UTILITY ITEM REBUILD EXT SEWER MANHOLE
10	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (E)			
26	LF	SUPPORTS, 3-LB STEEL U-CHANNEL			
2	EA	SIGN ERECTION, TYPE E			
1	EA	RELOCATE SIGN, TYPE ***** (D, E, OR F)			
8	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL			
423	SF	WORK ZONE SIGNS (STATIONARY)			
244	SF	WORK ZONE SIGNS (PORTABLE)			
63	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)			

172	LF	GENERIC UTILITY ITEM 18" STEEL ENCASUREMENT PIPE, 0.250" THICK, BY BORING & JACK ING	370 TON	PLAIN RIP RAP CLASS B
10	LF	GENERIC UTILITY ITEM 4" DI RESTRAINED JOINT WATER PIPE, PC 350		
10	LF	GENERIC UTILITY ITEM 6" DI RESTRAINED JOINT WATER PIPE, PC 350		
1,748	LF	GENERIC UTILITY ITEM 8" DI RESTRAINED JOINT WATER PIPE, PC 350		
110	LF	GENERIC UTILITY ITEM CONC ARCH ENCASUREMENT FOR RCP SEWER PIPE		
2,885	LB	GENERIC UTILITY ITEM DI RESTRAINED JOINT WATER PIPE FITTINGS 250 PSI MIN. WP		
770	LF	TEMPORARY SILT FENCE		
75	TON	STONE FOR EROSION CONTROL, CLASS A		
265	TON	STONE FOR EROSION CONTROL, CLASS B		
150	TON	SEDIMENT CONTROL STONE		
2.5	ACR	TEMPORARY MULCHING		
100	LB	SEED FOR TEMPORARY SEEDING		
0.5	TON	FERTILIZER FOR TEMPORARY SEED- ING		
150	LF	TEMPORARY SLOPE DRAINS		
5	EA	INLET PROTECTION AT TEMPORARY SLOPE DRAINS		
565	CY	SILT EXCAVATION		
430	SY	SYNTHETIC ROVING		
430	SY	MATTING FOR EROSION CONTROL		
260	LF	1/4" HARDWARE CLOTH		
160	CY	STILLING BASINS		
3.5	ACR	SEEDING & MULCHING		
1.5	ACR	MOWING		
50	LB	SEED FOR REPAIR SEEDING		
0.25	TON	FERTILIZER FOR REPAIR SEEDING		
50	LB	SEED FOR SUPPLEMENTAL SEEDING		
2.75	TON	FERTILIZER TOPDRESSING		
220	LF	IMPERVIOUS DIKE		
2.5	HR	SPECIALIZED HAND MOWING		
8	EA	RESPONSE FOR EROSION CONTROL		
187	CY	CULVERT DIVERSION CHANNEL		
1,535	LF	SIGNAL CABLE		
9	EA	VEHICLE SIGNAL HEAD (12", 3 SECTION)		
5	EA	VEHICLE SIGNAL HEAD (12", 5 SECTION)		
890	LF	MESSENGER CABLE (3/8")		
648	LF	TRENCHING (UNPAVED)		
6	EA	JUNCTION BOX (STANDARD SIZE)		
4	EA	WOOD POLE		
6	EA	GUY ASSEMBLY		
1	EA	1/2" RISER WITH WEATHERHEAD		
1	EA	2" RISER WITH WEATHERHEAD		
1,312	LF	INDUCTIVE LOOP SAWCUT		
1,045	LF	LEAD-IN CABLE		
1	EA	LOOP EMULATOR DETECTION SYSTEM		
4	EA	METAL STRAIN SIGNAL POLE		
4	EA	METAL SIGNAL POLE FOUNDATION		
3	EA	SIGN FOR SIGNALS		
1	EA	SIGNAL CABINET FOUNDATION		
1	EA	CABINET BASE ADAPTER		
1	EA	CONTROLLER WITH CABINET (TYPE 2070L, BASE MOUNTED)		
9	EA	GENERIC SIGNAL ITEM DETECTOR CHANNEL (TYPE 2070L)		

CULVERT ITEMS

Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (14+22.00 -L-)
Lump Sum	LS	CULVERT EXCAVATION, STA ***** (13+67.00 -L-)
Lump Sum	LS	CULVERT EXCAVATION, STA ***** (14+22.00 -L-)
367	TON	FOUNDATION CONDITIONING MATER- IAL, BOX CULVERT
798.3	CY	CLASS A CONCRETE (CULVERT)
142,794	LB	REINFORCING STEEL (CULVERT)

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L040316 015

CONTRACT ID : C201157 10CR.10841.2

DIV OFFICE ALBEMARLE

LENGTH = 13.400 MI

COUNTY : STANLY

MILLING, SHOULDER RECONST, RESURFACING & PAVEMENT MARKINGS.

MBE GOAL 8.0% WBE 4.0% COMPLETION DATE : NOV 15 2004

4 SECTIONS OF NC-200 AND 10 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
226	TON	INCIDENTAL STONE BASE
8.24	SMI	SHOULDER RECONSTRUCTION
2,710	LF	DITCHING
29,803	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
400	SY	INCIDENTAL MILLING
9,011	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5A
6,475	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,309	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
53	SY	6" CONCRETE DRIVEWAY
14	EA	ADJUSTMENT OF MANHOLES
6	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
50,161	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
43,095	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
200	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
292	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
8	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
18	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
6.2	ACR	SEEDING & MULCHING

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L040316 016

CONTRACT ID : C201160 36704

DIV OFFICE NORTH WILKESBORO

LENGTH = 2.700 MI

COUNTY : CALDWELL

SHOULDER RECONST, MILLING, RESURFACING & PVMT MARKINGS.

MBE GOAL 5.0% WBE 3.0% COMPLETION DATE : NOV 15 2004

US-321A FROM US-321 TO SOUTH OF LAKESIDE DRIVE.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
830	LB	SEALING EXISTING PAVEMENT CRACKS & JOINTS
350	TON	INCIDENTAL STONE BASE
5	SMI	SHOULDER RECONSTRUCTION
4,459	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
1,804	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
704	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C
7,443	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
111	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
484	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
350	TON	PATCHING EXISTING PAVEMENT
250	SY	5" MONOLITHIC CONCRETE ISLANDS (SURFACE MOUNTED)
1	EA	ADJUSTMENT OF CATCH BASINS
2	EA	ADJUSTMENT OF DROP INLETS
5	EA	ADJUSTMENT OF MANHOLES
1	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
26,500	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
19,140	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
200	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
160	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
8	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
13	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
60,000	LF	PAINT PAVEMENT MARKING LINES (4")
178	EA	SNOWPLOWABLE RAISED PAVEMENT MARKERS
Lump Sum	LS	PORTABLE LIGHTING
3.5	ACR	SEEDING & MULCHING
25	LF	TRENCHING (PAVED)
20	LF	TRENCHING (UNPAVED)
2	EA	JUNCTION BOX (STANDARD SIZE)
500	LF	INDUCTIVE LOOP SAWCUT

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L040316 017

CONTRACT ID : C200804 33043.3.2

DIV OFFICE ASHEVILLE

LENGTH = 0.350 MI

COUNTY : BUNCOMBE

GRADING, DRAINAGE, PAVING & STRUCTURE.

DBE GOAL 8.0% COMPLETION DATE : DEC 31 2005

BRIDGE OVER SOUTH HOMINY CREEK & APPROACHED ON NC-151.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
1	EA	SEALING ABANDONED WELLS
Lump Sum	LS	REINFORCED BRIDGE APPROACH FILL, STATION ***** (21+86 -L-)
Lump Sum	LS	GRADING
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING
90	CY	UNDERCUT EXCAVATION
500	TON	CLASS IV SUBGRADE STABILIZATION
160	CY	DRAINAGE DITCH EXCAVATION
500	CY	SELECT GRANULAR MATERIAL
500	SY	FABRIC FOR SOIL STABILIZATION
32	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRS
204	LF	15" SIDE DRAIN PIPE
48	LF	15" RC PIPE CULVERTS, CLASS III
44	LF	15" BIT COAT CS PIPE CULVERTS, TYPE B 0.064" THICK
2	EA	15" BIT COAT CS PIPE ELBOWS, TYPE B 0.064" THICK
72	LF	PIPE REMOVAL
3,400	TON	AGGREGATE BASE COURSE
300	TON	INCIDENTAL STONE BASE
1,800	GAL	PRIME COAT
160	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
1,200	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B
1,250	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
145	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
20	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR
36	EA	RIGHT OF WAY MARKERS
50	CY	SUBDRAIN EXCAVATION
40	CY	SUBDRAIN FINE AGGREGATE
200	LF	4" PERFORATED SUBDRAIN PIPE
6	EA	4" SUBDRAIN PIPE WYES, TEES, & ELBOWS
1	EA	CONCRETE PAD FOR SUBDRAIN PIPE OUTLET
6	LF	6" OUTLET PIPE (SUBDRAINS)
1	EA	MASONRY DRAINAGE STRUCTURES
1	EA	FRAME WITH TWO GRATES, STD 840.24
65	LF	SHOULDER BERM GUTTER
325	LF	STEEL BM GUARDRAIL
100	LF	STEEL BM GUARDRAIL, SHOP CURVED
2	EA	STEEL BM GUARDRAIL TERMINAL SECTIONS
5	EA	ADDITIONAL GUARDRAIL POSTS
1	EA	GUARDRAIL ANCHOR UNITS, TYPE AT-1
4	EA	GUARDRAIL ANCHOR UNITS, TYPE III
3	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
45	TON	PLAIN RIP RAP, CLASS B
702	SY	FILTER FABRIC FOR DRAINAGE
48	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (E)
96	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
8	EA	SIGN ERECTION, TYPE E
15	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
78	SF	WORK ZONE SIGNS (STATIONARY)
128	SF	WORK ZONE SIGNS (PORTABLE)
93	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
50	EA	DRUMS

160	LF	BARRICADES (TYPE III)
400	HR	FLAGGER
49	EA	TEMPORARY RAISED PAVEMENT MARKERS
5,361	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
5,256	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
55	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
23,390	LF	PAINT PAVEMENT MARKING LINES (4")
80	LF	PAINT PAVEMENT MARKING LINES (24")
49	EA	SNOWPLOWABLE RAISED PAVEMENT MARKERS
325	LF	TEMPORARY SILT FENCE
175	TON	STONE FOR EROSION CONTROL, CLASS A
625	TON	STONE FOR EROSION CONTROL, CLASS B
225	TON	SEDIMENT CONTROL STONE
4.5	ACR	TEMPORARY MULCHING
150	LB	SEED FOR TEMPORARY SEEDING
0.75	TON	FERTILIZER FOR TEMPORARY SEEDING
60	LF	TEMPORARY SLOPE DRAINS
3	EA	INLET PROTECTION AT TEMPORARY SLOPE DRAINS
1,850	CY	SILT EXCAVATION
700	SY	SYNTHETIC ROVING
975	SY	MATTING FOR EROSION CONTROL
175	LF	1/4" HARDWARE CLOTH
4.5	ACR	SEEDING & MULCHING
2.5	ACR	MOWING
50	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
100	LB	SEED FOR SUPPLEMENTAL SEEDING
3.25	TON	FERTILIZER TOPDRESSING
1.5	HR	SPECIALIZED HAND MOWING
12	EA	RESPONSE FOR EROSION CONTROL
1	ACR	REFORESTATION

STRUCTURE ITEMS

Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (21+86.50 -L-)
3,527	SF	REINFORCED CONCRETE DECK SLAB
3,052	SF	GROOVING BRIDGE FLOORS
64.2	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ***** (21+86.50 -L-)
9,836	LB	REINFORCING STEEL (BRIDGE)
409.43	LF	54" PRESTRESSED CONCRETE GIR- DERS
560	LF	HP12X53 STEEL PILES
150.65	LF	TWO BAR METAL RAIL
165.81	LF	1'-**"X ***** CONCRETE PARA- PET (1'-2" X 30")
233	TON	PLAIN RIP RAP CLASS II (2'-0" THICK)
258	SY	FILTER FABRIC FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS
Lump Sum	LS	EVAZOTE JOINT SEALS

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L040316 018

CONTRACT ID : C201148 37230

DIV OFFICE ASHEVILLE

LENGTH = 2.010 MI

COUNTY : BUNCOMBE

WIDENING, DRAINAGE, SHDR RECONST, GUARDRAIL & RESURFACING.

MBE GOAL 10.0% WBE 5.0% COMPLETION DATE : NOV 01 2004

NC-112 FROM NC-191 TO EAST OF SR-3412.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
150	LF	42" RC PIPE CULVERTS, CLASS III
150	TON	INCIDENTAL STONE BASE
4.02	SMI	SHOULDER RECONSTRUCTION
3,172	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
3,140	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
341	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
2	EA	MASONRY DRAINAGE STRUCTURES
2	EA	FRAME WITH TWO GRATES, STD 840.24
3	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
750	LF	STEEL BM GUARDRAIL
6	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
21,700	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
22,000	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
600	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
4	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
1	EA	RELOCATE EXISTING WATER METER
3	EA	RELOCATE EXISTING FIRE HYDRANT

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L040316 019

CONTRACT ID : C201149 37240

DIV OFFICE ASHEVILLE

LENGTH = 2.342 MI

COUNTY : MADISON

WIDENING, MILLING, SHLDR RECONST, GUARDRAIL & RESURFACING.

MBE GOAL 10.0% WBE 5.0% COMPLETION DATE : NOV 01 2004

SR-1609 FROM NORTH OF SR-1353 TO SOUTH OF SR-1559 IN MARS HILL.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
73	TON	INCIDENTAL STONE BASE
3.71	SMI	SHOULDER RECONSTRUCTION
9,587	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
3,237	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
2,766	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
305	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
90	TON	PATCHING EXISTING PAVEMENT
7	EA	WHEELCHAIR RAMPS
3	EA	ADJUSTMENT OF DROP INLETS
7	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
1,300	LF	STEEL BM GUARDRAIL
5	EA	ADDITIONAL GUARDRAIL POSTS
10	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
530	LF	REMOVE EXISTING GUARDRAIL
20,010	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
25,220	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
150	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
60	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
2	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
7,914	LF	PAINT PAVEMENT MARKING LINES (4")
2	EA	RELOCATE EXISTING WATER METER
1	EA	RELOCATE EXISTING FIRE HYDRANT

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L040316 020

CONTRACT ID : C201150 37244

DIV OFFICE ASHEVILLE

LENGTH = 11.970 MI

COUNTY : YANCEY

WIDENING, SHLDR RECONST, RESURFACING, GUARDRAIL & PVT MRKGS.

MBE GOAL 10.0% WBE 5.0% COMPLETION DATE : NOV 01 2004

NC-80 FROM US-19E TO SR-1205.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
599	TON	INCIDENTAL STONE BASE
23.94	SMI	SHOULDER RECONSTRUCTION
9,393	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
14,356	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,337	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
110	TON	PATCHING EXISTING PAVEMENT
975	LF	STEEL BM GUARDRAIL
25	LF	STEEL BM GUARDRAIL, SHOP CURVED
98	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
2,200	LF	REMOVE EXISTING GUARDRAIL
126,360	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
126,360	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
100	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
12	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L040316 022

CONTRACT ID : C200789 33092.3.2

DIV OFFICE SYLVA

LENGTH = 0.167 MI

COUNTY : HENDERSON

GRADING, DRAINAGE, PAVING & STRUCTURE.

DBE GOAL 7.0% COMPLETION DATE : DEC 31 2005

BRIDGE OVER HICKORY NUT CREEK & APPROACHES ON US-74A.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	REINFORCED BRIDGE APPROACH FILL, STATION ***** (14+92.50)
Lump Sum	LS	GRADING
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING
100	CY	UNDERCUT EXCAVATION
100	CY	DRAINAGE DITCH EXCAVATION
100	CY	SELECT GRANULAR MATERIAL
100	SY	FABRIC FOR SOIL STABILIZATION
23	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRS
44	LF	15" RC PIPE CULVERTS, CLASS III
102	LF	15" CS PIPE CULVERTS, 0.064" THICK
64	LF	54" BIT COAT CS PIPE CULVERTS, TYPE B 0.109" THICK
294	LF	PIPE REMOVAL
900	TON	AGGREGATE BASE COURSE
100	TON	INCIDENTAL STONE BASE
90	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
210	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B
450	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5A
41	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
6	CY	PIPE COLLARS
1	EA	MASONRY DRAINAGE STRUCTURES
1	EA	FRAME WITH TWO GRATES, STD 840.24
130	LF	SHOULDER BERM GUTTER
2	EA	MODIFIED CONCRETE FLUME
200	LF	STEEL BM GUARDRAIL
50	LF	STEEL BM GUARDRAIL, SHOP CURVED
10	EA	ADDITIONAL GUARDRAIL POSTS
1	EA	GUARDRAIL ANCHOR UNITS, TYPE ***** (III, SHOP CURVED)
2	EA	GUARDRAIL ANCHOR UNITS, TYPE AT-1
3	EA	GUARDRAIL ANCHOR UNITS, TYPE III
2	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
150	LF	TEMPORARY STEEL BM GUARDRAIL
4	EA	GUARDRAIL ANCHOR UNITS, TYPE ***** TEMPORARY (III)
4	EA	GUARDRAIL ANCHOR UNITS, TYPE 350 TEMPORARY
6	TON	PLAIN RIP RAP, CLASS B
246	SY	FILTER FABRIC FOR DRAINAGE
250	SF	WORK ZONE SIGNS (STATIONARY)
74	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
34	EA	DRUMS
120	LF	BARRICADES (TYPE III)
100	HR	FLAGGER
4	EA	WARNING LIGHTS (TYPE B)
55	EA	TEMPORARY RAISED PAVEMENT MARKERS
1,658	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
1,720	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
27	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
16,246	LF	PAINT PAVEMENT MARKING LINES (4")
64	LF	PAINT PAVEMENT MARKING LINES (24")

22	EA	SNOWPLOWABLE RAISED PAVEMENT MARKERS
6	EA	7' U-CHANNEL POSTS
6	EA	OBJECT MARKERS (END OF ROAD)
380	LF	TEMPORARY SILT FENCE
120	TON	STONE FOR EROSION CONTROL, CLASS A
325	TON	STONE FOR EROSION CONTROL, CLASS B
100	TON	SEDIMENT CONTROL STONE
1	ACR	TEMPORARY MULCHING
50	LB	SEED FOR TEMPORARY SEEDING
0.25	TON	FERTILIZER FOR TEMPORARY SEEDING
330	CY	SILT EXCAVATION
340	SY	SYNTHETIC ROVING
700	SY	MATting FOR EROSION CONTROL
25	LF	1/4" HARDWARE CLOTH
1	ACR	SEEDING & MULCHING
0.5	ACR	MOWING
50	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
50	LB	SEED FOR SUPPLEMENTAL SEEDING
0.75	TON	FERTILIZER TOPDRESSING
2	HR	SPECIALIZED HAND MOWING
8	EA	RESPONSE FOR EROSION CONTROL
0.5	ACR	REFORESTATION

STRUCTURE ITEMS

Lump Sum	LS	CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP STRUCTURE AT STA ***** (14+92.50-L-)
Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (14+92.50-L-)
28.2	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ***** (14+92.50 -L-)
4,608	LB	REINFORCING STEEL (BRIDGE)
120	LF	HP12X53 STEEL PILES
65.5	LF	CONCRETE BARRIER RAIL
Lump Sum	LS	ELASTOMERIC BEARINGS
458.5	LF	3'-0" X 1'-9" PRESTRESSED CONC CORED SLABS
51	LF	GENERIC STRUCTURE ITEM PILE EXCAVATION IN SOIL
49	LF	GENERIC STRUCTURE ITEM PILE EXCAVATION NOT IN SOIL

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L040316 023

CONTRACT ID : C200813 33102.3.1

DIV OFFICE SYLVA

LENGTH = 0.108 MI

COUNTY : MACON

GRADING, DRAINAGE, PAVING & STRUCTURE.

DBE GOAL 4.0% COMPLETION DATE : APR 15 2005

BRIDGE OVER CARTOOGECHAYE CREEK & APPROACHES ON SR-1470.

ROADWAY ITEMS

STRUCTURE ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	GRADING
1	ACR	SUPPLEMENTARY CLEARING & GRUB-BING
4	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRS
32	LF	15" BIT COAT CS PIPE CULVERTS, TYPE B 0.064" THICK
4	EA	15" BIT COAT CS PIPE ELBOWS, TYPE B 0.064" THICK
150	TON	INCIDENTAL STONE BASE
100	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
160	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5A
15	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
2	EA	MASONRY DRAINAGE STRUCTURES
2	EA	FRAME WITH TWO GRATES, STD 840.29
35	LF	SHOULDER BERM GUTTER
5	EA	ADDITIONAL GUARDRAIL POSTS
112.5	LF	GENERIC GUARDRAIL ITEM STEEL BM GUARDRAIL WEATHERING STEEL W/ WOOD POSTS
4	EA	GENERIC GUARDRAIL ITEM GUARDRAIL ANCHOR UNITS, TYPE III, WEATHERING STEEL
4	EA	GENERIC GUARDRAIL ITEM GUARDRAIL ANCHOR UNITS, TYPE350, WEATHERING STEEL
2,000	LF	** STRAND BARBED WIRE FENCE WITH POSTS (6)
800	LF	TEMP *** WOVEN WIRE FENCE, COMPLETE W/POSTS (47")
62	TON	PLAIN RIP RAP, CLASS B
850	SY	FILTER FABRIC FOR DRAINAGE
192	SF	WORK ZONE SIGNS (STATIONARY)
134	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
96	LF	BARRICADES (TYPE III)
275	LF	TEMPORARY SILT FENCE
75	TON	STONE FOR EROSION CONTROL, CLASS A
125	TON	STONE FOR EROSION CONTROL, CLASS B
50	TON	SEDIMENT CONTROL STONE
1.5	ACR	TEMPORARY MULCHING
50	LB	SEED FOR TEMPORARY SEEDING
0.25	TON	FERTILIZER FOR TEMPORARY SEEDING
30	LF	TEMPORARY SLOPE DRAINS
2	EA	INLET PROTECTION AT TEMPORARY SLOPE DRAINS
200	CY	SILT EXCAVATION
225	SY	SYNTHETIC ROVING
425	SY	MATTING FOR EROSION CONTROL
50	LF	1/4" HARDWARE CLOTH
1.5	ACR	SEEDING & MULCHING
1	ACR	MOWING
50	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
50	LB	SEED FOR SUPPLEMENTAL SEEDING
1.25	TON	FERTILIZER TOPDRESSING
1	HR	SPECIALIZED HAND MOWING
8	EA	RESPONSE FOR EROSION CONTROL
0.5	ACR	REFORESTATION

Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (15+52.00 -L-)
35.4	LF	**1-***" DIA DRILLED PIERS IN SOIL (3'-6")
44	LF	**1-***" DIA DRILLED PIERS NOT IN SOIL (3'-6")
40.9	LF	PERMANENT STEEL CASING FOR **1-***" DIA DRILLED PIER (3'-6")
1	EA	CROSSHOLE SONIC LOGGING
331.2	LF	CSL TUBES
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ***** (15+52.00 -L-)
4,141	SF	REINFORCED CONCRETE DECK SLAB
3,308	SF	GROOVING BRIDGE FLOORS
73.7	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ***** (15+52.00 -L-)
15,474	LB	REINFORCING STEEL (BRIDGE)
2,364	LB	SPIRAL COLUMN REINFORCING STEEL (BRIDGE)
620.34	LF	45" PRESTRESSED CONCRETE GIRDERS
180	LF	HP12X53 STEEL PILES
300.69	LF	ONE BAR METAL RAIL (ANODIZED)
315.69	LF	1'-***"X *****" CONCRETE PARAPET (1'-0" x 18")
1,888	TON	PLAIN RIP RAP CLASS II (2'-0" THICK)
2,098	SY	FILTER FABRIC FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS
Lump Sum	LS	EVAZOTE JOINT SEALS
21,460	LB	GENERIC STRUCTURE ITEM GLASS FIBER REINFORCED POLYMER

