




STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

MICHAEL F. EASLEY
GOVERNOR

LYNDO TIPPETT
SECRETARY

October 21, 2003

MEMORANDUM TO: Prime Contractors
FROM: R. A. Garris, P. E. 
Contract Officer
SUBJECT: Plan & Proposal Distribution Upon Award

Effective with the November 18, 2003 Letting, prime contractors who are awarded projects will be limited to the number of sets of plans that can be distributed free of charge. The limits are as follows:

Roadway Plans: (8) 22"x34", (16) 11"x17", (8) subsurface & (8) cross-sections
Structure Plans: (10) 22"x34", (10) 11"x17", (10) subsurface
Proposals (20)

Additional requests will be invoiced at the project's advertised price. Requests should be made to Kim Canady or Larry Strickland at 919-250-4124.

MAILING ADDRESS:
NC DEPARTMENT OF TRANSPORTATION
DESIGN SERVICES UNIT
1591 MAIL SERVICE CENTER
RALEIGH NC 27699-1591

TELEPHONE: 919-250-4124
FAX: 919-250-4127
WEBSITE: WWW.DOH.DOT.STATE.NC.US

LOCATION:
CENTURY CENTER COMPLEX
ENTRANCE B15
1020 BIRCH RIDGE DRIVE
RALEIGH NC 27610




STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

MICHAEL F. EASLEY
GOVERNOR

LYNDO TIPPETT
SECRETARY

June 17, 2003

NOTICE TO: Plan Holders
FROM: R. A. Garris, P.E. 
Contract Officer
SUBJECT: Delays in Billing

Please be advised that invoices for April, May and June plans and proposals have not been mailed. The Department has been transitioning to a new financial system, and as a result, are experiencing delays in billing. Once the new system becomes stable, and we are able to invoice, you will receive invoices for all orders placed since April 2003. We apologize for any inconvenience that this may cause.

If you have any questions, please contact Kim Canady at (919) 250-4124 or e-mail her at klcanady@dot.state.nc.us.

MAILING ADDRESS:
NC DEPARTMENT OF TRANSPORTATION
DESIGN SERVICES UNIT
1591 MAIL SERVICE CENTER
RALEIGH NC 27699-1591

TELEPHONE: 919-250-4124
FAX: 919-250-4127

WEBSITE: WWW.DOH.DOT.STATE.NC.US

LOCATION:
CENTURY CENTER COMPLEX
ENTRANCE B15
1020 BIRCH RIDGE DRIVE
RALEIGH NC 27610




STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

MICHAEL F. EASLEY
GOVERNOR

LYNDO TIPPETT
SECRETARY

August 19, 2003

MEMORANDUM TO: Electronic Bidders
FROM: R. A. Garris, P. E. 
Contract Officer
SUBJECT: Upgrade to Expedite 5.2b

Please be advised that effective with the September 16th, 2003 bid letting, North Carolina Department of Transportation will be upgrading from Expedite 5.1a to Expedite 5.2b.

This new version of software is available for download from either the NC Department of Transportation or the Bid Express web site. The links are listed below. Before upgrading your software, please ensure you have backed up your Digital ID. If you have not done so, this can be accomplished through the Tools menu under Digital ID's. It is recommended that you then uninstall the Expedite 5.1a version to ensure no confusion in the future. Once you have installed Expedite 5.2b, you need to enter your Bidder Information and Agency ID. The digital ID backup file you created in the previous version will also need to be imported back in through the Tools menu under Digital ID's. If you do not feel comfortable with any part of this procedure, please do not hesitate to contact the Bid Express helpdesk at (352) 381-4888, to have them walk you through this upgrade. The staff in Design Services Contract Office is also available for any further questions you may have concerning this transition.

Bid Express
<http://www.bidx.com>

NC Department of Transportation
http://www.doh.dot.state.nc.us/preconstruct/highway/dsn_srvc/contracts/expedi/

STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
INVITATION TO BID

ELECTRONIC BIDS FOR THE CONSTRUCTION OF THE FOLLOWING PROJECTS WILL BE PUBLICLY READ IN ROOM 156-A/B, THE DESIGN SERVICES LARGE CONFERENCE ROOM, LOCATED IN BUILDING B AT 1020 BIRCH RIDGE DRIVE, RALEIGH, N.C. AT 2:00PM ON **DECEMBER 09, 2003**. NO ELECTRONIC BIDS WILL BE RECEIVED AFTER 2:00PM.

BIDS SHALL BE SUBMITTED IN ACCORDANCE WITH THE SPECIAL PROVISION TITLED "ON-LINE ELECTRONIC BIDDING" CONTAINED IN EACH PROPOSAL FORM.

THE BIDDER SHALL FURNISH A NON-COLLUSION AFFIDAVIT FOR EACH BID. AFFIDAVIT FORMS WILL BE INCLUDED IN THE PROPOSAL AS PART OF THE SIGNATURE SHEETS.

A BID BOND OR BID DEPOSIT IN THE AMOUNT OF 5% OF THE TOTAL AMOUNT BID WILL BE REQUIRED. THE BIDDER SHALL USE THE STANDARD BID BOND FORM OF THE DEPARTMENT OF TRANSPORTATION, UNLESS HE ELECTS TO FURNISH A BID DEPOSIT. COPIES OF THIS BOND FORM WILL BE ENCLOSED WITH EACH PROPOSAL FORM. ADDITIONAL BOND FORMS MAY BE OBTAINED FROM THE RALEIGH OFFICE. (PHONE - 919-250-4124).

THE MINIMUM WAGE FOR LABOR WILL BE SHOWN IN THE PROPOSAL FORM FOR FEDERAL AID PROJECTS.

CONTRACTOR'S LICENSE: A GENERAL CONTRACTOR'S LICENSE IS REQUIRED IN ORDER TO SUBMIT A BID ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$30,000.00 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD. FOR ADDITIONAL INFORMATION OR TO MAKE APPLICATION FOR A LICENSE, APPLY TO THE EXECUTIVE SECRETARY OF THE CONTRACTOR LICENSING BOARD, P.O. BOX 17187, RALEIGH, NC 27619, (919-571-4183).

STATE PRIVILEGE LICENSE TAXES: CONTRACTORS WHO BID UPON AND/OR ARE AWARDED NORTH CAROLINA HIGHWAY CONSTRUCTION PROJECTS ARE SUBJECT TO CONTRACTOR BIDDERS AND/OR CONTRACTOR PROJECT PRIVILEGE LICENSE TAXES UNDER G.S. 105-54 OF THE STATE REVENUE LAWS. FOR INFORMATION, WRITE TO THE NORTH CAROLINA DEPARTMENT OF REVENUE, LICENSE AND EXCISE TAX DIVISION, P.O. BOX 25000, RALEIGH, NC 27640, OR CALL 919-733-3673.

PREQUALIFYING TO BID: ALL PROSPECTIVE BIDDERS SHALL BE PREQUALIFIED WITH THE DEPARTMENT OF TRANSPORTATION PRIOR TO SUBMITTING A BID. CONTRACTORS WHO ARE NOT PREQUALIFIED MAY OBTAIN INFORMATION AND FORMS FOR PREQUALIFYING FROM THE MANAGER OF CONSTRUCTION, DIVISION OF HIGHWAYS, DEPARTMENT OF TRANSPORTATION, 1543 MAIL SERVICE CENTER, RALEIGH, N. C., 27699-1543. ALL REQUIRED PREQUALIFICATION STATEMENTS AND DOCUMENTS SHALL BE FILED WITH THE MANAGER OF CONSTRUCTION AT LEAST TWO WEEKS PRIOR TO THE DATE OF OPENING BIDS.

THE DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS INVITATION TO BID, MINORITY BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, OR NATIONAL ORIGIN IN COMPENSATION TO THIS AWARD.

PROPOSAL FORMS AT **\$25.00** EACH, PLANS (SMALL SIZE) AT **\$40.00** PER SET, PLANS (LARGE SIZE) AT **\$100.00** PER SET, AND CROSS-SECTIONS AT **\$40.00** PER SET, PLUS SALES TAX FOR N.C. RESIDENTS, MAY BE OBTAINED BY TELEPHONING (919-250-4124), FAXING (919-250-4127), OR WRITING TO : PLANS AND PROPOSALS, DESIGN SERVICES UNIT, DEPARTMENT OF TRANSPORTATION, 1591 MAIL SERVICE CENTER, RALEIGH, N.C., 27699-1591. THESE CHARGES ARE NOT DEPOSITS AND WILL NOT BE REFUNDED. ALL ORDERS FOR PROPOSAL FORMS, PLANS AND CROSS-SECTIONS DELIVERED IN NORTH CAROLINA ARE SUBJECT TO 7% SALES TAX. ORDERS MAILED TO OUT OF STATE CONTRACTORS ARE NOT SUBJECT TO SALES TAX. MAKE ALL CHECKS PAYABLE TO THE **"N.C. DEPARTMENT OF TRANSPORTATION"**.

THE RIGHT IS RESERVED TO REJECT ANY OR ALL BIDS.

TODAY'S DATE IS NOVEMBER 18, 2003.
BY ORDER OF THE DEPARTMENT OF TRANSPORTATION
(THE WORK WILL CONSIST APPROXIMATELY AS SHOWN ON THE FOLLOWING SHEETS)

REVIEW OF PLANS AND PROPOSALS IN DIVISION OFFICE

IN ORDER TO FACILITATE AND ENCOURAGE THE INVOLVEMENT OF MINORITY BUSINESS ENTERPRISES IN THE HIGHWAY CONSTRUCTION PROCESS, IT IS THE POLICY OF THE DEPARTMENT OF TRANSPORTATION, DIVISION OF HIGHWAYS, THAT A SET OF PLANS AND PROPOSAL FOR EACH PROJECT TO BE LET WILL BE MAINTAINED FOR REVIEW BY ANY CONTRACTOR INTERESTED IN BIDDING UPON OR QUOTING WORK IN AN ADVERTISED PROJECT.

THE PROPOSALS AND PLANS WILL BE AVAILABLE FOR REVIEW BEGINNING TWO WEEKS PRIOR TO THE DATE OF BID OPENING IN THE DIVISION OFFICE WHICH WILL ADMINISTER THE CONTRACT. THE DEPARTMENT WILL, UPON REQUEST, MAKE AVAILABLE FROM ITS STAFF A PERSON TO EXPLAIN THE PROPOSED PROJECT AND TO ANSWER GENERAL QUESTIONS RELATING TO THE PROJECT. THE PLANS AND PROPOSALS CAN BE REVIEWED ANY TIME MONDAY THRU FRIDAY, EXCLUDING HOLIDAYS, BETWEEN THE HOURS OF 8:00 A.M. AND 4:30 P.M. IN THE DIVISION OFFICE. IN ORDER TO HAVE A MEMBER OF THE STAFF EXPLAIN THE PROJECT AND/OR ANSWER GENERAL QUESTIONS PERTAINING TO THE PROJECT, PRIOR APPOINTMENTS MUST BE MADE BY CALLING THE APPROPRIATE DIVISION OFFICE.

FOLLOWING ARE THE LOCATIONS AND TELEPHONE NUMBERS OF THE OFFICES IN WHICH THE PLANS AND PROPOSALS WILL BE MADE AVAILABLE, REFERENCE SHOULD BE MADE TO THE SHEETS CONTAINING THE INDIVIDUAL PROJECT QUANTITIES TO DETERMINE WHICH DIVISION OFFICE WILL ADMINISTER THE CONTRACT.

<u>DIV NO.</u>	<u>DIVISION ENGINEER</u>	<u>LOCATION</u>	<u>TOWN</u>	<u>TELEPHONE</u>
00001	D. R. Conner	113 AIRPORT DR. SUITE 100	EDENTON	(252) 482-7977
00002	C. E. Lassiter, Jr.	105 PACTOLUS ROAD	GREENVILLE	(252) 830-3490
00003	H. A. Pope	124 DIVISION DRIVE	WILMINGTON	(910) 251-5724
00004	Anthony W. Roper , PE	509 WARD BOULEVARD	WILSON	(252) 237-6164
00005	J. G. Nance	2612 NORTH DUKE STREET	DURHAM	(919) 560-6851
00006	T. R. Gibson	558 GILLESPIE STREET	FAYETTEVILLE	(910) 486-1493
00007	J. M. Mills	1534 YANCEYVILLE STREET	GREENSBORO	(336) 334-3192
00008	W. F. Rosser	902 N. SANDHILLS BOULEVARD	ABERDEEN	(910) 944-2344
00009	S. P. Ivey	2125 CLOVERDALE AVENUE	WINSTON-SALEM	(336) 631-1340
00010	B. G. Payne	716 WEST MAIN STREET	ALBEMARLE	(704) 982-0101
00011	Michael A. Pettyjohn, PE	NC-115 WEST	NORTH WILKESBORO	(336) 667-9111
00012	M. L. Holder	1710 EAST MARION STREET	SHELBY	(704) 480-5400
00013	J. J. Swain	55 ORANGE STREET	ASHEVILLE	(828) 251-6171
00014	R. G. Watson	253 WEBSTER ROAD	SYLVA	(828) 586-2141

SUMMARY OF PROPOSALS

Bid Letting Number L031209

RPN	Contract Id	WBS	County	Length	JobType
001	C200803	34995.2.2	PITT	22.350 MI	COMPUTERIZED SIGNAL SYSTEM.
002	C200756	33285.3.1	DURHAM	0.384 MI	GRADING, DRAINAGE, PAVING & STRUCTURE.
003	C200775	33242.3.1	VANCE	0.337 MI	GRADING, DRAINAGE, PAVING & CULVERT.
004	C201022	5CR.10731.2 ETC.	PERSON	20.200 MI	MILLING, SHLD RECONST, RESURFACING & PAVEMENT MARKINGS.
005	C201026	5CR.10321.2 ETC.	DURHAM	18.830 MI	MILLING, SHLDR RECONST, RESURFACING & PVMT MARKINGS.
006	C201027	5CR.10351.2 ETC.	FRANKLIN	18.810 MI	MILLING, SHLDR RECONST, CURB & GUTTER & RESURFACING.
007	C201028	5CR.10391.2 ETC.	GRANVILLE	27.810 MI	MILLING, SHLDR RECONST, RESURFACING & PAVEMENT MARKINGS.
008	C201049	37181	GUILFORD	3.932 MI	MILLING, RESURFACING, SHLDR RECONST, GUARDRAIL & PVMT MRKGS.
009	C201050	37182	GUILFORD	4.440 MI	RESURFACING, SHOULDER RECONST & PAVEMENT MARKINGS.
010	C201014	36968	RICHMOND	4.300 MI	WIDENING, MILLING, DRAINAGE, SHLDR RECONST & RESURFACING.
011	C201015	36964	MONTGOMERY	5.200 MI	WIDENING, MILLING, DRAINAGE, SHLDR RECONST & RESURFACING.
012	C201016	37111	MOORE	6.100 MI	WIDENING, SHLDR RECONST, RESURFACING & PAVEMENT MARKINGS.
013	C201017	36967	RANDOLPH	2.000 MI	MILLING, RESURFACING & PAVEMENT MARKINGS.
014	C201021	8CR.10771.1 ETC.	RICHMOND	16.360 MI	MILLING, SHLDR RECONST, RESURFACING & PVMT MARKINGS.
015	C201023	8CR.10621.1 ETC.	MONTGOMERY	9.330 MI	SHOULDER RECONSTRUCTION, RESURFACING & PAVEMENT MARKINGS.
016	C201043	36857 ETC.	STOKES	32.786 MI	MILLING, RESURFACING, SHOULDER RECONST & PAVEMENT MARKINGS.
017	C201044	36831 ETC.	DAVIE	12.571 MI	MILLING, RESURFACING, SHOULDER RECONST & PAVEMENT MARKINGS.
018	C201041	10CR.10601.1 ETC	MECKLENBURG	19.151 MI	MILLING, RESURFACING, SHOUDLER RECONST & PAVEMENT MARKINGS.
019	C201002	11CR.10141.5 ETC	CALDWELL, WILKES	39.810 MI	MILLING, RESURFACING, SHLDR RECONST & PAVEMENT MARKINGS.
020	C200689	34488.3.4	CLEVELAND	2.880 KM	WIDENING, GRADING, DRAINAGE, PAVING & STRUCTURE.
021	C201001	37324	CLEVELAND	2.900 MI	MILLING, RESURFACING & SHLDR RECONST & PAVEMENT MARKINGS.
022	C201052	35175.1.3 ETC.	GASTON	3.980 MI	GRADING, DRAINAGE, RESURFACING, GUARDRAIL & PVMT MARKINGS.
023	C201033	36794	YANCEY	10.570 MI	SHLDR RECONST, RESURFACING, GUARDRAIL & PVMT MARKINGS.
024	C201035	13CR.10571.1 ETC	MADISON	14.980 MI	SHLDR RECONSTRUCTION, RESURFACING & PAVEMENT MARKINGS.
025	C201036	13CR.10811.1 ETC	RUTHERFORD	22.010 MI	MILLING, SHLDR RECONST, RESURFACING & PAVEMENT MARKINGS.
026	C201037	13CR.10591.2 ETC	MCDOWELL	14.090 MI	SHLDR RECONST, RESURFACING & PAVEMENT MARKINGS.
027	C201000	36333.3.1 ETC.	JACKSON	8.780 MI	GRADING, DRAINAGE, MILLING, SHDR RECONST & RESURFACING.
028	C201003	36750	TRANSYLVANIA	6.430 MI	DRAINAGE, RESURFACING, GUARDRAIL & PVMT MARKINGS.

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 001

CONTRACT ID : C200803 34995.2.2

DIV OFFICE GREENVILLE

LENGTH = 22.350 MI

COUNTY : PITT

COMPUTERIZED SIGNAL SYSTEM.

MBE GOAL 0.0% WBE 0.0% COMPLETION DATE : SEP 01 2006

GREENVILLE - PHASE II.

ROADWAY ITEMS

Lump Sum	LS	DESCRIPTION	QTY	EA	DESCRIPTION
		MOBILIZATION	1	EA	GENERIC SIGNAL ITEM
1,605	SF	WORK ZONE SIGNS (PORTABLE)			FIREWALL
7	EA	FLASHING ARROW PANELS, TYPE C			GENERIC SIGNAL ITEM
2	EA	CHANGEABLE MESSAGE SIGNS			FURN CONTRLR WITH CBNT (NEMA TS-2,
4	EA	WARNING FLAG SETS			TYPE 2 CONTRLR, TYPE 1 CBNT,
195	EA	DRUMS			BASE MTD
65	EA	CONES			GENERIC SIGNAL ITEM
4,800	HR	FLAGGER			FURNISH CCTV CAMERA ASSEMBLY
8	EA	WARNING LIGHTS (TYPE B)			GENERIC SIGNAL ITEM
4	EA	TRUCK MOUNTED IMPACT ATTENUATOR (60 MPH)			FURNISH CONTROLLER (NEMA TS-2, TYPE 2)
360	HR	POLICE			GENERIC SIGNAL ITEM
7	EA	VEHICLE SIGNAL HEAD (12", 4 SECTION)			FURNISH MALFUNCTION MANAGEMENT UNIT
28	EA	VEHICLE SIGNAL HEAD (12", 5 SECTION)			24 EA
116	EA	GUY ASSEMBLY			GENERIC SIGNAL ITEM
67	EA	2" RISER WITH HEAT SHRINK TUBING			INSTALL MALFUNCTION MANAGEMENT UNIT
5	EA	LED BLANKOUT SIGN			55 EA
40	EA	CONDUIT ENTRANCE INTO EXISTING FOUNDATION			GENERIC SIGNAL ITEM
24	EA	MODIFY FOUNDATION FOR CONTROLLER CABINET			INTERCONNECT CENTER
54	EA	CABINET BASE ADAPTER			141 EA
53	EA	CONTROLLER WITH CABINET (NEMA TS-2, TYPE 2 CONTROLLER, TYPE 1 CABINET, BASE MOUNTED)			GENERIC SIGNAL ITEM
12	EA	GENERIC SIGNAL ITEM			JUNCTION BOX (OVER-SIZED)
12	EA	1" RISER WITH WEATHERHEAD			207 EA
12	EA	1/2" RISER WITH WEATHERHEAD			GENERIC SIGNAL ITEM
226	EA	GENERIC SIGNAL ITEM			JUNCTION BOX (STANDARD SIZE)
203	EA	12" ARROW LED MODULE (GREEN)			1 EA
547	EA	12" ARROW LED MODULE (YELLOW)			GENERIC SIGNAL ITEM
399	EA	12" LED MODULE (GREEN)			LOCAL/MASTER CONTRLR WITH CBNT (NEMA TS-2, TYPE 2 CONTRLR, TYPE 1 CBNT , BASE MTD
11	EA	12" LED MODULE (RED)			2 EA
547	EA	12-INCH ARROW LED MODULE (RED)			GENERIC SIGNAL ITEM
33	EA	12-INCH LED MODULE (YELLOW)			MEDIA CONVERTER
3	EA	2" RISER WITH WEATHERHEAD			1 EA
173	EA	4-CHANNEL VIDEO MULTIPLEXER/DEMULTIPLEXER PAIR			GENERIC SIGNAL ITEM
55	EA	8" LED MODULE, (GREEN)			OPERATOR WORKSTATION COMPUTER
174	EA	8" LED MODULE, (RED)			12 EA
10	EA	8" LED MODULE, (YELLOW)			GENERIC SIGNAL ITEM
10	EA	CABLE TRANSFER, (MULTIPLE POLE)			PEDESTRIAN SIGNAL HEAD (12", 2 SECTION)
7	EA	CABLE TRANSFER, (SINGLE POLE)			2 EA
143	EA	CCTV CAMERA ASSEMBLY			GENERIC SIGNAL ITEM
1	EA	DESKTOP CONTROL PANEL			PLASMA MONITOR
299	EA	DETECTOR AMPLIFIER			11 EA
20	EA	ELECTRICAL SERVICE			GENERIC SIGNAL ITEM
1	EA	EQUIPMENT RACK			POINT-TO-POINT TRANSCEIVER
25	EA	EXTERNAL ELECTRICAL SERVICE DISCONNECT			1 EA
2	EA	FIBER OPTIC SPLICE CABINET			GENERIC SIGNAL ITEM
					RACK MOUNTED SPLICE CENTER
					47 EA
					GENERIC SIGNAL ITEM
					REPEATING TRANSCEIVER
					4 EA
					GENERIC SIGNAL ITEM
					SCREEN SPLITTER
					39 EA
					GENERIC SIGNAL ITEM
					SIGN FOR SIGNALS
					12 EA
					GENERIC SIGNAL ITEM
					SIGNAL CABINET FOUNDATION
					1 EA
					GENERIC SIGNAL ITEM
					TIME LAPSE VCR
					3 EA
					GENERIC SIGNAL ITEM
					TRANSCEIVER CARD CAGE
					57 EA
					GENERIC SIGNAL ITEM
					VEHICLE SIGNAL HEAD (12", 3 SECTION)
					1 EA
					GENERIC SIGNAL ITEM
					VEHICLE SIGNAL HEAD (8", 3 SECTION)
					2 EA
					GENERIC SIGNAL ITEM
					VIDEO MONITOR
					14 EA
					GENERIC SIGNAL ITEM
					VIDEO/DATA TRANSCEIVER
					6 EA
					GENERIC SIGNAL ITEM
					WOOD POLE, 50 FOOT
					Lump Sum
					LS
					GENERIC SIGNAL ITEM
					CENTRAL SOFTWARE
					Lump Sum
					LS
					GENERIC SIGNAL ITEM
					DIVISION 2 OPERATIONS CABLE
					ENTRY AND TERMINATION
					Lump Sum
					LS
					GENERIC SIGNAL ITEM
					EMERGENCY RESTORATION
					EQUIPMENT
					Lump Sum
					LS
					GENERIC SIGNAL ITEM
					TEST EQUIPMENT
					Lump Sum
					LS
					GENERIC SIGNAL ITEM
					TRAINING
					Lump Sum
					LS
					GENERIC SIGNAL ITEM
					VIDEO SWITCHER EXPANSION
					Lump Sum
					LS
					GENERIC SIGNAL ITEM
					WAN WIRING ASSEMBLY

60,100	LF	GENERIC SIGNAL ITEM COG CABLE, 12-FIBER
130,085	LF	GENERIC SIGNAL ITEM COMMUNICATIONS CABLE (12 FIBER)
4,660	LF	GENERIC SIGNAL ITEM COMMUNICATIONS CABLE (36 FIBER)
3,390	LF	GENERIC SIGNAL ITEM COMMUNICATIONS CABLE (48 FIBER)
200	LF	GENERIC SIGNAL ITEM DELASHING AND RELASHING OF TRANSFERRED CABLE(S)
7,748	LF	GENERIC SIGNAL ITEM DIRECTIONAL DRILL POLYETHYLENE CONDUIT, (2")
13,207	LF	GENERIC SIGNAL ITEM INDUCTIVE LOOP SAWCUT
43,635	LF	GENERIC SIGNAL ITEM LEAD-IN CABLE
71,270	LF	GENERIC SIGNAL ITEM MESSENGER CABLE (1/4")
1,940	LF	GENERIC SIGNAL ITEM MESSENGER CABLE (3/8")
22,330	LF	GENERIC SIGNAL ITEM SIGNAL CABLE
37,420	LF	GENERIC SIGNAL ITEM TRACER WIRE
36,563	LF	GENERIC SIGNAL ITEM UNDERGROUND CONDUIT

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L031209 002

CONTRACT ID : C200756 33285.3.1

DIV OFFICE DURHAM

LENGTH = 0.384 MI

COUNTY : DURHAM

GRADING, DRAINAGE, PAVING & STRUCTURE.

DBE GOAL 10.0% COMPLETION DATE : AUG 15 2005

BRIDGE OVER NORTHEAST CREEK & APPROACHES ON SR-1945.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	REINFORCED BRIDGE APPROACH FILL, STATION ***** (20+37.5.00)
Lump Sum	LS	GRADING
1	ACR	SUPPLEMENTARY CLEARING & GRUB- BING
500	CY	UNDERCUT EXCAVATION
690	CY	DRAINAGE DITCH EXCAVATION
215	TON	FOUNDATION CONDITIONING MATE- RIAL, MINOR STRS
20	LF	15" SIDE DRAIN PIPE
428	LF	15" RC PIPE CULVERTS, CLASS III
500	LF	18" RC PIPE CULVERTS, CLASS III
128	LF	24" RC PIPE CULVERTS, CLASS III
360	LF	36" RC PIPE CULVERTS, CLASS III
492	LF	48" RC PIPE CULVERTS, CLASS III
36	LF	15" BIT COAT CS PIPE CULVERTS, TYPE B 0.064" THICK
24	LF	24" BIT COAT CS PIPE CULVERTS, TYPE B 0.064" THICK
2	EA	15" BIT COAT CS PIPE ELBOWS, TYPE B 0.064" THICK
686	LF	PIPE REMOVAL
75	TON	INCIDENTAL STONE BASE
1,388	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
1,707	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B
1,300	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
225	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
38	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR
17	EA	RIGHT OF WAY MARKERS
4	CY	ENDWALLS
3	CY	PIPE COLLARS
0.5	CY	PIPE PLUGS
25	EA	MASONRY DRAINAGE STRUCTURES
13	LF	MASONRY DRAINAGE STRUCTURES
5	EA	FRAME WITH TWO GRATES, STD 840.16
1	EA	FRAME WITH TWO GRATES, STD 840.24
3	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (E)
4	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F)
9	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (G)
3	EA	FRAME WITH COVER, STD 840.54
15	LF	***X *** CONCRETE CURB (8" X 6")
2,975	LF	2'-6" CONCRETE CURB & GUTTER
495	SY	4" CONCRETE SIDEWALK
21	SY	CONCRETE WHEEL CHAIR RAMPS
67	SY	6" CONCRETE DRIVEWAY
537.5	LF	STEEL BM GUARDRAIL
5	EA	ADDITIONAL GUARDRAIL POSTS
3	EA	GUARDRAIL ANCHOR UNITS, TYPE III
3	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
87.5	LF	TEMPORARY STEEL BM GUARDRAIL
2	EA	GUARDRAIL ANCHOR UNITS, TYPE ***** TEMPORARY (B-77)
26	TON	PLAIN RIP RAP, CLASS I

442	TON	PLAIN RIP RAP, CLASS B
1,925	SY	FILTER FABRIC FOR DRAINAGE
124	SF	WORK ZONE SIGNS (STATIONARY)
96	SF	WORK ZONE SIGNS (PORTABLE)
72	EA	DRUMS
72	EA	CONES
135	LF	BARRICADES (TYPE II)
140	LF	BARRICADES (TYPE III)
120	MD	FLAGGER
2	EA	TEMPORARY CRASH CUSHIONS
227	LF	PORTABLE CONCRETE BARRIER
149	EA	TEMPORARY RAISED PAVEMENT MARKERS
852	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
6,121	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
270	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
14	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
18,798	LF	PAINT PAVEMENT MARKING LINES (4")
270	LF	PAINT PAVEMENT MARKING LINES (8")
12	EA	PAINT PAVEMENT MARKING SYMBOL
64	EA	PERMANENT RAISED PAVEMENT MARKERS
1,150	LF	TEMPORARY SILT FENCE
100	TON	STONE FOR EROSION CONTROL, CLASS A
475	TON	STONE FOR EROSION CONTROL, CLASS B
625	TON	SEDIMENT CONTROL STONE
2.5	ACR	TEMPORARY MULCHING
100	LB	SEED FOR TEMPORARY SEEDING
0.5	TON	FERTILIZER FOR TEMPORARY SEED- ING
40	LF	TEMPORARY SLOPE DRAINS
1	EA	INLET PROTECTION AT TEMPORARY SLOPE DRAINS
900	CY	SILT EXCAVATION
800	SY	SYNTHETIC ROVING
1,300	SY	MATTING FOR EROSION CONTROL
600	LF	1/4" HARDWARE CLOTH
12	EA	SPECIAL STILLING BASINS
2.5	ACR	SEEDING & MULCHING
1.5	ACR	MOWING
50	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
50	LB	SEED FOR SUPPLEMENTAL SEEDING
1.75	TON	FERTILIZER TOPDRESSING
2.5	HR	SPECIALIZED HAND MOWING
12	EA	RESPONSE FOR EROSION CONTROL

STRUCTURE ITEMS

Lump Sum	LS	CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP ACCESS AT STA ***** (20+37.50 -L-)
Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (20+37.50 -L-)
111.7	LF	***,*** DIA DRILLED PIERS IN SOIL (3'-0")
45	LF	***,*** DIA DRILLED PIERS NOT IN SOIL (3'-0")
119.7	LF	PERMANENT STEEL CASING FOR ***,*** DIA DRILLED PIER (3'-0")
2	EA	CROSSHOLE SONIC LOGGING
687	LF	CSL TUBES

Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ***** (20+37.50 -L-)
37.9	CY	CLASS AA CONCRETE (BRIDGE)
99.8	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ***** (20+37.50 -L-)
27,496	LB	REINFORCING STEEL (BRIDGE)
1,237	LB	EPOXY COATED REINFORCING STEEL (BRIDGE)
2,881	LB	SPIRAL COLUMN REINFORCING STEEL (BRIDGE)
350	LF	HP12X53 STEEL PILES
20	EA	STEEL PILE POINTS
190.5	LF	THREE BAR METAL RAIL
150	TON	PLAIN RIP RAP CLASS II (2'-0" THICK)
167	SY	FILTER FABRIC FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS
2,050	LF	3'-0" X 1'-9" PRESTRESSED CONC CORED SLABS

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L031209 003

CONTRACT ID : C200775 33242.3.1

DIV OFFICE DURHAM

LENGTH = 0.337 MI

COUNTY : VANCE

GRADING, DRAINAGE, PAVING & CULVERT.

DBE GOAL 10.0% COMPLETION DATE : SEE SPECIAL PROVISIONS

CULVERTS ON FLAT CREEK & APPROACHES ON SR-1306 & SR-1303.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	GRADING
2	ACR	SUPPLEMENTARY CLEARING & GRUB-BING
700	CY	UNDERCUT EXCAVATION
595	CY	DRAINAGE DITCH EXCAVATION
500	CY	SELECT GRANULAR MATERIAL
500	SY	FABRIC FOR SOIL STABILIZATION
29	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRS
84	LF	18" RC PIPE CULVERTS, CLASS III
112	LF	54" RC PIPE CULVERTS, CLASS III
68	LF	15" BIT COAT CS PIPE CULVERTS, TYPE B 0.064" THICK
2	EA	15" BIT COAT CS PIPE ELBOWS, TYPE B 0.064" THICK
61	LF	PIPE REMOVAL
35	TON	INCIDENTAL STONE BASE
675	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
565	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B
710	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5A
102	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
20	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR
18	EA	RIGHT OF WAY MARKERS
45	CY	SUBDRAIN EXCAVATION
34	CY	SUBDRAIN FINE AGGREGATE
200	LF	6" PERFORATED SUBDRAIN PIPE
6	EA	6" SUBDRAIN PIPE WYES, TEES, & ELBOWS
1	EA	CONCRETE PAD FOR SUBDRAIN PIPE OUTLET
6	LF	6" OUTLET PIPE (SUBDRAINS)
11	CY	REINFORCED ENDWALLS
1	CY	PIPE COLLARS
1	EA	MASONRY DRAINAGE STRUCTURES
1	EA	FRAME WITH TWO GRATES, STD 840.29
300	LF	SHOULDER BERM GUTTER
1,500	LF	STEEL BM GUARDRAIL
10	EA	ADDITIONAL GUARDRAIL POSTS
8	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
185	TON	PLAIN RIP RAP, CLASS I
60	TON	PLAIN RIP RAP, CLASS B
975	SY	FILTER FABRIC FOR DRAINAGE
872	SF	WORK ZONE SIGNS (STATIONARY)
198	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
8	EA	WARNING FLAG SETS
50	EA	DRUMS
25	EA	CONES
216	LF	BARRICADES (TYPE III)
100	HR	FLAGGER
3,570	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
3,570	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
163,948	LF	PAINT PAVEMENT MARKING LINES (4")
565	LF	TEMPORARY SILT FENCE
150	TON	STONE FOR EROSION CONTROL, CLASS A
485	TON	STONE FOR EROSION CONTROL, CLASS B
270	TON	SEDIMENT CONTROL STONE
4	ACR	TEMPORARY MULCHING
200	LB	SEED FOR TEMPORARY SEEDING
0.75	TON	FERTILIZER FOR TEMPORARY SEEDING

1,090	CY	SILT EXCAVATION
675	SY	SYNTHETIC ROVING
1,530	SY	MATTING FOR EROSION CONTROL
25	SY	PERMANENT SOIL REINFORCEMENT MAT
480	LF	1/4" HARDWARE CLOTH
280	LF	***" TEMPORARY PIPE (18")
400	CY	STILLING BASINS
5	ACR	SEEDING & MULCHING
3	ACR	MOWING
100	LB	SEED FOR REPAIR SEEDING
0.5	TON	FERTILIZER FOR REPAIR SEEDING
125	LB	SEED FOR SUPPLEMENTAL SEEDING
3.5	TON	FERTILIZER TOPDRESSING
335	LF	IMPERVIOUS DIKE
4	HR	SPECIALIZED HAND MOWING
16	EA	RESPONSE FOR EROSION CONTROL
375	CY	CULVERT DIVERSION CHANNEL

CULVERT ITEMS

Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (15+17.00-L-)
Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (20+77.00-L-)
Lump Sum	LS	CULVERT EXCAVATION, STA ***** (15+17.00-L-)
Lump Sum	LS	CULVERT EXCAVATION, STA ***** (20+77.00-L-)
294	TON	FOUNDATION CONDITIONING MATERIAL, BOX CULVERT
522.5	CY	CLASS A CONCRETE (CULVERT)
80,522	LB	REINFORCING STEEL (CULVERT)

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 004

CONTRACT ID : C201022 5CR.10731.2

DIV OFFICE DURHAM

LENGTH = 20.200 MI

COUNTY : PERSON

MILLING, SHLD RECONST, RESURFACING & PAVEMENT MARKINGS.

MBE GOAL 8.0% WBE 4.0% COMPLETION DATE : SEE SPECIAL PROVISIONS

1 SECTION OF NC-57, 1 SECTION OF US-501 AND 5 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
1,520	TON	INCIDENTAL STONE BASE
38	SMI	SHOULDER RECONSTRUCTION
42,240	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
150	SY	MILLING ASPHALT PAVEMENT, **** TO ****" DEPTH (0" TO 1-1/2")
7,573	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
12,201	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
1,286	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
450	TON	PATCHING EXISTING PAVEMENT
23	EA	ADJUSTMENT OF MANHOLES
9	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
36,464	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
34,320	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
36	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
93	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
503,048	LF	PAINT PAVEMENT MARKING LINES (4")
562	EA	PERMANENT RAISED PAVEMENT MARKERS
27.56	ACR	SEEDING & MULCHING
1,800	LF	INDUCTIVE LOOP SAWCUT

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 005

CONTRACT ID : C201026 5CR.10321.2

DIV OFFICE DURHAM

LENGTH = 18.830 MI

COUNTY : DURHAM

MILLING, SHLDR RECONST, RESURFACING & PVMT MARKINGS.

MBE GOAL 8.0% WBE 4.0% COMPLETION DATE : SEE SPECIAL PROVISIONS

1 SECTION OF US-501 AND 7 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	DESCRIPTION
	LS	MOBILIZATION
1,274	TON	INCIDENTAL STONE BASE
35.66	SMI	SHOULDER RECONSTRUCTION
37,700	SY	MILLING ASPHALT PAVEMENT, ***** TO ***** DEPTH (0" TO 1-1/2")
5,950	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
16,161	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
1,438	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
1,470	TON	PATCHING EXISTING PAVEMENT
6	EA	WHEELCHAIR RAMPS
3	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
174,134	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
112,134	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
110	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
150	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
1,150	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
66	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
28	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
180,563	LF	PAINT PAVEMENT MARKING LINES (4")
2,059	EA	PERMANENT RAISED PAVEMENT MARKERS
25.87	ACR	SEEDING & MULCHING
4,200	LF	INDUCTIVE LOOP SAWCUT

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 006

CONTRACT ID : C201027 5CR.10351.2

DIV OFFICE DURHAM

LENGTH = 18.810 MI

COUNTY : FRANKLIN

MILLING, SHLDR RECONST, CURB & GUTTER & RESURFACING.

MBE GOAL 8.0% WBE 4.0% COMPLETION DATE : SEE SPECIAL PROVISIONS

2 SECTIONS OF NC-561 AND 5 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
528	TON	INCIDENTAL STONE BASE
36.92	SMI	SHOULDER RECONSTRUCTION
8,624	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
1,565	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
12,214	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
7,065	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,320	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
210	TON	PATCHING EXISTING PAVEMENT
200	LF	2'-6" CONCRETE CURB & GUTTER
4	EA	WHEELCHAIR RAMPS
6	EA	ADJUSTMENT OF MANHOLES
8	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
67,012	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
44,616	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
36	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
6	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
216,530	LF	PAINT PAVEMENT MARKING LINES (4")
409	EA	PERMANENT RAISED PAVEMENT MARKERS
27.69	ACR	SEEDING & MULCHING
540	LF	INDUCTIVE LOOP SAWCUT

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 007

CONTRACT ID : C201028 5CR.10391.2

DIV OFFICE DURHAM

LENGTH = 27.810 MI

COUNTY : GRANVILLE

MILLING, SHLDR RECONST, RESURFACING & PAVEMENT MARKINGS.

MBE GOAL 8.0% WBE 4.0% COMPLETION DATE : SEE SPECIAL PROVISIONS

1 SECTION OF NC-96 AND 13 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
2,038	TON	INCIDENTAL STONE BASE
55.62	SMI	SHOULDER RECONSTRUCTION
800	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (0" TO 1-1/2")
3,079	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
9,799	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
16,034	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
1,525	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A (LEVELING COURSE)
1,913	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
1,500	TON	PATCHING EXISTING PAVEMENT
12	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
157,488	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
147,796	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
120	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
100	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
330	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
4	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
41	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
371,306	LF	PAINT PAVEMENT MARKING LINES (4")
1,751	EA	PERMANENT RAISED PAVEMENT MARKERS
36.81	ACR	SEEDING & MULCHING
4,000	LF	INDUCTIVE LOOP SAWCUT

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 008

CONTRACT ID : C201049 37181

DIV OFFICE GREENSBORO

LENGTH = 3.932 MI

COUNTY : GUILFORD

MILLING, RESURFACING, SHLDR RECONST, GUARDRAIL & PVMT MRKGS.

MBE GOAL 5.0% WBE 3.0% COMPLETION DATE : NOV 01 2004

SR-2565 (HICONE ROAD) FROM SR-2526 (SUMMIT AVE) TO EAST OF SR-2819 (MCLEANSVILLE ROAD).

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
275	TON	INCIDENTAL STONE BASE
2.62	SMI	SHOULDER RECONSTRUCTION
663	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (3")
8,650	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (4")
578	SY	INCIDENTAL MILLING
3,673	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
4,278	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B
10,953	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,071	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
312.5	LF	STEEL BM GUARDRAIL
4	EA	GUARDRAIL ANCHOR UNITS, TYPE III
4	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
41,548	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
39,254	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
318	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 120 MILS)
261	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
6	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
4	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
80,000	LF	PAINT PAVEMENT MARKING LINES (4")
0.95	ACR	SEEDING & MULCHING
0.95	ACR	GENERIC EROSION CONTROL ITEM RESIDENTIAL SEEDING
3	EA	JUNCTION BOX (STANDARD SIZE)
900	LF	INDUCTIVE LOOP SAWCUT
300	LF	LEAD-IN CABLE

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 009

CONTRACT ID : C201050 37182

DIV OFFICE GREENSBORO

LENGTH = 4.440 MI

COUNTY : GUILFORD

RESURFACING, SHOULDER RECONST & PAVEMENT MARKINGS.

MBE GOAL 5.0% WBE 3.0% COMPLETION DATE : NOV 01 2004

NC-150 FROM WEST OF SR-2526 (SUMMIT AVE) TO WEST OF NC-61.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
390	TON	INCIDENTAL STONE BASE
6	SMI	SHOULDER RECONSTRUCTION
5,543	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
10,909	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
948	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
10,443	SY	ASPHALT SURFACE TREATMENT, MAT COAT, #6 STONE
46,938	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
48,795	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
402	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 120 MILS)
77	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
88	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
12	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
6	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
100,000	LF	PAINT PAVEMENT MARKING LINES (4")
429	EA	PERMANENT RAISED PAVEMENT MARKERS
0.9	ACR	SEEDING & MULCHING
0.9	ACR	GENERIC EROSION CONTROL ITEM RESIDENTIAL SEEDING

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 010

CONTRACT ID : C201014 36968

DIV OFFICE ABERDEEN

LENGTH = 4.300 MI

COUNTY : RICHMOND

WIDENING, MILLING, DRAINAGE, SHLDR RECONST & RESURFACING.

MBE GOAL 5.0% WBE 3.0% COMPLETION DATE : JUN 30 2004

NC-109 FROM THE MONTGOMERY COUNTY LINE TO THE ANSON COUNTY LINE.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
10,091	SY	GENERIC GRADING ITEM TRENCHING FOR BASE COURSE
44	LF	24" RC PIPE CULVERTS, CLASS III
36	LF	PIPE REMOVAL
100	TON	INCIDENTAL STONE BASE
8.6	SMI	SHOULDER RECONSTRUCTION
1,112	SY	MILLING ASPHALT PAVEMENT, **** TO *****" DEPTH (1-1/2" TO 3")
107	SY	INCIDENTAL MILLING
3,335	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
50	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0B
10,795	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
847	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
35	TON	PATCHING EXISTING PAVEMENT
1,175	LF	STEEL BM GUARDRAIL
5	EA	ADDITIONAL GUARDRAIL POSTS
6	EA	GUARDRAIL ANCHOR UNITS, TYPE ***** (B-77)
8	EA	GUARDRAIL ANCHOR UNITS, TYPE ***** (III MOD)
8	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
1,450	LF	REMOVE EXISTING GUARDRAIL
45,410	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
36,330	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
81,740	LF	PAINT PAVEMENT MARKING LINES (4")
283	EA	SNOWPLOWABLE RAISED PAVEMENT MARKERS
500	LF	TEMPORARY SILT FENCE
50	TON	STONE FOR EROSION CONTROL, CLASS B
20	TON	SEDIMENT CONTROL STONE
6	ACR	SEEDING & MULCHING

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 011

CONTRACT ID : C201015 36964

DIV OFFICE ABERDEEN

LENGTH = 5.200 MI

COUNTY : MONTGOMERY

WIDENING, MILLING, DRAINAGE, SHLDR RECONST & RESURFACING.

MBE GOAL 5.0% WBE 3.0% COMPLETION DATE : JUN 30 2004

NC-109 FROM NC-731 TO THE RICHMOND COUNTY LINE.

ROADWAY ITEMS

Lump Sum	LS	SY	DESCRIPTION
	LS		MOBILIZATION
12,203	SY		GENERIC GRADING ITEM TRENCHING FOR BASE COURSE
44	LF		24" RC PIPE CULVERTS, CLASS III
40	LF		PIPE REMOVAL
100	TON		INCIDENTAL STONE BASE
10.4	SMI		SHOULDER RECONSTRUCTION
107	SY		INCIDENTAL MILLING
4,033	TON		ASPHALT CONC BASE COURSE, TYPE B25.0B
13,050	TON		ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,022	TON		ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
35	TON		PATCHING EXISTING PAVEMENT
54,915	LF		THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
43,930	LF		THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
98,845	LF		PAINT PAVEMENT MARKING LINES (4")
343	EA		SNOWPLOWABLE RAISED PAVEMENT MARKERS
500	LF		TEMPORARY SILT FENCE
50	TON		STONE FOR EROSION CONTROL, CLASS B
20	TON		SEDIMENT CONTROL STONE
7.6	ACR		SEEDING & MULCHING

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 012

CONTRACT ID : C201016 37111

DIV OFFICE ABERDEEN

LENGTH = 6.100 MI

COUNTY : MOORE

WIDENING, SHLDR RECONST, RESURFACING & PAVEMENT MARKINGS.

MBE GOAL 5.0% WBE 3.0% COMPLETION DATE : JUN 30 2004

NC-24/27 FROM US-15/501 TO WEST CITY LIMITS OF CAMERON.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
28,630	SY	GENERIC GRADING ITEM TRENCHING FOR BASE COURSE
100	TON	INCIDENTAL STONE BASE
12.2	SMI	SHOULDER RECONSTRUCTION
125	SY	INCIDENTAL MILLING
9,017	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
8,879	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
388	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
577	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
64,420	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
51,540	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
115,960	LF	PAINT PAVEMENT MARKING LINES (4")
402	EA	SNOWPLOWABLE RAISED PAVEMENT MARKERS
9	ACR	SEEDING & MULCHING

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 013

CONTRACT ID : C201017 36967

DIV OFFICE ABERDEEN

LENGTH = 2.000 MI

COUNTY : RANDOLPH

MILLING, RESURFACING & PAVEMENT MARKINGS.

MBE GOAL 5.0% WBE 3.0% COMPLETION DATE : JUN 30 2004

US-64 & NC-49 FROM NC-159 TO EAST CITY LIMITS OF ASHEBORO.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
64,280	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (2")
10,270	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE II 9.0C
7,167	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
483	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
466	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
1	EA	ADJUSTMENT OF DROP INLETS
4	EA	ADJUSTMENT OF MANHOLES
2	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
21,630	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
13,200	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
504	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
150	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
4	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
165	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
34,720	LF	PAINT PAVEMENT MARKING LINES (4")
528	EA	SNOWPLOWABLE RAISED PAVEMENT MARKERS
8,000	LF	INDUCTIVE LOOP SAWCUT
1,500	LF	LEAD-IN CABLE

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 014

CONTRACT ID : C201021 8CR.10771.1

DIV OFFICE ABERDEEN

LENGTH = 16.360 MI

COUNTY : RICHMOND

MILLING, SHLDR RECONST, RESURFACING & PVMT MARKINGS.

MBE GOAL 8.0% WBE 4.0% COMPLETION DATE : JUN 30 2004

3 SECTIONS OF NC-177, 2 SECTIONS OF US-220 AND 13 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
375	TON	INCIDENTAL STONE BASE
30.66	SMI	SHOULDER RECONSTRUCTION
2,066	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (0" TO 1-1/2")
1,600	SY	INCIDENTAL MILLING
6,995	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
7,087	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
3,460	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
680	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
461	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
250	TON	PATCHING EXISTING PAVEMENT
18	EA	ADJUSTMENT OF MANHOLES
12	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
62,660	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
50,160	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
80	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
100	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
142	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
2	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
12	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (2.3MM)
396,110	LF	PAINT PAVEMENT MARKING LINES (4")
534	EA	PERMANENT RAISED PAVEMENT MARKERS
15	ACR	SEEDING & MULCHING

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 015

CONTRACT ID : C201023 8CR.10621.1

DIV OFFICE ABERDEEN

LENGTH = 9.330 MI

COUNTY : MONTGOMERY

SHOULDER RECONSTRUCTION, RESURFACING & PAVEMENT MARKINGS.

MBE GOAL 8.0% WBE 4.0% COMPLETION DATE : SEP 30 2004

3 SECTIONS OF US-220A, 2 SECTIONS OF NC-24/27 AND 2 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
70	TON	INCIDENTAL STONE BASE
18.66	SMI	SHOULDER RECONSTRUCTION
700	SY	INCIDENTAL MILLING
6,170	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
6,933	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
401	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
450	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
30	TON	PATCHING EXISTING PAVEMENT
2	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
101,500	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
84,650	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
3,750	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
44	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
930	EA	PERMANENT RAISED PAVEMENT MARKERS
11.97	ACR	SEEDING & MULCHING

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 016

CONTRACT ID : C201043 36857

DIV OFFICE WINSTON-SALEM

LENGTH = 32.786 MI

COUNTY : STOKES

MILLING, RESURFACING, SHOULDER RECONST & PAVEMENT MARKINGS.

MBE GOAL 5.0% WBE 3.0% COMPLETION DATE : SEP 30 2004

3 SECTIONS OF NC-311, 2 SECTIONS OF NC-8/89, 1 SECTION OF NC-704, NC-89 & NC-268 & 9 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	DESCRIPTION
	LS	MOBILIZATION
282	TON	INCIDENTAL STONE BASE
34.02	SMI	SHOULDER RECONSTRUCTION
700	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
866	SY	MILLING ASPHALT PAVEMENT, **** TO *****" DEPTH (0" TO 1-1/2")
550	SY	INCIDENTAL MILLING
4,009	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
11,446	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
19,542	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
21,834	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
1,934	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
1,420	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
51	TON	PATCHING EXISTING PAVEMENT
1	EA	ADJUSTMENT OF DROP INLETS
8	EA	ADJUSTMENT OF MANHOLES
18	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
313,316	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
323,949	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
642	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
260	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
200	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
12	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
28	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
57,002	LF	PAINT PAVEMENT MARKING LINES (4")

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 017

CONTRACT ID : C201044 36831

DIV OFFICE WINSTON-SALEM

LENGTH = 12.571 MI

COUNTY : DAVIE

MILLING, RESURFACING, SHOULDER RECONSTRUCTION & PAVEMENT MARKINGS.

MBE GOAL 5.0% WBE 3.0% COMPLETION DATE : SEP 30 2004

1 SECTION OF US-601, 2 SECTIONS OF NC-801 & 6 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	DESCRIPTION
	LS	MOBILIZATION
109	TON	INCIDENTAL STONE BASE
6.84	SMI	SHOULDER RECONSTRUCTION
350	SY	MILLING ASPHALT PAVEMENT, ***** TO ***** DEPTH (0" TO 1-1/2")
3,084	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
8,478	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
7,904	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
684	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
514	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
61	TON	PATCHING EXISTING PAVEMENT
6	EA	ADJUSTMENT OF MANHOLES
9	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
130,165	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
131,975	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
470	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
40	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
344	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
2	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
34	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 018

CONTRACT ID : C201041 10CR.10601.1

DIV OFFICE ALBEMARLE

LENGTH = 19.151 MI

COUNTY : MECKLENBURG

MILLING, RESURFACING, SHOUDLER RECONST & PAVEMENT MARKINGS..

MBE GOAL 8.0% WBE 4.0% COMPLETION DATE : OCT 15 2004

1 SECTION OF US-74, 1 SECTION OF NC-73, 1 SECTION OF NC-218, 1 SECTION OF NC-160 AND 10 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	DESCRIPTION
	LS	MOBILIZATION
584	TON	INCIDENTAL STONE BASE
31.96	MI	SHOULDER RECONSTRUCTION
6,431	LF	DITCHING
81,799	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
3,516	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
1,499	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
12,461	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,636	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B (LEVELING COURSE)
6,617	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
325	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C (LEVELING COURSE)
8,190	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
1,843	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A (LEVELING COURSE)
1,784	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
451	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
4,449	TON	PATCHING EXISTING PAVEMENT
640	SY	6" CONCRETE DRIVEWAY
13	EA	ADJUSTMENT OF MANHOLES
15	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
180,710	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
190,760	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
3,722	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
358	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
15	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
107	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
180,710	LF	PAINT PAVEMENT MARKING LINES (4")
2,819	EA	PERMANENT RAISED PAVEMENT MARKERS
23.5	ACR	SEEDING & MULCHING

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 019

CONTRACT ID : C201002 11CR.10141.5 DIV OFFICE NORTH WILKESBORO

LENGTH = 39.810 MI

COUNTY : CALDWELL, WILKES

MILLING, RESURFACING, SHLDR RECONST & PAVEMENT MARKINGS.

MBE GOAL 7.0% WBE 4.0% COMPLETION DATE : NOV 15 2004

1 SECTION OF US-321 SBL, 1 SECTION OF NC-268, 1 SECTION OF US-421 BUS & 24 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
2,256	TON	INCIDENTAL STONE BASE
77.88	SMI	SHOULDER RECONSTRUCTION
79,695	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
17,331	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5A
15,537	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
18,251	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
2,137	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
1,187	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
1,320	TON	PATCHING EXISTING PAVEMENT
169,178	SY	GENERIC PAVING ITEM ASPHALT SURFACE TREATMENT, MAT COAT, 78M STONE
18	EA	ADJUSTMENT OF CATCH BASINS
14	EA	ADJUSTMENT OF MANHOLES
9	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
419,342	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
230,044	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
3,712	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
702	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
44	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
191	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
30,000	LF	PAINT PAVEMENT MARKING LINES (4")
2,050	EA	SNOWPLOWABLE RAISED PAVEMENT MARKERS
Lump Sum	LS	PORTABLE LIGHTING
41.24	ACR	SEEDING & MULCHING
100	LF	TRENCHING (PAVED)
100	LF	TRENCHING (UNPAVED)
500	LF	INDUCTIVE LOOP SAWCUT

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L031209 020

CONTRACT ID : C200689 34488.3.4

DIV OFFICE SHELBY

LENGTH = 2.880 KM

COUNTY : CLEVELAND

WIDENING, GRADING, DRAINAGE, PAVING & STRUCTURE.

DBE GOAL 8.0% COMPLETION DATE : DEC 31 2005

NEW ROUTE FROM NORTH OF I-85 INTERCHANGE ON DIXON SCHOOL RD TO SOUTH OF SR-2256, SOUTHWEST OF KINGS MOUNTAIN.

ROADWAY ITEMS					
			9,445	MTN	ASPHALT CONC BASE COURSE, TYPE B25.0B
			6,310	MTN	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0B
			7,170	MTN	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
			1,170	MTN	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
			2	MTN	ASPHALT PLANT MIX PAVEMENT REPAIR
			830	M3	SUBDRAIN EXCAVATION
			415	M3	SUBDRAIN FINE AGGREGATE
			1,000	M	150MM PERFORATED SUBDRAIN PIPE
			100	EA	150MM SUBDRAIN PIPE WYES, TEES, & ELBOWS
			7	EA	CONCRETE PAD FOR SUBDRAIN PIPE OUTLET
			14	M	150MM OUTLET PIPE (SUBDRAINS)
			10	MTN	BLOTTING SAND
			11.5	M3	ENDWALLS
			4.5	M3	REINFORCED ENDWALLS
			1.4	M3	PIPE COLLARS
			0.1	M3	PIPE PLUGS
			14	EA	MASONRY DRAINAGE STRUCTURES
			14	EA	FRAME WITH TWO GRATES, STD 840.24
			17	M2	100MM CONCRETE PAVED DITCH
			10	EA	ADJUSTMENT OF MANHOLES
			20	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
			125.73	M	STEEL BM GUARDRAIL
			5	EA	ADDITIONAL GUARDRAIL POSTS
			2	EA	GUARDRAIL ANCHOR UNITS, TYPE CAT-1
			4	EA	GUARDRAIL ANCHOR UNITS, TYPE III
			2	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
			86	M	WOVEN WIRE FENCE, 1200MM FABRIC
			16	EA	100MM TIMBER FENCE POSTS, ****M LONG (2.435M)
			8	EA	125MM TIMBER FENCE POSTS, ****M LONG (2.435M)
			325	M	** STRAND BARBED WIRE FENCE WITH POSTS (4)
			960	M	** STRAND BARBED WIRE FENCE WITH POSTS (5)
			1	EA	SINGLE GATES, ****MM HIGH, ****MM WIDE, ****MM OPENING (1400MM, 4850MM, 4850MM)
			2	EA	GENERIC FENCING ITEM REMOVE & RESET GATE
			331	MTN	PLAIN RIP RAP, CLASS I
			759	MTN	PLAIN RIP RAP, CLASS B
			3,501	M2	FILTER FABRIC FOR DRAINAGE
			50	M2	WORK ZONE SIGNS (STATIONARY)
			19	M2	WORK ZONE SIGNS (PORTABLE)
			11	M2	WORK ZONE SIGNS (BARRICADE MOUNTED)
			6	EA	WARNING FLAG SETS
			300	EA	DRUMS
			50	EA	CONES
			111	M	BARRICADES (TYPE III)
			300	MD	FLAGGER
			77	EA	TEMPORARY RAISED PAVEMENT MARKERS
			8,830	M	THERMOPLASTIC PAVEMENT MARKING LINES (100MM, 2.3MM)
			2,213	M	THERMOPLASTIC PAVEMENT MARKING LINES (100MM, 3.1MM)
			40	M	THERMOPLASTIC PAVEMENT MARKING LINES (200MM, 2.3MM)
			120	M	THERMOPLASTIC PAVEMENT MARKING LINES (600MM, 3.1MM)
Lump Sum	LS	MOBILIZATION			
Lump Sum	LS	CLEARING & GRUBBING ... HEC-TARE(S)			
0.8	HA	SUPPLEMENTARY CLEARING & GRUBBING			
4	EA	SEALING ABANDONED WELLS			
54,600	M3	UNCLASSIFIED EXCAVATION			
Lump Sum	LS	REINFORCED BRIDGE APPROACH FILL, STATION ***** (19+35.254)			
6,300	M3	UNDERCUT EXCAVATION			
343,900	M3	BORROW EXCAVATION			
3,525	M3	DRAINAGE DITCH EXCAVATION			
190	M	BERM DITCH CONSTRUCTION			
4,375	M2	REMOVAL OF EXISTING ASPHALT PAVEMENT			
2,950	M2	BREAKING OF EXISTING ASPHALT PAVEMENT			
9	HR	PROOF ROLLING			
2,000	M3	SELECT GRANULAR MATERIAL			
2,000	M2	FABRIC FOR SOIL STABILIZATION			
250	M2	GENERIC GRADING ITEM SLOPE REPAIR			
3,655	MTN	SELECT MATERIAL, CLASS II			
460	MTN	FOUNDATION CONDITIONING MATERIAL, MINOR STRS			
120	M	375MM SIDE DRAIN PIPE			
31.2	M	450MM SIDE DRAIN PIPE			
52.8	M	600MM SIDE DRAIN PIPE			
355.2	M	375MM RC PIPE CULVERTS, CLASS III			
247.2	M	450MM RC PIPE CULVERTS, CLASS III			
222	M	600MM RC PIPE CULVERTS, CLASS III			
42	M	750MM RC PIPE CULVERTS, CLASS III			
30	M	900MM RC PIPE CULVERTS, CLASS III			
70.8	M	1050MM RC PIPE CULVERTS, CLASS III			
84	M	****MM RC PIPE CULVERTS, CLASS IV (1500MM)			
51.6	M	****MM RC PIPE CULVERTS, CLASS IV (450MM)			
156	M	****MM RC PIPE CULVERTS, CLASS IV (600MM)			
48	M	****MM RC PIPE CULVERTS, CLASS IV (750MM)			
63.6	M	****MM RC PIPE CULVERTS, CLASS IV (900MM)			
8.4	M	400MM BIT COAT CS PIPE CULVERTS, TYPE B 1.63MM THICK			
86.4	M	600MM BIT COAT CS PIPE CULVERTS, TYPE B 1.63MM THICK			
4	EA	400MM BIT COAT CS PIPE ELBOWS, TYPE B 1.63MM THICK			
2	EA	600MM BIT COAT CS PIPE ELBOWS, TYPE B 1.63MM THICK			
230	M	PIPE REMOVAL			
Lump Sum	LS	FINE GRADING			
14,100	M2	LIME TREATED SOIL (SLURRY METHOD)			
155	MTN	LIME FOR LIME TREATED SOIL			
2,000	MTN	STABILIZER AGGREGATE			
32,900	M2	****MM SOIL CEMENT BASE (180MM)			
990	MTN	PORTLAND CEMENT FOR SOIL CEMENT BASE			
444	MTN	AGGREGATE FOR SOIL CEMENT BASE			
31,975	L	ASPHALT CURING SEAL			
100	MTN	INCIDENTAL STONE BASE			

STRUCTURE ITEMS

76	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (2.3MM)	68	M	****MM DIA DRILLED PIERS IN SOIL (1066MM)
16,400	M	PAINT PAVEMENT MARKING LINES (100MM)	10	M	****MM DIA DRILLED PIERS NOT IN SOIL (1066MM)
10	M	PAINT PAVEMENT MARKING LINES (600MM)	6	EA	SPT TESTING
300	M	REMOVAL OF PAVEMENT MARKING LINES (100MM)	2	EA	CROSSHOLE SONIC LOGGING
298	EA	SNOWPLOWABLE RAISED PAVEMENT MARKERS	372	M	CSL TUBES
97	MTN	FOUNDATION CONDITIONING MATERIAL, UTILITIES CLASS ***** (VI)	723.4	M2	REINFORCED CONCRETE DECK SLAB
97	MTN	BEDDING MATERIAL, UTILITIES CLASS ***** (IV)	673.6	M2	GROOVING BRIDGE FLOORS
40	MTN	PAVEMENT REPAIR FOR UTILITY WORK	113.7	M3	CLASS A CONCRETE (BRIDGE)
3	M	***MM PVC WATER PIPE, (C-900), DR ****, ****MPA WP (150MM, 18, 1.03MPA WP)	Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ***** (19+32.942 -L1-)
445	M	***MM PVC WATER PIPE, (C-900), DR ****, ****MPA WP (200MM, 18, 1.03MPA WP)	25,194	KG	REINFORCING STEEL (BRIDGE)
96	M	***MM PVC WATER PIPE, (C-900), DR ****, ****MPA WP (75MM, 18, 1.03MPA WP)	3,907	KG	SPIRAL COLUMN REINFORCING STEEL (BRIDGE)
844	KG	DUCTILE IRON WATER PIPE FITTINGS, 1.72MPA MIN WP	302.64	M	1372MM PRESTRESSED CONCRETE GIRDERS
1	EA	***MM GATE VALVE & VALVE BOX, ****MPA WP (75MM, 1.03MPA WP)	184	M	HP310X79 STEEL PILES
1	EA	150MM GATE VALVE & VALVE BOX, 1.38MPA WP	102.316	M	CONCRETE BARRIER RAIL
2	EA	200MM GATE VALVE & VALVE BOX, ****MPA WP (1.38MPA WP)	875	M2	100MM SLOPE PROTECTION
1	EA	RELOCATE EXISTING FIRE HYDRANT	Lump Sum	LS	ELASTOMERIC BEARINGS
72	M	GENERIC UTILITY ITEM INSTALL 400MM WATER LINE (MATERIAL FURNISHED BY OTHERS)	Lump Sum	LS	EVAZOTE JOINT SEALS
1,075	M	TEMPORARY SILT FENCE			
555	MTN	STONE FOR EROSION CONTROL, CLASS A			
4,735	MTN	STONE FOR EROSION CONTROL, CLASS B			
1,375	MTN	SEDIMENT CONTROL STONE			
17.5	HA	TEMPORARY MULCHING			
1,100	KG	SEED FOR TEMPORARY SEEDING			
9	MTN	FERTILIZER FOR TEMPORARY SEEDING			
815	M	TEMPORARY SLOPE DRAINS			
44	EA	INLET PROTECTION AT TEMPORARY SLOPE DRAINS			
14,500	M3	SILT EXCAVATION			
2,805	M2	SYNTHETIC ROVING			
1,405	M2	MATTING FOR EROSION CONTROL			
84	M	6.4MM HARDWARE CLOTH			
26	HA	SEEDING & MULCHING			
9.5	HA	MOWING			
200	KG	SEED FOR REPAIR SEEDING			
0.75	MTN	FERTILIZER FOR REPAIR SEEDING			
750	KG	SEED FOR SUPPLEMENTAL SEEDING			
43.75	MTN	FERTILIZER TOPDRESSING			
1.5	HR	SPECIALIZED HAND MOWING			
16	EA	RESPONSE FOR EROSION CONTROL			
3	HA	REFORESTATION			
460	M	SIGNAL CABLE			
16	EA	VEHICLE SIGNAL HEAD (300MM, 3 SECTION)			
300	M	MESSENGER CABLE (9.52MM)			
590	M	TRENCHING (UNPAVED)			
13	EA	JUNCTION BOX (STANDARD SIZE)			
854	M	INDUCTIVE LOOP SAWCUT			
1,770	M	LEAD-IN CABLE			
8	EA	METAL STRAIN SIGNAL POLE			
8	EA	METAL SIGNAL POLE FOUNDATION			
2	EA	SIGN FOR SIGNALS			
2	EA	SIGNAL CABINET FOUNDATION			
2	EA	CABINET BASE ADAPTER			
2	EA	CONTROLLER WITH CABINET (TYPE 2070L, BASE MOUNTED)			
18	EA	DETECTOR CHANNEL (TYPE 2070L)			

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 021

CONTRACT ID : C201001 37324

DIV OFFICE SHELBY

LENGTH = 2.900 MI

COUNTY : CLEVELAND

MILLING, RESURFACING & SHLDR RECONST & PAVEMENT MARKINGS.

MBE GOAL 5.0% WBE 3.0% COMPLETION DATE : NOV 15 2004

US-74 FROM US-74 BUS EAST OF SHELBY TO WEST OF SR-2244.

ROADWAY ITEMS

Lump Sum	LS	DESCRIPTION
	LS	MOBILIZATION
50	TON	INCIDENTAL STONE BASE
11.61	SMI	SHOULDER RECONSTRUCTION
2,940	SY	INCIDENTAL MILLING
7,125	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
13,410	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
670	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C (LEVELING COURSE)
306	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
915	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
1,345	TON	PATCHING EXISTING PAVEMENT
14	EA	FRAME WITH TWO GRATES, STD 840.24
14	EA	CONVERT EXISTING CATCH BASIN TO DROP INLET
2,912.5	LF	STEEL BM GUARDRAIL
100	LF	STEEL BM GUARDRAIL, SHOP CURVED
10	EA	ADDITIONAL GUARDRAIL POSTS
4	EA	GUARDRAIL ANCHOR UNITS, TYPE CAT-1
2	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
61,290	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
7,662	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
120	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
78	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
30,000	LF	PAINT PAVEMENT MARKING LINES (4")

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 022

CONTRACT ID : C201052 35175.1.3

DIV OFFICE SHELBY

LENGTH = 3.980 MI

COUNTY : GASTON

GRADING, DRAINAGE, RESURFACING, GUARDRAIL & PVMT MARKINGS.

MBE GOAL 5.0% WBE 3.0% COMPLETION DATE : OCT 01 2004

US-74 FROM SR-1303 TO S BOLDING STREET.

ROADWAY ITEMS

			1.25	ACR	TEMPORARY MULCHING
			125	LB	SEED FOR TEMPORARY SEEDING
			0.75	TON	FERTILIZER FOR TEMPORARY SEEDING
			20	CY	SILT EXCAVATION
			200	LF	1/4" HARDWARE CLOTH
			5	ACR	SEEDING & MULCHING
			2	ACR	MOWING
			125	LB	SEED FOR REPAIR SEEDING
			0.75	TON	FERTILIZER FOR REPAIR SEEDING
			125	LB	SEED FOR SUPPLEMENTAL SEEDING
			1.25	TON	FERTILIZER TOPDRESSING
			5	EA	RESPONSE FOR EROSION CONTROL
Lump Sum	LS	MOBILIZATION			
Lump Sum	LS	CONSTRUCTION SURVEYING			
Lump Sum	LS	GRADING			
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING			
25	CY	DRAINAGE DITCH EXCAVATION			
65	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRS			
324	LF	15" RC PIPE CULVERTS, CLASS III			
288	LF	18" RC PIPE CULVERTS, CLASS III			
9	EA	*** PIPE END SECTION (15")			
2	EA	*** PIPE END SECTION (18")			
68	LF	PIPE REMOVAL			
40	EA	PIPE CLEAN-OUT			
60	TON	INCIDENTAL STONE BASE			
15.93	SMI	SHOULDER RECONSTRUCTION			
13,100	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B			
1,660	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B			
18,650	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C			
950	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C (LEVELING COURSE)			
642	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22			
1,212	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22			
1,865	TON	PATCHING EXISTING PAVEMENT			
0.09	CY	PIPE PLUGS			
11	EA	MASONRY DRAINAGE STRUCTURES			
15	EA	FRAME WITH TWO GRATES, STD 840.24			
8	EA	CONCRETE APRON FOR DROP INLETS			
135	SY	5" MONOLITHIC CONCRETE ISLANDS (SURFACE MOUNTED)			
3	EA	ADJUSTMENT OF DROP INLETS			
3	EA	ADJUSTMENT OF MANHOLES			
1	EA	CONVERT EXISTING CATCH BASIN TO JUNCTION BOX			
7	EA	CONVERT EXISTING CATCH BASIN TO DROP INLET			
9,243.75	LF	STEEL BM GUARDRAIL			
62.5	LF	STEEL BM GUARDRAIL, SHOP CURVED			
10	EA	ADDITIONAL GUARDRAIL POSTS			
21	EA	GUARDRAIL ANCHOR UNITS, TYPE CAT-1			
19	EA	GUARDRAIL ANCHOR UNITS, TYPE 350			
50	SY	FILTER FABRIC FOR DRAINAGE			
1	EA	FLASHING ARROW PANELS, TYPE C			
1	EA	CHANGEABLE MESSAGE SIGNS			
1	EA	TRUCK MOUNTED IMPACT ATTENUATOR (60 MPH)			
84,200	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)			
12,600	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)			
1,530	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)			
500	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)			
111	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)			
84,000	LF	PAINT PAVEMENT MARKING LINES (4")			
850	EA	SNOWFLOWABLE RAISED PAVEMENT MARKERS			
1,000	LF	TEMPORARY SILT FENCE			
150	TON	STONE FOR EROSION CONTROL, CLASS B			
150	TON	SEDIMENT CONTROL STONE			

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 023

CONTRACT ID : C201033 36794

DIV OFFICE ASHEVILLE

LENGTH = 10.570 MI

COUNTY : YANCEY

SHLDR RECONST, RESURFACING, GUARDRAIL & PVMT MARKINGS.

MBE GOAL 5.0% WBE 3.0% COMPLETION DATE : OCT 01 2004

NC-197 FROM US-19E TO THE MITCHELL COUNTY LINE.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
529	TON	INCIDENTAL STONE BASE
21.14	SMI	SHOULDER RECONSTRUCTION
8,295	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
14,455	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,296	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
100	TON	PATCHING EXISTING PAVEMENT
15,000	LF	STEEL BM GUARDRAIL
10	EA	ADDITIONAL GUARDRAIL POSTS
96	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
113,733	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
113,733	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
50	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
4	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
1,000	LF	TEMPORARY SILT FENCE
100	TON	SEDIMENT CONTROL STONE
500	SY	MATTING FOR EROSION CONTROL

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 024

CONTRACT ID : C201035 13CR.10571.1 DIV OFFICE ASHEVILLE

LENGTH = 14.980 MI

COUNTY : MADISON

SHLDR RECONSTRUCTION, RESURFACING & PAVEMENT MARKINGS.

MBE GOAL 7.0% WBE 4.0% COMPLETION DATE : OCT 01 2004

1 SECTION OF US-25/70 AND 6 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
750	TON	INCIDENTAL STONE BASE
29.96	SMI	SHOULDER RECONSTRUCTION
706	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
12,550	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5A
3,227	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,057	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
238	TON	PATCHING EXISTING PAVEMENT
45	EA	ADJUSTMENT OF MANHOLES
103,277	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
103,277	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
219,648	LF	PAINT PAVEMENT MARKING LINES (4")

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 025

CONTRACT ID : C201036 13CR.10811.1

DIV OFFICE ASHEVILLE

LENGTH = 22.010 MI

COUNTY : RUTHERFORD

MILLING, SHLDR RECONST, RESURFACING & PAVEMENT MARKINGS.

MBE GOAL 7.0% WBE 4.0% COMPLETION DATE : OCT 01 2004

2 SECTIONS OF NC-226, 1 SECTION OF US-221A AND 6 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
1,029	TON	INCIDENTAL STONE BASE
41.12	SMI	SHOULDER RECONSTRUCTION
28,923	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
16,420	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5A
8,509	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,620	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
340	TON	PATCHING EXISTING PAVEMENT
1	EA	ADJUSTMENT OF MANHOLES
1	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
100,320	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
100,320	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
528,422	LF	PAINT PAVEMENT MARKING LINES (4")

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 026

CONTRACT ID : C201037 13CR.10591.2

DIV OFFICE ASHEVILLE

LENGTH = 14.090 MI

COUNTY : MCDOWELL

SHLDR RECONST, RESURFACING & PAVEMENT MARKINGS.

MBE GOAL 7.0% WBE 4.0% COMPLETION DATE : OCT 01 2004

1 SECTION OF US-221, 1 SECTION OF NC-80 AND 7 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
698	TON	INCIDENTAL STONE BASE
27.86	SMI	SHOULDER RECONSTRUCTION
2,408	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B
14,154	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5A
1,575	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,135	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
281	TON	PATCHING EXISTING PAVEMENT
4	EA	WHEELCHAIR RAMPS
1	EA	ADJUSTMENT OF MANHOLES
2	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
17,530	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
17,530	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
525,044	LF	PAINT PAVEMENT MARKING LINES (4")

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L031209 028

CONTRACT ID : C201003 36750

DIV OFFICE SYLVA

LENGTH = 6.430 MI

COUNTY : TRANSYLVANIA

DRAINAGE, RESURFACING, GUARDRAIL & PVMT MARKINGS.

MBE GOAL 5.0% WBE 3.0% COMPLETION DATE : AUG 30 2004

US-64 FROM NC-280 TO THE HENDERSON COUNTY LINE.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	GRADING
500	CY	UNDERCUT EXCAVATION
500	LF	18" SIDE DRAIN PIPE
138	LF	18" BIT COAT CS PIPE CULVERTS, TYPE B 0.064" THICK
15	LF	30" BIT COAT CS PIPE CULVERTS, TYPE B 0.079" THICK
35	LF	54" BIT COAT CS PIPE CULVERTS, TYPE B 0.109" THICK
10	LF	66" BIT COAT CS PIPE CULVERTS, TYPE B 0.138" THICK
230	LF	PIPE REMOVAL
100	TON	INCIDENTAL STONE BASE
8,000	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
5,750	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B
11,198	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,342	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
2	CY	ENDWALLS
22.3	CY	REINFORCED ENDWALLS
8.29	CY	PIPE COLLARS
4	EA	MASONRY DRAINAGE STRUCTURES
1	EA	FRAME WITH TWO GRATES, STD 840.24
110	LF	***X *** CONCRETE CURB (8" X 18")
30	SY	6" CONCRETE DRIVEWAY
1	EA	ADJUSTMENT OF MANHOLES
5	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
1,687.5	LF	STEEL BM GUARDRAIL
5	EA	ADDITIONAL GUARDRAIL POSTS
12	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
300	TON	PLAIN RIP RAP, CLASS B
900	SY	FILTER FABRIC FOR DRAINAGE
68,400	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
69,700	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
300	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
200	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
24	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
1,000	LF	PAINT PAVEMENT MARKING LINES (4")
1,000	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
1,500	LF	TEMPORARY SILT FENCE
50	TON	STONE FOR EROSION CONTROL, CLASS B
50	TON	SEDIMENT CONTROL STONE
50	CY	SILT EXCAVATION
50	LF	1/4" HARDWARE CLOTH
8	ACR	SEEDING & MULCHING
50	LB	SEED FOR REPAIR SEEDING
1	TON	FERTILIZER FOR REPAIR SEEDING

INVITATION TO BID FOR DECEMBER 9, 2003 HIGHWAY LETTING

FIRST CLASS MAIL

**N.C. DEPARTMENT OF TRANSPORTATION
1591 MAIL SERVICE CENTER
RALEIGH, N.C. 27699-1591**