




STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

MICHAEL F. EASLEY
GOVERNOR

LYNDO TIPPETT
SECRETARY

August 22, 2006

NOTICE TO: All Invitation to Bid Recipients
FROM: R. A. Garris, P.E. 
Contract Officer
SUBJECT: Release of Bid Tabulation Prior to Project Award

At the request of the Associated General Contractors (AGC) the Department will no longer post on the internet or make printed distribution of bid tabulations until after a project is awarded.

The AGC's request is a result of their concern about release of unit prices on projects in which bids are rejected and the disadvantage that could be created when the project is re-advertised.

Therefore, beginning with the August 15, 2006 Highway letting bid tabulations will not be posted on the internet or an external distribution made until after the project has been awarded. Projects that are rejected will not be part of the information posted or distributed.

If you have any questions, I can be reached at (919) 250-4124.




STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

MICHAEL F. EASLEY
GOVERNOR

LYNDO TIPPETT
SECRETARY

January 24, 2006

MEMORANDUM TO: Prospective Bidders

FROM: R.A. Garris, P.E. 
Contract Officer

SUBJECT: Erosion and Sediment Control/ Stormwater
Certification Training

As you are aware, the Department has implemented the first phase of Erosion and Sediment Control/ Stormwater Certification for DOT, CEI, and Contractor's personnel. The purpose of this memo is to outline the goals for the Department and identify Contractor and CEI personnel impacted. North Carolina State University's Department of Biological and Agricultural Engineering will administer the certification program. The certification includes classroom instruction and satisfactory completion of an examination. Candidates may waive the classroom instruction and attend the examination only.

Three (3) levels of certification are planned:

- Level I will target Installers/Inspectors involved with the installation and inspection of temporary and permanent erosion and sediment control/stormwater bid items. Candidates are: contractor's/subcontractor's installer on an Erosion Control/Stormwater BMP Installation Crew, Pipe Installation Crew within jurisdictional areas, or Seeding and Mulching Crew; and CEI TT's inspecting erosion control/stormwater bid items. One Level I installer for each crew will be required on all projects that have erosion control plans beginning in 2007. Level I certification training classes will be held in March and April 2006 at the Sediment and Erosion Control Research and Education Facility in Raleigh. **Early registration encouraged.**
- Level II will target CEI TT's serving as the chief or lead inspector on a project. Also, Level II will target contractor's/subcontractor's site manager for: grading operations; bridge/culvert operations over rivers/streams; and utility operations involving earth disturbance. One Level II site manager for each crew was required on all projects that have erosion control plans beginning with the January 17, 2006 letting. Although Level II has already been implemented, certification training will continue to be offered in early 2006 and then afterwards on an as needed basis. **Early registration encouraged.**

Prospective Bidders
January 24, 2006
Page 2

- Level III will target contractor's, CEI's, and PEF's who prepare or oversee the preparation of erosion and sediment control and stormwater pollution prevention plans and reclamation plans. The implementation date for Level III has not yet been determined.

To obtain detailed information regarding the certification program, review locations for Level I and II classes or registration, or view the project special provision included in contracts, please visit the certification website at:
www.bae.ncsu.edu/workshops/dot/index.html

Those wishing to sponsor a certification training class and examination with 50 or more candidates can contact NCSU at the above website.

Questions not addressed on the website may be directed to Ted Sherrod of the Roadside Environmental Unit at tsherrod@dot.state.nc.us or by phone at (919) 733-2920.

RAG/TMS

cc: Steve DeWitt, P.E., Director of Construction
Ellis Powell, P.E., State Construction Engineer
Don Lee, CPESC, State Roadside Environmental Engineer

**STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
INVITATION TO BID**

ELECTRONIC BIDS FOR THE CONSTRUCTION OF THE FOLLOWING PROJECTS WILL BE PUBLICLY READ IN ROOM 156-A/B, THE PROJECT SERVICES LARGE CONFERENCE ROOM, LOCATED IN BUILDING B AT 1020 BIRCH RIDGE DRIVE, RALEIGH, N.C. AT **2:00 PM ON DECEMBER 19, 2006**. NO ELECTRONIC BIDS WILL BE RECEIVED AFTER 2:00 PM.

BIDS SHALL BE SUBMITTED IN ACCORDANCE WITH THE SPECIAL PROVISION TITLED "ON-LINE ELECTRONIC BIDDING" CONTAINED IN EACH PROPOSAL FORM.

1. THE BIDDER SHALL PURCHASE A PROPOSAL FOR EACH PROJECT FOR WHICH HE INTENDS TO SUBMIT A BID IN RESPONSE TO THIS INVITATION TO BID.

2. A BID BOND OR BID DEPOSIT IN THE AMOUNT OF 5% OF THE TOTAL AMOUNT BID WILL BE REQUIRED. THE BIDDER SHALL SUBMIT AN ELECTRONIC BID BOND WITH EACH ELECTRONIC BID SUBMITTAL UNLESS HE ELECTS TO FURNISH A BID DEPOSIT.

3. UPON RECEIPT OF AWARD LETTER, THE SUCCESSFUL BIDDER SHALL FURNISH A PROPERLY EXECUTED EXECUTION OF CONTRACT, NON-COLLUSION AFFIDAVIT AND DEBARMENT CERTIFICATION, AND EXECUTED PAYMENT AND PERFORMANCE BONDS FOR EACH CONTRACT. AFFIDAVIT FORMS AND BOND FORMS ARE AVAILABLE AS PART OF THE CONTRACT EXECUTION FORMS AT THE FOLLOWING WEBSITE
<http://www.ncdot.org/doh/construction/ps/contracts/letting.html>.

ALL QUESTIONS RELATED TO PROJECTS DURING THE ADVERTISEMENT PERIOD SHALL BE ADDRESSED TO THE STATE CONTRACT OFFICER AT 919-250-4124.

THE MINIMUM WAGE FOR LABOR WILL BE SHOWN IN THE PROPOSAL FORM FOR FEDERAL AID PROJECTS.

CONTRACTOR'S LICENSE: A GENERAL CONTRACTOR'S LICENSE IS REQUIRED IN ORDER TO SUBMIT A BID ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$30,000.00 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD. FOR ADDITIONAL INFORMATION OR TO MAKE APPLICATION FOR A LICENSE, APPLY TO THE EXECUTIVE SECRETARY OF THE CONTRACTOR LICENSING BOARD, P.O. BOX 17187, RALEIGH, NC 27619, (919-571-4183).

PREQUALIFYING TO BID: ALL PROSPECTIVE BIDDERS SHALL BE PREQUALIFIED WITH THE DEPARTMENT OF TRANSPORTATION PRIOR TO SUBMITTING A BID. CONTRACTORS WHO ARE NOT PREQUALIFIED MAY OBTAIN INFORMATION AND FORMS FOR PREQUALIFYING FROM THE CONTRACTUAL SERVICES UNIT, DIVISION OF HIGHWAYS, DEPARTMENT OF TRANSPORTATION, 1509 MAIL SERVICE CENTER, RALEIGH, N. C., 27699-1509. ALL REQUIRED PREQUALIFICATION STATEMENTS AND DOCUMENTS SHALL BE FILED WITH THE CONTRACTUAL SERVICES UNIT AT LEAST FOUR WEEKS PRIOR TO THE DATE OF OPENING BIDS.

THE DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS INVITATION TO BID, MINORITY BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, OR NATIONAL ORIGIN IN COMPENSATION TO THIS AWARD.

PROPOSAL FORMS AT **\$25.00** EACH, PLANS (SMALL SIZE) AT **\$40.00** PER SET, PLANS (LARGE SIZE) AT **\$100.00** PER SET, AND CROSS-SECTIONS AT **\$40.00** PER SET, PLUS SALES TAX FOR N.C. RESIDENTS, MAY BE OBTAINED BY TELEPHONING (919-250-4124), FAXING (919-250-4127), OR WRITING TO: PLANS AND PROPOSALS, PROJECT SERVICES UNIT, DEPARTMENT OF TRANSPORTATION, 1591 MAIL SERVICE CENTER, RALEIGH, N.C., 27699-1591. THESE CHARGES ARE NOT DEPOSITS AND WILL NOT BE REFUNDED. ALL ORDERS FOR PROPOSAL FORMS, PLANS AND CROSS-SECTIONS DELIVERED IN NORTH CAROLINA ARE SUBJECT TO 7% SALES TAX. ORDERS MAILED TO OUT OF STATE CONTRACTORS ARE NOT SUBJECT TO SALES TAX. MAKE ALL CHECKS PAYABLE TO THE "**N.C. DEPARTMENT OF TRANSPORTATION**".

THE RIGHT IS RESERVED TO REJECT ANY OR ALL BIDS.

**TODAY'S DATE IS NOVEMBER 21, 2006.
BY ORDER OF THE DEPARTMENT OF TRANSPORTATION
(THE WORK WILL CONSIST APPROXIMATELY AS SHOWN ON THE FOLLOWING SHEETS)**

(Revised on 21Mar2006)

REVIEW OF PLANS AND PROPOSALS IN DIVISION OFFICE

IN ORDER TO FACILITATE AND ENCOURAGE THE INVOLVEMENT OF MINORITY BUSINESS ENTERPRISES IN THE HIGHWAY CONSTRUCTION PROCESS, IT IS THE POLICY OF THE DEPARTMENT OF TRANSPORTATION, DIVISION OF HIGHWAYS, THAT A SET OF PLANS AND PROPOSAL FOR EACH PROJECT TO BE LET WILL BE MAINTAINED FOR REVIEW BY ANY CONTRACTOR INTERESTED IN BIDDING UPON OR QUOTING WORK IN AN ADVERTISED PROJECT.

THE PROPOSALS AND PLANS WILL BE AVAILABLE FOR REVIEW BEGINNING TWO WEEKS PRIOR TO THE DATE OF BID OPENING IN THE DIVISION OFFICE WHICH WILL ADMINISTER THE CONTRACT. THE DEPARTMENT WILL, UPON REQUEST, MAKE AVAILABLE FROM ITS STAFF A PERSON TO EXPLAIN THE PROPOSED PROJECT AND TO ANSWER GENERAL QUESTIONS RELATING TO THE PROJECT. THE PLANS AND PROPOSALS CAN BE REVIEWED ANY TIME MONDAY THRU FRIDAY, EXCLUDING HOLIDAYS, BETWEEN THE HOURS OF 8:00 A.M. AND 4:30 P.M. IN THE DIVISION OFFICE. IN ORDER TO HAVE A MEMBER OF THE STAFF EXPLAIN THE PROJECT AND/OR ANSWER GENERAL QUESTIONS PERTAINING TO THE PROJECT, PRIOR APPOINTMENTS MUST BE MADE BY CALLING THE APPROPRIATE DIVISION OFFICE.

FOLLOWING ARE THE LOCATIONS AND TELEPHONE NUMBERS OF THE OFFICES IN WHICH THE PLANS AND PROPOSALS WILL BE MADE AVAILABLE, REFERENCE SHOULD BE MADE TO THE SHEETS CONTAINING THE INDIVIDUAL PROJECT QUANTITIES TO DETERMINE WHICH DIVISION OFFICE WILL ADMINISTER THE CONTRACT.

<u>DIV NO.</u>	<u>DIVISION ENGINEER</u>	<u>LOCATION</u>	<u>TOWN</u>	<u>TELEPHONE</u>
00001	Anthony W Roper, PE	113 AIRPORT DRIVE, SUITE 100	EDENTON	(252) 482-7977
00002	C. E. Lassiter, Jr., PE	PO BOX 1587	GREENVILLE	(252) 830-3490
00003	H. Allen Pope, PE	124 DIVISION DRIVE	WILMINGTON	(910) 251-5724
00004	Richard E Greene, Jr., PE	PO BOX 3165	WILSON	(252) 237-6164
00005	Jonathan G Nance, PE	2612 NORTH DUKE STREET	DURHAM	(919) 560-6851
00006	Terry R Gibson, PE	PO BOX 1150	FAYETTEVILLE	(910) 486-1493
00007	James M Mills, PE	PO BOX 14996	GREENSBORO	(336) 334-3192
00008	Tim Johnson, PE	PO BOX 1067	ABERDEEN	(910) 944-2344
00009	S. Pat Ivey, PE	375 SILAS CREEK PARKWAY	WINSTON-SALEM	(336) 703-6500
00010	Barry S Moose	716 WEST MAIN STREET	ALBEMARLE	(704) 982-0101
00011	Michael A Pettyjohn, PE	PO BOX 250	NORTH WILKESBORO	(336) 667-9111
00012	Michael L Holder, PE	PO BOX 47	SHELBY	(704) 480-5400
00013	Jay J Swain, PE	PO BOX 3279	ASHEVILLE	(828) 251-6171
00014	Joel B Setzer, PE	253 WEBSTER ROAD	SYLVA	(828) 586-2141

===== SUMMARY OF PROPOSALS =====

Bid Letting Number L061219

RPN	Contract Id	WBS	County	Length	JobType
001	C201700	34961.3.3	PITT	2.646 MI	WIDENING, GRADING, DRAINAGE, PAVING, SIGNALS, & CULVERT.
002	C201686	3CR.10651.34 ETC	NEW HANOVER, PENDER	19.030 MI	MILLING, RESURFACING & SHOULDER RECONSTRUCTION.
*003	C200840	34512.3.1 ETC.	DURHAM, WAKE	6.363 MI	WIDENING, GRADING, DRAINAGE, PAVING, SIGNALS & CULVERTS.
004	C201668	37651 ETC.	PERSON	5.050 MI	RESURFACING, AND SHOULDER RECONSTRUCTION.
005	C201678	5CR.10731.5 ETC.	PERSON	17.950 MI	MILLING, RESURFACING & SHOULDER RECONSTRUCTION.
006	C201674	37654 ETC.	VANCE, FRANKLIN	24.650 MI	MILLING, SHLDR RECONSTRUCTION & RESURFACING.
007	C201675	37671 ETC.	FRANKLIN	29.030 MI	MILLING, RESURFACING & SHOULDER RECONSTRUCTION.
008	C201676	5CR.10931.5 ETC.	WARREN	13.580 MI	RESURFACING & SHOULDER RECONSTRUCTION.
009	C201698	37654 ETC.	VANCE, FRANKLIN, WARREN	67.260 MI	MILLING, SHOULDER RECONSTRUCTION, AND RESURFACING.
010	C201672	30619 ETC.	WAKE	5.240 MI	GRADING, DRAINAGE, PAVING, RESURFAC & SHLDR RECONSTRUCTION.
011	C201677	5CR.20921.10	WAKE	46.260 MI	MILLING, RESURFACING, & SHOULDER RECONSTRUCTION.
012	C201688	37135 ETC.	CUMBERLAND, HARNETT	93.950 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
013	C201689	41095 ETC.	COLUMBUS, BLADEN	44.140 MI	MILLING, SHOULDER RECONSTRUCTION, AND RESURFACING.
014	C201545	34881.3.3	ALAMANCE	1.090 KM	GRADING, DRAINAGE, PAVING AND SIGNALS.
015	C201367	38726.3.1	ALAMANCE	2.730 MI	MILLING, RESURFACING & SIGNALS.
016	C201665	7CR.10011.7 ETC.	ALAMANCE	29.320 MI	MILLING, SHOULDER RECONSTRUCTION, & RESURFACING.
017	C201690	7CR.10681.5 ETC.	ORANGE	22.140 MI	MILLING, RESURFACING, & SHOULDER RECONSTRUCTION.
018	C201651	7CR.20411.14	GUILFORD	18.727 MI	MILLING, SHOULDER RECONSTRUCTION, RESURFACING & PVMT MRKGS.
019	C201696	9CR.10291.5 ETC.	DAVIDSON	20.345 MI	MILLING, RESURFACING & SHOULDER RECONSTRUCTION.
020	C201692	9CR.10301.5 ETC.	DAVIE	14.274 MI	MILLING & RESURFACING.
021	C201691	9CR.10341.5 ETC.	FORSYTH	24.899 MI	MILLING, RESURFACING & SHOULDER RECONSTRUCTION.
022	C201693	9CR.10801.5 ETC.	ROWAN	26.257 MI	MILLING & RESURFACING.
023	C201694	9CR.10851.5 ETC.	STOKES, FORSYTH	19.433 MI	MILLING, RESURFACING & SHOULDER RECONSTRUCTION.
024	C201695	9CR.20291.1	DAVIDSON	12.618 MI	MILLING & RESURFACING OR HOT IN PLACE.
025	C201582	33037.3.2	AVERY	0.046 MI	GRADING, DRAINAGE, PAVING, & STRUCTURE.
026	C201659	13CR.10591.5 ETC	MCDOWELL	19.410 MI	MILLING, RESURFACING, & ULTRA THIN HOT MIX ASPHALT.
027	C201670	14C.075059 ETC.	HENDERSON, POLK	34.660 MI	MILLING & RESURFACING.
028	C201673	14CR.10441.3 ETC	HAYWOOD	8.380 MI	MILLING, RESURFACING AND SHOULDER RECONSTRUCTION.
029	C201669	14CR.10561.5	MACON	10.450 MI	MILLING, RESURFACING & SHOULDER RECONSTRUCTION.
030	C201687	40970	JACKSON	1.860 MI	MILLING & RESURFACING.

***NOTE: FOR RPN 003 (34512.3.1 ETC; DURHAM, WAKE) THE PRICING IS AS FOLLOWS:**

PLANS (SMALL SIZE)	\$60.00 PER SET
PLANS (LARGE SIZE)	\$200.00 PER SET
CROSS-SECTIONS	\$60.00

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L061219 001

CONTRACT ID : C201700 34961.3.3

DIV OFFICE GREENVILLE

LENGTH = 2.646 MI

COUNTY : PITT

WIDENING, GRADING, DRAINAGE, PAVING, SIGNALS, & CULVERT.

DBE GOAL 12.0% COMPLETION DATE : OCT 01 2009

SR-1708 (FIRE TOWER RD) FROM NC-11/903 TO EAST OF SR-1709 (COREY RD) IN GREENVILLE.

ROADWAY ITEMS				
		16	EA	TEMPORARY STEEL PLATE COVERS FOR MASONRY DRAINAGE STRUCTURE
		5	CY	ENDWALLS
		13	CY	REINFORCED ENDWALLS
Lump Sum	LS	6	CY	PIPE COLLARS
		2	CY	PIPE PLUGS
18,350	CY	265	EA	MASONRY DRAINAGE STRUCTURES
Lump Sum	LS	6	CY	MASONRY DRAINAGE STRUCTURES
		38	LF	MASONRY DRAINAGE STRUCTURES
1	ACR	59	EA	FRAME WITH TWO GRATES, STD 840.16
		2	EA	FRAME WITH TWO GRATES, STD 840.24
675	TON	19	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (E)
		71	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F)
2,280	CY	78	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (G)
180	LF	37	EA	FRAME WITH COVER, STD 840.54
25,250	CY	3	EA	CONCRETE APRON FOR CATCH BASIN
24,900	SY	13	EA	CONCRETE APRON FOR DROP INLETS
360	SF	382	SF	GENERIC GRADING ITEM (SF) TEMPORARY FABRIC WALL
2,290	TON	3,500	LF	1'-6" CONCRETE CURB & GUTTER
		27,500	LF	2'-6" CONCRETE CURB & GUTTER
28	LF	200	LF	CONCRETE VALLEY GUTTER
		14,000	SY	4" CONCRETE SIDEWALK
52	LF	730	SY	CONCRETE WHEELCHAIR RAMPS
144	LF	2,000	SY	6" CONCRETE DRIVEWAY
136	LF	10	SY	4" CONCRETE PAVED DITCH
10,160	LF	1,900	SY	3" CONCRETE ISLAND COVERS
		3,400	SY	5" MONOLITHIC CONCRETE ISLANDS (KEYED IN)
4,164	LF	60	EA	ADJUSTMENT OF MANHOLES
		140	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
3,276	LF	525	LF	STEEL BM GUARDRAIL
		10	EA	ADDITIONAL GUARDRAIL POSTS
1,104	LF	6	EA	GUARDRAIL ANCHOR UNITS, TYPE CAT-1
		6	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
652	LF	450	LF	REMOVE EXISTING GUARDRAIL
		30	TON	PLAIN RIP RAP, CLASS I
72	LF	91	TON	PLAIN RIP RAP, CLASS B
		2,810	SY	FILTER FABRIC FOR DRAINAGE
8	LF	2	EA	PREFORMED SCOUR HOLES WITH LEVEL SPREADER APRON
		927	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
84	LF	3	EA	SIGN ERECTION, TYPE D
		73	EA	SIGN ERECTION, TYPE E
544	LF	5	EA	SIGN ERECTION, TYPE F
		2	EA	RELOCATE SIGN, TYPE ***** (E)
828	LF	41	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
		2	EA	DISPOSAL OF SUPPORT, U-CHANNEL
204	LF	1,100	SF	WORK ZONE SIGNS (STATIONARY)
		240	SF	WORK ZONE SIGNS (PORTABLE)
2	EA	354	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
		2	EA	FLASHING ARROW PANELS, TYPE C
32	LF	4	EA	CHANGEABLE MESSAGE SIGN
		6	EA	WARNING FLAG SETS
56	LF	900	EA	DRUMS
		200	EA	CONES
2	EA	360	LF	BARRICADES (TYPE III)
		6,720	HR	FLAGGER
126	LF	2	EA	TEMPORARY CRASH CUSHIONS
		2	EA	RESET TEMPORARY CRASH CUSHIONS
5,142	LF	2	EA	TRUCK MOUNTED IMPACT ATTENUATOR (60 MPH)
		200	LF	PORTABLE CONCRETE BARRIER
500	TON			
500	TON			
3,500	SY			
25,400	TON			
26,200	TON			
23,650	TON			
3,743	TON			
1,020	TON			
450	CY			
340	CY			
2,000	LF			
60	EA			
24	LF			
4	EA			

			2	EA	***X*** TAPPING SADDLE (2" X 1")
			12	EA	***X*** TAPPING SADDLE (6" X 1")
			1	EA	***X*** TAPPING SADDLE (8" X 1")
200	LF	RESET PORTABLE CONCRETE BARRIER	2	EA	12" TRANSITION COUPLING, ***** (PVC TO AC)
1,412	LF	WATER FILLED BARRIER	1	EA	FIRE HYDRANT, *****# WP (150#)
643	LF	RESET WATER FILLED BARRIER	15	EA	RELOCATE EXISTING FIRE HYDRANT
720	HR	POLICE	50	LF	*** PVC FORCE MAIN SEWER PIPE, ***** (4", SDR 21, 200# WP)
1,489	EA	TEMPORARY RAISED PAVEMENT MARKERS	2,851	LF	*** PVC FORCE MAIN SEWER PIPE, ***** (8", SDR 21, 200# WP)
4,550	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)	336	LF	FILL OR REMOVE ABANDONED *** PIPE, ***** (12", AC)
36,127	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)	7	EA	BREAK DOWN & REBUILD EXISTING MANHOLE
671	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)	120	LF	*** STEEL ENCASEMENT PIPE, ***** THICK, BY BORING & JACKING (16", 0.250")
3,122	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)	150	LF	*** STEEL ENCASEMENT PIPE, ***** THICK, BY BORING & JACKING (16", 0.281")
200	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)	180	LF	12-3/4" STEEL ENCASEMENT PIPE, ***** THICK, BY BORING & JACKING (0.188")
1,375	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)	150	LF	18" STEEL ENCASEMENT PIPE, ***** THICK, BY BORING & JACKING (0.312")
6	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)	184	LF	24" STEEL ENCASEMENT PIPE, ***** THICK, BY BORING & JACKING (0.250")
195	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)	150	LF	24" STEEL ENCASEMENT PIPE, ***** THICK, BY BORING & JACKING (0.375")
224,727	LF	PAINT PAVEMENT MARKING LINES (4")	2	EA	GENERIC UTILITY ITEM 12" INSERTING GATE VALVE & VALVE BOX, 200# WP (WATER)
1,378	LF	PAINT PAVEMENT MARKING LINES (8")	14	EA	GENERIC UTILITY ITEM 12" RESTRAINED RETAINER GLAND 200# WP
1,600	LF	PAINT PAVEMENT MARKING LINES (12")	2	EA	GENERIC UTILITY ITEM 12" X 12" DI LOCKING TEE
344	LF	PAINT PAVEMENT MARKING LINES (16")	25	EA	GENERIC UTILITY ITEM 12" X 6" DI LOCKING TEE
2,836	LF	PAINT PAVEMENT MARKING LINES (24")	7	EA	GENERIC UTILITY ITEM 12" X 8" DI LOCKING TEE
14	EA	PAINT PAVEMENT MARKING CHARACTER	5	EA	GENERIC UTILITY ITEM 2" BALL VALVE
232	EA	PAINT PAVEMENT MARKING SYMBOL	1	EA	GENERIC UTILITY ITEM 4" INSERTING GATE VALVE & VALVE BOX, 200# WP (SEWER)
52,324	LF	REMOVAL OF PAVEMENT MARKING LINES (4")	1	EA	GENERIC UTILITY ITEM 6" INSERTING GATE VALVE & VALVE BOX, 200# WP (WATER)
827	LF	REMOVAL OF PAVEMENT MARKING LINES (8")	8	EA	GENERIC UTILITY ITEM 6" RESTRAINED RETAINER GLAND 200# WP
261	LF	REMOVAL OF PAVEMENT MARKING LINES (24")	1	EA	GENERIC UTILITY ITEM 6" X 4" DI LOCKING TEE
130	EA	REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS	11	EA	GENERIC UTILITY ITEM 6" X 6" DI LOCKING TEE
1,532	EA	SNOWPLOWABLE PAVEMENT MARKERS	14	EA	GENERIC UTILITY ITEM 8" RESTRAINED RETAINER GLAND 200# WP
1,300	TON	FOUNDATION CONDITIONING MATERIAL, UTILITIES CLASS ***** (VI)	2	EA	GENERIC UTILITY ITEM 8" SEWER LINE GATE VALVE AND VALVE BOX, 200# WP
1,300	TON	BEDDING MATERIAL, UTILITIES CLASS ***** (IV)	3	EA	GENERIC UTILITY ITEM BREAKDOWN REBUILD & ROTATE TOP FOR EXISTING MANHOLE
282	TON	PAVEMENT REPAIR FOR UTILITY WORK	2	EA	GENERIC UTILITY ITEM BREAKDOWN REBUILD & ROTATE TOP FOR EXISTING MANHOLE (CONCENTRIC TOP)
1,534	LF	1" COPPER WATER PIPE, TYPE K	15	EA	GENERIC UTILITY ITEM RELOCATE 4" SANITARY SEWER CLEANOUT
297	LF	2" PVC WATER PIPE, SDR ***** (21, 200# WP)	5	EA	GENERIC UTILITY ITEM RELOCATE 6" SANITARY SEWER CLEANOUT
49	LF	4" PVC WATER PIPE, SDR ***** (21, 200# WP)	12	EA	GENERIC UTILITY ITEM RELOCATE EXISTING RPZ BACKFLOW PREVENTION SYSTEM
1,722	LF	6" PVC WATER PIPE, SDR ***** (21, 200# WP)	47	EA	GENERIC UTILITY ITEM RELOCATE EXISTING WATER METER
364	LF	12" PVC WATER PIPE, SDR ***** (21, 200# WP)			
12,447	LF	*** PVC WATER PIPE, (C900), DR ** *****WP (12", 18, 150#)			
511	LF	8" PVC WATER PIPE, (C900), DR ** *****WP (18, 150#)			
4,847	LF	*** PVC WATER PIPE, (C-900), DR ****, *****WP (6", 14, 200#)			
765	LF	*** PVC WATER PIPE, (C-900), DR ****, *****WP (6", 18, 150#)			
109	LF	*** PE WATER TUBING, SDR 9, *****WP (1", 200#)			
52	EA	1" CORPORATION STOP			
1	EA	*** GATE VALVE & VALVE BOX, *****WP (4", 200#)			
42	EA	6" GATE VALVE & VALVE BOX, 200# WP			
8	EA	8" GATE VALVE & VALVE BOX, *****WP (200#)			
19	EA	12" GATE VALVE & VALVE BOX, *****WP (200#)			
37	EA	***X*** TAPPING SADDLE (12" X 1")			
5	EA	***X*** TAPPING SADDLE (12" X 2")			

			2	EA	VEHICLE SIGNAL HEAD (12", 4 SECTION)
			20	EA	VEHICLE SIGNAL HEAD (12", 5 SECTION)
1	EA	GENERIC UTILITY ITEM RELOCATE EXISTING WATER METER WITH NEW VAULT			
4	EA	GENERIC UTILITY ITEM ROTATE TOP FOR EXISTING MAN-HOLE			
3	EA	GENERIC UTILITY ITEM ROTATE TOP FOR EXISTING MAN-HOLE (CONCENTRIC TOP)			
300	LF	GENERIC UTILITY ITEM 10" HDPE FORCE MAIN SEWER PIPE SDR 9, 200# WP BY DIRECTIONAL BORE			
20	LF	GENERIC UTILITY ITEM 12" DI WATER PIPE, PC 350			
600	LF	GENERIC UTILITY ITEM 14" HDPE WATER PIPE, SDR 9, 200# WP BY DIRECTIONAL BORE			
1,000	LF	GENERIC UTILITY ITEM 4" PVC SEWER PIPE, SCH 40			
400	LF	GENERIC UTILITY ITEM 6" PVC SEWER PIPE, SCH 40			
100	LF	GENERIC UTILITY ITEM 8" DI FORCE MAIN SEWER PIPE, PC 350			
250	LF	GENERIC UTILITY ITEM 8" HDPE WATER PIPE, SDR 9, 200# WP BY DIRECTIONAL BORE			
140	LF	GENERIC UTILITY ITEM CEMENT GROUT FOR FILLING 4" PVC ABANDONED PIPE & ENCASEMENT			
140	LF	GENERIC UTILITY ITEM CEMENT GROUT FOR FILLING 6" PVC ABANDONED PIPE & ENCASEMENT			
140	LF	GENERIC UTILITY ITEM CEMENT GROUT FOR FILLING 8" PVC ABANDONED PIPE & ENCASEMENT			
6,500	LB	GENERIC UTILITY ITEM DUCTILE IRON SEWER PIPE FITTINGS, 250# MIN WP			
10,325	LB	GENERIC UTILITY ITEM DUCTILE IRON WATER PIPE FITTINGS, 250# MIN WP			
Lump Sum	LS	GENERIC UTILITY ITEM INSTALL 4" MDPE GAS MAIN			
16,600	LF	TEMPORARY SILT FENCE			
790	TON	STONE FOR EROSION CONTROL, CLASS A			
1,220	TON	STONE FOR EROSION CONTROL, CLASS B			
1,575	TON	SEDIMENT CONTROL STONE			
35	ACR	TEMPORARY MULCHING			
1,250	LB	SEED FOR TEMPORARY SEEDING			
5	TON	FERTILIZER FOR TEMPORARY SEEDING			
230	LF	TEMPORARY SLOPE DRAINS			
5	EA	INLET PROTECTION AT TEMPORARY SLOPE DRAINS			
750	LF	SAFETY FENCE			
3,340	CY	SILT EXCAVATION			
2,900	SY	MATTING FOR EROSION CONTROL			
250	SY	COIR FIBER MAT			
4,000	SY	PERMANENT SOIL REINFORCEMENT MAT			
6,000	LF	1/4" HARDWARE CLOTH			
455	LF	*** TEMPORARY PIPE (18")			
4	EA	SPECIAL STILLING BASINS			
35	ACR	SEEDING & MULCHING			
21	ACR	MOWING			
300	LB	SEED FOR REPAIR SEEDING			
0.75	TON	FERTILIZER FOR REPAIR SEEDING			
850	LB	SEED FOR SUPPLEMENTAL SEEDING			
27	TON	FERTILIZER TOPDRESSING			
275	LF	IMPERVIOUS DIKE			
2	HR	SPECIALIZED HAND MOWING			
0.2	ACR	REFORESTATION			
0.2	ACR	STREAMBANK REFORESTATION			
8	EA	GENERIC EROSION CONTROL ITEM FAIRCLOTH SKIMMER (2")			
3	EA	GENERIC EROSION CONTROL ITEM FAIRCLOTH SKIMMER (2-1/2")			
36	EA	GENERIC EROSION CONTROL ITEM RESPONSE FOR EROSION CONTROL			
38	EA	PEDESTRIAN SIGNAL HEAD (***, ** SECTION) (16", 1 SECTION W/COUNTDOWN)			
16,751	LF	SIGNAL CABLE			
73	EA	VEHICLE SIGNAL HEAD (12", 3 SECTION)			
			12	EA	BACKPLATE
			14,300	LF	MESSENGER CABLE (1/4")
			1,648	LF	MESSENGER CABLE (3/8")
			150	LF	JACK & BORE
			825	LF	TRACER WIRE
			460	LF	TRENCHING (PAVED)
			9,252	LF	TRENCHING (UNPAVED)
			495	LF	DIRECTIONAL DRILL POLYETHYLENE CONDUIT, ***** (** CONDUIT) (2", 1)
			1,465	LF	DIRECTIONAL DRILL POLYETHYLENE CONDUIT, ***** (** CONDUIT) (2", 2)
			58	EA	JUNCTION BOX (STANDARD SIZE)
			11	EA	JUNCTION BOX (OVER-SIZED)
			12	EA	WOOD POLE
			24	EA	GUY ASSEMBLY
			3	EA	1" RISER WITH WEATHERHEAD
			15	EA	2" RISER WITH WEATHERHEAD
			8	EA	2" RISER WITH HEAT SHRINK TUBING
			12,326	LF	INDUCTIVE LOOP SAWCUT
			24,971	LF	LEAD-IN CABLE
			18,095	LF	COMMUNICATIONS CABLE (**FIBER) (12)
			6	EA	INTERCONNECT CENTER
			7	EA	FIBER-OPTIC TRANSCEIVER
			11	EA	DELINEATOR MARKER
			1	EA	FURNISH FIBER-OPTIC RESTORATION KIT
			1	EA	FURNISH FIBER-OPTIC TRANSCEIVER
			22	EA	SOIL TEST
			5	EA	SIGNAL PEDESTAL WITH FOUNDATION
			11	EA	SIGN FOR SIGNALS
			6	EA	SIGNAL CABINET FOUNDATION
			6	EA	CONTROLLER WITH CABINET (NEMA TS-2, TYPE 2 CONTROLLER, TYPE 1 CABINET, BASE MOUNTED)
			44	EA	DETECTOR CARD (NEMA TS-2)
			1	EA	GENERIC SIGNAL ITEM CCTV CAMERA ASSEMBLY
			1	EA	GENERIC SIGNAL ITEM FIBER OPTIC VIDEO/DATA RECEIVER
			1	EA	GENERIC SIGNAL ITEM FIBER OPTIC VIDEO/DATA TRANSMITTER
			23	EA	GENERIC SIGNAL ITEM LUMINAIRE MAST ARM
			22	EA	GENERIC SIGNAL ITEM MAST ARM WITH METAL POLE DESIGN
			21	EA	GENERIC SIGNAL ITEM METAL POLE W/ SINGLE MAST ARM
			1	EA	GENERIC SIGNAL ITEM METAL POLE WITH DUAL MAST ARM
			165	LF	GENERIC SIGNAL ITEM UNDERGROUND POLETHYLENE CONDUIT, (2", 1)
			188	CY	GENERIC SIGNAL ITEM DRILLED PIER FOUNDATION
					CULVERT ITEMS
			Lump Sum	LS	PRECAST REINFORCED CONC BOX CULVERT AT STA ***** (33+52.00 -L-)
			Lump Sum	LS	CULVERT EXCAVATION, STA ***** (33+52.00 -L-)
			112	TON	FOUNDATION CONDITIONING MATERIAL, BOX CULVERT
			56	TON	PLAIN RIP RAP, CLASS ** (1)
			63	SY	FILTER FABRIC FOR DRAINAGE
					WALL ITEMS
			Lump Sum	LS	GENERIC RETAINING WALL ITEM MODULAR BLOCK RETAINING WALL AT STA 143+00.00 -WALL 2-
			Lump Sum	LS	GENERIC RETAINING WALL ITEM VIBRATION MONITORING

2,007 SF GENERIC RETAINING WALL ITEM
PILE / PANEL RETAINING WALL
AT STA 110+43.50 -WALL 1-

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 002

CONTRACT ID : C201686 3CR.10651.34

DIV OFFICE GREENVILLE

LENGTH = 19.030 MI

COUNTY : NEW HANOVER, PENDER

MILLING, RESURFACING & SHOULDER RECONSTRUCTION.

MBE GOAL 3.0% WBE 3.0% COMPLETION DATE : JUN 01 2007

US-421 FROM WEST LAKE SHORE DR TO GREENFIELD ST, NC-210 FROM I-40 TO NW OF US-17 & 6 SECTIONS OF SECONDARY ROADS.

		ROADWAY ITEMS				
				1	EA	JUNCTION BOX (*****) (PULL BOX)
				1	EA	GUY ASSEMBLY
Lump Sum	LS	MOBILIZATION		750	LF	INDUCTIVE LOOP SAWCUT
266	CY	BORROW EXCAVATION		350	LF	LEAD-IN CABLE (*****) (18-2)
4	EA	PIPE CLEAN-OUT		1	EA	DETECTOR CARD (NEMA TS-1)
125	TON	INCIDENTAL STONE BASE				
2.42	SMI	SHOULDER RECONSTRUCTION				
14,560	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")				
6,600	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (1-1/2" TO 4-1/2")				
1,800	SY	INCIDENTAL MILLING				
50	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B				
2,374	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B				
125	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B (LEVELING COURSE)				
1,394	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C				
508	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A				
185	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22				
83	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22				
820	TON	GENERIC PAVING ITEM PATCHING EXISTING PAVEMENT (FULL DEPTH)				
7,345	TON	GENERIC PAVING ITEM PATCHING EXISTING PAVEMENT (MILL)				
1	EA	FRAME WITH GRATE, STD 840.29				
1	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (E)				
1	EA	GENERIC DRAINAGE ITEM CONVERT EXISTING DROP INLET TO TRAFFIC BEARING DROP INLET				
1	EA	GENERIC DRAINAGE ITEM CONVERT EXISTING OPEN THROAT CB TO CATCH BASIN				
1	EA	CONCRETE WHEELCHAIR RAMPS				
625	LF	GENERIC PAVING ITEM 2'-6" CURB & GUTTER, REPAIR				
60	LF	GENERIC PAVING ITEM CURB & GUTTER REMOVAL				
3	EA	ADJUSTMENT OF DROP INLETS				
6	EA	ADJUSTMENT OF MANHOLES				
5	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES				
15,000	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)				
27,300	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)				
600	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)				
270	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)				
47	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)				
18,875	LF	PAINT PAVEMENT MARKING LINES (4")				
600	LF	PAINT PAVEMENT MARKING LINES (8")				
150	LF	PAINT PAVEMENT MARKING LINES (24")				
23	EA	PAINT PAVEMENT MARKING SYMBOL				
165	EA	PERMANENT RAISED PAVEMENT MARKERS				
210	EA	SNOWPLOWABLE PAVEMENT MARKERS				
Lump Sum	LS	PORTABLE LIGHTING				
16	LF	TEMPORARY SILT FENCE				
0.7	TON	SEDIMENT CONTROL STONE				
16	LF	1/4" HARDWARE CLOTH				
1.94	ACR	SEEDING & MULCHING				

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 003

CONTRACT ID : C200840 34512.3.1

DIV OFFICE DURHAM

LENGTH = 6.363 MI

COUNTY : DURHAM, WAKE

WIDENING, GRADING, DRAINAGE, PAVING, SIGNALS & CULVERTS.

DBE GOAL 11.0% COMPLETION DATE : NOV 01 2009

NC-54 FROM SR-1999 IN DURHAM CO TO SR-1959 IN DURHAM CO & SR-1999 FROM SR-3014 IN WAKE CO TO NC-54 IN DURHAM CO.

ROADWAY ITEMS					
			10,765	LF	PIPE REMOVAL
		Lump Sum	LS		FINE GRADING
			3,350	LB	SEALING EXISTING PAVEMENT CRACKS
			79,700	SY	LIME TREATED SOIL (SLURRY METHOD)
Lump Sum	LS	MOBILIZATION	800	TON	LIME FOR LIME TREATED SOIL
Lump Sum	LS	CONSTRUCTION SURVEYING	40	TON	#57 STONE
Lump Sum	LS	GENERIC MISCELLANEOUS ITEM REMOVE & RESET BUS SHELTERS	1,400	TON	STABILIZER AGGREGATE
Lump Sum	LS	CLEARING & GRUBBING .. ACRE(S)	4,075	TON	AGGREGATE BASE COURSE
	4	ACR	53,100	SY	SOIL CEMENT BASE
			1,460	TON	PORTLAND CEMENT FOR SOIL CEMENT BASE
	9	EA	800	TON	AGGREGATE FOR SOIL CEMENT BASE
334,300	CY	SEALING ABANDONED WELLS	19,910	GAL	ASPHALT CURING SEAL
13,200	CY	UNCLASSIFIED EXCAVATION	175	TON	INCIDENTAL STONE BASE
	500	TON	5,100	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (2")
			2,017	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (2-1/2")
	14,100	CY	500	SY	INCIDENTAL MILLING
	10,675	CY	59,100	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
	2,800	LF	9,650	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
48,425	SY	UNDERCUT EXCAVATION	48,300	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B
			7,400	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C
	1,950	SY	69,800	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
			7,370	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
	49	HR	800	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
	600	CY	9,802	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
	11,900	SY	442	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
	4,137	TON	162	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR
	252	LF	170	EA	RIGHT OF WAY MARKERS
	64	LF	4,222	CY	SUBDRAIN EXCAVATION
	40	LF	2,251	CY	SUBDRAIN FINE AGGREGATE
	320	LF	13,400	LF	6" PERFORATED SUBDRAIN PIPE
			402	EA	6" SUBDRAIN PIPE WYES, TEES, & ELBOWS
	400	LF	27	EA	CONCRETE PAD FOR SUBDRAIN PIPE OUTLET
			162	LF	6" OUTLET PIPE (SUBDRAINS)
	208	LF	40	TON	BLOTTING SAND
			49	EA	TEMPORARY STEEL PLATE COVERS FOR MASONRY DRAINAGE STRUCTURE
	68	LF	58.5	CY	ENDWALLS
	300	LF	86	CY	REINFORCED ENDWALLS
			61	CY	PIPE COLLARS
	148	LF	0.792	CY	PIPE PLUGS
			27	CY	FLOWABLE FILL
	108	LF	346	EA	MASONRY DRAINAGE STRUCTURES
			7	CY	MASONRY DRAINAGE STRUCTURES
	104	LF	119,24	LF	MASONRY DRAINAGE STRUCTURES
			81	EA	FRAME WITH TWO GRATES, STD 840.16
	1,164	LF	1	EA	FRAME WITH TWO GRATES, STD 840.22
			72	EA	FRAME WITH TWO GRATES, STD 840.24
	412	LF	33	EA	FRAME WITH TWO GRATES, STD 840.29
			4	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (E)
	252	LF	73	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F)
	128	LF			
	46	EA			
	10	EA			
	4	EA			
	4	EA			
	124	LF			
	60	LF			
	260	LF			
	268	LF			
	556	LF			
	128	LF			
	248	LF			
	388	LF			

			56,084	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
			3,100	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
69	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (G)	481	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 120 MILS)
11	EA	FRAME WITH COVER, STD 840.54	754	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
17,440	LF	1'-6" CONCRETE CURB & GUTTER	2,089	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
24,850	LF	2'-6" CONCRETE CURB & GUTTER	3,490	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
4,120	LF	SHOULDER BERM GUTTER	36	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)
442	LF	CONCRETE EXPRESSWAY GUTTER	406	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
3,880	SY	4" CONCRETE SIDEWALK	1,500	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (4") (IV)
57	EA	CONCRETE WHEELCHAIR RAMPS	972,445	LF	PAINT PAVEMENT MARKING LINES (4")
240	SY	6" CONCRETE DRIVEWAY	17,380	LF	PAINT PAVEMENT MARKING LINES (8")
183	SY	4" CONCRETE PAVED DITCH	9,310	LF	PAINT PAVEMENT MARKING LINES (24")
1,135	SY	5" MONOLITHIC CONCRETE ISLANDS (SURFACE MOUNTED)	232	EA	PAINT PAVEMENT MARKING CHARACTER
9,560	SY	5" MONOLITHIC CONCRETE ISLANDS (KEYED IN)	1,228	EA	PAINT PAVEMENT MARKING SYMBOL
2	EA	ADJUSTMENT OF DROP INLETS	95,021	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
2	EA	ADJUSTMENT OF MANHOLES	1,503	LF	REMOVAL OF PAVEMENT MARKING LINES (8")
1	EA	CONVERT EXISTING CATCH BASIN TO JUNCTION BOX WITH MANHOLE COVER	1,420	LF	REMOVAL OF PAVEMENT MARKING LINES (24")
2	EA	CONVERT EXISTING DROP INLET TO JUNCTION BOX WITH MANHOLE COVER	139	EA	REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS
11,937.5	LF	STEEL BM GUARDRAIL	288	EA	PERMANENT RAISED PAVEMENT MARKERS
262.5	LF	STEEL BM GUARDRAIL, SHOP CURVED	2,367	EA	SNOWPLOWABLE PAVEMENT MARKERS
15	EA	ADDITIONAL GUARDRAIL POSTS	14	EA	7" U-CHANNEL POSTS
5	EA	GUARDRAIL ANCHOR UNITS, TYPE AT-1	14	EA	OBJECT MARKERS (TYPE **) (END OF ROAD)
25	EA	GUARDRAIL ANCHOR UNITS, TYPE CAT-1	Lump Sum	LS	PORTABLE LIGHTING
27	EA	GUARDRAIL ANCHOR UNITS, TYPE 350	7,191	LF	16" WATER LINE
1	EA	GUARDRAIL ANCHOR UNITS, TYPE M-350	4	EA	16" VALVE
9,810	LF	REMOVE EXISTING GUARDRAIL	1	EA	16" TAPPING VALVE
955	TON	RIP RAP, CLASS I	1	EA	2" AIR RELEASE VALVE
3,602	TON	RIP RAP, CLASS B	2	EA	2" BLOW OFF
324	TON	BOULDERS	1	EA	3/4" WATER METER
24,783	SY	FILTER FABRIC FOR DRAINAGE	4	EA	RELOCATE WATER METER
14	EA	PREFORMED SCOUR HOLES WITH LEVEL SPREADER APRON	31	EA	RELOCATE FIRE HYDRANT
225	SY	GENERIC EROSION CONTROL ITEM ROCK PLATING	853	LF	8" SANITARY GRAVITY SEWER
1	CY	PLAIN CONCRETE SIGN FOUNDATIONS	80	LF	4" FORCE MAIN SEWER
1,037	LB	SUPPORTS, BREAKAWAY STEEL BEAM	2	EA	SANITARY SEWER CLEAN-OUT
6,180	LF	SUPPORTS, 3-LB STEEL U-CHANNEL	3	EA	4" DIA UTILITY MANHOLE
18	EA	SIGN ERECTION, TYPE D	8	LF	UTILITY MANHOLE WALL, 4' DIA
337	EA	SIGN ERECTION, TYPE E	7,862	LF	ABANDON 16" UTILITY PIPE
19	EA	SIGN ERECTION, TYPE F	3	EA	REMOVE FIRE HYDRANT
4	EA	SIGN ERECTION, TYPE *** (GROUND MOUNTED) (B)	3	EA	GENERIC UTILITY ITEM 16" GATE VALVE & 5' DIA MANHOLE 200# WP
4	EA	SIGN ERECTION, RELOCATE, TYPE **** (GROUND MOUNTED) (D)	1	EA	GENERIC UTILITY ITEM RELOCATE 2" RPZ BACKFLOW PREVENTION ASSEMBLY
17	EA	STOCKPILE SIGN SYSTEM, STEEL BEAM	1	EA	GENERIC UTILITY ITEM RELOCATE 2" RPZ BACKFLOW PREVENTION ASSEMBLY WITH NEW VAULT
10	EA	DISPOSAL OF SIGN SYSTEM, STEEL BEAM	2	EA	GENERIC UTILITY ITEM RELOCATE 2" WATER METER ASSEMBLY WITH NEW VAULT
110	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL	220	LF	GENERIC UTILITY ITEM 30" STEEL ENCASEMENT PIPE, 0.500" THICK, BY OPEN CUT
4	EA	DISPOSAL OF SUPPORT, U-CHANNEL	Lump Sum	LS	GENERIC UTILITY ITEM UTILITY COORDINATOR
2	EA	DISPOSAL OF SIGN, D, E OR F	22,015	LF	TEMPORARY SILT FENCE
1,291	SF	WORK ZONE SIGNS (STATIONARY)	3,175	TON	STONE FOR EROSION CONTROL, CLASS A
1,368	SF	WORK ZONE SIGNS (PORTABLE)	11,675	TON	STONE FOR EROSION CONTROL, CLASS B
316	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)	10,050	TON	SEDIMENT CONTROL STONE
3	EA	FLASHING ARROW PANELS, TYPE C	58	ACR	TEMPORARY MULCHING
4	EA	CHANGEABLE MESSAGE SIGN	2,050	LB	SEED FOR TEMPORARY SEEDING
1,710	EA	DRUMS	8.25	TON	FERTILIZER FOR TEMPORARY SEEDING
250	EA	CONES	1,150	LF	TEMPORARY SLOPE DRAINS
2,140	LF	BARRICADES (TYPE III)	48	EA	INLET PROTECTION AT TEMPORARY SLOPE DRAINS
13,200	HR	FLAGGER	8,700	LF	SAFETY FENCE
2	EA	TEMPORARY CRASH CUSHIONS	168,520	CY	SILT EXCAVATION
2	EA	TMA	41,800	SY	MATTING FOR EROSION CONTROL
800	LF	PORTABLE CONCRETE BARRIER	465	SY	COIR FIBER MAT
250	LF	PORTABLE CONCRETE BARRIER (DRAINAGE)	2,800	SY	PERMANENT SOIL REINFORCEMENT MAT
900	LF	WATER FILLED BARRIER			
1,216	HR	POLICE			
100	EA	SKINNY DRUM			
50	EA	TUBULAR MARKERS (FIXED)			
4,276	EA	TEMPORARY RAISED PAVEMENT MARKERS			
114,602	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)			

9,825	LF	1/4" HARDWARE CLOTH		29	EA	DETECTOR CARD (TYPE 2070L)	
55	LF	*** TEMPORARY PIPE (18")		19	EA	METAL POLE FOUNDATION REMOVAL	
115	LF	*** TEMPORARY PIPE (24")		19	EA	METAL POLE REMOVAL	
24	EA	SPECIAL STILLING BASINS		1	EA	GENERIC SIGNAL ITEM 2070L CONTROLLER, CARY COMPATIBLE	
1,300	LF	COIR FIBER BAFFLES		2	EA	GENERIC SIGNAL ITEM INSTALL STATE FURNISHED METAL POLE & LUMINAIRE W/ SINGLE MAST ARM	
68	EA	*** SKIMMER (2")		2	EA	GENERIC SIGNAL ITEM INSTALL STATE FURNISHED METAL POLE W/ SINGLE MAST ARM	
8	EA	*** SKIMMER (2-1/2")		4	EA	GENERIC SIGNAL ITEM INSTALL STATE FURNISHED METAL STRAIN SIGNAL POLE	
1	EA	*** SKIMMER (3")		9	EA	GENERIC SIGNAL ITEM MAST ARM W/ METAL POLE & LUMINAIRE RESEARCH TRIANGLE PARK SPECIFIC	
111	ACR	SEEDING & MULCHING		7	EA	GENERIC SIGNAL ITEM MAST ARM WITH METAL POLE RESEARCH TRIANGLE PARK SPECIFIC	
34.5	ACR	MOWING		1	EA	GENERIC SIGNAL ITEM NEMA TS-2 CABINET(BASE MOUNT), CARY COMPATIBLE	
500	LB	SEED FOR REPAIR SEEDING		24	EA	GENERIC SIGNAL ITEM NEMA TS-2 DETECTOR CARD, CARY COMPATIBLE	
1.25	TON	FERTILIZER FOR REPAIR SEEDING					
1,400	LB	SEED FOR SUPPLEMENTAL SEEDING					
45	TON	FERTILIZER TOPDRESSING					
650	LF	IMPERVIOUS DIKE					
24.5	HR	SPECIALIZED HAND MOWING					
60	EA	RESPONSE FOR EROSION CONTROL					
0.44	ACR	STREAMBANK REFORESTATION					
21	EA	PEDESTRIAN SIGNAL HEAD (**, ** SECTION) (16", 1 SECTION W/ COUNTDOWN)					
37,103	LF	SIGNAL CABLE					
168	EA	VEHICLE SIGNAL HEAD (12", 3 SECTION)					***** BEGIN SCHEDULE AA ***** (3 ALTERNATES) *****
56	EA	VEHICLE SIGNAL HEAD (12", 5 SECTION)		18,948	LF	15" RC PIPE CULVERTS, CLASS III	
20	EA	BACKPLATE		5,256	LF	18" RC PIPE CULVERTS, CLASS III	
1,625	LF	MESSENGER CABLE (1/4")		2,540	LF	24" RC PIPE CULVERTS, CLASS III	
6,035	LF	MESSENGER CABLE (3/8")		1,496	LF	30" RC PIPE CULVERTS, CLASS III	
3,470	LF	TRACER WIRE		1,216	LF	36" RC PIPE CULVERTS, CLASS III	
14,170	LF	UNPAVED TRENCHING (***** (1, 2"))					*** OR ***
230	LF	PLOWING (***** (2, 1.25"))		15,564	LF	15" RC PIPE CULVERTS, CLASS III	
2,620	LF	DIRECTIONAL DRILL (***** (2, 1.25" & 3, 1.25"))		3,440	LF	18" RC PIPE CULVERTS, CLASS III	
970	LF	DIRECTIONAL DRILL (***** (4, 1.25" & 5", 1 OUTER)		2,088	LF	24" RC PIPE CULVERTS, CLASS III	
92	EA	JUNCTION BOX (STANDARD SIZE)		1,176	LF	30" RC PIPE CULVERTS, CLASS III	
12	EA	JUNCTION BOX (OVER-SIZED, HEAVY DUTY)		868	LF	36" RC PIPE CULVERTS, CLASS III	
29	EA	WOOD POLE		3,384	LF	*** HDPE PIPE CULVERTS (15")	
61	EA	GUY ASSEMBLY		1,816	LF	*** HDPE PIPE CULVERTS (18")	
6	EA	1" RISER WITH WEATHERHEAD		452	LF	*** HDPE PIPE CULVERTS (24")	
30	EA	2" RISER WITH WEATHERHEAD		320	LF	*** HDPE PIPE CULVERTS (30")	
7	EA	2" RISER WITH HEAT SHRINK TUBING		348	LF	*** HDPE PIPE CULVERTS (36")	
23,617	LF	INDUCTIVE LOOP SAWCUT					*** OR ***
64,060	LF	LEAD-IN CABLE (***** (18-4))		15,564	LF	15" RC PIPE CULVERTS, CLASS III	
15	EA	SITE SURVEY		3,440	LF	18" RC PIPE CULVERTS, CLASS III	
19	EA	LUMINAIRE ARM FOR VIDEO SYSTEM		2,088	LF	24" RC PIPE CULVERTS, CLASS III	
15	EA	RELOCATE CAMERA SENSOR UNIT		1,176	LF	30" RC PIPE CULVERTS, CLASS III	
2	EA	MICROWAVE VEHICLE DETECTOR		868	LF	36" RC PIPE CULVERTS, CLASS III	
1,300	LF	COMMUNICATIONS CABLE (**FIBER) (12)		3,384	LF	*** ALUMINIZED CORRUGATED STEEL PIPE CULVERTS, ***** THICK (15", 0.064")	
3,000	LF	COMMUNICATIONS CABLE (**FIBER) (24)		1,816	LF	*** ALUMINIZED CORRUGATED STEEL PIPE CULVERTS, ***** THICK (18", 0.064")	
915	LF	DROP CABLE		452	LF	*** ALUMINIZED CORRUGATED STEEL PIPE CULVERTS, ***** THICK (24", 0.064")	
5	EA	SPLICE ENCLOSURE		320	LF	*** ALUMINIZED CORRUGATED STEEL PIPE CULVERTS, ***** THICK (30", 0.079")	
2	EA	INTERCONNECT CENTER					
2	EA	FIBER-OPTIC TRANSCEIVER, DROP & REPEAT					
1	EA	FIBER-OPTIC TRANSCEIVER, SELF-HEALING RING					
11	EA	DELINEATOR MARKER					
815	LF	REMOVE EXISTING COMMUNICATIONS CABLE					
1	EA	CABLE TRANSFER					
4	EA	METAL STRAIN SIGNAL POLE					
4	EA	METAL POLE WITH SINGLE MAST ARM					
32	EA	SOIL TEST					
256	CY	DRILLED PIER FOUNDATION					
8	EA	SIGNAL PEDESTAL WITH FOUNDATION					
20	EA	MAST ARM WITH METAL POLE DESIGN					
29	EA	SIGN FOR SIGNALS					
7	EA	SIGNAL CABINET FOUNDATION					
5	EA	CONTROLLER WITH CABINET (TYPE 170E, BASE MOUNTED)					
61	EA	DETECTOR CARD (TYPE 170)					
2	EA	CONTROLLER WITH CABINET (TYPE 2070L, BASE MOUNTED)					

348 LF ***** ALUMINIZED CORRUGATED
STEEL PIPE CULVERTS, *****
THICK
(36", 0.079")

*** END SCHEDULE AA ***

***** BEGIN SCHEDULE HA *****
***** (2 ALTERNATES) *****

3 EA CAMERA WITH INTERNAL LOOP EMU-
LATOR PROCESSING UNIT

*** OR ***

11 EA CAMERA WITHOUT INTERNAL LOOP
EMULATOR PROCESSING UNIT

5 EA EXTERNAL LOOP EMULATOR PRO-
CESSING UNIT

*** END SCHEDULE HA ***

CULVERT ITEMS

Lump Sum LS CULVERT EXCAVATION, STA *****
(199+96.10 -L-)

Lump Sum LS CULVERT EXCAVATION, STA *****
(293+82.10 -L-)

155 TON FOUNDATION CONDITIONING MATER-
IAL, BOX CULVERT

224.3 CY CLASS A CONCRETE (CULVERT)

29,331 LB REINFORCING STEEL (CULVERT)

Lump Sum LS GENERIC CULVERT ITEM
SPECIAL CONCRETE OUTLET
EXCAVATION (STA. 178+23.20-L-)

WALL ITEMS

532 SF GRAVITY RETAINING WALLS

145 LF ***** GALVANIZED STEEL PIPE
RAIL
(1 1/2")

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 004

CONTRACT ID : C201668 37651

DIV OFFICE DURHAM

LENGTH = 5.050 MI

COUNTY : PERSON

RESURFACING, AND SHOULDER RECONSTRUCTION.

MBE GOAL 3.0% WBE 2.0% COMPLETION DATE : JUN 30 2007

6 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	GRADING
390	TON	INCIDENTAL STONE BASE
10.1	SMI	SHOULDER RECONSTRUCTION
800	SY	INCIDENTAL MILLING
5,748	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
11,175	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C
9,130	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
600	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C (LEVELING COURSE)
772	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
587	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
700	TON	PATCHING EXISTING PAVEMENT
4	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
54,338	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
53,328	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
100	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
100	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
4	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)
58,608	LF	PAINT PAVEMENT MARKING LINES (4")
100	LF	PAINT PAVEMENT MARKING LINES (16")
150	LF	PAINT PAVEMENT MARKING LINES (24")
4	EA	PAINT PAVEMENT MARKING CHARACTER
334	EA	PERMANENT RAISED PAVEMENT MARKERS
7.58	ACR	SEEDING & MULCHING

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 005

CONTRACT ID : C201678 5CR.10731.5

DIV OFFICE DURHAM

LENGTH = 17.950 MI

COUNTY : PERSON

MILLING, RESURFACING & SHOULDER RECONSTRUCTION.

MBE GOAL 4.0% WBE 3.0% COMPLETION DATE : SEE SPECIAL PROVISIONS

NC-157 FROM US-501 TO SR-1141 AND 7 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
631	TON	INCIDENTAL STONE BASE
34.12	SMI	SHOULDER RECONSTRUCTION
14,847	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (1-1/2" TO 3")
4,855	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
10,450	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
9,570	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
809	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A (LEVELING COURSE)
1,479	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
850	TON	PATCHING EXISTING PAVEMENT
13	EA	ADJUSTMENT OF MANHOLES
14	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
90,912	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
86,080	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
204	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
24	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)
34	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
384,130	LF	PAINT PAVEMENT MARKING LINES (4")
360	LF	PAINT PAVEMENT MARKING LINES (24")
24	EA	PAINT PAVEMENT MARKING CHARAC- TER
1,363	EA	PERMANENT RAISED PAVEMENT MARKERS
26.15	ACR	SEEDING & MULCHING

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 006

CONTRACT ID : C201674 37654

DIV OFFICE DURHAM

LENGTH = 24.650 MI

COUNTY : VANCE, FRANKLIN

MILLING, SHLDR RECONSTRUCTION & RESURFACING.

MBE GOAL 4.0% WBE 3.0% COMPLETION DATE : SEE SPECIAL PROVISIONS

US-1 FROM TAR RIVER BRIDGE TO SOUTH OF KITRELL, 2 SECTIONS OF NC-39 AND 6 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	DESCRIPTION
	LS	MOBILIZATION
528	TON	INCIDENTAL STONE BASE
54.5	SMI	SHOULDER RECONSTRUCTION
2,000	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
3,000	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (2-1/2")
5,920	SY	INCIDENTAL MILLING
420	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B
20,881	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
11,978	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
5,332	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
50	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A (LEVELING COURSE)
1,617	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
719	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
240	TON	PATCHING EXISTING PAVEMENT
4	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
293,920	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
205,278	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
500	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
400	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
17	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)
98	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
1,013	LF	PAINT PAVEMENT MARKING LINES (4")
2	EA	PAINT PAVEMENT MARKING SYMBOL
974	EA	PERMANENT RAISED PAVEMENT MARKERS
400	EA	SNOWPLOWABLE PAVEMENT MARKERS
500	LF	INDUCTIVE LOOP SAWCUT
500	LF	LEAD-IN CABLE (***** (18-4)

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 007

CONTRACT ID : C201675 37671

DIV OFFICE DURHAM

LENGTH = 29.030 MI

COUNTY : FRANKLIN

MILLING, RESURFACING & SHOULDER RECONSTRUCTION.

MBE GOAL 4.0% WBE 3.0% COMPLETION DATE : SEE SPECIAL PROVISIONS

NC-39 FROM S OF US-401 INTERSECTION TO S OF C&G AT EPSOM, NC-56 FROM SR-1602 TO SR-1617 & 4
SECTIONS OF SECONDARY RDS.

ROADWAY ITEMS

Lump Sum	LS	DESCRIPTION
	LS	MOBILIZATION
534	TON	INCIDENTAL STONE BASE
58.06	SMI	SHOULDER RECONSTRUCTION
14,000	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (2-1/2")
1,660	SY	INCIDENTAL MILLING
2,000	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0B
25,335	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,300	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B (LEVELING COURSE)
8,233	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
200	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A (LEVELING COURSE)
2,239	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
400	TON	PATCHING EXISTING PAVEMENT
312,363	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
275,785	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
50	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
132	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
14	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)
3	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
1,236	EA	PERMANENT RAISED PAVEMENT MARKERS

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 008

CONTRACT ID : C201676 5CR.10931.5

DIV OFFICE DURHAM

LENGTH = 13.580 MI

COUNTY : WARREN

RESURFACING & SHOULDER RECONSTRUCTION.

MBE GOAL 3.0% WBE 2.0% COMPLETION DATE : SEE SPECIAL PROVISIONS

US-158 BUS & US-401 FROM US-158 BYPASS TO WESTERN WARRENTON CITY LIMITS AND 7 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
330	TON	INCIDENTAL STONE BASE
27	SMI	SHOULDER RECONSTRUCTION
350	SY	INCIDENTAL MILLING
2,547	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
10,562	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
788	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
100,391	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
90,092	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
60	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
13	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
83,674	LF	PAINT PAVEMENT MARKING LINES (4")
325	EA	PERMANENT RAISED PAVEMENT MARKERS

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 009

CONTRACT ID : C201698 37654

DIV OFFICE DURHAM

LENGTH = 67.260 MI

COUNTY : VANCE, FRANKLIN, WARREN

MILLING, SHOULDER RECONSTRUCTION, AND RESURFACING.

MBE GOAL 4.0% WBE 3.0% COMPLETION DATE : NOV 01 2007

1 SECTION OF US-158 BUS/US-401, US-1, AND NC-56, 3 SECTIONS OF NC-36, AND 17 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	DESCRIPTION
	LS	MOBILIZATION
1,392	TON	INCIDENTAL STONE BASE
139.56	SMI	SHOULDER RECONSTRUCTION
2,000	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
17,000	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (2-1/2")
7,930	SY	INCIDENTAL MILLING
2,420	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B
48,763	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,300	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B (LEVELING COURSE)
11,978	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
24,127	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
250	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A (LEVELING COURSE)
4,644	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
719	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
640	TON	PATCHING EXISTING PAVEMENT
4	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
706,674	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
571,155	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
500	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
50	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
592	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
31	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)
114	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
84,687	LF	PAINT PAVEMENT MARKING LINES (4")
2	EA	PAINT PAVEMENT MARKING SYMBOL
2,535	EA	PERMANENT RAISED PAVEMENT MARKERS
400	EA	SNOWPLOWABLE PAVEMENT MARKERS
500	LF	INDUCTIVE LOOP SAWCUT
500	LF	LEAD-IN CABLE (***** (18-4)

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 010

CONTRACT ID : C201672 30619

DIV OFFICE DURHAM

LENGTH = 5.240 MI

COUNTY : WAKE

GRADING, DRAINAGE, PAVING, RESURFAC & SHLDR RECONSTRUCTION.

MBE GOAL 4.0% WBE 4.0% COMPLETION DATE : JUN 30 2007

SR-1656 (TRINITY RD) AT SR-1664 (BLUE RIDGE RD) & 5 SECTIONS OF SECONDARY ROADS.

		ROADWAY ITEMS			
				69,420	LF THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
				100	LF THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
Lump Sum	LS	MOBILIZATION		1,402	LF THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
Lump Sum	LS	GRADING		3,184	LF THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
10	CY	UNDERCUT EXCAVATION		8	EA THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)
75	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRS		336	EA THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
12	LF	12" RC PIPE CULVERTS, CLASS III		45,069	LF PAINT PAVEMENT MARKING LINES (4")
36	LF	15" RC PIPE CULVERTS, CLASS III		964	EA PERMANENT RAISED PAVEMENT MARKERS
468	LF	18" RC PIPE CULVERTS, CLASS III		141	LF 6" WATER LINE
32	LF	24" RC PIPE CULVERTS, CLASS III		95	LF 12" WATER LINE
318	LF	PIPE REMOVAL		6	EA 6" TAPPING VALVE
25	TON	INCIDENTAL STONE BASE		6	EA GENERIC UTILITY ITEM FIRE HYDRANT, 150# WP
5.53	SMI	SHOULDER RECONSTRUCTION		6	EA GENERIC UTILITY ITEM REMOVE & STOCKPILE EXISTING FIRE HYDRANT
91,467	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")		1,900	LF TEMPORARY SILT FENCE
530	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (0" TO 1-1/2")		20	TON STONE FOR EROSION CONTROL, CLASS B
1,700	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B		10	TON SEDIMENT CONTROL STONE
1,650	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B		655	CY SILT EXCAVATION
17,163	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B		2,000	SY MATTING FOR EROSION CONTROL
1,185	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22		6.6	ACR SEEDING & MULCHING
5	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR		3	EA PEDESTRIAN SIGNAL HEAD (12", 2 SECTION)
288	TON	PATCHING EXISTING PAVEMENT		1,300	LF SIGNAL CABLE
0.8	CY	PIPE COLLARS		8	EA VEHICLE SIGNAL HEAD (12", 3 SECTION)
9	EA	MASONRY DRAINAGE STRUCTURES		2	EA VEHICLE SIGNAL HEAD (12", 4 SECTION)
1	EA	FRAME WITH TWO GRATES, STD 840.16		1	EA VEHICLE SIGNAL HEAD (12", 5 SECTION)
10	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F)		1,595	LF MESSENGER CABLE (1/4")
1	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (G)		500	LF MESSENGER CABLE (3/8")
5	EA	FRAME WITH COVER, STD 840.54		130	LF PAVED TRENCHING (***** (2, 2"))
2,390	LF	2'-6" CONCRETE CURB & GUTTER		625	LF UNPAVED TRENCHING (***** (2, 2"))
1,290	SY	4" CONCRETE SIDEWALK		6	EA JUNCTION BOX (STANDARD SIZE)
16	EA	CONCRETE WHEELCHAIR RAMPS		2	EA WOOD POLE
54	SY	GENERIC PAVING ITEM		10	EA GUY ASSEMBLY
21	EA	ADJUSTMENT OF MANHOLES		6	EA 2" RISER WITH WEATHERHEAD
56	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES		2,276	LF INDUCTIVE LOOP SAWCUT
3	EA	GENERIC DRAINAGE ITEM CONVERT EXT OPEN THROAT CATCH BASIN TO CATCH BASIN		2,100	LF LEAD-IN CABLE (***** (18-4))
3	EA	GENERIC DRAINAGE ITEM CONVERT EXT OPEN THROAT CATCH BASIN TO JUNCTION BOX W/ MANHOLE COVER		1,635	LF COMMUNICATIONS CABLE (** TWISTED-PAIR) (12)
2	EA	GENERIC DRAINAGE ITEM CONVERT EXT OPEN THROAT CATCH BASIN TO TRAFFIC BEARING JUNCT'N BOX W/ MH COVER		1	EA SIGNAL CABINET FOUNDATION
1	EA	GUARDRAIL ANCHOR UNITS, TYPE CAT-1		1	EA CONTROLLER WITH CABINET (NEMA TS-2, TYPE 2 CONTROLLER, TYPE 1 CABINET, BASE MOUNTED)
1	EA	GUARDRAIL ANCHOR UNITS, TYPE 350		1	EA DETECTOR CARD (NEMA TS-2)
350	LF	REMOVE & RESET EXISTING GUARDRAIL		1	EA TWISTED-PAIR SPLICE CABINET
Lump Sum	LS	GENERIC TRAFFIC CONTROL ITEM TRAFFIC CONTROL		1	EA TRAFFIC SIGNAL REMOVAL
350	LF	GENERIC TRAFFIC CONTROL ITEM CHAIN			
40	EA	GENERIC TRAFFIC CONTROL ITEM BOLLARD			
31,221	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)			

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 011

CONTRACT ID : C201677 5CR.20921.10

DIV OFFICE DURHAM

LENGTH = 46.260 MI

COUNTY : WAKE

MILLING, RESURFACING, & SHOULDER RECONSTRUCTION.

MBE GOAL 3.0% WBE 4.0% COMPLETION DATE : SEE SPECIAL PROVISIONS

19 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
1,947	TON	INCIDENTAL STONE BASE
77.14	SMI	SHOULDER RECONSTRUCTION
66,809	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
1,170	SY	INCIDENTAL MILLING
5,839	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
84,787	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
5,339	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
10,918	TON	PATCHING EXISTING PAVEMENT
73,920	LF	MILLED RUMBLE STRIPS (ASPHALT CEMENT CONCRETE)
72	EA	ADJUSTMENT OF MANHOLES
114	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
441,744	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
380,332	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
1,650	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
920	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
50	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
1,516	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
78	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)
471	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
4,555	EA	PERMANENT RAISED PAVEMENT MARKERS
56.31	ACR	SEEDING & MULCHING
1,500	LF	INDUCTIVE LOOP SAWCUT

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 012

CONTRACT ID : C201688 37135

DIV OFFICE FAYETTEVILLE

LENGTH = 93.950 MI

COUNTY : CUMBERLAND, HARNETT

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

MBE GOAL 4.0% WBE 5.0% COMPLETION DATE : DEC 01 2007

6 SECTIONS OF US-401, 3 SECTIONS OF US-310, 2 SECTIONS OF NC-210, AND 64 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	DESCRIPTION
1,836	TON	MOBILIZATION
164.88	SMI	INCIDENTAL STONE BASE
28,976	SY	SHOULDER RECONSTRUCTION
		MILLING ASPHALT PAVEMENT, ****
		DEPTH
		(1-1/2")
2,646	SY	MILLING ASPHALT PAVEMENT, ****
		TO ***** DEPTH
		(0" TO 1")
82,082	SY	MILLING ASPHALT PAVEMENT, ****
		TO ***** DEPTH
		(0" TO 1-1/2")
5,703	SY	MILLING ASPHALT PAVEMENT, ****
		TO ***** DEPTH
		(0" TO 1-1/4")
9,856	SY	MILLING ASPHALT PAVEMENT, ****
		TO ***** DEPTH
		(0" TO 3")
360	TON	ASPHALT CONC INTERMEDIATE
		COURSE, TYPE I19.0B
55,750	TON	ASPHALT CONC SURFACE COURSE,
		TYPE S9.5B
43	TON	ASPHALT CONC SURFACE COURSE,
		TYPE S9.5B (LEVELING COURSE)
53,162	TON	ASPHALT CONC SURFACE COURSE,
		TYPE SF9.5A
4,092	TON	ASPHALT CONC SURFACE COURSE,
		TYPE S4.75A
7,111	TON	ASPHALT BINDER FOR PLANT MIX,
		GRADE PG 64-22
1,239	TON	PATCHING EXISTING PAVEMENT
12	EA	CONCRETE WHEELCHAIR RAMPS
1,280	SY	5" MONOLITHIC CONCRETE ISLANDS
		(KEYED IN)
150	EA	ADJUSTMENT OF MANHOLES
185	EA	ADJUSTMENT OF METER BOXES OR
		VALVE BOXES
475,350	LF	THERMOPLASTIC PAVEMENT MARKING
		LINES (4", 90 MILS)
361,170	LF	THERMOPLASTIC PAVEMENT MARKING
		LINES (4", 120 MILS)
4,010	LF	THERMOPLASTIC PAVEMENT MARKING
		LINES (8", 90 MILS)
4,680	LF	THERMOPLASTIC PAVEMENT MARKING
		LINES (8", 120 MILS)
1,100	LF	THERMOPLASTIC PAVEMENT MARKING
		LINES (16", 120 MILS)
5,045	LF	THERMOPLASTIC PAVEMENT MARKING
		LINES (24", 120 MILS)
200	EA	THERMOPLASTIC PAVEMENT MARKING
		CHARACTER (120 MILS)
1,101	EA	THERMOPLASTIC PAVEMENT MARKING
		SYMBOL (90 MILS)
700,400	LF	PAINT PAVEMENT MARKING LINES
		(4")
450	LF	PAINT PAVEMENT MARKING LINES
		(8")
310	LF	PAINT PAVEMENT MARKING LINES
		(24")
10,606	EA	PERMANENT RAISED PAVEMENT
		MARKERS
207	ACR	SEEDING & MULCHING
110	LF	PAVED TRENCHING (*****)
		(1")
1,100	LF	UNPAVED TRENCHING (*****)
		(2")
22	EA	JUNCTION BOX (STANDARD SIZE)
22	EA	2" RISER WITH WEATHERHEAD
43,150	LF	INDUCTIVE LOOP SAWCUT
1,650	LF	LEAD-IN CABLE (*****)
		(18-2)

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 013

CONTRACT ID : C201689 41095

DIV OFFICE FAYETTEVILLE

LENGTH = 44.140 MI

COUNTY : COLUMBUS, BLADEN

MILLING, SHOULDER RECONSTRUCTION, AND RESURFACING.

MBE GOAL 4.0% WBE 4.0% COMPLETION DATE : DEC 01 2007

1 SECTION OF NC-41/87, NC-131A, NC-131B, NC-211, NC-905, 2 SECTIONS OF NC-904, AND 8 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	DESCRIPTION
	LS	MOBILIZATION
1,006	TON	INCIDENTAL STONE BASE
87.88	SMI	SHOULDER RECONSTRUCTION
4,799	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (0" TO 1-1/2")
12,132	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
33,032	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
18,728	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
3,722	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
1,990	TON	PATCHING EXISTING PAVEMENT
7	EA	ADJUSTMENT OF MANHOLES
305,420	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
220,500	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
1,500	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
320	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
24	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)
27	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
266,700	LF	PAINT PAVEMENT MARKING LINES (4")
800	LF	PAINT PAVEMENT MARKING LINES (8")
2,760	EA	PERMANENT RAISED PAVEMENT MARKERS
106.51	ACR	SEEDING & MULCHING
30	LF	PAVED TRENCHING (*****) (2" PVC)
100	LF	UNPAVED TRENCHING (*****) (2" PVC)
3	EA	JUNCTION BOX (STANDARD SIZE)
1	EA	2" RISER WITH WEATHERHEAD
600	LF	INDUCTIVE LOOP SAWCUT
100	LF	LEAD-IN CABLE (*****) (18-2)

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L061219 014

CONTRACT ID : C201545 34881.3.3

DIV OFFICE GREENSBORO

LENGTH = 1.090 KM

COUNTY : ALAMANCE

GRADING, DRAINAGE, PAVING AND SIGNALS.

DBE GOAL 7.0% COMPLETION DATE : AUG 01 2007

WESTERN ALAMANCE LOOP - CONSTRUCT LOOP RAMP AT I-85 IN BURLINGTON.

ROADWAY ITEMS					
			150	M	REMOVE EXISTING GUARDRAIL
			85	MTN	PLAIN RIP RAP, CLASS B
			300	M2	FILTER FABRIC FOR DRAINAGE
			1	M3	PLAIN CONCRETE SIGN FOOTINGS
			123	KG	SUPPORTS, BREAKAWAY STEEL BEAM
			75	M	SUPPORTS, 4.5KG STEEL U-CHANNEL
			3	EA	SIGN ERECTION, TYPE D
			3	EA	SIGN ERECTION, TYPE E
			4	EA	SIGN ERECTION, TYPE F
			1	EA	SIGN ERECTION, TYPE *** (GROUND MOUNTED) (A)
			3	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
			43	M2	WORK ZONE SIGNS (STATIONARY)
			33	M2	WORK ZONE SIGNS (PORTABLE)
			1	M2	WORK ZONE SIGNS (BARRICADE MOUNTED)
			2	EA	FLASHING ARROW PANELS, TYPE C
			2	EA	CHANGEABLE MESSAGE SIGN
			90	EA	DRUMS
			4	M	BARRICADES (TYPE III)
			4	EA	WARNING LIGHTS (TYPE B)
			1	EA	TEMPORARY CRASH CUSHIONS
			3	EA	TRUCK MOUNTED IMPACT ATTENUATOR (60 MPH)
			311	M	PORTABLE CONCRETE BARRIER
			101	M	PORTABLE CONCRETE BARRIER (DRAINAGE)
			24	HR	POLICE
			462	M	THERMOPLASTIC PAVEMENT MARKING LINES (100MM, 2.3MM)
			121	M	THERMOPLASTIC PAVEMENT MARKING LINES (100MM, 3.1MM)
			200	M	THERMOPLASTIC PAVEMENT MARKING LINES (200MM, 2.3MM)
			8	M	THERMOPLASTIC PAVEMENT MARKING LINES (600MM, 3.1MM)
			8	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (2.3MM)
			36	M	COLD APPLIED PLASTIC PAVEMENT MARKING LINES (100MM)
			1	EA	COLD APPLIED PLASTIC PAVEMENT MARKING SYMBOL
			100	M	PAINT PAVEMENT MARKING LINES (100MM)
			100	M	PAINT PAVEMENT MARKING LINES (200MM)
			171	M	REMOVAL OF PAVEMENT MARKING LINES (100MM)
			12	M	REMOVAL OF PAVEMENT MARKING LINES (600MM)
			7	EA	REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS
			2	EA	PERMANENT RAISED PAVEMENT MARKERS
			61	EA	SNOWPLOWABLE PAVEMENT MARKERS
			15	EA	FLEXIBLE DELINEATORS (CRYSTAL)
			22	EA	FLEXIBLE DELINEATORS (YELLOW)
			11.2	M	ELECTRICAL DUCT, TYPE BD, SIZE **** TS-3)
			195	M	***#2 W/G FEEDER CIRCUIT IN SIZE *** CONDUIT (2, TS-1.5)
			3	EA	ELECTRICAL JUNCTION BOXES ***** (PC 18)
			Lump Sum	LS	PORTABLE LIGHTING
			5.4	M3	GENERIC LIGHTING ITEM HIGH MOUNT FOUNDATIONS
			1	EA	GENERIC LIGHTING ITEM RELOCATE HIGH MOUNT STANDARD
			160	M	TEMPORARY SILT FENCE
			165	MTN	STONE FOR EROSION CONTROL, CLASS A
			105	MTN	STONE FOR EROSION CONTROL, CLASS B
			150	MTN	SEDIMENT CONTROL STONE
Lump Sum	LS	MOBILIZATION			
10,200	M3	UNCLASSIFIED EXCAVATION			
0.4	HA	SUPPLEMENTARY CLEARING & GRUBBING			
200	M3	UNDERCUT EXCAVATION			
Lump Sum	LS	GRADING			
75	MTN	CLASS IV SUBGRADE STABILIZATION			
550	M3	DRAINAGE DITCH EXCAVATION			
100	M3	SELECT GRANULAR MATERIAL			
100	M2	FABRIC FOR SOIL STABILIZATION			
70	MTN	FOUNDATION CONDITIONING MATERIAL, MINOR STRS			
136.8	M	375MM RC PIPE CULVERTS, CLASS III			
51.6	M	450MM RC PIPE CULVERTS, CLASS III			
16.8	M	600MM RC PIPE CULVERTS, CLASS III			
190	M2	GENERIC GRADING ITEM 100MM SLOPE PROTECTION			
50	MTN	STABILIZER AGGREGATE			
100	MTN	INCIDENTAL STONE BASE			
2,140	MTN	ASPHALT CONC BASE COURSE, TYPE B25.0C			
1,032	MTN	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C			
800	MTN	ASPHALT CONC SURFACE COURSE, TYPE S9.5C			
141	MTN	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22			
48	MTN	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22			
270	M	MILLED RUMBLE STRIPS			
83	M3	SUBDRAIN EXCAVATION			
63	M3	SUBDRAIN FINE AGGREGATE			
150	M	150MM PERFORATED SUBDRAIN PIPE			
15	EA	150MM SUBDRAIN PIPE WYES, TEES, & ELBOWS			
2	M	150MM OUTLET PIPE (SUBDRAINS)			
1	EA	CONCRETE PAD FOR SHOULDER DRAIN PIPE OUTLET			
1	M3	PIPE COLLARS			
8	EA	MASONRY DRAINAGE STRUCTURES			
1	EA	FRAME WITH TWO GRATES, STD 840.20			
1	EA	FRAME WITH TWO GRATES, STD 840.22			
1	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (E)			
2	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F)			
1	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (G)			
1	EA	FRAME WITH COVER, STD 840.54			
155	M	450MM CONCRETE CURB & GUTTER			
380	M	750MM CONCRETE CURB & GUTTER			
110	M	CONCRETE EXPRESSWAY GUTTER			
15	M2	125MM MONOLITHIC CONCRETE ISLANDS (KEYED IN)			
40	M	CONCRETE BARRIER, TYPE ***** (T2)			
125	M2	GENERIC PAVING ITEM 125MM MONOLITHIC CONC ISLAND, (REINFORCED SURFACE MOUNT)			
163.83	M	STEEL BM GUARDRAIL, DOUBLE FACED			
5	EA	ADDITIONAL GUARDRAIL POSTS			
1	EA	GUARDRAIL ANCHOR UNITS, TYPE CAT-1			
2	EA	GUARDRAIL ANCHOR UNITS, TYPE 350			
1	EA	GUARDRAIL ANCHOR UNITS, TYPE B-77			

2	HA	TEMPORARY MULCHING
100	KG	SEED FOR TEMPORARY SEEDING
0.75	MTN	FERTILIZER FOR TEMPORARY SEEDING
475	M3	SILT EXCAVATION
1,030	M2	MATTING FOR EROSION CONTROL
16	M	6.4MM HARDWARE CLOTH
2	HA	SEEDING & MULCHING
1.5	HA	MOWING
25	KG	SEED FOR REPAIR SEEDING
0.25	MTN	FERTILIZER FOR REPAIR SEEDING
75	KG	SEED FOR SUPPLEMENTAL SEEDING
3.25	MTN	FERTILIZER TOPDRESSING
2	HR	SPECIALIZED HAND MOWING
8	EA	GENERIC EROSION CONTROL ITEM RESPONSE FOR EROSION CONTROL
13	M	TRENCHING (PAVED)
101	M	TRENCHING (UNPAVED)
2	EA	JUNCTION BOX (STANDARD SIZE)
77	M	INDUCTIVE LOOP SAWCUT
207	M	LEAD-IN CABLE
1	EA	SIGN FOR SIGNALS

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L061219 015

CONTRACT ID : C201367 38726.3.1

DIV OFFICE GREENSBORO

LENGTH = 2.730 MI

COUNTY : ALAMANCE

MILLING, RESURFACING & SIGNALS.

DBE GOAL 6.0% COMPLETION DATE : NOV 02 2007

I-40 & I-85 FROM MP-145.66 TO MP-148.37.

ROADWAY ITEMS

			50	LF	LEAD-IN CABLE (***** (18-2)
			50	LF	LEAD-IN CABLE (***** (18-4)
Lump Sum	LS	MOBILIZATION			
2,971	SY	REMOVAL OF EXISTING ASPHALT PAVEMENT			
Lump Sum	LS	GENERIC GRADING ITEM COMPREHENSIVE GRADING			
16,991	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")			
89,061	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (2")			
73,772	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (3")			
5,148	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (0" TO 1-1/2")			
2,402	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (2" TO 3-1/2")			
2,136	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (3" TO 4-1/2")			
1,261	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C			
914	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C			
12,725	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0D			
696	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C			
30,725	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5D			
97	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22			
639	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22			
1,842	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 76-22			
54,380	LF	MILLED RUMBLE STRIPS (ASPHALT CEMENT CONCRETE)			
25	EA	GENERIC DRAINAGE ITEM ADJUSTMENT OF GRATES AND/OR FRAMES ON DROP INLETS			
682	SF	WORK ZONE SIGNS (STATIONARY)			
888	SF	WORK ZONE SIGNS (PORTABLE)			
90	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)			
6	EA	FLASHING ARROW PANELS, TYPE C			
3	EA	CHANGEABLE MESSAGE SIGN			
600	EA	DRUMS			
216	LF	BARRICADES (TYPE III)			
3	EA	TMIA			
68,783	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)			
22,591	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 120 MILS)			
6,960	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)			
222	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)			
30	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)			
174,018	LF	PAINT PAVEMENT MARKING LINES (6")			
9,225	LF	PAINT PAVEMENT MARKING LINES (12")			
386	LF	PAINT PAVEMENT MARKING LINES (24")			
54	EA	PAINT PAVEMENT MARKING SYMBOL			
1,582	EA	SNOWPLOWABLE PAVEMENT MARKERS			
Lump Sum	LS	PORTABLE LIGHTING			
50	LF	UNPAVED TRENCHING (***** (1, 2")			
1	EA	JUNCTION BOX (***** (STANDARD)			
2,600	LF	INDUCTIVE LOOP SAWCUT			

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 016

CONTRACT ID : C201665 7CR.10011.7

DIV OFFICE GREENSBORO

LENGTH = 29.320 MI

COUNTY : ALAMANCE

MILLING, SHOULDER RECONSTRUCTION, & RESURFACING.

MBE GOAL 4.0% WBE 4.0% COMPLETION DATE : NOV 02 2007

1 SECTION OF US-70, NC-54, & NC-87, 2 SECTIONS OF NC-49 & 12 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
1,196	TON	INCIDENTAL STONE BASE
4.59	SMI	SHOULDER RECONSTRUCTION
1,526	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/4")
1,080	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (2-1/2")
132	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (3")
3,224	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (0" TO 1")
3,056	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (0" TO 1-1/4")
17,106	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (0" TO 2-1/2")
5,911	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (0" TO 2-1/4")
927	SY	INCIDENTAL MILLING
24	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0B
25,121	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
11,764	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
2,275	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
161,970	SY	ASPHALT SURFACE TREATMENT, MAT COAT, #78M STONE
10	EA	RETROFIT EXISTING WHEELCHAIR RAMPS
1	EA	CONCRETE WHEELCHAIR RAMPS
84	EA	ADJUSTMENT OF MANHOLES
83	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
55,452	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
93,473	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
930	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 120 MILS)
1,183	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
120	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 120 MILS)
1,517	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
76	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)
285	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
705,991	LF	PAINT PAVEMENT MARKING LINES (4")
Lump Sum	LS	PORTABLE LIGHTING
2	ACR	SEEDING & MULCHING
2	ACR	RESIDENTIAL SEEDING
7,150	LF	UNPAVED TRENCHING (***** (1, 2")
4	EA	JUNCTION BOX (STANDARD SIZE)
4,670	LF	INDUCTIVE LOOP SAWCUT
350	LF	LEAD-IN CABLE (***** (18-2)
300	LF	LEAD-IN CABLE (***** (18-4)

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 017

CONTRACT ID : C201690 7CR.10681.5

DIV OFFICE GREENSBORO

LENGTH = 22.140 MI

COUNTY : ORANGE

MILLING, RESURFACING, & SHOULDER RECONSTRUCTION.

MBE GOAL 3.0% WBE 3.0% COMPLETION DATE : OCT 01 2007

NC-54 BYP / US-15/501 FROM MORGAN CRK RD TO SR-1005, NC-751 FROM US-70 TO DURHAM CO, & 8 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
547	TON	INCIDENTAL STONE BASE
15.7	SMI	SHOULDER RECONSTRUCTION
667	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
555	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (3")
69	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (8")
26,687	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (0" TO 1-1/2")
315	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (0" TO 1-1/4")
3,119	SY	INCIDENTAL MILLING
31	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
61	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B
34	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C
26,939	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,522	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
1,623	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
93	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
16	EA	RETROFIT EXISTING WHEELCHAIR RAMPS
25	EA	ADJUSTMENT OF MANHOLES
15	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
85,648	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
37,140	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
529	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 120 MILS)
6,891	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
244	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 120 MILS)
110	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
706	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
50	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)
83	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
542,482	LF	PAINT PAVEMENT MARKING LINES (4")
Lump Sum	LS	PORTABLE LIGHTING
6.21	ACR	SEEDING & MULCHING
2.15	ACR	RESIDENTIAL SEEDING
50	LF	UNPAVED TRENCHING (***** (1, 2")
1	EA	JUNCTION BOX (***** (STANDARD)
1,200	LF	INDUCTIVE LOOP SAWCUT
50	LF	LEAD-IN CABLE (***** (18-2)
50	LF	LEAD-IN CABLE (***** (18-4)

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 018

CONTRACT ID : C201651 7CR.20411.14

DIV OFFICE GREENSBORO

LENGTH = 18.727 MI

COUNTY : GUILFORD

MILLING, SHOULDER RECONSTRUCTION, RESURFACING & PVMT MRKGS.

MBE GOAL 3.0% WBE 3.0% COMPLETION DATE : OCT 01 2007

9 SECTIONS OF SECONDARY ROAD.

ROADWAY ITEMS

Lump Sum	LS	DESCRIPTION
	LS	MOBILIZATION
1,555	TON	INCIDENTAL STONE BASE
18.88	SMI	SHOULDER RECONSTRUCTION
485	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
1,219	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/4")
806	SY	MILLING ASPHALT PAVEMENT, **** TO *****" DEPTH (0" TO 1-1/2")
1,144	SY	INCIDENTAL MILLING
2,310	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
16,043	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
2,880	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
900	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A (LEVELING COURSE)
1,289	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
1,170	SY	ASPHALT SURFACE TREATMENT, MAT COAT, #78M STONE
1	EA	ADJUSTMENT OF MANHOLES
32,740	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
27,000	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
756	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 120 MILS)
79	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
240	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
748	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
30	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)
4	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
648,984	LF	PAINT PAVEMENT MARKING LINES (4")
7.74	ACR	SEEDING & MULCHING
4.15	ACR	RESIDENTIAL SEEDING

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 019

CONTRACT ID : C201696 9CR.10291.5

DIV OFFICE WINSTON-SALEM

LENGTH = 20.345 MI

COUNTY : DAVIDSON

MILLING, RESURFACING & SHOULDER RECONSTRUCTION.

MBE GOAL 3.0% WBE 4.0% COMPLETION DATE : SEP 28 2007

NC-49 FROM SR-2545 TO RANDOLPH CO LINE, NC-50 FROM N OF SR-1654 TO SR-1496 & 7 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	DESCRIPTION
	LS	MOBILIZATION
1,038	TON	INCIDENTAL STONE BASE
3.27	SMI	SHOULDER RECONSTRUCTION
7,238	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
2,165	SY	MILLING ASPHALT PAVEMENT, **** TO *****" DEPTH (0" TO 1-1/2")
4,049	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
13,483	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
150	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B (LEVELING COURSE)
16,790	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
993	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
1,007	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
132	TON	PATCHING EXISTING PAVEMENT
1	EA	ADJUSTMENT OF DROP INLETS
42	EA	ADJUSTMENT OF MANHOLES
82	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
192,829	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
191,583	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
1,074	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
1,480	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
100	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
640	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
34	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)
76	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
4,900	LF	PAINT PAVEMENT MARKING LINES (4")
482	EA	SNOWPLOWABLE PAVEMENT MARKERS

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 020

CONTRACT ID : C201692 9CR.10301.5

DIV OFFICE WINSTON-SALEM

LENGTH = 14.274 MI

COUNTY : DAVIE

MILLING & RESURFACING.

MBE GOAL 3.0% WBE 4.0% COMPLETION DATE : SEP 28 2007

3 SECTIONS OF US-64, 1 SECTION OF US-158, & NC-901 AND 3 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	DESCRIPTION
848	TON	MOBILIZATION INCIDENTAL STONE BASE
1,340	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
910	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (0" TO 1-1/2")
5,804	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
13,526	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
348	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
812	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
113	TON	PATCHING EXISTING PAVEMENT
152,553	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
154,469	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
500	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
210	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
120	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
12	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
653	EA	SNOWPLOWABLE PAVEMENT MARKERS

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 021

CONTRACT ID : C201691 9CR.10341.5

DIV OFFICE WINSTON-SALEM

LENGTH = 24.899 MI

COUNTY : FORSYTH

MILLING, RESURFACING & SHOULDER RECONSTRUCTION.

MBE GOAL 4.0% WBE 5.0% COMPLETION DATE : SEP 28 2007

NC-8 FROM US-52 TO AFTER ROCK SPRING DR, NC-66 FROM AFTER SR-4000 TO BEFORE SR-2207 & 17
SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	DESCRIPTION
	LS	MOBILIZATION
991	TON	INCIDENTAL STONE BASE
6.24	SMI	SHOULDER RECONSTRUCTION
18,038	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
6,136	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (9-1/2")
9,212	SY	MILLING ASPHALT PAVEMENT, **** TO *****" DEPTH (0" TO 1-1/2")
2,814	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
2,262	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
1,350	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C
27,724	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
8,210	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
1,946	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
492	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
314	TON	PATCHING EXISTING PAVEMENT
1	EA	ADJUSTMENT OF DROP INLETS
15	EA	ADJUSTMENT OF MANHOLES
52	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
247,662	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
261,081	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
4,220	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
420	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
50	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
30	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 120 MILS)
850	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
32	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)
142	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
13,836	LF	PAINT PAVEMENT MARKING LINES (4")
140	LF	PAINT PAVEMENT MARKING LINES (24")
20	EA	PAINT PAVEMENT MARKING SYMBOL
360	EA	SNOWPLOWABLE PAVEMENT MARKERS

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 022

CONTRACT ID : C201693 9CR.10801.5

DIV OFFICE WINSTON-SALEM

LENGTH = 26.257 MI

COUNTY : ROWAN

MILLING & RESURFACING.

MBE GOAL 4.0% WBE 4.0% COMPLETION DATE : SEP 28 2007

3 SECTIONS OF US-29/70, 2 SECTIONS OF NC-150, 1 SECTION OF NC-153 & 10 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	DESCRIPTION
1,225	TON	MOBILIZATION INCIDENTAL STONE BASE
26,098	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
1,519	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (0" TO 1-1/2")
7,529	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (1-1/2" TO 4")
22,530	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
100	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B (LEVELING COURSE)
12,886	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
266	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C (LEVELING COURSE)
1,360	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
791	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
178	TON	PATCHING EXISTING PAVEMENT
40,036	SY	ASPHALT SURFACE TREATMENT, MAT COAT, #6 STONE
2	EA	ADJUSTMENT OF DROP INLETS
17	EA	ADJUSTMENT OF MANHOLES
24	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
236,454	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
276,337	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
100	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
430	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
600	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
817	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
36	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)
72	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
7,950	LF	PAINT PAVEMENT MARKING LINES (4")
643	EA	SNOWPLOWABLE PAVEMENT MARKERS

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 023

CONTRACT ID : C201694 9CR.10851.5

DIV OFFICE WINSTON-SALEM

LENGTH = 19.433 MI

COUNTY : STOKES, FORSYTH

MILLING, RESURFACING & SHOULDER RECONSTRUCTION.

MBE GOAL 3.0% WBE 3.0% COMPLETION DATE : SEP 28 2007

1 SECTION OF US-311, 1 SECTION OF NC-65, 1 SECTION OF NC-89, 1 SECTION OF NC-268 & 4 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	DESCRIPTION
	LS	MOBILIZATION
1,076	TON	INCIDENTAL STONE BASE
9.15	SMI	SHOULDER RECONSTRUCTION
645	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
1,672	SY	MILLING ASPHALT PAVEMENT, **** TO *****" DEPTH (0" TO 1-1/2")
530	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
8,731	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C
11,774	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
11,482	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
1,140	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
689	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
329	TON	PATCHING EXISTING PAVEMENT
9	EA	ADJUSTMENT OF MANHOLES
2	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
209,101	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
172,271	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
280	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
184	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
6	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)
41,416	LF	PAINT PAVEMENT MARKING LINES (4")
581	EA	SNOWFLOWABLE PAVEMENT MARKERS

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 024

CONTRACT ID : C201695 9CR.20291.1

DIV OFFICE WINSTON-SALEM

LENGTH = 12.618 MI

COUNTY : DAVIDSON

MILLING & RESURFACING OR HOT IN PLACE.

MBE GOAL 2.0% WBE 3.0% COMPLETION DATE : SEP 28 2007

2 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
758	TON	INCIDENTAL STONE BASE
36	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
135,770	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
980	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
140	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
26	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)
22	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
		***** BEGIN SCHEDULE AA ***** ***** (2 ALTERNATES) *****
390	SY	MILLING ASPHALT PAVEMENT, *** DEPTH (1-1/2")
400	SY	MILLING ASPHALT PAVEMENT, *** TO ***** DEPTH (0" TO 1-1/2")
16,917	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,015	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
98	TON	PATCHING EXISTING PAVEMENT
138,670	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
		*** OR ***
443	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
195,428	SY	HOT-IN-PLACE RECYCLED ASPHALT CONCRETE, TYPE S9.5B
19,543	GAL	EMULSIFIED ASPHALT REJUVENATING AGENT
4,885	TON	HOT MIX ASPHALT ADMIXTURE
137,588	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)

*** END SCHEDULE AA ***

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L061219 025

CONTRACT ID : C201582 33037.3.2

DIV OFFICE NORTH WILKESBORO

LENGTH = 0.046 MI

COUNTY : AVERY

GRADING, DRAINAGE, PAVING, & STRUCTURE.

DBE GOAL 4.0% COMPLETION DATE : DEC 31 2007

BRIDGE OVER CURTIS CREEK & APPROACHES ON SR-1321.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	CONSTRUCTION SURVEYING
Lump Sum	LS	REINFORCED BRIDGE APPROACH FILL, STATION ***** (13+44.00)
Lump Sum	LS	GRADING
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING
200	CY	UNDERCUT EXCAVATION
100	TON	CLASS IV SUBGRADE STABILIZATION
100	CY	SELECT GRANULAR MATERIAL
100	SY	FABRIC FOR SOIL STABILIZATION
11	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRS
50	TON	INCIDENTAL STONE BASE
390	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
65	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B
220	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
35	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
14	EA	RIGHT OF WAY MARKERS
22.4	CY	SUBDRAIN EXCAVATION
16.8	CY	SUBDRAIN FINE AGGREGATE
100	LF	4" PERFORATED SUBDRAIN PIPE
3	EA	4" SUBDRAIN PIPE WYES, TEES, & ELBOWS
1	EA	CONCRETE PAD FOR SUBDRAIN PIPE OUTLET
6	LF	4" OUTLET PIPE (SUBDRAINS)
4	EA	MASONRY DRAINAGE STRUCTURES
1	EA	FRAME WITH TWO GRATES, STD 840.24
3	EA	FRAME WITH TWO GRATES, STD 840.29
67.5	SF	GENERIC GRADING ITEM (SF) TEMPORARY FABRIC WALL
10	LF	SHOULDER BERM GUTTER
1	EA	GUARDRAIL ANCHOR UNITS, TYPE III
1	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
87.5	LF	TEMPORARY STEEL BM GUARDRAIL
4	EA	GUARDRAIL ANCHOR UNITS, TYPE ***** TEMPORARY (B-77)
4	EA	GUARDRAIL ANCHOR UNITS, TYPE 350 TEMPORARY
3	EA	GENERIC GUARDRAIL ITEM IMPACT ATTENUATOR, TYPE TL-2
200	TON	RIP RAP, CLASS II
5	TON	RIP RAP, CLASS B
475	SY	FILTER FABRIC FOR DRAINAGE
49.5	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (E)
90	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
12	EA	SIGN ERECTION, TYPE E
144	SF	WORK ZONE SIGNS (STATIONARY)
112	SF	WORK ZONE SIGNS (PORTABLE)
36	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
35	EA	DRUMS
48	LF	BARRICADES (TYPE III)
240	HR	FLAGGER
8,000	LF	PAINT PAVEMENT MARKING LINES (4")
160	LF	PAINT PAVEMENT MARKING LINES (24")
1,800	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
11	LF	TRENCHLESS INSTALLATION OF 3" IN SOIL

11	LF	TRENCHLESS INSTALLATION OF 3" NOT IN SOIL
262	LF	GENERIC UTILITY ITEM 3/4" PE WATER TUBING, SDR 9, 200 PSI WP
750	LF	TEMPORARY SILT FENCE
75	TON	STONE FOR EROSION CONTROL, CLASS A
225	TON	STONE FOR EROSION CONTROL, CLASS B
90	TON	SEDIMENT CONTROL STONE
1.5	ACR	TEMPORARY MULCHING
50	LB	SEED FOR TEMPORARY SEEDING
0.25	TON	FERTILIZER FOR TEMPORARY SEEDING
300	LF	SAFETY FENCE
430	CY	SILT EXCAVATION
140	SY	MATTING FOR EROSION CONTROL
80	LF	1/4" HARDWARE CLOTH
2.5	ACR	SEEDING & MULCHING
1	ACR	MOWING
50	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
50	LB	SEED FOR SUPPLEMENTAL SEEDING
1	TON	FERTILIZER TOPDRESSING
2	HR	SPECIALIZED HAND MOWING
8	EA	RESPONSE FOR EROSION CONTROL
0.5	ACR	REFORESTATION
***** BEGIN SCHEDULE AA ***** ***** (3 ALTERNATES) *****		
96	LF	15" RC PIPE CULVERTS, CLASS III
*** OR ***		
64	LF	15" RC PIPE CULVERTS, CLASS III
32	LF	**** HDPE PIPE CULVERTS (15")
*** OR ***		
64	LF	15" RC PIPE CULVERTS, CLASS III
32	LF	**** ALUMINIZED CORRUGATED STEEL PIPE CULVERTS, **** THICK (15", 0.064")
*** END SCHEDULE AA ***		

STRUCTURE ITEMS

Lump Sum	LS	CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP STRUCTURE AT STA ***** (13+44.00 -L-)
Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (13+44.00 -L-)
60	LF	PILE EXCAVATION IN SOIL
40	LF	PILE EXCAVATION NOT IN SOIL
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ***** (13+44.00-L-)
22.5	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ***** (13+44.00 -L-)
3,494	LB	REINFORCING STEEL (BRIDGE)
100	LF	HP12X53 STEEL PILES
59.75	LF	ONE BAR METAL RAIL
75.34	LF	1'-***X ***** CONCRETE PARAPET (1'-0" X 1'-9")
28	TON	RIP RAP CLASS II (2'-0" THICK)
30	SY	FILTER FABRIC FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS

376.67 LF 3'-0" X 1'-6" PRESTRESSED CONC
CORED SLABS

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 026

CONTRACT ID : C201659 13CR.10591.5

DIV OFFICE ASHEVILLE

LENGTH = 19.410 MI

COUNTY : MCDOWELL

MILLING, RESURFACING, & ULTRA THIN HOT MIX ASPHALT.

MBE GOAL 1.0% WBE 3.0% COMPLETION DATE : AUG 30 2007

US-70 FROM SR-1536 TO SR-1762 & 8 SECTIONS OF SECONDARY RDS.

ROADWAY ITEMS

Lump Sum	LS	DESCRIPTION
971	TON	MOBILIZATION INCIDENTAL STONE BASE
12,390	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
13,934	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
906	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
153	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-28
1,097	TON	PATCHING EXISTING PAVEMENT
2,644	TON	ULTRATHIN HOT MIX ASPHALT, TYPE B
75,375	SY	APPLICATION OF ULTRATHIN HOT MIX ASPHALT
130	EA	GENERIC PAVING ITEM MILLING JOINTS
16	EA	CONCRETE WHEELCHAIR RAMPS
10	EA	ADJUSTMENT OF CATCH BASINS
5	EA	ADJUSTMENT OF MANHOLES
3	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
61,670	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
67,478	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
384	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
200	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
460	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
36	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)
4	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
554,610	LF	PAINT PAVEMENT MARKING LINES (4")

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 027

CONTRACT ID : C201670 14C.075059

DIV OFFICE SYLVA

LENGTH = 34.660 MI

COUNTY : HENDERSON, POLK

MILLING & RESURFACING.

MBE GOAL 2.0% WBE 2.0% COMPLETION DATE : OCT 31 2007

US-64 FROM SR-1574 TO US-74, US-176 FROM HOWARD ST TO OLA MAY WAY, & 20 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
21.34	SMI	SHOULDER RECONSTRUCTION
36,003	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (3")
1,736	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
6,464	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B
41,716	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
9,681	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A (LEVELING COURSE)
3,513	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
285	SY	GENERIC PAVING ITEM JOINT REPAIR
10	EA	ADJUSTMENT OF MANHOLES
11	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
102,209	LF	PAINT PAVEMENT MARKING LINES (4")
215,089	LF	POLYUREA PAVEMENT MARKING LINES (4", *****) (STANDARD BEADS)
88	LF	POLYUREA PAVEMENT MARKING LINES (24", *****) (STANDARD BEADS)
12	EA	POLYUREA PAVEMENT MARKING CHARACTER (*****) (STANDARD BEADS)

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 028

CONTRACT ID : C201673 14CR.10441.3

DIV OFFICE SYLVA

LENGTH = 8.380 MI

COUNTY : HAYWOOD

MILLING, RESURFACING AND SHOULDER RECONSTRUCTION.

MBE GOAL 2.0% WBE 2.0% COMPLETION DATE : OCT 31 2007

US-19 FROM 0.26 MILES WEST OF US-276 TO SR-1197 AND 5 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
0.88	SMI	SHOULDER RECONSTRUCTION
120,340	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (3")
53,323	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (6")
11,693	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0B
18,250	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,644	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
72	SY	GENERIC PAVING ITEM CONCRETE JOINT REPAIR
212	SY	6" CONCRETE DRIVEWAY
14	EA	ADJUSTMENT OF CATCH BASINS
46	EA	ADJUSTMENT OF MANHOLES
8	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
103,084	LF	PAINT PAVEMENT MARKING LINES (4")
103,088	LF	POLYUREA PAVEMENT MARKING LINES (4", *****) (STANDARD GLASS BEADS)
772	LF	POLYUREA PAVEMENT MARKING LINES (8", *****) (STANDARD GLASS BEADS)
236	LF	POLYUREA PAVEMENT MARKING LINES (24", *****) (STANDARD GLASS BEADS)
56	EA	POLYUREA PAVEMENT MARKING SYMBOL (*****) (STANDARD GLASS BEADS)

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L061219 029

CONTRACT ID : C201669 14CR.10561.5 DIV OFFICE SYLVA
 COUNTY : MACON

LENGTH = 10.450 MI

MILLING, RESURFACING & SHOULDER RECONSTRUCTION.

MBE GOAL 1.0% WBE 3.0% COMPLETION DATE : OCT 01 2007

NC-106 FROM THE GEORGIA STATE LINE TO US-64.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
20.4	SMI	SHOULDER RECONSTRUCTION
14,338	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (3")
2,597	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B
12,009	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
5,004	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A (LEVELING COURSE)
1,170	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
2	EA	ADJUSTMENT OF MANHOLES
109,305	LF	PAINT PAVEMENT MARKING LINES (4")
220,098	LF	POLYUREA PAVEMENT MARKING LINES (4", *****) (STANDARD GLASS BEADS)
66	LF	POLYUREA PAVEMENT MARKING LINES (24", *****) (STANDARD GLASS BEADS)
12	EA	POLYUREA PAVEMENT MARKING SYMBOL (*****) (STANDARD GLASS BEADS)

