



STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

MICHAEL F. EASLEY
GOVERNOR

LYNDO TIPPETT
SECRETARY

November 23, 2004

NOTICE TO: All Prequalified Contractors

FROM:

R. A. Garris, PE

State Contract Officer

RE

Non-Collusion Affidavit and Debarment Certification (Pre-Bid)

All Non-Collusion Affidavit and Debarment Certifications currently on file with the Contract Office will be transferred to the State Contractor Qualifications Engineer to be placed in the Contractors prequalification file. **These documents will remain valid and in full force until your next renewal.**

Those currently in the process of becoming prequalified should follow the requirements of the Project Special Provision entitled "Electronic Bidding".

Effective January 1, 2005, this document will become a required element of the prequalification/renewal process.

If you have any questions, I can be reached at (919) 250-4124.

MAILING ADDRESS:
NC DEPARTMENT OF TRANSPORTATION
CONTRACTS & PROPOSALS
1591 MAIL SERVICE CENTER

TELEPHONE: 919-250-4124
FAX: 919-250-4127

WEBSITE: WWW.DOH.DOT.STATE.NC.US

LOCATION:
CENTURY CENTER COMPLEX
BUILDING B - ENTRANCE B15
1020 BIRCH RIDGE DRIVE




STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

MICHAEL F. EASLEY
GOVERNOR

LYNDO TIPPETT
SECRETARY

January 18, 2005

NOTICE TO: All Prequalified Contractors
FROM: R.A. Garris, P.E. 
Contract Officer
Re: Borrow and Waste Site Reclamation Procedures

Effective with the February 15, 2005 letting, please note the following:

The Department's Borrow and Waste Site Reclamation Procedures for Contracted Projects has been revised. Contractors shall use these procedures on all NCDOT Projects with borrow and waste sites. The document is posted on the website at:

http://www.doh.dot.state.nc.us/preconstruct/highway/dsn_srvc/contracts/letting.htm

If you have any questions, I can be reached at (919) 250-4124.



STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

MICHAEL F. EASLEY
GOVERNOR

LYNDO TIPPETT
SECRETARY

January 18, 2005

MEMORANDUM TO: All Prequalified Contractors
FROM: R. A. Garris, P.E. *R. A. Garris*
Contract Officer
RE: OCR Assistance meeting Contract Goals

The North Carolina Department of Transportation implements a Disadvantaged Business Enterprise Program in accordance with U.S. Department of Transportation requirements, and a Minority/Women Business Enterprise Program in accordance with state law. These programs assist disadvantaged, minority, and women-owned business enterprises (D/M/WBE) gain contracting opportunities with NCDOT.

NCDOT's Office of Civil Rights and Business Development (OCR) is charged with administering both the DBE and M/WBE Program, and with assisting NCDOT achieve annual goals for firms certified into the programs. D/M/WBE participation goals are met by the establishment of contract goals on projects let by the Department. Contractors bidding on NCDOT projects are expected to make every reasonable effort in good faith to reach the goals set on each project.

The Office of Civil Rights and Business Development is ready and willing to assist any contractor needing assistance securing D/M/WBE firms to participate as subcontractors on NCDOT projects. Three (3) Business Development Specialists are assigned to assist prime contractors and potential subcontractors connect to achieve contract goals. Contractors are encouraged to contact the Business Development Specialists as part of their good-faith effort to reach the contract goals and to discover potential partners for other projects across the state.

Bennington Corporation formerly provided consulting services to the Office of Civil Rights and assisted with D/M/WBE outreach. This agreement is no longer in affect, therefore, contractors should contact OCR directly for assistance with locating firms to bid as subcontractors. OCR's Business Development Specialists and their respective division responsibilities are listed below:

Specialist Name	Phone Number	Email Address	NCDOT Division
Thomas Burt	(919) 807-0851	Tburt@dot.state.nc.us	1, 2, 3, 4, 6
Lorenzo Jackson	(919) 807-0845	Lzjackson@dot.state.nc.us	5, 7, 11, 13, 14
Nathaniel Sanders, Jr.	(919) 807-0846	Nsanders@dot.state.nc.us	8, 9, 10, 12

If you have any questions about our programs or are not certain which Business Development Specialist to work with, contact Shelton A. Russell at (919) 807-0852 or email sarussell@dot.state.nc.us.

**STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
INVITATION TO BID**

ELECTRONIC BIDS FOR THE CONSTRUCTION OF THE FOLLOWING PROJECTS WILL BE PUBLICLY READ IN ROOM 156-A/B, THE PROJECT SERVICES LARGE CONFERENCE ROOM, LOCATED IN BUILDING B AT 1020 BIRCH RIDGE DRIVE, RALEIGH, N.C. AT **2:00 PM ON FEBRUARY 15, 2005**. NO ELECTRONIC BIDS WILL BE RECEIVED AFTER 2:00 PM.

BIDS SHALL BE SUBMITTED IN ACCORDANCE WITH THE SPECIAL PROVISION TITLED "ON-LINE ELECTRONIC BIDDING" CONTAINED IN EACH PROPOSAL FORM.

1. AN ORIGINAL PROPERLY EXECUTED NON-COLLUSION AFFIDAVIT AND DEBARMENT CERTIFICATION SHALL BE ON FILE IN THE CONTRACT OFFICE FROM EACH PROSPECTIVE BIDDER PRIOR TO SUBMITTING AN ELECTRONIC BID. FORMS ARE AVAILABLE AT
http://www.doh.dot.state.nc.us/preconstruct/highway/dsn_srvc/contracts/letting.htm

2. A BID BOND OR BID DEPOSIT IN THE AMOUNT OF 5% OF THE TOTAL AMOUNT BID WILL BE REQUIRED. THE BIDDER SHALL SUBMIT AN ELECTRONIC BID BOND WITH EACH ELECTRONIC BID SUBMITTAL UNLESS HE ELECTS TO FURNISH A BID DEPOSIT.

3. UPON RECEIPT OF AWARD LETTER, THE SUCCESSFUL BIDDER SHALL FURNISH A PROPERLY EXECUTED EXECUTION OF CONTRACT, NON-COLLUSION AFFIDAVIT AND DEBARMENT CERTIFICATION, AND EXECUTED PAYMENT AND PERFORMANCE BONDS FOR EACH CONTRACT. AFFIDAVIT FORMS AND BOND FORMS ARE AVAILABLE AS PART OF THE CONTRACT EXECUTION FORMS AT THE FOLLOWING WEBSITE
http://www.doh.dot.state.nc.us/preconstruct/highway/dsn_srvc/contracts/letting.htm

THE MINIMUM WAGE FOR LABOR WILL BE SHOWN IN THE PROPOSAL FORM FOR FEDERAL AID PROJECTS.

CONTRACTOR'S LICENSE: A GENERAL CONTRACTOR'S LICENSE IS REQUIRED IN ORDER TO SUBMIT A BID ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$30,000.00 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD. FOR ADDITIONAL INFORMATION OR TO MAKE APPLICATION FOR A LICENSE, APPLY TO THE EXECUTIVE SECRETARY OF THE CONTRACTOR LICENSING BOARD, P.O. BOX 17187, RALEIGH, NC 27619, (919-571-4183).

STATE PRIVILEGE LICENSE TAXES: CONTRACTORS WHO BID UPON AND/OR ARE AWARDED NORTH CAROLINA HIGHWAY CONSTRUCTION PROJECTS ARE SUBJECT TO CONTRACTOR BIDDERS AND/OR CONTRACTOR PROJECT PRIVILEGE LICENSE TAXES UNDER G.S. 105-54 OF THE STATE REVENUE LAWS. FOR INFORMATION, WRITE TO THE NORTH CAROLINA DEPARTMENT OF REVENUE, LICENSE AND EXCISE TAX DIVISION, P.O. BOX 25000, RALEIGH, NC 27640, OR CALL 919-733-3673.

PREQUALIFYING TO BID: ALL PROSPECTIVE BIDDERS SHALL BE PREQUALIFIED WITH THE DEPARTMENT OF TRANSPORTATION PRIOR TO SUBMITTING A BID. CONTRACTORS WHO ARE NOT PREQUALIFIED MAY OBTAIN INFORMATION AND FORMS FOR PREQUALIFYING FROM THE MANAGER OF CONSTRUCTION, DIVISION OF HIGHWAYS, DEPARTMENT OF TRANSPORTATION, 1543 MAIL SERVICE CENTER, RALEIGH, N. C., 27699-1543. ALL REQUIRED PREQUALIFICATION STATEMENTS AND DOCUMENTS SHALL BE FILED WITH THE MANAGER OF CONSTRUCTION AT LEAST TWO WEEKS PRIOR TO THE DATE OF OPENING BIDS.

THE DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS INVITATION TO BID, MINORITY BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, OR NATIONAL ORIGIN IN COMPENSATION TO THIS AWARD.

PROPOSAL FORMS AT **\$25.00** EACH, PLANS (SMALL SIZE) AT **\$40.00** PER SET, PLANS (LARGE SIZE) AT **\$100.00** PER SET, AND CROSS-SECTIONS AT **\$40.00** PER SET, PLUS SALES TAX FOR N.C. RESIDENTS, MAY BE OBTAINED BY TELEPHONING (919-250-4124), FAXING (919-250-4127), OR WRITING TO : PLANS AND PROPOSALS, PROJECT SERVICES UNIT, DEPARTMENT OF TRANSPORTATION, 1591 MAIL SERVICE CENTER, RALEIGH, N.C., 27699-1591. THESE CHARGES ARE NOT DEPOSITS AND WILL NOT BE REFUNDED. ALL ORDERS FOR PROPOSAL FORMS, PLANS AND CROSS-SECTIONS DELIVERED IN NORTH CAROLINA ARE SUBJECT TO 7% SALES TAX. ORDERS MAILED TO OUT OF STATE CONTRACTORS ARE NOT SUBJECT TO SALES TAX. MAKE ALL CHECKS PAYABLE TO THE "N.C. DEPARTMENT OF TRANSPORTATION".

THE RIGHT IS RESERVED TO REJECT ANY OR ALL BIDS.

**TODAY'S DATE IS JANUARY 18, 2005.
BY ORDER OF THE DEPARTMENT OF TRANSPORTATION
(THE WORK WILL CONSIST APPROXIMATELY AS SHOWN ON THE FOLLOWING SHEETS)**

REVIEW OF PLANS AND PROPOSALS IN DIVISION OFFICE

IN ORDER TO FACILITATE AND ENCOURAGE THE INVOLVEMENT OF MINORITY BUSINESS ENTERPRISES IN THE HIGHWAY CONSTRUCTION PROCESS, IT IS THE POLICY OF THE DEPARTMENT OF TRANSPORTATION, DIVISION OF HIGHWAYS, THAT A SET OF PLANS AND PROPOSAL FOR EACH PROJECT TO BE LET WILL BE MAINTAINED FOR REVIEW BY ANY CONTRACTOR INTERESTED IN BIDDING UPON OR QUOTING WORK IN AN ADVERTISED PROJECT.

THE PROPOSALS AND PLANS WILL BE AVAILABLE FOR REVIEW BEGINNING TWO WEEKS PRIOR TO THE DATE OF BID OPENING IN THE DIVISION OFFICE WHICH WILL ADMINISTER THE CONTRACT. THE DEPARTMENT WILL, UPON REQUEST, MAKE AVAILABLE FROM ITS STAFF A PERSON TO EXPLAIN THE PROPOSED PROJECT AND TO ANSWER GENERAL QUESTIONS RELATING TO THE PROJECT. THE PLANS AND PROPOSALS CAN BE REVIEWED ANY TIME MONDAY THRU FRIDAY, EXCLUDING HOLIDAYS, BETWEEN THE HOURS OF 8:00 A.M. AND 4:30 P.M. IN THE DIVISION OFFICE. IN ORDER TO HAVE A MEMBER OF THE STAFF EXPLAIN THE PROJECT AND/OR ANSWER GENERAL QUESTIONS PERTAINING TO THE PROJECT, PRIOR APPOINTMENTS MUST BE MADE BY CALLING THE APPROPRIATE DIVISION OFFICE.

FOLLOWING ARE THE LOCATIONS AND TELEPHONE NUMBERS OF THE OFFICES IN WHICH THE PLANS AND PROPOSALS WILL BE MADE AVAILABLE, REFERENCE SHOULD BE MADE TO THE SHEETS CONTAINING THE INDIVIDUAL PROJECT QUANTITIES TO DETERMINE WHICH DIVISION OFFICE WILL ADMINISTER THE CONTRACT.

<u>DIV NO.</u>	<u>DIVISION ENGINEER</u>	<u>LOCATION</u>	<u>TOWN</u>	<u>TELEPHONE</u>
00001	Anthony W Roper, PE	113 AIRPORT DRIVE, SUITE 100 SUITE 100	EDENTON	(252) 482-7977
00002	Cornelius E Lassiter, Jr., PE	105 PACTOLUS ROAD	GREENVILLE	(252) 830-3490
00003	H. Allen N Pope, PE	124 DIVISION DRIVE	WILMINGTON	(910) 251-5724
00004	Jim H Trogdon, PE	509 WARD BOULEVARD	WILSON	(252) 237-6164
00005	Jonathan G Nance, PE	2612 NORTH DUKE STREET	DURHAM	(919) 560-6851
00006	Terry R Gibson, PE	558 GILLESPIE STREET	FAYETTEVILLE	(910) 486-1493
00007	James M Mills, PE	1534 YANCEYVILLE STREET	GREENSBORO	(336) 334-3192
00008	Tim N Johnson, PE	902 N. SANDHILLS BLVD.	ABERDEEN	(910) 944-2344
00009	S. Pat N Ivey, PE	375 SILAS CREEK PARKWAY	WINSTON-SALEM	(336) 703-6500
00010	Benton G Payne, PE	716 WEST MAIN STREET	ALBEMARLE	(704) 982-0101
00011	Michael A Pettyjohn, PE	NC 115 WEST	NORTH WILKESBORO	(336) 667-9111
00012	Michael L Holder, PE	1710 EAST MARION STREET	SHELBY	(704) 480-5400
00013	Jay J Swain, PE	55 ORANGE STREET	ASHEVILLE	(828) 251-6171
00014	Joel B Setzer, PE	253 WEBSTER ROAD	SYLVA	(828) 586-2141

===== SUMMARY OF PROPOSALS =====

Bid Letting Number L050215

RPN	Contract Id	WBS	County	Length	JobType
001	C201382	39416	BERTIE	10.600 MI	WIDENING, MILLING, SHDR RECONST, RESURFACING, & GUARDRAIL.
002	C201387	39415	CAMDEN	12.600 MI	WIDENING, DRAINAGE, MILLING, SHDR RECONST, RESURFAC & GDRL.
003	C201330	34132.1.6	DARE, HYDE	0.000 MI	NEW CONSTRUCTION OF FERRY VESSEL.
004	C201397	37460	HYDE	9.500 MI	WIDENING, DRAINAGE, MILLING, RESURFACING & GUARDRAIL.
005	C201116	34452.3.7	PAMLICO	8.142 KM	GRADING, DRAINAGE, PAVING, CURB & GUTTER AND CULVERTS.
006	C201283	38742.3.1	JOHNSTON	19.170 MI	PAVEMENT REHABILITATION.
007	C200863	33243.3.1	WAKE	0.155 MI	GRADING, DRAINAGE, PAVING & STRUCTURE.
008	C201165	33023.3.1	WAKE	0.462 MI	GRADING, DRAINAGE, PAVING & STRUCTURE.
009	C201416	33024.3.2	WAKE	0.428 KM	GRADING, DRAINAGE, PAVING & STRUCTURE.
010	C201261	38183.3.1	ALAMANCE	4.830 MI	MILLING & RESURFACING.
011	C201381	37303	ALAMANCE	8.309 MI	WIDENING, SHDR RECONST, RESURFACING, & GUARDRAIL.
012	C201415	35009.3.2	ORANGE	0.392 MI	GRADING, DRAINAGE, PAVING & INTERSECTION IMPROVEMENTS.
013	C201418	34886.3.6	GUILFORD	2.244 KM	GRADING, DRAINAGE, PAVING, & SIGNALS.
014	C201417	33074.3.1	FORSYTH	0.171 MI	GRADING, DRAINAGE, PAVING & STRUCTURE.
015	C201413	10CR.10841.3	ETC STANLY	15.400 MI	WIDENING, MILLING, SHLDER RECONST, RESURFACING & PVT MKINGS.
016	C201120	32971.3.1	WILKES	0.406 KM	GRADING, DRAINAGE, PAVING & STRUCTURE.
017	C201163	32980.3.1	ASHE	0.240 MI	GRADING, DRAINAGE, PAVING & STRUCTURE.
018	C201167	33263.3.2	AVERY	0.189 MI	GRADING, DRAINAGE, PAVING & STRUCTURE.
019	C201407	11CR.10861.10	ET SURRY, YADKIN	33.200 MI	MILLING, RESURFACING, SHOULDER RECONSTRUCTION & PVMT MKGS.
020	C201408	11CR.10061.8	ETC AVERY, WATAUGA	19.240 MI	MILLING, RESURFACING, SHOULDER RECONSTRUCTION & PVMT MKGS.
021	C201409	11CR.10141.9	ETC CALDWELL, WILKES	39.390 MI	MILLING, SHOULDER RECONSTRUCTION, RESURFACING & PVMT MRKGS.
022	C201414	11CR.20061.11	ET AVERY, CALDWELL, SURRY,	81.000 MI	ASPHALT TRIPLE SEAL.
023	C201164	33008.3.1	IREDELL	0.171 MI	GRADING, DRAINAGE, PAVING & STRUCTURE.
024	C201411	12CR.10231.3	ETC CLEVELAND	30.710 MI	MILLING, SHOULDER RECONSTRUCTION, RESURFACING, & PVT MKINGS.
025	C201412	12CR.10181.2	ETC CATAWBA, LINCOLN	23.500 MI	MILLING, SHOULDER RECONSTRUCTION, RESURFACING, & PVT MKINGS.
026	C200822	34505.3.2	BUNCOMBE	2.972 KM	WIDENING, GRADING, DRAINAGE, PAVING & CULVERT.
027	C201401	13CR.10591.3	ETC MCDOWELL, MITCHELL	22.500 MI	RESURFACING, SHOULDER RECONSTRUCTION & PAVEMENT MARKINGS.
028	C201402	13CR.10811.2	ETC RUTHERFORD	23.110 MI	MILLING, SHOULDER RECONSTRUCTION, RESURFACING & PVT MRKINGS.
029	C201403	13CR.10571.2	ETC MADISON, YANCEY	25.000 MI	MILLING, SHOULDER RECONSTRUCTION, RESURFACING & PVT MRKINGS.

===== SUMMARY OF PROPOSALS =====

Bid Letting Number L050215

RPN	Contract Id	WBS	County	Length	JobType
030	C201404	13CR.10111.4	ETC BUNCOMBE	22.800 MI	MILLING, SHOULDER RECONSTRUCTION, RESURFACING & PVT MRKINGS.
031	C201410	13CR.10121.2	ETC BURKE	23.560 MI	SHOULDER RECONSTRUCTION, RESURFACING, & PAVEMENT MARKINGS.
032	C200862	33204.3.1	HAYWOOD	0.100 MI	GRADING, DRAINAGE, PAVING & STRUCTURE.
033	C201405	14CR.10451.1	ETC HENDERSON	15.100 MI	MILLING, SHOULDER RECONSTRUCTION, RESURFACING & PVT MRKINGS.

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L050215 001

CONTRACT ID : C201382 39416

DIV OFFICE EDENTON

LENGTH = 10.600 MI

COUNTY : BERTIE

WIDENING, MILLING, SHDR RECONST, RESURFACING, & GUARDRAIL.

MBE GOAL 3.0% WBE 3.0% COMPLETION DATE : JUL 28 2006

5 SECTIONS OF NC-42.

ROADWAY ITEMS

			10	ACR	SEEDING & MULCHING
			10	LF	TRENCHING (UNPAVED)
			2	EA	JUNCTION BOX (STANDARD SIZE)
			1,541	LF	INDUCTIVE LOOP SAWCUT
Lump Sum	LS	MOBILIZATION			
600	CY	BORROW EXCAVATION			
750	SY	FABRIC FOR SOIL STABILIZATION			
115	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRS			
24	LF	15" RC PIPE CULVERTS, CLASS III			
80	LF	18" RC PIPE CULVERTS, CLASS III			
696	LF	24" RC PIPE CULVERTS, CLASS III			
248	LF	30" RC PIPE CULVERTS, CLASS III			
60	LF	42" RC PIPE CULVERTS, CLASS III			
1,200	TON	INCIDENTAL STONE BASE			
18.5	SMI	SHOULDER RECONSTRUCTION			
107,573	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (2-1/2")			
12,083	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B			
22,331	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0B			
16,121	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B			
2,537	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22			
265	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR			
3,590	TON	PATCHING EXISTING PAVEMENT			
27,956	SY	GENERIC PAVING ITEM VARIABLE DEPTH MILLING			
15	CY	ENDWALLS			
3	CY	PIPE COLLARS			
3	EA	MASONRY DRAINAGE STRUCTURES			
2	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (E)			
2,337	LF	2'-6" CONCRETE CURB & GUTTER			
67	SY	4" CONCRETE SIDEWALK			
3	EA	RETROFIT EXISTING WHEELCHAIR RAMPS			
2	EA	WHEELCHAIR RAMPS			
35	SY	6" CONCRETE DRIVEWAY			
1	EA	ADJUSTMENT OF CATCH BASINS			
7	EA	ADJUSTMENT OF MANHOLES			
975	LF	STEEL BM GUARDRAIL			
4	EA	GUARDRAIL ANCHOR UNITS, TYPE ***** (350 MOD)			
12	EA	GUARDRAIL ANCHOR UNITS, TYPE 350			
123,420	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)			
75,306	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)			
262	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)			
12	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)			
4	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)			
198,726	LF	PAINT PAVEMENT MARKING LINES (4")			
262	LF	PAINT PAVEMENT MARKING LINES (24")			
12	EA	PAINT PAVEMENT MARKING CHARACTER			
4	EA	PAINT PAVEMENT MARKING SYMBOL			
706	EA	PERMANENT RAISED PAVEMENT MARKERS			
300	LF	TEMPORARY SILT FENCE			
300	TON	STONE FOR EROSION CONTROL, CLASS B			
20	TON	SEDIMENT CONTROL STONE			
32	LF	1/4" HARDWARE CLOTH			

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L050215 003

CONTRACT ID : C201330 34132.1.6

DIV OFFICE EDENTON

LENGTH = 0.000 MI

COUNTY : DARE, HYDE

NEW CONSTRUCTION OF FERRY VESSEL.

DBE GOAL 0.0% COMPLETION DATE : MAR 31 2006

ONE 180' X 44' X 11' PASSENGER/VEHICLE FERRY WITH VOITH SCHNEIDER PROPULSION UNITS.

ROADWAY ITEMS

Lump Sum	LS	GENERIC MISCELLANEOUS ITEM 180' X 44' X 11' PASS/VEHICLE FERRY W/ VOITH SCHNEIDER PROPULSION UNITS
----------	----	----------------------------------------------------------------------------------------------------------------

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L050215 004

CONTRACT ID : C201397 37460

DIV OFFICE EDENTON

LENGTH = 9.500 MI

COUNTY : HYDE

WIDENING, DRAINAGE, MILLING, RESURFACING & GUARDRAIL.

MBE GOAL 2.0% WBE 2.0% COMPLETION DATE : JUN 30 2006

2 SECTIONS OF NC-45.

ROADWAY ITEMS

Lump Sum	LS	DESCRIPTION
	LS	MOBILIZATION
540	CY	BORROW EXCAVATION
70	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRS
20	LF	15" RC PIPE CULVERTS, CLASS III
28	LF	18" RC PIPE CULVERTS, CLASS III
4	LF	24" RC PIPE CULVERTS, CLASS III
52	LF	72" RC PIPE CULVERTS, CLASS III
96	LF	*** CAA PIPE CULVERTS, ***** THICK (18", 0.064")
96	LF	*** CAA PIPE CULVERTS, ***** THICK (24", 0.079")
144	LF	*** CAA PIPE CULVERTS, ***** THICK (30", 0.079")
54	LF	*** CAA PIPE CULVERTS, ***** THICK (42", 0.109")
100	LF	GENERIC PIPE ITEM 49" X 33" CAA PIPE ARCH, 0.109" THICK
58	LF	GENERIC PIPE ITEM 71" X 47" CAA PIPE ARCH, 0.109" THICK
25,119	GAL	ASPHALT CURING SEAL
950	TON	INCIDENTAL STONE BASE
19	SMI	SHOULDER RECONSTRUCTION
104,662	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (2-1/2")
796	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
24,224	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,488	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
6,953	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR
628	TON	BLOTTING SAND
10	CY	ENDWALLS
125,595	SY	GENERIC PAVING ITEM ROADWAY RECLAMATION (8")
31.25	LF	STEEL BM GUARDRAIL
100	LF	STEEL BM GUARDRAIL, SHOP CURVED
1	EA	GUARDRAIL ANCHOR UNITS, TYPE ***** (FLEAT)
4	EA	GUARDRAIL ANCHOR UNITS, TYPE ***** (BP-25)
3	EA	GUARDRAIL ANCHOR UNITS, TYPE CAT-1
8	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
100,320	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
65,000	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
165,320	LF	PAINT PAVEMENT MARKING LINES (4")
630	EA	PERMANENT RAISED PAVEMENT MARKERS
20,000	LF	TEMPORARY SILT FENCE
50	TON	STONE FOR EROSION CONTROL, CLASS B
20	TON	SEDIMENT CONTROL STONE
10	ACR	SEEDING & MULCHING

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L050215 005

CONTRACT ID : C201116 34452.3.7

DIV OFFICE GREENVILLE

LENGTH = 8.142 KM

COUNTY : PAMLICO

GRADING, DRAINAGE, PAVING, CURB & GUTTER AND CULVERTS.

DBE GOAL 13.0% COMPLETION DATE : OCT 15 2007

NC-55 FROM SR-1129 (BENNETT-TINGLE RD) TO NC-304 IN BAYBORO.

ROADWAY ITEMS					
			2,040	M2	MILLING ASPHALT PAVEMENT, **MM DEPTH (100MM)
			1,300	MTN	ASPHALT CONC BASE COURSE, TYPE B25.0B
			15,700	MTN	ASPHALT CONC BASE COURSE, TYPE B25.0C
			28,800	MTN	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C
			1,400	MTN	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
			34,300	MTN	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
			2,170	MTN	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
			2,060	MTN	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
			1,000	MTN	ASPHALT PLANT MIX PAVEMENT REPAIR
			276	M3	SUBDRAIN EXCAVATION
			207	M3	SUBDRAIN FINE AGGREGATE
			500	M	150MM PERFORATED SUBDRAIN PIPE
			50	EA	150MM SUBDRAIN PIPE WYES, TEES, & ELBOWS
			4	EA	CONCRETE PAD FOR SUBDRAIN PIPE OUTLET
			8	M	150MM OUTLET PIPE (SUBDRAINS)
			60.8	M3	ENDWALLS
			5	M3	PIPE COLLARS
			3	M3	PIPE PLUGS
			377	EA	MASONRY DRAINAGE STRUCTURES
			21	M	MASONRY DRAINAGE STRUCTURES
			1	EA	FRAME WITH GRATE, STD 840.29
			121	EA	FRAME WITH TWO GRATES, STD 840.**** (840.16)
			13	EA	FRAME WITH TWO GRATES, STD 840.29
			50	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (E)
			94	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F)
			86	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (G)
			3	EA	FRAME WITH COVER, STD 840.54
			4	EA	STEEL FRAME WITH TWO GRATES, STD 840.37
			50	M	FRAME WITH GRATES, DRIVEWAY DROP INLET
			25	EA	GENERIC DRAINAGE ITEM MASONRY DRAINAGE STRUCTURES (SEALED SYSTEM)
			3,450	M	*** X ****MM CONCRETE CURB (200MM X 450MM)
			8,500	M	750MM CONCRETE CURB & GUTTER
			50	M	****MM CONCRETE GUTTER (600MM)
			6	EA	MODIFIED CONCRETE FLUME
			380	M	CONCRETE EXPRESSWAY GUTTER
			25	M	CONCRETE VALLEY GUTTER
			3,700	M2	100MM CONCRETE SIDEWALK
			270	M2	CONCRETE WHEELCHAIR RAMPS
			1,050	M2	150MM CONCRETE DRIVEWAY
			20	M2	100MM CONCRETE PAVED DITCH
			1,184.91	M	STEEL BM GUARDRAIL
			2	EA	STEEL BM GUARDRAIL TERMINAL SECTIONS
			5	EA	ADDITIONAL GUARDRAIL POSTS
			4	EA	GUARDRAIL ANCHOR UNITS, TYPE CAT-1
			4	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
			55	M	CHAIN LINK FENCE RESET
			750	MTN	PLAIN RIP RAP, CLASS I
			225	MTN	PLAIN RIP RAP, CLASS B
			3,550	M2	FILTER FABRIC FOR DRAINAGE
Lump Sum	LS	MOBILIZATION			
30	MO	FIELD OFFICE			
Lump Sum	LS	CLEARING & GRUBBING ... HEC-TARE(S)			
0.4	HA	SUPPLEMENTARY CLEARING & GRUBBING			
57,800	M3	UNCLASSIFIED EXCAVATION			
29,200	M3	UNDERCUT EXCAVATION			
2,500	MTN	CLASS IV SUBGRADE STABILIZATION			
68,400	M3	BORROW EXCAVATION			
8,020	M3	DRAINAGE DITCH EXCAVATION			
690	M2	REMOVAL OF EXISTING ASPHALT PAVEMENT			
120	M2	REMOVAL OF EXISTING CONCRETE PAVEMENT			
1,060	M2	BREAKING OF EXISTING ASPHALT PAVEMENT			
18,000	M3	SELECT GRANULAR MATERIAL			
20,000	M2	FABRIC FOR SOIL STABILIZATION			
850	M2	TEMPORARY SHORING			
16,500	M3	GENERIC GRADING ITEM SELECT MATERIAL, CLASS III			
600,000	L	GENERIC GRADING ITEM CONTAMINATED GROUNDWATER DISPOSAL			
600,000	L	GENERIC GRADING ITEM DISPOSAL OF DECONTAMINATION WATER			
10,600	MTN	GENERIC GRADING ITEM EXCAVATION, HAULING & DISPOSAL OF CONTAMINATED SOIL			
3,040	MTN	FOUNDATION CONDITIONING MATERIAL, MINOR STRS			
64.8	M	****MM SIDE DRAIN PIPE (750MM)			
220.8	M	375MM SIDE DRAIN PIPE			
66	M	450MM SIDE DRAIN PIPE			
46.8	M	600MM SIDE DRAIN PIPE			
253.2	M	300MM RC PIPE CULVERTS, CLASS III			
1,699.2	M	375MM RC PIPE CULVERTS, CLASS III			
2,117	M	450MM RC PIPE CULVERTS, CLASS III			
1,271.4	M	600MM RC PIPE CULVERTS, CLASS III			
1,167.6	M	750MM RC PIPE CULVERTS, CLASS III			
642	M	900MM RC PIPE CULVERTS, CLASS III			
346.8	M	1050MM RC PIPE CULVERTS, CLASS III			
654	M	1200MM RC PIPE CULVERTS, CLASS III			
21.6	M	400MM BIT COAT CS PIPE CULVERTS, TYPE B 1.63MM THICK			
121.2	M	GENERIC PIPE ITEM 1200MM DI PIPE, CLASS 50			
3.6	M	GENERIC PIPE ITEM 300MM DI PIPE, CLASS 50			
262.8	M	GENERIC PIPE ITEM 400MM DI PIPE, CLASS 50			
52.8	M	GENERIC PIPE ITEM 450MM DI PIPE, CLASS 50			
338.4	M	GENERIC PIPE ITEM 600MM DI PIPE, CLASS 50			
66	M	GENERIC PIPE ITEM 750MM DI PIPE, CLASS 50			
229.2	M	GENERIC PIPE ITEM 900MM DI PIPE, CLASS 50			
2,898	M	PIPE REMOVAL			
Lump Sum	LS	FINE GRADING			
500	KG	SEALING EXISTING PAVEMENT CRACKS			
33,600	MTN	AGGREGATE BASE COURSE			
2,000	MTN	INCIDENTAL STONE BASE			

2	EA	PREFORMED SCOUR HOLES WITH LEVEL SPREADER APRON	14	EA	150MM GATE VALVE & VALVE BOX, 1.38MPA WP
683	M	SUPPORTS, WOOD	4	EA	200MM GATE VALVE & VALVE BOX, ****MPA WP (1.38MPA)
18	EA	SIGN ERECTION, TYPE D	12	EA	250MM GATE VALVE & VALVE BOX, ****MPA WP (1.38MPA)
81	EA	SIGN ERECTION, TYPE E	16	EA	*** X ****MM TAPPING SADDLE (100MM X 20MM)
19	EA	SIGN ERECTION, TYPE F	2	EA	*** X ****MM TAPPING SADDLE (150MM X 20MM)
13	EA	RELOCATE SIGN, TYPE ***** (D)	9	EA	*** X ****MM TAPPING SADDLE (200MM X 20MM)
11	EA	DISPOSAL OF SUPPORT, WOOD	118	EA	*** X ****MM TAPPING SADDLE (250MM X 20MM)
107	EA	DISPOSAL OF SIGN SYSTEM, WOOD	58	EA	RELOCATE EXISTING WATER METER
110	M2	WORK ZONE SIGNS (STATIONARY)	7	EA	RELOCATE EXISTING FIRE HYDRANT
45	M2	WORK ZONE SIGNS (PORTABLE)	388	M	***MM PVC FORCE MAIN SEWER PIPE, ***** (100MM, SDR 21, 1.38MPA)
9	M2	WORK ZONE SIGNS (BARRICADE MOUNTED)	3,903	M	***MM PVC FORCE MAIN SEWER PIPE, ***** (150MM, SDR 21, 1.38MPA)
2	EA	FLASHING ARROW PANELS, TYPE C	2,402	M	***MM PVC FORCE MAIN SEWER PIPE, ***** (200MM,SDR 21, 1.38MPA)
2	EA	CHANGEABLE MESSAGE SIGNS	20.3	M	***MM PVC FORCE MAIN SEWER PIPE, ***** (300MM, C900, DR 14, 1.38MPA)
4	EA	WARNING FLAG SETS	554	M	***MM PVC FORCE MAIN SEWER PIPE, ***** (400MM, C900, DR 14, 1.38MPA)
600	EA	DRUMS	1,261	M	***MM PVC FORCE MAIN SEWER PIPE, ***** (50MM, SDR 21, 1.38MPA)
100	EA	CONES	332	M	***MM PVC FORCE MAIN SEWER PIPE, ***** (75MM, SDR 21, 1.38MPA)
40	M	BARRICADES (TYPE III)	2,135.5	EA	GENERIC UTILITY ITEM 20MM PE WATER TUBING, SDR9, 1.38MPA
600	MD	FLAGGER	8	EA	GENERIC UTILITY ITEM 50MM SEWER AIR RELEASE VALVE AND MANHOLE
2	EA	TRUCK MOUNTED IMPACT ATTENUATOR (60 MPH)	10,000	M	TEMPORARY SILT FENCE
920	M	WATER FILLED BARRIER	750	MTN	STONE FOR EROSION CONTROL, CLASS A
4,069	EA	TEMPORARY RAISED PAVEMENT MARKERS	3,300	MTN	STONE FOR EROSION CONTROL, CLASS B
11,000	M	THERMOPLASTIC PAVEMENT MARKING LINES (100MM, 2.3MM)	2,400	MTN	SEDIMENT CONTROL STONE
26,500	M	THERMOPLASTIC PAVEMENT MARKING LINES (100MM, 3.1MM)	31.5	HA	TEMPORARY MULCHING
120	M	THERMOPLASTIC PAVEMENT MARKING LINES (200MM, 2.3MM)	1,400	KG	SEED FOR TEMPORARY SEEDING
380	M	THERMOPLASTIC PAVEMENT MARKING LINES (600MM, 3.1MM)	12	MTN	FERTILIZER FOR TEMPORARY SEEDING
30	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (3.1MM)	60	M	TEMPORARY SLOPE DRAINS
259	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (2.3MM)	5	EA	INLET PROTECTION AT TEMPORARY SLOPE DRAINS
140,790	M	PAINT PAVEMENT MARKING LINES (100MM)	3,300	M	SAFETY FENCE
250	M	PAINT PAVEMENT MARKING LINES (200MM)	3,500	M3	SILT EXCAVATION
850	M	PAINT PAVEMENT MARKING LINES (600MM)	18,000	M2	MATTING FOR EROSION CONTROL
60	EA	PAINT PAVEMENT MARKING CHARACTER	2,460	M	6.4MM HARDWARE CLOTH
534	EA	PAINT PAVEMENT MARKING SYMBOL	120	M	***MM TEMPORARY PIPE (600MM)
41,800	M	REMOVAL OF PAVEMENT MARKING LINES (100MM)	260	M3	STILLING BASINS
120	M	REMOVAL OF PAVEMENT MARKING LINES (600MM)	4	EA	SPECIAL STILLING BASINS
12	EA	REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS	33	HA	SEEDING & MULCHING
2,940	EA	PERMANENT RAISED PAVEMENT MARKERS	17.5	HA	MOWING
3	EA	2.1M U-CHANNEL POSTS	400	KG	SEED FOR REPAIR SEEDING
3	EA	OBJECT MARKERS (END OF ROAD)	1.5	MTN	FERTILIZER FOR REPAIR SEEDING
2,684	MTN	FOUNDATION CONDITIONING MATERIAL, UTILITIES CLASS ***** (VI)	925	KG	SEED FOR SUPPLEMENTAL SEEDING
2,684	MTN	BEDDING MATERIAL, UTILITIES CLASS ***** (IV)	56	MTN	FERTILIZER TOPDRESSING
35	MTN	PAVEMENT REPAIR FOR UTILITY WORK	0.2	HA	SPECIALIZED SEEDING UNDER GUIDERAIL & GUARDRAIL (CENTIPEDE)
30	M	150MM DI WATER PIPE, PC 2.41MPA	90	M	IMPERVIOUS DIKE
268	M	***MM PVC WATER PIPE, SDR **** (75MM, SDR 21, 1.38MPA)	8.5	HR	SPECIALIZED HAND MOWING
115	M	50MM PVC WATER PIPE, SDR 21, 1.38MPA WP	24	EA	RESPONSE FOR EROSION CONTROL
881	M	100MM PVC WATER PIPE, SDR 21, 1.38MPA WP	5	HA	REFORESTATION
509	M	150MM PVC WATER PIPE, SDR 21, 1.38MPA WP	620	M	SIGNAL CABLE
119	M	200MM PVC WATER PIPE, SDR 21, 1.38MPA WP	24	EA	VEHICLE SIGNAL HEAD (300MM, 3 SECTION)
6,350	M	250MM PVC WATER PIPE, SDR 21, 1.38MPA WP	2	EA	VEHICLE SIGNAL HEAD (300MM, 4 SECTION)
12,865	KG	DUCTILE IRON WATER PIPE FITTINGS, 1.72MPA MIN WP	175	M	MESSENGER CABLE (9.52MM)
145	EA	20MM CORPORATION STOP	41	M	TRENCHING (PAVED)
4	EA	***MM GATE VALVE & VALVE BOX, ****MPA WP (100MM)	245	M	TRENCHING (UNPAVED)
2	EA	***MM GATE VALVE & VALVE BOX, ****MPA WP (50MM)	160	M	DIRECTIONAL DRILL POLYETHYLENE CONDUIT, *****MM (** CONDUIT) (50MM, 2)
5	EA	***MM GATE VALVE & VALVE BOX, ****MPA WP (75MM)	12	EA	JUNCTION BOX (STANDARD SIZE)
			4	EA	WOOD POLE
			8	EA	GUY ASSEMBLY
			1	EA	25MM RISER WITH WEATHERHEAD
			1	EA	50MM RISER WITH WEATHERHEAD

1,100	M	INDUCTIVE LOOP SAWCUT
845	M	LEAD-IN CABLE
2	EA	MICROWAVE VEHICLE DETECTOR
6	EA	SIGNAL SUPPORT MAST ARM WITH METAL POLE
1	EA	DOUBLE MAST ARM WITH METAL POLE
7	EA	SOIL TEST
35	M	DRILLED PIER FOUNDATION (**MM DIA) (1219MM)
7	EA	MAST ARM WITH METAL POLE DESIGN
1	EA	SIGN FOR SIGNALS
2	EA	CABINET BASE ADAPTER
2	EA	CONTROLLER WITH CABINET (TYPE 2070L, BASE MOUNTED)
12	EA	DETECTOR CARD (TYPE 2070L)

CULVERT ITEMS

Lump Sum	LS	CULVERT EXCAVATION, STA ***** (196+60.650-L-)
Lump Sum	LS	CULVERT EXCAVATION, STA ***** (199+76.780-L-)
Lump Sum	LS	CULVERT EXCAVATION, STA ***** (206+01.869-L-)
200	MTN	FOUNDATION CONDITIONING MATERIAL, BOX CULVERT
261.6	M3	CLASS A CONCRETE (CULVERT)
20,468	KG	EPOXY COATED REINFORCING STEEL (CULVERT)

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L050215 006

CONTRACT ID : C201283 38742.3.1

DIV OFFICE WILSON

LENGTH = 19.170 MI

COUNTY : JOHNSTON

PAVEMENT REHABILITATION.

DBE GOAL 5.0% COMPLETION DATE : NOV 15 2005

I-95 FROM MP-77 TO MP-97.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
10,000	LB	SEALING EXISTING PAVEMENT CRACKS & JOINTS
50,000	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (0" TO 2-1/2")
7,000	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C
330	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
2	EA	FLASHING ARROW PANELS, TYPE C
2	EA	CHANGEABLE MESSAGE SIGNS
2	EA	TRUCK MOUNTED IMPACT ATTENUA- TOR (60 MPH)
404,880	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
53,750	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 120 MILS)
18,000	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
20	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
54	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
42,200	LF	PAINT PAVEMENT MARKING LINES (6")
3,040	EA	PERMANENT RAISED PAVEMENT MARKERS
<p style="text-align: center;">***** BEGIN SCHEDULE AA ***** ***** (2 ALTERNATES) *****</p>		
20,400	TON	ULTRATHIN HOT MIX ASPHALT, TYPE B
582,536	SY	APPLICATION OF ULTRATHIN HOT MIX ASPHALT
1,144	TON	GENERIC PAVING ITEM ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-28
*** OR ***		
1,428	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 76-22
20,400	TON	OPEN-GRADED ASPHALT FRICTION COURSE, TYPE FC-1 MODIFIED

*** END SCHEDULE AA ***

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L050215 007

CONTRACT ID : C200863 33243.3.1

DIV OFFICE DURHAM

LENGTH = 0.155 MI

COUNTY : WAKE

GRADING, DRAINAGE, PAVING & STRUCTURE.

DBE GOAL 6.0% COMPLETION DATE : AUG 24 2005

BRIDGE OVER MIDDLE CREEK & APPROACHES ON SR-1404.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	GENERIC MISCELLANEOUS ITEM ROADWAY CONSTRUCTION

STRUCTURE ITEMS

Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (18+17.85 -L-)
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVA- TION AT STATION ***** (18+17.85 -L-)
960	LF	HP12X53 STEEL PILES
Lump Sum	LS	GALVANIZING STEEL PILES AT STA ***** (18+17.85 -L-)
220	TON	PLAIN RIP RAP CLASS II (2'-0" THICK)
Lump Sum	LS	CONSTRUCTION OF SUBSTRUCTURE
Lump Sum	LS	CONSTRUCTION OF SUPERSTRUCTURE

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L050215 008

CONTRACT ID : C201165 33023.3.1

DIV OFFICE DURHAM

LENGTH = 0.462 MI

COUNTY : WAKE

GRADING, DRAINAGE, PAVING & STRUCTURE.

DBE GOAL 8.0% COMPLETION DATE : AUG 01 2006

BRIDGES OVER SWIFT CREEK & LAKE WHEELER SPILLWAY AND APPROACHES ON SR-1375.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	CONSTRUCTION SURVEYING
Lump Sum	LS	REINFORCED BRIDGE APPROACH FILL, STATION ***** (43+81.84-L-)
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING
500	CY	UNDERCUT EXCAVATION
Lump Sum	LS	GRADING
500	TON	CLASS IV SUBGRADE STABILIZATION
13,450	CY	BORROW EXCAVATION
21	CY	DRAINAGE DITCH EXCAVATION
500	CY	SELECT GRANULAR MATERIAL
500	SY	FABRIC FOR SOIL STABILIZATION
500	SF	TEMPORARY SHORING
116	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRS
180	LF	15" SIDE DRAIN PIPE
100	LF	18" SIDE DRAIN PIPE
104	LF	24" SIDE DRAIN PIPE
296	LF	15" RC PIPE CULVERTS, CLASS III
72	LF	18" RC PIPE CULVERTS, CLASS III
300	LF	24" RC PIPE CULVERTS, CLASS III
36	LF	15" BIT COAT CS PIPE CULVERTS, TYPE B 0.064" THICK
2	EA	15" BIT COAT CS PIPE ELBOWS, TYPE B 0.064" THICK
812	LF	PIPE REMOVAL
75	TON	INCIDENTAL STONE BASE
270	SY	INCIDENTAL MILLING
2,575	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
2,105	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0B
2,125	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
350	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
30	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR
0.91	CY	FLOWABLE FILL
7	EA	MASONRY DRAINAGE STRUCTURES
1	EA	FRAME WITH TWO GRATES, STD 840.16
3	EA	FRAME WITH TWO GRATES, STD 840.29
2	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F)
1	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (G)
460	LF	2'-6" CONCRETE CURB & GUTTER
410	LF	SHOULDER BERM GUTTER
650	LF	STEEL BM GUARDRAIL
50	LF	STEEL BM GUARDRAIL, SHOP CURVED
5	EA	ADDITIONAL GUARDRAIL POSTS
1	EA	GUARDRAIL ANCHOR UNITS, TYPE AT-1
4	EA	GUARDRAIL ANCHOR UNITS, TYPE III
3	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
912.5	LF	REMOVE EXISTING GUARDRAIL
80	TON	PLAIN RIP RAP, CLASS I
930	TON	PLAIN RIP RAP, CLASS B
3,195	SY	FILTER FABRIC FOR DRAINAGE
2	EA	PREFORMED SCOUR HOLES WITH LEVEL SPREADER APRON
1,564	SF	GENERIC WALL ITEM TEMPORARY FABRIC WALL

104	SF	WORK ZONE SIGNS (STATIONARY)
192	SF	WORK ZONE SIGNS (PORTABLE)
36	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
70	EA	DRUMS
50	EA	CONES
48	LF	BARRICADES (TYPE III)
130	MD	FLAGGER
2	EA	TEMPORARY CRASH CUSHIONS
2	EA	TRUCK MOUNTED IMPACT ATTENUATOR (45 MPH)
520	LF	PORTABLE CONCRETE BARRIER
250	LF	PORTABLE CONCRETE BARRIER (ANCHORED)
988	LF	REMOVABLE TAPE PAVEMENT MARKING LINES (4")
58	EA	TEMPORARY RAISED PAVEMENT MARKERS
4,003	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
6,227	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
130	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
12	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
1,090	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES (4")
2	EA	COLD APPLIED PLASTIC PAVEMENT MARKING SYMBOL
17,006	LF	PAINT PAVEMENT MARKING LINES (4")
52	LF	PAINT PAVEMENT MARKING LINES (24")
121	EA	PERMANENT RAISED PAVEMENT MARKERS
1,950	LF	TEMPORARY SILT FENCE
200	TON	STONE FOR EROSION CONTROL, CLASS A
835	TON	STONE FOR EROSION CONTROL, CLASS B
400	TON	SEDIMENT CONTROL STONE
4.5	ACR	TEMPORARY MULCHING
150	LB	SEED FOR TEMPORARY SEEDING
0.75	TON	FERTILIZER FOR TEMPORARY SEEDING
100	LF	TEMPORARY SLOPE DRAINS
3	EA	INLET PROTECTION AT TEMPORARY SLOPE DRAINS
200	LF	SAFETY FENCE
2,500	CY	SILT EXCAVATION
2,300	SY	MATTING FOR EROSION CONTROL
200	LF	1/4" HARDWARE CLOTH
75	LF	*** TEMPORARY PIPE (24")
240	CY	STILLING BASINS
4	EA	SPECIAL STILLING BASINS
5	ACR	SEEDING & MULCHING
2.5	ACR	MOWING
50	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
100	LB	SEED FOR SUPPLEMENTAL SEEDING
3.75	TON	FERTILIZER TOPDRESSING
225	LF	IMPERVIOUS DIKE
2	HR	SPECIALIZED HAND MOWING
16	EA	RESPONSE FOR EROSION CONTROL
250	CY	CULVERT DIVERSION CHANNEL

CULVERT ITEMS

Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (40+04.00 -L-)
Lump Sum	LS	CULVERT EXCAVATION, STA ***** (40+04.00 -L-)

110	TON	FOUNDATION CONDITIONING MATERIAL, BOX CULVERT
159.3	CY	CLASS A CONCRETE (CULVERT)
26,788	LB	REINFORCING STEEL (CULVERT)
49	TON	PLAIN RIP RAP, CLASS ** (1)
54	SY	FILTER FABRIC FOR DRAINAGE

STRUCTURE ITEMS

Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (43+81.84 -L-)
57	LF	PILE EXCAVATION IN SOIL
378.1	LF	3'-6" DIA DRILLED PIERS IN SOIL
40	LF	3'-6" DIA DRILLED PIERS NOT IN SOIL
12	EA	SID INSPECTION
12	EA	SPT TESTING
4	EA	CROSSHOLE SONIC LOGGING
1,792.4	LF	CSL TUBES
9,254	SF	REINFORCED CONCRETE DECK SLAB
10,519	SF	GROOVING BRIDGE FLOORS
149.7	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ***** (43+81.84 -L-)
74,213	LB	REINFORCING STEEL (BRIDGE)
9,351	LB	SPIRAL COLUMN REINFORCING STEEL (BRIDGE)
396,100	LS	APPROX LBS STRUCTURAL STEEL
57	LF	HP12X53 STEEL PILES
322.06	LF	TWO BAR METAL RAIL
339.06	LF	1'-***"X *****" CONCRETE PARAPET (1'-2" X 3'-3")
Lump Sum	LS	ELASTOMERIC BEARINGS
Lump Sum	LS	EVAZOTE JOINT SEALS

114.7	M	HP310X79 STEEL PILES
6	EA	STEEL PILE POINTS
62.73	M	CONCRETE BARRIER RAIL
405	MTN	PLAIN RIP RAP CLASS II (600MM THICK)
413	M2	FILTER FABRIC FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS
Lump Sum	LS	EVAZOTE JOINT SEALS

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L050215 010

CONTRACT ID : C201261 38183.3.1

DIV OFFICE GREENSBORO

LENGTH = 4.830 MI

COUNTY : ALAMANCE

MILLING & RESURFACING.

DBE GOAL 6.0% COMPLETION DATE : OCT 28 2005

I-40/85 FROM MP-140.83 TO MP-145.66.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION	Lump Sum	LS	PORTABLE LIGHTING
324,315	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")			
4,592	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (2")			
47,488	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (3")			
422	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (4-1/2")			
1,566	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (0" TO 1-1/2")			
4,133	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (0" TO 2")			
7,470	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (1-1/2" TO 2")			
4,500	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (3" TO 4-1/2")			
769.26	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0C			
8,434	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0D			
2,671.78	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C			
40	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22			
576	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22			
2,628	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 76-22			
228	TON	PATCHING EXISTING PAVEMENT			
102,000	LF	MILLED RUMBLE STRIPS			
43,840	TON	GENERIC PAVING ITEM ASPHALT CONC SURFACE COURSE, TYPE S9.5D			
2	EA	ADJUSTMENT OF MANHOLES			
682	SF	WORK ZONE SIGNS (STATIONARY)			
288	SF	WORK ZONE SIGNS (PORTABLE)			
3	EA	FLASHING ARROW PANELS, TYPE C			
3	EA	CHANGEABLE MESSAGE SIGNS			
600	EA	DRUMS			
3	EA	TRUCK MOUNTED IMPACT ATTENUA- TOR (60 MPH)			
110,844	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)			
41,433	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 120 MILS)			
1,622	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)			
6,812	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)			
189	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)			
41	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)			
304,554	LF	PAINT PAVEMENT MARKING LINES (6")			
3,244	LF	PAINT PAVEMENT MARKING LINES (8")			
13,624	LF	PAINT PAVEMENT MARKING LINES (12")			
378	LF	PAINT PAVEMENT MARKING LINES (24")			
82	EA	PAINT PAVEMENT MARKING SYMBOL			
100	LF	REMOVAL OF PAVEMENT MARKING LINES (8")			
100	LF	REMOVAL OF PAVEMENT MARKING LINES (24")			
4	EA	REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS			
2,309	EA	SNOWPLOWABLE PAVEMENT MARKERS			

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L050215 011

CONTRACT ID : C201381 37303

DIV OFFICE GREENSBORO

LENGTH = 8.309 MI

COUNTY : ALAMANCE

WIDENING, SHDR RECONST, RESURFACING, & GUARDRAIL.

MBE GOAL 4.0% WBE 4.0% COMPLETION DATE : JUL 03 2006

1 SECTION OF NC-87 AND 2 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
975	TON	INCIDENTAL STONE BASE
5.2	SMI	SHOULDER RECONSTRUCTION
6,794	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
3,207	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0B
20,985	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,704	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
1,464.5	LF	STEEL BM GUARDRAIL
12.5	LF	STEEL BM GUARDRAIL, SHOP CURVED
21	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
88,178	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
91,000	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
434	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 120 MILS)
80	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
140	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
2	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
179,178	LF	PAINT PAVEMENT MARKING LINES (4")
140	LF	PAINT PAVEMENT MARKING LINES (24")
2	EA	PAINT PAVEMENT MARKING SYMBOL
1,175	EA	SNOWPLOWABLE PAVEMENT MARKERS
1.58	ACR	SEEDING & MULCHING
1.57	ACR	RESIDENTIAL SEEDING

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L050215 012

CONTRACT ID : C201415 35009.3.2

DIV OFFICE GREENSBORO

LENGTH = 0.392 MI

COUNTY : ORANGE

GRADING, DRAINAGE, PAVING & INTERSECTION IMPROVEMENTS.

DBE GOAL 9.0% COMPLETION DATE : MAY 15 2006

US-15/501 AND ERWIN RD IN CHAPEL HILL.

ROADWAY ITEMS

			500	LF	6" PERFORATED SUBDRAIN PIPE
			15	EA	6" SUBDRAIN PIPE WYES, TEES, & ELBOWS
			1	EA	CONCRETE PAD FOR SUBDRAIN PIPE OUTLET
			6	LF	6" OUTLET PIPE (SUBDRAINS)
			13	CY	ENDWALLS
			7.5	CY	REINFORCED ENDWALLS
			2.5	CY	PIPE COLLARS
			1.5	CY	PIPE PLUGS
			25	CY	FLOWABLE FILL
			28	EA	MASONRY DRAINAGE STRUCTURES
			8.5	CY	MASONRY DRAINAGE STRUCTURES
			37	LF	MASONRY DRAINAGE STRUCTURES
			1	EA	FRAME WITH GRATE, STD 840.**** (840.16)
			8	EA	FRAME WITH TWO GRATES, STD 840.24
			7	EA	FRAME WITH TWO GRATES, STD 840.29
			2	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (E)
			2	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F)
			4	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (G)
			4	EA	FRAME WITH COVER, STD 840.54
			6	EA	CONCRETE APRON FOR CATCH BASIN
			1,875	LF	1'-6" CONCRETE CURB & GUTTER
			150	LF	2'-6" CONCRETE CURB & GUTTER
			760	LF	CONCRETE EXPRESSWAY GUTTER
			25	SY	CONCRETE WHEELCHAIR RAMPS
			44	SY	4" CONCRETE PAVED DITCH
			425	SY	5" MONOLITHIC CONCRETE ISLANDS (SURFACE MOUNTED)
			280	LF	PRECAST REINFORCED CONCRETE BARRIER, SINGLE FACED
			1,125	SY	GENERIC PAVING ITEM 6" CONC ISLAND COVERS
			6	EA	GENERIC PAVING ITEM HINGED METAL BOLLARDS
			6	EA	ADJUSTMENT OF MANHOLES
			1	EA	GENERIC DRAINAGE ITEM CONVERT DI TO OTCB
			925	LF	STEEL BM GUARDRAIL
			5	EA	ADDITIONAL GUARDRAIL POSTS
			2	EA	GUARDRAIL ANCHOR UNITS, TYPE CAT-1
			4	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
			2	EA	GUARDRAIL ANCHOR UNITS, TYPE B-77
			120	TON	PLAIN RIP RAP, CLASS I
			580	TON	PLAIN RIP RAP, CLASS B
			2,075	SY	FILTER FABRIC FOR DRAINAGE
			Lump Sum	LS	GENERIC WALL ITEM PILE / PANEL WALL
			1,085	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
			Lump Sum	LS	OVERHEAD SIGN ASSEMBLY AT STA ***** (19+50.00)
			Lump Sum	LS	OVERHEAD SIGN ASSEMBLY AT STA ***** (28+70.00)
			5	EA	SIGN ERECTION, TYPE D
			28	EA	SIGN ERECTION, TYPE E
			5	EA	RELOCATE SIGN, TYPE ***** (D)
			4	EA	RELOCATE SIGN, TYPE ***** (E)
			44	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
			4	EA	DISPOSAL OF SUPPORT, U-CHANNEL
			214	SF	WORK ZONE SIGNS (STATIONARY)
			200	SF	WORK ZONE SIGNS (PORTABLE)
			32	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
Lump Sum	LS	MOBILIZATION			
Lump Sum	LS	GRADING			
1	ACR	SUPPLEMENTARY CLEARING & GRUB-BING			
900	CY	UNDERCUT EXCAVATION			
300	TON	CLASS IV SUBGRADE STABILIZATION			
3,360	CY	DRAINAGE DITCH EXCAVATION			
300	LF	BERM DITCH CONSTRUCTION			
500	CY	SELECT GRANULAR MATERIAL			
500	SY	FABRIC FOR SOIL STABILIZATION			
255	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRS			
8	LF	12" RC PIPE CULVERTS, CLASS III			
912	LF	15" RC PIPE CULVERTS, CLASS III			
80	LF	18" RC PIPE CULVERTS, CLASS III			
92	LF	24" RC PIPE CULVERTS, CLASS III			
28	LF	30" RC PIPE CULVERTS, CLASS III			
396	LF	36" RC PIPE CULVERTS, CLASS III			
540	LF	42" RC PIPE CULVERTS, CLASS III			
32	LF	48" RC PIPE CULVERTS, CLASS III			
180	LF	54" RC PIPE CULVERTS, CLASS III			
124	LF	15" BIT COAT CS PIPE CULVERTS, TYPE B 0.064" THICK			
5	EA	15" BIT COAT CS PIPE ELBOWS, TYPE B 0.064" THICK			
208	LF	*** WELDED STEEL PIPE, ***** THICK, GRADE B, INSTALLED BY BORING & JACKING (15", 0.500")			
256	LF	*** WELDED STEEL PIPE, ***** THICK, GRADE B, INSTALLED BY BORING & JACKING (36", 0.500")			
60	LF	*** WELDED STEEL PIPE, ***** THICK, GRADE B, INSTALLED BY BORING & JACKING (54", 0.750")			
76	LF	*** WELDED STEEL PIPE, ***** THICK, GRADE B, INSTALLED BY BORING & JACKING (72", 1.000")			
579	LF	PIPE REMOVAL			
450	TON	STABILIZER AGGREGATE			
1,815	TON	AGGREGATE BASE COURSE			
250	TON	INCIDENTAL STONE BASE			
3,900	SY	MILLING ASPHALT PAVEMENT, *** DEPTH (2.5")			
250	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B			
4,300	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C			
1,100	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B			
3,150	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C			
815	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B			
3,200	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C			
450	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22			
210	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22			
175	SY	GENERIC PAVING ITEM STREET PRINTING			
115	CY	SUBDRAIN EXCAVATION			
85	CY	SUBDRAIN FINE AGGREGATE			

			135	SY	PERMANENT SOIL REINFORCEMENT MAT
			420	LF	1/4" HARDWARE CLOTH
			8.5	ACR	SEEDING & MULCHING
			5	ACR	MOWING
			100	LB	SEED FOR REPAIR SEEDING
			0.25	TON	FERTILIZER FOR REPAIR SEEDING
			200	LB	SEED FOR SUPPLEMENTAL SEEDING
			6.25	TON	FERTILIZER TOPDRESSING
			2.5	HR	SPECIALIZED HAND MOWING
			8	EA	RESPONSE FOR EROSION CONTROL
			4	EA	PEDESTRIAN SIGNAL HEAD (12", 1 SECTION)
			3,850	LF	SIGNAL CABLE
			32	EA	VEHICLE SIGNAL HEAD (12", 3 SECTION)
			2	EA	VEHICLE SIGNAL HEAD (12", 4 SECTION)
			2	EA	VEHICLE SIGNAL HEAD (12", 5 SECTION)
			17	EA	BACKPLATE
			875	LF	MESSENGER CABLE (3/8")
			1,910	LF	TRACER WIRE
			1,939	LF	TRENCHING (UNPAVED)
			485	LF	DIRECTIONAL DRILL POLYETHYLENE CONDUIT, ***** (** CONDUIT) (2", 1)
			638	LF	DIRECTIONAL DRILL POLYETHYLENE CONDUIT, ***** (** CONDUIT) (2", 2)
			22	EA	JUNCTION BOX (STANDARD SIZE)
			9	EA	JUNCTION BOX (OVER-SIZED)
			3	EA	WOOD POLE
			10	EA	GUY ASSEMBLY
			1	EA	1" RISER WITH WEATHERHEAD
			4	EA	2" RISER WITH WEATHERHEAD
			3,307	LF	INDUCTIVE LOOP SAWCUT
			4,570	LF	LEAD-IN CABLE
			2,195	LF	COMMUNICATIONS CABLE (**FIBER) (12)
			4	EA	INTERCONNECT CENTER
			9	EA	DELINEATOR MARKER
			1	EA	FURNISH FIBER-OPTIC RESTORATION KIT
			1	EA	FURNISH FIBER-OPTIC POWER METER
			1	EA	FURNISH OPTICAL LIGHT GENERATOR
			1	EA	FURNISH FIBER-OPTIC TRANSCEIVER
			Lump Sum	LS	FIBER-OPTIC TRAINING
			5,920	LF	REMOVE EXISTING COMMUNICATIONS CABLE
			2	EA	SIGNAL SUPPORT MAST ARM WITH METAL POLE
			3	EA	DOUBLE MAST ARM WITH METAL POLE
			5	EA	SOIL TEST
			75	LF	DRILLED PIER FOUNDATION (** DIA) (48")
			5	EA	SIGNAL PEDESTAL WITH FOUNDATION
			5	EA	MAST ARM WITH METAL POLE DESIGN
			10	EA	SIGN FOR SIGNALS
			5	EA	SIGNAL CABINET FOUNDATION
			5	EA	CABINET BASE ADAPTER
			5	EA	CONTROLLER WITH CABINET (TYPE 2070L, BASE MOUNTED)
			15	EA	DETECTOR CARD (TYPE 2070L)
			4	EA	GENERIC SIGNAL ITEM FIBER-OPTIC TRANSCEIVER SELF-HEALING RING
			3	EA	GENERIC SIGNAL ITEM GPS UNIT
			1	EA	GENERIC SIGNAL ITEM MASTER CONTROLLER W/ CABINET, NEMA TS-1
			1,425	LF	GENERIC SIGNAL ITEM UNDERGROUND POLYETHYLENE CONDUIT 2", (1 CONDUIT)
2	EA	FLASHING ARROW PANELS, TYPE C			
2	EA	CHANGEABLE MESSAGE SIGNS			
93	EA	DRUMS			
50	EA	CONES			
210	LF	BARRICADES (TYPE III)			
224	HR	FLAGGER			
2	EA	TEMPORARY CRASH CUSHIONS			
290	LF	PORTABLE CONCRETE BARRIER			
300	HR	POLICE			
2,508	EA	TEMPORARY RAISED PAVEMENT MARKERS			
93,447	LF	PAINT PAVEMENT MARKING LINES (4")			
636	LF	PAINT PAVEMENT MARKING LINES (8")			
1,466	LF	PAINT PAVEMENT MARKING LINES (24")			
96	EA	PAINT PAVEMENT MARKING CHARACTER			
170	EA	PAINT PAVEMENT MARKING SYMBOL			
23,144	LF	POLYUREA PAVEMENT MARKING LINES (4")			
271	LF	POLYUREA PAVEMENT MARKING LINES (8")			
366	LF	POLYUREA PAVEMENT MARKING LINES (24")			
63	EA	POLYUREA PAVEMENT MARKING CHARACTER			
42	EA	POLYUREA PAVEMENT MARKING SYMBOL			
1,433	LF	REMOVAL OF PAVEMENT MARKING LINES (4")			
1,085	EA	PERMANENT RAISED PAVEMENT MARKERS			
Lump Sum	LS	PORTABLE LIGHTING			
750	TON	FOUNDATION CONDITIONING MATERIAL, UTILITIES CLASS ***** (IV)			
750	TON	BEDDING MATERIAL, UTILITIES CLASS ***** (IV)			
631	LF	8" DI WATER PIPE, PC 350			
40	LF	12" DI WATER PIPE, PC 350			
1,465	LF	16" DI WATER PIPE, PC ***** (350)			
13	LF	*** DI RESTRAINED JOINT WATER PIPE, CLASS ***** (6", 350)			
113	LF	3/4" COPPER WATER PIPE, TYPE K			
4,635	LB	DUCTILE IRON WATER PIPE FITTINGS, 250# MIN WP			
1	EA	*** CORPORATION STOP (3/4")			
3	EA	*** GATE VALVE & VALVE BOX, *****WP (16", 200#)			
4	EA	8" GATE VALVE & VALVE BOX, *****WP (200#)			
2	EA	12" GATE VALVE & VALVE BOX, *****WP (200#)			
1	EA	***X*** TAPPING SADDLE (8" X 3/4")			
2	EA	*** TRANSITION COUPLING, ***** (12", DI TO AC)			
1	EA	*** TRANSITION COUPLING, ***** (8", DI TO AC)			
155	LF	8" DI SEWER PIPE, PC 350			
135	LF	12" DI SEWER PIPE, PC 350			
466	LF	FILL OR REMOVE ABANDONED *** PIPE, ***** (8", AC-WATER)			
1,444	LF	FILL OR REMOVE ABANDONED 12" PIPE, ***** (AC-WATER)			
1	EA	REMOVE EXISTING MANHOLE			
550	LF	TEMPORARY SILT FENCE			
200	TON	STONE FOR EROSION CONTROL, CLASS A			
1,140	TON	STONE FOR EROSION CONTROL, CLASS B			
620	TON	SEDIMENT CONTROL STONE			
8.5	ACR	TEMPORARY MULCHING			
300	LB	SEED FOR TEMPORARY SEEDING			
1.25	TON	FERTILIZER FOR TEMPORARY SEEDING			
150	LF	SAFETY FENCE			
3,000	CY	SILT EXCAVATION			
2,425	SY	MATTING FOR EROSION CONTROL			

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L050215 013

CONTRACT ID : C201418 34886.3.6

DIV OFFICE GREENSBORO

LENGTH = 2.244 KM

COUNTY : GUILFORD

GRADING, DRAINAGE, PAVING, & SIGNALS.

DBE GOAL 13.0% COMPLETION DATE : DEC 01 2006

SR-1546 (GUILFORD COLLEGE RD) FROM SOUTH OF SR-1549 (MACKAY RD) TO SOUTH OF SR-1541 (WENDOVER AVE) IN GREENSBORO.

ROADWAY ITEMS					
			17	EA	FRAME WITH TWO GRATES, STD 840.29
			20	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (E)
			43	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F)
			42	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (G)
			2	EA	FRAME WITH COVER, STD 840.54
			30	EA	CONCRETE APRON FOR DROP INLETS
			18	M	GENERIC DRAINAGE ITEM 100MM POLYMER DRAIN LINE
			100	M	*** X ***MM CONCRETE CURB (200MM X 300MM)
			1,200	M	450MM CONCRETE CURB & GUTTER
			5,150	M	750MM CONCRETE CURB & GUTTER
			2	EA	MODIFIED CONCRETE FLUME
			60	M	CONCRETE EXPRESSWAY GUTTER
			625	M2	100MM CONCRETE SIDEWALK
			50	M2	CONCRETE WHEELCHAIR RAMPS
			1,100	M2	150MM CONCRETE DRIVEWAY
			5	M2	100MM CONCRETE PAVED DITCH
			2,100	M2	125MM MONOLITHIC CONCRETE ISLANDS (KEYED IN)
			5	EA	ADJUSTMENT OF MANHOLES
			55	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
			1	EA	CONVERT EXISTING JUNCTION BOX TO DROP INLET
			53.34	M	STEEL BM GUARDRAIL
			4	EA	STEEL BM GUARDRAIL TERMINAL SECTIONS
			5	EA	ADDITIONAL GUARDRAIL POSTS
			11	M	CHAIN LINK FENCE, 1200MM FABRIC
			3	EA	METAL LINE POSTS FOR *** CHAIN LINK FENCE (1200MM)
			3	EA	METAL TERMINAL POSTS FOR *** CHAIN LINK FENCE (1200MM)
			275	M	GENERIC FENCING ITEM REMOVE, STOCKPILE, & RESET FENCE
			85	EA	GENERIC FENCING ITEM TEMP METAL LINE POSTS - 1800MM FENCE
			11	EA	GENERIC FENCING ITEM TEMP METAL TERM POSTS - 1800MM FENCE
			307	M	GENERIC FENCING ITEM TEMPORARY 1800MM CHAIN LINK FENCE
			55	MTN	PLAIN RIP RAP, CLASS B
			769	M2	FILTER FABRIC FOR DRAINAGE
			8	EA	PREFORMED SCOUR HOLES WITH LEVEL SPREADER APRON
			135	M3	GENERIC WALL ITEM CONCRETE RETAINING WALL WITH BRICK VENEER
			Lump Sum	LS	GENERIC WALL ITEM CONCRETE CANTILEVER RETAINING WALL
			Lump Sum	LS	GENERIC WALL ITEM MODULAR BLOCK RETAINING WALL STA 10+46 TO 10+74 -Y14-
			Lump Sum	LS	GENERIC WALL ITEM MODULAR BLOCK RETAINING WALL STA 13+52 TO 13+87 -Y14-
			Lump Sum	LS	GENERIC WALL ITEM MODULAR BLOCK RETAINING WALL STA 14+06 TO 14+20 -Y14-
			Lump Sum	LS	GENERIC WALL ITEM MODULAR BLOCK RETAINING WALL STA 57+34.739 TO 57+75.000 -L-
			620	M	SUPPORTS, 4.5KG STEEL U-CHANNEL
			3	EA	SIGN ERECTION, TYPE D
			138	EA	SIGN ERECTION, TYPE E
Lump Sum	LS	MOBILIZATION			
3	EA	SEALING ABANDONED WELLS			
0.4	HA	SUPPLEMENTARY CLEARING & GRUBBING			
11,000	M3	UNDERCUT EXCAVATION			
Lump Sum	LS	GRADING			
23,000	MTN	CLASS IV SUBGRADE STABILIZATION			
7,600	M3	BORROW EXCAVATION			
383	M3	DRAINAGE DITCH EXCAVATION			
1,000	M3	SELECT GRANULAR MATERIAL			
22,000	M2	FABRIC FOR SOIL STABILIZATION			
200	M2	TEMPORARY SHORING			
1,210	MTN	FOUNDATION CONDITIONING MATERIAL, MINOR STRS			
33.6	M	300MM RC PIPE CULVERTS, CLASS III			
2,469.6	M	375MM RC PIPE CULVERTS, CLASS III			
624	M	450MM RC PIPE CULVERTS, CLASS III			
501.6	M	600MM RC PIPE CULVERTS, CLASS III			
24	M	750MM RC PIPE CULVERTS, CLASS III			
30	M	900MM RC PIPE CULVERTS, CLASS III			
6	M	400MM BIT COAT CS PIPE CULVERTS, TYPE B 1.63MM THICK			
2	EA	400MM BIT COAT CS PIPE ELBOWS, TYPE B 1.63MM THICK			
58.8	M	GENERIC PIPE ITEM 450MM PLASTIC PIPE			
60	M	GENERIC PIPE ITEM 750MM PLASTIC PIPE			
775	M	PIPE REMOVAL			
5	EA	PIPE CLEAN-OUT			
650	MTN	STABILIZER AGGREGATE			
350	MTN	AGGREGATE BASE COURSE			
500	MTN	INCIDENTAL STONE BASE			
13,420	M2	MILLING ASPHALT PAVEMENT, **MM DEPTH (65MM)			
1,450	M2	INCIDENTAL MILLING			
19,300	MTN	ASPHALT CONC BASE COURSE, TYPE B25.0C			
16,800	MTN	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C			
13,100	MTN	ASPHALT CONC SURFACE COURSE, TYPE S9.5C			
1,620	MTN	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22			
852	MTN	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22			
300	MTN	ASPHALT PLANT MIX PAVEMENT REPAIR			
276	M3	SUBDRAIN EXCAVATION			
207	M3	SUBDRAIN FINE AGGREGATE			
500	M	150MM PERFORATED SUBDRAIN PIPE			
51	EA	150MM SUBDRAIN PIPE WYES, TEES, & ELBOWS			
4	EA	CONCRETE PAD FOR SUBDRAIN PIPE OUTLET			
8	M	150MM OUTLET PIPE (SUBDRAINS)			
17	EA	TEMPORARY STEEL PLATE COVERS FOR MASONRY DRAINAGE STRUCTURE			
1	M3	PIPE COLLARS			
1.5	M3	PIPE PLUGS			
35	M3	FLOWABLE FILL			
179	EA	MASONRY DRAINAGE STRUCTURES			
8	M	MASONRY DRAINAGE STRUCTURES			
40	EA	FRAME WITH TWO GRATES, STD 840.16			
14	EA	FRAME WITH TWO GRATES, STD 840.24			

353	TON	PLAIN RIP RAP CLASS II (2'-0" THICK)
391	SY	FILTER FABRIC FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS
1,462.5	LF	3'-0" X 1'-9" PRESTRESSED CONC CORED SLABS

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L050215 015

CONTRACT ID : C201413 10CR.10841.3

DIV OFFICE ALBEMARLE

LENGTH = 15.400 MI

COUNTY : STANLY

WIDENING, MILLING, SHLDER RECONST, RESURFACING & PVT MKINGS.

MBE GOAL 3.0% WBE 3.0% COMPLETION DATE : OCT 21 2005

1 SECTION OF US-52, 2 SECTIONS OF NC-200, 1 SECTION OF NC-24 & 27, AND 7 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	DESCRIPTION
	LS	MOBILIZATION
397	TON	INCIDENTAL STONE BASE
3.32	SMI	SHOULDER CONSTRUCTION
11.76	SMI	SHOULDER RECONSTRUCTION
5,074	LF	DITCHING
33,580	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
690	SY	INCIDENTAL MILLING
1,185	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
12,698	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
2,296	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B (LEVELING COURSE)
6,585	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
1,148	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C (LEVELING COURSE)
955	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
467	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
1,643	TON	PATCHING EXISTING PAVEMENT
38	SY	6" CONCRETE DRIVEWAY
3	EA	ADJUSTMENT OF MANHOLES
3	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
78,656	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
68,623	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
100	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
216	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
222	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
759	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
18	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
15	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
1,033	EA	PERMANENT RAISED PAVEMENT MARKERS
10.81	ACR	SEEDING & MULCHING

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L050215 016

CONTRACT ID : C201120 32971.3.1

DIV OFFICE NORTH WILKESBORO

LENGTH = 0.406 KM

COUNTY : WILKES

GRADING, DRAINAGE, PAVING & STRUCTURE.

DBE GOAL 6.0% COMPLETION DATE : DEC 31 2006

BRIDGE OVER NORTH FORK REDDIES RIVER & APPROACHES ON SR-1567.

ROADWAY ITEMS			STRUCTURE ITEMS		
			50	KG	SEED FOR TEMPORARY SEEDING
			0.5	MTN	FERTILIZER FOR TEMPORARY SEEDING
			30	M	TEMPORARY SLOPE DRAINS
			3	EA	INLET PROTECTION AT TEMPORARY SLOPE DRAINS
Lump Sum	LS	MOBILIZATION	230	M	SAFETY FENCE
5,600	M3	UNCLASSIFIED EXCAVATION	1,515	M3	SILT EXCAVATION
Lump Sum	LS	REINFORCED BRIDGE APPROACH FILL, STATION ***** (12+47.813)	700	M2	MATTING FOR EROSION CONTROL
			500	M2	PERMANENT SOIL REINFORCEMENT MAT
0.4	HA	SUPPLEMENTARY CLEARING & GRUBBING	30	M	6.4MM HARDWARE CLOTH
500	M3	UNDERCUT EXCAVATION	12	EA	SPECIAL STILLING BASINS
Lump Sum	LS	GRADING	1	HA	SEEDING & MULCHING
1,000	MTN	CLASS IV SUBGRADE STABILIZATION	0.5	HA	MOWING
50	M3	DRAINAGE DITCH EXCAVATION	25	KG	SEED FOR REPAIR SEEDING
1,000	M3	SELECT GRANULAR MATERIAL	0.25	MTN	FERTILIZER FOR REPAIR SEEDING
1,000	M2	FABRIC FOR SOIL STABILIZATION	50	KG	SEED FOR SUPPLEMENTAL SEEDING
33	MTN	FOUNDATION CONDITIONING MATERIAL, MINOR STRS	1.75	MTN	FERTILIZER TOPDRESSING
10.8	M	600MM SIDE DRAIN PIPE	1	HR	SPECIALIZED HAND MOWING
2.4	M	375MM RC PIPE CULVERTS, CLASS III	8	EA	RESPONSE FOR EROSION CONTROL
19.2	M	450MM RC PIPE CULVERTS, CLASS III	0.15	HA	REFORESTATION
19.2	M	600MM RC PIPE CULVERTS, CLASS III			
50.4	M	750MM RC PIPE CULVERTS, CLASS III			
49.8	M	PIPE REMOVAL			
100	MTN	AGGREGATE BASE COURSE	Lump Sum	LS	CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP ACCESS AT STA ***** (12+48.000 -L-)
80	MTN	INCIDENTAL STONE BASE	Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (12+48.000 -L-)
1,040	MTN	ASPHALT CONC BASE COURSE, TYPE B25.0B	59.7	M	914MM DIA DRILLED PIERS IN SOIL
440	MTN	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A	16.6	M	914MM DIA DRILLED PIERS NOT IN SOIL
74	MTN	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22	45.1	M	PERMANENT STEEL CASING FOR 914MM DRILLED PIER
16	MTN	ASPHALT PLANT MIX PAVEMENT REPAIR	3	EA	CROSSHOLE SONIC LOGGING
20	EA	RIGHT OF WAY MARKERS	335.8	M	CSL TUBES
221	M3	SUBDRAIN EXCAVATION	62.8	M3	CLASS A CONCRETE (BRIDGE)
100	M3	SUBDRAIN FINE AGGREGATE	Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ***** (12+48.000 -L-)
240	M	150MM PERFORATED SUBDRAIN PIPE	11,583	KG	REINFORCING STEEL (BRIDGE)
24	EA	150MM SUBDRAIN PIPE WYES, TEES, & ELBOWS	2,115	KG	SPIRAL COLUMN REINFORCING STEEL (BRIDGE)
2	EA	CONCRETE PAD FOR SUBDRAIN PIPE OUTLET	121.5	M	HP310X79 STEEL PILES
4	M	150MM OUTLET PIPE (SUBDRAINS)	18	EA	STEEL PILE POINTS
1	EA	MASONRY DRAINAGE STRUCTURES	115.164	M	CONCRETE BARRIER RAIL
1	EA	FRAME WITH TWO GRATES, STD 840.29	465	MTN	PLAIN RIP RAP CLASS II (600MM THICK)
15	M	SHOULDER BERM GUTTER	475	M2	FILTER FABRIC FOR DRAINAGE
80.01	M	STEEL BM GUARDRAIL	Lump Sum	LS	ELASTOMERIC BEARINGS
5	EA	ADDITIONAL GUARDRAIL POSTS	689.4	M	914MM X 533MM PRESTRESSED CONC CORED SLABS
4	EA	GUARDRAIL ANCHOR UNITS, TYPE III			
4	EA	GUARDRAIL ANCHOR UNITS, TYPE 350			
160	M	** STRAND BARBED WIRE FENCE WITH POSTS (4)			
25	MTN	PLAIN RIP RAP, CLASS B			
664	M2	FILTER FABRIC FOR DRAINAGE			
8	M2	WORK ZONE SIGNS (STATIONARY)			
9	M2	WORK ZONE SIGNS (PORTABLE)			
6	M2	WORK ZONE SIGNS (BARRICADE MOUNTED)			
30	EA	DRUMS			
24	M	BARRICADES (TYPE III)			
64	HR	FLAGGER			
3,248	M	PAINT PAVEMENT MARKING LINES (100MM)			
300	M	TEMPORARY SILT FENCE			
70	MTN	STONE FOR EROSION CONTROL, CLASS A			
405	MTN	STONE FOR EROSION CONTROL, CLASS B			
410	MTN	SEDIMENT CONTROL STONE			
1	HA	TEMPORARY MULCHING			

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L050215 017

CONTRACT ID : C201163 32980.3.1

DIV OFFICE NORTH WILKESBORO

LENGTH = 0.240 MI

COUNTY : ASHE

GRADING, DRAINAGE, PAVING & STRUCTURE.

DBE GOAL 7.0% COMPLETION DATE : DEC 31 2006

BRIDGE OVER BUFFALO CREEK & APPROACHES ON NC-88.

ROADWAY ITEMS

			4	EA	GUARDRAIL ANCHOR UNITS, TYPE AT-1
			4	EA	GUARDRAIL ANCHOR UNITS, TYPE III
			4	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
Lump Sum	LS	MOBILIZATION			
Lump Sum	LS	CONSTRUCTION SURVEYING			
2,200	SF	GENERIC MISCELLANEOUS ITEM ROCK PLATING	760	LF	REMOVE EXISTING GUARDRAIL
96,000	CY	UNCLASSIFIED EXCAVATION	290	TON	PLAIN RIP RAP, CLASS I
Lump Sum	LS	REINFORCED BRIDGE APPROACH FILL, STATION ***** (17+36.00 -L-)	13	TON	PLAIN RIP RAP, CLASS B
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING	1,270	SY	FILTER FABRIC FOR DRAINAGE
500	CY	UNDERCUT EXCAVATION	24	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (D)
Lump Sum	LS	GRADING	79	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (E)
1,000	TON	CLASS IV SUBGRADE STABILIZATION	215	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
500	CY	SELECT GRANULAR MATERIAL	2	EA	SIGN ERECTION, TYPE D
500	SY	FABRIC FOR SOIL STABILIZATION	11	EA	SIGN ERECTION, TYPE E
150	SF	TEMPORARY SHORING	18	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
134	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRS	296	SF	WORK ZONE SIGNS (STATIONARY)
56	LF	15" SIDE DRAIN PIPE	170	SF	WORK ZONE SIGNS (PORTABLE)
896	LF	15" RC PIPE CULVERTS, CLASS III	47	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
100	LF	18" RC PIPE CULVERTS, CLASS III	2	EA	WARNING FLAG SETS
108	LF	18" CS PIPE CULVERTS, 0.064" THICK	60	EA	DRUMS
4	EA	*** CS PIPE ELBOWS, ***** THICK (18", 0.064")	60	EA	CONES
92	LF	15" BIT COAT CS PIPE CULVERTS, TYPE B 0.064" THICK	148	LF	BARRICADES (TYPE III)
4	EA	15" BIT COAT CS PIPE ELBOWS, TYPE B 0.064" THICK	120	MD	FLAGGER
30	LF	PIPE REMOVAL	1	EA	TEMPORARY CRASH CUSHIONS
260	TON	AGGREGATE BASE COURSE	1	EA	TRUCK MOUNTED IMPACT ATTENUATOR (60 MPH)
75	TON	INCIDENTAL STONE BASE	40	LF	PORTABLE CONCRETE BARRIER
30	SY	INCIDENTAL MILLING	520	LF	REMOVABLE TAPE PAVEMENT MARKING LINES (4")
1,290	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B	34	EA	TEMPORARY RAISED PAVEMENT MARKERS
640	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B	8,904	LF	PAINT PAVEMENT MARKING LINES (4")
780	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B	80	LF	PAINT PAVEMENT MARKING LINES (24")
133	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22	5,704	LF	POLYUREA PAVEMENT MARKING LINES (4")
55	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR	40	LF	POLYUREA PAVEMENT MARKING LINES (24")
12	EA	RIGHT OF WAY MARKERS	5	EA	POLYUREA PAVEMENT MARKING SYMBOL
155	CY	SUBDRAIN EXCAVATION	780	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
80	CY	SUBDRAIN FINE AGGREGATE	33	EA	SNOWPLOWABLE PAVEMENT MARKERS
450	LF	6" PERFORATED SUBDRAIN PIPE	950	LF	TEMPORARY SILT FENCE
15	EA	6" SUBDRAIN PIPE WYES, TEES, & ELBOWS	225	TON	STONE FOR EROSION CONTROL, CLASS A
1	EA	CONCRETE PAD FOR SUBDRAIN PIPE OUTLET	550	TON	STONE FOR EROSION CONTROL, CLASS B
6	LF	6" OUTLET PIPE (SUBDRAINS)	490	TON	SEDIMENT CONTROL STONE
2	CY	REINFORCED ENDWALLS	8.5	ACR	TEMPORARY MULCHING
0.35	CY	PIPE PLUGS	300	LB	SEED FOR TEMPORARY SEEDING
12	EA	MASONRY DRAINAGE STRUCTURES	1.25	TON	FERTILIZER FOR TEMPORARY SEEDING
20	LF	MASONRY DRAINAGE STRUCTURES	115	LF	TEMPORARY SLOPE DRAINS
2	EA	FRAME WITH TWO GRATES, STD 840.24	1	EA	INLET PROTECTION AT TEMPORARY SLOPE DRAINS
8	EA	FRAME WITH TWO GRATES, STD 840.29	600	LF	SAFETY FENCE
2	EA	FRAME WITH COVER, STD 840.54	1,800	CY	SILT EXCAVATION
2	EA	*** SLUICE GATE (25")	1,405	SY	MATTING FOR EROSION CONTROL
Lump Sum	LS	GENERIC DRAINAGE ITEM HAZARDOUS WASTE RETENTION BASIN	700	LF	1/4" HARDWARE CLOTH
960	LF	SHOULDER BERM GUTTER	4	EA	SPECIAL STILLING BASINS
662.5	LF	STEEL BM GUARDRAIL	14	ACR	SEEDING & MULCHING
75	LF	STEEL BM GUARDRAIL, SHOP CURVED	5	ACR	MOWING
5	EA	ADDITIONAL GUARDRAIL POSTS	100	LB	SEED FOR REPAIR SEEDING
			0.25	TON	FERTILIZER FOR REPAIR SEEDING
			200	LB	SEED FOR SUPPLEMENTAL SEEDING
			10.5	TON	FERTILIZER TOPDRESSING
			2	HR	SPECIALIZED HAND MOWING
			8	EA	RESPONSE FOR EROSION CONTROL

0.2 ACR REFORESTATION

STRUCTURE ITEMS

Lump Sum	LS	CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP ACCESS AT STA ***** (17+36.00 -L-)
Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (17+36.00 -L-)
48	LF	3'-0" DIA DRILLED PIERS IN SO IL
60	LF	3'-0" DIA DRILLED PIERS NOT IN SOIL
2	EA	SID INSPECTION
2	EA	CROSSHOLE SONIC LOGGING
472	LF	CSL TUBES
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVA- TION AT STATION ***** (17+36.00 -L-)
5,178	SF	REINFORCED CONCRETE DECK SLAB
5,310	SF	GROOVING BRIDGE FLOORS
94	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ***** (17+36.00 -L-)
21,891	LB	REINFORCING STEEL (BRIDGE)
2,314	LB	SPIRAL COLUMN REINFORCING STEEL (BRIDGE)
641.5	LF	MODIFIED 63" PRESTRESSED CONC GIRDERS
195	LF	HP12X53 STEEL PILES
13	EA	STEEL PILE POINTS
219.19	LF	CONCRETE BARRIER RAIL
605	TON	PLAIN RIP RAP CLASS II (2'-0" THICK)
670	SY	FILTER FABRIC FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS
Lump Sum	LS	EVAZOTE JOINT SEALS

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L050215 018

CONTRACT ID : C201167 33263.3.2

DIV OFFICE NORTH WILKESBORO

LENGTH = 0.189 MI

COUNTY : AVERY

GRADING, DRAINAGE, PAVING & STRUCTURE.

DBE GOAL 5.0% COMPLETION DATE : DEC 31 2005

BRIDGE ON HENSON CREEK & APPROACHES ON SR-1126.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	CONSTRUCTION SURVEYING
9,000	CY	UNCLASSIFIED EXCAVATION
Lump Sum	LS	REINFORCED BRIDGE APPROACH FILL, STATION ***** (17+13.50)
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING
500	CY	UNDERCUT EXCAVATION
Lump Sum	LS	GRADING
600	TON	CLASS IV SUBGRADE STABILIZATION
240	CY	DRAINAGE DITCH EXCAVATION
500	CY	SELECT GRANULAR MATERIAL
500	SY	FABRIC FOR SOIL STABILIZATION
65	SF	TEMPORARY SHORING
60	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRS
28	LF	15" SIDE DRAIN PIPE
44	LF	24" SIDE DRAIN PIPE
36	LF	18" RC PIPE CULVERTS, CLASS III
56	LF	30" RC PIPE CULVERTS, CLASS III
212	LF	*** CS PIPE CULVERTS, ***** THICK (72", 0.138")
52	LF	15" CS PIPE CULVERTS, 0.064" THICK
60	LF	24" CS PIPE CULVERTS, 0.064" THICK
68	LF	30" BIT COAT CS PIPE CULVERTS, TYPE B 0.079" THICK
526	LF	PIPE REMOVAL
335	TON	AGGREGATE BASE COURSE
75	TON	INCIDENTAL STONE BASE
410	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
575	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
55	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
20	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR
2	SY	***** PORT CEM CONC PAVEMENT, MISCELLANEOUS (WITHOUT DOWELS) (16")
16	EA	RIGHT OF WAY MARKERS
410	CY	SUBDRAIN EXCAVATION
210	CY	SUBDRAIN FINE AGGREGATE
1,200	LF	6" PERFORATED SUBDRAIN PIPE
36	EA	6" SUBDRAIN PIPE WYES, TEES, & ELBOWS
3	EA	CONCRETE PAD FOR SUBDRAIN PIPE OUTLET
18	LF	6" OUTLET PIPE (SUBDRAINS)
2	CY	ENDWALLS
10.6	CY	REINFORCED ENDWALLS
1	EA	MASONRY DRAINAGE STRUCTURES
1	EA	FRAME WITH TWO GRATES, STD 840.29
402.34	SF	GENERIC DRAINAGE ITEM TEMPORARY SANDBAG HEADWALL
45	LF	SHOULDER BERM GUTTER
200	LF	PRECAST REINFORCED CONCRETE BARRIER, SINGLE FACED
87.5	LF	STEEL BM GUARDRAIL
5	EA	ADDITIONAL GUARDRAIL POSTS
1	EA	GUARDRAIL ANCHOR UNITS, TYPE ***** (BIC)
3	EA	GUARDRAIL ANCHOR UNITS, TYPE III
4	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
1	EA	GUARDRAIL ANCHOR UNITS, TYPE B-77

262.5	LF	TEMPORARY STEEL BM GUARDRAIL
3	EA	GUARDRAIL ANCHOR UNITS, TYPE 350 TEMPORARY
13	TON	PLAIN RIP RAP, CLASS I
200	TON	PLAIN RIP RAP, CLASS B
830	SY	FILTER FABRIC FOR DRAINAGE
160	SF	WORK ZONE SIGNS (STATIONARY)
128	SF	WORK ZONE SIGNS (PORTABLE)
36	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
42	EA	DRUMS
21	EA	CONES
36	LF	BARRICADES (TYPE III)
1,800	HR	FLAGGER
4	EA	WARNING LIGHTS (TYPE B)
1	EA	TRUCK MOUNTED IMPACT ATTENUATOR (45 MPH)
62	EA	TEMPORARY RAISED PAVEMENT MARKERS
21,200	LF	PAINT PAVEMENT MARKING LINES (4")
550	LF	TEMPORARY SILT FENCE
75	TON	STONE FOR EROSION CONTROL, CLASS A
195	TON	STONE FOR EROSION CONTROL, CLASS B
290	TON	SEDIMENT CONTROL STONE
1.5	ACR	TEMPORARY MULCHING
50	LB	SEED FOR TEMPORARY SEEDING
0.25	TON	FERTILIZER FOR TEMPORARY SEEDING
65	LF	TEMPORARY SLOPE DRAINS
2	EA	INLET PROTECTION AT TEMPORARY SLOPE DRAINS
990	LF	SAFETY FENCE
1,015	CY	SILT EXCAVATION
890	SY	MATTING FOR EROSION CONTROL
610	LF	1/4" HARDWARE CLOTH
2	EA	SPECIAL STILLING BASINS
2	ACR	SEEDING & MULCHING
1	ACR	MOWING
50	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
50	LB	SEED FOR SUPPLEMENTAL SEEDING
1.5	TON	FERTILIZER TOPDRESSING
1	HR	SPECIALIZED HAND MOWING
8	EA	RESPONSE FOR EROSION CONTROL
0.7	ACR	REFORESTATION

STRUCTURE ITEMS

Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (17+13.50 -L-)
66.5	LF	***,***" DIA DRILLED PIERS IN SOIL (2'-6")
34.5	LF	***,***" DIA DRILLED PIERS NOT IN SOIL (2'-6")
60.3	LF	PERMANENT STEEL CASING FOR ***,***" DIA DRILLED PIER (2'-6")
1	EA	CROSSHOLE SONIC LOGGING
464	LF	CSL TUBES
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ***** (17+13.50 -L-)
2,553.1	SF	GROOVING BRIDGE FLOORS
26.7	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ***** (17+13.50 -L-)
9,460	LB	REINFORCING STEEL (BRIDGE)
1,496	LB	SPIRAL COLUMN REINFORCING STEEL (BRIDGE)

90.29	LF	CONCRETE BARRIER RAIL
74	TON	PLAIN RIP RAP CLASS II (2'-0" THICK)
82	SY	FILTER FABRIC FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS
495	LF	3'-0" X 1'-9" PRESTRESSED CONC CORED SLABS
2,847	SF	GENERIC STRUCTURE ITEM CONCRETE WEARING SURFACE

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L050215 019

CONTRACT ID : C201407 11CR.10861.10

DIV OFFICE NORTH WILKESBORO

LENGTH = 33.200 MI

COUNTY : SURRY, YADKIN

MILLING, RESURFACING, SHOULDER RECONSTRUCTION & PVMT MKGS.

MBE GOAL 3.0% WBE 3.0% COMPLETION DATE : SEP 09 2005

1 SECTION OF NC-67, 2 SECTIONS OF NC-89 & 24 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
2,335	TON	INCIDENTAL STONE BASE
63.84	SMI	SHOULDER RECONSTRUCTION
11,218	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
52,119	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (2-1/2")
4,545	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B
27,515	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
2,896	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
6,433	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
650	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A (LEVELING COURSE)
2,327	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
173	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
26	EA	ADJUSTMENT OF MANHOLES
30	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
346,162	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
219,120	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
160	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
100	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
266	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
8	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
34	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
22,200	LF	PAINT PAVEMENT MARKING LINES (4")
2,344	EA	SNOWPLOWABLE PAVEMENT MARKERS
Lump Sum	LS	PORTABLE LIGHTING
31.67	ACR	SEEDING & MULCHING
75	LF	TRENCHING (PAVED)
75	LF	TRENCHING (UNPAVED)
750	LF	INDUCTIVE LOOP SAWCUT

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L050215 020

CONTRACT ID : C201408 11CR.10061.8

DIV OFFICE NORTH WILKESBORO

LENGTH = 19.240 MI

COUNTY : AVERY, WATAUGA

MILLING, RESURFACING, SHOULDER RECONSTRUCTION & PVMT MKGS.

MBE GOAL 2.0% WBE 4.0% COMPLETION DATE : SEP 09 2005

1 SECTION OF US-19, 1 SECTION OF US-221, 1 SECTION OF NC-105 & 7 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
1,005	TON	INCIDENTAL STONE BASE
38.48	SMI	SHOULDER RECONSTRUCTION
33,609	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
6,626	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
5,316	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
9,874	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
800	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A (LEVELING COURSE)
1,091	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
319	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
8	EA	ADJUSTMENT OF MANHOLES
14,850	LF	PAINT PAVEMENT MARKING LINES (4")
321,682	LF	POLYUREA PAVEMENT MARKING LINES (4")
100	LF	POLYUREA PAVEMENT MARKING LINES (24")
12	EA	POLYUREA PAVEMENT MARKING CHARACTER
5	EA	POLYUREA PAVEMENT MARKING SYMBOL
1,312	EA	SNOWPLOWABLE PAVEMENT MARKERS
Lump Sum	LS	PORTABLE LIGHTING
20.24	ACR	SEEDING & MULCHING

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L050215 021

CONTRACT ID : C201409 11CR.10141.9

DIV OFFICE NORTH WILKESBORO

LENGTH = 39.390 MI

COUNTY : CALDWELL, WILKES

MILLING, SHOULDER RECONSTRUCTION, RESURFACING & PVMT MRKGS.

MBE GOAL 2.0% WBE 5.0% COMPLETION DATE : SEP 09 2005

1 SECT OF US-321, 1 SECT OF US-421 BUS, 1 SECT OF NC-16, 1 SECT OF NC-18, 1 SECT OF NC-90 & 19 SECT OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
2,483	TON	INCIDENTAL STONE BASE
75.7	SMI	SHOULDER RECONSTRUCTION
33,926	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
47,403	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (3")
20,474	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
8,162	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
17,663	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
225	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A (LEVELING COURSE)
2,394	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
490	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 70-22
4	EA	WHEELCHAIR RAMPS
30	EA	ADJUSTMENT OF DROP INLETS
21	EA	ADJUSTMENT OF MANHOLES
12	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
406,198	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
249,128	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
310	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
150	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
265	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
35	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
79	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
68,800	LF	PAINT PAVEMENT MARKING LINES (4")
2,879	EA	SNOWPLOWABLE PAVEMENT MARKERS
Lump Sum	LS	PORTABLE LIGHTING
37.85	ACR	SEEDING & MULCHING
100	LF	TRENCHING (PAVED)
100	LF	TRENCHING (UNPAVED)
500	LF	INDUCTIVE LOOP SAWCUT

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L050215 022

CONTRACT ID : C201414 11CR.20061.11 DIV OFFICE NORTH WILKESBORO
COUNTY : AVERY, CALDWELL, SURRY, WILKES
ASPHALT TRIPLE SEAL.

LENGTH = 81.000 MI

MBE GOAL 2.0% WBE 2.0% COMPLETION DATE : SEP 09 2005

105 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
879,837	SY	ASPHALT SURFACE TREATMENT, TRIPLE SEAL
534	TON	BLOTTING SAND

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L050215 023

CONTRACT ID : C201164 33008.3.1

DIV OFFICE SHELBY

LENGTH = 0.171 MI

COUNTY : IREDELL

GRADING, DRAINAGE, PAVING & STRUCTURE.

DBE GOAL 7.0% COMPLETION DATE : SEE SPECIAL PROVISIONS

BRIDGE OVER HUNTING CREEK AND APPROACHES ON SR-1832.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	CONSTRUCTION SURVEYING
Lump Sum	LS	REINFORCED BRIDGE APPROACH FILL, STATION ***** (17+33.50)
Lump Sum	LS	GRADING
	1	ACR SUPPLEMENTARY CLEARING & GRUBBING
	250	CY UNDERCUT EXCAVATION
	26	CY DRAINAGE DITCH EXCAVATION
	20	TON FOUNDATION CONDITIONING MATERIAL, MINOR STRS
	76	LF 15" RC PIPE CULVERTS, CLASS III
	92	LF 15" BIT COAT CS PIPE CULVERTS, TYPE B 0.064" THICK
	6	EA 15" BIT COAT CS PIPE ELBOWS, TYPE B 0.064" THICK
	75	TON AGGREGATE BASE COURSE
	50	TON INCIDENTAL STONE BASE
	520	TON ASPHALT CONC BASE COURSE, TYPE B25.0B
	255	TON ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
	39	TON ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
	2	CY ENDWALLS
	3	EA MASONRY DRAINAGE STRUCTURES
	2	EA FRAME WITH GRATE, STD 840.29
	1	EA FRAME WITH TWO GRATES, STD 840.16
	180	LF SHOULDER BERM GUTTER
	150	LF CONCRETE EXPRESSWAY GUTTER
	10	EA ADDITIONAL GUARDRAIL POSTS
	4	EA GUARDRAIL ANCHOR UNITS, TYPE ***** (TYPE 350, WEATHERING STEEL)
	4	EA GUARDRAIL ANCHOR UNITS, TYPE ***** (TYPE III, WEATHERING STEEL)
	380	LF REMOVE EXISTING GUARDRAIL
	450	LF GENERIC GUARDRAIL ITEM STEEL BM GUARDRAIL (WEATHERED STEEL WITH WOOD POSTS)
	22	TON PLAIN RIP RAP, CLASS II
	39	TON PLAIN RIP RAP, CLASS B
	467	SY FILTER FABRIC FOR DRAINAGE
	574	SF WORK ZONE SIGNS (PORTABLE)
	154	SF WORK ZONE SIGNS (BARRICADE MOUNTED)
	4	EA WARNING FLAG SETS
	122	LF BARRICADES (TYPE III)
	7,200	LF PAINT PAVEMENT MARKING LINES (4")
	24	EA PERMANENT RAISED PAVEMENT MARKERS
	210	LF TEMPORARY SILT FENCE
	75	TON STONE FOR EROSION CONTROL, CLASS A
	265	TON STONE FOR EROSION CONTROL, CLASS B
	165	TON SEDIMENT CONTROL STONE
	2.5	ACR TEMPORARY MULCHING
	100	LB SEED FOR TEMPORARY SEEDING
	0.5	TON FERTILIZER FOR TEMPORARY SEEDING
	70	LF TEMPORARY SLOPE DRAINS
	2	EA INLET PROTECTION AT TEMPORARY SLOPE DRAINS
	1,235	LF SAFETY FENCE
	380	CY SILT EXCAVATION
	1,060	SY MATTING FOR EROSION CONTROL
	445	SY PERMANENT SOIL REINFORCEMENT MAT
	40	LF 1/4" HARDWARE CLOTH
	4	EA SPECIAL STILLING BASINS

2.5	ACR	SEEDING & MULCHING
1.5	ACR	MOWING
50	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
50	LB	SEED FOR SUPPLEMENTAL SEEDING
1.75	TON	FERTILIZER TOPDRESSING
1.5	HR	SPECIALIZED HAND MOWING
8	EA	RESPONSE FOR EROSION CONTROL

STRUCTURE ITEMS

Lump Sum	LS	CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP ACCESS AT STATION ***** (17+33.50 -L-)
Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (17+33.50 -L-)
Lump Sum	LS	FOUNDATION EXCAVATION FOR END BENT ** AT STATION ***** (1, 17+33.50 -L-)
	6	LF 3'-6" DIA DRILLED PIERS IN SOIL
	32	LF 3'-6" DIA DRILLED PIERS NOT IN SOIL
	12	LF PERMANENT STEEL CASING FOR 3'-6" DIA DRILLED PIER
	1	EA CROSSHOLE SONIC LOGGING
	192	LF CSL TUBES
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ***** (17+33.50 -L-)
	5,896	SF REINFORCED CONCRETE DECK SLAB
	6,141	SF GROOVING BRIDGE FLOORS
	110.7	CY CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ***** (17+33.50 -L-)
	21,792	LB REINFORCING STEEL (BRIDGE)
	2,691	LB SPIRAL COLUMN REINFORCING STEEL (BRIDGE)
	771.33	LF 54" PRESTRESSED CONCRETE GIRDER
	120	LF HP12X53 STEEL PILES
	374.67	LF ONE BAR METAL RAIL
	389.83	LF 1'-***X ***** CONCRETE PARAPET (1'-0" X 1'-6")
	280	TON PLAIN RIP RAP CLASS II (2'-0" THICK)
	310	SY FILTER FABRIC FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS
Lump Sum	LS	EVAZOTE JOINT SEALS
	800	DOL CONTRACT TIME

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L050215 024

CONTRACT ID : C201411 12CR.10231.3

DIV OFFICE SHELBY

LENGTH = 30.710 MI

COUNTY : CLEVELAND

MILLING, SHOULDER RECONSTRUCTION, RESURFACING, & PVT MKINGS.

MBE GOAL 2.0% WBE 4.0% COMPLETION DATE : OCT 15 2005

5 SECTIONS OF US-29, 2 SECTIONS OF NC-182 AND NC-150, & 27 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
1,255	TON	INCIDENTAL STONE BASE
20.28	SMI	SHOULDER RECONSTRUCTION
1,600	SY	INCIDENTAL MILLING
35,213	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
2,484	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B (LEVELING COURSE)
2,358	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
1,620	TON	PATCHING EXISTING PAVEMENT
22	EA	ADJUSTMENT OF MANHOLES
11	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
35,800	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
129,202	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
180	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
369	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
28	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
34	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
713,285	LF	PAINT PAVEMENT MARKING LINES (4")
923	EA	SNOWPLOWABLE PAVEMENT MARKERS

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L050215 025

CONTRACT ID : C201412 12CR.10181.2

DIV OFFICE SHELBY

LENGTH = 23.500 MI

COUNTY : CATAWBA, LINCOLN

MILLING, SHOULDER RECONSTRUCTION, RESURFACING, & PVT MKINGS.

MBE GOAL 3.0% WBE 3.0% COMPLETION DATE : OCT 15 2005

1 SECTION OF US-321 NORTH, 2 SECTIONS OF NC-18, AND 21 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
726	TON	INCIDENTAL STONE BASE
14.34	SMI	SHOULDER RECONSTRUCTION
5,989	SY	INCIDENTAL MILLING
1,705	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
30,622	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,410	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B (LEVELING COURSE)
1,996	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
1,760	TON	PATCHING EXISTING PAVEMENT
12	EA	WHEELCHAIR RAMPS
3	EA	ADJUSTMENT OF DROP INLETS
66	EA	ADJUSTMENT OF MANHOLES
32	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
77,068	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
49,793	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
180	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)
578	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
30	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
62	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
308,129	LF	PAINT PAVEMENT MARKING LINES (4")
106	LF	PAINT PAVEMENT MARKING LINES (24")
565	EA	SNOWPLOWABLE PAVEMENT MARKERS

			2,666	M	600MM DI WATER PIPE, PC ***MPA (PC 2.41MPA)
			337.3	M	***MM DI RESTRAINED JOINT WATER PIPE, CLASS ***** WP (600MM, PC 2.41MPA)
4	EA	GUARDRAIL ANCHOR UNITS, TYPE 350	636	M	***MM COPPER WATER PIPE, TYPE K (16MM)
925	M	REMOVE EXISTING GUARDRAIL	82	M	***MM COPPER WATER PIPE, TYPE K (38MM)
225	M	CHAIN LINK FENCE, 1200MM FABRIC	10	M	***MM COPPER WATER PIPE, TYPE K (50MM)
40	EA	METAL LINE POSTS FOR 1200MM CHAIN LINK FENCE	281	M	25MM COPPER WATER PIPE, TYPE K
27	EA	METAL TERMINAL POSTS FOR 1200MM CHAIN LINK FENCE	16,133.5	KG	DUCTILE IRON WATER PIPE FITTINGS, 1.72MPA MIN WP
56	MTN	PLAIN RIP RAP, CLASS I	28	EA	***MM CORPORATION STOP (16MM)
1,005	MTN	PLAIN RIP RAP, CLASS B	5	EA	***MM CORPORATION STOP (38MM)
3,750	M2	FILTER FABRIC FOR DRAINAGE	12	EA	25MM CORPORATION STOP
2	EA	PREFORMED SCOUR HOLES WITH LEVEL SPREADER APRON	1	EA	*** X ***MM TAPPING SADDLE (150MM X 16MM)
421	M	SUPPORTS, 4.5KG STEEL U-CHANNEL	27	EA	*** X ***MM TAPPING SADDLE (600MM X 16MM)
10	EA	SIGN ERECTION, TYPE D	9	EA	*** X ***MM TAPPING SADDLE (600MM X 25MM)
61	EA	SIGN ERECTION, TYPE E	5	EA	*** X ***MM TAPPING SADDLE (600MM X 38MM)
11	EA	SIGN ERECTION, TYPE F	20	EA	RELOCATE EXISTING WATER METER
3	EA	RELOCATE SIGN, TYPE ***** (E)	11	EA	BREAK DOWN, PLUG, & FILL ABANDONED UTILITY MANHOLE
72	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL	40	M	***MM STEEL ENCASMENT PIPE, ***MM THICK, BY BORING & JACKING (900MM, 12.5 MM THICK)
10	EA	DISPOSAL OF SIGN SYSTEM, WOOD	15	EA	GENERIC UTILITY ITEM 1200MM DIA PRECAST CONCRETE SEWER MANHOLE, 1.8M DEPTH
4	EA	DISPOSAL OF SUPPORT, U-CHANNEL	1	EA	GENERIC UTILITY ITEM 1500MM DIA PRECAST CONCRETE SEWER MANHOLE, 1.8M DEPTH
45	M2	WORK ZONE SIGNS (STATIONARY)	32	EA	GENERIC UTILITY ITEM 150MM GATE VALVE AND VALVE BOX
64	M2	WORK ZONE SIGNS (PORTABLE)	11	EA	GENERIC UTILITY ITEM 1800MM DIA PRECAST CONCRETE SEWER MANHOLE, 1.8M DEPTH
9	M2	WORK ZONE SIGNS (BARRICADE MOUNTED)	2	EA	GENERIC UTILITY ITEM 200MM GATE VALVE AND VALVE BOX
2	EA	FLASHING ARROW PANELS, TYPE C	2	EA	GENERIC UTILITY ITEM 300MM BUTTERFLY VALVE ASSEMBLY
2	EA	CHANGEABLE MESSAGE SIGNS	1	EA	GENERIC UTILITY ITEM 400MM BUTTERFLY VALVE ASSEMBLY
2	EA	WARNING FLAG SETS	9	EA	GENERIC UTILITY ITEM 600MM BUTTERFLY VALVE ASSEMBLY
525	EA	DRUMS	7	EA	GENERIC UTILITY ITEM AIR RELEASE VALVE ASSEMBLY
105	EA	CONES	19	EA	GENERIC UTILITY ITEM FIRE HYDRANT 1.38 MPA WP
135	M	BARRICADES (TYPE II)	12	EA	GENERIC UTILITY ITEM REMOVE EXISTING FIRE HYDRANT
110	M	BARRICADES (TYPE III)	30	EA	GENERIC UTILITY ITEM SANITARY SEWER CLEAN OUT
6,000	HR	FLAGGER	3	EA	GENERIC UTILITY ITEM WATER METER ASSEMBLY
5	EA	WARNING LIGHTS (TYPE B)	60	M	GENERIC UTILITY ITEM 100MM PVC SEWER PIPE, SDR 35
2	EA	TRUCK MOUNTED IMPACT ATTENUATOR (45 MPH)	60	M	GENERIC UTILITY ITEM 150MM PVC SEWER PIPE, SDR 35
340	M	WATER FILLED BARRIER	300	M	GENERIC UTILITY ITEM 200MM DI SEWER PIPE, PC 2.41 MPA
290	M	RESET WATER FILLED BARRIER	60	M	GENERIC UTILITY ITEM 200MM PVC SEWER PIPE, SDR 35
375	HR	POLICE	85	M	GENERIC UTILITY ITEM 250MM DI SEWER PIPE, PC 2.41MPA
9	EA	TUBULAR MARKERS (FIXED)	410	M	GENERIC UTILITY ITEM 400MM DI SEWER PIPE, PC 1.72MPA
1,846	EA	TEMPORARY RAISED PAVEMENT MARKERS	740	M	GENERIC UTILITY ITEM 500MM DI SEWER PIPE, PC 1.72MPA
68	EA	COLD APPLIED PLASTIC PAVEMENT MARKING CHARACTER	28	M	GENERIC UTILITY ITEM PRECAST CONC MANHOLE WALL, 1200MM DIA, OVER 1.8M HT
158	EA	COLD APPLIED PLASTIC PAVEMENT MARKING SYMBOL	2	M	GENERIC UTILITY ITEM PRECAST CONC MANHOLE WALL, 1500MM DIA, OVER 1.8M HT
74,052	M	PAINT PAVEMENT MARKING LINES (100MM)	40	M	GENERIC UTILITY ITEM PRECAST CONC MANHOLE WALL, 1800MM DIA, OVER 1.8M HT
1,470	M	PAINT PAVEMENT MARKING LINES (200MM)	4	M	GENERIC UTILITY ITEM SEWER MANHOLE OUTSIDE DROP ASSEMBLY
1,570	M	PAINT PAVEMENT MARKING LINES (600MM)			
212	EA	PAINT PAVEMENT MARKING CHARACTER			
512	EA	PAINT PAVEMENT MARKING SYMBOL			
16,838	M	POLYUREA PAVEMENT MARKING LINES (100MM)			
630	M	POLYUREA PAVEMENT MARKING LINES (200MM)			
12,119	M	REMOVAL OF PAVEMENT MARKING LINES (100MM)			
125	M	REMOVAL OF PAVEMENT MARKING LINES (200MM)			
233	M	REMOVAL OF PAVEMENT MARKING LINES (600MM)			
107	EA	REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS			
350	M	GENERIC PAVEMENT MARKING ITEM POLYUREA PAVEMENT MARKING LINES (600MM)			
1,206	EA	SNOWPLOWABLE PAVEMENT MARKERS			
2,000	MTN	FOUNDATION CONDITIONING MATERIAL, UTILITIES CLASS ***** (IV)			
2,000	MTN	BEDDING MATERIAL, UTILITIES CLASS ***** (VI)			
40	M3	CLASS B CONCRETE FOR ENCASING UTILITY LINES			
536.3	M	100MM DI WATER PIPE, PC 2.41MPA			
82	M	200MM DI WATER PIPE, PC 2.41MPA			
19.3	M	300MM DI WATER PIPE, PC 2.41MPA			
45	M	400MM DI WATER PIPE, PC ***MPA (PC 2.41MPA)			

3,761.8	KG	GENERIC UTILITY ITEM DI RESTRAINED JOINT WATER PIPE FITTINGS
2,160	HR	GENERIC UTILITY ITEM PROJECT COORDINATION BYPASS PUMPING
2,150	M	TEMPORARY SILT FENCE
555	MTN	STONE FOR EROSION CONTROL, CLASS A
2,680	MTN	STONE FOR EROSION CONTROL, CLASS B
2,180	MTN	SEDIMENT CONTROL STONE
8	HA	TEMPORARY MULCHING
450	KG	SEED FOR TEMPORARY SEEDING
3.5	MTN	FERTILIZER FOR TEMPORARY SEED- ING
290	M	TEMPORARY SLOPE DRAINS
22	EA	INLET PROTECTION AT TEMPORARY SLOPE DRAINS
7,600	M3	SILT EXCAVATION
6,225	M2	MATTING FOR EROSION CONTROL
1,260	M	6.4MM HARDWARE CLOTH
600	M3	STILLING BASINS
10.5	HA	SEEDING & MULCHING
4.5	HA	MOWING
100	KG	SEED FOR REPAIR SEEDING
0.5	MTN	FERTILIZER FOR REPAIR SEEDING
300	KG	SEED FOR SUPPLEMENTAL SEEDING
17.5	MTN	FERTILIZER TOPDRESSING
0.05	HA	SPECIALIZED SEEDING UNDER GUIDERAIL & GUARDRAIL (HARD FESCUE/BLUEGRASS)
135	M	IMPERVIOUS DIKE
2	HR	SPECIALIZED HAND MOWING
16	EA	RESPONSE FOR EROSION CONTROL
20	EA	PEDESTRIAN SIGNAL HEAD (300MM, 2 SECTION)
2,350	M	SIGNAL CABLE
45	EA	VEHICLE SIGNAL HEAD (300MM, 3 SECTION)
2	EA	VEHICLE SIGNAL HEAD (300MM, 4 SECTION)
14	EA	VEHICLE SIGNAL HEAD (300MM, 5 SECTION)
3,450	M	MESSENGER CABLE (6.35MM)
640	M	MESSENGER CABLE (9.52MM)
325	M	TRACER WIRE
2,685	M	TRENCHING (UNPAVED)
460	M	DIRECTIONAL DRILL POLYETHYLENE CONDUIT, *****MM (** CONDUIT) (50MM, 2)
275	M	DIRECTIONAL DRILL POLYETHYLENE CONDUIT, 31.75MM (** CONDUIT) (1)
99	EA	JUNCTION BOX (STANDARD SIZE)
12	EA	JUNCTION BOX (OVER-SIZED)
16	EA	WOOD POLE
66	EA	GUY ASSEMBLY
9	EA	*****MM RISER WITH ***** (50MM, FIBER OPTIC CABLE SEAL)
7	EA	25MM RISER WITH WEATHERHEAD
15	EA	50MM RISER WITH WEATHERHEAD
7,860	M	INDUCTIVE LOOP SAWCUT
10,395	M	LEAD-IN CABLE
4,550	M	COMMUNICATIONS CABLE (**FIBER) (12)
7	EA	INTERCONNECT CENTER
11	EA	DELINEATOR MARKER
1	EA	FURNISH FIBER-OPTIC RESTORA- TION KIT
1	EA	FURNISH FIBER-OPTIC POWER ME- TER
1	EA	FURNISH OPTICAL LIGHT GENERA- TOR
1	EA	FURNISH FIBER-OPTIC TRANSCEIV- ER
19	EA	SIGNAL SUPPORT MAST ARM WITH METAL POLE
19	EA	SOIL TEST
80	M	DRILLED PIER FOUNDATION (***MM DIA) (1066MM)
15	M	DRILLED PIER FOUNDATION (***MM DIA) (1219MM)
3	EA	SIGN FOR SIGNALS
7	EA	SIGNAL CABINET FOUNDATION
7	EA	CABINET BASE ADAPTER
7	EA	CONTROLLER WITH CABINET (TYPE 2070L, BASE MOUNTED)

61	EA	DETECTOR CARD (TYPE 2070L)
1	EA	CENTRAL COMPUTER
1	EA	NOTEBOOK COMPUTER
1	EA	PRINTER
7	EA	GENERIC SIGNAL ITEM (FIBER-OPTIC TRANSCEIVER-SELF HEALING RING)

CULVERT ITEMS

Lump Sum	LS	CULVERT EXCAVATION, STA ***** (58+91.630-L-)
31	MTN	FOUNDATION CONDITIONING MATER- IAL, BOX CULVERT
55.9	M3	CLASS A CONCRETE (CULVERT)
4,088	KG	REINFORCING STEEL (CULVERT)

WALL ITEMS

Lump Sum	LS	GENERIC RETAINING WALL ITEM SOLDIER PILE RETAINING WALL
----------	----	------------------------------------------------------------

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L050215 027

CONTRACT ID : C201401 13CR.10591.3

DIV OFFICE ASHEVILLE

LENGTH = 22.500 MI

COUNTY : MCDOWELL, MITCHELL

RESURFACING, SHOULDER RECONSTRUCTION & PAVEMENT MARKINGS.

MBE GOAL 3.0% WBE 3.0% COMPLETION DATE : OCT 01 2005

2 SECTIONS OF NC-197, 1 SECTION OF NC-226 & 14 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
1,036	TON	INCIDENTAL STONE BASE
41	SMI	SHOULDER RECONSTRUCTION
6,246	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
15,566	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
1,389	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
1,827	TON	PATCHING EXISTING PAVEMENT
51,427	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
51,427	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
668,266	LF	PAINT PAVEMENT MARKING LINES (4")

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L050215 028

CONTRACT ID : C201402 13CR.10811.2

DIV OFFICE ASHEVILLE

LENGTH = 23.110 MI

COUNTY : RUTHERFORD

MILLING, SHOULDER RECONSTRUCTION, RESURFACING & PVT MRKINGS.

MBE GOAL 2.0% WBE 3.0% COMPLETION DATE : OCT 01 2005

2 SECTIONS OF US-64 & 74, AND 14 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
1,122	TON	INCIDENTAL STONE BASE
44.8	SMI	SHOULDER RECONSTRUCTION
10,337	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
2,913	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
6,892	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
18,650	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
1,757	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
233	TON	PATCHING EXISTING PAVEMENT
11	EA	WHEELCHAIR RAMPS
7	EA	ADJUSTMENT OF CATCH BASINS
18	EA	ADJUSTMENT OF MANHOLES
4	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
55,651	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
55,651	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
738,570	LF	PAINT PAVEMENT MARKING LINES (4")

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L050215 029

CONTRACT ID : C201403 13CR.10571.2

DIV OFFICE ASHEVILLE

LENGTH = 25.000 MI

COUNTY : MADISON, YANCEY

MILLING, SHOULDER RECONSTRUCTION, RESURFACING & PVT MRKINGS.

MBE GOAL 2.0% WBE 3.0% COMPLETION DATE : OCT 01 2005

1 SECTION OF US-15 BUS, US-15 & 70, & NC-80, 3 SECTIONS OF NC-213, & 17 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
1,221	TON	INCIDENTAL STONE BASE
48.8	SMI	SHOULDER CONSTRUCTION
11,264	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
2,227	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
29,867	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,880	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
656	TON	PATCHING EXISTING PAVEMENT
8	EA	WHEELCHAIR RAMPS
11	EA	ADJUSTMENT OF DROP INLETS
15	EA	ADJUSTMENT OF MANHOLES
8	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
83,424	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
83,424	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
6	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120MIL)
14	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
722,304	LF	PAINT PAVEMENT MARKING LINES (4")

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L050215 030

CONTRACT ID : C201404 13CR.10111.4

DIV OFFICE ASHEVILLE

LENGTH = 22.800 MI

COUNTY : BUNCOMBE

MILLING, SHOULDER RECONSTRUCTION, RESURFACING & PVT MRKINGS.

MBE GOAL 3.0% WBE 3.0% COMPLETION DATE : OCT 01 2005

1 SECTION OF NC-191, NC-9, & NC-81, AND 11 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
1,081	TON	INCIDENTAL STONE BASE
44.24	SMI	SHOULDER RECONSTRUCTION
16,253	SY	MILLING ASPHALT PAVEMENT, **** TO ***** DEPTH (0" TO 1-1/2")
29,766	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,792	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
394	TON	PATCHING EXISTING PAVEMENT
1	EA	WHEELCHAIR RAMPS
2	EA	ADJUSTMENT OF CATCH BASINS
2	EA	ADJUSTMENT OF DROP INLETS
68	EA	ADJUSTMENT OF MANHOLES
30	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
104,122	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
104,122	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
555,034	LF	PAINT PAVEMENT MARKING LINES (4")
164	LF	PAINT PAVEMENT MARKING LINES (24")
12	EA	PAINT PAVEMENT MARKING SYMBOL

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L050215 031

CONTRACT ID : C201410 13CR.10121.2

DIV OFFICE ASHEVILLE

LENGTH = 23.560 MI

COUNTY : BURKE

SHOULDER RECONSTRUCTION, RESURFACING, & PAVEMENT MARKINGS.

MBE GOAL 3.0% WBE 3.0% COMPLETION DATE : OCT 01 2005

1 SECTION OF US-64, NC-114, AND 19 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
1,182	TON	INCIDENTAL STONE BASE
48	SMI	SHOULDER RECONSTRUCTION
1,550	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0B
6,759	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
19,135	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
1,722	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
244	TON	PATCHING EXISTING PAVEMENT
10	EA	ADJUSTMENT OF CATCH BASINS
16	EA	ADJUSTMENT OF DROP INLETS
56,074	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
56,074	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
770,878	LF	PAINT PAVEMENT MARKING LINES (4")

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L050215 032

CONTRACT ID : C200862 33204.3.1

DIV OFFICE SYLVA

LENGTH = 0.100 MI

COUNTY : HAYWOOD

GRADING, DRAINAGE, PAVING & STRUCTURE.

DBE GOAL 5.0% COMPLETION DATE : DEC 31 2005

BRIDGE OVER ALLEN'S CREEK & APPROACHES ON SR-1147.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	CONSTRUCTION SURVEYING
Lump Sum	LS	GRADING
1	ACR	SUPPLEMENTARY CLEARING & GRUB-BING
50	CY	UNDERCUT EXCAVATION
8	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRS
48	LF	15" SIDE DRAIN PIPE
20	LF	15" RC PIPE CULVERTS, CLASS III
100	TON	INCIDENTAL STONE BASE
270	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
390	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
37	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
1	EA	MASONRY DRAINAGE STRUCTURES
1	EA	FRAME WITH TWO GRATES, STD 840.29
12	LF	SHOULDER BERM GUTTER
50	LF	STEEL BM GUARDRAIL
5	EA	ADDITIONAL GUARDRAIL POSTS
3	EA	GUARDRAIL ANCHOR UNITS, TYPE ***** (SKT TL-2)
1	EA	GUARDRAIL ANCHOR UNITS, TYPE ***** (B-77, SHOP CURVED)
1	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
3	EA	GUARDRAIL ANCHOR UNITS, TYPE B-77
2	TON	PLAIN RIP RAP, CLASS B
202	SY	FILTER FABRIC FOR DRAINAGE
39	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (E)
82	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
6	EA	SIGN ERECTION, TYPE E
8	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
399	SF	WORK ZONE SIGNS (STATIONARY)
144	SF	WORK ZONE SIGNS (PORTABLE)
94	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
30	EA	DRUMS
30	EA	CONES
88	LF	BARRICADES (TYPE III)
33	MD	FLAGGER
3	EA	WARNING LIGHTS (TYPE B)
9,788	LF	PAINT PAVEMENT MARKING LINES (4")
160	LF	TEMPORARY SILT FENCE
75	TON	STONE FOR EROSION CONTROL, CLASS A
250	TON	STONE FOR EROSION CONTROL, CLASS B
320	TON	SEDIMENT CONTROL STONE
1	ACR	TEMPORARY MULCHING
50	LB	SEED FOR TEMPORARY SEEDING
0.25	TON	FERTILIZER FOR TEMPORARY SEEDING
550	LF	SAFETY FENCE
350	CY	SILT EXCAVATION
520	SY	MATTING FOR EROSION CONTROL
770	LF	1/4" HARDWARE CLOTH
1	EA	SPECIAL STILLING BASINS
1	ACR	SEEDING & MULCHING
1	ACR	MOWING
50	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
50	LB	SEED FOR SUPPLEMENTAL SEEDING
0.75	TON	FERTILIZER TOPDRESSING

100	LF	IMPERVIOUS DIKE
1	HR	SPECIALIZED HAND MOWING
8	EA	RESPONSE FOR EROSION CONTROL
0.1	ACR	REFORESTATION

STRUCTURE ITEMS

Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (14+42.00 -L-)
110	LF	PILE EXCAVATION IN SOIL
50	LF	PILE EXCAVATION NOT IN SOIL
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ***** (14+42.00 -L-)
1,953.6	SF	REINFORCED CONCRETE DECK SLAB
2,278.1	SF	GROOVING BRIDGE FLOORS
61.6	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ***** (14+42.00 -L-)
9,002	LB	REINFORCING STEEL (BRIDGE)
31,900	LS	APPROX LBS STRUCTURAL STEEL
480	LF	HP12X53 STEEL PILES
16	EA	STEEL PILE POINTS
106.56	LF	CONCRETE BARRIER RAIL
220	TON	PLAIN RIP RAP CLASS II (2'-0" THICK)
240	SY	FILTER FABRIC FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS
Lump Sum	LS	EVAZOTE JOINT SEALS

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L050215 033

CONTRACT ID : C201405 14CR.10451.1

DIV OFFICE SYLVA

LENGTH = 15.100 MI

COUNTY : HENDERSON

MILLING, SHOULDER RECONSTRUCTION, RESURFACING & PVT MRKINGS.

MBE GOAL 2.0% WBE 3.0% COMPLETION DATE : OCT 31 2005

1 SECTION OF US-74 & 5 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
13.28	SMI	SHOULDER RECONSTRUCTION
21,706	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (3")
375	SY	MILLING ASPHALT PAVEMENT, **** TO *****" DEPTH (1-1/2" TO 2-1/2")
3,997	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0B
15,661	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
6,576	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A (LEVELING COURSE)
1,557	TON	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22
75	TON	PATCHING EXISTING PAVEMENT
46	SY	GENERIC PAVING ITEM CONCRETE JOINT REPAIR
139,541	LF	PAINT PAVEMENT MARKING LINES (4")
139,541	LF	POLYUREA PAVEMENT MARKING LINES (4")