

MA05008B

#5 VANCE

EXISTING BRIDGE #5  
3 SPAN BRIDGE TOTAL LENGTH = 91'-0"  
CLEAR ROWY = 24' W/ REINFORCED  
CONCRETE GIRDERS ON TIMBERS AND  
TIMBER ABUTMENT (TO BE REMOVED)


TEMPORARY CAUSEWAY CL 'II' RIP RAP  
W/ GEOTEXTILE FABRIC MIN 2' THICKNESS  
(RETAIN AS PERMANENT FOR STABILITY ON BANKS ONLY)

GP= 105.01'  
1 @ 30', 1 @ 50', 1 @ 30'  
21" PS CORED SLAB  
SKEW= 90°

NOTES





1. THE QUANTITY OF RIP RAP TO BE PAID FOR WILL BE THE ACTUAL NUMBER OF TONS OF EACH CLASS OF RIP RAP WHICH HAS BEEN INCORPORATED INTO THE COMPLETED AND ACCEPTED WORK. THE RIP RAP WILL BE MEASURED BY BEING WEIGHED IN TRUCKS ON CERTIFIED PLATFORM SCALES OR OTHER CERTIFIED WEIGHING DEVICES. THE QUANTITY OF RIP RAP WILL BE PAID FOR AT THE CONTRACT UNIT PRICE PER TON.  
PLAIN RIP RAP CLASS II (2'-0" THICK) W/ FILTER FABRIC  
END BENT NO. 1 180 TONS  
END BENT NO. 2 170 TONS  
TOTAL: 350 TONS
2. THIS STRUCTURE HAS BEEN DESIGNED IN ACCORDANCE WITH FHWA'S TECHNICAL ADVISORY T5140.20 (SCOUR AT BRIDGES).
3. PILES AT END BENTS 1 AND 2 SHALL BE DRIVEN TO A MINIMUM BEARING CAPACITY OF 45 TONS EACH.
4. WHEN DRIVING PILES, THE MAXIMUM BLOW COUNT SHALL NOT BE EXCEEDED.
5. FOR DRILLED PIERS, SEE SPECIAL PROVISIONS.
6. DRILLED PIERS HAVE BEEN DESIGNED FOR AN APPLIED LOAD OF 380 KIPS EACH AT THE TIP OF THE PIER.
7. DRILLED PIERS HAVE BEEN DESIGNED FOR BOTH SKIN FRICTION AND TIP BEARING. THE REQUIRED TIP BEARING CAPACITY IS 18 TSF. THE TIP BEARING CAPACITY SHALL BE VERIFIED.
8. DRILLED PIERS AT BENT 1 SHALL EXTEND TO AN ELEVATION NO HIGHER THAN 66 FEET AND SATISFY THE REQUIRED TIP BEARING CAPACITY WITH A MINIMUM PENETRATION OF 7 FEET INTO ROCK AS DEFINED BY THE DRILLED PIERS SPECIAL PROVISIONS.
9. DRILLED PIERS AT BENT 2 SHALL EXTEND TO AN ELEVATION NO HIGHER THAN 68 FEET AND SATISFY THE REQUIRED TIP BEARING CAPACITY WITH A MINIMUM PENETRATION OF 7 FEET INTO ROCK AS DEFINED BY THE DRILLED PIERS SPECIAL PROVISIONS.
10. THE SCOUR CRITICAL ELEVATION (SCE) FOR BENT 1 IS 71 FEET. THE SCE FOR BENT 2 IS 73 FEET. THE SCOUR CRITICAL ELEVATION IS FOR USE BY MAINTENANCE FORCES TO MONITOR POSSIBLE SCOUR PROBLEMS DURING THE LIFE OF THE STRUCTURE.
11. CSL TUBES ARE REQUIRED AND CSL TESTING MAY BE REQUIRED FOR DRILLED PIERS. SEE SPECIAL PROVISIONS FOR CROSSHOLE SONIC LOGGING.
12. SLURRY CONSTRUCTION SHALL NOT BE USED FOR THIS PROJECT.
13. SID INSPECTIONS ARE NOT REQUIRED TO DETERMINE THE BOTTOM CLEANLINESS OF THE DRILLED PIERS.
14. ADT 840 FOR YEAR 2010.

● DENOTES GEO-TECH BORING HOLE LOCATIONS.



**HORIZONTAL CURVE DATA**

PI Sta 8+77.68	PI Sta 13+28.07
Δ = 20° 59' 55.9" (LT)	Δ = 6° 18' 41.1" (RT)
D = 11° 27' 33.0"	D = 5° 12' 31.3"
L = 183.25'	L = 121.17'
T = 92.66'	T = 60.65'
R = 500.00'	R = 1,100.00'



**HORIZONTAL CURVE DATA**


PI Sta 8+77.68	PI Sta 13+28.07
Δ = 20° 59' 55.9" (LT)	Δ = 6° 18' 41.1" (RT)
D = 11° 27' 33.0"	D = 5° 12' 31.3"
L = 183.25'	L = 121.17'
T = 92.66'	T = 60.65'
R = 500.00'	R = 1,100.00'

**HYDRAULIC DATA**

DESIGN DISCHARGE	= 3500 CFS
FREQUENCY OF DESIGN FLOOD	= 25 YR.
DESIGN HIGH WATER ELEVATION	= 97.44
DRAINAGE AREA	= 25.1 SQ. MI.
BASIC DISCHARGE (Q100)	= 5160 CFS
BASIC HIGH WATER ELEVATION	= 99.71

**OVERTOPPING FLOOD DATA**

OVERTOPPING DISCHARGE	= 7000 CFS
FREQUENCY OF OVERTOPPING FLOOD	= 500 YR.
OVERTOPPING FLOOD ELEVATION	= 102.85



**ETHERILL ENGINEERING**  
559 Jones Franklin Rd. Suite 164  
Raleigh, N.C. 27606  
Bus: 919 851 8077  
Fax: 919 851 8107  
LICENSE NO. F-0377

WBS NO. 37045  
VANCE COUNTY  
STATION: 10+45.00 -L-  
REPLACES BRIDGE NO. 5

STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION  
RALEIGH

**GENERAL DRAWING**  
BRIDGE #5 ON SR 1110  
OVER TABBS CREEK

8+00  
P:\4 100\MA05008B\structure\dgn\gendgn  
10/20/2009 2:34:20 PM

DRAWN BY: J. PENDERGRAFT DATE: 10/05  
CHECKED BY: J. DILWORTH DATE: 10/05

PI = 9+50.00  
EL = 105.60'  
VC = 90'  
(-)0.6222%

**GRADE DATA**


PI = 11+58.00  
EL = 104.31'  
VC = 90'  
(-)0.6222% (+)0.9235%

**GRADE DATA**


TRANSPORTATION PLANNING/DESIGN - BRIDGE/STRUCTURE DESIGN  
CIVIL/SITE DESIGN - GIS/GPS - CONSTRUCTION OBSERVATION

REVISIONS				SHEET NO.	
NO.	BY:	DATE:	NO.	BY:	DATE:
1			3		
2			4		

TOTAL SHEETS 20




**SLAB ELEVATION**




**SECTION A-A**


SHOWING PLACEMENT OF DOUBLE STIRRUPS AND LOCATION OF DOWEL HOLES. (STRAND LAYOUT NOT SHOWN)  
 INTERIOR SLAB SECTION SHOWN-EXTERIOR SLAB SIMILAR EXCEPT SHEAR KEY LOCATION.



**SHEAR KEY DETAIL**




**PART PLAN - SLAB ELEVATION**




**30' SPAN**

8 - 0.6" Ø H.S. STRANDS  
 EXTERIOR SLAB SECTIONS  
 FINAL DEFLECTION 0.231" (UP)




**30' SPAN**

8 - 0.6" Ø H.S. STRANDS  
 INTERIOR SLAB SECTIONS  
 FINAL DEFLECTION 0.267" (UP)




**50' SPAN**

17 - 0.6" Ø H.S. STRANDS  
 EXTERIOR SLAB SECTIONS  
 FINAL DEFLECTION 1.755" (UP)



**50' SPAN**


17 - 0.6" Ø H.S. STRANDS  
 INTERIOR SLAB SECTIONS  
 FINAL DEFLECTION 1.998" (UP)




**TIE LOCATION FOR #8 B1**

**GENERAL NOTES:**  
 ASSUMED LIVE LOAD = HS 20 OR ALTERNATE LOADING, EXCEPT THAT THE BEAMS HAVE BEEN DESIGNED FOR HS 25.  
 CONCRETE:  
 50' SPAN  
 f'c = 6000 psi (MINIMUM COMPRESSIVE STRENGTH @ 28 DAYS)  
 f'ci = 4800 psi (MINIMUM COMPRESSIVE STRENGTH @ TRANSFER OF STRESSING FORCE)  
 30' SPAN  
 f'c = 5000 psi (MINIMUM COMPRESSIVE STRENGTH @ 28 DAYS)  
 f'ci = 4000 psi (MINIMUM COMPRESSIVE STRENGTH @ TRANSFER OF STRESSING FORCE)  
 ALL PRESTRESS STRANDS SHALL MEET THE REQUIREMENTS OF ASTM A416.  
 ALL PRESTRESS STRANDS SHALL BE 7 WIRE, LOW RELAXATION, HIGH STRENGTH CABLES IN ACCORDANCE WITH THE SPECIFICATIONS.  
 SIZE TYPE AREA ULTIMATE STR.  
 0.6" Ø HIGH STR. 0.217" IN<sup>2</sup> 58,600 PER CABLE  
 APPLIED FORCE 43,950\* PER CABLE  
 STRUCTURAL STEEL ITEMS SHALL BE OF A GRADE CONFORMING TO EITHER ASTM A36 OR A373, EXCEPT HIGH STRENGTH BOLTS, HIGH STRENGTH BOLTS SHALL BE ASTM A325. ALL STRUCTURAL STEEL SHALL BE GALVANIZED AS PER THE SPECIFICATIONS.  
 ALL MATERIAL AND WORKMANSHIP SHALL COMPLY WITH THE APPLICABLE REQUIREMENTS OF THE STANDARD SPECIFICATIONS FOR ROADS AND STRUCTURES OF THE NC DEPARTMENT OF TRANSPORTATION DATED JULY 2006 AND WITH THE SPECIAL PROVISIONS.  
 A POSITIVE HOLD DOWN SYSTEM MUST BE EMPLOYED TO PREVENT VOIDS FROM RISING.  
 UNLESS OTHERWISE NOTED ON THE PLANS, ALL EXPOSED CORNERS ON STRUCTURE SHALL BE CHAMFERED 3/4".

SHEATH CHART		
SPAN LENGTH	NUMBER OF SHEATHED STRANDS PER EXTERIOR SLAB SECTIONS	NUMBER OF SHEATHED STRANDS PER INTERIOR SLAB SECTIONS
30'	0	0
50'	2	2




**REINFORCING BAR TYPES**  
 (BAR DIMENSIONS ARE OUT TO OUT)




**SECTION AT BENT**

NOTE: Ø OF DOWELS SHALL MATCH Ø OF DOWEL HOLES IN CORED SLAB UNITS.



**SECTION AT END BENT**

NOTE: Ø OF DOWELS SHALL MATCH Ø OF DOWEL HOLES IN CORED SLAB UNITS.



**TYPICAL HALF SECTION**

DRAWN BY: J.C. PENDERGRAFT DATE: 8/09  
 CHECKED BY: J.A. DILWORTH DATE: 8/09

**NOTE: NOT TO SCALE**

TRANSPORTATION PLANNING/DESIGN - BRIDGE/STRUCTURE DESIGN  
 CIVIL/SITE DESIGN - GIS/GPS - CONSTRUCTION OBSERVATION





559 Jones Franklin Rd. Suite 164  
 Raleigh, N.C. 27606  
 Bus: 919 851 8077  
 Fax: 919 851 8107  
 LICENSE NO. F-0377



WBS NO. 37045  
 VANCE COUNTY  
 STATION: 10+45.00 -L-  
 REPLACES BRIDGE NO. 5

REVISIONS					SHEET NO.
NO.	BY:	DATE:	NO.	DATE:	2
1			3		TOTALS
2			4		20

P:\4100\WAC509\B1\Structure\cgs\cgs\slab.dgn  
 11/3/2009 9:16:07 AM



**NOTES**

EACH PRECAST RAIL UNIT SHALL BE CAST WITH CLASS AA CONCRETE.

RAIL TO BE FLUSH WITH CORED SLAB UNITS AT EACH END OF SPAN.

GROUT SHALL BE 5" ABOVE GUTTER LINE BETWEEN RAIL SECTIONS.

EACH PRECAST RAIL UNIT SHALL BE SUPPLIED WITH LIFTING DEVICE(S). NO CABLES ARE TO BE WRAPPED AROUND THE RAIL UNITS FOR LIFTING.


THE 1/2" Ø DOWEL HOLES AT EACH END OF THE SLAB SECTIONS SHALL BE FILLED WITH GROUT, SEE STANDARD SPECIFICATIONS.

THE JOINT SEALER SHALL BE LOW MODULUS SILICONE SEALANT. SEE SECTION 1028-4 OF THE STANDARD SPECIFICATIONS.


CONCRETE CHAMFERS:

UNLESS OTHERWISE NOTED ON THE PLANS, ALL EXPOSED CORNERS ON STRUCTURES SHALL BE CHAMFERED 3/4" WITH THE FOLLOWING EXCEPTIONS: TOP CORNERS OF CURBS MAY BE ROUNDED TO 1/2" RADIUS WHICH IS BUILT INTO CURB FORMS; CORNERS OF TRANSVERSE FLOOR EXPANSION JOINTS SHALL BE ROUNDED WITH A 1/4" FINISHING TOOL UNLESS OTHERWISE REQUIRED ON PLANS; AND CORNERS OF EXPANSION JOINTS IN THE ROADWAY FACES AND TOPS OF CURBS AND SIDEWALKS SHALL BE ROUNDED TO A 1/4" RADIUS WITH A FINISHING STONE OR TOOL UNLESS SHOWN OTHERWISE ON PLANS.


**SUPERSTRUCTURE PLAN**



**TYPICAL 10'-0" PRECAST UNIT**




**SECTION A-A**



**SECTION B-B**

**BILL OF MATERIAL**  
FOR ONE 10'-0" RAIL SECTION

BAR NO.	NO.	SIZE	TYPE	LENGTH	WEIGHT
B3	9	#5	1	2'-8"	25
B4	9	#5	2	4'-11"	46
B6	5	#5	STR	9'-7"	50
REINFORCING STEEL LBS. = 121					
CLASS AA CONCRETE CU. YDS. = 1.0					



WBS NO. 37045  
VANCE COUNTY  
 STATION: 10+45.00 -L-  
 REPLACES BRIDGE NO. 5

STATE OF NORTH CAROLINA  
 DEPARTMENT OF TRANSPORTATION  
 RALEIGH  
 STANDARD SUPERSTRUCTURE  
 STANDARD PRECAST CONCRETE  
 BARRIER RAIL SECTIONS  
 50' & 30' SPANS, 90° SKEW  
 27' CLEAR ROADWAY

REVISIONS					SHEET NO.
NO.	BY:	DATE:	NO.	BY:	DATE:
1			3		
2			4		

TOTAL SHEETS: 20

**ETHERILL ENGINEERING**  
 559 Jones Franklin Rd. Suite 164  
 Raleigh, N.C. 27606  
 Bus: 919 851 8077  
 Fax: 919 851 8107  
 LICENSE NO. F-0377

**NOTE: NOT TO SCALE**

TRANSPORTATION PLANNING/DESIGN - BRIDGE/STRUCTURE DESIGN  
 CIVIL/SITE DESIGN - GIS/GPS - CONSTRUCTION OBSERVATION

PA:100\MA05008B\Structure\dgm\span.dgn  
 10/20/2009 2:35:22 PM




DRAWN BY: J.C. PENDERGRAFT DATE: 8/09  
 CHECKED BY: J.A. DILWORTH DATE: 8/09

**NOTES:**

STIRRUPS IN CAP MAY BE SHIFTED AS NECESSARY TO CLEAR DOWELS.

FOR SECTION A-A, SEE SHEET 2 OF 3.

FOR MISC. DETAILS, SEE SHEET 2 OF 3.



WBS NO. 37045  
 VANCE COUNTY  
 STATION: 10+45.00 -L-  
 REPLACES BRIDGE NO. 5  
 SHEET 1 OF 3


STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION RALEIGH					
SUBSTRUCTURE END BENT 1					
559 Jones Franklin Rd. Suite 164 Raleigh, N.C. 27606 Bus: 919 851 8077 Fax: 919 851 8107 LICENSE NO. F-0377					
REVISIONS					SHEET NO.
NO.	BY:	DATE:	NO.	BY:	DATE:
1			3		
2			4		
					TOTAL SHEETS 20

**NOTE: NOT TO SCALE**

TRANSPORTATION PLANNING/DESIGN - BRIDGE/STRUCTURE DESIGN  
 CIVIL/SITE DESIGN - GIS/GPS - CONSTRUCTION OBSERVATION

PA-100\MA05008B\structure\design\ENDBENT1.s.dgn  
 10/20/2009 2:35:54 PM


DRAWN BY: J.C. PENDERGRAFT DATE: 8/09  
 CHECKED BY: J.A. DILWORTH DATE: 8/09



BAGGED STONE AND PIPE SHALL BE PLACED IMMEDIATELY AFTER COMPLETION OF END BENT EXCAVATION. PIPE MAY BE EITHER CONCRETE, CORRUGATED STEEL, CORRUGATED ALUMINUM ALLOY, OR CORRUGATED PLASTIC. PERFORATED PIPE WILL NOT BE ALLOWED.

BAGGED STONE SHALL REMAIN IN PLACE UNTIL THE ENGINEER DIRECTS THAT IT BE REMOVED. THE CONTRACTOR SHALL REMOVE AND DISPOSE OF SILT ACCUMULATIONS AT BAGGED STONE WHEN SO DIRECTED BY THE ENGINEER. BAGS SHALL BE REMOVED AND REPLACED WHENEVER THE ENGINEER DETERMINES THAT THEY HAVE DETERIORATED AND LOST THEIR EFFECTIVENESS.


NO SEPARATE PAYMENT WILL BE MADE FOR THIS WORK AND THE ENTIRE COST OF THIS WORK SHALL BE INCLUDED IN THE UNIT CONTRACT PRICE BID FOR THE SEVERAL PAY ITEMS.




**SECTION @ END BENT**

NOTE: C OF DOWELS SHALL MATCH C OF DOWEL HOLES IN CORED SLAB UNITS.

**TEMPORARY DRAINAGE AT END BENT**



\* POSITION OF PILE DURING WELDING.  
**PILE SPLICE DETAILS**



WBS NO. 37045  
VANCE COUNTY  
 STATION: 10+45.00 -L-  
 REPLACES BRIDGE NO. 5  
 SHEET 2 OF 3

STATE OF NORTH CAROLINA  
 DEPARTMENT OF TRANSPORTATION  
 RALEIGH  
**SUBSTRUCTURE  
 END BENT 1**

559 Jones Franklin Rd. Suite 164  
 Raleigh, N.C. 27606  
 Bus: 919 851 8077  
 Fax: 919 851 8107  
 LICENSE NO. F-0377




TRANSPORTATION PLANNING/DESIGN - BRIDGE/STRUCTURE DESIGN  
 CIVIL/SITE DESIGN - GIS/GPS - CONSTRUCTION OBSERVATION

**NOTE: NOT TO SCALE**


REVISIONS						SHEET NO.
NO.	BY:	DATE:	NO.	BY:	DATE:	TOTAL SHEETS
1			3			5
2			4			20

P:\4100\MA05008B\structure\sign\ENDBENT1.S.dgn 10/20/2009 2:36:02 PM


DRAWN BY: J.C. PENDERGRAFT DATE: 8/09  
 CHECKED BY: J.A. DILWORTH DATE: 8/09




PLAN OF WING (W1)



PLAN OF WING (W2)



ELEVATION OF WING (W1)




ELEVATION OF WING (W2)

**BAR TYPES**

(ALL BAR DIMENSIONS ARE OUT TO OUT)

BILL OF MATERIAL					
END BENT 1					
BAR	NO.	SIZE	TYPE	LENGTH	WEIGHT
B1	8	#9	1	38'-2"	1038
B2	4	#5	STR	35'-8"	149
B3	8	#4	STR	19'-1"	102
B4	9	#4	STR	2'-5"	15
D1	20	#6	STR	1'-6"	45
H1	20	#4	6	6'-4"	85
S1	41	#4	3	7'-5"	203
S2	41	#4	2	3'-2"	87
S3	12	#4	4	6'-6"	52
U1	4	#4	5	7'-3"	19
V1	40	#4	STR	3'-10"	102
REINFORCING STEEL					= 1897 LBS
CLASS A CONCRETE					
POUR 1 CAP & LOWER PART OF WINGS				C.Y.	10.1
POUR 2 UPPER PART OF WINGS				C.Y.	1.2
TOTAL					C.Y. 11.3
HP 12 X 53 STEEL PILES NO. 6 (LIN. FT.)					106'



WBS NO. 37045  
 VANCE COUNTY  
 STATION: 10+45.00 -L-  
 REPLACES BRIDGE NO. 5  
 SHEET 3 OF 3

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION RALEIGH					
SUBSTRUCTURE END BENT 1					
REVISIONS					SHEET NO.
NO.	BY:	DATE:	NO.	BY:	DATE:
1			3		
2			4		
					6
					TOTAL SHEETS 20

**ETHERILL ENGINEERING**  
 559 Jones Franklin Rd. Suite 164  
 Raleigh, N.C. 27606  
 Bus: 919 851 8077  
 Fax: 919 851 8107  
 LICENSE NO. F-0377

**NOTE: NOT TO SCALE**


TRANSPORTATION PLANNING/DESIGN - BRIDGE/STRUCTURE DESIGN  
 CIVIL/SITE DESIGN - GIS/GPS - CONSTRUCTION OBSERVATION

PA:\100\MA06008B\Structure\dwg\ENDBENT1.S.dgn  
 10/20/2009 2:36:11 PM


DRAWN BY: J.C. PENDERGRAFT DATE: 8/09  
 CHECKED BY: J.A. DILWORTH DATE: 8/09

**NOTES**

STIRRUPS IN CAP MAY BE SHIFTED AS NECESSARY TO CLEAR DOWELS.  
HOOKS ON "M" BARS MAY BE TURNED AS NECESSARY FOR PLACING REINFORCING STEEL.  
ALL STEEL IN THE DRILLED PIERS IS INCLUDED IN THE PAY ITEM FOR "PLACEMENT OF SUBSTRUCTURE."  
FOR DRILLED PIERS, SEE SPECIAL PROVISIONS.




**PLAN**



**ELEVATION**

REINFORCING STEEL AND DIMENSIONS TYPICAL FOR ALL DRILLED PIERS



**END ELEVATION**



WBS NO. 37045  
VANCE COUNTY  
STATION: 10+45.00 -L-  
REPLACES BRIDGE NO. 5  
SHEET 1 OF 2

STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION  
RALEIGH

SUBSTRUCTURE  
BENT 1







**ETHERILL ENGINEERING**  
559 Jones Franklin Rd. Suite 164  
Raleigh, N.C. 27606  
Bus: 919 851 8077  
Fax: 919 851 8107  
LICENSE NO. F-0377

**NOTE: NOT TO SCALE** TRANSPORTATION PLANNING/DESIGN - BRIDGE/STRUCTURE DESIGN  
CIVIL/SITE DESIGN - GIS/GPS - CONSTRUCTION OBSERVATION

REVISIONS						SHEET NO.
NO.	BY:	DATE:	NO.	BY:	DATE:	TOTAL SHEETS
1			3			7
2			4			20


PA4100\MA05008B\Structure\ dgn\berns.dgn  
10/20/2009 2:37:07 PM

DRAWN BY : J.C. PENDERGRAFT DATE : 8/09  
CHECKED BY : J.A. DILWORTH DATE : 8/09




NOTE:  
 ☉ OF DOWELS SHALL MATCH ☉ OF DOWEL HOLES IN CORED SLAB UNITS.

BAR TYPES



\* THE SP-1 SPIRAL REINFORCING STEEL SHALL BE W31 OR D-31 COLD DRAWN WIRE OR #5 PLAIN OR DEFORMED BAR.  
 \*\* THE SP-2 SPIRAL REINFORCING STEEL SHALL BE W20 OR D-20 COLD DRAWN WIRE OR #4 PLAIN OR DEFORMED BAR.




559 Jones Franklin Rd. Suite 164  
 Raleigh, N.C. 27606  
 Bus: 919 851 8077  
 Fax: 919 851 8107  
 LICENSE NO. F-0377



TRANSPORTATION PLANNING/DESIGN - BRIDGE/STRUCTURE DESIGN  
 CIVIL/SITE DESIGN - GIS/GPS - CONSTRUCTION OBSERVATION

BILL OF MATERIAL

BENT 1					
BAR	NO.	SIZE	TYPE	LENGTH	WEIGHT
B1	6	#10	1	34'-6"	891
B2	4	#5	STR	31'-8"	132
B3	6	#11	STR	31'-8"	1009
D1	40	#6	STR	1'-6"	90
M1	32	#9	2	38'-10"	4225
S1	50	#5	3	10'-6"	548
S2	50	#5	7	4'-3"	222
U1	6	#4	4	6'-2"	25
U2	6	#4	4	6'-0"	24
REINFORCING STEEL					7166 LBS.
SP-1	2	*	5	558'-1 <sup>1</sup> / <sub>8</sub> "	1164
SP-2	2	**	6	197'-7 <sup>1</sup> / <sub>16</sub> "	264
SPIRAL COLUMN					
REINFORCING STEEL					1428 LBS.
CLASS A CONCRETE BREAKDOWN					
POUR 2 (COLUMN)					2.8 C.Y.
POUR 3 (CAP)					15.2 C.Y.
TOTAL CLASS A CONCRETE					18.0 C.Y.
3'-6" Ø DRILLED PIERS					
DRILLED PIER CONCRETE					
POUR 1 (DRILLED PIERS)					20.0 C.Y.
3'-6" Ø DRILLED PIERS IN SOIL :					
					42.0 LIN. FT.
3'-6" Ø DRILLED PIERS NOT IN SOIL :					
					14.0 LIN. FT.



WBS NO. 37045  
 VANCE COUNTY  
 STATION: 10+45.00 -L-  
 REPLACES BRIDGE NO. 5

SHEET 2 OF 2

STATE OF NORTH CAROLINA  
 DEPARTMENT OF TRANSPORTATION  
 RALEIGH

SUBSTRUCTURE  
 BENT 1

REVISIONS					SHEET NO.
NO.	BY:	DATE:	NO.	BY:	DATE:
1			3		
2			4		


TOTAL SHEETS 20

PA-100MIA05008BStructure\vgm\Bents.dgn  
 10/20/2009 2:37:15 PM

DRAWN BY : J.C. PENDERGRAFT DATE : 8/09  
 CHECKED BY : J.A. DILWORTH DATE : 8/09



NOTE: NOT TO SCALE





**NOTES**

STIRRUPS IN CAP MAY BE SHIFTED AS NECESSARY TO CLEAR DOWELS.  
 HOOKS ON "M" BARS MAY BE TURNED AS NECESSARY FOR PLACING REINFORCING STEEL.  
 ALL STEEL IN THE DRILLED PIERS IS INCLUDED IN THE PAY ITEM FOR "PLACEMENT OF SUBSTRUCTURE."  
 FOR DRILLED PIERS, SEE SPECIAL PROVISIONS.



WBS NO. 37045  
 VANCE COUNTY  
 STATION: 10+45.00 -L-  
 REPLACES BRIDGE NO. 5

STATE OF NORTH CAROLINA  
 DEPARTMENT OF TRANSPORTATION  
 RALEIGH  
 SUBSTRUCTURE  
 BENT 2

REVISIONS				
NO.	BY:	DATE:	NO.	DATE:
1	J.C.	8/09	3	
2	J.A.	8/09	4	

SHEET NO.	
9	TOTAL SHEETS 20


**NOTE: NOT TO SCALE**

TRANSPORTATION PLANNING/DESIGN - BRIDGE/STRUCTURE DESIGN  
 CIVIL/SITE DESIGN - GIS/GPS - CONSTRUCTION OBSERVATION

**ETHERILL ENGINEERING**  
 559 Jones Franklin Rd, Suite 164  
 Raleigh, N.C. 27606  
 Bus: 919 851 8077  
 Fax: 919 851 8107  
 LICENSE NO. F-0377





PA:100M:AO508638:BB:UB:re:ugn:bents.dgn  
 10/20/2009 2:37:28 PM

DRAWN BY: J.C. PENDERGRAFT DATE: 8/09  
 CHECKED BY: J.A. DILWORTH DATE: 8/09




**PLAN OF COLUMNS & DRILLED PIERS**

REINFORCING STEEL AND DIMENSIONS ARE TYPICAL FOR ALL COLUMNS & DRILLED PIERS




**SECTION AT BENT**

NOTE:  $\phi$  OF DOWELS SHALL MATCH  $\phi$  OF DOWEL HOLES IN CORED SLAB UNITS.




**NOTE: NOT TO SCALE**

**BAR TYPES**



\* THE SP-1 SPIRAL REINFORCING STEEL SHALL BE W31 OR D-31 COLD DRAWN WIRE OR #5 PLAIN OR DEFORMED BAR.  
 \*\* THE SP-2 SPIRAL REINFORCING STEEL SHALL BE W20 OR D-20 COLD DRAWN WIRE OR #4 PLAIN OR DEFORMED BAR.




559 Jones Franklin Rd. Suite 164  
 Raleigh, N.C. 27606  
 Bus: 919 851 8077  
 Fax: 919 851 8107  
 LICENSE NO. F-0377

TRANSPORTATION PLANNING/DESIGN - BRIDGE/STRUCTURE DESIGN  
 CIVIL/SITE DESIGN - GIS/GPS - CONSTRUCTION OBSERVATION

**BILL OF MATERIAL**

BENT 2					
BAR	NO.	SIZE	TYPE	LENGTH	WEIGHT
B1	6	#10	1	34'-6"	891
B2	4	#5	STR	31'-8"	132
B3	6	#11	STR	31'-8"	1009
D1	40	#6	STR	1'-6"	90
M1	32	#9	2	36'-6"	3971
S1	50	#5	3	10'-6"	548
S2	50	#5	7	4'-3"	222
U1	6	#4	4	6'-2"	25
U2	6	#4	4	6'-0"	24
REINFORCING STEEL				6912 LBS.	
SP-1	2	*	5	500'-8 <sup>3</sup> / <sub>8</sub> "	1044
SP-2	2	**	6	222'-3 <sup>7</sup> / <sub>8</sub> "	297
SPIRAL COLUMN REINFORCING STEEL				1341 LBS.	
CLASS A CONCRETE BREAKDOWN					
POUR 2 (COLUMN)				3.2 C.Y.	
POUR 3 (CAP)				15.2 C.Y.	
TOTAL CLASS A CONCRETE				18.4 C.Y.	
3'-6" $\phi$ DRILLED PIERS					
DRILLED PIER CONCRETE					
POUR 1 (DRILLED PIERS)				17.8 C.Y.	
3'-6" $\phi$ DRILLED PIERS IN SOIL :					
				36.0 LIN. FT.	
3'-6" $\phi$ DRILLED PIERS NOT IN SOIL :					
				14.0 LIN. FT.	



WBS NO. 37045  
 VANCE COUNTY  
 STATION: 10+45.00 -L-  
 REPLACES BRIDGE NO. 5  
 SHEET 2 OF 2


STATE OF NORTH CAROLINA  
 DEPARTMENT OF TRANSPORTATION  
 RALEIGH

SUBSTRUCTURE  
 BENT 2


REVISIONS					SHEET NO.
NO.	BY:	DATE:	NO.	DATE:	10
1			3		TOTAL SHEETS
2			4		20

**NOTES:**

STIRRUPS IN CAP MAY BE SHIFTED AS NECESSARY TO CLEAR DOWELS.  
 PIPE DRAINS MAY BE SHIFTED AS NECESSARY TO CLEAR REINFORCING STEEL.  
 FOR SECTION A-A, SEE END BENT 1, SHEET 2 OF 3.  
 FOR MISC. DETAILS, SEE END BENT 1, SHEET 2 OF 3.



**PLAN**



**ELEVATION**



WBS NO. 37045  
 VANCE COUNTY  
 STATION: 10+45.00 -L-  
 REPLACES BRIDGE NO. 5  
 SHEET 1 OF 2

REVISIONS					SHEET NO.
NO.	BY:	DATE:	NO.	DATE:	11
1			3		TOTAL SHEETS 20
2			4		




559 Jones Franklin Rd. Suite 164  
 Raleigh, N.C. 27606  
 Bus: 919 851 8077  
 Fax: 919 851 8107  
 LICENSE NO. F-0377

**NOTE: NOT TO SCALE**


TRANSPORTATION PLANNING/DESIGN - BRIDGE/STRUCTURE DESIGN  
 CIVIL/SITE DESIGN - GIS/GPS - CONSTRUCTION OBSERVATION

PA-100M/A05008B/structure/align/END/BENT 2.dgn  
 10/20/2009 2:36:20 PM


DRAWN BY: J.C. PENDERGRAFT DATE: 8/09  
 CHECKED BY: J.A. DILWORTH DATE: 8/09




PLAN OF WING (W1)




PLAN OF WING (W2)



ELEVATION OF WING (W1)



SECTION X-X



ELEVATION OF WING (W2)

BAR TYPES

END BENT 2

BAR	NO.	SIZE	TYPE	LENGTH	WEIGHT
B1	8	#9	1	38'-2"	1038
B2	4	#5	STR	35'-8"	149
B3	8	#4	STR	19'-1"	102
B4	9	#4	STR	2'-5"	15
D1	20	#6	STR	1'-6"	45
H1	20	#4	6	6'-4"	85
S1	41	#4	3	7'-5"	203
S2	41	#4	2	3'-2"	87
S3	12	#4	4	6'-6"	52
U1	4	#4	5	7'-3"	19
V1	40	#4	STR	3'-10"	102

REINFORCING STEEL = 1897 LBS  
 CLASS A CONCRETE  
 POUR 1 CAP & LOWER PART OF WINGS C.Y. 10.1  
 POUR 2 UPPER PART OF WINGS C.Y. 1.2  
 TOTAL C.Y. 11.3  
 HP 12 X 53 STEEL PILES NO. 6 (LIN. FT.) 102'

(ALL BAR DIMENSIONS ARE OUT TO OUT.)



WBS NO. 37045  
 VANCE COUNTY  
 STATION: 10+45.00 -L-  
 REPLACES BRIDGE NO. 5  
 SHEET 2 OF 2

REVISIONS						SHEET NO.
NO.	BY:	DATE:	NO.	BY:	DATE:	TOTAL SHEETS
1			3			12
2			4			20


ETHERILL ENGINEERING  
 559 Jones Franklin Rd. Suite 164  
 Raleigh, N.C. 27606  
 Bus: 919 851 8077  
 Fax: 919 851 8107  
 LICENSE NO. F-0377

NOTE: NOT TO SCALE



TRANSPORTATION PLANNING/DESIGN - BRIDGE/STRUCTURE DESIGN  
 CIVIL/SITE DESIGN - GIS/GPS - CONSTRUCTION OBSERVATION

P:\4\100\MA05008B\Structure\dwg\ENDBENTS.dgn  
 10/20/2009 2:36:29 PM

DRAWN BY: J.C. PENDERGRAFT DATE: 8/09  
 CHECKED BY: J.A. DILWORTH DATE: 8/09



PLAN OF APPROACH SLAB @ END BENT 1  
(END BENT 2 SIMILAR)



NOTES

FOR BRIDGE APPROACH FILL INCLUDING FABRIC, 4" Ø DRAINAGE PIPE, AND #78M STONE BACKFILL, SEE ROADWAY STANDARDS 422.10.

APPROACH SLAB SHALL NOT BE CONSTRUCTED PRIOR TO COMPLETION OF THE BRIDGE DECK.

FABRIC SHALL BE TYPE 1 ENGINEERING FABRIC IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS SECTION 1056.

\*78M STONE BACKFILL (CLASS V SELECT MATERIAL) SHALL BE IN ACCORDANCE WITH STANDARD SPECIFICATIONS SECTION 1016.

\*78M STONE BACKFILL IS TO BE CONTINUOUS ALONG FILL FACE OF BACKWALL FROM OUTSIDE EDGE TO OUTSIDE EDGE OF APPROACH SLAB.

FOR THE 4" Ø DRAINAGE PIPE OUTLET(S), SEE ROADWAY STANDARD DRAWINGS.

AREA BETWEEN THE WINGWALL AND APPROACH SLAB SHALL BE GRADED TO DRAIN THE WATER AWAY FROM THE FILL FACE OF THE BRIDGE AND SHALL BE PAVED WITH 4" OF INTERMEDIATE OR SURFACE COURSE ASPHALT.

THE 6" COMP. A.B.C. SHALL BE FLUSH WITH THE ROADWAY END OF THE APPROACH SLAB AND SHALL EXTEND 1'-0" OUTSIDE OF EACH EDGE OF THE APPROACH SLAB.

THE CONTRACTOR MAY USE 4" TYPE B-25.0B ASPHALT CONCRETE BASE COURSE IN LIEU OF 6" COMP. A.B.C. IF THIS OPTION IS USED, THE BASE COURSE SHALL BE FLUSH WITH THE ROADWAY END OF THE APPROACH SLAB, AND THE WIDTH SHALL BE THE SAME AS THAT OF THE APPROACH SLAB.

THE CONTRACTOR MAY USE 5" CLASS "A" CONCRETE BASE IN LIEU OF 6" COMP. A.B.C. IF THIS OPTION IS USED, THE CONCRETE BASE SHALL BE FLUSH WITH THE ROADWAY END OF THE APPROACH SLAB, AND THE WIDTH SHALL BE THE SAME AS THAT OF THE APPROACH SLAB. THE CONCRETE SHALL BE FINISHED TO A SMOOTH SURFACE AND A LAYER OF 30 LB ROOFING FELT SHALL BE PLACED BETWEEN THE CONCRETE BASE AND THE APPROACH SLAB TO PREVENT BOND. THE APPROACH SLAB SHALL NOT BE CAST UNTIL THE CONCRETE BASE HAS REACHED AN AGE OF THREE CURING DAYS.

FOR JOINT DETAILS, SEE SHEET NO. 2.

THE JOINT AT THE END BENT SHALL BE GROUTED AS SOON AS PRACTICAL AFTER THE CONSTRUCTION OF THE APPROACH SLABS.

APPROACH SLAB GROOVING IS NOT REQUIRED.

WORK SHOWN ON THIS DRAWING WILL BE PAID UNDER THE LUMP SUM PRICE FOR APPROACH SLABS.

TEMPORARY DRAINAGE AND TEMPORARY BERM AND SLOPE DRAINS WILL BE PAID FOR UNDER THE LUMP SUM PRICE FOR APPROACH SLABS, SEE ROADWAY STANDARD 1622.01.

BILL OF MATERIAL

FOR ONE APPROACH SLAB  
(2 REQ'D)

BAR	NO.	SIZE	TYPE	LENGTH	WEIGHT
* A1	13	#4	STR	28'-0"	243
A2	13	#4	STR	28'-0"	243
* B1	57	#5	STR	11'-2"	664
B2	57	#6	STR	11'-8"	999
REINFORCING STEEL				LBS.	1242
* EPOXY COATED REINFORCING STEEL				LBS.	907
CLASS AA CONCRETE				C. Y.	14.1



WBS NO. 37045  
VANCE COUNTY  
STATION: 10+45.00 -L-  
REPLACES BRIDGE NO. 5

STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION  
RALEIGH

STANDARD  
BRIDGE APPROACH SLAB  
FOR PRESTRESSED CONCRETE  
CORED SLAB  
(SUB-REGIONAL TIER)

REVISIONS						SHEET NO.
NO.	BY:	DATE:	NO.	BY:	DATE:	TOTAL SHEETS
1			3			13
2			4			20

NOTE: NOT TO SCALE



TRANSPORTATION PLANNING/DESIGN - BRIDGE/STRUCTURE DESIGN  
CIVIL/SITE DESIGN - GIS/GPS - CONSTRUCTION OBSERVATION




559 Jones Franklin Rd. Suite 164  
Raleigh, N.C. 27606  
Bus: 919 851 8077  
Fax: 919 851 8107  
LICENSE NO. F-0377

P:\4\100\MA05008B\structure\dgn\approach\dgn  
 10/28/2009 10:25:47 AM


DRAWN BY: J.C. PENDERGRAFT DATE: 8/09  
CHECKED BY: J.A. DILWORTH DATE: 8/09



FOR LOCATION OF RUBRAIL, SEE ROADWAY STD. 862.03




**GUARDRAIL ANCHOR ASSEMBLY DETAILS**



END BENT #1 SHOWN, END BENT #2 SIMILAR.

**NOTES**

- THE GUARDRAIL ANCHOR ASSEMBLY SHALL CONSIST OF A 1/4" HOLD DOWN PLATE AND 4 - 1/8" Ø BOLTS WITH NUTS AND WASHERS, RUBRAIL, AND ADHESIVELY ANCHORED BOLTS.
- THE HOLD-DOWN PLATE SHALL CONFORM TO AASHTO M270 GRADE 36. AFTER FABRICATION, THE HOLD-DOWN PLATE SHALL BE HOT-DIP GALVANIZED IN ACCORDANCE WITH AASHTO M111.
- BOLTS SHALL CONFORM TO THE REQUIREMENTS OF ASTM A307 AND NUTS SHALL CONFORM TO THE REQUIREMENTS OF AASHTO M291. BOLTS, NUTS AND WASHERS SHALL BE GALVANIZED. (AT THE CONTRACTOR'S OPTION, STAINLESS STEEL BOLTS, NUTS AND WASHERS MAY BE USED AS AN ALTERNATE FOR THE 1/8" Ø GALVANIZED BOLTS, NUTS AND WASHERS. THEY SHALL CONFORM TO OR EXCEED THE MECHANICAL REQUIREMENTS OF ASTM A307. THE USE OF THIS ALTERNATE SHALL BE APPROVED BY THE ENGINEER.)
- THE GUARDRAIL ANCHOR ASSEMBLY IS REQUIRED AT ALL POINTS WHERE APPROACH GUARDRAIL IS TO BE ATTACHED TO THE END OF BARRIER RAIL. FOR POINTS OF ATTACHMENT, SEE SKETCH.
- AFTER INSTALLATION, THE EXPOSED THREAD OF THE BOLT SHALL BE BURRED WITH A SHARP POINTED TOOL.
- THE 1/4" Ø HOLES SHALL BE FORMED OR DRILLED WITH A CORE BIT. IMPACT TOOLS WILL NOT BE PERMITTED. ANY CONCRETE DAMAGED BY THIS WORK SHALL BE REPAIRED TO THE SATISFACTION OF THE ENGINEER.
- THE C6 X 8.2 RUBRAIL IS TO BE ADHESIVELY ANCHORED TO THE RAIL USING THREE 3/4" Ø X 6" BOLTS WITH WASHERS. LEVEL ONE FIELD TESTING IS REQUIRED, AND THE YIELD LOAD OF THE 3/4" Ø BOLT IS 12 KIPS. FOR ADHESIVELY ANCHORED ANCHOR BOLTS OR DOWELS, SEE SPECIAL PROVISIONS. SEE ROADWAY STANDARD 862.03 FOR DETAILS AND LOCATION OF THE RUBRAIL.



\* DENOTES GUARDRAIL ANCHOR ASSEMBLY



WBS NO. 37045  
 VANCE COUNTY  
 STATION: 10+45.00 -L-  
 REPLACES BRIDGE NO. 5



559 Jones Franklin Rd. Suite 164  
 Raleigh, N.C. 27606  
 Bus: 919 851 8077  
 Fax: 919 851 8107  
 LICENSE NO. F-0377

STATE OF NORTH CAROLINA  
 DEPARTMENT OF TRANSPORTATION  
 RALEIGH  
 GUARDRAIL ANCHORAGE  
 FOR BARRIER RAIL

REVISIONS						SHEET NO.
NO.	BY:	DATE:	NO.	BY:	DATE:	14
1			3			TOTAL SHEETS
2			4			20


**NOTE: NOT TO SCALE**

TRANSPORTATION PLANNING/DESIGN - BRIDGE/STRUCTURE DESIGN  
 CIVIL/SITE DESIGN - GIS/GPS - CONSTRUCTION OBSERVATION

DRAWN BY: J.C. PENDERGRAFT DATE: 8/09  
 CHECKED BY: J.A. DILWORTH DATE: 8/09

PA4-100M405008B\structure\vgm\grad21.dgn  
 10/20/2009 2:38:29 PM

# EROSION CONTROL PLAN



PLAN

## CONSTRUCTION SEQUENCE





1. ACCESS AND MOBILIZATION: STABILIZE BARE AREAS IMMEDIATELY WITH TEMPORARY VEGETATION AND/OR GRAVEL AS CONSTRUCTION TAKES PLACE.
2. INSTALL SILT FENCE. SILT FENCE SHALL BE INSTALLED UP TO THE EXISTING BRIDGE ABUTMENTS TO PREVENT SEDIMENT-LADEN RUNOFF FROM LEAVING THE CONSTRUCTION SITE. SILT FENCE SHALL BE INSTALLED AT THE PERIMETER OF DISTURBED AREAS.
3. PROCEED WITH CONSTRUCTION OF THE NEW BRIDGE. ADDITIONAL GRAVEL STABILIZATION OR SILT FENCE MAY BE REQUIRED BEHIND THE OLD ABUTMENTS WHEN THE OLD BRIDGE IS REMOVED AND BEFORE THE NEW BRIDGE IS INSTALLED.
4. MAINTENANCE INSPECTIONS SHALL BE PERFORMED WEEKLY AND AFTER PERIODS OF RAINFALL. REPAIRS SHALL BE MADE IMMEDIATELY.
5. ONCE THE SITE IS STABILIZED, REMOVE ALL EROSION CONTROL DEVICES.

NOTE: ANY DEVIATION FROM OPTIONS GIVEN WILL REQUIRE PRIOR APPROVAL BY ENGINEER.

ROADSIDE ENVIRONMENTAL UNIT  
DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS  
RALEIGH, N.C.  
2006 STANDARD SPECIFICATIONS

WBS NO. 37045  
VANCE COUNTY  
STATION: 10+45.00 -L-  
REPLACES BRIDGE NO. 5

 ENVIRONMENTALLY SENSITIVE AREA  
PLEASE SEE NOTE

Std. #	Description	Symbol
1606.01	Special Sediment Control Fence	225 LF 
1633.01	Temporary Rock Silt Check Type-A	4 
1633.02	Temporary Rock Silt Check Type-B	10 
1632.03	Rock Inlet Sediment Trap Type C	2 

 WETHERILL ENGINEERING  
559 Jones Franklin Rd. Suite 164  
Raleigh, N.C. 27606  
Bus: 919 851 8077  
Fax: 919 851 8107  
LICENSE NO. F-0377

STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION  
RALEIGH

BRIDGE #5 ON SR 1110  
OVER TABBS CREEK

REVISIONS						SHEET NO.	
NO.	BY:	DATE:	NO.	BY:	DATE:	15	
1			3			TOTAL SHEETS 20	
2			4				

NOTE: NOT TO SCALE TRANSPORTATION PLANNING/DESIGN - BRIDGE/STRUCTURE DESIGN  
CIVIL/SITE DESIGN - GIS/GPS - CONSTRUCTION OBSERVATION

PA:100MAD5008Bstructure\egm\erosion\_108.dgn 10/26/2009 10:01:52 AM

DRAWN BY: J.C. PENDERGRAFT DATE: 8/09  
CHECKED BY: J.A. DILWORTH DATE: 8/09

# EROSION CONTROL PLAN

## Environmentally Sensitive Areas:

This project is located in an "Environmentally Sensitive Area." This designation requires special procedures to be used for clearing and grubbing, temporary stream crossings, and grading operations within the area identified on the plans. This also requires special procedures to be used for seeding and mulching and staged seeding within the project.

## Clearing and Grubbing:

In areas identified on the erosion control plans as "Environmentally Sensitive Areas", the Contractor may perform clearing operations, but not grubbing operations until immediately prior to beginning grading operations as described in Section 200, Article 200-1, in the Standard Specifications. The "Environmentally Sensitive Area" shall be defined as a 50 foot buffer zone on both sides of the stream (or depression), measured from top of streambank, (or center of depression). Only clearing operations (not grubbing) shall be allowed in this buffer zone until immediately prior to beginning grading operations. Erosion control devices shall be installed immediately following the clearing operation.

## Grading:

Once grading operations begin in identified "Environmentally Sensitive Areas", work will progress in a continuous manner until complete. All construction within these areas must progress in a continuous manner such that each phase is complete and areas permanently stabilized prior to beginning of next phase. Failure on the part of the Contractor to complete any phase of construction in a continuous manner in "Environmentally Sensitive Areas" as specified will be just cause for the Engineer to direct the suspension of work in accordance with Section 108-7 of the Standard Specifications.

## Temporary Stream Crossings:

Any crossing of streams within the limits of this project must be accomplished in accordance with Section 107-13(b) of the Standard Specifications.

## Seeding and Mulching:

Seeding and mulching shall be performed in accordance with Section 1660 of the Standard Specifications and vegetative cover sufficient to restrain erosion shall be installed immediately following grade establishment.

Seeding and mulching shall be performed on the areas disturbed by construction immediately following final grade establishment. No appreciable time shall lapse into the contract time without stabilization of slopes, ditches and other areas within the "Environmentally Sensitive Areas" as indicated on the erosion control plans.

## Stage Seeding:

The work covered by this section shall consist of the establishment of a vegetative cover on cut and fill slopes as grading progresses. Seeding and mulching shall be done in stages on cut and fill slopes which are greater than 20 feet in height measured along the slope, or greater than 2 acres in area. Each stage shall not exceed the limits stated above.

All work described above will be paid for at the contract price for "Lump Sum for Erosion Control" established in the contract for the work involved. Additional payments will not be made for the requirements of this section as the cost for this work should be included in the contract price for "Lump Sum for Erosion Control" for the work involved.

## Special Sediment Control Fence:

### Description:

The work covered by this section consists of the construction, maintenance, and removal of special sediment control fence. Place special sediment control fence as shown on the plans or as directed by the Engineer.

### Materials:

#### (A) Posts:

Steel posts shall be at least 5 feet in length, approximately 1 3/8 inches wide measured parallel to the fence, and have a minimum weight of 1.25 lb/ft of length. The post shall be equipped with an anchor plate having a minimum area of 14.0 square inches, and shall have a means of retaining wire in the desired position without displacement.

#### (B) 1/4 inch Hardware Cloth:

Hardware cloth shall have 1/4 inch openings constructed from #24 gauge wire. Install hardware cloth according to the detail shown on the plans.

#### (C) Sediment Control Stone:

Sediment control stone shall meet the requirements of Section 1005. Install stone according to the detail shown on the plans.

### Maintenance and Removal:

The Contractor shall maintain the special sediment control fence until the project is accepted or until the fence is removed, and shall remove and dispose of silt accumulations at the fence when so directed by the Engineer in accordance with Section 1630.

The quantity of posts, sediment control stone and hardware cloth as measured above will be paid for at the contract price for "Lump Sum for Erosion Control". Such price and payment will be full compensation for all work covered by this provision, including but not limited to, furnishing all materials, installation, and removal and disposal of silt accumulations and materials.

## Reforestation:

Reforestation will be planted within disturbed areas of the buffer zone, in areas designated by the Engineer. Reforestation is not shown on the plan sheets. See the reforestation detail sheet.






The entire Reforestation operation shall comply with section 1670 of the Standard Specifications.

Seasonal limitations: Seedlings shall be planted from November 15 through March 15.

Seedlings shall be planted as soon as practical following permanent Seeding and Mulching. Seedlings shall be planted in a 16 ft. wide swath adjacent to mowing pattern line.

Root dip: The roots of reforestation seedlings shall be coated with a slurry of water, and either a fine clay ("kaolin") or a superabsorbent that is made to be used as a bare root dip. The type, mixture ratio, method of application, and the time of application shall be submitted to the Engineer for approval. With the approval of the Engineer, seedlings may be coated before delivery to the job or at the time of planting, but at no time shall the roots of the seedlings be allowed to dry out. The roots shall be moistened immediately prior to planting.

The quantity of reforestation seedlings as measured above will be paid for at the contract price for "Lump Sum for Erosion Control". Such price and payment will be full compensation for all work covered by this provision, including but not limited to, furnishing all materials and installation.



STATION	B FT.	D FT.	W FT.	d FT.	CLASS 'B' RIP RAP TONS	PSRM SQ. FT.	FILTER FABRIC SQ. FT.
11+18.33	4	1	4	1	3	12	8

**NOTE: NOT TO SCALE**



559 Jones Franklin Rd. Suite 164  
Raleigh, N.C. 27606  
Bus: 919 851 8077  
Fax: 919 851 8107  
LICENSE NO. F-0377

WBS NO. 37045  
VANCE COUNTY  
STATION: 10+45.00 -L-  
REPLACES BRIDGE NO. 5


STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION  
RALEIGH  
BRIDGE #5 ON SR 1110  
OVER TABBS CREEK

REVISIONS						SHEET NO.
NO.	BY:	DATE:	NO.	BY:	DATE:	16
1			3			TOTAL SHEETS 20
2			4			

DRAWN BY: J.C. PENDERGRAFT DATE: 8/09  
CHECKED BY: J.A. DILWORTH DATE: 8/09



8/23/99




STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION  
RALEIGH

BRIDGE #5 ON SR 110  
OVER TABBS CREEK  
RIGHT OF WAY


REVISIONS						SHEET NO.	
NO.	BY:	DATE:	NO.	BY:	DATE:	17	
1			3			TOTAL SHEETS	
2			4			20	

10:09:36 AM  
P:\1100\MA05008B\DCN\MA05008B\_RCY\_xp1.dgn  
10/26/2009

8/23/99



PROJ. REFERENCE NO. MA5008 SHEET NO. X2




STATE OF NORTH CAROLINA  
 DEPARTMENT OF TRANSPORTATION  
 RALEIGH

BRIDGE #5 ON SR 1110  
 OVER TABBS CREEK  
 RIGHT OF WAY


REVISIONS						SHEET NO.
NO.	BY:	DATE:	NO.	BY:	DATE:	18
1			3			TOTAL SHEETS
2			4			20

10:01:01 AM  
 P:\1100\MA05008B\DCN\MA05008B\_RDY\_xpl.dgn  
 10/26/2005

B/23/99



PROJ. REFERENCE NO. MA5008  
SHEET NO. X3




STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION  
RALEIGH

BRIDGE #5 ON SR 1110  
OVER TABBS CREEK  
RIGHT OF WAY

REVISIONS						SHEET NO.
NO.	BY:	DATE:	NO.	BY:	DATE:	19
1			3			TOTAL SHEETS
2			4			20


10:01:17 AM  
 P:\1100\MA5008\DDGN\MA5008B.RDY\_xpl.dgn  
 10/26/2009

B.23/99



PROJ. REFERENCE NO. MA5008 SHEET NO. X4

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150



STATE OF NORTH CAROLINA  
 DEPARTMENT OF TRANSPORTATION  
 RALEIGH

BRIDGE #5 ON SR 1110  
 OVER TABBS CREEK  
 RIGHT OF WAY

REVISIONS						SHEET NO.	
NO.	BY:	DATE:	NO.	BY:	DATE:	20	
1			3			TOTAL SHEETS	
2			4			20	

10:05:30 AM  
 P:\1100\MA05008B\DRAWING\MA05008B.RDY...  
 10/26/2009

150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150