



STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

ROY COOPER
GOVERNOR

J. ERIC BOYETTE
SECRETARY

**IMPORTANT INFORMATION
PLEASE READ**

TO PREQUALIFIED BIDDERS AND PURCHASE ORDER PRIMES:

The requirements for bidding on NCDOT construction projects are changing. The current requirement to purchase plans or a proposal to be eligible to bid will be replaced by a requirement to register for the *Interested Parties List*. This change will be effective for any Central or Division letting June 1, 2022 and later.

For any letting June 1, 2022 and later:

Contractors bidding on NCDOT contracts must sign up for the Interested Parties List for each project they intend to submit bids on. As part of this new requirement, Contractors must sign up for the *Interested Parties List* no later than one business day prior to the Letting Date.

The purchase of plans or proposals will no longer be required to bid on NCDOT Central Let projects and will be replaced by the new requirement above to sign up for the *Interested Parties List*. Plans will continue to be available for purchase, however anyone who purchases plans shall still sign up for the *Interested Parties List* to be eligible to bid.

A one-page quick guide follows this letter and the quick guide a more detailed walkthrough on signing up for the *Interested Parties List* can be found on the Central and Division Letting Resources pages at the links below:

<https://connect.ncdot.gov/letting/Pages/Central.aspx>

<https://connect.ncdot.gov/letting/Pages/Division-Letting-Resources.aspx>

The links and functionality described in the guides will be available on our website in the near future. For more information or assistance with this new process please submit any questions to InterestedPartiesHelp@ncdot.gov.

For additional assistance with general bidding related questions please email AWPhelp@ncdot.gov.

Ronald E. Davenport, Jr., PE
State Contract Officer

DocuSigned by:

Ronald E. Davenport, Jr.

F81B6038A47A442...

Mailing Address:
NC DEPARTMENT OF TRANSPORTATION
CONTRACT STANDARDS & DEVELOPMENT
1591 MAIL SERVICE CENTER
RALEIGH, NC 27699-1591

Telephone: (919) 707-6900

Fax: (919) 250-4127

Customer Service: 1-877-368-4968

Website: www.ncdot.gov

Location:
1020 BIRCH RIDGE DRIVE
RALEIGH, NC 27610



Interested Parties List

To **register to bid on an upcoming NCDOT construction contract**, or to register in general to be notified about updates for selected upcoming contracts to be let, add your firm to the Interested Parties list for each contract in which you are interested. Interested parties will be informed by mail whenever there are addenda or other changes to the planned letting.

You are no longer required to be a Plan Holder to bid for any lettings occurring June 1, 2022, or later.

Interested parties and authorized bidders MUST sign up at least one full business day prior to the let date.


To Register:

1. Navigate to the details page for the selected contract. Press **Interested Parties for this letting** or go directly to the overall [Interested Parties list](#)
2. Press **Add Firm** and find your firm using the Search box. Select your firm name and press **Next**
3. Complete the contact information for the person to be notified of changes and press **Next**
4. Review the list of upcoming Central and Division contracts and select the upcoming contract(s) in which you are interested and press **Next**.
There is no need to register again for contracts for which you have previously registered.
5. The confirmation page will summarize your entered information. Press **Submit**.
6. A confirmation email will be sent to the provided address. Within one hour, the firm will appear on the publicly viewable Interested Parties list for each of the specified contracts. Allow five business days for NCDOT staff to upload your firm as an authorized bidder in Bid Express.

Email InterestedPartiesHelp@ncdot.gov if you have any problems registering.



2026 NCDOT TECHNICAL TRAINING SCHEDULE



DURHAM

Durham Technical Community College
The Chesterfield Building
701 West Main Street
Durham, N.C. 27701

CONCORD

Rowan Cabarrus Community College
South Campus – Bldg S201/Room 107
1531 Trinity Church Road
Concord, N.C. 28027

GOLDSBORO


Wayne Community College
Walnut Room 104
3000 Wayne Memorial Drive
Goldsboro, N.C. 27534

ASHEVILLE

Asheville Buncombe Community College
Ferguson Allied Health - Bldg 24,
Room 345
10 Genevieve Circle
Asheville, N.C. 28801

DATES	COURSE TOPICS	DURHAM	CONCORD	GOLDSBORO	ASHEVILLE
April 2026	Construction Plan Reading	April 9	April 16	April 23	April 30
May 2026	Math for Highway Construction Trades	n/a	May 14	May 28	n/a
June 2026	Navigating NCDOT Contracts	June 11	n/a	n/a	June 25
July 2026	Business Insights & NCDOT Bidding/Letting	n/a	July 9	July 23	n/a
August 2026	Utility Construction & Manhole Adjustments	Aug. 13	n/a	n/a	Aug. 27
September 2026	Drones (UAS) & Construction Surveying	n/a	Sept. 10	Sept. 24	n/a
October 2026	Pipe Installation & Erosion Control	Oct. 8	n/a	n/a	Oct. 22
November 2026	Construction Hauling	Nov. 5	Nov. 12	n/a	n/a

The 2026 NCDOT Technical Training Series is a program that offers various courses to small highway construction contractors interested in working on NCDOT projects. Each course will cover NCDOT Standard Specifications and Drawings, lettings & bidding, project management, invoicing and payment, equipment requirements, and more. Courses will be held in Durham, Concord, Goldsboro, and Asheville and will be taught in-person by NCDOT engineers, prime contractors, and other industry professionals. To register, please visit the website: www.ncdot.gov/highwaystechtraining. For questions, please email: ccu@ncdot.gov or call: 984-810-9276.





STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

ROY COOPER
GOVERNOR

J.R. "JOEY" HOPKINS
SECRETARY

NOTICE OF DBE OPPORTUNITIES

Upcoming Opportunities for DBE Firms to Participate on NCDOT Projects

As part of the North Carolina Department of Transportation's continuing commitment to promote Disadvantaged/Minority/Women Business Enterprise (D/M/WBE) participation, the Division of Highways Chief Engineer's Office would like to remind you of the broad range of construction, maintenance and operational opportunities available within NCDOT. One of these opportunities is the monthly advertisement of Central Let projects with letting typically held on the third Tuesday of each month. NCDOT advertises the Central Lettings at the location below with a separate letting page for each month. If your firm is eligible to bid (i.e. prequalified as a Bidder), you can download and print the bid related items from the upcoming monthly letting pages here:

Central Highway Lettings

Additionally, if you are interested in providing subcontractor work for any of the listed projects, we strongly encourage you to solicit each of the contractors bidding on the projects to see if they are interested in receiving a quote. Potential bidders or subcontractors may sign themselves up and provide contact information using the Interested Parties List button on each of the monthly letting pages. A screenshot of the IPL button is shown below for reference:

Interested Parties for
this Letting

I would like to personally thank you for your time in considering this opportunity with the North Carolina Department of Transportation.

Sincerely,

DocuSigned by:


Lamar Sylvester, PE
Chief Engineer
Division of Highways

MAILING ADDRESS:
NC DEPARTMENT OF TRANSPORTATION
OFFICE OF THE CHIEF ENGINEER
MAIL SERVICE CENTER 1536
RALEIGH NC 27699-1536

TELEPHONE: 919-707-2500
FAX: 919-733-9428
Customer Service: 1-877-368-4968
WEBSITE: WWW.NCDOT.GOV

LOCATION:
1 SOUTH WILMINGTON STREET
RALEIGH NC 27601

Notice Regarding Upcoming Buy America Changes

On January 14, 2025, the Federal Highway Administration (FHWA) terminated its General Waiver for Manufactured Products and established specific Buy America requirements for their use on Federal-aid highway projects.

This means that as of the following dates, materials defined as manufactured products permanently incorporated into Federal-aid highway projects will have to be manufactured in the United States.

Key Implementation Dates

- Phase 1: contracts obligated on or after **October 1, 2025**
 - Final assembly of all manufactured products permanently incorporated into Federal-aid highway projects must occur in the United States.
- Phase 2: contracts obligated on or after **October 1, 2026**
 - Final assembly of all manufactured products permanently incorporated into Federal-aid highway projects must occur in the United States.

AND

- The cost of U.S.-produced components in manufactured products must be greater than 55% of the total cost of all components.

Definition of Manufactured Products

Manufactured Products are defined as articles, materials, or supplies that:

- Have been processed into a specific form and shape, or
- Have been combined with other articles or supplies to create a product with different properties than the individual articles, materials, or supplies.

This places greater emphasis on using domestically produced materials on these projects and is consistent with the Build America, Buy America Act (BABA) under the Bipartisan Infrastructure Law (BIL).

**STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
INVITATION TO BID**

ELECTRONIC BIDS (UNLESS OTHERWISE SPECIFIED IN THE PROJECT SPECIAL PROVISIONS) FOR THE CONSTRUCTION OF THE FOLLOWING PROJECTS WILL BE PUBLICLY READ IN THE CONTRACT STANDARDS AND DEVELOPMENT UNIT RIVERWOOD CONFERENCE ROOM, LOCATED IN BUILDING B AT 1020 BIRCH RIDGE DRIVE, RALEIGH, N.C. OR VIA THE WEBCAST AT **2:00 PM** ON FEBRUARY 17, 2026. NO ELECTRONIC BIDS WILL BE RECEIVED AFTER 2:00 PM.

1. THE BIDDER SHALL SELF REGISTER AT THE FOLLOWING WEBSITE FOR EACH PROJECT FOR WHICH THEY INTEND TO SUBMIT A BID IN RESPONSE TO THIS INVITATION TO BID

<https://connect.ncdot.gov/letting/pages/Interested-Parties.aspx>

2. A BID BOND OR BID DEPOSIT IN THE AMOUNT OF 5% OF THE TOTAL AMOUNT BID WILL BE REQUIRED. THE BIDDER SHALL SUBMIT AN ELECTRONIC BID BOND WITH EACH ELECTRONIC BID SUBMITTAL UNLESS THEY ELECT TO FURNISH A BID DEPOSIT.

3. UPON RECEIPT OF AWARD LETTER, THE SUCCESSFUL BIDDER SHALL FURNISH A PROPERLY EXECUTED EXECUTION OF CONTRACT, NON-COLLUSION, DEBARMENT AND GIFT BAN CERTIFICATION, EXECUTED PAYMENT AND PERFORMANCE BONDS, AND OPTIONAL BID ITEMS ELIGIBLE FOR STEEL PRICE ADJUSTMENT FORM (SPA-1) FOR EACH CONTRACT. CERTIFICATION FORMS AND BOND FORMS ARE AVAILABLE AS PART OF THE CONTRACT EXECUTION FORMS AT THE FOLLOWING WEBSITE <https://connect.ncdot.gov/letting/Pages/Central-Letting-Forms.aspx>. BID ITEMS ELIGIBLE FOR STEEL PRICE ADJUSTMENT FORM (SPA-1) IS AVAILABLE AT THE FOLLOWING WEBSITE <https://connect.ncdot.gov/letting/Pages/Central-Letting-Resources.aspx>.

ALL QUESTIONS RELATED TO PROJECTS DURING THE ADVERTISEMENT PERIOD SHALL BE EMAILED TO THE STATE CONTRACT OFFICER AT ContractOfficer@ncdot.gov.

THE MINIMUM WAGE FOR LABOR WILL BE SHOWN IN THE PROPOSAL FORM FOR FEDERAL AID PROJECTS.

CONTRACTOR'S LICENSE: A GENERAL CONTRACTOR'S LICENSE IS REQUIRED IN ORDER TO SUBMIT A BID ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$30,000.00 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD. ON FEDERAL PROJECTS, THE APPROPRIATE CONTRACTOR'S LICENSE SHALL BE OBTAINED WITHIN 60 DAYS OF BID OPENING. FOR ADDITIONAL INFORMATION OR TO MAKE APPLICATION FOR A LICENSE, VISIT THE CONTRACTOR LICENSING BOARD WEBSITE AT <https://www.nclbgc.org> OR EMAIL licensing@nclbgc.org.

PREQUALIFYING TO BID: ALL PROSPECTIVE BIDDERS SHALL BE PREQUALIFIED WITH THE DEPARTMENT OF TRANSPORTATION PRIOR TO SUBMITTING A BID. CONTRACTORS WHO ARE NOT PREQUALIFIED MAY OBTAIN INFORMATION AND FORMS FOR PREQUALIFYING FROM THE PREQUALIFICATION SECTION OF THE CONTRACT STANDARDS AND DEVELOPMENT UNIT AT <https://connect.ncdot.gov/business/Prequal/Pages/default.aspx>. ALL REQUIRED PREQUALIFICATION STATEMENTS AND DOCUMENTS SHALL BE FILED WITH THE CONTRACTUAL SERVICES MANAGEMENT SECTION AT LEAST FOUR WEEKS PRIOR TO THE DATE OF OPENING BIDS.

THE DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY ENSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS INVITATION TO BID, MINORITY BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, OR NATIONAL ORIGIN IN COMPENSATION TO THIS AWARD.

PROPOSAL FORMS AT **\$25.00** EACH, PLANS (SMALL SIZE) AT **\$40.00** PER SET, PLANS (LARGE SIZE) AT **\$100.00** PER SET, AND CROSS-SECTIONS AT **\$40.00** PER SET, PLUS SALES TAX FOR N.C. RESIDENTS, MAY BE OBTAINED BY TELEPHONING (919-707-6925), FAXING (919-250-4127), OR VISITING THE WEBSITE AT: <https://connect.ncdot.gov/letting/Pages/Order-Plans.aspx>. THESE CHARGES ARE NOT DEPOSITS AND WILL NOT BE REFUNDED. ALL ORDERS FOR PROPOSAL FORMS, PLANS AND CROSS-SECTIONS DELIVERED IN NORTH CAROLINA ARE SUBJECT TO 7.25% SALES TAX. ORDERS MAILED TO OUT OF STATE CONTRACTORS ARE NOT SUBJECT TO SALES TAX. MAKE ALL CHECKS PAYABLE TO THE "N.C. DEPARTMENT OF TRANSPORTATION".

THE RIGHT IS RESERVED TO REJECT ANY OR ALL BIDS.

**TODAY'S DATE IS JANUARY 20, 2026.
BY ORDER OF THE DEPARTMENT OF TRANSPORTATION
(THE WORK WILL CONSIST APPROXIMATELY AS SHOWN ON THE FOLLOWING SHEETS)**

REVIEW OF PLANS AND PROPOSALS IN DIVISION OFFICE

IN ORDER TO FACILITATE AND ENCOURAGE THE INVOLVEMENT OF MINORITY BUSINESS ENTERPRISES IN THE HIGHWAY CONSTRUCTION PROCESS, IT IS THE POLICY OF THE DEPARTMENT OF TRANSPORTATION, DIVISION OF HIGHWAYS, THAT A SET OF PLANS AND PROPOSAL FOR EACH PROJECT TO BE LET WILL BE MAINTAINED FOR REVIEW BY ANY CONTRACTOR INTERESTED IN BIDDING UPON OR QUOTING WORK IN AN ADVERTISED PROJECT.

THE PROPOSALS AND PLANS WILL BE AVAILABLE FOR REVIEW BEGINNING TWO WEEKS PRIOR TO THE DATE OF BID OPENING IN THE DIVISION OFFICE WHICH WILL ADMINISTER THE CONTRACT. THE DEPARTMENT WILL, UPON REQUEST, MAKE AVAILABLE FROM ITS STAFF A PERSON TO EXPLAIN THE PROPOSED PROJECT AND TO ANSWER GENERAL QUESTIONS RELATING TO THE PROJECT. THE PLANS AND PROPOSALS CAN BE REVIEWED ANY TIME MONDAY THRU FRIDAY, EXCLUDING HOLIDAYS, BETWEEN THE HOURS OF 8:00 A.M. AND 4:30 P.M. IN THE DIVISION OFFICE. IN ORDER TO HAVE A MEMBER OF THE STAFF EXPLAIN THE PROJECT AND/OR ANSWER GENERAL QUESTIONS PERTAINING TO THE PROJECT, PRIOR APPOINTMENTS MUST BE MADE BY CALLING THE APPROPRIATE DIVISION OFFICE.

FOLLOWING ARE THE LOCATIONS AND TELEPHONE NUMBERS OF THE OFFICES IN WHICH THE PLANS AND PROPOSALS WILL BE MADE AVAILABLE, REFERENCE SHOULD BE MADE TO THE SHEETS CONTAINING THE INDIVIDUAL PROJECT QUANTITIES TO DETERMINE WHICH DIVISION OFFICE WILL ADMINISTER THE CONTRACT.

DIV NO.	DIVISION ENGINEER	TOWN	TELEPHONE
001	C. Win Bridgers, Jr., PE	EDENTON	(252) 482-1850
002	Mary Beth Houston	NEW BERN	(252) 514-4716
003	Trevor Carroll	CASTLE HAYNE	(910) 341-2000
004	W. Matthew Clarke	WILSON	(252) 237-6164
005	Rebecca Gallas	DURHAM	(919) 220-4600
006	Wallace Jernigan, PE	FAYETTEVILLE	(910) 364-0600
007	Wright Archer, III, PE	GREENSBORO	(336) 487-0000
008	Reuben Blakley, PE	CARTHAGE	(910) 773-8000
009	John Rhyne	WINSTON-SALEM	(336) 747-7800
010	Felix Obregon	ALBEMARLE	(704) 983-4400
011	Michael Poe, PE	NORTH WILKESBORO	(336) 903-9101
012	Mark Stafford, PE	SHELBY	(704) 480-5400
013	Timothy Anderson, PE	ASHEVILLE	(828) 250-3000
014	Wesley Grindstaff, PE	SYLVA	(828) 586-2141

===== SUMMARY OF PROPOSALS =====

Bid Letting Number: L260217

RPN Contract Id	WBS	County	Length	Job Type	
002	C204955	15BPR.137.3	BEAUFORT	2.893 MI	BRIDGE PRESERVATION.
003	C205035	39026.3.2	WAYNE	2.366 MI	GRADING, DRAINAGE, PAVING, SIGNALS, AND CULVERT.
004	C205167	2026CPT.05.08.20391.1	GRANVILLE	17.404 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION
005	C205174	2026CPT.05.12.10911.1, ETC.	VANCE	16.828 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
006	C205088	47956.3.1	WAKE, FRANKLIN	13.384 MI	PAVEMENT REHABILITATION.
007	C204765	49618.3.1	WAKE	0.459 MI	GRADING, DRAINAGE, PAVING, SIGNALS, AND CULVERT.
008	C204936	67060.3.1	ALAMANCE	0.426 MI	GRADING, DRAINAGE, PAVING, AND STRUCTURES.
009	C205166	2026CPT.08.08.10471, ETC.	HOKE, SCOTLAND	20.180 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
010	C205173	2026CPT.08.09.10621, ETC.	MONTGOMERY	14.416 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
011	C205152	15BPR.148.3	FORSYTH	0.043 MI	BRIDGE PRESERVATION.
012	C205170	2026CPT.09.07.10801, ETC.	ROWAN	29.668 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
013	C205169	2026CPT.09.09.10851, ETC.	STOKES	24.946 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
014	C205098	49996.3.1	DAVIDSON, FORSYTH	10.970 MI	PAVEMENT REHABILITATION.
015	C205168	2026CPT.10.09.10601, ETC.	MECKLENBURG	13.600 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
016	C205095	48173.3.1	MECKLENBURG	0.467 MI	GRADING, DRAINAGE, PAVING, SIGNALS, AND CULVERTS.
017	C205171	2026CPT.12.02.10181, ETC.	CATAWBA	14.620 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
018	C205172	2026CPT.12.05.10491, ETC.	IREDELL	28.872 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L260217

002

CONTRACT ID : C204955 15BPR.137.3

DIV OFFICE NEW BERN

LENGTH = 2.893 MI

COUNTY : BEAUFORT

BRIDGE PRESERVATION.

DBE GOAL

COMPLETION DATE : JUN 01, 2028

BRIDGE #060353 OVER US-17 BUS/TAR RIVER ON US-17.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
192	SF	WORK ZONE SIGNS (STATIONARY)
288	SF	WORK ZONE SIGNS (PORTABLE)
6	EA	FLASHING ARROW BOARD
10	DAY	PORTABLE CHANGEABLE MESSAGE SIGN (SHORT TERM)
400	EA	DRUMS
24	EA	SEQUENTIAL FLASHING WARNING LIGHTS
6	EA	TMA
400	EA	SKINNY DRUM
71,280	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (6") (IV)
71,280	LF	POLYUREA PAVEMENT MARKING LINES (**", ** MILS) (6", 20 MILS)
400	EA	PERMANENT RAISED PAVEMENT MARKERS

STRUCTURE ITEMS

30	DAY	GENERIC MISCELLANEOUS ITEM RAILROAD CONTRACTOR PROTECTIVE SERVICES
1.2	CF	CONCRETE REPAIRS
44.8	CF	SHOTCRETE REPAIRS
126	LF	EPOXY RESIN INJECTION
Lump Sum	LS	GENERIC STRUCTURE ITEM DRAINAGE SYSTEM REPAIRS
4,930.2	LF	GENERIC STRUCTURE ITEM FOAM JOINT SEALS FOR PRESERVATION
1,230.6	CF	GENERIC STRUCTURE ITEM ELASTOMERIC CONCRETE FOR PRESERVATION
12.7	CF	GENERIC STRUCTURE ITEM REPAIRS TO PRESTRESSED CONCRETE GIRDERS
4,633.2	SF	GENERIC STRUCTURE ITEM BRIDGE JOINT DEMOLITION
75,339.6	SF	GENERIC STRUCTURE ITEM EPOXY COATING
8,326.9	SF	GENERIC STRUCTURE ITEM EPOXY COATING CONCRETE GIRDER ENDS
372,272.6	SF	GENERIC STRUCTURE ITEM SILANE BARRIER RAIL TREATMENT
281,877.9	SF	GENERIC STRUCTURE ITEM SILANE GIRDER TREATMENT
372,272.6	SF	GENERIC STRUCTURE ITEM SURFACE PREPARATION FOR CONCRETE BARRIER RAIL
281,877.9	SF	GENERIC STRUCTURE ITEM SURFACE PREPARATION FOR SILANE GIRDER TREATMENT
117,525.4	SY	GENERIC STRUCTURE ITEM SHOTBLASTING BRIDGE DECK
117,525.4	SY	GENERIC STRUCTURE ITEM SILANE DECK TREATMENT

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L260217

003

CONTRACT ID : C205035 39026.3.2

DIV OFFICE WILSON

LENGTH = 2.366 MI

COUNTY : WAYNE

GRADING, DRAINAGE, PAVING, SIGNALS, AND CULVERT.

DBE GOAL

COMPLETION DATE : MAR 30, 2030

US-13 (BERKELEY BLVD) FROM SR-1003 (NEW HOPE RD) TO US-70 BYPASS.

ROADWAY ITEMS			8	EA	SUBDRAIN PIPE OUTLET
Lump Sum	LS	MOBILIZATION	48	LF	6" OUTLET PIPE
Lump Sum	LS	CONSTRUCTION SURVEYING	29.3	CY	ENDWALLS
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING	17.1	CY	REINFORCED ENDWALLS
2,350	CY	UNDERCUT EXCAVATION	0.893	CY	PIPE COLLARS
Lump Sum	LS	GRADING	13	CY	FLOWABLE FILL
61,400	CY	BORROW EXCAVATION	196	EA	MASONRY DRAINAGE STRUCTURES
200	CY	DRAINAGE DITCH EXCAVATION	6.717	CY	MASONRY DRAINAGE STRUCTURES
2,350	CY	SELECT GRANULAR MATERIAL	22.6	LF	MASONRY DRAINAGE STRUCTURES
3,750	SY	GEOTEXTILE FOR SOIL STABILIZATION	36	EA	FRAME WITH TWO GRATES, STD 840.16
450	SF	TEMPORARY SHORING	1	EA	FRAME WITH TWO GRATES, STD 840.24
60	TON	GENERIC GRADING ITEM HAULING AND DISPOSAL OF PETROLEUM CONTAMINATED SOIL	2	EA	FRAME WITH TWO GRATES, STD 840.29
2,360	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	27	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (E)
7,400	SY	FOUNDATION CONDITIONING GEOTEXTILE	73	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F)
44	LF	**" SIDE DRAIN PIPE (54")	61	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (G)
838	LF	15" SIDE DRAIN PIPE	5	EA	FRAME WITH COVER, STD 840.54
18	LF	18" RC PIPE CULVERTS, CLASS III	15	EA	CONCRETE TRANSITIONAL SECTION FOR CATCH BASIN
96	LF	24" RC PIPE CULVERTS, CLASS III	9	EA	CONCRETE TRANSITIONAL SECTION FOR DROP INLET
48	LF	36" RC PIPE CULVERTS, CLASS III	770	LF	**" X **" CONCRETE CURB (8" X 12")
16	LF	42" RC PIPE CULVERTS, CLASS III	6,700	LF	1'-6" CONCRETE CURB & GUTTER
228	LF	****" RC PIPE CULVERTS, CLASS IV (54")	23,550	LF	2'-6" CONCRETE CURB & GUTTER
10,726	LF	15" RC PIPE CULVERTS, CLASS IV	2,900	SY	4" CONCRETE SIDEWALK
1,452	LF	18" RC PIPE CULVERTS, CLASS IV	17	EA	CONCRETE CURB RAMPS
3,744	LF	24" RC PIPE CULVERTS, CLASS IV	3,120	SY	6" CONCRETE DRIVEWAY
1,816	LF	30" RC PIPE CULVERTS, CLASS IV	5,925	SY	5" MONOLITHIC CONCRETE ISLANDS (KEYED IN)
2,796	LF	36" RC PIPE CULVERTS, CLASS IV	1	EA	ADJUSTMENT OF MANHOLES
112	LF	42" RC PIPE CULVERTS, CLASS IV	412.5	LF	STEEL BEAM GUARDRAIL
64	LF	**" RC PIPE CULVERTS, CLASS V (15")	2	EA	STEEL BEAM GUARDRAIL TERMINAL SECTIONS
176	LF	**" RC PIPE CULVERTS, CLASS V (54")	5	EA	ADDITIONAL GUARDRAIL POSTS
5,507	LF	PIPE REMOVAL	2	EA	GUARDRAIL END UNITS, TYPE CAT-1
2	EA	PIPE CLEAN OUT	2	EA	GUARDRAIL END UNITS, TYPE TL-3
3,750	CY	SHALLOW UNDERCUT	400	LF	REMOVE EXISTING GUARDRAIL
9,075	TON	CLASS IV SUBGRADE STABILIZATION	410	TON	RIP RAP, CLASS I
300	TON	CLASS IV AGGREGATE STABILIZATION	150	TON	RIP RAP, CLASS B
13,575	SY	GEOTEXTILE FOR SUBGRADE STABILIZATION	2,900	SY	GEOTEXTILE FOR DRAINAGE
1,000	TON	INCIDENTAL STONE BASE	3,185	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
46,075	SY	MILLING ASPHALT PAVEMENT, ****" DEPTH (2-1/2")	1	EA	SIGN ERECTION, TYPE D
4,400	SY	INCIDENTAL MILLING	22	EA	SIGN ERECTION, TYPE F
21,100	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	5	EA	SIGN ERECTION, RELOCATE TYPE **** (GROUND MOUNTED)
26,500	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C	8	EA	(D) SIGN ERECTION, RELOCATE TYPE **** (GROUND MOUNTED)
1,800	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B	119	EA	(E) SIGN ERECTION, RELOCATE TYPE **** (GROUND MOUNTED)
19,000	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C	1	EA	(F) SIGN ERECTION, RELOCATE TYPE **** (GROUND MOUNTED)
3,460	TON	ASPHALT BINDER FOR PLANT MIX	1	EA	DISPOSAL OF SUPPORT, WOOD
500	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR	53	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
200	TON	GENERIC PAVING ITEM JOINT REPAIR	1	EA	DISPOSAL OF SIGN SYSTEM, WOOD
807	CY	SUBDRAIN EXCAVATION	14	EA	DISPOSAL OF SUPPORT, U-CHANNEL
3,600	SY	GEOTEXTILE FOR SUBSURFACE DRAINS			
605	CY	SUBDRAIN COARSE AGGREGATE			
3,600	LF	6" PERFORATED SUBDRAIN PIPE			

1,716	SF	WORK ZONE SIGNS (STATIONARY)	920	SY	COIR FIBER MAT
180	SF	WORK ZONE SIGNS (PORTABLE)	10,650	LF	1/4" HARDWARE CLOTH
252	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)	4	EA	SPECIAL STILLING BASINS
2	EA	PORTABLE CHANGEABLE MESSAGE SIGN	5,390	LB	FLOCCULANT
1,500	EA	DRUMS	8,360	LF	COIR FIBER WATTLE
500	EA	CONES	3,760	LF	COIR FIBER BAFFLE
488	LF	BARRICADES (TYPE III)	18	EA	***" SKIMMER (1-1/2")
1,080	DAY	FLAGGER	3	EA	***" SKIMMER (2")
2	EA	TEMPORARY CRASH CUSHIONS	4	EA	***" SKIMMER (2-1/2")
120	LF	PORTABLE CONCRETE BARRIER	50	ACR	SEEDING & MULCHING
500	LF	WATER FILLED BARRIER	27	ACR	MOWING
120	HR	LAW ENFORCEMENT	450	LB	SEED FOR REPAIR SEEDING
630	EA	TEMPORARY RAISED PAVEMENT MARKERS	2	TON	FERTILIZER FOR REPAIR SEEDING
50,234	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)	725	LB	SEED FOR SUPPLEMENTAL SEEDING
8,118	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)	21.5	TON	FERTILIZER TOPDRESSING
785	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)	445	LF	IMPERVIOUS DIKE
115	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)	10	MHR	SPECIALIZED HAND MOWING
250,335	LF	PAINT PAVEMENT MARKING LINES (4")	15	MHR	MANUAL LITTER REMOVAL
12,220	LF	PAINT PAVEMENT MARKING LINES (8")	4	TON	LITTER DISPOSAL
1,590	LF	PAINT PAVEMENT MARKING LINES (24")	100	EA	RESPONSE FOR EROSION CONTROL
378	EA	PAINT PAVEMENT MARKING SYMBOL	2	EA	CONCRETE WASHOUT STRUCTURE
500	LF	REMOVAL OF PAVEMENT MARKING LINES (4")	192	CY	CULVERT DIVERSION CHANNEL
249	LF	REMOVAL OF PAVEMENT MARKING LINES (8")	0.1	ACR	REFORESTATION
13	EA	REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS	12	EA	GENERIC EROSION CONTROL ITEM PREFABRICATED CONCRETE WASHOUT
100	LF	GENERIC PAVEMENT MARKING ITEM YIELD LINE PAINT PAVEMENT MARKING (24")	2	EA	PEDESTRIAN SIGNAL HEAD (16", 1 SECTION W/COUNTDOWN)
40	LF	GENERIC PAVEMENT MARKING ITEM YIELD LINE THERMOPLASTIC PAVEMENT MARKING (24", 90MILS)	8,970	LF	SIGNAL CABLE
1,775	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS	56	EA	VEHICLE SIGNAL HEAD (12", 3 SECTION)
296	LF	***" WATER LINE (18")	8	EA	VEHICLE SIGNAL HEAD (12", 4 SECTION)
20	LF	6" WATER LINE	1	EA	VEHICLE SIGNAL HEAD (12", 5 SECTION)
323	LF	8" WATER LINE	2,160	LF	MESSENGER CABLE (1/4")
5,063	LF	16" WATER LINE	3,270	LF	MESSENGER CABLE (3/8")
19,855	LB	DUCTILE IRON WATER PIPE FITTINGS	3,770	LF	TRACER WIRE
12	EA	6" VALVE	850	LF	UNPAVED TRENCHING (******) (1, 2")
7	EA	8" VALVE	2,720	LF	UNPAVED TRENCHING (******) (2, 2")
11	EA	16" VALVE	40	LF	UNPAVED TRENCHING (******) (3, 2")
68	EA	RELOCATE WATER METER	1,427	LF	DIRECTIONAL DRILL (******) (2, 2")
11	EA	RECONNECT WATER METER	2	EA	JUNCTION BOX (******) (SPECIAL OVER-SIZED, HEAVY DUTY)
11	EA	FIRE HYDRANT	19	EA	JUNCTION BOX (STANDARD SIZE)
76	LF	FIRE HYDRANT LEG	17	EA	JUNCTION BOX (OVER-SIZED, HEAVY DUTY)
4	EA	8" LINE STOP	13	EA	WOOD POLE
197	LF	***" WATER SERVICE LINE (2")	34	EA	GUY ASSEMBLY
2,339	LF	WATER SERVICE LINE	3	EA	1" RISER WITH WEATHERHEAD
17	EA	SANITARY SEWER CLEAN-OUT	8	EA	2" RISER WITH WEATHERHEAD
235	LF	ABANDON 8" UTILITY PIPE	5	EA	2" RISER WITH HEAT SHRINK TUBING
5,323	LF	ABANDON 16" UTILITY PIPE	600	LF	INDUCTIVE LOOP SAWCUT
11	EA	REMOVE FIRE HYDRANT	2,110	LF	LEAD-IN CABLE (14-2)
211	LF	DIRECTIONAL DRILLING OF ***" (18")	12,699	LF	COMMUNICATIONS CABLE (** FIBER) (24)
45,690	LF	TEMPORARY SILT FENCE	305	LF	DROP CABLE
1,120	TON	STONE FOR EROSION CONTROL, CLASS A	3	EA	SPLICE ENCLOSURE
4,010	TON	STONE FOR EROSION CONTROL, CLASS B	1	EA	MODIFY SPLICE ENCLOSURE
3,680	TON	SEDIMENT CONTROL STONE	4	EA	INTERCONNECT CENTER
40.5	ACR	TEMPORARY MULCHING	18	EA	DELINEATOR MARKER
2,100	LB	SEED FOR TEMPORARY SEEDING	1	EA	MODIFY RADIO INSTALLATION
11	TON	FERTILIZER FOR TEMPORARY SEEDING	9	EA	METAL STRAIN SIGNAL POLE
585	LF	TEMPORARY SLOPE DRAINS	9	EA	SOIL TEST
1,120	LF	SAFETY FENCE	67.5	CY	DRILLED PIER FOUNDATION
23,370	CY	SILT EXCAVATION	6	EA	SIGN FOR SIGNALS
20,500	SY	MATTING FOR EROSION CONTROL	2	EA	TYPE II PEDESTAL WITH FOUNDATION
			3	EA	SIGNAL CABINET FOUNDATION

5 EA CONTROLLERS WITH CABINET
(******
(TYPE 2070LX, BASE MOUNTED)
12 EA DETECTOR CARD (TYPE 170)
5 EA CABINET BASE EXTENDER
1 EA METAL POLE FOUNDATION REMOVAL
1 EA METAL POLE REMOVAL
3 EA GENERIC SIGNAL ITEM
ETHERNET EDGE SWITCH
15 EA GENERIC SIGNAL ITEM
MICROWAVE VEHICLE DETECTION SYSTEM
- MULTIPLE ZONES

CULVERT ITEMS

Lump Sum LS REMOVAL OF EXISTING STRUCTURE AT
STATION *****
(55+17.00 -L-)
Lump Sum LS BOX CULVERT EXCAVATION, STA *****
(55+17.00 -L-)
355 TON FOUNDATION CONDITIONING MATERIAL,
BOX CULVERT
594.3 CY CLASS A CONCRETE (CULVERT)
85,862 LB REINFORCING STEEL (CULVERT)

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L260217

004

CONTRACT ID : C205167 2026CPT.05.08.20391.1

DIV OFFICE DURHAM

LENGTH = 17.404 MI

COUNTY : GRANVILLE

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION

DBE GOAL

COMPLETION DATE : SEP 30, 2027

10 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
13,993	SY	GEOTEXTILE FOR SUBGRADE STABILIZATION
6,301	TON	AGGREGATE BASE COURSE
872	TON	INCIDENTAL STONE BASE
34.75	SMI	SHOULDER RECONSTRUCTION
3,215	TON	AGGREGATE SHOULDER BORROW
1,713	GAL	PRIME COAT
13,524	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (9-1/2")
2,539	SY	INCIDENTAL MILLING
16,674	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,125	TON	ASPHALT BINDER FOR PLANT MIX
842	TON	PATCHING EXISTING PAVEMENT
2	EA	ADJUSTMENT OF MANHOLES
1,949	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
368,930	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
200	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 90 MILS)
150	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
17	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L260217

005

CONTRACT ID : C205174 2026CPT.05.12.10911.1

DIV OFFICE DURHAM

LENGTH = 16.828 MI

COUNTY : VANCE

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL

COMPLETION DATE : SEP 30, 2027

1 SECTION OF US-1 BUSINESS, AND 4 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
756	TON	INCIDENTAL STONE BASE
30.23	SMI	SHOULDER RECONSTRUCTION
2,795	TON	AGGREGATE SHOULDER BORROW
58,589	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")
12,742	SY	INCIDENTAL MILLING
10,312	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
5,539	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
1,008	TON	ASPHALT BINDER FOR PLANT MIX
206	TON	PATCHING EXISTING PAVEMENT
1,884	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
40	HR	LAW ENFORCEMENT
256,652	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
94,338	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
368	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
467	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
12	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
18	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
880	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (4") (III)
293	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS
450	LF	INDUCTIVE LOOP SAWCUT

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L260217

006

CONTRACT ID : C205088 47956.3.1

DIV OFFICE DURHAM

LENGTH = 13.384 MI

COUNTY : WAKE, FRANKLIN

PAVEMENT REHABILITATION.

DBE GOAL

COMPLETION DATE : JUN 30, 2028

I-87/US-64/US-264 FROM SR-1003 TO NASH COUNTY LINE.

ROADWAY ITEMS			106	TON	RIP RAP, CLASS I
Lump Sum	LS	MOBILIZATION	478	TON	RIP RAP, CLASS II
Lump Sum	LS	CONSTRUCTION SURVEYING	1,200	SY	GEOTEXTILE FOR DRAINAGE
2,250	LF	GENERIC MISCELLANEOUS ITEM TREE TRIMMING	1,200	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
Lump Sum	LS	GRADING	29	EA	SIGN ERECTION, TYPE E
10	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	5	EA	SIGN ERECTION, TYPE F
20	SY	FOUNDATION CONDITIONING GEOTEXTILE	11	EA	SIGN ERECTION, TYPE *** (OVERHEAD) (A)
4	LF	** CAA PIPE CULVERTS, *****" THICK (18", 0.075")	10	EA	SIGN ERECTION, TYPE *** (OVERHEAD) (B)
40	LF	** CAA PIPE CULVERTS, *****" THICK (24", 0.075")	29	EA	SIGN ERECTION, TYPE *** (GROUND MOUNTED) (A)
12	LF	** CAA PIPE CULVERTS, *****" THICK (36", 0.075")	14	EA	SIGN ERECTION, TYPE *** (GROUND MOUNTED) (B)
38	LF	PIPE REMOVAL	26	EA	SIGN ERECTION, MILEMARKERS
1,521	TON	INCIDENTAL STONE BASE	1	EA	SIGN ERECTION, RELOCATE TYPE *** (GROUND MOUNTED) (D)
61.45	SMI	SHOULDER RECONSTRUCTION	87	EA	DISPOSAL OF SUPPORT, U-CHANNEL
5,612	TON	AGGREGATE SHOULDER BORROW	21	EA	DISPOSAL OF SIGN, A OR B (OVERHEAD)
7,300	LF	DITCHING	43	EA	DISPOSAL OF SIGN, A & B (GROUND MOUNTED)
448,246	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")	36	EA	DISPOSAL OF SIGN, D, E OR F
7,050	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (2-1/2")	7	EA	DISPOSAL OF SIGN, MILEMARKER
193,274	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (2-1/4")	11	EA	DISPOSAL OF LIGHTING SYSTEM
12,715	SY	INCIDENTAL MILLING	11	EA	DISPOSAL OF WALKWAY
1,968	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	11	EA	GENERIC SIGNING ITEM
1,054	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C	928	SF	CUTTING OF SIGN HANGERS, OVERHEAD WORK ZONE SIGNS (STATIONARY)
60,674	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5D	5	EA	WORK ZONE DIGITAL SPEED LIMIT SIGNS
149	TON	ASPHALT BINDER FOR PLANT MIX	14	EA	WORK ZONE PRESENCE LIGHTING
4,412	TON	POLYMER MODIFIED ASPHALT BINDER FOR PLANT MIX	12	EA	SEQUENTIAL FLASHING WARNING LIGHTS
8	TON	PATCHING EXISTING PAVEMENT	8,326	HR	LAW ENFORCEMENT
17,810	TON	ULTRA-THIN BONDED WEARING COURSE	2	EA	GENERIC TRAFFIC CONTROL ITEM CONNECTED LANE CLOSURE SYSTEM
283,067	LF	GENERIC PAVING ITEM MILLED RUMBLE STRIPS (ASPHALT CONCRETE), (16")	4	EA	GENERIC TRAFFIC CONTROL ITEM DOUBLE LANE CLOSURE
0.56	CY	PIPE COLLARS	24	EA	GENERIC TRAFFIC CONTROL ITEM RAMP/LOOP CLOSURES
2	EA	MASONRY DRAINAGE STRUCTURES	261	EA	GENERIC TRAFFIC CONTROL ITEM SINGLE LANE CLOSURE
10.65	LF	MASONRY DRAINAGE STRUCTURES	3	EA	GENERIC TRAFFIC CONTROL ITEM TRIPLE LANE CLOSURE
2	EA	FRAME WITH COVER, STD 840.54	790	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
20	EA	GENERIC DRAINAGE ITEM DRAINAGE STRUCTURE CLEAN OUT	388,330	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
1	EA	GENERIC DRAINAGE ITEM RESET FLARED END SECTION	16,770	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
9,855	LF	GENERIC DRAINAGE ITEM CLEAR EXISTING SHOULDER BERM GUTTER	260	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
14,500	LF	GENERIC DRAINAGE ITEM CONCRETE DITCH CLEAN OUT	63	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
3,500	LF	GENERIC DRAINAGE ITEM SHOULDER DRAIN CLEAN OUT	2,500	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (6") (II)
22.5	SY	GENERIC DRAINAGE ITEM REMOVE AND REPLACE CONCRETE APRON FOR DROP INLET	790	LF	PAINT PAVEMENT MARKING LINES (4")
6	EA	IMPACT ATTENUATOR UNITS, TYPE TL-3	388,330	LF	PAINT PAVEMENT MARKING LINES (6")
41,650	LF	STEEL BEAM GUARDRAIL	16,770	LF	PAINT PAVEMENT MARKING LINES (12")
10	EA	ADDITIONAL GUARDRAIL POSTS	260	LF	PAINT PAVEMENT MARKING LINES (24")
37	EA	GUARDRAIL END UNITS, TYPE CAT-1	63	EA	PAINT PAVEMENT MARKING SYMBOL
16	EA	GUARDRAIL ANCHOR UNITS, TYPE III	3,967	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
46	EA	GUARDRAIL END UNITS, TYPE TL-3	570	LF	REMOVAL OF PAVEMENT MARKING LINES (8")
3	EA	GUARDRAIL ANCHOR UNITS, TYPE B-83	224	LF	REMOVAL OF PAVEMENT MARKING LINES (24")
43,954	LF	REMOVE EXISTING GUARDRAIL			

13	EA	REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS
3,860	EA	GENERIC PAVEMENT MARKING ITEM INLAID CRADLE MARKERS
Lump Sum	LS	PORATABLE LIGHTING
815	LF	TEMPORARY SILT FENCE
115	TON	STONE FOR EROSION CONTROL, CLASS A
50	TON	STONE FOR EROSION CONTROL, CLASS B
105	TON	SEDIMENT CONTROL STONE
0.5	ACR	TEMPORARY MULCHING
100	LB	SEED FOR TEMPORARY SEEDING
0.5	TON	FERTILIZER FOR TEMPORARY SEEDING
200	LF	TEMPORARY SLOPE DRAINS
395	LF	SAFETY FENCE
80	CY	SILT EXCAVATION
2,000	SY	MATTING FOR EROSION CONTROL
100	SY	COIR FIBER MAT
115	LF	1/4" HARDWARE CLOTH
3	EA	SPECIAL STILLING BASINS
260	LF	WATTLE BARRIER
4.5	ACR	SELECTIVE VEGETATION REMOVAL
0.5	ACR	SEEDING & MULCHING
0.5	ACR	MOWING
50	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
50	LB	SEED FOR SUPPLEMENTAL SEEDING
0.25	TON	FERTILIZER TOPDRESSING
38	LF	IMPERVIOUS DIKE
10	MHR	SPECIALIZED HAND MOWING
1	MHR	MANUAL LITTER REMOVAL
19	TON	LITTER DISPOSAL
25	EA	RESPONSE FOR EROSION CONTROL
1	EA	CONCRETE WASHOUT STRUCTURE
5	EA	GENERIC EROSION CONTROL ITEM PREFABRICATED CONCRETE WASHOUT
2,112	LF	INDUCTIVE LOOP SAWCUT
525	LF	LEAD-IN CABLE (14-2)

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L260217

007

CONTRACT ID : C204765 49618.3.1

DIV OFFICE DURHAM

LENGTH = 0.459 MI

COUNTY : WAKE

GRADING, DRAINAGE, PAVING, SIGNALS, AND CULVERT.

DBE GOAL

COMPLETION DATE : NOV 28, 2028

SR-3126 (AIRPORT BLVD) FROM GARDEN SQUARE LANE TO SR-1637 (CHURCH ST) IN MORRISVILLE.

ROADWAY ITEMS			1	EA	FRAME WITH COVER, STD 840.54
Lump Sum	LS	MOBILIZATION	6	EA	CONCRETE TRANSITIONAL SECTION FOR CATCH BASIN
Lump Sum	LS	CONSTRUCTION SURVEYING	10	EA	CONCRETE TRANSITIONAL SECTION FOR DROP INLET
32,900	CY	UNCLASSIFIED EXCAVATION	2,210	LF	1'-6" CONCRETE CURB & GUTTER
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING	6,990	LF	2'-6" CONCRETE CURB & GUTTER
5,300	CY	UNDERCUT EXCAVATION	2,710	SY	4" CONCRETE SIDEWALK
Lump Sum	LS	GRADING	10	EA	CONCRETE CURB RAMPS
100	CY	DRAINAGE DITCH EXCAVATION	30	SY	6" CONCRETE DRIVEWAY
5,650	CY	SELECT GRANULAR MATERIAL	510	SY	5" MONOLITHIC CONCRETE ISLANDS (KEYED IN)
6,550	SY	GEOTEXTILE FOR SOIL STABILIZATION	2,060	SY	GENERIC PAVING ITEM 10' MULTI-USE PATH
769	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	2	EA	ADJUSTMENT OF CATCH BASINS
2,372	SY	FOUNDATION CONDITIONING GEOTEXTILE	10	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
120	LF	15" DRAINAGE PIPE	875	LF	STEEL BEAM GUARDRAIL
52	LF	15" RC PIPE CULVERTS, CLASS III	2	EA	25' CLEAR SPAN GUARDRAIL SECTIONS
48	LF	30" RC PIPE CULVERTS, CLASS III	5	EA	ADDITIONAL GUARDRAIL POSTS
140	LF	****" RC PIPE CULVERTS, CLASS IV (78")	4	EA	GUARDRAIL END UNITS, TYPE CAT-1
3,656	LF	15" RC PIPE CULVERTS, CLASS IV	4	EA	GUARDRAIL END UNITS, TYPE TL-3
716	LF	18" RC PIPE CULVERTS, CLASS IV	260	LF	GENERIC GUARDRAIL ITEM WOOD RUB RAIL
88	LF	24" RC PIPE CULVERTS, CLASS IV	320	LF	GENERIC FENCING ITEM BICYCLE/PEDESTRIAN SAFETY RAIL
184	LF	30" RC PIPE CULVERTS, CLASS IV	320	LF	GENERIC FENCING ITEM BOLLARDS
1,577	LF	PIPE REMOVAL	55	TON	RIP RAP, CLASS I
225	CY	SHALLOW UNDERCUT	135	TON	RIP RAP, CLASS II
450	TON	CLASS IV SUBGRADE STABILIZATION	105	TON	RIP RAP, CLASS B
300	SY	GEOTEXTILE FOR SUBGRADE STABILIZATION	1,255	SY	GEOTEXTILE FOR DRAINAGE
149	TON	AGGREGATE BASE COURSE	440	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
50	TON	INCIDENTAL STONE BASE	54	EA	SIGN ERECTION, TYPE E
9,130	SY	MILLING ASPHALT PAVEMENT, ****" DEPTH (1-1/2")	32	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
1,720	SY	INCIDENTAL MILLING	694	SF	WORK ZONE SIGNS (STATIONARY)
6,290	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	258	SF	WORK ZONE SIGNS (PORTABLE)
6,070	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C	274	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
6,100	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B	2	EA	FLASHING ARROW BOARD
975	TON	ASPHALT BINDER FOR PLANT MIX	56	DAY	PORTABLE CHANGEABLE MESSAGE SIGN (SHORT TERM)
200	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR	115	EA	DRUMS
66	EA	RIGHT-OF-WAY MARKERS	81	EA	CONES
157	CY	SUBDRAIN EXCAVATION	152	LF	BARRICADES (TYPE III)
700	SY	GEOTEXTILE FOR SUBSURFACE DRAINS	1,332	LF	PEDESTRIAN CHANNELIZING DEVICES
118	CY	SUBDRAIN COARSE AGGREGATE	80	DAY	FLAGGER
700	LF	6" PERFORATED SUBDRAIN PIPE	2	EA	TMA
2	EA	SUBDRAIN PIPE OUTLET	39	EA	TUBULAR MARKERS (FIXED)
12	LF	6" OUTLET PIPE	19,279	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
7.9	CY	REINFORCED ENDWALLS	1,638	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
1,312	CY	PIPE COLLARS	2,243	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
20	CY	FLOWABLE FILL	2,819	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
64	EA	MASONRY DRAINAGE STRUCTURES	40	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
6	LF	MASONRY DRAINAGE STRUCTURES	70	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
12	EA	FRAME WITH TWO GRATES, STD 840.16	10	EA	HEATED-IN-PLACE THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
4	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (E)	24,035	LF	PAINT PAVEMENT MARKING LINES (4")
21	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F)	2,132	LF	PAINT PAVEMENT MARKING LINES (8")
26	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (G)			

1,500	LF	PAINT PAVEMENT MARKING LINES (12")	1	EA	CONCRETE WASHOUT STRUCTURE
1,004	LF	PAINT PAVEMENT MARKING LINES (24")	298	CY	CULVERT DIVERSION CHANNEL
18	EA	PAINT PAVEMENT MARKING CHARACTER	2	ACR	REFORESTATION
2	EA	PAINT PAVEMENT MARKING SYMBOL	237	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION CLEANOUT
8,827	LF	REMOVAL OF PAVEMENT MARKING LINES (4")	79	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION, TYPE 1
88	LF	REMOVAL OF PAVEMENT MARKING LINES (24")	6	EA	GENERIC EROSION CONTROL ITEM PREFABRICATED CONCRETE WASHOUT
12	EA	REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS	8	EA	PEDESTRIAN SIGNAL HEAD (16", 1 SECTION W/COUNTDOWN)
44	LF	GENERIC PAVEMENT MARKING ITEM YIELD LINE PAINT PAVEMENT MARKING (12")	5,200	LF	SIGNAL CABLE
44	LF	GENERIC PAVEMENT MARKING ITEM YIELD LINE THERMOPLASTIC PAVEMENT MARKING (12", 90 MILS)	15	EA	VEHICLE SIGNAL HEAD (12", 3 SECTION)
545	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS	6	EA	VEHICLE SIGNAL HEAD (12", 4 SECTION)
Lump Sum	LS	PORTABLE LIGHTING	4	EA	VEHICLE SIGNAL HEAD (12", 5 SECTION)
4,560	LF	GENERIC LIGHTING ITEM 2" STREET LIGHTING CONDUIT, TYPE BD	8	EA	APS DETECTOR STATION
350	LF	GENERIC LIGHTING ITEM 2" STREET LIGHTING CONDUIT, TYPE TL	3	EA	CENTRAL CONTROL UNIT APS DETECTOR STATION
2,103	LF	12" WATER LINE	675	LF	MESSENGER CABLE (3/8")
4,885	LB	DUCTILE IRON WATER PIPE FITTINGS	5,475	LF	TRACER WIRE
4	EA	6" VALVE	25	LF	PAVED TRENCHING (***** (1, 2")
6	EA	12" VALVE	1,325	LF	UNPAVED TRENCHING (***** (1, 2")
1	EA	**" WATER METER (1")	4,450	LF	UNPAVED TRENCHING (***** (2, 2")
1	EA	**" RPZ BACKFLOW PREVENTION ASSEMBLY (1")	255	LF	DIRECTIONAL DRILL (***** (1, 2")
4	EA	FIRE HYDRANT	1,300	LF	DIRECTIONAL DRILL (***** (2, 2")
106	LF	FIRE HYDRANT LEG	3	EA	JUNCTION BOX (***** (SPECIAL OVERSIZED)
85	LF	**" WATER SERVICE LINE (1")	15	EA	JUNCTION BOX (STANDARD SIZE)
20	LF	8" SANITARY GRAVITY SEWER	12	EA	JUNCTION BOX (OVER-SIZED, HEAVY DUTY)
1	EA	4' DIA UTILITY MANHOLE	2,400	LF	INDUCTIVE LOOP SAWCUT
8	LF	UTILITY MANHOLE WALL 4' DIA	5,000	LF	LEAD-IN CABLE (14-2)
2	EA	REMOVE WATER METER	5,825	LF	COMMUNICATIONS CABLE (** FIBER) (24)
4	EA	REMOVE FIRE HYDRANT	555	LF	DROP CABLE
1	EA	REMOVE UTILITY MANHOLE	3	EA	SPLICE ENCLOSURE
25	LF	**" ENCASEMENT PIPE (4")	1	EA	MODIFY SPLICE ENCLOSURE
40	LF	24" ENCASEMENT PIPE	3	EA	INTERCONNECT CENTER
13,030	LF	TEMPORARY SILT FENCE	10	EA	DELINEATOR MARKER
245	TON	STONE FOR EROSION CONTROL, CLASS A	6	EA	METAL STRAIN SIGNAL POLE
295	TON	STONE FOR EROSION CONTROL, CLASS B	4	EA	METAL POLE WITH SINGLE MAST ARM
1,035	TON	SEDIMENT CONTROL STONE	10	EA	SOIL TEST
5.5	ACR	TEMPORARY MULCHING	60	CY	DRILLED PIER FOUNDATION
300	LB	SEED FOR TEMPORARY SEEDING	4	EA	MAST ARM WITH METAL POLE DESIGN
2.5	TON	FERTILIZER FOR TEMPORARY SEEDING	9	EA	SIGN FOR SIGNALS
200	LF	TEMPORARY SLOPE DRAINS	6	EA	TYPE II PEDESTAL WITH FOUNDATION
260	LF	SAFETY FENCE	3	EA	SIGNAL CABINET FOUNDATION
1,540	CY	SILT EXCAVATION	3	EA	CONTROLLERS WITH CABINET (***** (2070LXN2, NEMA TS-2, BASE MOUNTED)
10,000	SY	MATTING FOR EROSION CONTROL	11	EA	DETECTOR CARD (NEMA TS-2)
100	SY	COIR FIBER MAT	3	EA	CABINET BASE EXTENDER
4,150	LF	1/4" HARDWARE CLOTH	3	EA	GENERIC SIGNAL ITEM ETHERNET EDGE SWITCH
100	SY	LOW PERMEABILITY GEOTEXTILE	1	EA	GENERIC SIGNAL ITEM RELOCATE RECTANGULAR RAPID FLASHING BEACON ASSEMBLY
4	EA	SPECIAL STILLING BASINS	CULVERT ITEMS		
150	LB	FLOCCULANT	Lump Sum	LS	BOX CULVERT EXCAVATION, STA ***** (18+78.00 -L-)
300	LF	COIR FIBER WATTLE	117.5	TON	FOUNDATION CONDITIONING MATERIAL, BOX CULVERT
460	LF	COIR FIBER BAFFLE	125.7	CY	CLASS A CONCRETE (CULVERT)
1	EA	**" SKIMMER (2")	19,723	LB	REINFORCING STEEL (CULVERT)
6	ACR	SEEDING & MULCHING			
6	ACR	MOWING			
50	LB	SEED FOR REPAIR SEEDING			
0.25	TON	FERTILIZER FOR REPAIR SEEDING			
100	LB	SEED FOR SUPPLEMENTAL SEEDING			
3	TON	FERTILIZER TOPDRESSING			
55	LF	IMPERVIOUS DIKE			
10	MHR	SPECIALIZED HAND MOWING			
75	EA	RESPONSE FOR EROSION CONTROL			

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L260217

008

CONTRACT ID : C204936 67060.3.1

DIV OFFICE CARTHAGE

LENGTH = 0.426 MI

COUNTY : ALAMANCE

GRADING, DRAINAGE, PAVING, AND STRUCTURES.

DBE GOAL COMPLETION DATE : NOV 11, 2028

BRIDGE #000014 OVER CANE CREEK ON NC-87.

ROADWAY ITEMS			4	EA	GUARDRAIL ANCHOR UNITS, TYPE B-77
Lump Sum	LS	MOBILIZATION	990	LF	REMOVE EXISTING GUARDRAIL
Lump Sum	LS	CONSTRUCTION SURVEYING	1,738	LF	TEMPORARY STEEL BEAM GUARDRAIL
Lump Sum	LS	GRADING	4	EA	TEMPORARY GUARDRAIL ANCHOR UNITS, TYPE ***** (III)
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING	6	EA	TEMPORARY GUARDRAIL END UNITS, TYPE ***** (TL-3)
920	CY	UNDERCUT EXCAVATION	10	EA	TEMPORARY ADDITIONAL GUARDRAIL POSTS
200	CY	SELECT GRANULAR MATERIAL	11	TON	RIP RAP, CLASS I
1,400	SY	GEOTEXTILE FOR SOIL STABILIZATION	590	TON	RIP RAP, CLASS B
750	SF	TEMPORARY SHORING	1,550	SY	GEOTEXTILE FOR DRAINAGE
Lump Sum	LS	GENERIC GRADING ITEM TYPE I BRIDGE APPROACH FILL, STATION 21+19.00 -L-	8	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (D)
100	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	18	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (E)
305	SY	FOUNDATION CONDITIONING GEOTEXTILE	60	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
308	LF	15" DRAINAGE PIPE	2	EA	SIGN ERECTION, TYPE D
168	LF	15" RC PIPE CULVERTS, CLASS III	2	EA	SIGN ERECTION, TYPE E
32	LF	18" RC PIPE CULVERTS, CLASS III	4	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
52	LF	24" RC PIPE CULVERTS, CLASS III	128	SF	WORK ZONE SIGNS (STATIONARY)
236	LF	30" RC PIPE CULVERTS, CLASS III	224	SF	WORK ZONE SIGNS (PORTABLE)
44	LF	18" RC PIPE CULVERTS, CLASS IV	72	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
32	LF	15" CS PIPE CULVERTS, 0.064" THICK	117	EA	DRUMS
36	LF	18" CS PIPE CULVERTS, 0.064" THICK	36	LF	BARRICADES (TYPE III)
2	EA	*** CS PIPE ELBOWS, ***** THICK (15", 0.064")	28	DAY	FLAGGER
2	EA	*** CS PIPE ELBOWS, ***** THICK (18", 0.064")	122	EA	TEMPORARY RAISED PAVEMENT MARKERS
179	LF	PIPE REMOVAL	11,456	LF	PAINT PAVEMENT MARKING LINES (4")
150	CY	SHALLOW UNDERCUT	4,093	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
450	TON	CLASS IV SUBLGRADE STABILIZATION	11,788	LF	GENERIC PAVEMENT MARKING ITEM INTEGRATED MULTIPOLYMER PAVEMENT MARKING LINES (4", 90 MILS)
450	SY	GEOTEXTILE FOR SUBLGRADE STABILIZATION	42	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS
1,727	TON	AGGREGATE BASE COURSE	3	EA	PERMANENT RAISED PAVEMENT MARKERS
500	TON	INCIDENTAL STONE BASE	5,600	LF	TEMPORARY SILT FENCE
602	GAL	PRIME COAT	150	TON	STONE FOR EROSION CONTROL, CLASS A
220	SY	INCIDENTAL MILLING	1,850	TON	STONE FOR EROSION CONTROL, CLASS B
2,170	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	660	TON	SEDIMENT CONTROL STONE
1,060	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C	6	ACR	TEMPORARY MULCHING
1,870	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C	400	LB	SEED FOR TEMPORARY SEEDING
275	TON	ASPHALT BINDER FOR PLANT MIX	3	TON	FERTILIZER FOR TEMPORARY SEEDING
500	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR	570	LF	TEMPORARY SLOPE DRAINS
44.8	CY	SUBDRAIN EXCAVATION	460	LF	SAFETY FENCE
200	SY	GEOTEXTILE FOR SUBSURFACE DRAINS	4,580	CY	SILT EXCAVATION
33.6	CY	SUBDRAIN COARSE AGGREGATE	22,100	SY	MATTING FOR EROSION CONTROL
200	LF	6" PERFORATED SUBDRAIN PIPE	100	SY	COIR FIBER MAT
1	EA	SUBDRAIN PIPE OUTLET	550	LF	1/4" HARDWARE CLOTH
6	LF	6" OUTLET PIPE	200	SY	LOW PERMEABILITY GEOTEXTILE
0.13	CY	PIPE PLUGS	285	LF	*** TEMPORARY PIPE (24")
3	CY	FLOWABLE FILL	80	SY	FLOATING TURBIDITY CURTAIN
8	EA	MASONRY DRAINAGE STRUCTURES	485	LB	FLOCCULANT
1	LF	MASONRY DRAINAGE STRUCTURES	80	LF	COIR FIBER WATTLE
4	EA	FRAME WITH TWO GRATES, STD 840.20	660	LF	COIR FIBER BAFFLE
3	EA	FRAME WITH TWO GRATES, STD 840.22	6	EA	*** SKIMMER (1-1/2")
98	LF	SHOULDER BERM GUTTER	6	ACR	SEEDING & MULCHING
1,800	LF	STEEL BEAM GUARDRAIL			
10	EA	ADDITIONAL GUARDRAIL POSTS			
6	EA	GUARDRAIL END UNITS, TYPE TL-3			

3	ACR	MOWING
100	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
200	LB	SEED FOR SUPPLEMENTAL SEEDING
5.75	TON	FERTILIZER TOPDRESSING
10	MHR	SPECIALIZED HAND MOWING
3	MHR	MANUAL LITTER REMOVAL
1	TON	LITTER DISPOSAL
25	EA	RESPONSE FOR EROSION CONTROL
1	EA	CONCRETE WASHOUT STRUCTURE
0.1	ACR	REFORESTATION
18	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION CLEANOUT
6	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION, TYPE 1
3	EA	GENERIC EROSION CONTROL ITEM PREFABRICATED CONCRETE WASHOUT STRUCTURE ITEMS
Lump Sum	LS	CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP STRUCTURE AT STA ***** (21+22.00 -L- DET)
Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (21+19.00 -L-)
Lump Sum	LS	ASBESTOS ASSESSMENT
18.8	LF	PILE EXCAVATION IN SOIL
51.2	LF	PILE EXCAVATION NOT IN SOIL
50.6	LF	3'-0" DIA DRILLED PIERS IN SOIL
111.4	LF	3'-0" DIA DRILLED PIERS NOT IN SOIL
51.6	LF	PERMANENT STEEL CASING FOR 3'-0" DIA DRILLED PIER
2	EA	CSL TESTING
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ***** (21+19.00 -L-)
8,962	SF	REINFORCED CONCRETE DECK SLAB
8,492	SF	GROOVING BRIDGE FLOORS
103.7	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ***** (21+19.00 -L-)
29,971	LB	REINFORCING STEEL (BRIDGE)
3,580	LB	SPIRAL COLUMN REINFORCING STEEL (BRIDGE)
909	LF	54" PRESTRESSED CONCRETE GIRDERS
14	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES (HP 12 X 53)
300	LF	HP 12 X 53 STEEL PILES
14	EA	STEEL PILE POINTS
1	EA	DYNAMIC PILE TESTING
456.67	LF	CONCRETE BARRIER RAIL
1,025	TON	RIP RAP CLASS II (2'-0" THICK)
1,140	SY	GEOTEXTILE FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L260217 009

CONTRACT ID : C205166 2026CPT.08.08.10471

DIV OFFICE CARTHAGE

LENGTH = 20.180 MI

COUNTY : HOKE, SCOTLAND

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL

COMPLETION DATE : SEP 30, 2027

1 SECTION OF US-401, 1 SECTION OF NC-79, AND 4 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
22.7	SMI	SHOULDER RECONSTRUCTION
3,178.51	TON	AGGREGATE SHOULDER BORROW
142,302	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")
17,078	SY	INCIDENTAL MILLING
12,830	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
14,369	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
1,720	TON	ASPHALT BINDER FOR PLANT MIX
805	TON	PATCHING EXISTING PAVEMENT
2	EA	ADJUSTMENT OF MANHOLES
2,271	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
320	HR	LAW ENFORCEMENT
118,638	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
8,206	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
354	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
36	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
163	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
41,059	LF	PAINT PAVEMENT MARKING LINES (4")
418,692	LF	PAINT PAVEMENT MARKING LINES (6")
342	LF	PAINT PAVEMENT MARKING LINES (24")
36	EA	PAINT PAVEMENT MARKING CHARACTER
1,308	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS
Lump Sum	LS	PORTABLE LIGHTING
540	LF	INDUCTIVE LOOP SAWCUT
750	LF	LEAD-IN CABLE (14-2)

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L260217

010

CONTRACT ID : C205173 2026CPT.08.09.10621

DIV OFFICE WINSTON-SALEM

LENGTH = 14.416 MI

COUNTY : MONTGOMERY

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL

COMPLETION DATE : SEP 30, 2027

1 SECTION EACH OF US-220 ALT, NC-109, NC-134, & NC-731, AND 5 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
26.27	SMI	SHOULDER RECONSTRUCTION
3,655.68	TON	AGGREGATE SHOULDER BORROW
37,150	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
9,980	SY	INCIDENTAL MILLING
18,596	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,234	TON	ASPHALT BINDER FOR PLANT MIX
520	TON	PATCHING EXISTING PAVEMENT
12,420	SY	ASPHALT SURFACE TREATMENT, MAT COAT, #*** STONE (#67)
4,968	GAL	EMULSION FOR ASPHALT SURFACE TREATMENT
1	WK	VACUUM TRUCK
5	EA	ADJUSTMENT OF DROP INLETS
6	EA	ADJUSTMENT OF MANHOLES
5	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
1,740	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
40	HR	LAW ENFORCEMENT
229,405	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
1,210	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
180	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
150	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 90 MILS)
350	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
6	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
78	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
3,700	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (6") (II)
197,925	LF	PAINT PAVEMENT MARKING LINES (6")
830	LF	PAINT PAVEMENT MARKING LINES (8")
350	LF	PAINT PAVEMENT MARKING LINES (16")
270	LF	PAINT PAVEMENT MARKING LINES (24")
8	EA	PAINT PAVEMENT MARKING CHARACTER
58	EA	PAINT PAVEMENT MARKING SYMBOL
32	LF	GENERIC PAVEMENT MARKING ITEM YIELD LINE THERMOPLASTIC PAVEMENT MARKING (24", 90 MILS)
960	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS
Lump Sum	LS	PORTABLE LIGHTING
1,200	LF	INDUCTIVE LOOP SAWCUT
100	LF	LEAD-IN CABLE (14-2)

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L260217 011

CONTRACT ID : C205152 15BPR.148.3

DIV OFFICE WINSTON-SALEM

LENGTH = 0.043 MI

COUNTY : FORSYTH

BRIDGE PRESERVATION.

DBE GOAL

COMPLETION DATE : OCT 30, 2026

BRIDGE #330078 OVER I-40 ON US-52/US-311/NC-8.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
500	SF	WORK ZONE SIGNS (STATIONARY)
814	SF	WORK ZONE SIGNS (PORTABLE)
64	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
6	EA	FLASHING ARROW BOARD
14	EA	PORTABLE CHANGEABLE MESSAGE SIGN
212	EA	DRUMS
72	LF	BARRICADES (TYPE III)
4	EA	TMA
2	EA	GENERIC TRAFFIC CONTROL ITEM CONNECTED LANE CLOSURE SYSTEM
52	EA	GENERIC TRAFFIC CONTROL ITEM SEQUENTIAL FLASHING WARNING LIGHTS
Lump Sum	LS	PORTABLE LIGHTING

STRUCTURE ITEMS

270	LF	GENERIC STRUCTURE ITEM REPLACEMENT OF FOAM JOINT SEALS
84	EA	GENERIC STRUCTURE ITEM ELASTOMERIC BEARING
6	EA	GENERIC STRUCTURE ITEM TYPE II BRIDGE JACKING BRIDGE #330078

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L260217

012

CONTRACT ID : C205170 2026CPT.09.07.10801

DIV OFFICE WINSTON-SALEM

LENGTH = 29.668 MI

COUNTY : ROWAN

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL

COMPLETION DATE : SEP 30, 2027

1 SECTION OF US-29 S, 1 SECTION US-29 N, AND 13 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
1,366	TON	INCIDENTAL STONE BASE
54.89	SMI	SHOULDER RECONSTRUCTION
9,300	TON	AGGREGATE SHOULDER BORROW
113,016	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
62,055	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (2")
46,256	SY	INCIDENTAL MILLING
31,702	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
11,887	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
3,250	TON	ASPHALT BINDER FOR PLANT MIX
1,960	TON	PATCHING EXISTING PAVEMENT
100,645	SY	ASPHALT SURFACE TREATMENT, MAT COAT, #*** STONE (#67)
38,250	GAL	EMULSION FOR ASPHALT SURFACE TREATMENT
8,190	TON	GENERIC PAVING ITEM ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C (LEVELING COURSE)
20	EA	ADJUSTMENT OF MANHOLES
10	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
2,886	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
379,588	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
169,250	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
310	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
735	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
232	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 90 MILS)
1,550	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
44	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
104	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
172,175	LF	PAINT PAVEMENT MARKING LINES (4")
735	LF	PAINT PAVEMENT MARKING LINES (8")
752	LF	PAINT PAVEMENT MARKING LINES (24")
16	EA	PAINT PAVEMENT MARKING CHARACTER
103	EA	PAINT PAVEMENT MARKING SYMBOL
700	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS
Lump Sum	LS	PORTABLE LIGHTING

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L260217 013

CONTRACT ID : C205169 2026CPT.09.09.10851

DIV OFFICE WINSTON-SALEM

LENGTH = 24.946 MI

COUNTY : STOKES

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL

COMPLETION DATE : SEP 30, 2027

2 SECTIONS OF NC-268, AND 3 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
1,010	TON	INCIDENTAL STONE BASE
49.89	SMI	SHOULDER RECONSTRUCTION
9,631	TON	AGGREGATE SHOULDER BORROW
103,757	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
2,035	SY	MILLING ASPHALT PAVEMENT, **** TO ***** (0" TO 1-1/2")
23,253	SY	INCIDENTAL MILLING
20,057	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
14,320	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
2,264	TON	ASPHALT BINDER FOR PLANT MIX
2,400	TON	PATCHING EXISTING PAVEMENT
12	EA	ADJUSTMENT OF MANHOLES
40	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
2,733	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
66,364	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
466,868	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
30	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
213	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
10	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
21	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
169,784	LF	PAINT PAVEMENT MARKING LINES (4")
910	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L260217

014

CONTRACT ID : C205098 49996.3.1

DIV OFFICE WINSTON-SALEM

LENGTH = 10.970 MI

COUNTY : DAVIDSON, FORSYTH

PAVEMENT REHABILITATION.

DBE GOAL

COMPLETION DATE : SEP 15, 2028

I-285/US-52/NC-8 FROM SR-3010 (OLD US-52) TO SR-4205 (S MAIN ST).

ROADWAY ITEMS			Lump Sum	LS	PORTABLE LIGHTING
Lump Sum	LS	MOBILIZATION	500	LF	TEMPORARY SILT FENCE
780	CY	SHALLOW UNDERCUT	300	LF	SAFETY FENCE
1,570	TON	CLASS IV SUBGRADE STABILIZATION	800	LF	WATTLE
2,330	SY	GEOTEXTILE FOR SUBGRADE STABILIZATION	100	LB	SEED FOR REPAIR SEEDING
4,650	SY	REPAIR OF JOINTED CONCRETE PAVEMENT SLABS	0.25	TON	FERTILIZER FOR REPAIR SEEDING
350	SF	PATCHING CONCRETE PAVEMENT SPALLS	5	EA	CONCRETE WASHOUT STRUCTURE
499,500	LF	GENERIC PAVING ITEM JOINT CONSTRUCTION, REPAIR AND SEALING	15	EA	GENERIC EROSION CONTROL ITEM PREFABRICATED CONCRETE WASHOUT
350,000	SY	GENERIC PAVING ITEM DIAMOND GRINDING PCC PAVEMENT			
1,240	LF	MILLED RUMBLE STRIPS (CONCRETE SHOULDER)			
108,100	LB	GENERIC PAVING ITEM FLEXIBLE REPAIR FOR EXISTING PAVEMENT CRACKS			
596	SF	HIGH VISIBILITY STATIONARY SIGNS			
87	SF	WORK ZONE SIGNS (PORTABLE)			
786	SF	HIGH VISIBILITY PORTABLE SIGNS			
64	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)			
4	EA	FLASHING ARROW BOARD			
6	EA	PORTABLE CHANGEABLE MESSAGE SIGN			
358	EA	HIGH VISIBILITY DRUMS			
26	EA	SEQUENTIAL FLASHING WARNING LIGHTS			
50	EA	CONES			
40	LF	BARRICADES (TYPE III)			
3	EA	TMA			
640	HR	LAW ENFORCEMENT			
4	EA	GENERIC TRAFFIC CONTROL ITEM CONNECTED LANE CLOSURE SYSTEM			
264	EA	GENERIC TRAFFIC CONTROL ITEM HIGH VISIBILITY SKINNY DRUMS			
59	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (24") (II)			
25	EA	COLD APPLIED PLASTIC PAVEMENT MARKING SYMBOL, TYPE ** (II)			
290,000	LF	PAINT PAVEMENT MARKING LINES (6")			
8,100	LF	PAINT PAVEMENT MARKING LINES (12")			
59	LF	PAINT PAVEMENT MARKING LINES (24")			
20	EA	PAINT PAVEMENT MARKING SYMBOL			
8,100	LF	POLYUREA PAVEMENT MARKING LINES (**", ** MILS) (12", 30 MILS)			
290,000	LF	POLYUREA PAVEMENT MARKING LINES (**", ** MILS) (6", 30 MILS)			
290,000	LF	REMOVAL OF PAVEMENT MARKING LINES (6")			
8,100	LF	REMOVAL OF PAVEMENT MARKING LINES (12")			
59	LF	REMOVAL OF PAVEMENT MARKING LINES (24")			
34	EA	REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS			
3,742	LF	CURING COMPOUND REMOVAL, LINES			
30	LF	GENERIC PAVEMENT MARKING ITEM YIELD LINE COLD APPLIED PLASTIC PAVEMENT MARKING, TYPE III (24")			
30	LF	GENERIC PAVEMENT MARKING ITEM YIELD LINE PAINT PAVEMENT MARKING (24")			
2,550	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS			

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L260217 015

CONTRACT ID : C205168 2026CPT.10.09.10601

DIV OFFICE ALBEMARLE

LENGTH = 13.600 MI

COUNTY : MECKLENBURG

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL

COMPLETION DATE : SEP 30, 2027

2 SECTIONS OF US-21, 1 SECTION OF NC-24, & 1 SECTION OF NC-51, AND 14 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
195	CY	BORROW EXCAVATION
165	TON	INCIDENTAL STONE BASE
7.84	SMI	SHOULDER RECONSTRUCTION
872	TON	AGGREGATE SHOULDER BORROW
167,521	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")
26,635	SY	INCIDENTAL MILLING
6,022	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
15,453	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
1,443	TON	ASPHALT BINDER FOR PLANT MIX
2,900	TON	PATCHING EXISTING PAVEMENT
160	SY	6" CONCRETE DRIVEWAY
6	EA	ADJUSTMENT OF MANHOLES
5	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
1,591	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
740	HR	LAW ENFORCEMENT
197,312	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
1,860	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
6,220	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
338	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 90 MILS)
833	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
56	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
151	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
13	EA	HEATED-IN-PLACE THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
133,848	LF	PAINT PAVEMENT MARKING LINES (4")
1,860	LF	PAINT PAVEMENT MARKING LINES (6")
5,039	LF	PAINT PAVEMENT MARKING LINES (8")
644	LF	PAINT PAVEMENT MARKING LINES (16")
981	LF	PAINT PAVEMENT MARKING LINES (24")
42	EA	PAINT PAVEMENT MARKING CHARACTER
137	EA	PAINT PAVEMENT MARKING SYMBOL
3	EA	IN LANE ROUTE SHIELDS
20	LF	GENERIC PAVEMENT MARKING ITEM YIELD LINE THERMOPLASTIC PAVEMENT MARKING (24", 90 MILS)
568	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS
924	EA	PERMANENT RAISED PAVEMENT MARKERS
Lump Sum	LS	PORTABLE LIGHTING
0.75	ACR	SEEDING & MULCHING
5,368	LF	INDUCTIVE LOOP SAWCUT

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L260217

016

CONTRACT ID : C205095 48173.3.1

DIV OFFICE ALBEMARLE

LENGTH = 0.467 MI

COUNTY : MECKLENBURG

GRADING, DRAINAGE, PAVING, SIGNALS, AND CULVERTS.

DBE GOAL

COMPLETION DATE : MAY 13, 2028

SR-2415 (BAILEY RD) FROM POOLE PLACE DR TO US-21 (STATESVILLE RD).

ROADWAY ITEMS			17.9	LF	MASONRY DRAINAGE STRUCTURES
Lump Sum	LS	MOBILIZATION	6	EA	FRAME WITH TWO GRATES, STD 840.29
Lump Sum	LS	CONSTRUCTION SURVEYING	2	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (E)
Lump Sum	LS	CLEARING & GRUBBING .. ACRE(S)	4	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F)
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING	5	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (G)
3,600	CY	UNCLASSIFIED EXCAVATION	3	EA	FRAME WITH COVER, STD 840.54
4,050	CY	UNDERCUT EXCAVATION	160	LF	*** X *** CONCRETE CURB (8" X 18")
74,400	CY	BORROW EXCAVATION	1,980	LF	2'-6" CONCRETE CURB & GUTTER
980	CY	DRAINAGE DITCH EXCAVATION	600	LF	SHOULDER BERM GUTTER
630	SY	REMOVAL OF EXISTING ASPHALT PAVEMENT	1,900	SY	4" CONCRETE SIDEWALK
120	SY	REMOVAL OF EXISTING CONCRETE PAVEMENT	4	EA	CONCRETE CURB RAMPS
10	HR	PROOF ROLLING	70	SY	6" CONCRETE DRIVEWAY
500	CY	SELECT GRANULAR MATERIAL	330	SY	5" MONOLITHIC CONCRETE ISLANDS (SURFACE MOUNTED)
7,600	SY	GEOTEXTILE FOR SOIL STABILIZATION	860	LF	GENERIC PAVING ITEM
120	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	192	LF	1'-6" CONCRETE CURB & GUTTER, CLASS AA CONCRETE
380	SY	FOUNDATION CONDITIONING GEOTEXTILE	690	LF	GENERIC PAVING ITEM
192	LF	15" DRAINAGE PIPE	4	EA	2'-6" CONCRETE CURB & GUTTER (MODIFIED SPILL)
24	LF	18" DRAINAGE PIPE	1,975	LF	STEEL BEAM GUARDRAIL
16	LF	36" DRAINAGE PIPE	48	LF	STEEL BEAM GUARDRAIL, SHOP CURVED
4	EA	*** DRAINAGE PIPE ELBOWS (15")	140	LF	ADDITIONAL GUARDRAIL POSTS
48	LF	15" SIDE DRAIN PIPE	524	LF	GUARDRAIL END UNITS, TYPE CAT-1
140	LF	*** RC PIPE CULVERTS, CLASS IV (60")	44	LF	GUARDRAIL END UNITS, TYPE TL-3
524	LF	15" RC PIPE CULVERTS, CLASS IV	124	LF	GUARDRAIL END UNITS, TYPE TL-2
44	LF	18" RC PIPE CULVERTS, CLASS IV	108	LF	REMOVE EXISTING GUARDRAIL
124	LF	30" RC PIPE CULVERTS, CLASS IV	Lump Sum	LS	GENERIC FENCING ITEM
108	LF	PIPE REMOVAL			BICYCLE/PEDESTRIAN SAFETY RAIL
1,230	CY	FINE GRADING	1,230	CY	RIP RAP, CLASS I
2,460	TON	SHALLOW UNDERCUT	2,460	TON	RIP RAP, CLASS II
500	TON	CLASS IV SUBGRADE STABILIZATION	500	TON	RIP RAP, CLASS B
11,933	SY	STABILIZER AGGREGATE	11,933	SY	GEOTEXTILE FOR SUBGRADE STABILIZATION
2,573	TON	AGGREGATE BASE COURSE	13	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (D)
1,800	SY	MILLING ASPHALT PAVEMENT, *** DEPTH (1-1/2")	147	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (E)
350	SY	INCIDENTAL MILLING	458	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
1,310	TON	INCIDENTAL MILLING	1,310	TON	SIGN ERECTION, TYPE E
2,360	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	2,360	TON	SIGN ERECTION, RELOCATE TYPE **** (GROUND MOUNTED)
1,990	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C	1,990	TON	(E)
305	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B	7	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
500	SY	ASPHALT BINDER FOR PLANT MIX	2	EA	DISPOSAL OF SUPPORT, U-CHANNEL
340	SY	GENERIC PAVING ITEM	449	SF	WORK ZONE SIGNS (STATIONARY)
		12" CONCRETE TRUCK APRON, CLASS AA CONCRETE	229	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
360	CY	12" CONCRETE TRUCK APRON, CLASS AA CONCRETE WITH BLACK TINT	203	EA	DRUMS
1,051	SY	SUBDRAIN EXCAVATION	344	LF	BARRICADES (TYPE III)
177	CY	GEOTEXTILE FOR SUBSURFACE DRAINS	292	LF	PEDESTRIAN CHANNELIZING DEVICES
1,051	LF	SUBDRAIN COARSE AGGREGATE	70	DAY	FLAGGER
1,051	LF	6" PERFORATED SUBDRAIN PIPE	292	LF	WATER FILLED BARRIER
3	EA	6" OUTLET PIPE	1	EA	GENERIC TRAFFIC CONTROL ITEM
61	LF	SUBDRAIN PIPE OUTLET	16,035	LF	TEMPORARY CURB RAMPS
11.2	CY	6" REINFORCED ENDWALLS	533	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
20	EA	MASONRY DRAINAGE STRUCTURES			THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)

35	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)	136	CY	CULVERT DIVERSION CHANNEL
125	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)	126	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION CLEANOUT
16	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)	42	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION, TYPE 2
4,579	LF	PAINT PAVEMENT MARKING LINES (4")	11	EA	GENERIC EROSION CONTROL ITEM PREFABRICATED CONCRETE WASHOUT
152	LF	PAINT PAVEMENT MARKING LINES (8")	1,160	LF	SIGNAL CABLE
2,501	LF	REMOVAL OF PAVEMENT MARKING LINES (4")	5	EA	VEHICLE SIGNAL HEAD (12", 3 SECTION)
135	LF	REMOVAL OF PAVEMENT MARKING LINES (8")	3	EA	VEHICLE SIGNAL HEAD (12", 4 SECTION)
4	EA	REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS	2	EA	APS DETECTOR STATION
27	LF	GENERIC PAVEMENT MARKING ITEM YIELD LINE PAINT PAVEMENT MARKING (24")	1	EA	CENTRAL CONTROL UNIT APS DETECTOR STATION
66	LF	GENERIC PAVEMENT MARKING ITEM YIELD LINE THERMOPLASTIC PAVEMENT MARKING (24", 90 MILS)	150	LF	MESSENGER CABLE (3/8")
124	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS	435	LF	UNPAVED TRENCHING (******) (2, 2")
816	LF	8" WATER LINE	4	EA	JUNCTION BOX (STANDARD SIZE)
3,106	LB	DUCTILE IRON WATER PIPE FITTINGS	2	EA	JUNCTION BOX (OVER-SIZED, HEAVY DUTY)
5	EA	8" VALVE	800	LF	INDUCTIVE LOOP SAWCUT
1	EA	FIRE HYDRANT	1,760	LF	LEAD-IN CABLE (14-2)
11	LF	FIRE HYDRANT LEG	7	EA	DETECTOR CARD (******) (2070LX)
3	EA	8" LINE STOP			CULVERT ITEMS
184	LF	12" SANITARY GRAVITY SEWER	Lump Sum	LS	BOX CULVERT EXCAVATION, STA ***** (21+05.48 -L-)
2	EA	4' DIA UTILITY MANHOLE	Lump Sum	LS	BOX CULVERT EXCAVATION, STA ***** (22+01.71 -L-)
438	LF	ABANDON 8" UTILITY PIPE		432	TON FOUNDATION CONDITIONING MATERIAL, BOX CULVERT
184	LF	ABANDON 12" UTILITY PIPE		891.1	CY CLASS A CONCRETE (CULVERT)
48	LF	16" ENCASEMENT PIPE		106,269	LB REINFORCING STEEL (CULVERT)
169	LF	24" ENCASEMENT PIPE			
48	LF	BORE AND JACK OF **" (16")			
173	LF	GENERIC UTILITY ITEM 4" PVC WATER PIPE, SCH 40			
14,325	LF	TEMPORARY SILT FENCE			
380	TON	STONE FOR EROSION CONTROL, CLASS A			
1,525	TON	STONE FOR EROSION CONTROL, CLASS B			
875	TON	SEDIMENT CONTROL STONE			
15	ACR	TEMPORARY MULCHING			
900	LB	SEED FOR TEMPORARY SEEDING			
5	TON	FERTILIZER FOR TEMPORARY SEEDING			
2,335	LF	TEMPORARY SLOPE DRAINS			
320	LF	SAFETY FENCE			
3,160	CY	SILT EXCAVATION			
22,100	SY	MATTING FOR EROSION CONTROL			
100	SY	COIR FIBER MAT			
1,880	LF	1/4" HARDWARE CLOTH			
500	SY	LOW PERMEABILITY GEOTEXTILE			
120	LF	**" TEMPORARY PIPE (36")			
25	LF	TEMPORARY PIPE FOR STREAM CROSSING			
15	SY	FLOATING TURBIDITY CURTAIN			
4	EA	SPECIAL STILLING BASINS			
225	LB	FLOCCULANT			
280	LF	COIR FIBER WATTLE			
220	LF	COIR FIBER BAFFLE			
1	EA	**" SKIMMER (1-1/2")			
1	EA	**" SKIMMER (2")			
18	ACR	SEEDING & MULCHING			
15	ACR	MOWING			
150	LB	SEED FOR REPAIR SEEDING			
0.75	TON	FERTILIZER FOR REPAIR SEEDING			
400	LB	SEED FOR SUPPLEMENTAL SEEDING			
12	TON	FERTILIZER TOPDRESSING			
38	LF	IMPERVIOUS DIKE			
10	MHR	SPECIALIZED HAND MOWING			
75	EA	RESPONSE FOR EROSION CONTROL			
2	EA	CONCRETE WASHOUT STRUCTURE			

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L260217 017

CONTRACT ID : C205171 2026CPT.12.02.10181

DIV OFFICE SHELBY

LENGTH = 14.620 MI

COUNTY : CATAWBA

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL

COMPLETION DATE : SEP 30, 2027

1 SECTION OF US-321 BUSINESS, AND 7 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
125	TON	INCIDENTAL STONE BASE
12.42	SMI	SHOULDER RECONSTRUCTION
1,247	TON	AGGREGATE SHOULDER BORROW
157,668	SY	MILLING ASPHALT PAVEMENT, ****" DEPTH (1-1/2")
10,205	SY	MILLING ASPHALT PAVEMENT, ****" DEPTH (3")
4,667	SY	MILLING ASPHALT PAVEMENT, ****" DEPTH (6")
1,380	SY	INCIDENTAL MILLING
1,117	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
973	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
22,783	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
1,488	TON	ASPHALT BINDER FOR PLANT MIX
660	TON	PATCHING EXISTING PAVEMENT
186	EA	ADJUSTMENT OF MANHOLES
136	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
8	EA	ADJUSTMENT OF OVERSIZED MANHOLES
1,112	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
260	HR	LAW ENFORCEMENT
249,170	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
1,197	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
1,379	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
16	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
262	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
3,945	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (4") (I)
1,735	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS
Lump Sum	LS	PORTABLE LIGHTING
1	EA	JUNCTION BOX (STANDARD SIZE)
2,828	LF	INDUCTIVE LOOP SAWCUT
460	LF	LEAD-IN CABLE (14-2)

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L260217

018

CONTRACT ID : C205172 2026CPT.12.05.10491

DIV OFFICE SHELBY

LENGTH = 28.872 MI

COUNTY : IREDELL

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL

COMPLETION DATE : SEP 30, 2027

1 SECTION OF US-70, AND 36 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
430	TON	INCIDENTAL STONE BASE
53.11	SMI	SHOULDER RECONSTRUCTION
5,851	TON	AGGREGATE SHOULDER BORROW
21,877	SY	MILLING ASPHALT PAVEMENT, ****" DEPTH (1")
162,715	SY	MILLING ASPHALT PAVEMENT, ****" DEPTH (1-1/2")
1,450	SY	MILLING ASPHALT PAVEMENT, ****" TO *****" (0" TO 1-1/2")
2,160	SY	INCIDENTAL MILLING
1,245	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
5,942	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
818	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B (LEVELING COURSE)
32,782	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
2,175	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C (LEVELING COURSE)
2,697	TON	ASPHALT BINDER FOR PLANT MIX
2,889	TON	PATCHING EXISTING PAVEMENT
2	EA	ADJUSTMENT OF DROP INLETS
6	EA	ADJUSTMENT OF MANHOLES
5	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
3,382	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
50	HR	LAW ENFORCEMENT
71,086	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
2,500	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
450	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
340	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
6	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
119	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
818,284	LF	PAINT PAVEMENT MARKING LINES (4")
750	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS
Lump Sum	LS	PORTABLE LIGHTING
4	EA	JUNCTION BOX (STANDARD SIZE)
3,276	LF	INDUCTIVE LOOP SAWCUT
200	LF	LEAD-IN CABLE (14-2)