

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

ROY COOPER
GOVERNOR

J.R. "JOEY" HOPKINS
SECRETARY

DATE: March 19, 2024

TO: Bidding Contractors and

Interested Parties

FROM: R. E. Davenport, Jr., PE DocuSigned by:

State Contract Officer | Kon Daw

03/19/2024

SUBJECT: May 28, 2024, Central Highway Letting

Please be advised that the May 2024 Central Highway Letting will be held on May 28th. This deviates from the normal schedule by one week. The Advertisement Date for the May Letting will remain April 23, 2024. The Advertisement Date for the June 2024 Letting remains May 21, 2024.

Also be advised that the Interested Parties List registration must be done the business day prior to the Letting. With May 27, 2024, being a holiday, the registration cutoff date will be Friday, May 24, 2024. Failure to register by the cutoff will result in being unable to bid. Questions may be sent to ContractOfficer@ncdot.gov or jakincaid1@ncdot.gov.

cc: Ms. Jaci Kincaid

File

Website: ncdot.gov



STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

ROY COOPER GOVERNOR

J. ERIC BOYETTE SECRETARY

IMPORTANT NOTICE

Upcoming Opportunities for DBE Firms to Participate on NCDOT Projects

As part of the North Carolina Department of Transportation's continuing commitment to promote Disadvantaged/Minority/Women Business Enterprise (D/M/WBE) participation, the Division of Highways Chief Engineer's Office would like to remind you of the broad range of construction, maintenance, and operational opportunities available within NCDOT. One of these opportunities is the monthly advertisement of Central Let projects with letting held on the third Tuesday of each month. NCDOT is requesting bids for the following projects. If your firm is eligible to bid (i.e., prequalified as a Bidder), you can download and print the bid related items from this list.



If you are interested in providing subcontractor work for any of these projects, we strongly encourage you to solicit each of the contractors bidding on these projects to see if they are interested in receiving a quote. A list of interested parties with their contact information is listed for each project being advertised.



I would like to personally thank you for your time in considering this opportunity with the North Carolina Department of Transportation.

Sincerely,

Ronald L. Keeter, Jr, PE

Chief Engineer

Division of Highways

Mailing Address: NC DEPARTMENT OF TRANSPORTATION OFFICE OF THE CHIEF ENGINEER MAIL SERVICE CENTER 1536 RALEIGH, NC 27699-1536

Telephone 919-707-2500 Fax: 919-733-9428

Customer Service: 1-877-368-4968

Location: 1 SOUTH WILMINGTON STREET RALEIGH, NC 27601

Website: www.ncdot.gov

IMPORTANT NOTICE:

The 2024 NCDOT Standard Specifications and 2024 NCDOT Roadway Standard Drawings are now available on-line, and can be found here: Contract Standards and Development Unit (ncdot.gov). Additional content has been posted to be used along with these documents, which can be accessed at this link as well, under the 2024 Specifications and Standard Drawings websites or the Contracts Resources website. This includes memos with a summary of changes, Special Provisions to use with 2024 Standard Specifications, new instructions, updated spreadsheets with general notes for both ORD and SS2, etc. Printed copies of the 2024 Standard Specifications and 2024 Roadway Standard Drawings will be available starting in September.

PLEASE NOTE THAT ALL PROJECTS WITH A JANUARY 2024 OR LATER LET DATE SHALL BE PREPARED IN ACCORDANCE WITH THE NEW 2024 STANDARD SPECIFICATIONS AND 2024 ROADWAY STANDARD DRAWINGS.

This information is meant to be shared state-wide, so please feel free to forward this information to others who may need to be made aware, including but not limited to, Division representatives, private engineering firms, GESCs, industry representatives, et al.

Thank you.

Nicole M. Hackler, P.E.
State Plans & Standards Engineer
North Carolina Department of Transportation

919 707 6950 office

nmhackler@ncdot.gov

1020 Birch Ridge Drive (Delivery Only) 1591 Mail Service Center Raleigh, North Carolina 27699-1591



STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION INVITATION TO BID

ELECTRONIC BIDS (UNLESS OTHERWISE SPECIFIED IN THE PROJECT SPECIAL PROVISIONS) FOR THE CONSTRUCTION OF THE FOLLOWING PROJECTS WILL BE PUBLICLY READ IN THE CONTRACT STANDARDS AND DEVELOPMENT UNIT RIVERWOOD CONFERENCE ROOM, LOCATED IN BUILDING B AT 1020 BIRCH RIDGE DRIVE, RALEIGH, N.C. OR VIA THE WEBCAST AT 2:00 PM ON APRIL 16, 2024. NO ELECTRONIC BIDS WILL BE RECEIVED AFTER 2:00 PM.

1. THE BIDDER SHALL SELF REGISTER AT THE FOLLOWING WEBSITE FOR EACH PROJECT FOR WHICH THEY INTEND TO SUBMIT A BID IN RESPONSE TO THIS INVITATION TO BID

https://connect.ncdot.gov/letting/pages/Interested-Parties.aspx

- 2. A BID BOND OR BID DEPOSIT IN THE AMOUNT OF 5% OF THE TOTAL AMOUNT BID WILL BE REQUIRED. THE BIDDER SHALL SUBMIT AN ELECTRONIC BID BOND WITH EACH ELECTRONIC BID SUBMITTAL UNLESS THEY ELECT TO FURNISH A BID DEPOSIT.
- 3. UPON RECEIPT OF AWARD LETTER, THE SUCCESSFUL BIDDER SHALL FURNISH A PROPERLY EXECUTED EXECUTION OF CONTRACT, NON-COLLUSION, DEBARMENT AND GIFT BAN CERTIFICATION, EXECUTED PAYMENT AND PERFORMANCE BONDS, AND OPTIONAL BID ITEMS ELIGIBLE FOR STEEL PRICE ADJUSTMENT FORM (SPA-1) FOR EACH CONTRACT. CERTIFICATION FORMS AND BOND FORMS ARE AVAILABLE AS PART OF THE CONTRACT EXECUTION FORMS AT THE FOLLOWING WEBSITE https://connect.ncdot.gov/letting/Pages/Central-Letting-Forms.aspx. BID ITEMS ELIGIBLE FOR STEEL PRICE ADJUSTMENT FORM (SPA-1) IS AVAILABLE AT THE FOLLOWING WEBSITE https://connect.ncdot.gov/letting/Pages/Central-Letting-Resources.aspx.

ALL QUESTIONS RELATED TO PROJECTS DURING THE ADVERTISEMENT PERIOD SHALL BE EMAILED TO THE STATE CONTRACT OFFICER AT ContractOfficer@ncdot.gov.

THE MINIMUM WAGE FOR LABOR WILL BE SHOWN IN THE PROPOSAL FORM FOR FEDERAL AID PROJECTS.

CONTRACTOR'S LICENSE: A GENERAL CONTRACTOR'S LICENSE IS REQUIRED IN ORDER TO SUBMIT A BID ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$30,000.00 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD. ON FEDERAL PROJECTS, THE APPROPRIATE CONTRACTOR'S LICENSE SHALL BE OBTAINED WITHIN 60 DAYS OF BID OPENING. FOR ADDITIONAL INFORMATION OR TO MAKE APPLICATION FOR A LICENSE, VISIT THE CONTRATOR LICENSING BOARD WEBSITE AT https://www.nclbgc.org OR EMAIL licensing@nclbgc.org.

PREQUALIFYING TO BID: ALL PROSPECTIVE BIDDERS SHALL BE PREQUALIFIED WITH THE DEPARTMENT OF TRANSPORTATION PRIOR TO SUBMITTING A BID. CONTRACTORS WHO ARE NOT PREQUALIFIED MAY OBTAIN INFORMATION AND FORMS FOR PREQUALIFYING FROM THE PREQUALIFICATION SECTION OF THE CONTRACT STANDARDS AND DEVELOPMENT UNIT AT https://connect.ncdot.gov/business/Prequal/Pages/default.aspx. ALL REQUIRED PREQUALIFICATION STATEMENTS AND DOCUMENTS SHALL BE FILED WITH THE CONTRACTUAL SERVICES MANAGEMENT SECTION AT LEAST FOUR WEEKS PRIOR TO THE DATE OF OPENING BIDS.

THE DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY ENSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS INVITATION TO BID, MINORITY BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, OR NATIONAL ORIGIN IN COMPENSATION TO THIS AWARD.

PROPOSAL FORMS AT \$25.00 EACH, PLANS (SMALL SIZE) AT \$40.00 PER SET, PLANS (LARGE SIZE) AT \$100.00 PER SET, AND CROSS-SECTIONS AT \$40.00 PER SET, PLUS SALES TAX FOR N.C. RESIDENTS, MAY BE OBTAINED BY TELEPHONING (919-707-6925), FAXING (919-250-4127), OR VISITING THE WEBSITE AT: https://connect.ncdot.gov/letting/Pages/Order-Plans.aspx. THESE CHARGES ARE NOT DEPOSITS AND WILL NOT BE REFUNDED. ALL ORDERS FOR PROPOSAL FORMS, PLANS AND CROSS-SECTIONS DELIVERED IN NORTH CAROLINA ARE SUBJECT TO 7.25% SALES TAX. ORDERS MAILED TO OUT OF STATE CONTRACTORS ARE NOT SUBJECT TO SALES TAX. MAKE ALL CHECKS PAYABLE TO THE "N.C. DEPARTMENT OF TRANSPORTATION".

THE RIGHT IS RESERVED TO REJECT ANY OR ALL BIDS.

TODAY'S DATE IS MARCH 19, 2024.

BY ORDER OF THE DEPARTMENT OF TRANSPORTATION
(THE WORK WILL CONSIST APPROXIMATELY AS SHOWN ON THE FOLLOWING SHEETS)

REVIEW OF PLANS AND PROPOSALS IN DIVISION OFFICE

IN ORDER TO FACILITATE AND ENCOURAGE THE INVOLVEMENT OF MINORITY BUSINESS ENTERPRISES IN THE HIGHWAY CONSTRUCTION PROCESS, IT IS THE POLICY OF THE DEPARTMENT OF TRANSPORTATION, DIVISION OF HIGHWAYS, THAT A SET OF PLANS AND PROPOSAL FOR EACH PROJECT TO BE LET WILL BE MAINTAINED FOR REVIEW BY ANY CONTRACTOR INTERESTED IN BIDDING UPON OR QUOTING WORK IN AN ADVERTISED PROJECT.

THE PROPOSALS AND PLANS WILL BE AVAILABLE FOR REVIEW BEGINNING TWO WEEKS PRIOR TO THE DATE OF BID OPENING IN THE DIVISION OFFICE WHICH WILL ADMINISTER THE CONTRACT. THE DEPARTMENT WILL, UPON REQUEST, MAKE AVAILABLE FROM ITS STAFF A PERSON TO EXPLAIN THE PROPOSED PROJECT AND TO ANSWER GENERAL QUESTIONS RELATING TO THE PROJECT. THE PLANS AND PROPOSALS CAN BE REVIEWED ANY TIME MONDAY THRU FRIDAY, EXCLUDING HOLIDAYS, BETWEEN THE HOURS OF 8:00 A.M. AND 4:30 P.M. IN THE DIVISION OFFICE. IN ORDER TO HAVE A MEMBER OF THE STAFF EXPLAIN THE PROJECT AND/OR ANSWER GENERAL QUESTIONS PERTAINING TO THE PROJECT, PRIOR APPOINTMENTS MUST BE MADE BY CALLING THE APPROPRIATE DIVISION OFFICE.

FOLLOWING ARE THE LOCATIONS AND TELEPHONE NUMBERS OF THE OFFICES IN WHICH THE PLANS AND PROPOSALS WILL BE MADE AVAILABLE, REFERENCE SHOULD BE MADE TO THE SHEETS CONTAINING THE INDIVIDUAL PROJECT QUANTITIES TO DETERMINE WHICH DIVISION OFFICE WILL ADMINISTER THE CONTRACT.

DIV NO.	DIVISION ENGINEER	TOWN	TELEPHONE
001	C. Win Bridgers, Jr., PE	EDENTON	(252) 482-1850
002	Jeremy D. Stroud, PE	GREENVILLE	(252) 439-2800
003	D. Chad Kimes, PE	CASTLE HAYNE	(910) 341-2000
004	D. Keith Eason, PE	WILSON	(252) 237-6164
005	Brandon Jones, PE	DURHAM	(919) 220-4600
006	L. Wallace Jernigan	FAYETTEVILLE	(910) 486-1493
007	Wright Archer, III, PE	GREENSBORO	(336) 487-0000
008	Reuben Blakley, PE	CARTHAGE	(910) 773-8000
009	S. Pat Ivey, PE	WINSTON-SALEM	(336) 747-7800
010	Brett Canipe, PE	ALBEMARLE	(704) 983-4400
011	Michael Poe, PE	NORTH WILKESBORO	(336) 903-9101
012	Mark Stafford, PE	SHELBY	(704) 480-5400
013	Timothy Anderson, PE	ASHEVILLE	(828) 250-3000
014	Wanda Payne, PE	SYLVA	(828) 586-2141

Bid Letting Number: L240416

RPN C	ontract Id	WBS	County	Length	Job Type
001 C2	204204	46932.3.1	WAKE	0.677 MI	GRADING, DRAINAGE, PAVING, SIGNALS, AND STRUCTURES.
002 C2	204932	2024CPT.01.06.10271, ETC.	CURRITUCK	21.840 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
003 C2	204724	42331.3.1	PENDER	0.392 MI	GRADING, DRAINAGE, PAVING, AND STRUCTURE.
004 C2	204945	2024CPT.05.13.20391.1	GRANVILLE	6.380 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
005 C2	204410	38454.3.1	WAKE	0.396 MI	GRADING, DRAINAGE, PAVING, AND STRUCTURES.
006 C2	204954	45884.3.1	DURHAM	2.454 MI	PAVEMENT REHABILITATION AND SIGNALS.
007 C2	204921	45908.3.2	GUILFORD	0.580 MI	BRIDGE REHABILITATION AND BRIDGE PRESERVATION.
008 C	204922	48599.3.5	СНАТНАМ	0.326 MI	GRADING, DRAINAGE, AND PAVING.
009 C2	204208	55027.3.1	SURRY	0.448 MI	GRADING, DRAINAGE, PAVING, AND STRUCTURES.

CONTRACT ID: C204204 46932.3.1 DIV OFFICE DURHAM LENGTH = 0.677 MI

COUNTY : WAKE

GRADING, DRAINAGE, PAVING, SIGNALS, AND STRUCTURES.

DBE GOAL 3.00% COMPLETION DATE: JAN 28, 2027

GRADE SEPARATION OF SR-2006 (DURANT ROAD) OVER CSX S LINE RAILROAD IN RALEIGH.

		ROADWAY ITEMS	27	EA	RIGHT-OF-WAY MARKERS
Lump Sum	LS	MOBILIZATION	5	EA	TEMPORARY STEEL PLATE COVERS FOR MASONRY DRAINAGE STRUCTURE
Lump Sum	LS	CONSTRUCTION SURVEYING	9	CY	ENDWALLS
Lump Sum	LS	CLEARING & GRUBBING ACRE(S)	34	CY	FLOWABLE FILL
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING	58	EA	MASONRY DRAINAGE STRUCTURES
1,500	CY	UNCLASSIFIED EXCAVATION	40	LF	MASONRY DRAINAGE STRUCTURES
4,750	CY	UNDERCUT EXCAVATION	2	EA	FRAME WITH GRATE, STD 840.24
222,000	CY	BORROW EXCAVATION	3	EA	FRAME WITH TWO GRATES, STD 840.16
2,260	CY	DRAINAGE DITCH EXCAVATION	7	EA	FRAME WITH GRATE & HOOD, STD 840.03,
7,700	SY	REMOVAL OF EXISTING ASPHALT PAVEMENT			TYPE ** (E)
8,500	SY	BREAKING OF EXISTING ASPHALT PAVEMENT	21	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F)
4,700	CY	SELECT GRANULAR MATERIAL	20	EA	FRAME WITH GRATE & HOOD, STD 840.03,
5,200	SY	GEOTEXTILE FOR SOIL STABILIZATION			TYPE ** (G)
18,820	SF	TEMPORARY SHORING	5	EA	FRAME WITH COVER, STD 840.54
200	CY	GENERIC GRADING ITEM HAULING OF EXISTING PAVEMENT	320	LF	1'-6" CONCRETE CURB & GUTTER
Lump Sum	LS	GENERIC GRADING ITEM	9,300	LF	2'-6" CONCRETE CURB & GUTTER
		TYPE 1 BRIDGE APPROACH FILL, STA	4,550	SY	4" CONCRETE SIDEWALK
500	TON	32+23.01 -L- FOUNDATION CONDITIONING MATERIAL,	15	EA	CONCRETE CURB RAMPS
		MINOR STRUCTURES	50	SY	6" CONCRETE DRIVEWAY
1,570	SY	FOUNDATION CONDITIONING GEOTEXTILE	2	EA	ADJUSTMENT OF CATCH BASINS
40	LF	12" DRAINAGE PIPE	2	EA	ADJUSTMENT OF MANHOLES
152	LF	12" RC PIPE CULVERTS, CLASS III	10	EA	ADJUSTMENT OF METER BOXES OR VALVE
2,072	LF	15" RC PIPE CULVERTS, CLASS IV			BOXES
1,280	LF	18" RC PIPE CULVERTS, CLASS IV	3	EA	CONVERT EXISTING CATCH BASIN TO JUNCTION BOX
160	LF	24" RC PIPE CULVERTS, CLASS IV	1	EA	GENERIC DRAINAGE ITEM
84	LF	30" RC PIPE CULVERTS, CLASS IV	3,475	LF	CONVERT EXISTING CATCH BASIN TO 2GI STEEL BEAM GUARDRAIL
372	LF	36" RC PIPE CULVERTS, CLASS IV	337.5	LF	
88	LF	42" RC PIPE CULVERTS, CLASS IV	557.5	EA	STEEL BEAM GUARDRAIL, SHOP CURVED
128	LF	**" RC PIPE CULVERTS, CLASS V (30")	1	EA	ADDITIONAL GUARDRAIL POSTS GUARDRAIL END UNITS, TYPE AT-1
228	LF	**" RC PIPE CULVERTS, CLASS V	5	EA	GUARDRAIL END UNITS, TYPE AT-1
40	LF	(42") 15" CS PIPE CULVERTS, 0.064" THICK	4	EA	GUARDRAIL ANCHOR UNITS, TYPE III
64	LF	18" CS PIPE CULVERTS, 0.064" THICK	3	EA	GUARDRAIL END UNITS, TYPE TL-3
2	EA	**" CS PIPE ELBOWS, *****" THICK	3	EA	GUARDRAIL END UNITS, TYPE TL-2
		(15", 0.064")	560	LF	CHAIN LINK FENCE, 48" FABRIC
2	EA	**" CS PIPE ELBOWS, *****" THICK (18", 0.064")	47	EA	METAL LINE POSTS FOR 48" CHAIN LINK
2,996	LF	PIPE REMOVAL			FENCE
Lump Sum	LS	FINE GRADING	4	EA	METAL TERMINAL POSTS FOR 48" CHAIN LINK FENCE
250	CY	SHALLOW UNDERCUT	110	TON	RIP RAP, CLASS I
500	TON	CLASS IV SUBGRADE STABILIZATION	320	TON	RIP RAP, CLASS B
750	SY	GEOTEXTILE FOR SUBGRADE	1,720	SY	GEOTEXTILE FOR DRAINAGE
1,570	TON	STABILIZATION AGGREGATE BASE COURSE	100	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (E)
100	TON	INCIDENTAL STONE BASE	270	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
133	GAL	PRIME COAT	20	EA	SIGN ERECTION, TYPE E
7,820	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH	1	EA	SIGN ERECTION, RELOCATE TYPE ****
830	SY	(3") INCIDENTAL MILLING			(GROUND MOUNTED) (D)
10,740	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	1	EA	SIGN ERECTION, RELOCATE TYPE ****
7,270	TON	ASPHALT CONC INTERMEDIATE COURSE,			(GROUND MOUNTED) (E)
7,270	TON	TYPE I19.0C	2	EA	STOCKPILE SIGN SYSTEM, U-CHANNEL
4,910	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B	12	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
1,155	TON	ASPHALT BINDER FOR PLANT MIX	2	EA	DISPOSAL OF SUPPORT, U-CHANNEL
50	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR	709	SF	WORK ZONE SIGNS (STATIONARY)
265	TON	GENERIC PAVING ITEM	912	SF	WORK ZONE SIGNS (PORTABLE)
		ABC(M) SHOULDER CONSTRUCTION			

135	SF	WORK ZONE SIGNS (BARRICADE	57	LF	**" WATER SERVICE LINE
		MOUNTED)	40		(2")
3	EA	FLASHING ARROW BOARD	19	LF	WATER SERVICE LINE
4	EA	PORTABLE CHANGEABLE MESSAGE SIGN	553	LF	2" FORCE MAIN SEWER
285	EA	DRUMS	1	EA	SANITARY SEWER CLEAN-OUT
30	EA	SEQUENTIAL FLASHING WARNING LIGHTS	67	LF	SEWER SERVICE LINE
30	EA	CONES	18	LF	UTILITY MANHOLE WALL 4' DIA
184	LF	BARRICADES (TYPE III)	66	LF	ABANDON **" UTILITY PIPE
310	DAY	FLAGGER	00		(4")
4	EA	TEMPORARY CRASH CUSHIONS	99	LF	ABANDON 8" UTILITY PIPE
4	EA	TMA	409	LF	ABANDON 12" UTILITY PIPE
2,830	LF	PORTABLE CONCRETE BARRIER	1,337	LF	ABANDON 24" UTILITY PIPE
1,010	LF	WATER FILLED BARRIER	5	EA	REMOVE WATER METER
			5	EA	REMOVE FIRE HYDRANT
1,196	HR	LAW ENFORCEMENT	1	EA	ABANDON UTILITY MANHOLE
30	EA	SKINNY DRUM	100	LF	**" ENCASEMENT PIPE
538	EA	TEMPORARY RAISED PAVEMENT MARKERS	275	LF	(14")
18,055	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)			16" ENCASEMENT PIPE
805	LF	THERMOPLASTIC PAVEMENT MARKING	385	LF	36" ENCASEMENT PIPE
		LINES (8", 90 MILS)	85	LF	BORE AND JACK OF **" (36")
500	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)	2	EA	GENERIC UTILITY ITEM
157	LF	THERMOPLASTIC PAVEMENT MARKING			24" BUTTERFLY VALVE
		LINES (24", 90 MILS)	1	EA	GENERIC UTILITY ITEM ADJUST 10" METER VAULT
64	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)	1	EA	GENERIC UTILITY ITEM
28	EA	HEATED-IN-PLACE THERMOPLASTIC			REMOVE BACKFLOW PREVENTION ASSEMBLY.
		PAVEMENT MARKING SYMBOL (90 MILS)	16,040	LF	TEMPORARY SILT FENCE
626	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (4")	255	TON	STONE FOR EROSION CONTROL, CLASS A
		(II)			
626	LF	COLD APPLIED PLASTIC PAVEMENT	1,620	TON	STONE FOR EROSION CONTROL, CLASS B
		MARKING LINES, TYPE ** (4") (IV)	1,302	TON	SEDIMENT CONTROL STONE
125,181	LF	PAINT PAVEMENT MARKING LINES (4")	20	ACR	TEMPORARY MULCHING
2,805	LF	PAINT PAVEMENT MARKING LINES (8")	1,100	LB	SEED FOR TEMPORARY SEEDING
2,100	LF	PAINT PAVEMENT MARKING LINES (12")	5.5	TON	FERTILIZER FOR TEMPORARY SEEDING
750	LF	PAINT PAVEMENT MARKING LINES (16")	1,220	LF	TEMPORARY SLOPE DRAINS
1,047	LF	PAINT PAVEMENT MARKING LINES (24")	360	LF	SAFETY FENCE
30	EA	PAINT PAVEMENT MARKING CHARACTER	2,400	CY	SILT EXCAVATION
282			22,500	SY	MATTING FOR EROSION CONTROL
	EA	PAINT PAVEMENT MARKING SYMBOL	35	SY	PERMANENT SOIL REINFORCEMENT MAT
18,635	LF	REMOVAL OF PAVEMENT MARKING LINES (4")	3,705	LF	1/4" HARDWARE CLOTH
322	LF	REMOVAL OF PAVEMENT MARKING LINES	500	SY	LOW PERMEABILITY GEOTEXTILE
160	LE	(12")	2	EA	SPECIAL STILLING BASINS
168	LF	REMOVAL OF PAVEMENT MARKING LINES (24")	100	LB	FLOCCULANT
49	EA	REMOVAL OF PAVEMENT MARKING			COIR FIBER BAFFLE
(25	I.E.	SYMBOLS & CHARACTERS CURING COMPOUND REMOVAL LINES	440	LF	
625	LF	CURING COMPOUND REMOVAL, LINES	20	ACR	SEEDING & MULCHING
10	EA	PERMANENT RAISED PAVEMENT MARKERS	10	ACR	MOWING
267	EA	NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER	200	LB	SEED FOR REPAIR SEEDING
3,300	LF	GENERIC LIGHTING ITEM	1	TON	FERTILIZER FOR REPAIR SEEDING
		STREET LIGHTING CONDUIT INSTALLATION (2" PVC)	650	LB	SEED FOR SUPPLEMENTAL SEEDING
157	LF	6" WATER LINE	19.5	TON	FERTILIZER TOPDRESSING
1,049	LF	8" WATER LINE	10	MHR	SPECIALIZED HAND MOWING
512	LF	12" WATER LINE	18	EA	RESPONSE FOR EROSION CONTROL
1,358	LF	24" WATER LINE	3	EA	CONCRETE WASHOUT STRUCTURE
			54	EA	GENERIC EROSION CONTROL ITEM
18,815	LB	DUCTILE IRON WATER PIPE FITTINGS			FABRIC INSERT INLET PROTECTION CLEANOUT
10	EA	6" VALVE	18	EA	GENERIC EROSION CONTROL ITEM
4	EA	12" VALVE			FABRIC INSERT INLET PROTECTION, TYPE 1
1	EA	8" TAPPING SLEEVE & VALVE	2	EA	PEDESTRIAN SIGNAL HEAD (16", 1 SECTION W/COUNTDOWN)
1	EA	12" TAPPING SLEEVE & VALVE	1,250	LF	SIGNAL CABLE
1	EA	**" WATER METER	3	EA	VEHICLE SIGNAL HEAD (12", 3 SECTION)
1	EA	(5/8") 2" WATER METER		EA	
1	EA		3		VEHICLE SIGNAL HEAD (12", 4 SECTION)
		RELOCATE WATER METER	325	LF	UNPAVED TRENCHING (*******) (2, 2")
1	EA	RECONNECT WATER METER	2	EA	JUNCTION BOX (STANDARD SIZE)
1	EA	6" RPZ BACKFLOW PREVENTION ASSEMBLY	500	LF	INDUCTIVE LOOP SAWCUT
9	EA	FIRE HYDRANT	3,500	LF	LEAD-IN CABLE (14-2)
199	LF	FIRE HYDRANT LEG	1	EA	MODIFY SPLICE ENCLOSURE
1	EA	12" LINE STOP	1	EA	TYPE I POST WITH FOUNDATION
2	EA	24" LINE STOP	1	EA	TYPE II PEDESTAL WITH FOUNDATION
			1		

1	EA	CONTROLLERS WITH CABINET (************************************
7	EA	DETECTOR CARD (*********) (2070LX)
1	EA	CABINET BASE EXTENDER
		WALL ITEMS
7,120	SF	MSE RETAINING WALL NO **** (1)
4,520	SF	MSE RETAINING WALL NO **** (2)
5,590	SF	MSE RETAINING WALL NO **** (3)
5,820	SF	MSE RETAINING WALL NO **** (4)
		STRUCTURE ITEMS
9,653	SF	REINFORCED CONCRETE DECK SLAB
10,716	SF	GROOVING BRIDGE FLOORS
94.4	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ************************************
44 #00		(32+23.01 -L-)
11,598	LB	REINFORCING STEEL (BRIDGE)
1,346.58	LF	54" PRESTRESSED CONCRETE GIRDERS
22	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES (HP 14 X 73)
1,320	LF	HP 14 X 73 STEEL PILES
230.67	LF	TWO BAR METAL RAIL
245.67	LF	1'-**" X *****" CONCRETE PARAPET (1'-2" X 3"-3")
44	SY	4" SLOPE PROTECTION
Lump Sum	LS	ELASTOMERIC BEARINGS
230.67	LF	GENERIC STRUCTURE ITEM 72" CHAIN LINK FENCE (BLACK VINYL COATED)

L240416

CONTRACT ID: C204932 2024CPT.01.06.10271 DIV OFFICE EDENTON LENGTH = 21.840 MI

COUNTY : CURRITUCK

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL 5.00% COMPLETION DATE: NOV 15, 2025

1 SECTION OF NC-12, 1 SECTION OF NC-34, AND 14 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

		ROADWAY ITEMS
Lump Sum	LS	MOBILIZATION
535	CY	BORROW EXCAVATION
672	TON	INCIDENTAL STONE BASE
35.07	SMI	SHOULDER RECONSTRUCTION
249,757	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")
25,006	SY	INCIDENTAL MILLING
9,875	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
24,610	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
2,099	TON	ASPHALT BINDER FOR PLANT MIX
117	TON	PATCHING EXISTING PAVEMENT (FULL DEPTH)
5	EA	ADJUSTMENT OF MANHOLES
29	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
995	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
126,156	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
696	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
40	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 90 MILS)
3,093	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
23	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
114	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
370,094	LF	PAINT PAVEMENT MARKING LINES (4")
696	LF	PAINT PAVEMENT MARKING LINES (12")
40	LF	PAINT PAVEMENT MARKING LINES (16")
3,073	LF	PAINT PAVEMENT MARKING LINES (24")
23	EA	PAINT PAVEMENT MARKING CHARACTER
114	EA	PAINT PAVEMENT MARKING SYMBOL
121,110	LF	GENERIC PAVEMENT MARKING ITEM HOT SPRAY THERMOPLASTIC PAVEMENT MARKING LINES (4", 55 MILS)
122,196	LF	GENERIC PAVEMENT MARKING ITEM THERMOPLASTIC PROFILED PAVEMENT MARKING LINES, 6"
882	EA	NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
1,330	LF	TEMPORARY SILT FENCE
370	LF	COIR FIBER WATTLE
12.59	ACR	SEEDING & MULCHING
10	EA	RESPONSE FOR EROSION CONTROL
8	EA	JUNCTION BOX (STANDARD SIZE)
1,600	LF	INDUCTIVE LOOP SAWCUT
440	LF	LEAD-IN CABLE (14-2)

LENGTH = 0.392 MI

CONTRACT ID: C204724 42331.3.1 DIV OFFICE CASTLE HAYNE

COUNTY : PENDER

GRADING, DRAINAGE, PAVING, AND STRUCTURE.

DBE GOAL 2.00% COMPLETION DATE: MAR 30, 2026

BRIDGE #28 OVER LONG CREEK ON NC-210.

		ROADWAY ITEMS	48	SF	WORK ZONE SIGNS (STATIONARY)
ump Sum	LS	MOBILIZATION	96	SF	WORK ZONE SIGNS (PORTABLE)
ump Sum	LS	CONSTRUCTION SURVEYING	50	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
ump Sum	LS	GRADING	75	EA	DRUMS
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING	40	EA	CONES
2,300	CY	UNDERCUT EXCAVATION	200	LF	BARRICADES (TYPE III)
2,300	CY	SELECT GRANULAR MATERIAL, CLASS III	50	DAY	FLAGGER
700	SY	GEOTEXTILE FOR SOIL STABILIZATION	8,300	LF	THERMOPLASTIC PAVEMENT MARKING
1,000	SF	TEMPORARY SHORING			LINES (4", 90 MILS)
2,500	SY	REINFORCED SOIL SLOPES	6,250	LF	PAINT PAVEMENT MARKING LINES (4")
ump Sum	LS	GENERIC GRADING ITEM	2,620	LF	REMOVAL OF PAVEMENT MARKING LINI (4")
		TYPE 1 BRIDGE APPROACH FILL, STA 22+90.50 -L-	4	EA	PERMANENT RAISED PAVEMENT MARKE
70	TON	FOUNDATION CONDITIONING MATERIAL,	12	EA	NON-CAST IRON SNOWPLOWABLE
210	CV	MINOR STRUCTURES	1	EA	PAVEMENT MARKER RELOCATE WATER METER
210	SY	FOUNDATION CONDITIONING GEOTEXTILE	57	LF	WATER SERVICE LINE
564	LF	15" DRAINAGE PIPE	5,270	LF	TEMPORARY SILT FENCE
60	LF	18" DRAINAGE PIPE	3,270 75	TON	STONE FOR EROSION CONTROL, CLASS A
12	EA	**" DRAINAGE PIPE ELBOWS (15")		TON	
394	LF	PIPE REMOVAL	465 305	TON	STONE FOR EROSION CONTROL, CLASS E SEDIMENT CONTROL STONE
150	TON	INCIDENTAL STONE BASE	12	ACR	
280	SY	INCIDENTAL MILLING			TEMPORARY MULCHING
1,350	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	800	LB	SEED FOR TEMPORARY SEEDING
930	TON	ASPHALT CONC INTERMEDIATE COURSE,	4	TON	FERTILIZER FOR TEMPORARY SEEDING
1,300	TON	TYPE 119.0C ASPHALT CONC SURFACE COURSE, TYPE	1,160	LF	TEMPORARY SLOPE DRAINS
1,500	1011	S9.5B	2,120	LF	SAFETY FENCE
190	TON	ASPHALT BINDER FOR PLANT MIX	480	CY	SILT EXCAVATION
70	CY	SUBDRAIN EXCAVATION	4,600	SY	MATTING FOR EROSION CONTROL
200	SY	GEOTEXTILE FOR SUBSURFACE DRAINS	6,640	SY	COIR FIBER MAT
40	CY	SUBDRAIN COARSE AGGREGATE	190	SY	PERMANENT SOIL REINFORCEMENT MAT
200	LF	6" PERFORATED SUBDRAIN PIPE	150	LF	1/4" HARDWARE CLOTH
6	EA	SUBDRAIN PIPE OUTLET	50	SY	FLOATING TURBIDITY CURTAIN
1	LF	6" OUTLET PIPE	6	EA	SPECIAL STILLING BASINS
6	EA	MASONRY DRAINAGE STRUCTURES	60	LB	FLOCCULANT
6	EA	FRAME WITH TWO GRATES, STD 840.29	400	LF	COIR FIBER WATTLE
60	LF	SHOULDER BERM GUTTER	480	LF	COIR FIBER WATTLE BARRIER
1,400	LF	STEEL BEAM GUARDRAIL	12	ACR	SEEDING & MULCHING
5	EA	ADDITIONAL GUARDRAIL POSTS	6	ACR	MOWING
4	EA	GUARDRAIL ANCHOR UNITS, TYPE III	150	LB	SEED FOR REPAIR SEEDING
4	EA	GUARDRAIL END UNITS, TYPE TL-3	0.25	TON	FERTILIZER FOR REPAIR SEEDING
530	LF	REMOVE EXISTING GUARDRAIL	275	LB	SEED FOR SUPPLEMENTAL SEEDING
253	LF	TEMPORARY STEEL BEAM GUARDRAIL	8.25	TON	FERTILIZER TOPDRESSING
1	EA	TEMPORARY GUARDRAIL ANCHOR UNITS,	10	MHR	SPECIALIZED HAND MOWING
		TYPE ******** (III)	5	MHR	MANUAL LITTER REMOVAL
1	EA	TEMPORARY GUARDRAIL END UNITS, TYPE	1	TON	LITTER DISPOSAL
		(TL-3)	25	EA	RESPONSE FOR EROSION CONTROL
5	TON	RIP RAP, CLASS A	2	EA	CONCRETE WASHOUT STRUCTURE
5	TON	RIP RAP, CLASS B	0.9	ACR	REFORESTATION
670	SY	GEOTEXTILE FOR DRAINAGE			STRUCTURE ITEMS
90 1	LF EA	SUPPORTS, 3-LB STEEL U-CHANNEL SIGN ERECTION, TYPE D	Lump Sum	LS	CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP ACCESS AT STA
4	EA	SIGN ERECTION, TYPE E			**************************************
1	EA	SIGN ERECTION, RELOCATE TYPE **** (GROUND MOUNTED)	Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ************************************
	EA	(D)	Lump Sum	LS	ASBESTOS ASSESSMENT
7	HΛ	DISPOSAL OF SIGN SYSTEM, U-CHANNEL	•		

6,767	SF	GROOVING BRIDGE FLOORS
93.3	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ************************************
		(22+90.50 -L-)
18,250	LB	REINFORCING STEEL (BRIDGE)
808.33	LF	45" PRESTRESSED CONCRETE GIRDERS
10	EA	PILE DRIVING EQUIPMENT SETUP FOR ** STEEL PILES (HP 12 X 53)
15	EA	PILE DRIVING EQUIPMENT SETUP FOR ** GALVANIZED STEEL PILES (PP 24 X 0.50)
825	LF	HP 12 X 53 STEEL PILES
1,875	LF	PP ** X **** GALVANIZED STEEL PILES (24 X 0.50)
13	EA	PILE REDRIVES
3	EA	DYNAMIC PILE TESTING
406.67	LF	CONCRETE BARRIER RAIL
778	TON	RIP RAP CLASS II (2'-0" THICK)
864	SY	GEOTEXTILE FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS

CONTRACT ID: C204945 2024CPT.05.13.20391.1 DIV OFFICE DURHAM LENGTH = 6.380 MI

COUNTY : GRANVILLE

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL 7.00% COMPLETION DATE: NOV 15, 2025

4 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

		ROADWAY ITEMS
Lump Sum	LS	MOBILIZATION
5	TON	INCIDENTAL STONE BASE
12.27	SMI	SHOULDER RECONSTRUCTION
2,159	TON	AGGREGATE SHOULDER BORROW
4,971	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")
6,021	SY	INCIDENTAL MILLING
8,540	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
558	TON	ASPHALT BINDER FOR PLANT MIX
45	TON	PATCHING EXISTING PAVEMENT
20	LF	2'-6" CONCRETE CURB & GUTTER
12	SY	4" CONCRETE SIDEWALK
3	EA	REMOVE AND REPLACE CONCRETE CURB RAMPS
30	LF	GENERIC PAVING ITEM REMOVE AND REPLACE 2'-6" CURB & GUTTER
1	EA	GENERIC PAVING ITEM REMOVE CURB RAMP
6	EA	ADJUSTMENT OF MANHOLES
5	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
715	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
60	LF	PEDESTRIAN CHANNELIZING DEVICES
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
120	HR	LAW ENFORCEMENT
2	EA	GENERIC TRAFFIC CONTROL ITEM AUDIBLE WARNING DEVICES
10	EA	GENERIC TRAFFIC CONTROL ITEM PEDESTRIAN TRANSPORT SERVICE (PER TRIP)
147,330	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
40	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
200	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
150	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 90 MILS)
540	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
6	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
44	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
370	EA	NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
1	EA	JUNCTION BOX (STANDARD SIZE)
2,650	LF	INDUCTIVE LOOP SAWCUT
300	LF	LEAD-IN CABLE (14-2)

L240416

CONTRACT ID: C204410 DIV OFFICE DURHAM 38454.3.1 **LENGTH = 0.396 MI**

COUNTY : WAKE

GRADING, DRAINAGE, PAVING, AND STRUCTURES.

DBE GOAL 3.00% COMPLETION DATE: MAR 30, 2027

BRIDGE #69 OVER US-70 ON NC-50 (BENSON RD).

		DO A DAVIA NA VEEDAG	5	EA	ED AME WITH TWO CD ATES STD 940 22
		ROADWAY ITEMS	5	EA	FRAME WITH TWO GRATES, STD 840.22
Lump Sum	LS	MOBILIZATION	9	EA	FRAME WITH TWO GRATES, STD 840.24
Lump Sum	LS	CONSTRUCTION SURVEYING	3	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **
Lump Sum	LS	GRADING	10	EA	(E) FRAME WITH GRATE & HOOD, STD 840.03,
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING	10	LA	TYPE **
400	CY	UNDERCUT EXCAVATION	14	EA	(F)
400	CY	SELECT GRANULAR MATERIAL	14	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **
500	SY	GEOTEXTILE FOR SOIL STABILIZATION		EA	(G)
3,900	SF	TEMPORARY SHORING	6	EA	FRAME WITH COVER, STD 840.54
Lump Sum	LS	GENERIC GRADING ITEM TYPE 2 BRIDGE APPROACH FILL, STA 22+71.80 -L-	1 170	EA LF	STEEL FRAME WITH TWO GRATES, STD 840.37 1'-6" CONCRETE CURB & GUTTER
50	TON	GENERIC GRADING ITEM	4,230	LF	2'-6" CONCRETE CURB & GUTTER
		HAULING AND DISPOSAL OF PETROLEUM CONTAMINATED SOIL.	1	EA	MODIFIED CONCRETE FLUME
621	TON	FOUNDATION CONDITIONING MATERIAL,	1,630	SY	4" CONCRETE SIDEWALK
3,446	SY	MINOR STRUCTURES FOUNDATION CONDITIONING GEOTEXTILE	27	EA	CONCRETE CURB RAMPS
1,180	LF	15" DRAINAGE PIPE	310	SY	6" CONCRETE DRIVEWAY
272	LF	18" DRAINAGE PIPE	200	SY	4" CONCRETE PAVED DITCH
552	LF	24" DRAINAGE PIPE	170	SY	5" MONOLITHIC CONCRETE ISLANDS
440	LF LF	***" RC PIPE CULVERTS, CLASS *****	500		(KEYED IN)
440	LF	(18", V)	580	LF	PRECAST REINFORCED CONCRETE BARRIER, SINGLE FACED
1,768	LF	15" RC PIPE CULVERTS, CLASS IV	1	EA	CONVERT EXISTING DROP INLET TO
160	LF	18" RC PIPE CULVERTS, CLASS IV	2	EA	JUNCTION BOX WITH MANHOLE IMPACT ATTENUATOR UNITS, TYPE TL-3
64	LF	24" RC PIPE CULVERTS, CLASS IV	300	LF	STEEL BEAM GUARDRAIL
132	LF	15" CS PIPE CULVERTS, 0.064" THICK	25	LF	STEEL BEAM GUARDRAIL, SHOP CURVED
8	EA	**" CS PIPE ELBOWS, *****" THICK	2	EA	STEEL BEAM GUARDRAIL TERMINAL
1,241	LF	(15", 0.064") PIPE REMOVAL	2	LA	SECTIONS
200	CY	SHALLOW UNDERCUT	2	EA	(TES) GUARDRAIL ANCHOR UNITS, TYPE III
400	TON	CLASS IV SUBGRADE STABILIZATION	2	EA	GUARDRAIL END UNITS, TYPE TL-2
600	SY	GEOTEXTILE FOR SUBGRADE		EA	
000	51	STABILIZATION	4 370	LF	GUARDRAIL ANCHOR UNITS, TYPE B-77
32	TON	AGGREGATE BASE COURSE	370	LF	WOVEN WIRE FENCE, **" FABRIC (48")
150	TON	INCIDENTAL STONE BASE	27	EA	4" TIMBER FENCE POSTS, ***** LONG
2,750	SY	INCIDENTAL MILLING	30	TON	(48") RIP RAP, CLASS B
3,270	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	620	SY	GEOTEXTILE FOR DRAINAGE
2,330	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C	1	CY	PLAIN CONCRETE SIGN FOUNDATIONS
1,680	TON	ASPHALT CONC SURFACE COURSE, TYPE	449	LB	SUPPORTS, BREAKAWAY STEEL BEAM
4.050	moss	S9.5B	860	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
1,350	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C	6	EA	SIGN ERECTION, TYPE D
450	TON	ASPHALT BINDER FOR PLANT MIX	25	EA	SIGN ERECTION, TYPE E
315	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR	10	EA	SIGN ERECTION, TYPE F
78	SY	GENERIC PAVING ITEM	3	EA	SIGN ERECTION, TYPE *** (GROUND
4	EA	6" CONCRETE TRUCK APRON RIGHT-OF-WAY MARKERS	2	2	MOUNTED)
14	EA	CONTROL-OF-ACCESS MARKERS	1	EA	(B) SIGN ERECTION, RELOCATE TYPE ****
369.6	CY	SUBDRAIN EXCAVATION	•	Lit	(GROUND MOUNTED)
2,200	SY	GEOTEXTILE FOR SUBSURFACE DRAINS	51	EA	(D) DISPOSAL OF SIGN SYSTEM, U-CHANNEL
369.6	CY	SUBDRAIN COARSE AGGREGATE	1,011	SF	WORK ZONE SIGNS (STATIONARY)
	LF	6" PERFORATED SUBDRAIN PIPE	1,011	SF	WORK ZONE SIGNS (PORTABLE)
2,200			95	SF	WORK ZONE SIGNS (FOR FABLE) WORK ZONE SIGNS (BARRICADE
5	EA	SUBDRAIN PIPE OUTLET 6" OUTLET PIPE	93	31	MOUNTED)
30	LF		2	EA	FLASHING ARROW BOARD
5	CY	FLOWABLE FILL MASONINA DRAINAGE STRUGTHIRES	4	EA	PORTABLE CHANGEABLE MESSAGE SIGN
49	EA	MASONRY DRAINAGE STRUCTURES	120	EA	DRUMS
4.8	LF	MASONRY DRAINAGE STRUCTURES	60	EA	CONES
1	EA	FRAME WITH TWO GRATES, STD 840.16	264	LF	BARRICADES (TYPE III)
4	EA	FRAME WITH TWO GRATES, STD 840.20			

360	DAY	FLAGGER	3	LF	UTILITY MANHOLE WALL 6' DIA
4	EA	TEMPORARY CRASH CUSHIONS	50	LF	ABANDON 6" UTILITY PIPE
2	EA	TMA	871	LF	ABANDON 8" UTILITY PIPE
1,530	LF	PORTABLE CONCRETE BARRIER	1,622	LF	ABANDON 10" UTILITY PIPE
950	LF	PORTABLE CONCRETE BARRIER	4	EA	REMOVE WATER METER
		(ANCHORED)	3	EA	REMOVE UTILITY MANHOLE
520	LF	REMOVE & RESET PORTABLE CONCRETE BARRIER (ANCHORED)	20	LF	16" ENCASEMENT PIPE
160	HR	LAW ENFORCEMENT	164	LF	20" ENCASEMENT PIPE
40	EA	SKINNY DRUM	164	LF	BORE AND JACK OF **"
115	EA	TEMPORARY RAISED PAVEMENT MARKERS	4.020		(20")
832	LF	THERMOPLASTIC PAVEMENT MARKING	4,820	LF	TEMPORARY SILT FENCE
200	LF	LINES (8", 90 MILS) THERMOPLASTIC PAVEMENT MARKING	630	TON TON	STONE FOR EROSION CONTROL, CLASS A STONE FOR EROSION CONTROL, CLASS B
		LINES (24", 90 MILS)	335 775	TON	SEDIMENT CONTROL STONE
4	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)	9	ACR	TEMPORARY MULCHING
19	EA	THERMOPLASTIC PAVEMENT MARKING	600	LB	SEED FOR TEMPORARY SEEDING
555	LF	SYMBOL (90 MILS) COLD APPLIED PLASTIC PAVEMENT	4	TON	FERTILIZER FOR TEMPORARY SEEDING
		MARKING LINES, TYPE ** (4")	200	LF	TEMPORARY SLOPE DRAINS
29,917	LF	(IV) PAINT PAVEMENT MARKING LINES (4")	440	LF	SAFETY FENCE
156	LF	PAINT PAVEMENT MARKING LINES (8")	1,040	CY	SILT EXCAVATION
80	LF	PAINT PAVEMENT MARKING LINES (24")	11,700	SY	MATTING FOR EROSION CONTROL
3	EA	PAINT PAVEMENT MARKING SYMBOL	100	SY	COIR FIBER MAT
9,894	LF	POLYUREA PAVEMENT MARKING LINES	1,160	LF	1/4" HARDWARE CLOTH
		(**", *** MILS) (4", 20 MILS)	100	SY	LOW PERMEABILITY GEOTEXTILE
472	LF	POLYUREA PAVEMENT MARKING LINES	1	EA	SPECIAL STILLING BASINS
		(**", *** MILS) (4", 30 MILS)	220	LB	FLOCCULANT
72	LF	POLYUREA PAVEMENT MARKING LINES	650	LF	COIR FIBER WATTLE
		(**", *** MILS) (6", 20 MILS)	75	LF	COIR FIBER BAFFLE
159	LF	POLYUREA PAVEMENT MARKING LINES	1	EA	**" SKIMMER
		(**", *** MILS) (8", 20 MILS)	9	ACR	(1-1/2") SEEDING & MULCHING
6,651	LF	REMOVAL OF PAVEMENT MARKING LINES	4.5	ACR	MOWING
4	EA	(4") PERMANENT RAISED PAVEMENT MARKERS	100	LB	SEED FOR REPAIR SEEDING
157	EA	NON-CAST IRON SNOWPLOWABLE	0.25	TON	FERTILIZER FOR REPAIR SEEDING
		PAVEMENT MARKER	175	LB	SEED FOR SUPPLEMENTAL SEEDING
350	LF	ELECTRICAL DUCT, TYPE **, SIZE ***** (JA, 2")	5.25	TON	FERTILIZER TOPDRESSING
3,750	LF	ELECTRICAL DUCT, TYPE BD, SIZE *****	10	MHR	SPECIALIZED HAND MOWING
2	EA	(2") ELECTRICAL JUNCTION BOXES	4	MHR	MANUAL LITTER REMOVAL
		******************(IG18)	1	TON	LITTER DISPOSAL
4	EA	ELECTRICAL JUNCTION BOXES	18	EA	RESPONSE FOR EROSION CONTROL
		********************(IG30)	2	EA	CONCRETE WASHOUT STRUCTURE
Lump Sum	LS	PORTABLE LIGHTING	3	EA	GENERIC EROSION CONTROL ITEM
Lump Sum	LS	GENERIC LIGHTING ITEM			FABRIC INSERT INLET PROTECTION - (TYPE 2)
		ELECTRICAL CONDUIT SYSTEM AT STATION 22+71.80-L-	6	EA	GENERIC EROSION CONTROL ITEM
3	CY	CLASS B CONCRETE FOR ENCASING			FABRIC INSERT INLET PROTECTION CLEANOUT
190	LF	UTILITY LINES 6" WATER LINE	10	EA	PEDESTRIAN SIGNAL HEAD (16", 1 SECTION
568	LF	8" WATER LINE	3,510	LF	W/COUNTDOWN) SIGNAL CABLE
1,706	LF	10" WATER LINE	22	EA	VEHICLE SIGNAL HEAD (12", 3 SECTION)
6,815	LB	DUCTILE IRON WATER PIPE FITTINGS	1	EA	VEHICLE SIGNAL HEAD (12", 4 SECTION)
6	EA	6" VALVE	500	LF	MESSENGER CABLE (3/8")
3	EA	8" VALVE	25	LF	PAVED TRENCHING (********)
7	EA	10" VALVE	7.00		(1, 2")
1	EA	**" INSERTION VALVE	760	LF	UNPAVED TRENCHING (********) (1, 2")
		(10")	150	LF	UNPAVED TRENCHING (********)
2	EA	**" INSERTION VALVE (6")	50	LF	(2, 2") UNPAVED TRENCHING (********)
3	EA	**" INSERTION VALVE			(3, 2")
14	EA	(8") RELOCATE WATER METER	1,425	LF	DIRECTIONAL DRILL (********) (2, 2")
3	EA	FIRE HYDRANT	11	EA	JUNCTION BOX (STANDARD SIZE)
2	EA	RELOCATE FIRE HYDRANT	8	EA	JUNCTION BOX (OVER-SIZED, HEAVY DUTY)
62	LF	FIRE HYDRANT LEG	4	EA	WOOD POLE
363	LF	**" WATER SERVICE LINE	16	EA	GUY ASSEMBLY
	F. 4	(1")	1	EA	1" RISER WITH WEATHERHEAD
10	EA LF	SANITARY SEWER CLEAN-OUT	3	EA	2" RISER WITH WEATHERHEAD
10	LF LB	SEWER SERVICE LINE DUCTILE IRON SEWER PIPE FITTINGS	1	EA	2" RISER WITH HEAT SHRINK TUBING
45	EA	6' DIA UTILITY MANHOLE	1,100	LF	INDUCTIVE LOOP SAWCUT
1	£A	o DIA UTILITI MANNULE	3,350	LF	LEAD-IN CABLE (14-2)

260	LF	COMMUNICATIONS CABLE (** FIBER) (12)
700	LF	COMMUNICATIONS CABLE (** FIBER) (24)
200	LF	DROP CABLE
1	EA	SPLICE ENCLOSURE
1	EA	MODIFY SPLICE ENCLOSURE
1	EA	INTERCONNECT CENTER
1	EA	DELINEATOR MARKER
6	EA	METAL POLE WITH SINGLE MAST ARM
6	EA	SOIL TEST
36	CY	DRILLED PIER FOUNDATION
6	EA	MAST ARM WITH METAL POLE DESIGN
4	EA	SIGN FOR SIGNALS
3 5	EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUNDATION
2	EA EA	SIGNAL CABINET FOUNDATION
2	EA	CONTROLLERS WITH CABINET
-	L/I	(*************************)
8	EA	(TYPE 2070LX, BASE MOUNTED) DETECTOR CARD (TYPE 170)
2	EA	CABINET BASE EXTENDER
1	EA	GENERIC SIGNAL ITEM
	E.	ETHERNET EDGE SWITCH
1	EA	GENERIC SIGNAL ITEM MICROWAVE VEHICLE DETECTION SYSTEM - MULTIPLE ZONES
4	EA	GENERIC SIGNAL ITEM MODIFY EXISTING VEHICLE SIGNALHEAD
		WALL ITEMS
2,300	SF	MSE RETAINING WALL NO ****
7,300	SF	(W1) MSE RETAINING WALL NO ****
7,750	SF	(W2) GENERIC RETAINING WALL ITEM
7,750	51	ARCHITECTURAL CONCRETE SURFACE TREATMENT
		STRUCTURE ITEMS
Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION **********
		(22+71.80 -L-)
Lump Sum	LS	ASBESTOS ASSESSMENT
Lump Sum	LS	FOUNDATION EXCAVATION FOR BENT NO ** AT STATION ******** (22+71.80 -L-)
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ******** (22+71.80 -L-)
10,341	SF	REINFORCED CONCRETE DECK SLAB
9,425	SF	GROOVING BRIDGE FLOORS
266.9	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ************************************
38,558	LB	(22+71.80 -L-) REINFORCING STEEL (BRIDGE)
2,047	LB	SPIRAL COLUMN REINFORCING STEEL
1 247 17	LE	(BRIDGE)
1,247.17 46	LF EA	54" PRESTRESSED CONCRETE GIRDERS PILE DRIVING EQUIPMENT SETUP FOR ***
40	EA	STEEL PILES (HP 12 X 53)
3,145	LF	HP 12 X 53 STEEL PILES
24	EA	STEEL PILE POINTS
24	EA	PILE REDRIVES
1 110 2	EA	DYNAMIC PILE TESTING
118.2	SY	4" SLOPE PROTECTION EL ASTOMEDIC DE ADINGS
Lump Sum Lump Sum	LS LS	ELASTOMERIC BEARINGS GENERIC STRUCTURE ITEM
Հսու ր ծ սո	LO	STRIP SEAL EXPANSION JOINTS
360.7	LF	GENERIC STRUCTURE ITEM CLASSIC CONCRETE BRIDGE RAIL

L240416

006

CONTRACT ID: C204954 DIV OFFICE DURHAM 45884.3.1 LENGTH = 2.454 MI

COUNTY : DURHAM

PAVEMENT REHABILITATION AND SIGNALS.

DBE GOAL 6.00% COMPLETION DATE: OCT 15, 2025

I-85 FROM ORANGE COUNTY LINE TO US-15/US-501.

		ROADWAY ITEMS	8	EA	SIGN ERECTION, TYPE *** (OVERHEAD)
Lump Sum	LS	MOBILIZATION	6	EA	(A) SIGN ERECTION, TYPE *** (OVERHEAD)
Lump Sum	LS	GENERIC MISCELLANEOUS ITEM TREE TRIMMING	8	EA	(B) SIGN ERECTION, TYPE *** (GROUND
Lump Sum	LS	CLEARING & GRUBBING ACRE(S)			MOUNTED) (A)
660	CY	BORROW EXCAVATION	3	EA	SIGN ERECTION, TYPE *** (GROUND MOUNTED)
675	SY	GENERIC GRADING ITEM REPAIR SLOPE EROSION FAILURE			(B)
1,000	LB	SEALING EXISTING PAVEMENT CRACKS	24	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
5.86	SMI	SHOULDER RECONSTRUCTION	14	EA	DISPOSAL OF SIGN, A OR B (OVERHEAD)
203,383	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (2")	10 5	EA EA	DISPOSAL OF SIGN, A & B (GROUND MOUNTED) DISPOSAL OF WALKWAY
1,243	SY	MILLING ASPHALT PAVEMENT, ***" TO ******"	19	EA	GENERIC SIGNING ITEM
130	TON	(2" TO 2-5/8") ASPHALT CONC BASE COURSE, TYPE B25.0C	17	LA	REMOVE, STOCKPILE, AND ERECT EXISTING SIGN
9,215	TON	ASPHALT CONC SURFACE COURSE, TYPE	214	SF	WORK ZONE SIGNS (STATIONARY)
13,758	TON	S9.5C	510	SF	WORK ZONE SIGNS (PORTABLE)
15,/56	ION	ASPHALT CONC SURFACE COURSE, TYPE S9.5D	48	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
549	TON	ASPHALT BINDER FOR PLANT MIX	6	EA	FLASHING ARROW BOARD
1,028	TON	POLYMER MODIFIED ASPHALT BINDER FOR PLANT MIX	6	EA	PORTABLE CHANGEABLE MESSAGE SIGN
75	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR	14	EA	WORK ZONE DIGITAL SPEED LIMIT SIGNS
1,000	LB	SEALING EXISTING PAVEMENT CRACKS &	300	EA	DRUMS
4,431	TON	JOINTS ULTRA-THIN BONDED WEARING COURSE	65	EA	SEQUENTIAL FLASHING WARNING LIGHTS
55,173	LF	MILLED RUMBLE STRIPS (ASPHALT	35	EA	CONES
		CONCRETE)	384	LF	BARRICADES (TYPE III)
3	EA	GENERIC DRAINAGE ITEM REPAIR DRAINAGE STRUCTURE	32	LF	PEDESTRIAN CHANNELIZING DEVICES
6	EA	REMOVE AND REPLACE CONCRETE CURB	14	DAY	FLAGGER
30	SY	RAMPS GENERIC PAVING ITEM	5	EA	TMA
	037	REMOVE AND REPLACE ISLAND	1,050	HR	LAW ENFORCEMENT
68 27	SY SY	GENERIC PAVING ITEM REMOVE AND REPLACE SIDEWALK GENERIC PAVING ITEM	1,535	EA EA	GENERIC TRAFFIC CONTROL ITEM CONNECTED LANE CLOSURE SYSTEM TEMPORARY RAISED PAVEMENT MARKERS
		REMOVE SIDEWALK	76,386	LF	THERMOPLASTIC PAVEMENT MARKING
138	LF	GENERIC PAVING ITEM REMOVE AND REPLACE CURB AND GUTTER	6,284	LF	LINES (6", 90 MILS) THERMOPLASTIC PAVEMENT MARKING
27,717	LF	STEEL BEAM GUARDRAIL	144	LE	LINES (12", 90 MILS)
1,654	LF EA	STEEL BEAM GUARDRAIL, DOUBLE FACED	144	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
10 18	EA	ADDITIONAL GUARDRAIL POSTS GUARDRAIL END UNITS, TYPE CAT-1	8	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
2	EA	GUARDRAIL ANCHOR UNITS, TYPE III	35	EA	THERMOPLASTIC PAVEMENT MARKING
19	EA	GUARDRAIL END UNITS, TYPE TL-3	11,500	LF	SYMBOL (90 MILS) PAINT PAVEMENT MARKING LINES (4")
1	EA	GUARDRAIL ANCHOR UNITS, TYPE B-77	149,860	LF	PAINT PAVEMENT MARKING LINES (6")
12	EA	GUARDRAIL ANCHOR UNITS, TYPE B-83	11,350	LF	PAINT PAVEMENT MARKING LINES (12")
30,767	LF	REMOVE EXISTING GUARDRAIL	120	LF	PAINT PAVEMENT MARKING LINES (24")
540	LF	STEEL GLARE SCREEN (GUARDRAIL	8	EA	PAINT PAVEMENT MARKING CHARACTER
100	EA	MOUNTED) GENERIC GUARDRAIL ITEM	54	EA	PAINT PAVEMENT MARKING SYMBOL
		GUARDRAIL & BARRIER DELINEATORS	1,403	EA	NON-CAST IRON SNOWPLOWABLE
650	LF	CHAIN LINK FENCE, 48" FABRIC	Lump Sum	LS	PAVEMENT MARKER PORTABLE LIGHTING
55	EA	METAL LINE POSTS FOR 48" CHAIN LINK FENCE	100	LF	TEMPORARY SILT FENCE
3	EA	METAL TERMINAL POSTS FOR 48" CHAIN LINK FENCE	90	TON	STONE FOR EROSION CONTROL, CLASS A
150	SY	GEOTEXTILE FOR DRAINAGE	435	TON	STONE FOR EROSION CONTROL, CLASS B
2	CY	REINFORCED CONCRETE SIGN	310	TON	SEDIMENT CONTROL STONE
2	CY	FOUNDATIONS PLAIN CONCRETE SIGN FOUNDATIONS	46	ACR	TEMPORARY MULCHING
3,439	LB	SUPPORTS, BREAKAWAY STEEL BEAM	2,200	LB	SEED FOR TEMPORARY SEEDING
19	EA	SIGN ERECTION, TYPE E	11	TON	FERTILIZER FOR TEMPORARY SEEDING
2	EA	SIGN ERECTION, TYPE F	200	LF	TEMPORARY SLOPE DRAINS
			260	LF	SAFETY FENCE

590	CY	SILT EXCAVATION
18,250	SY	MATTING FOR EROSION CONTROL
100	SY	COIR FIBER MAT
1,040	LF	1/4" HARDWARE CLOTH
1,120	LB	FLOCCULANT
1,700	LF	WATTLE
8,410	LF	WATTLE BARRIER
30	ACR	SEEDING & MULCHING
90	ACR	MOWING
500	LB	SEED FOR REPAIR SEEDING
1.25	TON	FERTILIZER FOR REPAIR SEEDING
750	LB	SEED FOR SUPPLEMENTAL SEEDING
22	TON	FERTILIZER TOPDRESSING
72	MHR	SPECIALIZED HAND MOWING
50	MHR	MANUAL LITTER REMOVAL
4	TON	LITTER DISPOSAL
100	EA	RESPONSE FOR EROSION CONTROL
1	EA	CONCRETE WASHOUT STRUCTURE
75	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION CLEANOUT
25	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION, TYPE 1
4	EA	PEDESTRIAN SIGNAL HEAD (**", ** SECTION) (16", 1 SECT W/CD)
1,025	LF	SIGNAL CABLE
4	EA	VEHICLE SIGNAL HEAD (12", 3 SECTION)
4	EA	BACKPLATE
25	LF	PAVED TRENCHING (*********) (1, 2")
25	LF	UNPAVED TRENCHING (********) (1, 2")
50	LF	DIRECTIONAL DRILL (********) (1, 2")
2	EA	JUNCTION BOX (STANDARD SIZE)
300	LF	INDUCTIVE LOOP SAWCUT
400	LF	LEAD-IN CABLE (14-2)
1	EA	SIGN FOR SIGNALS
4	EA	TYPE II PEDESTAL WITH FOUNDATION
2	EA	DETECTOR CARD (TYPE 170)

L240416

CONTRACT ID: C204921 45908.3.2 DIV OFFICE GREENSBORO LENGTH = 0.580 MI

COUNTY : GUILFORD

BRIDGE REHABILITATION AND BRIDGE PRESERVATION.

GENERIC STRUCTURE ITEM FOAM JOINT SEALS FOR PRESERVATION

1,300 LF

DBE GOAL 1.00% COMPLETION DATE: OCT 15, 2025

I-40 EAST OF US-220 (FREEMAN MILL ROAD) TO EAST OF SR-3037/SR-4240 (EAST GATE CITY BOULEVARD).

1 10 2110	- 01	ROADWAY ITEMS	277	LF	GENERIC STRUCTURE ITEM
Lump Sum	LS	MOBILIZATION			REMOVAL OF EXISTING 20" TUBULAR TRIPLE CORRUGATED STEEL BEAM
270	SY	INCIDENTAL MILLING	400		GUARDRAIL
129	TON	ASPHALT CONC SURFACE COURSE, TYPE	120	LB	GENERIC STRUCTURE ITEM BEAM PLATING REPAIR
10	TON	S9.5B ASPHALT BINDER FOR PLANT MIX	449.9	SF	GENERIC STRUCTURE ITEM CONCRETE DECK REPAIR FOR ASPHALT
320	SF	WORK ZONE SIGNS (STATIONARY)	434	SF	OVERLAY GENERIC STRUCTURE ITEM
28	EA	WORK ZONE PRESENCE LIGHTING	434	31	CONCRETE WORK FOR JOINT
25	EA	SEQUENTIAL FLASHING WARNING LIGHTS	9,265	SF	REPLACEMENT GENERIC STRUCTURE ITEM
10	LF	PEDESTRIAN CHANNELIZING DEVICES	,,200	51	EPOXY COATING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL	85,371	SF	GENERIC STRUCTURE ITEM GROOVING BRIDGE FLOORS
800	HR	LAW ENFORCEMENT	848	SY	GENERIC STRUCTURE ITEM
2	EA	GENERIC TRAFFIC CONTROL ITEM AUDIBLE WARNING DEVICES	116.1	SY	CLASS IB SURFACE PREPARATION GENERIC STRUCTURE ITEM CONCRETE DECK REPAIR FOR PC OVERLAY
4	EA	GENERIC TRAFFIC CONTROL ITEM CONNECTED LANE CLOSURE SYSTEM	10,253.6	SY	GENERIC STRUCTURE ITEM FINE MILLING
30	EA	GENERIC TRAFFIC CONTROL ITEM DOUBLE LANE CLOSURE	10,253.6	SY	GENERIC STRUCTURE ITEM PLACING & FINISHING PC OVERLAY
50	EA	GENERIC TRAFFIC CONTROL ITEM PEDESTRIAN TRANSPORT SERVICE	4,121	SY	GENERIC STRUCTURE ITEM
1	EA	GENERIC TRAFFIC CONTROL ITEM	4,121	SY	SHOTBLASTING BRIDGE DECK GENERIC STRUCTURE ITEM
1	EA	RAMP/LOOP CLOSURES GENERIC TRAFFIC CONTROL ITEM	4,121	51	SILANE DECK TREATMENT
13	EA	RAMPLOOP TRAFFIC CONTROL GENERIC TRAFFIC CONTROL ITEM	7	EA	GENERIC STRUCTURE ITEM REPOSITIONING BEARING PADS
120	EA	SINGLE LANE CLOSURE TEMPORARY RAISED PAVEMENT MARKERS	8	EA	GENERIC STRUCTURE ITEM REPOSITIONING SOLE PLATES
1	EA	COLD APPLIED PLASTIC PAVEMENT	12	EA	GENERIC STRUCTURE ITEM TYPE I BRIDGE JACKING BRIDGE #400299
		MARKING CHARACTER, TYPE ** (II)	3	EA	GENERIC STRUCTURE ITEM TYPE I BRIDGE JACKING BRIDGE #400329
8,000	LF	PAINT PAVEMENT MARKING LINES (6")	2	EA	GENERIC STRUCTURE ITEM
200	LF	PAINT PAVEMENT MARKING LINES (12")	2	EA	TYPE I BRIDGE JACKING BRIDGE #400339 GENERIC STRUCTURE ITEM
8,983	LF	POLYUREA PAVEMENT MARKING LINES (**", *** MILS) (6", 20 MILS)	6	EA	TYPE I BRIDGE JACKING BRIDGE #400340 GENERIC STRUCTURE ITEM
100	EA	PERMANENT RAISED PAVEMENT MARKERS	9	EA	TYPE I BRIDGE JACKING BRIDGE #400364
Lump Sum	LS	PORTABLE LIGHTING	9	EA	GENERIC STRUCTURE ITEM TYPE I BRIDGE JACKING BRIDGE #400367
		STRUCTURE ITEMS			****** BEGIN SCHEDULE AA*****
277	LF	20" TUBULAR TRIPLE CORRUGATED STEEL BEAM GUARDRAIL			******* (2 ALTERNATES) *******
155.5	SY	CLASS II, SURFACE PREPARATION	358.8	CY	GENERIC STRUCTURE ITEM
187.6	CF	CONCRETE REPAIRS			POLYESTER POLYMER CONCRETE MATERIALS
557	CF	SHOTCRETE REPAIRS			*** OR ***
97.4	LF	EPOXY RESIN INJECTION	358.8	CY	GENERIC STRUCTURE ITEM EPOXY POLYMER CONCRETE MATERIALS
Lump Sum	LS	GENERIC STRUCTURE ITEM CLEANING AND PAINTING EXISTING WEATHERING STEEL FOR BRIDGE #400348			*** END SCHEDULE AA***
Lump Sum	LS	GENERIC STRUCTURE ITEM CLEANING AND PAINTING EXISTING WEATHERING STEEL FOR BRIDGE #400364			
Lump Sum	LS	GENERIC STRUCTURE ITEM CLEANING AND PAINTING EXISTING WEATHERING STEEL FOR BRIDGE #400367			
Lump Sum	LS	GENERIC STRUCTURE ITEM PAINTING CONTAINMENT FOR BRIDGE #400348			
Lump Sum	LS	GENERIC STRUCTURE ITEM PAINTING CONTAINMENT FOR BRIDGE #400364			
Lump Sum	LS	GENERIC STRUCTURE ITEM PAINTING CONTAINMENT FOR BRIDGE #400367			
Lump Sum	LS	#400307 GENERIC STRUCTURE ITEM POLLUTION CONTROL			
619	LF	GENERIC STRUCTURE ITEM ASPHALT PLUG JOINT FOR PRESERVATION			
922.5	LF	GENERIC STRUCTURE ITEM EXPANSION JOINT SEAL REPAIR			
1 300	IE	GENERIC STRUCTURE ITEM			

L240416

008

CONTRACT ID: C204922 48599.3.5 DIV OFFICE CARTHAGE LENGTH = 0.326 MI

COUNTY : CHATHAM

GRADING, DRAINAGE, AND PAVING.

DBE GOAL 6.00% COMPLETION DATE: FEB 27, 2026

SR-2700 FROM EXISTING SR-1809 TO NEW SR-1809, AND SR-1809 FROM WEST OF SR-2700 TO NEW INTERSECTION WITH SR-2700.

WITH SI	R-2700	0.			
		ROADWAY ITEMS	20	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **
Lump Sum	LS	MOBILIZATION	40		(F)
Lump Sum	LS	CONSTRUCTION SURVEYING	10	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **
Lump Sum	LS	GRADING	2	EA	(G)
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING	2	EA	FRAME WITH COVER, STD 840.54
575	CY	UNDERCUT EXCAVATION	2	EA	STEEL FRAME WITH TWO GRATES, STD 840.37
210	CY	DRAINAGE DITCH EXCAVATION	12	EA	CONCRETE TRANSITIONAL SECTION FOR CATCH BASIN
300	LF	BERM DITCH CONSTRUCTION	2	EA	CONCRETE TRANSITIONAL SECTION FOR
400	CY	SELECT GRANULAR MATERIAL	2.150	T.E.	DROP INLET
400	SY	GEOTEXTILE FOR SOIL STABILIZATION	2,150	LF	1'-6" CONCRETE CURB & GUTTER
396	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	4,970	LF	2'-6" CONCRETE CURB & GUTTER
1,083	SY	FOUNDATION CONDITIONING GEOTEXTILE	12	EA	CONCRETE CURB RAMPS
2,188	LF	15" RC PIPE CULVERTS, CLASS IV	11 380	SY SY	4" CONCRETE PAVED DITCH 5" MONOLITHIC CONCRETE ISLANDS
396	LF	18" RC PIPE CULVERTS, CLASS IV	380	31	(KEYED IN)
160	LF	24" RC PIPE CULVERTS, CLASS IV	1	EA	ADJUSTMENT OF DROP INLETS
116	LF	**" RC PIPE CULVERTS, CLASS V	1	EA	GENERIC DRAINAGE ITEM CONVERT EXISTING CATCH BASIN TO
192	LF	(24") **" RC PIPE CULVERTS, CLASS V			TRAFFIC BEARING JUNCTION BOX
		(30")	960	LF	WOVEN WIRE FENCE, **" FABRIC (47")
48	LF	15" CS PIPE CULVERTS, 0.064" THICK	64	EA	4" TIMBER FENCE POSTS, 7'-6" LONG
12	LF	30" CS PIPE CULVERTS, 0.079" THICK	10	EA	5" TIMBER FENCE POSTS, 8'-0" LONG
2	EA	**" CS PIPE ELBOWS, *****" THICK (15", 0.064")	120	TON	RIP RAP, CLASS I
2	EA	**" CS PIPE ELBOWS, *****" THICK	130	TON	RIP RAP, CLASS B
139	LF	(30", 0.079") PIPE REMOVAL	800	SY	GEOTEXTILE FOR DRAINAGE
1,200	CY	SHALLOW UNDERCUT	81	SF	CONTRACTOR FURNISHED, TYPE *** SIGN
2,580	TON	CLASS IV SUBGRADE STABILIZATION	132	LF	(E) SUPPORTS, 3-LB STEEL U-CHANNEL
5,730	SY	GEOTEXTILE FOR SUBGRADE	10	EA	SIGN ERECTION, TYPE E
		STABILIZATION	2	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
1,080	TON	AGGREGATE BASE COURSE	210	SF	WORK ZONE SIGNS (STATIONARY)
100	TON	INCIDENTAL STONE BASE	155	SF	WORK ZONE SIGNS (PORTABLE)
680	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")	110	SF	WORK ZONE SIGNS (BARRICADE
400	SY	INCIDENTAL MILLING		-	MOUNTED)
2,250	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	80	EA	DRUMS
1,680	TON	ASPHALT CONC INTERMEDIATE COURSE,	140	LF	BARRICADES (TYPE III)
2,120	TON	TYPE 119.0C ASPHALT CONC SURFACE COURSE, TYPE	20	DAY	FLAGGER
		S9.5B	7,203	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
310	TON	ASPHALT BINDER FOR PLANT MIX	1,056	LF	THERMOPLASTIC PAVEMENT MARKING
200	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR	96	LF	LINES (8", 90 MILS) THERMOPLASTIC PAVEMENT MARKING
14 12	EA EA	RIGHT-OF-WAY MARKERS CONTROL-OF-ACCESS MARKERS			LINES (24", 90 MILS)
44.8	CY	SUBDRAIN EXCAVATION	8	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
200	SY	GEOTEXTILE FOR SUBSURFACE DRAINS	27	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
33.6	CY	SUBDRAIN COARSE AGGREGATE	131	EA	PERMANENT RAISED PAVEMENT MARKERS
200	LF	6" PERFORATED SUBDRAIN PIPE	1,267	LF	6" WATER LINE
1	EA	SUBDRAIN PIPE OUTLET	91	LF	10" WATER LINE
6	LF	6" OUTLET PIPE	1,469	LF	12" WATER LINE
0.399	CY	PIPE COLLARS	594	LF	16" WATER LINE
35	CY	FLOWABLE FILL	8,790	LB	DUCTILE IRON WATER PIPE FITTINGS
42	EA	MASONRY DRAINAGE STRUCTURES	5	EA	6" VALVE
43.4	LF	MASONRY DRAINAGE STRUCTURES	4	EA	12" VALVE
4	EA	FRAME WITH TWO GRATES, STD 840.24	2	EA	16" VALVE
4	EA	FRAME WITH GRATE & HOOD, STD 840.03,	2	EA	**" COMBINATION AIR VALVE
		TYPE ** (E)	3	EA	(2") FIRE HYDRANT
		\ - ,	1	EA	RELOCATE FIRE HYDRANT
			1		

49	LF	FIRE HYDRANT LEG
1,321	LF	**" SANITARY GRAVITY SEWER (15")
80	LF	16" SANITARY GRAVITY SEWER
773	LF	12" FORCE MAIN SEWER
2,665	LB	DUCTILE IRON SEWER PIPE FITTINGS
10	EA	5' DIA UTILITY MANHOLE
32	LF	UTILITY MANHOLE WALL 5' DIA
186	LF	ABANDON **" UTILITY PIPE (15")
150	LF	ABANDON 10" UTILITY PIPE
843	LF	ABANDON 12" UTILITY PIPE
299	LF	ABANDON 16" UTILITY PIPE
1	EA	REMOVE UTILITY MANHOLE
301	LF	20" ENCASEMENT PIPE
287	LF	30" ENCASEMENT PIPE
1	EA	GENERIC UTILITY ITEM 10" TOWER BLOW OFF
324	LF	GENERIC UTILITY ITEM 4" PVC CASING
3,380	LF	TEMPORARY SILT FENCE
210	TON	STONE FOR EROSION CONTROL, CLASS A
440	TON	STONE FOR EROSION CONTROL, CLASS B
585	TON	SEDIMENT CONTROL STONE
5	ACR	TEMPORARY MULCHING
300	LB	SEED FOR TEMPORARY SEEDING
1.5	TON	FERTILIZER FOR TEMPORARY SEEDING
585	LF	TEMPORARY SLOPE DRAINS
120	LF	SAFETY FENCE
1,460	CY	SILT EXCAVATION
9,500	SY	MATTING FOR EROSION CONTROL
1,600	LF	1/4" HARDWARE CLOTH
80	LB	FLOCCULANT
295	LF	COIR FIBER BAFFLE
5.2	ACR	SEEDING & MULCHING
2.6	ACR	MOWING
50	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
125	LB	SEED FOR SUPPLEMENTAL SEEDING
3.75	TON	FERTILIZER TOPDRESSING
10	MHR	SPECIALIZED HAND MOWING
15	EA	RESPONSE FOR EROSION CONTROL
2	EA	CONCRETE WASHOUT STRUCTURE

L240416 009

CONTRACT ID: C204208 55027.3.1 DIV OFFICE NORTH WILKESBORO LENGTH = 0.448 MI

COUNTY : SURRY

GRADING, DRAINAGE, PAVING, AND STRUCTURES.

DBE GOAL 3.00% COMPLETION DATE: DEC 28, 2027

BRIDGES #122 AND #126 OVER TOMS CREEK ON US-52.

		ROADWAY ITEMS	1	EA	FRAME WITH COVER, STD 840.54
I C	1.0	MOBILIZATION	45	LF	SHOULDER BERM GUTTER
Lump Sum	LS		11	SY	4" CONCRETE PAVED DITCH
Lump Sum 1,500	LS CY	CONSTRUCTION SURVEYING UNDERCUT EXCAVATION	2,750	LF	STEEL BEAM GUARDRAIL
	LS	GRADING	20	EA	ADDITIONAL GUARDRAIL POSTS
Lump Sum	ACR	SUPPLEMENTARY CLEARING & GRUBBING	2	EA	GUARDRAIL END UNITS, TYPE CAT-1
1 56	LF	BERM DITCH CONSTRUCTION	4	EA	GUARDRAIL END UNITS, TYPE TL-3
	CY		8	EA	GUARDRAIL ANCHOR UNITS, TYPE B-77
1,400 900	SY	SELECT GRANULAR MATERIAL GEOTEXTILE FOR SOIL STABILIZATION	1,100	LF	REMOVE & RESET EXISTING GUARDRAIL
360	SY	ROCK PLATING	2,670	LF	REMOVE EXISTING GUARDRAIL
Lump Sum	LS	GENERIC GRADING ITEM	700	LF	REMOVE EXISTING GUIDERAIL
Lump Sum	Lo	TYPE 1 BRIDGE APPROACH FILL, STA 23+18 -	2,087.5	LF	TEMPORARY STEEL BEAM GUARDRAIL
Lump Sum	LS	L- NB GENERIC GRADING ITEM TYPE 1 BRIDGE APPROACH FILL, STA 23+79 - L- SB	11	EA	TEMPORARY GUARDRAIL ANCHOR UNITS, TYPE ********* (B-77)
60	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	3	EA	TEMPORARY GUARDRAIL END UNITS, TYPE ***** (CAT-1)
180	SY	FOUNDATION CONDITIONING GEOTEXTILE	4	EA	TEMPORARY GUARDRAIL END UNITS, TYPE
228	LF	18" RC PIPE CULVERTS, CLASS IV			***** (TL-3)
296	LF	18" CS PIPE CULVERTS, 0.064" THICK	700	LF	DOUBLE FACED CABLE GUIDERAIL
12	EA	**" CS PIPE ELBOWS, *****" THICK	3	EA	CABLE GUIDERAIL ANCHOR UNITS
192	LF	(18", 0.064") *** WELDED STEEL PIPE, ****" THICK, GRADE B IN SOIL (18", 0.250")	2	EA	GENERIC GUARDRAIL ITEM TEMPORARY IMPACT ATTENUATOR UNITS, TYPE TL-3
192	LF	**" WELDED STEEL PIPE, ****" THICK,	260	TON	RIP RAP, CLASS II
		GRADE B NOT IN SOIL (18", 0.250")	35	TON	RIP RAP, CLASS B
463.7	LF	PIPE REMOVAL	4,675	SY	GEOTEXTILE FOR DRAINAGE
100	CY	SHALLOW UNDERCUT	1	CY	PLAIN CONCRETE SIGN FOUNDATIONS
200	TON	CLASS IV SUBGRADE STABILIZATION	225	LB	SUPPORTS, BREAKAWAY STEEL BEAM
1,100	SY	GEOTEXTILE FOR SUBGRADE	163	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
3,640	TON	STABILIZATION AGGREGATE BASE COURSE	2	EA	SIGN ERECTION, TYPE D
380	SY	INCIDENTAL MILLING	3	EA	SIGN ERECTION, TYPE E
7,010	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	1	EA	SIGN ERECTION, TYPE F
4,140	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0C	1	EA	SIGN ERECTION, TYPE *** (GROUND MOUNTED) (A)
3,470	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5D	2	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
515	TON	ASPHALT BINDER FOR PLANT MIX	3	EA	DISPOSAL OF SIGN SYSTEM, WOOD
200	TON	POLYMER MODIFIED ASPHALT BINDER FOR	597	SF	HIGH VISIBILITY STATIONARY SIGNS
500	TON	PLANT MIX ASPHALT PLANT MIX, PAVEMENT REPAIR	518	SF	HIGH VISIBILITY PORTABLE SIGNS
11,860	LF	MILLED RUMBLE STRIPS (ASPHALT	92	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
134	CY	CONCRETE) SUBDRAIN EXCAVATION	4	EA	FLASHING ARROW BOARD
600	SY	GEOTEXTILE FOR SUBSURFACE DRAINS	4	EA	PORTABLE CHANGEABLE MESSAGE SIGN
101	CY	SUBDRAIN COARSE AGGREGATE	2	EA	WORK ZONE DIGITAL SPEED LIMIT SIGNS
600	LF	6" PERFORATED SUBDRAIN PIPE	22	EA	WORK ZONE PRESENCE LIGHTING
2	EA	SUBDRAIN PIPE OUTLET	300	EA	HIGH VISIBILITY DRUMS
12	LF	6" OUTLET PIPE	26	EA	SEQUENTIAL FLASHING WARNING LIGHTS
5,680	LF	SHOULDER DRAIN	64	LF	BARRICADES (TYPE III)
5,680	LF	4" SHOULDER DRAIN PIPE	3	EA	TEMPORARY CRASH CUSHIONS
155	LF	4" OUTLET PIPE FOR SHOULDER DRAINS	3	EA	REMOVE & RESET TEMPORARY CRASH CUSHION
5	EA	CONCRETE PAD FOR SHOULDER DRAIN	6	EA	TMA
86	CY	PIPE OUTLET FLOWABLE FILL	4,157	LF	PORTABLE CONCRETE BARRIER
11	EA	MASONRY DRAINAGE STRUCTURES	1,421	LF	REMOVE AND RESET PORTABLE CONCRETE BARRIER
1.25	LF	MASONRY DRAINAGE STRUCTURES	200	HR	LAW ENFORCEMENT
6	EA	FRAME WITH GRATE, STD 840.22	2	EA	GENERIC TRAFFIC CONTROL ITEM
4	EA	FRAME WITH TWO GRATES, STD 840.29	200	EA	CONNECTED LANE CLOSURE SYSTEM TEMPORARY RAISED PAVEMENT MARKERS
7			200	EA	TEMPORARI KAISED PAVEMENI MARKERS

40.620	LE	DAINTE DAMENTE MADIZING LINES (411)
49,620 629	LF LF	PAINT PAVEMENT MARKING LINES (4") POLYUREA PAVEMENT MARKING LINES
		(**", *** MILS) (12", 30 MILS)
8,996	LF	POLYUREA PAVEMENT MARKING LINES (**", *** MILS) (6", 30 MILS)
11,550	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
87	EA	NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
Lump Sum	LS	PORTABLE LIGHTING
5,900	LF	TEMPORARY SILT FENCE
430	TON	STONE FOR EROSION CONTROL, CLASS A
570	TON	STONE FOR EROSION CONTROL, CLASS B
1,510	TON	SEDIMENT CONTROL STONE
27	ACR	TEMPORARY MULCHING
1,300	LB	SEED FOR TEMPORARY SEEDING
6.5	TON	FERTILIZER FOR TEMPORARY SEEDING
1,200	LF	TEMPORARY SLOPE DRAINS
500	LF	SAFETY FENCE
1,500	CY	SILT EXCAVATION
13,000	SY	MATTING FOR EROSION CONTROL
100	SY	COIR FIBER MAT
1,685	LF	1/4" HARDWARE CLOTH
100	LF	**" TEMPORARY PIPE
20	EA	(18")
28		SPECIAL STILLING BASINS
375	LB	FLOCCULANT
600	LF	WATTLE
40	LF	COIR FIBER BAFFLE
24	ACR	SEEDING & MULCHING
12	ACR	MOWING
300	LB	SEED FOR REPAIR SEEDING
0.75	TON	FERTILIZER FOR REPAIR SEEDING
450	LB	SEED FOR SUPPLEMENTAL SEEDING
13.5	TON	FERTILIZER TOPDRESSING
565	LF	IMPERVIOUS DIKE
30	MHR	SPECIALIZED HAND MOWING
7	MHR	MANUAL LITTER REMOVAL
1	TON	LITTER DISPOSAL
50	EA	RESPONSE FOR EROSION CONTROL
5	EA	CONCRETE WASHOUT STRUCTURE
		STRUCTURE ITEMS
Lump Sum	LS	CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP STRUCTURE AT STA
Lump Sum	LS	(18+12 -DET- SB) CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP ACCESS AT STA ************************************
Lump Sum	LS	(23+18.00 -L- NB) REMOVAL OF EXISTING STRUCTURE AT STATION ************************************
Lump Sum	LS	(23+18.00 -L- NB) REMOVAL OF EXISTING STRUCTURE AT STATION ************************************
Lump Sum	LS	(23+79.00 -L- SB) ASBESTOS ASSESSMENT
27.6	LF	PILE EXCAVATION IN SOIL
22.4	LF	PILE EXCAVATION NOT IN SOIL
259.8	LF	**'_**" DIA DRILLED PIERS
132.2	LF	(4'-0") PERMANENT STEEL CASING FOR 4'-0" DIA DRILLED PIER
2	EA	CSL TESTING
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ******** (23+18.00 -L- NB)
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ******** (23+79.00 -L- SB)
19,759	SF	REINFORCED CONCRETE DECK SLAB
20,904	SF	GROOVING BRIDGE FLOORS
347.2	CY	CLASS A CONCRETE (BRIDGE)

Lump Sum	LS	BRIDGE APPROACH SLABS, STATION
		(23+18.00 -L- NB)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ************************************
		(23+79.00 -L- SB)
76,533	LB	REINFORCING STEEL (BRIDGE)
13,218	LB	SPIRAL COLUMN REINFORCING STEEL (BRIDGE)
2,174.2	LF	45" PRESTRESSED CONCRETE GIRDERS
28	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES (HP 12 X 53)
810	LF	HP 12 X 53 STEEL PILES
9	EA	STEEL PILE POINTS
1	EA	DYNAMIC PILE TESTING
873.4	LF	CONCRETE BARRIER RAIL
3,320	TON	RIP RAP CLASS II (2'-0" THICK)
3,691	SY	GEOTEXTILE FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS



2024 NCDOT TECHNICAL TRAINING SCHEDULE



DURHAM

Durham Technical Community College
The Chesterfield Building
701 West Main Street
Durham, N.C. 27701

GREENSBORO

Guilford Technical Community College Continuing Education Center - W2 Building 3501 East Wendover Avenue Greensboro, N.C. 27405

FAYETTEVILLE

Fayetteville Tech Community College Neill Currie Building - Room 7A 218 Hull Road Fayetteville, N.C. 28303

WILKESBORO

Wilkes County Agricultural Center Ag Building Conference Rooms 416 Executive Drive Wilkesboro, N.C. 28697

DATES	COURSE TOPICS	DURHAM	FAYETTEVILLE	GREENSBORO	WILKESBORO
April 2024	Clearing, Grubbing & Excavation	April 11	n/a	n/a	April 18
May 2024	Erosion Control	n/a	May 9	May 23	n/a
June 2024	Incidental Concrete	June 13	n/a	n/a	June 27
July 2024	Utility Installation & Adjustments	n/a	July 11	July 25	n/a
August 2024	Work Zone Traffic Control	Aug. 8	n/a	n/a	Aug. 22
September 2024	Pipe and Culvert Installation	n/a	Sept. 12	Sept. 26	n/a
October 2024	Clearing, Grubbing & Excavation	n/a	Oct. 10	Oct. 17	n/a

The 2024 NCDOT Technical Training Series is a pilot program that will offer various courses to small highway construction contractors interested in working on NCDOT projects. Each course will cover NCDOT Standard Specifications and Drawings, equipment requirements, bidding and estimating, project management, invoicing and payment, and more. Courses will be held in Durham, Fayetteville, Greensboro and Wilkesboro, and will be taught in-person by NCDOT engineers, prime contractors and other industry professionals. To register, please visit the website: www.ncdot.gov/highwaystechtraining. For questions, please email: ccu@ncdot.gov or call: 984-810-9276.

