## STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION RALEIGH, N.C.

# CONTRACT AND CONTRACT BONDS

FOR CONTRACT NO. <u>C204717</u> <u>2022CPT.13.01.10111, 2022CPT.13.01.20111 STATE FUNDED</u>

WBS

COUNTY OFBUNCOMBETHIS IS THEROADWAY CONTRACTROUTE NUMBERLENGTHLOCATION1 SECTION OF US-74 AND 23 SECTIONS OF SECONDARY ROADS.

CONTRACTOR APAC ATLANTIC INC DBA HARRISON CONSTRUCTION COMPANY ADDRESS P.O. BOX 6939 ASHEVILLE, NC 28816

BIDS OPENEDAPRIL 19, 2022CONTRACT EXECUTION05/16/2022

#### STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION RALEIGH, N.C.

# PROPOSAL

# DATE AND TIME OF BID OPENING: APRIL 19, 2022 AT 2:00 PM

CONTRACT ID C204717

WBS 2022CPT.13.01.10111, 2022CPT.13.01.20111

| FEDERAL-AID NO. | STATE FUNDED   |
|-----------------|--|
| COUNTY          | BUNCOMBE   |
| T.I.P. NO.      |  |
| MILES           | 18.810   |
| ROUTE NO.       |  |
| LOCATION        | 1 SECTION OF US-74 AND 23 SECTIONS OF SECONDARY ROADS. |

#### TYPE OF WORK MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

#### NOTICE:

ALL BIDDERS SHALL COMPLY WITH ALL APPLICABLE LAWS REGULATING THE PRACTICE OF GENERAL CONTRACTING AS CONTAINED IN CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA WHICH REQUIRES THE BIDDER TO BE LICENSED BY THE N.C. LICENSING BOARD FOR CONTRACTORS WHEN BIDDING ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$30,000 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD. BIDDERS SHALL ALSO COMPLY WITH ALL OTHER APPLICABLE LAWS REGULATING THE PRACTICES OF ELECTRICAL, PLUMBING, HEATING AND AIR CONDITIONING AND REFRIGERATION CONTRACTING AS CONTAINED IN CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA. NOTWITHSTANDING THESE LIMITATIONS ON BIDDING, THE BIDDER WHO IS AWARDED ANY FEDERAL - AID FUNDED PROJECT SHALL COMPLY WITH CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA FOR LICENSING REQUIREMENTS WITHIN 60 CALENDAR DAYS OF BID OPENING.

#### BIDS WILL BE RECEIVED AS SHOWN BELOW:

#### THIS IS A <u>ROADWAY</u> PROPOSAL

#### 5% BID BOND OR BID DEPOSIT REQUIRED

#### **PROPOSAL FOR THE CONSTRUCTION OF**

#### **CONTRACT No. C204717 IN BUNCOMBE COUNTY, NORTH CAROLINA**

Date

#### **DEPARTMENT OF TRANSPORTATION,**

20

#### **RALEIGH, NORTH CAROLINA**

The Bidder has carefully examined the location of the proposed work to be known as Contract No. C204717 has carefully examined the plans and specifications, which are acknowledged to be part of the proposal, the special provisions, the proposal, the form of contract, and the forms of contract payment bond and contract performance bond; and thoroughly understands the stipulations, requirements and provisions. The undersigned bidder agrees to bound upon his execution of the bid and subsequent award to him by the Board of Transportation in accordance with this proposal to provide the necessary contract payment bond and contract performance bond within fourteen days after the written notice of award is received by him. The undersigned Bidder further agrees to provide all necessary machinery, tools, labor, and other means of construction; and to do all the work and to furnish all materials, except as otherwise noted, necessary to perform and complete the said contract in accordance with the 2018 Standard Specifications for Roads and Structures by the dates(s) specified in the Project Special Provisions and in accordance with the requirements of the Engineer, and at the unit or lump sum prices, as the case may be, for the various items given on the sheets contained herein.

The Bidder shall provide and furnish all the materials, machinery, implements, appliances and tools, and perform the work and required labor to construct and complete State Highway Contract No. C204717 in Buncombe County, for the unit or lump sum prices, as the case may be, bid by the Bidder in his bid and according to the proposal, plans, and specifications prepared by said Department, which proposal, plans, and specifications show the details covering this project, and hereby become a part of this contract.

The published volume entitled North Carolina Department of Transportation, Raleigh, Standard Specifications for Roads and Structures, January 2018 with all amendments and supplements thereto, is by reference incorporated into and made a part of this contract; that, except as herein modified, all the construction and work included in this contract is to be done in accordance with the specifications contained in said volume, and amendments and supplements thereto, under the direction of the Engineer.

If the proposal is accepted and the award is made, the contract is valid only when signed either by the Contract Officer or such other person as may be designated by the Secretary to sign for the Department of Transportation. The conditions and provisions herein cannot be changed except over the signature of the said Contract Officer.

The quantities shown in the itemized proposal for the project are considered to be approximate only and are given as the basis for comparison of bids. The Department of Transportation may increase or decrease the quantity of any item or portion of the work as may be deemed necessary or expedient.

An increase or decrease in the quantity of an item will not be regarded as sufficient ground for an increase or decrease in the unit prices, nor in the time allowed for the completion of the work, except as provided for the contract.

Accompanying this bid is a bid bond secured by a corporate surety, or certified check payable to the order of the Department of Transportation, for five percent of the total bid price, which deposit is to be forfeited as liquidated damages in case this bid is accepted and the Bidder shall fail to provide the required payment and performance bonds with the Department of Transportation, under the condition of this proposal, within 14 calendar days after the written notice of award is received by him, as provided in the Standard Specifications; otherwise said deposit will be returned to the Bidder.



State Contract Officer

DocuSigned by: Konald Elton Davenport, Jr. —F81B6038A47A442... 03/21/2022

## **TABLE OF CONTENTS**

#### COVER SHEET PROPOSAL SHEET

## **PROJECT SPECIAL PROVISIONS**

| CONTRACT TIME AND LIQUIDATED DAMAGES:                           |
|---|
| INTERMEDIATE CONTRACT TIME NUMBER 1 AND LIQUIDATED DAMAGES: G-1 |
| INTERMEDIATE CONTRACT TIME NUMBER 2 AND LIQUIDATED DAMAGES: G-2 |
| INTERMEDIATE CONTRACT TIME NUMBER 3 AND LIQUIDATED DAMAGES: G-2 |
| PROSECUTION OF WORK:  |
| RAILROAD GRADE CROSSING:  |
| RIGHT OF ENTRY TO NORFOLK SOUTHERN RAILROAD RIGHT-OF-WAY:       |
| MAJOR CONTRACT ITEMS:   |
| SPECIALTY ITEMS:  |
| FUEL PRICE ADJUSTMENT:  |
| SCHEDULE OF ESTIMATED COMPLETION PROGRESS:                      |
| MINORITY BUSINESS ENTERPRISE AND WOMEN BUSINESS ENTERPRISE:     |
| CONTRACTOR'S LICENSE REQUIREMENTS:                              |
| RESTRICTIONS ON ITS EQUIPMENT AND SERVICES:                     |
| USE OF UNMANNED AIRCRAFT SYSTEM (UAS):                          |
| EQUIPMENT IDLING GUIDELINES:                                    |
| ELECTRONIC BIDDING:   |
| AWARD LIMITS:   |
| OUTSOURCING OUTSIDE THE USA:                                    |
| NOTE TO CONTRACTOR:   |
| ROADWAYR-1  |

## **STANDARD SPECIAL PROVISIONS**

| AVAILABILITY FUNDS – TERMINATION OF CONTRACTS     | SSP-1  |
|---|--------|
| NCDOT GENERAL SEED SPECIFICATION FOR SEED QUALITY |        |
| ERRATA  | SSP-5  |
| PLANT AND PEST QUARANTINES                        | SSP-7  |
| MINIMUM WAGES                                     | SSP-8  |
| TITLE VI AND NONDISCRIMINATION                    | SSP-9  |
| ON-THE-JOB TRAINING                               | SSP-17 |

## **UNIT PROJECT SPECIAL PROVISIONS**

| PAVEMENT MARKINGS | PM-1 |
|-------------------|------|
| TRAFFIC CONTROL   | TC-1 |
| EROSION CONTROL   | EC-1 |

# PROPOSAL ITEM SHEET

ITEM SHEET(S) (TAN SHEETS)

# SKETCH MAPS (INSERT)

#### **PROJECT SPECIAL PROVISIONS**

#### **GENERAL**

#### **CONTRACT TIME AND LIQUIDATED DAMAGES:**

(7-1-95) (Rev. 12-18-07)

The date of availability for this contract is **July 1, 2022**.

The completion date for this contract is November 15, 2023.

Except where otherwise provided by the contract, observation periods required by the contract will not be a part of the work to be completed by the completion date and/or intermediate contract times stated in the contract. The acceptable completion of the observation periods that extend beyond the final completion date shall be a part of the work covered by the performance and payment bonds.

The liquidated damages for this contract are **One Thousand Five Hundred Dollars (\$ 1,500.00)** per calendar day.

#### INTERMEDIATE CONTRACT TIME NUMBER 1 AND LIQUIDATED DAMAGES: (2-20-07) 108 SP1 G14 A

The Contractor shall complete the required work of installing, maintaining, and removing the traffic control devices for lane closures and restoring traffic to the existing traffic pattern. The Contractor shall not close or narrow a lane of traffic on Map #1 (US 74 Alternate) and/or Map #3 (SR 1517 - Hill Street) during the following time restrictions:

## DAY AND TIME RESTRICTIONS

#### Sunday thru Saturday, 6:00 A.M. to 7:00 P.M. (Night Work Only)

In addition, the Contractor shall not close or narrow a lane of traffic on **Map #1 (US 74 Alternate)**, detain and/or alter the traffic flow on or during holidays, holiday weekends, special events, or any other time when traffic is unusually heavy, including the following schedules:

#### HOLIDAY AND HOLIDAY WEEKEND LANE CLOSURE RESTRICTIONS

- 1. For **unexpected occurrence** that creates unusually high traffic volumes, as directed by the Engineer.
- 2. For New Year's Day, between the hours of 6:00 A.M. December 31<sup>st</sup> and 7:00 P.M. January 2<sup>nd</sup>. If New Year's Day is on a Friday, Saturday, Sunday or Monday, then until 7:00 P.M. the following Tuesday.
- 3. For Easter, between the hours of 6:00 A.M. Thursday and 7:00 P.M. Monday.
- 4. For **Memorial Day**, between the hours of **6:00 A.M.** Friday and **7:00 P.M.** Tuesday.

SP1 G10 A

108

5. For **Independence Day**, between the hours of **6:00 A.M.** the day before Independence Day and **7:00 P.M.** the day after Independence Day.

If **Independence Day** is on a Friday, Saturday, Sunday or Monday, then between the hours of **6:00 A.M.** the Thursday before Independence Day and **7:00 P.M.** the Tuesday after Independence Day.

- 6. For Labor Day, between the hours of 6:00 A.M. Friday and 7:00 P.M. Tuesday.
- 7. For **Thanksgiving**, between the hours of **6:00 A.M.** Tuesday and **7:00 P.M.** Monday.
- 8. For **Christmas**, between the hours of **6:00 A.M.** the Friday before the week of Christmas Day and **7:00 P.M.** the following Tuesday after the week of Christmas Day.

Holidays and holiday weekends shall include New Year's, Easter, Memorial Day, Independence Day, Labor Day, Thanksgiving, and Christmas. The Contractor shall schedule his work so that lane closures will not be required during these periods, unless otherwise directed by the Engineer.

The time of availability for this intermediate contract work shall be the time the Contractor begins to install all traffic control devices for lane closures according to the time restrictions listed herein.

The completion time for this intermediate contract work shall be the time the Contractor is required to complete the removal of all traffic control devices for lane closures according to the time restrictions stated above and place traffic in the existing traffic pattern.

The liquidated damages are Five Hundred Dollars (\$ 500.00) per fifteen (15) minute time period.

#### INTERMEDIATE CONTRACT TIME NUMBER 2 AND LIQUIDATED DAMAGES: (5-21-13) 108 SPI G14 I

The Contractor shall complete the work required of installing each new inductive loop after the removal of each existing loop by the milling, patching or resurfacing operations and shall place and maintain traffic on same.

The date of availability for this intermediate contract time for each inductive loop installation will be the date when the Contractor elects to disturb the existing inductive loop.

The completion date for this intermediate contract time for each inductive loop installation will be the date which is seven (7) consecutive calendar days after the date of availability.

The liquidated damages are Five Hundred Dollars (\$ 500.00) per calendar day.

## **INTERMEDIATE CONTRACT TIME NUMBER 3 AND LIQUIDATED DAMAGES:**

(6-18-13)

.

SP1 G14 K

The Contractor shall complete **all** work required on **Map #11** and shall place and maintain traffic on same.

The date of availability for this intermediate contract time is June 11, 2023.

The completion date for this intermediate contract time is August 15, 2023.

The liquidated damages are Seven Hundred Dollars (\$ 700.00) per calendar day.

## **PROSECUTION OF WORK:**

(7-1-95) (Rev. 8-21-12)

The Contractor will be required to prosecute the work in a continuous and uninterrupted manner from the time he begins the work until completion and final acceptance of the project. The Contractor will not be permitted to suspend his operations except for reasons beyond his control or except where the Engineer has authorized a suspension of the Contractor's operations in writing.

**G-3** 

In the event that the Contractor's operations are suspended in violation of the above provisions, the sum of **\$ 1,500.00** will be charged the Contractor for each and every calendar day that such suspension takes place. The said amount is hereby agreed upon as liquidated damages due to extra engineering and maintenance costs and due to increased public hazard resulting from a suspension of the work. Liquidated damages chargeable due to suspension of the work will be additional to any liquidated damages that may become chargeable due to failure to complete the work on time.

#### **RAILROAD GRADE CROSSING:**

(7-1-95) (Rev. 10-20-20)

107-9

When the use of slow moving or stopped equipment is required over at-grade railroad crossings, the contractor shall contact the appropriate track owner to gain Right of Entry. The contractor shall be responsible for ascertaining and contacting the railroad track owner.

No separate payment will be made for conforming with the requirements of this Special Provision. Please contact the Resident Engineer or the Surfaces and Encroachment manager with the Rail Division with any questions pertaining to the Right of Entry at 919-707-4132 or <u>mmclamb@ncdot.gov</u>.

## **RIGHT OF ENTRY TO NORFOLK SOUTHERN RAILROAD RIGHT-OF-WAY:**

Obtain the non-environmental Right of Entry in order to gain access to the Norfolk Southern Railroad right of way. The application can be found at:

## https://ns.railprospermitting.com/Login.aspx?ReturnUrl=%2f

All costs associated with satisfying railroad requirements and obtaining the ROE agreement, including, but not limited to, ROE fees and insurance shall be included in the price bid for the pay items associated with the work inside the railroad right of way. No separate measurement or payment will be made for these costs.

Once work begins within the Railroad Right-of-Way, complete all operations in the Railroad Right of Way in a continuous manner in order to minimize railroad flagging resources.

108

SP1 G15R

SP1 G17R

For assistance with the Right of Entry to Railroad Right-of-Way application please contact the Resident Engineer or the Surfaces and Encroachment manager with the Rail Division of the NCDOT at 919-707-4132 (<u>mmclamb@ncdot.gov</u>).

**G-4** 

#### **NS Insurance Requirements**:

**INSURANCE**: State Project:

County:

A. In addition to any other forms of insurance or bonds required under the terms of the contract and specifications, the Prime Contractor will be required to provide coverage conforming to the requirements of the Federal-Aid Policy Guide outlined under 23 CFR 646A for all work to be performed on Railroad right(s) of way by carrying insurance of the following kinds and amounts:

## 1. CONTRACTOR'S COMMERCIAL GENERAL LIABILITY INSURANCE:

The Contractor shall furnish an original and one copy of the certificate of insurance and one certified copy of the policy to the Railroad and Department as evidence that, with respect to the operations he performs on railroad right of way, he carries regular Commercial General Liability Insurance having a combined single limit of not less than \$2,000,000 per occurrence for all loss, damage, cost and expense, including attorneys' fees, arising out of bodily injury liability and property damage liability Said policy shall include explosion, collapse, and during the policy period. underground hazard (XCU) coverage, shall be endorsed to name Railroad specified in item A.2.c. below as an additional insured, and shall include a severability of interests provision. Also, Automobile Liability Insurance with a combined single limit of not less than \$1,000,000 each occurrence for injury to or death of persons and damage to or loss or destruction of property. Said policy or policies shall be endorsed to name Railroad specified in item A.2.c. below both as the certificate holder and as an additional insured and shall include a severability of interests provision;

## 2. RAILROAD PROTECTIVE LIABILITY INSURANCE:

The Contractor shall furnish to the Railroad and Department an original and one duplicate of the Railroad Protective Liability Insurance having a combined single limit of not less than \$2,000,000 each occurrence and \$6,000,000 in the aggregate applying separately to each annual period. If the project involves track over which passenger trains operate, the insurance limits required are not less than a combined single limit of \$5,000,000 each occurrence and \$10,000,000 in the aggregate applying separately to each annual period. Said policy shall provide coverage for all loss, damage or expense arising from bodily injury and property damage liability, and physical damage to property attributed to acts or omissions at the job site.

The standards for the Railroad Protective Liability Insurance are as follows: a. The insurer must be rated A- or better by A.M. Best Company, Inc. NOTE: NS does not accept from insurers Chartis (AIG or Affiliated Company including Lexington Insurance Company), Hudson Group or Liberty or Affiliated Company.

- b. The policy must be written using one of the following combinations of Insurance Services Office ("ISO") Railroad Protective Liability Insurance Form Numbers:
  (1) CG 00 35 01 96 and CG 28 31 10 93; or
  - (2) CG 00 35 07 98 and CG 28 31 07 98; or
  - (3) CG 00 35 10 01; or
  - (4) CG 00 35 12 04; or
  - (5) CG 00 35 12 07; or
  - (6) CG 00 35 04 13.
- c. The named insured shall read:

Norfolk Southern Corporation and its Subsidiaries Three Commercial Place Norfolk, Virginia 23510-2191 Attn: Director Risk Management

- (NOTE: NS does not share coverage on RRPL with any other entity on this policy)
- d. The description of operations must appear on the Declarations, must match the project description in this agreement, and must include the appropriate Department project and contract identification numbers.

The Description and Designation shall read:

e. The job location must appear on the Declarations and must include the city, state, and appropriate highway name/number.

Note: Do not include any references to milepost, valuation station, or mile marker on the insurance policy.

- f. The name and address of the prime contractor must appear on the Declarations.
- g. The name and address of the Department must be identified on the Declarations as the "Involved Governmental Authority or Other Contracting Party."
- h. Endorsements/forms that are required are:
  (1) Physical Damage to Property Amendment
  (2) Terrorism Risk Insurance Act (TRIA) coverage must be included
- i. Other endorsements/forms that will be accepted are: (1) Broad Form Nuclear Exclusion Form IL 00 21

- (2) 30-day Advance Notice of Non-renewal or cancellation
- (3) 60- day written notice be given the Department prior to cancellation or change
- (4) Quick Reference or Index Form CL/IL 240
- j. Endorsements/forms that are **<u>NOT</u>** acceptable are:
  - (1) Any Pollution Exclusion Endorsement except CG 28 31
  - (2) Any Punitive or Exemplary Damages Exclusion
  - (3) Known injury or Damage Exclusion form CG 00 59
  - (4) Any Common Policy Conditions form
  - (5) Any Endorsement that limits or excludes Professional Liability coverage
  - (6) A Non-Cumulation of Liability or Pyramiding of Limits Endorsement
  - (7) An Endorsement that excludes TRIA coverage
  - (8) A Sole Agent Endorsement
  - (9) Any type of deductible endorsement or amendment
  - (10) Any other endorsement/form not specifically authorized in item no. 2.h above.
- B. If any part of the work is sublet, similar insurance, and evidence thereof as specified in A.1 above, shall be provided by or on behalf of the subcontractor to cover its operations on Railroad's right of way

C. All insurance required under the preceding subsection A shall be underwritten by insurers and be of such form and content, as may be acceptable to the Company. Prior to entry on Railroad right-of-way, the original Railroad Protective Liability Insurance Policy shall be submitted by the Prime Contractor to the Department at the address below for its review and transmittal to the Railroad. In addition, certificates of insurance evidencing the Prime Contractor's and any subcontractors' Commercial General Liability Insurance shall be issued to the Railroad and the Department at the addresses below, and forwarded to the Department for its review and transmittal to the Railroad. The certificates of insurance shall state that the insurance coverage will not be suspended, voided, canceled, or reduced in coverage or limits without (30) days advance written notice to Railroad and the Department. No work will be permitted by Railroad on its right-of-way until it has reviewed and approved the evidence of insurance required herein.

| DEPARTMENT:              | <u>RAILROAD:</u>                 |
|--------------------------|----------------------------------|
| NCDOT Rail Division      | Risk Management                  |
| 1556 Mail Service Center | Norfolk Southern Railway Company |
| Raleigh NC 27699-1556    | Three Commercial Place           |
| Attn: Meredith McLamb    | Norfolk, Virginia 23510-2191     |

D. The insurance required herein shall not limit the obligations of Department or its Contractors under the terms of this agreement.

E. Submission Requirements

1. Railroad will only accept initial insurance submissions via US Mail or Overnight carrier to the address noted in C above. Railroad will NOT accept initial insurance

submissions via email or faxes. Please provide point of contact information with the submission including a phone number and email address.

**G-7** 

2. Railroad requires the following two (2) forms of insurance in the initial insurance submission to be submitted under a cover letter providing details of the project and contact information:

a. The full original or certified true countersigned copy of the railroad protective liability insurance policy in its entirety inclusive of all declarations, schedule of forms and endorsements along with the policy forms and endorsements.

b. The Contractor's commercial general, automobile, and workers' compensation liability insurance certificate of liability insurance evidencing a combined single limit of a minimum of \$2M per occurrence of general and \$1M per occurrence of automobile liability insurance naming Norfolk Southern Railway Company, Three Commercial Place, Norfolk, VA 23510 as the certificate holder and as an additional insured on both the general and automobile liability insurance policy.

3. It should be noted that the Railroad does not accept notation of Railroad Protective Insurance on a certificate of liability insurance form or Binders as Railroad must have the full original countersigned policy. Further, please note that mere receipt of the policy is not the only issue but review for compliance. Due to the number of projects system-wide, it typically takes a minimum of 30-45 days for the Railroad to review.

## 15. FAILURE TO COMPLY:

- A. In the event the Contractor violates or fails to comply with any of the requirements of these Special Provisions:
  - (1) The Railroad Engineer may require that the Contractor vacate Railroad property.
  - (2) The Engineer may withhold all monies due the Contractor on monthly statements.

Any such orders shall remain in effect until the Contractor has remedied the situation to the satisfaction of the Railroad Engineer and the Engineer.

#### 16. <u>PAYMENT FOR COST OF COMPLIANCE:</u>

A. No separate payment will be made for any extra cost incurred on account of compliance with these special provisions. All such cost shall be included in prices bid for other items of the work as specified in the payment items.

C204717 2022CPT.13.01.10111, etc.

#### **MAJOR CONTRACT ITEMS:**

(2-19-02)

The following listed items are the major contract items for this contract (see Article 104-5 of the 2018 Standard Specifications):

**G-8** 

#### Line # Description

| 9  | Asphalt Concrete Surface Course, Type S9.5 B |
|----|--|
| 10 | Asphalt Concrete Surface Course, Type S9.5 C |
| 14 | Patching Existing Pavement                   |

#### **SPECIALTY ITEMS:**

(7-1-95)(Rev. 7-20-21)

Items listed below will be the specialty items for this contract (see Article 108-6 of the 2018 Standard Specifications).

108-6

| Line #       | Description                 |
|--------------|-----------------------------|
| 26-29, 34-37 | Long-Life Pavement Markings |
| 38           | Permanent Pavement Markers  |
| 40-41        | Signals/ITS System          |

#### **FUEL PRICE ADJUSTMENT:**

(11-15-05) (Rev. 7-20-21)

Revise the 2018 Standard Specifications as follows:

#### Page 1-87, Article 109-8, Fuel Price Adjustments, add the following:

The base index price for DIESEL #2 FUEL is **\$ 3.0794** per gallon. Where any of the following are included as pay items in the contract, they will be eligible for fuel price adjustment.

109-8

The pay items and the fuel factor used in calculating adjustments to be made will be as follows:

| Description                                | Units   | Fuel Usage<br>Factor Diesel |
|--|---------|-----------------------------|
| Unclassified Excavation                    | Gal/CY  | 0.29                        |
| Borrow Excavation                          | Gal/CY  | 0.29                        |
| Class IV Subgrade Stabilization            | Gal/Ton | 0.55                        |
| Aggregate Base Course                      | Gal/Ton | 0.55                        |
| Sub-Ballast                                | Gal/Ton | 0.55                        |
| Asphalt Concrete Base Course, Type         | Gal/Ton | 0.90 or 2.90                |
| Asphalt Concrete Intermediate Course, Type | Gal/Ton | 0.90 or 2.90                |
| Asphalt Concrete Surface Course, Type      | Gal/Ton | 0.90 or 2.90                |
| Open-Graded Asphalt Friction Course        | Gal/Ton | 0.90 or 2.90                |
| Permeable Asphalt Drainage Course, Type    | Gal/Ton | 0.90 or 2.90                |
| Sand Asphalt Surface Course, Type          | Gal/Ton | 0.90 or 2.90                |
| Aggregate for Cement Treated Base Course   | Gal/Ton | 0.55                        |

104

SP1 G28

SP1 G43

SP1 G37

| Portland Cement for Cement Treated Base Course | Gal/Ton | 0.55  |
|--|---------|-------|
| Portland Cement Concrete Pavement              | Gal/SY  | 0.245 |
| Concrete Shoulders Adjacent to " Pavement      | Gal/SY  | 0.245 |

For the asphalt items noted in the chart as eligible for fuel adjustments, the bidder may include the *Fuel Usage Factor Adjustment Form* with their bid submission if they elect to use the fuel usage factor. The *Fuel Usage Factor Adjustment Form* is found at the following link:

https://connect.ncdot.gov/letting/LetCentral/Fuel%20Usage%20Factor%20Adjustment%20Form .pdf

Select either 2.90 Gal/Ton fuel factor or 0.90 Gal/Ton fuel factor for each asphalt line item on the *Fuel Usage Factor Adjustment Form*. The selected fuel factor for each asphalt item will remain in effect for the duration of the contract.

Failure to complete the *Fuel Usage Factor Adjustment Form* will result in using 2.90 gallons per ton as the Fuel Usage Factor for Diesel for the asphalt items noted above. The contractor will not be permitted to change the Fuel Usage Factor after the bids are submitted.

#### **SCHEDULE OF ESTIMATED COMPLETION PROGRESS:**

(7-15-08) (Rev. 5-13-19)

SP1 G58

The Contractor's attention is directed to the Standard Special Provision entitled *Availability of Funds Termination of Contracts* included elsewhere in this proposal. The Department of Transportation's schedule of estimated completion progress for this project as required by that Standard Special Provision is as follows:

|      | <u>Fiscal Year</u>  | <b>Progress (% of Dollar Value)</b> |
|------|---------------------|-------------------------------------|
| 2023 | (7/01/22 - 6/30/23) | 82% of Total Amount Bid             |
| 2024 | (7/01/23 - 6/30/24) | 18% of Total Amount Bid             |

The Contractor shall also furnish his own progress schedule in accordance with Article 108-2 of the *2018 Standard Specifications*. Any acceleration of the progress as shown by the Contractor's progress schedule over the progress as shown above shall be subject to the approval of the Engineer.

| <b>MINORITY BUSINESS</b> | ENTERPRISE AND WOMEN BUSINESS ENTERPRISE: |         |
|--------------------------|---|---------|
| (10-16-07)(Rev. 8-17-21) | 102-15(J)                                 | SP1 G66 |

#### Description

The purpose of this Special Provision is to carry out the North Carolina Department of Transportation's policy of ensuring nondiscrimination in the award and administration of contracts financed in whole or in part with State funds.

## Definitions

*Additional MBE/WBE Subcontractors* - Any MBE/WBE submitted at the time of bid that will <u>not</u> be used to meet the Combined MBE /WBE Goal. No submittal of a Letter of Intent is required.

*Combined MBE/WBE Goal:* A portion of the total contract, expressed as a percentage that is to be performed by committed MBE/WBE subcontractors.

*Committed MBE/WBE Subcontractor* - Any MBE/WBE submitted at the time of bid that is being used to meet the Combined MBE /WBE goal by submission of a Letter of Intent. Or any MBE or WBE used as a replacement for a previously committed MBE or WBE firm.

*Contract Goal Requirement* - The approved participation at time of award, but not greater than the advertised Combined MBE/WBE contract goal.

*Goal Confirmation Letter* - Written documentation from the Department to the bidder confirming the Contractor's approved, committed participation along with a listing of the committed MBE and WBE firms.

*Manufacturer* - A firm that operates or maintains a factory or establishment that produces on the premises, the materials or supplies obtained by the Contractor.

*MBE Participation (Anticipated)* - A portion of the total contract, expressed as a percentage that is anticipated to be performed by committed MBE subcontractor(s).

*Minority Business Enterprise (MBE)* - A firm certified as a Disadvantaged Minority-Owned Business Enterprise through the North Carolina Unified Certification Program.

*Regular Dealer* - A firm that owns, operates, or maintains a store, warehouse, or other establishment in which the materials or supplies required for the performance of the contract are bought, kept in stock, and regularly sold to the public in the usual course of business. A regular dealer engages in, as its principal business and in its own name, the purchase and sale or lease of the products in question. A regular dealer in such bulk items as steel, cement, gravel, stone, and petroleum products need not keep such products in stock, if it owns and operates distribution equipment for the products. Brokers and packagers are not regarded as manufacturers or regular dealers within the meaning of this section.

*Replacement / Substitution* – A full or partial reduction in the amount of work subcontracted to a committed (or an approved substitute) MBE/WBE firm.

*North Carolina Unified Certification Program (NCUCP)* - A program that provides comprehensive services and information to applicants for MBE/WBE certification. The MBE/WBE program follows the same regulations as the federal Disadvantaged Business Enterprise (DBE) program in accordance with 49 CFR Part 26.

*United States Department of Transportation (USDOT)* - Federal agency responsible for issuing regulations (49 CFR Part 26) and official guidance for the DBE program.

*WBE Participation (Anticipated)* - A portion of the total contract, expressed as a percentage, that is anticipated to be performed by committed WBE subcontractor(s).

*Women Business Enterprise (WBE)* - A firm certified as a Disadvantaged Women-Owned Business Enterprise through the North Carolina Unified Certification Program.

#### Forms and Websites Referenced in this Provision

*Payment Tracking System* - On-line system in which the Contractor enters the payments made to MBE and WBE subcontractors who have performed work on the project. https://apps.dot.state.nc.us/Vendor/PaymentTracking/

DBE-IS *Subcontractor Payment Information* - Form for reporting the payments made to all MBE/WBE firms working on the project. This form is for paper bid projects only. https://connect.ncdot.gov/business/Turnpike/Documents/Form%20DBE-IS%20Subcontractor%20Payment%20Information.pdf

RF-1 *MBE/WBE Replacement Request Form* - Form for replacing a committed MBE or WBE. http://connect.ncdot.gov/projects/construction/Construction%20Forms/DBE%20MBE%20WBE %20Replacement%20Request%20Form.pdf

SAF *Subcontract Approval Form* - Form required for approval to sublet the contract. http://connect.ncdot.gov/projects/construction/Construction%20Forms/Subcontract%20Approval %20Form%20Rev.%202012.zip

JC-1 *Joint Check Notification Form* - Form and procedures for joint check notification. The form acts as a written joint check agreement among the parties providing full and prompt disclosure of the expected use of joint checks.

http://connect.ncdot.gov/projects/construction/Construction%20Forms/Joint%20Check%20Notif ication%20Form.pdf

*Letter of Intent* - Form signed by the Contractor and the MBE/WBE subcontractor, manufacturer or regular dealer that affirms that a portion of said contract is going to be performed by the signed MBE/WBE for the estimated amount (based on quantities and unit prices) listed at the time of bid. http://connect.ncdot.gov/letting/LetCentral/Letter%20of%20Intent%20to%20Perform%20as%20 a%20Subcontractor.pdf

*Listing of MBE and WBE Subcontractors Form* - Form for entering MBE/WBE subcontractors on a project that will meet the Combined MBE/WBE goal. This form is for paper bids only. http://connect.ncdot.gov/municipalities/Bid%20Proposals%20for%20LGA%20Content/09%20M BE-WBE%20Subcontractors%20(State).docx

*Subcontractor Quote Comparison Sheet* - Spreadsheet for showing all subcontractor quotes in the work areas where MBEs and WBEs quoted on the project. This sheet is submitted with good faith effort packages.

http://connect.ncdot.gov/business/SmallBusiness/Documents/DBE%20Subcontractor%20Quote %20Comparison%20Example.xls

#### **Combined MBE/WBE Goal**

The Combined MBE/WBE Goal for this project is 5.0 %

The Combined Goal was established utilizing the following anticipated participation for Minority Business Enterprises and Women Business Enterprises:

- (A) Minority Business Enterprises 2.0 %
  - (1) *If the anticipated MBE participation is more than zero*, the Contractor shall exercise all necessary and reasonable steps to ensure that MBEs participate in at least the percent of the contract as set forth above.
  - (2) *If the anticipated MBE participation is zero*, the Contractor shall make an effort to recruit and use MBEs during the performance of the contract. Any MBE participation obtained shall be reported to the Department.
- (B) Women Business Enterprises **3.0** %
  - (1) *If the anticipated WBE participation is more than zero*, the Contractor shall exercise all necessary and reasonable steps to ensure that WBEs participate in at least the percent of the contract as set forth above.
  - (2) *If the anticipated WBE participation is zero*, the Contractor shall make an effort to recruit and use WBEs during the performance of the contract. Any WBE participation obtained shall be reported to the Department.

The Bidder is required to submit only participation to meet the Combined MBE/WBE Goal. The Combined Goal may be met by submitting all MBE participation, all WBE participation, or a combination of MBE and WBE participation.

#### **Directory of Transportation Firms (Directory)**

Real-time information is available about firms doing business with the Department and firms that are certified through NCUCP in the Directory of Transportation Firms. Only firms identified in the Directory as MBE and WBE certified shall be used to meet the Combined MBE/WBE Goal. The Directory can be found at the following link.

https://www.ebs.nc.gov/VendorDirectory/default.html

The listing of an individual firm in the directory shall not be construed as an endorsement of the firm's capability to perform certain work.

#### Listing of MBE/WBE Subcontractors

At the time of bid, bidders shall submit <u>all</u> MBE and WBE participation that they anticipate to use during the life of the contract. Only those identified to meet the Combined MBE/WBE Goal will be considered committed, even though the listing shall include both committed MBE/WBE subcontractors and additional MBE/WBE subcontractors. Any additional MBE/WBE

subcontractor participation above the goal will follow the banking guidelines found elsewhere in this provision. All other additional MBE/WBE subcontractor participation submitted at the time of bid will be used toward the Department's overall race-neutral goals. Only those firms with current MBE and WBE certification at the time of bid opening will be acceptable for listing in the bidder's submittal of MBE and WBE participation. The Contractor shall indicate the following required information:

(A) Electronic Bids

Bidders shall submit a listing of MBE and WBE participation in the appropriate section of the electronic submittal file.

- (1) Submit the names and addresses of MBE and WBE firms identified to participate in the contract. If the bidder uses the updated listing of MBE and WBE firms shown in the electronic submittal file, the bidder may use the dropdown menu to access the name and address of the firms.
- (2) Submit the contract line numbers of work to be performed by each MBE and WBE firm. When no figures or firms are entered, the bidder will be considered to have no MBE or WBE participation.
- (3) The bidder shall be responsible for ensuring that the MBE and WBE are certified at the time of bid by checking the Directory of Transportation Firms. If the firm is not certified at the time of the bid-letting, that MBE's or WBE's participation will not count towards achieving the Combined MBE/WBE goal.
- (B) Paper Bids
  - (1) If the Combined MBE/WBE Goal is more than zero,
    - (a) Bidders, at the time the bid proposal is submitted, shall submit a listing of MBE/WBE participation, including the names and addresses on *Listing of MBE and WBE Subcontractors* contained elsewhere in the contract documents in order for the bid to be considered responsive. Bidders shall indicate the total dollar value of the MBE and WBE participation for the contract.
    - (b) If bidders have no MBE or WBE participation, they shall indicate this on the *Listing of MBE and WBE Subcontractors* by entering the word "None" or the number "0." This form shall be completed in its entirety. <u>Blank</u> <u>forms will not be deemed to represent zero participation</u>. Bids submitted that do not have MBE and WBE participation indicated on the appropriate form will not be read publicly during the opening of bids. The Department will not consider these bids for award and the proposal will be rejected.
    - (c) The bidder shall be responsible for ensuring that the MBE/WBE is certified at the time of bid by checking the Directory of Transportation Firms. If the

firm is not certified at the time of the bid-letting, that MBE's or WBE's participation will not count towards achieving the Combined MBE/WBE Goal.

(2) If the Combined MBE/WBE Goal is zero, entries on the Listing of MBE and WBE Subcontractors are not required for the zero goal, however any MBE or WBE participation that is achieved during the project shall be reported in accordance with requirements contained elsewhere in the special provision.

#### **MBE or WBE Prime Contractor**

When a certified MBE or WBE firm bids on a contract that contains a Combined MBE/WBE goal, the firm is responsible for meeting the goal or making good faith efforts to meet the goal, just like any other bidder. In most cases, a MBE or WBE bidder on a contract will meet the Combined MBE/WBE Goal by virtue of the work it performs on the contract with its own forces. However, all the work that is performed by the MBE or WBE bidder and any other similarly certified subcontractors will count toward the goal. The MBE or WBE bidder shall list itself along with any MBE or WBE subcontractors, if any, in order to receive credit toward the goal.

MBE/WBE prime contractors shall also follow Sections A and B listed under *Listing of MBE/WBE Subcontractor* just as a non-MBE/WBE bidder would.

#### Written Documentation – Letter of Intent

The bidder shall submit written documentation for each MBE/WBE that will be used to meet the Combined MBE/WBE Goal of the contract, indicating the bidder's commitment to use the MBE/WBE in the contract. This documentation shall be submitted on the Department's form titled *Letter of Intent*.

The documentation shall be received in the office of the State Contractor Utilization Engineer or at DBE@ncdot.gov no later than 10:00 a.m. of the sixth calendar day following opening of bids, unless the sixth day falls on an official state holiday. In that situation, it is due in the office of the State Contractor Utilization Engineer no later than 10:00 a.m. on the next official state business day.

If the bidder fails to submit the Letter of Intent from each committed MBE and WBE to be used toward the Combined MBE/WBE Goal, or if the form is incomplete (i.e. both signatures are not present), the MBE/WBE participation will not count toward meeting the Combined MBE/WBE Goal. If the lack of this participation drops the commitment below the Combined MBE/WBE Goal, the Contractor shall submit evidence of good faith efforts for the goal, completed in its entirety, to the State Contractor Utilization Engineer or DBE@ncdot.gov no later than 10:00 a.m. on the eighth calendar day following opening of bids, unless the eighth day falls on an official state holiday. In that situation, it is due in the office of the State Contractor Utilization Engineer no later than 10:00 a.m. on the next official state business day.

#### **Banking MBE/WBE Credit**

If the bid of the lowest responsive bidder exceeds \$500,000 and if the committed MBE/WBE participation submitted exceeds the algebraic sum of the Combined MBE /WBE Goal by \$1,000 or more, the excess will be placed on deposit by the Department for future use by the bidder. Separate accounts will be maintained for MBE and WBE participation and these may accumulate for a period not to exceed 24 months.

When the apparent lowest responsive bidder fails to submit sufficient participation by MBE and WBE firms to meet the advertised goal, as part of the good faith effort, the Department will consider allowing the bidder to withdraw funds to meet the Combined MBE/WBE Goal as long as there are adequate funds available from the bidder's MBE and WBE bank accounts.

#### **Submission of Good Faith Effort**

If the bidder fails to meet or exceed the Combined MBE/WBE Goal, the apparent lowest responsive bidder shall submit to the Department documentation of adequate good faith efforts made to reach that specific goal.

A hard copy and an electronic copy of this information shall be received in the office of the State Contractor Utilization Engineer or at DBE@ncdot.gov no later than 10:00 a.m. on the sixth calendar day following opening of bids unless the sixth day falls on an official state holiday. In that situation, it would be due in the office of the State Contractor Utilization Engineer no later than 10:00 a.m. on the next official state business day. If the contractor cannot send the information electronically, then one complete set and 5 copies of this information shall be received under the same time constraints above.

Note: Where the information submitted includes repetitious solicitation letters, it will be acceptable to submit a representative letter along with a distribution list of the firms that were solicited. Documentation of MBE/WBE quotations shall be a part of the good faith effort submittal. This documentation may include written subcontractor quotations, telephone log notations of verbal quotations, or other types of quotation documentation.

# Consideration of Good Faith Effort for Projects with a Combined MBE/WBE Goal More Than Zero

Adequate good faith efforts mean that the bidder took all necessary and reasonable steps to achieve the goal which, by their scope, intensity, and appropriateness, could reasonably be expected to obtain sufficient MBE/WBE participation. Adequate good faith efforts also mean that the bidder actively and aggressively sought MBE/WBE participation. Mere *pro forma* efforts are not considered good faith efforts.

The Department will consider the quality, quantity, and intensity of the different kinds of efforts a bidder has made. Listed below are examples of the types of actions a bidder will take in making a good faith effort to meet the goals and are not intended to be exclusive or exhaustive, nor is it intended to be a mandatory checklist.

- (A) Soliciting through all reasonable and available means (e.g. attendance at pre-bid meetings, advertising, written notices, use of verifiable electronic means through the use of the NCDOT Directory of Transportation Firms) the interest of all certified MBEs/WBEs that are also prequalified subcontractors. The bidder must solicit this interest within at least 10 days prior to bid opening to allow the MBEs/WBEs to respond to the solicitation. Solicitation shall provide the opportunity to MBEs/WBEs within the Division and surrounding Divisions where the project is located. The bidder must determine with certainty if the MBEs/WBEs are interested by taking appropriate steps to follow up initial solicitations.
- (B) Selecting portions of the work to be performed by MBEs/WBEs in order to increase the likelihood that the Combined MBE/WBE Goal will be achieved.
  - (1) Where appropriate, break out contract work items into economically feasible units to facilitate MBE/WBE participation, even when the prime contractor might otherwise prefer to perform these work items with its own forces.
  - (2) Negotiate with subcontractors to assume part of the responsibility to meet the advertised goal when the work to be sublet includes potential for MBE/WBE participation (2<sup>nd</sup> and 3<sup>rd</sup> tier subcontractors).
- (C) Providing interested certified MBEs/WBEs that are also prequalified subcontractors with adequate information about the plans, specifications, and requirements of the contract in a timely manner to assist them in responding to a solicitation.
- (D) (1) Negotiating in good faith with interested MBEs/WBEs. It is the bidder's responsibility to make a portion of the work available to MBE/WBE subcontractors and suppliers and to select those portions of the work or material needs consistent with the available MBE/WBE subcontractors and suppliers, so as to facilitate MBE/WBE participation. Evidence of such negotiation includes the names, addresses, and telephone numbers of MBEs/WBEs that were considered; a description of the information provided regarding the plans and specifications for the work selected for subcontracting; and evidence as to why additional agreements could not be reached for MBEs/WBEs to perform the work.
  - (2) A bidder using good business judgment would consider a number of factors in negotiating with subcontractors, including MBE/WBE subcontractors, and would take a firm's price and capabilities as well as the advertised goal into consideration. However, the fact that there may be some additional costs involved in finding and using MBEs/WBEs is not in itself sufficient reason for a bidder's failure to meet the contract goal, as long as such costs are reasonable. Also, the ability or desire of a prime contractor to perform the work of a contract with its own organization does not relieve the bidder of the responsibility to make good faith

efforts. Bidding contractors are not, however, required to accept higher quotes from MBEs/WBEs if the price difference is excessive or unreasonable.

- (E) Not rejecting MBEs/WBEs as being unqualified without sound reasons based on a thorough investigation of their capabilities. The bidder's standing within its industry, membership in specific groups, organizations, or associates and political or social affiliations (for example, union vs. non-union employee status) are not legitimate causes for the rejection or non-solicitation of bids in the bidder's efforts to meet the project goal.
- (F) Making efforts to assist interested MBEs/WBEs in obtaining bonding, lines of credit, or insurance as required by the recipient or bidder.
- (G) Making efforts to assist interested MBEs/WBEs in obtaining necessary equipment, supplies, materials, or related assistance or services.
- (H) Effectively using the services of available minority/women community organizations; minority/women contractors' groups; Federal, State, and local minority/women business assistance offices; and other organizations as allowed on a case-by-case basis to provide assistance in the recruitment and placement of MBEs/WBEs. Contact within 7 days from the bid opening the Business Opportunity and Work Force Development Unit at BOWD@ncdot.gov to give notification of the bidder's inability to get MBE or WBE quotes.
- (I) Any other evidence that the bidder submits which shows that the bidder has made reasonable good faith efforts to meet the advertised goal.

In addition, the Department may take into account the following:

- (1) Whether the bidder's documentation reflects a clear and realistic plan for achieving the Combined MBE/WBE Goal.
- (2) The bidders' past performance in meeting the contract goal.
- (3) The performance of other bidders in meeting the advertised goal. For example, when the apparent successful bidder fails to meet the goal, but others meet it, you may reasonably raise the question of whether, with additional reasonable efforts the apparent successful bidder could have met the goal. If the apparent successful bidder fails to meet the advertised goal, but meets or exceeds the average MBE and WBE participation obtained by other bidders, the Department may view this, in conjunction with other factors, as evidence of the apparent successful bidder having made a good faith effort.

If the Department does not award the contract to the apparent lowest responsive bidder, the Department reserves the right to award the contract to the next lowest responsive bidder that can satisfy to the Department that the Combined MBE/WBE Goal can be met or that an adequate good faith effort has been made to meet the advertised goal.

#### **Non-Good Faith Appeal**

The State Prequalification Engineer will notify the contractor verbally and in writing of non-good faith. A contractor may appeal a determination of non-good faith made by the Goal Compliance Committee. If a contractor wishes to appeal the determination made by the Committee, they shall provide written notification to the State Prequalification Engineer or at DBE@ncdot.gov. The appeal shall be made within 2 business days of notification of the determination of non-good faith.

#### Counting MBE/WBE Participation Toward Meeting the Combined MBE/WBE Goal

(A) Participation

The total dollar value of the participation by a committed MBE/WBE will be counted toward the contract goal requirements. The total dollar value of participation by a committed MBE/WBE will be based upon the value of work actually performed by the MBE/WBE and the actual payments to MBE/WBE firms by the Contractor.

(B) Joint Checks

Prior notification of joint check use shall be required when counting MBE/WBE participation for services or purchases that involves the use of a joint check. Notification shall be through submission of Form JC-1 (*Joint Check Notification Form*) and the use of joint checks shall be in accordance with the Department's Joint Check Procedures.

(C) Subcontracts (Non-Trucking)

A MBE/WBE may enter into subcontracts. Work that a MBE subcontracts to another MBE firm may be counted toward the anticipated MBE participation. The same holds true for work that a WBE subcontracts to another WBE firm. Work that a MBE/WBE subcontracts to a non-MBE/WBE firm does <u>not</u> count toward the contract goal requirement. It should be noted that every effort shall be made by MBE and WBE contractors to subcontract to the same certification (i.e., MBEs to MBEs and WBEs to WBEs), in order to fulfill the MBE or WBE participation breakdown. This, however, may not always be possible due to the limitation of firms in the area. If the MBE or WBE firm shows a good faith effort has been made to reach out to similarly certified firms, the Engineer will not hold the prime responsible for meeting the individual MBE or WBE breakdown. If a MBE or WBE contractor subcontracts a significantly greater portion of the work of the contract than would be expected on the basis of standard industry practices, it shall be presumed that the MBE or WBE is not performing a commercially useful function.

(D) Joint Venture

When a MBE or WBE performs as a participant in a joint venture, the Contractor may count toward its contract goal requirement a portion of the total value of participation with the MBE or WBE in the joint venture, that portion of the total dollar value being a distinct clearly defined portion of work that the MBE or WBE performs with its forces.

(E) Suppliers

A contractor may count toward its MBE/ WBE requirement 60 percent of its expenditures for materials and supplies required to complete the contract and obtained from a MBE or WBE regular dealer and 100 percent of such expenditures from a MBE or WBE manufacturer.

(F) Manufacturers and Regular Dealers

A contractor may count toward its MBE/ WBE requirement the following expenditures to MBE/WBE firms that are not manufacturers or regular dealers:

- (1) The fees or commissions charged by a MBE/WBE firm for providing a *bona fide* service, such as professional, technical, consultant, or managerial services, or for providing bonds or insurance specifically required for the performance of a DOT-assisted contract, provided the fees or commissions are determined to be reasonable and not excessive as compared with fees and commissions customarily allowed for similar services.
- (2) With respect to materials or supplies purchased from a MBE/WBE, which is neither a manufacturer nor a regular dealer, count the entire amount of fees or commissions charged for assistance in the procurement of the materials and supplies, or fees or transportation charges for the delivery of materials or supplies required on a job site (but not the cost of the materials and supplies themselves), provided the fees are determined to be reasonable and not excessive as compared with fees customarily allowed for similar services.

#### **Commercially Useful Function**

(A) MBE/WBE Utilization

The Contractor may count toward its contract goal requirement only expenditures to MBEs and WBEs that perform a commercially useful function in the work of a contract. A MBE/WBE performs a commercially useful function when it is responsible for execution of the work of the contract and is carrying out its responsibilities by actually performing, managing, and supervising the work involved. To perform a commercially useful function, the MBE/WBE shall also be responsible with respect to materials and supplies used on the contract, for negotiating price, determining quality and quantity, ordering the material and installing (where applicable) and paying for the material itself. To determine whether a MBE/WBE is performing a commercially useful function, the Department will evaluate the amount of work subcontracted, industry practices, whether the amount the firm is to be paid under the contract is commensurate with the work it is actually performing and the MBE/WBE credit claimed for its performance of the work, and any other relevant factors. If it is determined that a MBE or WBE is not performing a Commercially Useful Function, the contractor may present evidence to rebut this presumption to the Department.

#### (B) MBE/WBE Utilization in Trucking

The following factors will be used to determine if a MBE or WBE trucking firm is performing a commercially useful function:

- (1) The MBE/WBE shall be responsible for the management and supervision of the entire trucking operation for which it is responsible on a particular contract, and there shall not be a contrived arrangement for the purpose of meeting the Combined MBE/WBE Goal.
- (2) The MBE/WBE shall itself own and operate at least one fully licensed, insured, and operational truck used on the contract.
- (3) The MBE/WBE receives credit for the total value of the transportation services it provides on the contract using trucks it owns, insures, and operates using drivers it employs.
- (4) The MBE may subcontract the work to another MBE firm, including an owner-operator who is certified as a MBE. The same holds true that a WBE may subcontract the work to another WBE firm, including an owner-operator who is certified as a WBE. When this occurs, the MBE or WBE who subcontracts work receives credit for the total value of the transportation services the subcontracted MBE or WBE provides on the contract. It should be noted that every effort shall be made by MBE and WBE contractors to subcontract to the same certification (i.e., MBEs to MBEs and WBEs to WBEs), in order to fulfill the participation breakdown. This, however, may not always be possible due to the limitation of firms in the area. If the MBE or WBE firm shows a good faith effort has been made to reach out to similarly certified transportation service providers and there is no interest or availability, and they can get assistance from other certified providers, the Engineer will not hold the prime responsible for meeting the individual MBE or WBE participation breakdown.
- (5) The MBE/WBE may also subcontract the work to a non-MBE/WBE firm, including from an owner-operator. The MBE/WBE who subcontracts the work to a non-MBE/WBE is entitled to credit for the total value of transportation services provided by the non-MBE/WBE subcontractor not to exceed the value of transportation services provided by MBE/WBE-owned trucks on the contract. Additional participation by non-MBE/WBE subcontractors receives credit only for the fee or commission it receives as a result of the subcontract arrangement. The value of services performed under subcontract agreements between the MBE/WBE and the Contractor will not count towards the MBE/WBE contract requirement.
- (6) A MBE/WBE may lease truck(s) from an established equipment leasing business open to the general public. The lease must indicate that the MBE/WBE has exclusive use of and control over the truck. This requirement does not preclude the leased truck from working for others during the term of the lease with the consent of the MBE/WBE, so long as the lease gives the MBE/WBE absolute priority for

use of the leased truck. This type of lease may count toward the MBE/WBE's credit as long as the driver is under the MBE/WBE's payroll.

(7) Subcontracted/leased trucks shall display clearly on the dashboard the name of the MBE/WBE that they are subcontracted/leased to and their own company name if it is not identified on the truck itself. Magnetic door signs are not permitted.

#### **MBE/WBE Replacement**

When a Contractor has relied on a commitment to a MBE or WBE subcontractor (or an approved substitute MBE or WBE subcontractor) to meet all or part of a contract goal requirement, the contractor shall not terminate the MBE/WBE subcontractor for convenience. This includes, but is not limited to, instances in which the Contractor seeks to perform the work of the terminated subcontractor with another MBE/WBE subcontractor, a non-MBE/WBE subcontractor, or with the Contractor's own forces or those of an affiliate.

The Contractor must give notice in writing both by certified mail and email to the MBE/WBE subcontractor, with a copy to the Engineer of its intent to request to terminate and/or substitute, and the reason for the request. The Contractor must give the MBE/WBE subcontractor five (5) business days to respond to the Contractor's Notice of Intent to Request Termination and/or Substitution. If the MBE/WBE subcontractor objects to the intended termination/substitution, the MBE/WBE, within five (5) business days must advise the Contractor and the Department of the reasons why the action should not be approved. The five-day notice period shall begin on the next business day after written notice is provided to the MBE/WBE subcontractor.

A committed MBE/WBE subcontractor may only be terminated after receiving the Department's written approval based upon a finding of good cause for the proposed termination and/or substitution. For purposes of this section, good cause shall include the following circumstances:

- (a) The listed MBE/WBE subcontractor fails or refuses to execute a written contract;
- (b) The listed MBE/WBE subcontractor fails or refuses to perform the work of its subcontract in a way consistent with normal industry standards. Provided, however, that good cause does not exist if the failure or refusal of the MBE/WBE subcontractor to perform its work on the subcontract results from the bad faith or discriminatory action of the prime contractor;
- (c) The listed MBE/WBE subcontractor fails or refuses to meet the prime contractor's reasonable, nondiscriminatory bond requirements;
- (d) The listed MBE/WBE subcontractor becomes bankrupt, insolvent, or exhibits credit unworthiness;
- (e) The listed MBE/WBE subcontractor is ineligible to work on public works projects because of suspension and debarment proceedings pursuant to 2 CFR Parts 180, 215 and 1,200 or applicable state law;
- (f) The listed MBE/WBE subcontractor is not a responsible contractor;
- (g) The listed MBE/WBE voluntarily withdraws from the project and provides written notice of withdrawal;
- (h) The listed MBE/WBE is ineligible to receive MBE/WBE credit for the type of work required;
- (i) A MBE/WBE owner dies or becomes disabled with the result that the listed MBE/WBE contractor is unable to complete its work on the contract;
- (j) Other documented good cause that compels the termination of the MBE/WBE subcontractor. Provided, that good cause does not exist if the prime contractor seeks to terminate a MBE/WBE it relied upon to obtain the contract so that the prime contractor can self-perform the work for which

the MBE/WBE contractor was engaged or so that the prime contractor can substitute another MBE/WBE or non-MBE/WBE contractor after contract award.

The Contractor shall comply with the following for replacement of a committed MBE/WBE:

(A) Performance Related Replacement

When a committed MBE/WBE is terminated for good cause as stated above, an additional MBE/WBE that was submitted at the time of bid may be used to fulfill the MBE/WBE commitment to meet the Combined MBE/WBE Goal. A good faith effort will only be required for removing a committed MBE/WBE if there were no additional MBE/WBEs submitted at the time of bid to cover the same amount of work as the MBE/WBE that was terminated.

If a replacement MBE/WBE is not found that can perform at least the same amount of work as the terminated MBE/WBE, the Contractor shall submit a good faith effort documenting the steps taken. Such documentation shall include, but not be limited to, the following:

- (1) Copies of written notification to MBE/WBEs that their interest is solicited in contracting the work defaulted by the previous MBE/WBE or in subcontracting other items of work in the contract.
- (2) Efforts to negotiate with MBE/WBEs for specific subbids including, at a minimum:
  - (a) The names, addresses, and telephone numbers of MBE/WBEs who were contacted.
  - (b) A description of the information provided to MBE/WBEs regarding the plans and specifications for portions of the work to be performed.
- (3) A list of reasons why MBE/WBE quotes were not accepted.
- (4) Efforts made to assist the MBE/WBEs contacted, if needed, in obtaining bonding or insurance required by the Contractor.
- (B) Decertification Replacement
  - (1) When a committed MBE/WBE is decertified by the Department after the SAF (*Subcontract Approval Form*) has been received by the Department, the Department will not require the Contractor to solicit replacement MBE/WBE participation equal to the remaining work to be performed by the decertified firm. The participation equal to the remaining work performed by the decertified firm will count toward the contract goal requirement.
  - (2) When a committed MBE/WBE is decertified prior to the Department receiving the SAF (*Subcontract Approval Form*) for the named MBE/WBE firm, the Contractor shall take all necessary and reasonable steps to replace the MBE/WBE subcontractor with another MBE/WBE subcontractor to perform at least the same amount of work to meet the Combined MBE/WBE goal requirement. If a

MBE/WBE firm is not found to do the same amount of work, a good faith effort must be submitted to NCDOT (see A herein for required documentation).

(3) Exception: If the MBE/WBE's ineligibility is caused solely by its having exceeded the size standard during the performance of the contract, the Department will not require the Contractor to solicit replacement MBE/WBE participation equal to the remaining work to be performed by the decertified firm. The participation equal to the remaining work performed by the decertified firm will count toward the contract goal requirement and overall goal.

All requests for replacement of a committed MBE/WBE firm shall be submitted to the Engineer for approval on Form RF-1 (*DBE Replacement Request*). If the Contractor fails to follow this procedure, the Contractor may be disqualified from further bidding for a period of up to 6 months.

#### **Changes in the Work**

When the Engineer makes changes that result in the reduction or elimination of work to be performed by a committed MBE/WBE, the Contractor will not be required to seek additional participation. When the Engineer makes changes that result in additional work to be performed by a MBE/WBE based upon the Contractor's commitment, the MBE/WBE shall participate in additional work to the same extent as the MBE/WBE participated in the original contract work.

When the Engineer makes changes that result in extra work, which has more than a minimal impact on the contract amount, the Contractor shall seek additional participation by MBEs/WBEs unless otherwise approved by the Engineer.

When the Engineer makes changes that result in an alteration of plans or details of construction, and a portion or all of the work had been expected to be performed by a committed MBE/WBE, the Contractor shall seek participation by MBEs/WBEs unless otherwise approved by the Engineer.

When the Contractor requests changes in the work that result in the reduction or elimination of work that the Contractor committed to be performed by a MBE/WBE, the Contractor shall seek additional participation by MBEs/WBEs equal to the reduced MBE/WBE participation caused by the changes.

#### **Reports and Documentation**

A SAF (*Subcontract Approval Form*) shall be submitted for all work which is to be performed by a MBE/WBE subcontractor. The Department reserves the right to require copies of actual subcontract agreements involving MBE/WBE subcontractors.

When using transportation services to meet the contract commitment, the Contractor shall submit a proposed trucking plan in addition to the SAF. The plan shall be submitted prior to beginning construction on the project. The plan shall include the names of all trucking firms proposed for use, their certification type(s), the number of trucks owned by the firm, as well as the individual truck identification numbers, and the line item(s) being performed. Within 30 calendar days of entering into an agreement with a MBE/WBE for materials, supplies or services, not otherwise documented by the SAF as specified above, the Contractor shall furnish the Engineer a copy of the agreement. The documentation shall also indicate the percentage (60% or 100%) of expenditures claimed for MBE/WBE credit.

#### **Reporting Minority and Women Business Enterprise Participation**

The Contractor shall provide the Engineer with an accounting of payments made to all MBE/ WBE firms, including material suppliers and contractors at all levels (prime, subcontractor, or second tier subcontractor). This accounting shall be furnished to the Engineer for any given month by the end of the following month. Failure to submit this information accordingly may result in the following action:

- (A) Withholding of money due in the next partial pay estimate; or
- (B) Removal of an approved contractor from the prequalified bidders' list or the removal of other entities from the approved subcontractors list.

While each contractor (prime, subcontractor, 2nd tier subcontractor) is responsible for accurate accounting of payments to MBEs/WBEs, it shall be the prime contractor's responsibility to report all monthly and final payment information in the correct reporting manner.

Failure on the part of the Contractor to submit the required information in the time frame specified may result in the disqualification of that contractor and any affiliate companies from further bidding until the required information is submitted.

Failure on the part of any subcontractor to submit the required information in the time frame specified may result in the disqualification of that contractor and any affiliate companies from being approved for work on future DOT projects until the required information is submitted.

Contractors reporting transportation services provided by non-MBE/WBE lessees shall evaluate the value of services provided during the month of the reporting period only.

At any time, the Engineer can request written verification of subcontractor payments.

The Contractor shall report the accounting of payments through the Department's Payment Tracking System.

## **Failure to Meet Contract Requirements**

Failure to meet contract requirements in accordance with Subarticle 102-15(J) of the 2018 Standard Specifications may be cause to disqualify the Contractor.

#### CONTRACTOR'S LICENSE REQUIREMENTS: (7-1-95) 102-14

If the successful bidder does not hold the proper license to perform any plumbing, heating, air conditioning, or electrical work in this contract, he will be required to sublet such work to a contractor properly licensed in accordance with *Article 2 of Chapter 87 of the General Statutes* (licensing of heating, plumbing, and air conditioning contractors) and *Article 4 of Chapter 87* of the *General Statutes* (licensing of electrical contractors).

## **RESTRICTIONS ON ITS EQUIPMENT AND SERVICES:**

(11-17-20)

All telecommunications, video or other ITS equipment or services installed or utilized on this project must be in conformance with UNIFORM ADMINISTRATIVE REQUIREMENTS, COST PRINCIPLES, AND AUDIT REQUIREMENTS FOR FEDERAL AWARDS 2 CFR, § 200.216 **Prohibition on certain telecommunications and video surveillance services or equipment.** 

## USE OF UNMANNED AIRCRAFT SYSTEM (UAS):

(8-20-19)

The Contractor shall adhere to all Federal, State and Local regulations and guidelines for the use of Unmanned Aircraft Systems (UAS). This includes but is not limited to US 14 CFR Part 107 *Small UAS Rule*, NC GS 15A-300.2 *Regulation of launch and recovery sites*, NC GS 63-95 *Training required for the operation of unmanned aircraft systems*, NC GS 63-96 *Permit required for commercial operation of unmanned aircraft system*, and NCDOT UAS Policy. The required operator certifications include possessing a current Federal Aviation Administration (FAA) Remote Pilot Certificate, a NC UAS Operator Permit as well as operating a UAS registered with the FAA.

Prior to beginning operations, the Contractor shall complete the NCDOT UAS – Flight Operation Approval Form and submit it to the Engineer for approval. All UAS operations shall be approved by the Engineer prior to beginning the operations.

All contractors or subcontractors operating UAS shall have UAS specific general liability insurance to cover all operations under this contract.

107

The use of UAS is at the Contractor's discretion. No measurement or payment will be made for the use of UAS. In the event that the Department directs the Contractor to utilize UAS, payment will be in accordance with Article 104-7 Extra Work.

#### **EQUIPMENT IDLING GUIDELINES:**

(1-19-21)

Exercise reduced fuel consumption and reduced equipment emissions during the construction of all work associated with this contract. Employees engaged in the construction of this project should turn off vehicles when stopped for more than thirty (30) minutes and off-highway equipment should idle no longer than fifteen (15) consecutive minutes.

These guidelines for turning off vehicles and equipment when idling do not apply to:

SP1 G88

SP1 G092

SP01 G090

SP1 G096

- 1. Idling when queuing.
- 2. Idling to verify the vehicle is in safe operating condition.
- 3. Idling for testing, servicing, repairing or diagnostic purposes.
- 4. Idling necessary to accomplish work for which the vehicle was designed (such as operating a crane, mixing concrete, etc.).
- 5. Idling required to bring the machine system to operating temperature.
- 6. Emergency vehicles, utility company, construction, and maintenance vehicles where the engines must run to perform needed work.
- 7. Idling to ensure safe operation of the vehicle.
- 8. Idling when the propulsion engine is providing auxiliary power for other than heating or air conditioning. (such as hydraulic systems for pavers)
- 9. When specific traffic, safety, or emergency situations arise.
- 10. If the ambient temperature is less than 32 degrees Fahrenheit. Limited idling to provide for the safety of vehicle occupants (e.g. to run the heater).
- 11. If the ambient temperature is greater than 90 degrees Fahrenheit. Limited idling to provide for the safety of vehicle occupants of off-highway equipment (e.g. to run the air conditioning) no more than 30 minutes.
- 12. Diesel powered vehicles may idle for up to 30 minutes to minimize restart problems.

Any vehicle, truck, or equipment in which the primary source of fuel is natural gas or electricity is exempt from the idling limitations set forth in this special provision.

## **ELECTRONIC BIDDING:**

(2-19-19)

101, 102, 103

SP1 G140

Revise the 2018 Standard Specifications as follows:

**Page 1-4, Article 101-3, DEFINITIONS, BID (OR PROPOSAL)** *Electronic Bid,* line 1, replace "Bid Express®" with "the approved electronic bidding provider".

**Page 1-15, Subarticle 102-8(B), Electronic Bids, lines 39-40,** replace "to Bid Express®" with "via the approved electronic bidding provider".

Page 1-15, Subarticle 102-8(B)(1), Electronic Bids, line 41, delete "from Bid Express®"

**Page 1-17, Subarticle 102-9(C)(2), Electronic Bids, line 21,** replace "Bid Express® miscellaneous folder within the .ebs" with "electronic submittal".

**Page 1-29, Subarticle 103-4(C)(2), Electronic Bids, line 32,** replace ".ebs miscellaneous data file of Expedite" with "electronic submittal file"

C204717 2022CPT.13.01.10111, etc.

Buncombe County

#### AWARD LIMITS:

(4-19-22)

103

Revise the 2018 Standard Specifications as follows:

**Page 1-29, Subarticle 103-4(C), Award Limits,** line 4-8, delete and replace the first sentence in the first paragraph with the following:

**G-27** 

A bidder who desires to bid on more than one project on which bids are to be opened in the same letting and who desires to avoid receiving an award of more projects than he is equipped to handle, may bid on any number of projects but may limit the total amount of work awarded to him on selected projects by completing the form Award Limits on Multiple Projects for each project subject to the award limit.

## **OUTSOURCING OUTSIDE THE USA:**

(9-21-04) (Rev. 5-16-06)

All work on consultant contracts, services contracts, and construction contracts shall be performed in the United States of America. No work shall be outsourced outside of the United States of America.

*Outsourcing* for the purpose of this provision is defined as the practice of subcontracting labor, work, services, staffing, or personnel to entities located outside of the United States.

The North Carolina Secretary of Transportation shall approve exceptions to this provision in writing.

## **NOTE TO CONTRACTOR:**

The Contractor's attention is directed to the fact that he will be required to mill the existing asphalt pavement to ensure a proper tie-in with the existing surface at the beginning, end, and Y-lines of each map to be resurfaced with *Asphalt Conc Surface Course, Type S9.5C*. This will be paid for as *Incidental Milling*.

SP1 G141

SP1 G150

#### **PROJECT SPECIAL PROVISIONS**

#### **ROADWAY**

# **REMOVE EXISTING CONCRETE CURB RAMPS:** (4-19-22)

#### Description

Remove existing concrete curb ramps at the locations included in the plans and as directed. Backfill, grade, and restore disturbed area with seed, fertilizer, and mulch.

#### Materials

Refer to Division 10

| Item                      | Section |
|---------------------------|---------|
| Fertilizer                | 1060-2  |
| Limestone                 | 1060-3  |
| Seed                      | 1060-4  |
| Mulch for Erosion Control | 1060-5  |

#### **Construction Methods**

Remove existing concrete curb ramps at the locations included in the plans and as directed.

Remove and replace the existing concrete curb and gutter through the curb ramp transition area between existing joints or as directed in accordance to the project special provision REMOVE AND REPLACE 2'- 6" CONCRETE CURB & GUTTER.

Backfill, grade, and compact disturbed areas with soil from an approved source.

Seed and mulch disturbed areas according to the applicable articles of Section 1660 of the 2018 *Standard Specifications*.

#### **Measurement and Payment**

*Remove Existing Concrete Curb Ramps* will be measured and paid for each ramp removal completed and accepted. Payment includes all labor, materials, equipment, fertilizer, limestone, seed, mulch for erosion control, and incidentals necessary to complete the work.

Payment will be made under:

Pay Item Remove Existing Concrete Curb Ramps Pay Unit Each SPD

#### **SHOULDER RECONSTRUCTION PER SHOULDER MILE:**

#### Description

This work consists of reconstructing each shoulder (including median shoulders as applicable) in accordance with Roadway Standard Nos. 560.01 and 560.02 of the *2018 Roadway Standard Drawings* except that the rate of slope and width will be as shown on typical section, or to the existing shoulder point, whichever is nearer, as long as the desired typical is achieved, and when completed, seeding and mulching. This work shall be performed immediately after the resurfacing operations are complete as directed by the Engineer.

#### Materials

The Contractor shall furnish all earth material necessary for the construction of the shoulders in accordance with Section 1019 of the 2018 Standard Specifications. All material is subject to test and acceptance or rejection by the engineer.

# The Contractor shall use Aggregate Shoulder Borrow (ASB) which meets the following gradation:

| Sieve  | Percent Passing |
|--------|-----------------|
| 1 1/2" | 100             |
| 1/2"   | 55 - 95         |
| #4     | 35 - 74         |

#### **Construction Methods**

Obtain material from within the project limits or approved borrow source. Prior to adding borrow material, the existing shoulder shall be scarified to provide the proper bond and shall be compacted to the satisfaction of the Engineer.

Any excess material generated by the shoulder reconstruction shall be disposed of by the Contractor in an approved disposal site.

#### **Measurement and Payment**

*Shoulder Reconstruction* will be measured and paid as the actual number of miles of shoulders that have been reconstructed. Measurement will be made along the surface of each shoulder to the nearest 0.01 of a mile. Such price will include disposing of any excess material in an approved disposal site, and for all labor, tools, equipment, and incidentals necessary to complete the work.

*Aggregate Shoulder Borrow* will be measured and paid at the contract unit price per ton. Payment will be made under:

**Pay Item** Shoulder Reconstruction Aggregate Shoulder Borrow **Pay Unit** Shoulder Mile Ton **INCIDENTAL STONE BASE:** 

(7-1-95) (Rev.8-21-12)

#### Description

Place incidental stone base on driveways, mailboxes, etc. immediately after paving and do not have the paving operations exceed stone base placement by more than one week without written permission of the Engineer.

**R-3** 

545

#### Materials and Construction

Provide and place incidental stone base in accordance with Section 545 of the 2018 Standard Specifications.

#### **Measurement and Payment**

Incidental Stone Base will be measured and paid in accordance with Article 545-6 of the 2018 Standard Specifications.

#### **SHOULDER WEDGE:**

(9-20-11) (Rev. 8-21-12)

Revise the 2018 Standard Specifications as follows:

#### Page 6-21, Article 610-8, SPREADING AND FINISHING, add the following after line 39:

Attach a device, mounted on screed of paving equipment, capable of constructing a shoulder wedge with an angle of 30 degrees plus or minus 4 degrees along the outside edge of the roadway, measured from the horizontal plane in place after final compaction on the final surface course. Use an approved mechanical device which will form the asphalt mixture to produce a wedge with uniform texture, shape and density while automatically adjusting to varying heights.

Payment for use of this device will be incidental to the other pay items in the contract.

## **PRICE ADJUSTMENT - ASPHALT BINDER FOR PLANT MIX:**

(11-21-00)

Price adjustments for asphalt binder for plant mix will be made in accordance with Section 620 of the 2018 Standard Specifications.

The base price index for asphalt binder for plant mix is **\$ 580.00** per ton.

This base price index represents an average of F.O.B. selling prices of asphalt binder at supplier's terminals on **March 1, 2022**.

#### FINAL SURFACE TESTING NOT REQUIRED:

(5-18-04) (Rev. 2-16-16)

610

Final surface testing is not required on this project in accordance with Section 610-13, *Final Surface Testing and Acceptance*.

SP5 R28R

610

SP6 R03R

SP6 R45

SP6 R25

#### WEDGE COURSE:

(7-1-95) (Rev. 8-21-12)

Place a wedge course at locations ahead of the paving operation as required by the Engineer. Materials used during this process have been added to Surface, Intermediate or Base quantities. No wedging pay item will be used.

607

**R-4** 

#### MILLING ASPHALT PAVEMENT:

(1-15-19)

Revise the 2018 Standard Specifications as follows:

**Page 6-5, Article 607-2, EQUIPMENT, lines 14-16,** delete the seventh sentence of this Article and replace with the following:

Use either a non-contacting laser or sonar type ski system with a minimum of three referencing stations mounted on the milling machine at a length of at least 24 feet.

#### **RESURFACING EXISTING BRIDGES:**

(3-20-12) (Rev. 8-21-12)

The Contractor's attention is directed to the fact that he will be required to mill and resurface the bridges on this project if directed by the Engineer.

Place the surface so as to follow a grade line set by the Engineer with the minimum thickness as shown on the sketch herein or as directed by the Engineer. State Forces will make all necessary repairs to the bridge floors prior to the time that the Contractor places the proposed surfacing. Give the Engineer at least 15 days notice prior to the expected time to begin operations so that State Forces will have sufficient time to complete their work.

At bridges that are not to be resurfaced, the bridge approaches are to be milled in accordance with the detail shown in the typical sections. Also, any bridge that is to be milled and then resurfaced, the bridge approaches should be milled in accordance with the detail shown in the typical sections. Both of these types of milling will be paid for as incidental milling.

The Contractor's attention is directed to the fact that Bridge Number 512 on Map 11 will not be paved. The Contractor's attention is directed to the fact that Bridge Number 667 Map 10, 9 Map 12, and 489 Map 13. All other bridges may be paved.

# ULTRA-THIN BONDED WEARING COURSE:

(1-15-19)

661

SP6 R64

Revise the 2018 Standard Specifications as follows:

Page 6-49, Article 661-4, CONSTRUCTION METHODS, lines 25-28, delete the third sentence of this Sub-article and replace with the following:

Unless otherwise specified, use a mobile grade reference system capable of averaging the existing grade or pavement profile over at least a 30 feet distance; or by non-contacting laser or

Buncombe County

SP6 R52R(Rev)

SP6 R 59

SP6 R61BR

sonar type ski with at least three referencing stations mounted on the paver at a minimum length of 24 feet.

**R-5** 

Page 6-50, Article 661-4, CONSTRUCTION METHODS, line 9, delete the word "four" and replace with "three".

#### ASPHALT CONCRETE PLANT MIX PAVEMENTS:

(2-20-18) (Rev.1-15-19)

610, 1012

SP6 R65

Revise the 2018 Standard Specifications as follows:

**Page 6-14, Table 609-3, LIMITS OF PRECISION FOR TEST RESULTS**, replace with the following:

| TABLE 609-3<br>LIMITS OF PRECISION FOR TEST RESULTS                 |                            |  |  |  |
|---|----------------------------|--|--|--|
| Mix Property  | Limits of Precision        |  |  |  |
| 25.0 mm sieve (Base Mix)  | $\pm 10.0\%$               |  |  |  |
| 19.0 mm sieve (Base Mix)  | $\pm 10.0\%$               |  |  |  |
| 12.5 mm sieve (Intermediate & Type P-57)                            | $\pm 6.0\%$                |  |  |  |
| 9.5 mm sieve (Surface Mix)  | $\pm 5.0\%$                |  |  |  |
| 4.75 mm sieve (Surface Mix)   | $\pm 5.0\%$                |  |  |  |
| 2.36 mm sieve (All Mixes, except S4.75A)                            | $\pm 5.0\%$                |  |  |  |
| 1.18 mm sieve (S4.75A)  | $\pm 5.0\%$                |  |  |  |
| 0.075 mm sieve (All Mixes)  | $\pm 2.0\%$                |  |  |  |
| Asphalt Binder Content  | $\pm 0.5\%$                |  |  |  |
| Maximum Specific Gravity (G <sub>mm</sub> )                         | $\pm 0.020$                |  |  |  |
| Bulk Specific Gravity (G <sub>mb</sub> )                            | $\pm 0.030$                |  |  |  |
| TSR   | $\pm 15.0\%$               |  |  |  |
| QA retest of prepared QC Gyratory<br>Compacted Volumetric Specimens | ± 0.015                    |  |  |  |
| Retest of QC Core Sample  | $\pm$ 1.2% (% Compaction)  |  |  |  |
| Comparison QA Core Sample   | $\pm 2.0\%$ (% Compaction) |  |  |  |
| QA Verification Core Sample   | $\pm 2.0\%$ (% Compaction) |  |  |  |
| Density Gauge Comparison of QC Test                                 | $\pm 2.0\%$ (% Compaction) |  |  |  |
| QA Density Gauge Verification Test                                  | $\pm 2.0\%$ (% Compaction) |  |  |  |

**Page 6-17, Table 610-1, MIXING TEMPERATURE AT THE ASPHALT PLANT**, replace with the following:

| TABLE 610-1<br>MIXING TEMPERATURE AT THE ASPHALT PLANT |                 |  |  |
|--|-----------------|--|--|
| Binder Grade   | JMF Temperature |  |  |
| PG 58-28; PG 64-22                                     | 250 - 290°F     |  |  |
| PG 76-22   | 300 - 325°F     |  |  |

Page 6-17, Subarticle 610-3(C), Job Mix Formula (JMF), lines 38-39, delete the fourth paragraph.

# **Page 6-18, Subarticle 610-3(C), Job Mix Formula (JMF), line 12,** replace "SF9.5A" with "S9.5B".

|         |  |             | MIX                     |      | E 610-3<br>N CRIT   | ERIA                               |                   |                  |             |     |     |     |      |
|---------|--|-------------|-------------------------|------|---------------------|------------------------------------|-------------------|------------------|-------------|-----|-----|-----|------|
| Mix     | Design   | Binder      | Compaction<br>Levels    |      | Max.<br>Rut         | Volumetric Properties <sup>B</sup> |                   |                  |             |     |     |     |      |
| Туре    | ESALs<br>millions <sup>A</sup>                               | PG<br>Grade | PG G <sub>mm</sub> @ De |      | G <sub>mm</sub> (a) |                                    | G <sub>mm</sub> @ |                  | Depth       | VMA | VTM | VFA | %Gmn |
|         | mmons  | Grade       | Nini                    | Ndes | (mm)                | % Min.                             | %                 | MinMax.          | @ Nini      |     |     |     |      |
| S4.75A  | < 1  | 64 - 22     | 6                       | 50   | 11.5                | 16.0                               | 4.0 - 6.0         | 65 - 80          | ≤ 91.5      |     |     |     |      |
| S9.5B   | 0 - 3  | 64 - 22     | 6                       | 50   | 9.5                 | 16.0                               | 3.0 - 5.0         | 70 - 80          | ≤ 91.5      |     |     |     |      |
| S9.5C   | 3 - 30   | 64 - 22     | 7                       | 65   | 6.5                 | 15.5                               | 3.0 - 5.0         | 65 - 78          | ≤ 90.5      |     |     |     |      |
| S9.5D   | > 30   | 76 - 22     | 8                       | 100  | 4.5                 | 15.5                               | 3.0 - 5.0         | 65 - 78          | $\leq 90.0$ |     |     |     |      |
| I19.0C  | ALL  | 64 - 22     | 7                       | 65   | -                   | 13.5                               | 3.0 - 5.0         | 65 - 78          | ≤ 90.5      |     |     |     |      |
| B25.0C  | ALL  | 64 - 22     | 7                       | 65   | -                   | 12.5                               | 3.0 - 5.0         | 65 - 78          | ≤ 90.5      |     |     |     |      |
|         |  | Design Para | meter                   |      |                     |                                    | Design (          | Criteria         |             |     |     |     |      |
| All Mix | Dust to Binder Ratio (P <sub>0.075</sub> / P <sub>be</sub> ) |             |                         |      |                     |                                    | 0.6 -             | 1.4 <sup>C</sup> |             |     |     |     |      |
| Types   | Tensile Strength Ratio (TSR) <sup>D</sup>                    |             |                         |      |                     | 85% N                              | Min. E            |                  |             |     |     |     |      |

Page 6-18, Table 610-3, MIX DESIGN CRITERIA, replace with the following:

A. Based on 20 year design traffic.

B. Volumetric Properties based on specimens compacted to  $N_{des}$  as modified by the Department.

C. Dust to Binder Ratio  $(P_{0.075} / P_{be})$  for Type S4.75A is 1.0 - 2.0.

**D.** NCDOT-T-283 (No Freeze-Thaw cycle required).

E. TSR for Type S4.75A & B25.0C mixes is 80% minimum.

# **Page 6-19, Table 610-5, BINDER GRADE REQUIREMENTS (BASED ON RBR%),** replace with the following:

# TABLE 610-5 BINDER GRADE REQUIREMENTS (BASED ON RBR%)

| Mix Type                         | %RBR <u>&lt;</u> 20%  | $21\% \leq \% RBR \leq 30\%$ | %RBR <u>&gt;</u> 30% |
|----------------------------------|-----------------------|------------------------------|----------------------|
| S4.75A, S9.5B,<br>S9.5C, I19.0C, | PG 64-22              | PG 64-22 <sup>A</sup>        | PG-58-28             |
| B25.0C<br>S9.5D, OGFC            | PG 76-22 <sup>B</sup> | n/a                          | n/a                  |

A. If the mix contains any amount of RAS, the virgin binder shall be PG 58-28.

B. Maximum Recycled Binder Replacement (%RBR) is 18% for mixes using PG 76-22 binder.

# **Page 6-20, Table 610-6, PLACEMENT TEMPERATURES FOR ASPHALT**, replace with the following:

|                           | TABLE 610-6<br>PLACEMENT TEMPERATURES FOR ASPHALT |  |  |  |  |
|---------------------------|---|--|--|--|--|
| Asphalt Concrete Mix Type | Minimum Surface and Air Temperature               |  |  |  |  |
| B25.0C                    | 35°F  |  |  |  |  |
| I19.0C                    | 35°F  |  |  |  |  |
| S4.75A, S9.5B, S9.5C      | 40°F <sup>A</sup>                                 |  |  |  |  |
| S9.5D                     | 50°F  |  |  |  |  |

**A.** For the final layer of surface mixes containing recycled asphalt shingles (RAS), the minimum surface and air temperature shall be 50°F.

**Page 6-21, Article 610-8, SPREADING AND FINISHING, lines 34-35,** delete the second sentence and replace with the following:

Use an MTV for all surface mix regardless of binder grade on Interstate, US Routes, and NC Routes (primary routes) that have 4 or more lanes and median divided.

**Page 6-21, Article 610-8, SPREADING AND FINISHING, lines 36-38,** delete the fourth sentence and replace with the following:

Use MTV for all ramps, loops, Y-line that have 4 or more lanes and are median divided, full width acceleration lanes, full width deceleration lanes, and full width turn lanes that are greater than 1000 feet in length.

| TABLE 610-7<br>DENSITY REQUIREMENTS |   |  |
|-------------------------------------|---|--|
| Міх Туре                            | Minimum % G <sub>mm</sub><br>(Maximum Specific Gravity) |  |
| S4.75A                              | 85.0 <sup>A</sup>                                       |  |
| S9.5B                               | 90.0  |  |
| S9.5C, S9.5D, I19.0C, B25.0C        | 92.0  |  |

Page 6-23, Table 610-7, DENSITY REQUIREMENTS, replace with the following:

**A.** Compaction to the above specified density will be required when the S4.75A mix is applied at a rate of 100 lbs/sy or higher.

**Page 6-24, Article 610-13, FINAL SURFACE TESTING, lines 35-36,** delete the second sentence and replace with the following:

Final surface testing is not required on ramps, loops and turn lanes.

Page 6-26, Subarticle 610-13(A)(1), Acceptance for New Construction, lines 29-30, delete the second sentence and replace with the following:

Areas excluded from testing by the profiler may be tested using a 10-foot straightedge in accordance with Article 610-12.

Page 6-27, Subarticle 610-13(B), Option 2- North Carolina Hearne Straightedge, lines 41-46, delete the eighth and ninth sentence of this paragraph and replace with the following:

Take profiles over the entire length of the final surface travel lane pavement exclusive of structures, approach slabs, paved shoulders, tapers, or other irregular shaped areas of pavement, unless otherwise approved by the Engineer. Test in accordance with this provision all mainline travel lanes, full width acceleration or deceleration lanes and collector lanes.

Page 6-28, Subarticle 610-13(B), Option 2- North Carolina Hearne Straightedge, lines 1-2, delete these two lines.

Page 6-32, Article 610-16 MEASUREMENT AND PAYMENT, replace with the following:

| Pay Item  | Pay Unit |
|---|----------|
| Asphalt Concrete Base Course, Type B25.0C         | Ton      |
| Asphalt Concrete Intermediate Course, Type I19.0C | Ton      |
| Asphalt Concrete Surface Course, Type S4.75A      | Ton      |
| Asphalt Concrete Surface Course, Type S9.5B       | Ton      |
| Asphalt Concrete Surface Course, Type S9.5C       | Ton      |
| Asphalt Concrete Surface Course, Type S9.5D       | Ton      |

Page 10-30, Table 1012-1, AGGREGATE CONSENSUS PROPERTIES, replace with the following:

| Міх Туре                 | Coarse<br>Aggregate<br>Angularity <sup>B</sup> | Fine Aggregate<br>Angularity<br>% Minimum | Sand<br>Equivalent<br>% Minimum | Flat and<br>Elongated<br>5 : 1 Ratio<br>% Maximum |
|--------------------------|--|---|---------------------------------|---|
| Test Method              | ASTM D5821                                     | AASHTO T 304                              | AASHTO T 176                    | ASTM D4791  |
| S4.75A; S9.5B            | 75 / -   | 40  | 40                              | -   |
| S9.5C; I19.0C;<br>B25.0C | 95 / 90  | 45  | 45                              | 10  |
| S9.5D                    | 100 / 100                                      | 45  | 50                              | 10  |
| OGFC                     | 100 / 100                                      | 45  | 45                              | 10  |
| UBWC                     | 100 / 85                                       | 45  | 45                              | 10  |

#### **TABLE 1012-1** AGGREGATE CONSENSUS PROPERTIES<sup>A</sup>

A. Requirements apply to the design aggregate blend.

**B**. 95 / 90 denotes that 95% of the coarse aggregate has one fractured face and 90% has 2 or more fractured faces.

# PATCHING EXISTING PAVEMENT: (1-15-02) (Rev. 3-11-18)

610

SP6 R88R

#### Description

The Contractor's attention is directed to the fact that there are areas of existing pavement on this project that will require repair prior to resurfacing. Patch the areas that, in the opinion of the Engineer, need repairing. The areas to be patched will be delineated by the Engineer prior to the Contractor performing repairs.

#### **Materials**

The patching consists of Asphalt Concrete Base Course, Asphalt Concrete Intermediate Course, Asphalt Concrete Surface Course, or a combination of base, binder and surface course.

#### **Construction Methods**

Remove existing pavement at locations directed by the Engineer in accordance with Section 250 of the 2018 Standard Specifications.

**R-9** 

Place Asphalt Concrete Base Course, in lifts not exceeding 5.5 inches. Utilize compaction equipment suitable for compacting patches as small as 3.5 feet by 6 feet on each lift. Use an approved compaction pattern to achieve proper compaction. If patched pavement is to be open to traffic for more than 48 hours prior to overlay, use Asphalt Surface Course in the top 1.5 inches of the patch.

Schedule operations so that all areas where pavement has been removed will be repaired on the same day of the pavement removal and all lanes of traffic restored.

#### **Measurement and Payment**

*Patching Existing Pavement* will be measured and paid as the actual number of tons of asphalt plant mix complete in place that has been used to make completed and accepted repairs. The asphalt plant mixed material will be measured by being weighed in trucks on certified platform scales or other certified weighing devices. The above price and payment will be full compensation for all work covered by this provision, including but not limited to removal and disposal of all types of pavement; furnishing and applying tack coat; furnishing, placing, and compacting of asphalt plant mix; furnishing of asphalt binder for the asphalt plant mix; and furnishing scales.

Any provisions included in the contract that provides for adjustments in compensation due to variations in the price of asphalt binder will not be applicable to payment for the work covered by this provision.

Payment will be made under:

#### Pay Item

Patching Existing Pavement

#### **SUPPLEMENTAL SURVEYING:**

(4-20-21)

801

SP8 R03

Pav Unit

Ton

Revise the 2018 Standard Specifications as follows:

Page 8-7, Article 801-3 MEASUREMENT AND PAYMENT, lines 10-11, replace with the following:

Supplemental Surveying Office Calculations will be paid at the stated price of \$85.00 per hour. Supplemental Field Surveying will be paid at the stated price of \$145.00 per hour. The

#### **CONCRETE CURB RAMPS:**

(10-11-12)

The Contractor's attention is directed to the fact that a non-standard curb ramp, sidewalk with curb and gutter or curb and gutter may already exist at location of proposed concrete curb ramp. In all cases the non-standard curb ramp, sidewalk with curb and gutter or curb and gutter will need to be removed and disposed of, as directed by the Engineer. All of this work is considered incidental to the Remove and Replace Curb Ramps item and no direct payment will be made for this.

# **REMOVE AND REPLACE 2'- 6" CONCRETE CURB & GUTTER:**

(04-19-22)

846

SPD

Revise the 2018 Standard Specifications as follows:

#### Page 8-28, Article 846-3 CONSTRUCTION METHODS, add the following after line 18:

Remove the existing curb and gutter at the locations shown on the plans and as directed. Dispose of removed curb and gutter at an approved off-site location.

#### Page 8-29, Article 846-4 MEASUREMENT AND PAYMENT, add the following after line 41:

Remove and Replace 2'-6" Curb & Gutter will be measured and paid in actual linear feet accepted in place. Measurement will be made along the surface of the top of the curb. Work includes sawing the existing curb & gutter, removal and disposal of existing curb & gutter, excavating and backfilling, forming, placing all concrete, finishing, constructing and sealing joints, and providing all labor, materials, equipment, and incidentals necessary to complete the work.

Page 8-30, Article 846-4 MEASUREMENT AND PAYMENT, add the following pay item to the end of line 1:

#### **Pay Item**

Remove and Replace 2'-6" Concrete Curb & Gutter

Revise the 2018 Standard Specifications as follows:

# **ADJUSTMENT OF MANHOLES, METER BOXES, AND VALVE BOXES:**

(7-1-95) (Rev. 8-21-12)

858

SP8 R97R

SP10 R01

Pay Unit Linear Foot

The Contractor's attention is directed to Article 858-3 of the 2018 Standard Specifications. Cast iron or steel fittings will not be permitted for the adjustment of manholes, meter boxes, and valve boxes on this project.

#### PORTLAND CEMENT CONCRETE PRODUCTION AND DELIVERY: (9-15-20)1000, 1014, 1024

Page 10-6, Table 1000-1, REQUIREMENTS FOR CONCRETE, replace with the following:

| TABLE 1000-1<br>REQUIREMENTS FOR CONCRETE |  |                     |                     |           |                  |  |                              |                |              |           |              |
|---|--|---------------------|---------------------|-----------|------------------|--|------------------------------|----------------|--------------|-----------|--------------|
|   |  |                     |                     |           |                  | Consi<br>Maxi  | istency<br>imum<br>imp       | Cement Content |              |           |              |
| Class of<br>Concrete                      | Min. Compressive<br>Strength at 28 days                        | Con                 | trained<br>crete    | Entra     | crete<br>Angular | Vibrated   | Non-<br>Vibrated             | Vibi           | rated        | Non-V     | ibrated      |
|   | s S  | Aggregate           | Aggregate           | Aggregate | Aggregate        |  |                              | Min.           | Max.         | Min.      | Max.         |
| Units                                     | psi  |                     |                     |           |                  | inch   | inch                         | lb/cy          | <i>lb/cy</i> | lb/cy     | <i>lb/cy</i> |
| AA  | 4500   | 0.381               | 0.426               |           |                  | 3.5 <sup>A</sup>   |                              | 639            | 715          |           |              |
| AA Slip<br>Form                           | 4500   | 0.381               | 0.426               |           |                  | 1.5  |                              | 639            | 715          |           |              |
| Drilled Pier                              | 4500   |                     |                     | 0.450     | 0.450            |  | 5 – 7<br>dry<br>7 - 9<br>wet |                |              | 640       | 800          |
| А   | 3000   | 0.488               | 0.532               | 0.550     | 0.594            | 3.5 <sup>A</sup>   | 4.0                          | 564            |              | 602       |              |
| В   | 2500   | 0.488               | 0.567               | 0.559     | 0.630            | 1.5<br>machine<br>placed<br>2.5 <sup>A</sup><br>hand<br>placed | 4.0                          | 508            |              | 545       |              |
| Sand Light-<br>weight                     | 4500   |                     | 0.420               |           |                  | 4.0 <sup>A</sup>   |                              | 715            |              |           |              |
| Latex<br>Modified                         | 3000<br>(at 7<br>days)   | 0.400               | 0.400               |           |                  | 6.0  |                              | 658            |              |           |              |
| Flowable<br>Fill<br>excavatable           | 150<br>max.<br>(at 56<br>days)                                 | as needed           | as needed           | as needed | as needed        |  | Flowable                     |                |              | 40        | 100          |
| Flowable<br>Fill<br>non-<br>excavatable   | 125  | as needed           | as needed           | as needed | as needed        |  | Flowable                     |                |              | 100       | as needed    |
| Pavement                                  | 4500<br>Design,<br>field<br>650<br>flexural,<br>design<br>only | 0.559               | 0.559               |           |                  | 1.5<br>slip form<br>3.0<br>hand<br>placed                      |                              | 526            |              |           |              |
| Precast                                   | See<br>Table<br>1077-1   | as needed           | as needed           |           |                  | 6.0  | as needed                    | as needed      | as needed    | as needed | as needed    |
| Prestressed                               | per<br>contract  | See Table<br>1078-1 | See Table<br>1078-1 |           |                  | 8.0  |                              | 564            | as needed    |           |              |

**A.** The slump may be increased to 6 inches, provided the increase in slump is achieved by adding a chemical admixture conforming to Section 1024-3. In no case shall the

water-cement ratio on the approved design be exceeded. Concrete exhibiting segregation and/or excessive bleeding will be rejected. Utilizing an Admixture to modify slump does not relinquish the contractor's responsibility to ensure the final product quality and overall configuration meets design specifications. Caution should be taken when placing these modified mixes on steep grades to prevent unintended changes to the set slope.

#### **THERMOPLASTIC PAVEMENT MARKING MATERIAL – COLOR TESTING:**

3-19-19

1087

SP10 R05

Revise the 2018 Standard Specifications as follows:

Pages 10-183 and 10-184, Subarticle 1087-7(D)(1)(b) Yellow, lines 9-11, delete and replace with the following:

Obtain Color Values Y,x,y per ASTM E1349 using C/2° illuminant/observer. Results shall be  $Y \ge 45\%$ , and x,y shall fall within PR#1 chart chromaticity limits.

## POLYUREA PAVEMENT MARKING MATERIAL – TYPE 2 TYPICAL CERTIFIED <u>MILL TEST REPORT:</u>

3-19-19

1087

SP10 R06

Amend the 2018 Standard Specifications as follows:

**Page 10-184, Subarticle 1087-8 Material Certification,** in accordance with Subarticle 106-3 provide a Type 2 Typical Certified Mill Test Report and a Type 3 Manufacturer's Certification for Polyurea pavement marking material.

When tested, the material shall meet the physical and chemical characteristics provided by the manufacturer. NCDOT reserves the right to compare these test results to baseline test results gathered by the NCDOT Materials and Test Unit.

#### NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKERS:

10-19-21 (Rev. 11-16-21)

1086, 1250, 1253

SP10 R08

Revise the 2018 Standard Specifications as follows:

**Pages 10-177 and 10-178, Subarticle 1086-3 SNOWPLOWABLE PAVEMENT MARKERS,** delete items (A), (B) and (C)(1) and replace with the following:

### (A) General

Use non-cast iron snowplowable pavement markers evaluated by NTPEP. The non-cast iron snowplowable pavement marker shall consist of a housing with one or more glass or plastic face lens type reflective lenses to provide the required color designation. The marker shall be designed or installed in a manner that minimizes damage from snowplow blades. Plastic lens faces shall use an abrasion resistant coating.

#### Buncombe County

#### (B) Housings

(1) Dimensions

The dimension, slope and minimum area of reflecting surface shall conform to dimensions as shown in the plans. The minimum area of each reflecting surface shall be 1.44 sq.in.

(2) Materials

Use non-cast iron snowplowable pavement markers that are on the NCDOT Approved Products List.

(3) Surface

The surface of the housing shall be free of scale, dirt, rust, oil, grease or any other contaminant which might reduce its bond to the epoxy adhesive.

(4) Identification

Mark the housing with the manufacturer's name and model number of marker.

### (C) Reflectors

(1) General

Laminate the reflector to an elastomeric pad and attach with adhesive to the housing. The thickness of the elastomeric pad shall be 0.04".

**Pages 12-14, Subarticle 1250-3(C) Removal of Existing Pavement Markers, lines 19-29,** delete and replace with the following:

Remove the existing raised pavement markers or the snowplowable pavement markers including the housings, before overlaying an existing roadway with pavement. Repair the pavement by filling holes as directed by the Engineer.

When traffic patterns are changed in work zones due to construction or reconstruction, remove all raised pavement markers or snowplowable markers including housings that conflict with the new traffic pattern before switching traffic to the new traffic pattern. Lens removal in lieu of total housing removal is not an acceptable practice for snowplowable markers.

Properly dispose of the removed pavement markers. No direct payment will be made for removal or disposal of existing pavement markers or repair of pavement, as such work will be incidental to other items in the contract.

Pages 12-16, Subarticle 1253-1 DESCRIPTION, lines 4-5, delete and replace with the following:

Furnish, install and maintain non-cast iron snowplowable pavement markers in accordance with the contract.

**Pages 12-16 and 12-17, Subarticle 1253-3 CONSTRUCTION METHODS,** delete items (A), (B) and (C) and replace with the following:

#### (A) General

Bond marker housings to the pavement with epoxy adhesive. Mechanically mix and dispense epoxy adhesives as required by the manufacturer's specifications. Place the markers immediately after the adhesive has been mixed and dispensed.

If saw cutting, milling, or grooving operations are used, promptly remove all resulting debris from the pavement surface. Install the marker housings within 7 calendar days after saw cutting, milling, or grooving the pavement. Remove and dispose of loose material from the slots by brushing, blow cleaning, or vacuuming. Dry the slots before applying the epoxy adhesive. Install non-cast iron snowplowable pavement markers according to the manufacturer's recommendations.

Protect the non-cast iron snowplowable pavement markers until the epoxy has initially cured and is track free.

#### **(B)** Reflector Replacement

In the event that a reflector is damaged, replace the damaged reflector by using adhesives and methods recommended by the manufacturer of the markers and approved by the Engineer. This work is considered incidental if damage occurs during the initial installation of the marker housings and maintenance of initial non-cast iron snowplowable markers specified in this section. This work will be paid for under the pay item for the type of reflector replacement if the damage occurred after the initial installation of the non-cast iron snowplowable pavement marker.

Missing housings shall be replaced. Broken housings shall be removed and replaced. In both cases the slot for the housings shall be properly prepared prior to installing the new housing; patch the existing marker slots as directed by the Engineer and install the new marker approximately one foot before or after the patch. Removal of broken housings and preparation of slots will be considered incidental to the work of replacing housings.

Pages 12-17, Subarticle 1253-4 MAINTENANCE, lines 5, delete and replace with the following:

Maintain all installed non-cast iron snowplowable pavement markers until acceptance.

Pages 12-17, Subarticle 1253-5 MEASUREMENT AND PAYMENT, lines 7-8, delete and replace with the following:

*Non-Cast Iron Snowplowable Pavement Markers* will be measured and paid as the actual number of non-cast iron snowplowable pavement markers satisfactorily placed and accepted by the Engineer.

**Pages 12-17, Subarticle 1253-5 MEASUREMENT AND PAYMENT, lines 11,** delete and replace with the following:

Payment will be made under:

Pay Item Non-Cast Iron Snowplowable Pavement Marker Replace Snowplowable Pavement Marker Reflector **Pay Unit** Each Each

#### **MATERIALS FOR PORTLAND CEMENT CONCRETE:**

(9-15-20)

1000, 1024

SP10 R24

Revise the 2018 Standard Specifications as follows:

Page 10-52, Article 1024-4, WATER, lines 3-6, delete and replace with the following:

Test water from wells at all locations. Test public water supplies from all out of state locations and in the following counties: Beaufort, Bertie, Brunswick, Camden, Carteret, Chowan, Craven, Currituck, Dare, Gates, Hyde, New Hanover, Onslow, Pamlico, Pasquotank, Pender, Perquimans, Tyrell and Washington unless the Engineer waives the testing requirements.

**Page 10-52, Table 1024-2, PHYSICAL PROPERTIES OF WATER**, replace with the following:

| Property   | Requirement                                   | Test Method  |
|--|---|--------------|
| Compression Strength,<br>minimum percent of control at<br>3 and 7 days | 90%   | ASTM C1602   |
| Time of set, deviation from control                                    | From 1:00 hr.<br>earlier to 1:30 hr.<br>later | ASTM C1602   |
| pH   | 4.5 to 8.5                                    | ASTM D1293 * |
| Chloride Ion Content, Max.   | 250 ppm                                       | ASTM D512 *  |
| Total Solids Content<br>(Residue), Max.                                | 1,000 ppm                                     | SM 2540B *   |
| Resistivity, Min.  | 0.500 kohm-cm                                 | ASTM D1125 * |

\*Denotes an alternate method is acceptable. Test method used shall be referenced in the test report.

MATERIAL AND EQUIPMENT STORAGE & PARKING OF PERSONAL VEHICLES: 11-17-21 1101 SP11 R03

Revise the 2018 Standard Specifications as follows:

Page 11-2, Article 1101-8 MATERIAL AND EQUIPMENT STORAGE, line 35-38, delete and replace with the following:

SP11 R04

When work is not in progress, keep all personnel, equipment, machinery, tools, construction debris, materials and supplies away from active travel lanes that meets Table 1101-1.

| TABLE 1101-1MATERIAL AND EQUIPMENT STORAGE FROM ACTIVE TRAVEL LANES |               |  |  |  |
|---|---------------|--|--|--|
| Posted Speed Limit (mph)  | Distance (ft) |  |  |  |
| 40 or less  | ≥ 18          |  |  |  |
| 45-50   | $\geq 28$     |  |  |  |
| 55  | ≥ 32          |  |  |  |
| 60 or higher  | $\geq$ 40     |  |  |  |

When vehicles, equipment and materials are protected by concrete barrier or guardrail, they shall be offset at least 5 feet from the barrier or guardrail.

**Page 11-2, Article 1101-9 PARKING OF PERSONAL VEHICLES, line 40-41,** delete and replace with the following:

Provide staging areas for personal vehicle parking in accordance with section 1101-8 or as directed by the Engineer before use.

1101, 1150

#### WORK ZONE INSTALLER:

(7-20-21)

Provide the service of at least one qualified work zone installer during the setup, installation, and removal of temporary traffic control within the highway right of way. The qualified work zone installer shall serve as crew leader and shall be on site and directing the installation and removal of temporary traffic control. If multiple temporary traffic control installations or removals are occurring simultaneously, then each shall have a qualified work zone installer.

The work zone installer shall be qualified by an NCDOT approved training agency in the safe and competent set up of temporary traffic control. For a complete listing of approved training agencies, see the Work Zone Safety Training webpage.

A work zone supervisor, in accordance with Article 1101-13 of the *Standard Specifications*, may fulfill the role of the work zone installer during the setup, installation, and removal of temporary traffic control within the highway right of way provided they are on site and directing the installation and removal of temporary traffic control.

All other individuals participating in the setup, installation, and removal of temporary traffic control within the highway right of way shall be certified as a qualified flagger in accordance with Article 1150-3 of the *Standard Specifications*, even if flagging is not being performed as part of the traffic control.

Provide the name and contact information of all qualified work zone installers to the Engineer prior to or at the preconstruction conference. Additionally, provide a qualification statement that all other individuals participating in the setup, installation, and removal of temporary traffic control are qualified flaggers that have been properly trained through an NCDOT approved training agency.

#### **EXTRUDED THERMOPLASTIC PAVEMENT MARKING THICKNESS:**

3-19-19

1205

SP12 R05

Revise the 2018 Standard Specifications as follows:

**Page 12-6, Subarticle 1205-4(A)(1) General, lines 5-8,** delete the second sentence and replace with the following:

Use application equipment that provides multiple width settings ranging from 4 inches to 12 inches and multiple thickness settings to achieve a minimum pavement marking thickness of 0.090 inch above the surface of the pavement.

**Page 12-7, Table 1205-3, THICKNESS REQUIREMENTS FOR THERMOPLASTIC,** replace with the following:

| MIN       | TABLE 1205-3<br>MINIMUM THICKNESS REQUIREMENTS FOR THERMOPLASTIC   |  |  |  |  |
|-----------|--|--|--|--|--|
| Thickness | Location   |  |  |  |  |
| 240 mils  | In-lane and shoulder-transverse pavement markings (rumble strips). May be placed in 2 passes.  |  |  |  |  |
| 90 mils   | Center lines, skip lines, transverse bands, mini-skip lines, characters, bike lane<br>symbols, crosswalk lines, edge lines, gore lines, diagonals, and arrow symbols |  |  |  |  |

#### PORTABLE CONSTRUCTION LIGHTING:

4-19-22

1413

SP14 R13

Revise the 2018 Standard Specifications as follows:

**Page 14-24, Article 1413-3 TOWER LIGHT, lines 2-7**, delete and replace the first and second sentence in the first paragraph with the following:

Use tower lights which consist of mercury vapor, metal halide, high pressure sodium, low pressure sodium or light emitting diode (with correlated color temperature of 4000 Kelvin or less) fixtures mounted on a tower approximately 30 feet in height. Use tower light fixtures which are heavy duty flood, area, or roadway style with wide beam spread, have sufficient output to provide the minimum illumination requirements for the Category of work, are weatherproof and supplied with attached waterproof power cord and plug.

Page 14-24, Article 1413-3 TOWER LIGHT, lines 11-12, delete and replace the second paragraph with the following:

Provide tower lights of sufficient wattage or quantity to provide the minimum average maintained horizontal illuminance over the work area based on the Category of work as shown in Table 1413-1. For any work not covered in Table 1413-1, provide a minimum average maintained horizontal illuminance of 20.0 footcandles over the work area.

| Category | Description of Construction and Maintenance Task               | Minimum<br>Average<br>Maintained<br>Horizontal<br>Illuminance |
|----------|--|---|
| Ι        | Excavation; Embankment, Fill and Compaction; Maintenance       | 5.0 footcandle  |
|          | of Embankment; Asphalt Pavement Rolling; Subgrade,             |   |
|          | Stabilization and Construction; Base Course Rolling; Sweeping  |   |
|          | and Cleaning; Landscaping, Sod and Seeding; Reworking          |   |
|          | Shoulders.   |   |
| II       | Barrier Wall and Traffic Separators; Milling, Removal of       | 10.0 footcandle   |
|          | Pavement; Asphalt Paving and Resurfacing; Concrete             |   |
|          | Pavement; Base Course Grading and Shaping; Surface             |   |
|          | Treatment; Waterproofing and Sealing; Sidewalk Construction;   |   |
|          | Guardrails and Fencing; Striping and Pavement Marking;         |   |
|          | Highway Signs; Bridge Decks; Drainage Structures and           |   |
|          | Drainage Piping; Other Concrete Structures; Repair of Concrete |   |
|          | Pavement; Pothole Filling; Repair of Guardrail and Fencing.    |   |
| III      | Traffic Signals; Highway Lighting Systems; Crack Filling.      | 20.0 footcandle   |

**Page 14-24, Article 1413-4 MACHINE LIGHTS, lines 18-21**, delete and replace the first and second sentence in the first paragraph with the following:

Use machine lights which have mercury vapor, metal halide, high pressure sodium, low pressure sodium or light emitting diode (with correlated color temperature of 4000 Kelvin or less) fixtures mounted on supports attached to the construction machine at a height of approximately 13 feet.

**Page 14-24, Article 1413-5 CONSTRUCTION METHODS, lines 33-34**, delete and replace the third and fourth sentence in the first paragraph with the following:

Submit photometric calculations showing the minimum average maintained horizontal illuminance over the work area and the tower spacing to the Engineer for review and approval prior to installation.

Z-2

#### <u>STANDARD SPECIAL PROVISION</u> AVAILABILITY OF FUNDS – TERMINATION OF CONTRACTS

(5-20-08)

*General Statute 143C-6-11. (h) Highway Appropriation* is hereby incorporated verbatim in this contract as follows:

(h) Amounts Encumbered. – Transportation project appropriations may be encumbered in the amount of allotments made to the Department of Transportation by the Director for the estimated payments for transportation project contract work to be performed in the appropriation fiscal year. The allotments shall be multiyear allotments and shall be based on estimated revenues and shall be subject to the maximum contract authority contained in General Statute 143C-6-11(c). Payment for transportation project work performed pursuant to contract in any fiscal year other than the current fiscal year is subject to appropriations by the General Assembly. Transportation project contracts shall contain a schedule of estimated completion progress, and any acceleration of this progress shall be subject to the approval of the Department of Transportation provided funds are available. The State reserves the right to terminate or suspend any transportation project contract, and any transportation project contract shall be so terminated or suspended if funds will not be available for payment of the work to be performed during that fiscal year pursuant to the contract. In the event of termination of any contract, the contractor shall be given a written notice of termination at least 60 days before completion of scheduled work for which funds are available. In the event of termination, the contractor shall be paid for the work already performed in accordance with the contract specifications.

Payment will be made on any contract terminated pursuant to the special provision in accordance with Subarticle 108-13(D) of the 2018 Standard Specifications.

#### STANDARD SPECIAL PROVISION NCDOT GENERAL SEED SPECIFICATION FOR SEED QUALITY

Seed shall be sampled and tested by the North Carolina Department of Agriculture and Consumer Services, Seed Testing Laboratory. When said samples are collected, the vendor shall supply an independent laboratory report for each lot to be tested. Results from seed so sampled shall be final. Seed not meeting the specifications shall be rejected by the Department of Transportation and shall not be delivered to North Carolina Department of Transportation warehouses. If seed has been delivered it shall be available for pickup and replacement at the supplier's expense.

Any re-labeling required by the North Carolina Department of Agriculture and Consumer Services, Seed Testing Laboratory, that would cause the label to reflect as otherwise specified herein shall be rejected by the North Carolina Department of Transportation.

Seed shall be free from seeds of the noxious weeds Johnsongrass, Balloonvine, Jimsonweed, Witchweed, Itchgrass, Serrated Tussock, Showy Crotalaria, Smooth Crotalaria, Sicklepod, Sandbur, Wild Onion, and Wild Garlic. Seed shall not be labeled with the above weed species on the seed analysis label. Tolerances as applied by the Association of Official Seed Analysts will NOT be allowed for the above noxious weeds except for Wild Onion and Wild Garlic.

Tolerances established by the Association of Official Seed Analysts will generally be recognized. However, for the purpose of figuring pure live seed, the found pure seed and found germination percentages as reported by the North Carolina Department of Agriculture and Consumer Services, Seed Testing Laboratory will be used. Allowances, as established by the NCDOT, will be recognized for minimum pure live seed as listed on the following pages.

The specifications for restricted noxious weed seed refers to the number per pound as follows:

| Restricted Noxious<br><u>Weed</u> | Limitations per<br>Lb. Of Seed | Restricted Noxious<br><u>Weed</u> | Limitations per<br>Lb. of Seed |
|-----------------------------------|--------------------------------|-----------------------------------|--------------------------------|
| Blessed Thistle                   | 4 seeds                        | Cornflower (Ragged<br>Robin)      | 27 seeds                       |
| Cocklebur                         | 4 seeds                        | Texas Panicum                     | 27 seeds                       |
| Spurred Anoda                     | 4 seeds                        | Bracted Plantain                  | 54 seeds                       |
| Velvetleaf                        | 4 seeds                        | Buckhorn Plantain                 | 54 seeds                       |
| Morning-glory                     | 8 seeds                        | Broadleaf Dock                    | 54 seeds                       |
| Corn Cockle                       | 10 seeds                       | Curly Dock                        | 54 seeds                       |
| Wild Radish                       | 12 seeds                       | Dodder                            | 54 seeds                       |
| Purple Nutsedge                   | 27 seeds                       | Giant Foxtail                     | 54 seeds                       |
| Yellow Nutsedge                   | 27 seeds                       | Horsenettle                       | 54 seeds                       |
| Canada Thistle                    | 27 seeds                       | Quackgrass                        | 54 seeds                       |
| Field Bindweed                    | 27 seeds                       | Wild Mustard                      | 54 seeds                       |
| Hedge Bindweed                    | 27 seeds                       |                                   |                                |

Seed of Pensacola Bahiagrass shall not contain more than 7% inert matter, Kentucky Bluegrass, Centipede and Fine or Hard Fescue shall not contain more than 5% inert matter whereas a maximum of 2% inert matter will be allowed on all other kinds of seed. In addition, all seed shall

not contain more than 2% other crop seed nor more than 1% total weed seed. The germination rate as tested by the North Carolina Department of Agriculture shall not fall below 70%, which includes both dormant and hard seed. Seed shall be labeled with not more than 7%, 5% or 2% inert matter (according to above specifications), 2% other crop seed and 1% total weed seed.

Exceptions may be made for minimum pure live seed allowances when cases of seed variety shortages are verified. Pure live seed percentages will be applied in a verified shortage situation. Those purchase orders of deficient seed lots will be credited with the percentage that the seed is deficient.

FURTHER SPECIFICATIONS FOR EACH SEED GROUP ARE GIVEN BELOW:

Minimum 85% pure live seed; maximum 1% total weed seed; maximum 2% total other crop seed; maximum 144 restricted noxious weed seed per pound. Seed less than 83% pure live seed will not be approved.

Sericea Lespedeza Oats (seeds)

Minimum 80% pure live seed; maximum 1% total weed seed; maximum 2% total other crop; maximum 144 restricted noxious weed seed per pound. Seed less than 78% pure live seed will not be approved.

Tall Fescue (all approved varieties) Kobe Lespedeza Korean Lespedeza Weeping Lovegrass Carpetgrass Bermudagrass Browntop Millet German Millet – Strain R Clover – Red/White/Crimson

Minimum 78% pure live seed; maximum 1% total weed seed; maximum 2% total other crop seed; maximum 144 restricted noxious weed seed per pound. Seed less than 76% pure live seed will not be approved.

Common or Sweet Sundangrass

Minimum 76% pure live seed; maximum 1% total weed seed; maximum 2% total other crop seed; maximum 144 restricted noxious weed seed per pound. Seed less than 74% pure live seed will not be approved.

Rye (grain; all varieties) Kentucky Bluegrass (all approved varieties) Hard Fescue (all approved varieties) Shrub (bicolor) Lespedeza

Minimum 70% pure live seed; maximum 1% total weed seed; maximum 2% total other crop seed; maximum 144 noxious weed seed per pound. Seed less than 70% pure live seed will not be approved.

Centipedegrass Crownvetch Pensacola Bahiagrass Creeping Red Fescue Japanese Millet Reed Canary Grass Zoysia Minimum 70% pure live seed; maximum 1% total weed seed; maximum 2% total other crop seed; maximum 5% inert matter; maximum 144 restricted noxious weed seed per pound.

Barnyard Grass Big Bluestem Little Bluestem Bristly Locust Birdsfoot Trefoil Indiangrass Orchardgrass Switchgrass Yellow Blossom Sweet Clover

#### **ERRATA**

(10-16-18) (Rev.1-18-22)

Revise the 2018 Standard Specifications as follows:

#### **Division 6**

Page 6-7, Article 609-1 DESCRIPTION, line 29, replace article number "609-10" with "609-9".

#### **Division 7**

**Page 7-27, Article 725-1 MEASUREMENT AND PAYMENT, line 4,** replace article number "725-1" with "724-4".

**Page 7-28, Article 725-1 MEASUREMENT AND PAYMENT, line 10,** replace article number "725-1" with "725-3".

#### **Division 10**

**Page 10-78, Article 1056-4 GEOTEXTILES, TABLE 1056-1, Permittivity, Type 2**, replace "Table 6<sup>D</sup>" with "Table 7<sup>D</sup>" and **Permittivity, Type 3**<sup>B</sup>, replace "Table 7<sup>D</sup>" with "Table 8<sup>D</sup>".

**Page 10-121, Article 1076-7, REPAIR OF GALVANIZING, line 8,** replace article number "1080-9" with "1080-7".

**Page 10-162, Article 1080-50 PAINT FOR VERTICAL MARKERS, line 1,** replace article number "1080-50" with "1080-10".

Page 10-162, Article 1080-61 EPOXY RESIN FOR REINFORCING STEEL, line 5, replace article number "1080-61" with "1080-11".

Page 10-162, Article 1080-72 ABRASIVE MATERIALS FOR BLAST CLEANING STEEL, line 22, replace article number "1080-72" with "1080-12".

Page 10-163, Article 1080-83 FIELD PERFORMANCE AND SERVICES, line 25, replace article number "1080-83" with "1080-13".

#### **Division 17**

**Page 17-15, Article 1715-4 MEASUREMENT AND PAYMENT, lines 42-44,** replace the second sentence with the following:

An example is an installation of a single 1.25 inch HDPE conduit would be paid as:

Directional Drill (1)(1.25") Linear Foot

Page 17-15, Subarticle 1715-3(E) Bore and Jack, line 5, replace article number "1540-4" with "1550-4".

Z-4

**Page 17-15, Subarticle 1715-3(E) Bore and Jack, lines 10 & 11,** replace "*NCDOT Policies and Procedures for Accommodating Utilities on Highway Rights of Way*" with "*NCDOT Utilities Accommodations Manual*".

#### <u>PLANT AND PEST QUARANTINES</u> (Imported Fire Ant, Gypsy Moth, Witchweed, Emerald Ash Borer, Guava Root Knot Nematode, And Other Noxious Weeds)

(3-18-03) (Rev. 5-21-19)

#### Within Quarantined Area

This project may be within a county regulated for plant and/or pests. If the project or any part of the Contractor's operations is located within a quarantined area, thoroughly clean all equipment prior to moving out of the quarantined area. Comply with federal/state regulations by obtaining a certificate or limited permit for any regulated article moving from the quarantined area.

#### **Originating in a Quarantined County**

Obtain a certificate or limited permit issued by the N.C. Department of Agriculture/United States Department of Agriculture. Have the certificate or limited permit accompany the article when it arrives at the project site.

#### Contact

Contact the N.C. Department of Agriculture/United States Department of Agriculture at 1-800-206-9333, 919-707-3730, or <u>https://www.ncagr.gov/plantindustry/Plant/quaran/table2.htm</u> to determine those specific project sites located in the quarantined area or for any regulated article used on this project originating in a quarantined county.

#### **Regulated Articles Include**

- 1. Soil, sand, gravel, compost, peat, humus, muck, and decomposed manure, separately or with other articles. This includes movement of articles listed above that may be associated with cut/waste, ditch pulling, and shoulder cutting.
- 2. Plants with roots including grass sod.
- 3. Plant crowns and roots.
- 4. Bulbs, corms, rhizomes, and tubers of ornamental plants.
- 5. Hay, straw, fodder, and plant litter of any kind.
- 6. Clearing and grubbing debris.
- 7. Used agricultural cultivating and harvesting equipment.
- 8. Used earth-moving equipment.
- 9. Any other products, articles, or means of conveyance, of any character, if determined by an inspector to present a hazard of spreading imported fire ant, gypsy moth, witchweed, emerald ash borer, guava root knot nematode, or other noxious weeds.

Z-04a

#### MINIMUM WAGES

(7-21-09)

Z-5

- **FEDERAL:** The Fair Labor Standards Act provides that with certain exceptions every employer shall pay wages at the rate of not less than SEVEN DOLLARS AND TWENTY FIVE CENTS (\$7.25) per hour.
- **STATE:** The North Carolina Minimum Wage Act provides that every employer shall pay to each of his employees, wages at a rate of not less than SEVEN DOLLARS AND TWENTY FIVE CENTS (\$7.25) per hour.

The minimum wage paid to all skilled labor employed on this contract shall be SEVEN DOLLARS AND TWENTY FIVE CENTS (\$7.25) per hour.

The minimum wage paid to all intermediate labor employed on this contract shall be SEVEN DOLLARS AND TWENTY FIVE CENTS (\$7.25) per hour.

The minimum wage paid to all unskilled labor on this contract shall be SEVEN DOLLARS AND TWENTY FIVE CENTS (\$7.25) per hour.

This determination of the intent of the application of this act to the contract on this project is the responsibility of the Contractor.

The Contractor shall have no claim against the Department of Transportation for any changes in the minimum wage laws, Federal or State. It is the responsibility of the Contractor to keep fully informed of all Federal and State Laws affecting his contract.

#### **TITLE VI AND NONDISCRIMINATION:**

(6-28-77)(Rev 6/19/2018)

Revise the 2018 Standard Specifications as follows:

Replace Article 103-4(B) with the following:

The North Carolina Department of Transportation is committed to carrying out the U.S. Department of Transportation's policy of ensuring nondiscrimination in the award and administration of contracts.

The provisions of this section related to United States Department of Transportation (US DOT) Order 1050.2A, Title 49 Code of Federal Regulations (CFR) part 21, 23 United States Code (U.S.C.) 140 and 23 CFR part 200 (or 49 CFR 303, 49 U.S.C. 5332 or 49 U.S.C. 47123) are applicable to all North Carolina Department of Transportation (NCDOT) contracts and to all related subcontracts, material supply, engineering, architectural and other service contracts, regardless of dollar amount. Any Federal provision that is specifically required not specifically set forth is hereby incorporated by reference.

### (1) Title VI Assurances (USDOT Order 1050.2A, Appendix A)

During the performance of this contract, the contractor, for itself, its assignees, and successors in interest (hereinafter referred to as the "contractor") agrees as follows:

(a) Compliance with Regulations

The contractor (hereinafter includes consultants) shall comply with the Acts and the Regulations relative to Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation, Federal Highway Administration (FHWA), as they may be amended from time to time, which are herein incorporated by reference and made a part of this contract.

(b) Nondiscrimination

The contractor, with regard to the work performed by it during the contract, shall not discriminate on the grounds of race, color, or national origin in the selection and retention of subcontractors, including procurements of materials and leases of equipment. The contractor shall not participate directly or indirectly in the discrimination prohibited by the Acts and the Regulations, including employment practices when the contract covers any activity, project, or program set forth in Appendix B of 49 CFR Part 21.

- (c) Solicitations for Subcontractors, Including Procurements of Materials and Equipment In all solicitations, either by competitive bidding, or negotiation made by the contractor for work to be performed under a subcontract, including procurements of materials, or leases of equipment, each potential subcontractor or supplier shall be notified by the contractor of the contractor's obligations under this contract and the Acts and the Regulations relative to Nondiscrimination on the grounds of race, color, or national origin.
- (d) Information and Reports

The contractor shall provide all information and reports required by the Acts, the Regulations, and directives issued pursuant thereto and shall permit access to its books, records, accounts, other sources of information, and its facilities as may be determined by the Recipient or the FHWA to be pertinent to ascertain compliance with such Acts,

Z-6

Regulations, and instructions. Where any information required of a contractor is in the exclusive possession of another who fails or refuses to furnish the information, the contractor shall so certify to the Recipient or the FHWA, as appropriate, and shall set forth what efforts it has made to obtain the information.

(e) Sanctions for Noncompliance:

In the event of a contractor's noncompliance with the Non-discrimination provisions of this contract, the Recipient will impose such contract sanctions as it and/or the FHWA may determine to be appropriate, including, but not limited to:

- (i) Withholding payments to the contractor under the contract until the contractor complies; and/or
- (ii) Cancelling, terminating, or suspending a contract, in whole or in part.
- (f) Incorporation of Provisions

The contractor shall include the provisions of paragraphs (a) through (f) in every subcontract, including procurements of materials and leases of equipment, unless exempt by the Acts, the Regulations and directives issued pursuant thereto. The contractor shall take action with respect to any subcontract or procurement as the Recipient or the FHWA may direct as a means of enforcing such provisions including sanctions for noncompliance. Provided, that if the contractor becomes involved in, or is threatened with litigation by a subcontractor, or supplier because of such direction, the contractor may request the Recipient to enter into any litigation to protect the interests of the Recipient. In addition, the contractor may request the United States to enter into the litigation to protect the interests of the United States.

#### (2) Title VI Nondiscrimination Program (23 CFR 200.5(p))

The North Carolina Department of Transportation (NCDOT) has assured the USDOT that, as a condition to receiving federal financial assistance, NCDOT will comply with Title VI of the Civil Rights Act of 1964 and all requirements imposed by Title 49 CFR part 21 and related nondiscrimination authorities to ensure that no person shall, on the ground of race, color, national origin, limited English proficiency, sex, age, or disability (including religion/creed or income-level, where applicable), be excluded from participation in, be denied the benefits of, or be subjected to discrimination under any programs, activities, or services conducted or funded by NCDOT. Contractors and other organizations under contract or agreement with NCDOT must also comply with Title VI and related authorities, therefore:

- (a) During the performance of this contract or agreement, contractors (e.g., subcontractors, consultants, vendors, prime contractors) are responsible for complying with NCDOT's Title VI Program. Contractors are not required to prepare or submit Title VI Programs. To comply with this section, the prime contractor shall:
  - 1. Post NCDOT's Notice of Nondiscrimination and the Contractor's own Equal Employment Opportunity (EEO) Policy in conspicuous locations accessible to all employees, applicants and subcontractors on the jobsite.
  - 2. Physically incorporate the required Title VI clauses into all subcontracts on federally-assisted and state-funded NCDOT projects, and ensure inclusion by subcontractors into all lower-tier subcontracts.
  - 3. Required Solicitation Language. The Contractor shall include the following notification in all solicitations for bids and requests for work or material, regardless of funding source:

"The North Carolina Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 US.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract

entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award. In accordance with other related nondiscrimination authorities, bidders and contractors will also not be discriminated against on the grounds of sex, age, disability, low-income level, creed/religion, or limited English proficiency in consideration for an award."

- 4. Physically incorporate the FHWA-1273, in its entirety, into all subcontracts and subsequent lower tier subcontracts on Federal-aid highway construction contracts only.
- 5. Provide language assistance services (i.e., written translation and oral interpretation), free of charge, to LEP employees and applicants. Contact NCDOT OCR for further assistance, if needed.
- 6. For assistance with these Title VI requirements, contact the NCDOT Title VI Nondiscrimination Program at 1-800-522-0453.
- (b) Subrecipients (e.g. cities, counties, LGAs, planning organizations) may be required to prepare and submit a Title VI Plan to NCDOT, including Title VI Assurances and/or agreements. Subrecipients must also ensure compliance by their contractors and subrecipients with Title VI. (23 CFR 200.9(b)(7))
- (c) If reviewed or investigated by NCDOT, the contractor or subrecipient agrees to take affirmative action to correct any deficiencies found within a reasonable time period, not to exceed 90 calendar days, unless additional time is granted by NCDOT. (23 CFR 200.9(b)(15))
- (d) The Contractor is responsible for notifying subcontractors of NCDOT's External Discrimination Complaints Process.
  - 1. Applicability

Title VI and related laws protect participants and beneficiaries (e.g., members of the public and contractors) from discrimination by NCDOT employees, subrecipients and contractors, regardless of funding source.

2. Eligibility

Any person—or class of persons—who believes he/she has been subjected to discrimination based on race, color, national origin, Limited English Proficiency (LEP), sex, age, or disability (and religion in the context of employment, aviation, or transit) may file a written complaint. The law also prohibits intimidation or retaliation of any sort.

3. Time Limits and Filing Options

Complaints may be filed by the affected individual(s) or a representative and must be filed no later than 180 calendar days after the following:

- (i) The date of the alleged act of discrimination; or
- (ii) The date when the person(s) became aware of the alleged discrimination; or
- (iii) Where there has been a continuing course of conduct, the date on which that conduct was discontinued or the latest instance of the conduct.

Title VI and related discrimination complaints may be submitted to the following entities:

- North Carolina Department of Transportation, Office of Civil Rights, Title VI Program, 1511 Mail Service Center, Raleigh, NC 27699-1511; toll free 1-800-522-0453
- Federal Highway Administration, North Carolina Division Office, 310 New Bern Avenue, Suite 410, Raleigh, NC 27601, 919-747-7010

- US Department of Transportation, Departmental Office of Civil Rights, External Civil Rights Programs Division, 1200 New Jersey Avenue, SE, Washington, DC 20590; 202-366-4070
- 4. Format for Complaints

Complaints must be in writing and signed by the complainant(s) or a representative, and include the complainant's name, address, and telephone number. Complaints received by fax or e-mail will be acknowledged and processed. Allegations received by telephone will be reduced to writing and provided to the complainant for confirmation or revision before processing. Complaints will be accepted in other languages, including Braille.

5. Discrimination Complaint Form

Contact NCDOT Civil Rights to receive a full copy of the Discrimination Complaint Form and procedures.

6. Complaint Basis

Allegations must be based on issues involving race, color, national origin (LEP), sex, age, disability, or religion (in the context of employment, aviation or transit). "Basis" refers to the complainant's membership in a protected group category.

| TABLE 103-1<br>COMPLAINT BASIS                   |   |   |   |
|--|---|---|---|
| Protected Categories                             | Definition  | Examples  | Applicable Nondiscrimination<br>Authorities   |
| Race and Ethnicity                               | An individual belonging to one<br>of the accepted racial groups; or<br>the perception, based usually on<br>physical characteristics that a<br>person is a member of a racial<br>group | Black/African<br>American,<br>Hispanic/Latino,<br>Asian, American<br>Indian/Alaska Native,<br>Native<br>Hawaiian/Pacific<br>Islander, White | Title VI of the Civil Rights Act of 1964;<br>49 CFR Part 21;<br>23 CFR 200;<br>49 U.S.C. 5332(b);<br>49 U.S.C. 47123.<br><i>(Executive Order 13166)</i> |
| Color  | Color of skin, including shade<br>of skin within a racial group   | Black, White, brown, yellow, etc.   |   |
| National Origin (Limited English<br>Proficiency) | Place of birth. Citizenship is not<br>a factor. ( <i>Discrimination based</i><br>on language or a person's<br>accent is also covered)   | Mexican, Cuban,<br>Japanese,<br>Vietnamese, Chinese   |   |
| Sex  | Gender. The sex of an<br>individual.<br><i>Note:</i> Sex under this program<br>does not include sexual<br>orientation.  | Women and Men   | 1973 Federal-Aid Highway Act;<br>49 U.S.C. 5332(b);<br>49 U.S.C. 47123.   |
| Age  | Persons of any age  | 21-year-old person  | Age Discrimination Act of 1975<br>49 U.S.C. 5332(b);<br>49 U.S.C. 47123.  |
| Disability                                       | Physical or mental impairment,<br>permanent or temporary, or<br>perceived.  | Blind, alcoholic,<br>para-amputee,<br>epileptic, diabetic,<br>arthritic   | Section 504 of the Rehabilitation Act of 1973;<br>Americans with Disabilities Act of 1990   |

| Religion (in the context of<br>employment)<br>(Religion/ Creed in all aspects of<br>any aviation or transit-related<br>construction) | An individual belonging to a<br>religious group; or the<br>perception, based on<br>distinguishable characteristics<br>that a person is a member of a<br>religious group. In practice,<br>actions taken as a result of the<br>moral and ethical beliefs as to<br>what is right and wrong, which<br>are sincerely held with the<br>strength of traditional religious<br>views. <i>Note:</i> Does not have to<br>be associated with a recognized<br>religious group or church; if an<br>individual sincerely holds to the<br>belief, it is a protected religious | Muslim, Christian,<br>Sikh, Hindu, etc. | Title VII of the Civil Rights Act of 1964;         23 CFR 230;         FHWA-1273 Required Contract Provisions.         (49 U.S.C. 5332(b);         49 U.S.C. 47123) |
|--|---|---|---|
|  | practice.   |   |   |

#### (3) Pertinent Nondiscrimination Authorities

During the performance of this contract, the contractor, for itself, its assignees, and successors in interest agrees to comply with the following non-discrimination statutes and authorities, including, but not limited to:

- (a) Title VI of the Civil Rights Act of 1964 (42 U.S.C. § 2000d et seq., 78 stat. 252), (prohibits discrimination on the basis of race, color, national origin); and 49 CFR Part 21.
- (b) The Uniform Relocation Assistance and Real Property Acquisition Policies Act of 1970, (42 U.S.C. § 4601), (prohibits unfair treatment of persons displaced or whose property has been acquired because of Federal or Federal-aid programs and projects);
- (c) Federal-Aid Highway Act of 1973, (23 U.S.C. § 324 et seq.), (prohibits discrimination on the basis of sex);
- (d) Section 504 of the Rehabilitation Act of 1973, (29 U.S.C. § 794 et seq.), as amended, (prohibits discrimination on the basis of disability) and 49 CFR Part 27;
- (e) The Age Discrimination Act of 1975, as amended, (42 U.S.C. § 6101 et seq.), (prohibits discrimination on the basis of age);
- (f) Airport and Airway Improvement Act of 1982, (49 USC § 471, Section 47123), as amended, (prohibits discrimination based on race, creed, color, national origin, or sex);
- (g) The Civil Rights Restoration Act of 1987, (PL 100-209), (Broadened the scope, coverage and applicability of Title VI of the Civil Rights Act of 1964, The Age Discrimination Act of 1975 and Section 504 of the Rehabilitation Act of 1973, by expanding the definition of the terms "programs or activities" to include all of the programs or activities of the Federal-aid recipients, sub-recipients and contractors, whether such programs or activities are Federally funded or not);
- (h) Titles II and III of the Americans with Disabilities Act, which prohibit discrimination on the basis of disability in the operation of public entities, public and private transportation systems, places of public accommodation, and certain testing entities (42 U.S.C. §§ 12131-12189) as implemented by Department of Transportation regulations at 49 C.F.R. parts 37 and 38;
- (i) The Federal Aviation Administration's Nondiscrimination statute (49 U.S.C. § 47123) (prohibits discrimination on the basis of race, color, national origin, and sex);
- (j) Executive Order 12898, Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations, which ensures Nondiscrimination against minority populations by discouraging programs, policies, and activities with

disproportionately high and adverse human health or environmental effects on minority and low-income populations;

- (k) Executive Order 13166, Improving Access to Services for Persons with Limited English Proficiency, and resulting agency guidance, national origin discrimination includes discrimination because of Limited English proficiency (LEP). To ensure compliance with Title VI, you must take reasonable steps to ensure that LEP persons have meaningful access to your programs (70 Fed. Reg. at 74087 to 74100);
- Title IX of the Education Amendments of 1972, as amended, which prohibits you from discriminating because of sex in education programs or activities (20 U.S.C. 1681 et seq).
- (m)Title VII of the Civil Rights Act of 1964 (42 U.S.C. § 2000e et seq., Pub. L. 88-352), (prohibits employment discrimination on the basis of race, color, religion, sex, or national origin).

### (4) Additional Title VI Assurances

- \*\**The following Title VI Assurances (Appendices B, C and D) shall apply, as applicable* (a) Clauses for Deeds Transferring United States Property (1050.2A, Appendix B)
- The following clauses will be included in deeds effecting or recording the transfer of real property, structures, or improvements thereon, or granting interest therein from the United States pursuant to the provisions of Assurance 4.

NOW, THEREFORE, the U.S. Department of Transportation as authorized by law and upon the condition that the North Carolina Department of Transportation (NCDOT) will accept title to the lands and maintain the project constructed thereon in accordance with the North Carolina General Assembly, the Regulations for the Administration of the Federal-Aid Highway Program, and the policies and procedures prescribed by the Federal Highway Administration of the U.S. Department of Transportation in accordance and in compliance with all requirements imposed by Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the U.S Department of Transportation pertaining to and effectuating the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252; 42 U.S.C. § 2000d to 2000d-4), does hereby remise, release, quitclaim and convey unto the NCDOT all the right, title and interest of the U.S. Department of Transportation in and to said lands described in Exhibit A attached hereto and made a part hereof.

#### (HABENDUM CLAUSE)

TO HAVE AND TO HOLD said lands and interests therein unto the North Carolina Department of Transportation (NCDOT) and its successors forever, subject, however, to the covenants, conditions, restrictions and reservations herein contained as follows, which will remain in effect for the period during which the real property or structures are used for a purpose for which Federal financial assistance is extended or for another purpose involving the provision of similar services or benefits and will be binding on the NCDOT, its successors and assigns.

The NCDOT, in consideration of the conveyance of said lands and interests in lands, does hereby covenant and agree as a covenant running with the land for itself, its successors and assigns, that (1) no person will on the grounds of race, color, or national origin, be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination with regard to any facility located wholly or in part on, over, or under such lands hereby conveyed [,] [and]\* (2) that the NCDOT will use the lands and interests in lands and interests in lands so conveyed, in compliance with all requirements imposed by or pursuant to Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation, Effectuation of Title VI of the Civil Rights Act of 1964, and as said Regulations and Acts may be amended [, and (3) that in the event of breach of any of the above-mentioned nondiscrimination conditions, the Department will have a right to enter or re-enter said lands and facilities on said land, and that above described land and facilities will thereon revert to and vest in and become the absolute property of the U.S. Department of Transportation and its assigns as such interest existed prior to this instruction].\*

(\*Reverter clause and related language to be used only when it is determined that such a clause is necessary in order to make clear the purpose of Title VI.)

- (b) Clauses for Transfer of Real Property Acquired or Improved Under the Activity, Facility, or Program (1050.2A, Appendix C) The following clauses will be included in deeds, licenses, leases, permits, or similar instruments entered into by the North Carolina Department of Transportation (NCDOT) pursuant to the provisions of Assurance 7(a):
  - 1. The (grantee, lessee, permittee, etc. as appropriate) for himself/herself, his/her heirs, personal representatives, successors in interest, and assigns, as a part of the consideration hereof, does hereby covenant and agree [in the case of deeds and leases add "as a covenant running with the land"] that:
    - (i.) In the event facilities are constructed, maintained, or otherwise operated on the property described in this (deed, license, lease, permit, etc.) for a purpose for which a U.S. Department of Transportation activity, facility, or program is extended or for another purpose involving the provision of similar services or benefits, the (grantee, licensee, lessee, permittee, etc.) will maintain and operate such facilities and services in compliance with all requirements imposed by the Acts and Regulations (as may be amended) such that no person on the grounds of race, color, or national origin, will be excluded from participation in, denied the benefits of, or be otherwise subjected to discrimination in the use of said facilities.
  - 2. With respect to licenses, leases, permits, etc., in the event of breach of any of the above Nondiscrimination covenants, the NCDOT will have the right to terminate the (lease, license, permit, etc.) and to enter, re-enter, and repossess said lands and facilities thereon, and hold the same as if the (lease, license, permit, etc.) had never been made or issued. \*
  - 3. With respect to a deed, in the event of breach of any of the above Nondiscrimination covenants, the NCDOT will have the right to enter or re-enter the lands and facilities thereon, and the above described lands and facilities will there upon revert to and vest in and become the absolute property of the NCDOT and its assigns. \*

(\*Reverter clause and related language to be used only when it is determined that such a clause is necessary to make clear the purpose of Title VI.)

- (c) Clauses for Construction/Use/Access to Real Property Acquired Under the Activity, Facility or Program (1050.2A, Appendix D)
   The following clauses will be included in deeds, licenses, permits, or similar instruments/ agreements entered into by the North Carolina Department of Transportation (NCDOT) pursuant to the provisions of Assurance 7(b):
  - The (grantee, licensee, permittee, etc., as appropriate) for himself/herself, his/her heirs, personal representatives, successors in interest, and assigns, as a part of the consideration hereof, does hereby covenant and agree (in the case of deeds and leases add, "as a covenant running with the land") that (1) no person on the ground of race, color, or national origin, will be excluded from participation in, denied the benefits of, or be otherwise subjected to discrimination in the use of said facilities, (2) that in the construction of any improvements on, over, or under such land, and the furnishing of services thereon, no person on the ground of race, color, or national origin, will be excluded from participation in, denied the benefits of, or otherwise be subjected to discrimination, (3) that the (grantee, licensee, lessee, permittee, etc.) will use the premises in compliance with all other requirements imposed by or pursuant to the Acts and Regulations, as amended, set forth in this Assurance.
  - 2. With respect to (licenses, leases, permits, etc.), in the event of breach of any of the above Non¬ discrimination covenants, the NCDOT will have the right to terminate the (license, permit, etc., as appropriate) and to enter or re-enter and repossess said land and the facilities thereon, and hold the same as if said (license, permit, etc., as appropriate) had never been made or issued. \*
  - 3. With respect to deeds, in the event of breach of any of the above Nondiscrimination covenants, the NCDOT will there upon revert to and vest in and become the absolute property of the NCDOT and its assigns. \*

(\*Reverter clause and related language to be used only when it is determined that such a clause is necessary to make clear the purpose of Title VI.)

#### **ON-THE-JOB TRAINING**

(10-16-07) (Rev. 4-21-15)

Z-10

#### Description

The North Carolina Department of Transportation will administer a custom version of the Federal On-the-Job Training (OJT) Program, commonly referred to as the Alternate OJT Program. All contractors (existing and newcomers) will be automatically placed in the Alternate Program. Standard OJT requirements typically associated with individual projects will no longer be applied at the project level. Instead, these requirements will be applicable on an annual basis for each contractor administered by the OJT Program Manager.

On the Job Training shall meet the requirements of 23 CFR 230.107 (b), 23 USC – Section 140, this provision and the On-the-Job Training Program Manual.

The Alternate OJT Program will allow a contractor to train employees on Federal, State and privately funded projects located in North Carolina. However, priority shall be given to training employees on NCDOT Federal-Aid funded projects.

#### **Minorities and Women**

Developing, training and upgrading of minorities and women toward journeyman level status is a primary objective of this special training provision. Accordingly, the Contractor shall make every effort to enroll minority and women as trainees to the extent that such persons are available within a reasonable area of recruitment. This training commitment is not intended, and shall not be used, to discriminate against any applicant for training, whether a member of a minority group or not.

#### **Assigning Training Goals**

The Department, through the OJT Program Manager, will assign training goals for a calendar year based on the contractors' past three years' activity and the contractors' anticipated upcoming year's activity with the Department. At the beginning of each year, all contractors eligible will be contacted by the Department to determine the number of trainees that will be assigned for the upcoming calendar year. At that time the Contractor shall enter into an agreement with the Department to provide a self-imposed on-the-job training program for the calendar year. This agreement will include a specific number of annual training goals agreed to by both parties. The number of training assignments may range from 1 to 15 per contractor per calendar year. The Contractor shall sign an agreement to fulfill their annual goal for the year.

#### **Training Classifications**

The Contractor shall provide on-the-job training aimed at developing full journeyman level workers in the construction craft/operator positions. Preference shall be given to providing training in the following skilled work classifications:

| Equipment Operators | Office Engineers                 |
|---------------------|----------------------------------|
| Truck Drivers       | Estimators                       |
| Carpenters          | Iron / Reinforcing Steel Workers |
| Concrete Finishers  | Mechanics                        |
| Pipe Layers         | Welders                          |

The Department has established common training classifications and their respective training requirements that may be used by the contractors. However, the classifications established are not all-inclusive. Where the training is oriented toward construction applications, training will be allowed in lower-level management positions such as office engineers and estimators. Contractors shall submit new classifications for specific job functions that their employees are performing. The Department will review and recommend for acceptance to FHWA the new classifications proposed by contractors, if applicable. New classifications shall meet the following requirements:

Proposed training classifications are reasonable and realistic based on the job skill classification needs, and

The number of training hours specified in the training classification is consistent with common practices and provides enough time for the trainee to obtain journeyman level status.

The Contractor may allow trainees to be trained by a subcontractor provided that the Contractor retains primary responsibility for meeting the training and this provision is made applicable to the subcontract. However, only the Contractor will receive credit towards the annual goal for the trainee.

Where feasible, 25 percent of apprentices or trainees in each occupation shall be in their first year of apprenticeship or training. The number of trainees shall be distributed among the work classifications on the basis of the contractor's needs and the availability of journeymen in the various classifications within a reasonable area of recruitment.

No employee shall be employed as a trainee in any classification in which they have successfully completed a training course leading to journeyman level status or in which they have been employed as a journeyman.

#### **Records and Reports**

The Contractor shall maintain enrollment, monthly and completion reports documenting company compliance under these contract documents. These documents and any other information as requested shall be submitted to the OJT Program Manager.

Upon completion and graduation of the program, the Contractor shall provide each trainee with a certification Certificate showing the type and length of training satisfactorily completed.

#### **Trainee Interviews**

All trainees enrolled in the program will receive an initial and Trainee/Post graduate interview conducted by the OJT program staff.

#### **Trainee Wages**

Contractors shall compensate trainees on a graduating pay scale based upon a percentage of the prevailing minimum journeyman wages (Davis-Bacon Act). Minimum pay shall be as follows:

| 60 percent | of the journeyman wage for the first half of the training period    |
|------------|---|
| 75 percent | of the journeyman wage for the third quarter of the training period |
| 90 percent | of the journeyman wage for the last quarter of the training period  |

In no instance shall a trainee be paid less than the local minimum wage. The Contractor shall adhere to the minimum hourly wage rate that will satisfy both the NC Department of Labor (NCDOL) and the Department.

#### Achieving or Failing to Meet Training Goals

The Contractor will be credited for each trainee employed by him on the contract work who is currently enrolled or becomes enrolled in an approved program and who receives training for at least 50 percent of the specific program requirement. Trainees will be allowed to be transferred between projects if required by the Contractor's scheduled workload to meet training goals.

If a contractor fails to attain their training assignments for the calendar year, they may be taken off the NCDOT's Bidders List.

#### **Measurement and Payment**

No compensation will be made for providing required training in accordance with these contract documents.



DocuSigned by: Matthew V. Springer BC60F6E8B584403... 8/27/2020

# **POLYUREA PAVEMENT MARKING MEDIA AND THICKNESS:** (08-27-20)

Amend the NCDOT 2018 Standard Specifications as follows:

Page 12-8, Subarticle 1205-5(B), lines 14-16, replace with the following:

Produce polyurea pavement marking lines that have a minimum dry thickness of 20 mils above the pavement surface when placed on concrete and asphalt pavements. Produce polyurea pavement marking lines that have a minimum dry thickness of 30 mils above the pavement surface on textured surfaces such as OGFC and on surfaces where the polyurea will be placed over a previously removed pavement marking.

**Page 12-9,** replace **Table 1205-4 Minimum Reflectometer Requirement for Polyurea** with the following:

| TABLE 1205-4<br>MINIMUM REFLECTOMETER REQUIREMENTS<br>FOR POLYUREA |        |                            |
|--|--------|----------------------------|
| Item   | Color  | Reflectivity               |
|  | White  | 375 mcd/lux/m <sup>2</sup> |
| Standard Glass Beads   | Yellow | 250 mcd/lux/m <sup>2</sup> |

The installer may choose to use an AASHTO Type 4/Type 1 or AASHTO Type 3/Type 1 double drop system, but no price adjustment will be made, and these systems will be incidental to the polyurea pavement marking.

Pay Item

Pay Unit

Polyurea Pavement Marking Lines,\_\_\_\_",\_\_\_\_mils (Standard Glass Beads)

Linear Foot

# **TC-1**

### 2022CPT.13.01.10111 Etc.

Buncombe County

### WORK ZONE TRAFFIC CONTROL Project Special Provisions Table of Contents

| Special Provision                                    | Page  |
|--|-------|
| WZTC Traffic Control General Requirements            | TC-2  |
| Resurfacing Operations                               | TC-8  |
| Pavement Markings and Markers                        | TC-9  |
| Pedestrian Accommodation at Curb Ramp Work Locations | TC-11 |
| ADA Compliant Pedestrian Traffic Control Devices     | TC-14 |



# 2022CPT.13.01.10111 Etc. Buncombe County <u>WORK ZONE TRAFFIC CONTROL GENERAL REQUIREMENTS</u>

### TEMPORARY TRAFFIC CONTROL (TTC):

(7-16-13) (Rev. 12-08-20) (Rev. 02-18-21) RWZ-1

Maintain traffic in accordance with Divisions 10, 11 and 12 of the 2018 Standard Specifications and the following provisions:

Install Work Zone Advance Warning Signs in accordance with the detail drawing provided in these plans prior to beginning any other work. Use a lane closure or slow moving operation to complete the work, as necessary, unless otherwise indicated. Refer to Standard Drawing No. 1101.02, 1101.11, 1110.01, 1110.02, 1130.01 1135.01 and 1180.01 of the *2018 Roadway Standard Drawings*. Use a moving operation only if the minimum speed maintained at all times is 3 mph with no stops that narrow or close a lane of travel. If the moving operation is progressing slower than 3 mph at any time, install a lane closure. Maintain the existing traffic pattern at all times, except in the immediate work zone where lane closures are allowed as determined by the Engineer. If applicable, maintain existing pedestrian facilities in accordance with *Pedestrian Accommodation at Curb Ramp Work Locations*, found elsewhere in this Contract.

Refer to attached details and Standard Drawing No. 1101.02, 1101.03, 1101.04, 1101.05, 1101.11, 1110.01, 1110.02, 1115.01, 1130.01, 1135.01, 1145.01, 1150.01, 1165.01, and 1180.01 of the *2018 Roadway Standard Drawings* when closing a lane of travel in a stationary work zone such as pavement patching, resurfacing, curb ramp work, or pavement marking removal. Properly ballasted cones and skinny drums may be used instead of drums. However, drums are required for the upstream taper portion of lane closures in all applications. The stationary work zone shall be a maximum of 1 mile in length at any given time on 2 Lane, 2 Way facilities unless otherwise approved by the Engineer. A pilot vehicle operation may be used in conjunction with flaggers and the appropriate pilot vehicle warning signing as directed by the Engineer. During periods of construction inactivity, return the traffic pattern to the existing alignment and remove or cover any work zone signs. When covering work zone signs, use an opaque material that prevents reading of the sign at night by a driver using high beam headlights. Use material, which does not damage the sign sheeting. Replace any obliterated markings as required by other sections of the *2018 Standard Specifications* and the Engineer.

When personnel and/or equipment are working on the shoulder adjacent to and within 5 feet of an open travel lane, close the nearest open travel lane using Standard Drawing No. 1101.02 of the 2018 *Roadway Standard Drawings*. When personnel and/or equipment are working within a lane of travel of an undivided facility, close the lane according to the traffic control plans, 2018 *Roadway Standard Drawings* or as directed by the Engineer. Conduct the work so that all personnel and/or equipment remain within the closed travel lane. Do not work simultaneously, on both sides of an open travel way, within the same location, on a two-lane, two-way road. Perform work only when weather and visibility conditions allow safe operations as directed by the Engineer.

### 2022CPT.13.01.10111 Etc.

When utilizing a slow-moving operation for such items as pavement marking and marker placement, the operation shall consist of the vehicles and devices as shown on Roadway Standard Drawing No. 1101.02, sheet 11 or 12 of the *2018 Roadway Standard Drawings*. Traffic cones may be used when necessary to provide additional protection of wet pavement markings. Ballast all traffic cones so they will not be blown over by traffic.

### **PAVING OPERATIONS:**

### 1) Paving Lift Requirements and Time Limitations:

For paving lifts of 2.0 inches or less, bring all newly resurfaced lanes to the same station and elevation within 72 hours. If not brought up to the same station and elevation within 72 hours, the Contractor shall place portable "UNEVEN PAVEMENT" signs in advance of the uneven pavement and spaced every 1/2 mile along the section of uneven pavement. Once mitigated, all portable "UNEVEN PAVEMENT" signs shall be removed. No additional compensation will be made for these signs or any other type of portable warning signs as these are included in the "Temporary Traffic Control" contract pay item.

For paving lifts greater than 2 inches, bring all newly resurfaced lanes to the same station and elevation by the end of each work day unless the Contractor utilizes the notched wedge paving methods as described below.

# Failure to comply with the following requirements will result in a suspension of all other operations until all lanes of traffic are brought to the same station and elevation:

- 1. During paving operations, any paving lift greater than 2 inches for asphalt surface course mixes shall be mitigated by having an approved wedge apparatus on the paver that shapes the edge 1 inch vertically and the remaining at a maximum slope steepness of 2:1. For intermediate and base course mixes, use an approved wedge device that shapes the edge with a maximum slope steepness of 2:1. The maximum paving lift allowed to use this method is 3 inches.
- 2. At the end of the work day, the Contractor shall place portable "UNEVEN PAVEMENT" signs in advance of the uneven pavement and spaced every 1/2 mile along the section of uneven pavement. Once mitigated, all portable "UNEVEN PAVEMENT" signs shall be removed. No additional compensation will be made for these signs or any other type of portable warning signs as these are included in the "Temporary Traffic Control" contract pay item.
- 3. In the next day's paving operation and not to exceed 72 hours, the Contractor shall bring up the adjacent lane to the same station and elevation before any further paving takes place on the project.

### 2022CPT.13.01.10111 Etc.

### 2) Asphalt Surface Treatments (AST)

For AST Operations, there is no drop-off condition to be signed. Stationary "LOOSE GRAVEL" and "UNMARKED PAVEMENT" signs shall replace "LOW/SOFT SHOULDER" signs. For placement and spacing of these signs, see the Signing Detail Sheet. All other advance warning signs are to be portable mounted. These signs are included as part of the temporary traffic control (Lump Sum) item.

### 3) Fine Milling/Microsurfacing (Depths less than 1")

For fine milling operations less than 1", paving is not required in the same work period. The paving of the fine milled area is to be conducted within the next work period and not to exceed 72 hours. No advance warning signs are necessary for these conditions unless the paving operations exceed 72 hours. If this occurs, install portable "UNMARKED PAVEMENT" signs. These signs are incidental to the other items of work included in the temporary traffic control (Lump Sum) item.

### 4) Shoulder Drop-Off Requirements

Whenever paving operations create an edge of pavement drop-off greater than 2 inches, within 72 hours, the Contractor shall backfill at a 6:1 slope from the edge and finished elevation of the pavement that has an edge of pavement drop-off as follows:

- (A) Drop-off that exceeds 2 inches on roadways with posted speed limits of 45 mph or greater.
- (B) Drop-off that exceeds 3 inches on roadways with posted speed limits less than 45 mph.

Backfill the edge of pavement drop-off with suitable compacted material, as approved by the Engineer. The material, equipment and labor associated with this operation will be at no expense to the Department. This work is not considered part of shoulder reconstruction.

### **PROJECT REOUIREMENTS:**

Failure to comply with the following requirements will result in a suspension of all other operations:

- 1. Before working on ANY MAP, the Contractor shall submit a written construction sequence for traffic control and construction lighting for ALL MAPS to the Engineer at the first preconstruction meeting and the sequence must be approved before closing a lane of traffic. If applicable, the Contractor shall also submit a description of how pedestrian access will be maintained during any curb ramp work. Refer to *Pedestrian Accommodation at Curb Ramp Work Locations*, found elsewhere in this Contract, for pedestrian maintenance requirements.
- 2. The temporary use of portable concrete barrier and the need for any long-term temporary traffic patterns are not anticipated and are not covered by this provision. If the Engineer

### 2022CPT.13.01.10111 Etc.

**Buncombe County** determines there is a need, then coordinate with the Work Zone Traffic Control Section at 919-814-5000.

- 3. Obtain written approval of the Engineer before working in more than one location or setting up additional lane closures. The maximum length of any one lane closure is 1 mile unless otherwise directed by the Engineer.
- 4. If Lane Closure Restrictions apply, see Special Provision, "Intermediate Contract Times and Liquidated Damages".
- 5. Contractor shall mill and pave lanes in an order such that water shall not accumulate.
- 6. Traffic Control for the milling and/or paving of ramps is to be done according to Standard Drawing Number 1101.02, Sheets 9 & 10 unless otherwise approved to be closed by the Engineer. If approved, Contractor will provide plans and devices for the detour at no additional cost to the department.
- 7. If milled areas are not paved back within 72 hours, the Contractor is to furnish and install portable signs to warn drivers of the conditions. These are to include, but not limited to "Rough Road" (W8-8), "Uneven Lanes" (W8-11), and "Grooved Pavement" (W8-15) w/ Motorcycle Plaque mounted below. These are to be dual indicated on Multi-Lane Roadways with speed limits 45 mph and greater where lateral clearance can be obtained within the median areas. These portable signs are incidental to the other items of work included in the temporary traffic control (Lump Sum) pay item.

### WORK ZONE SIGNING:

### Description

Install advance/general warning work zone signs according to the Detail Drawing provided in these plans prior to beginning of work. Install and maintain signing in accordance with the attached drawings and Divisions 11 and 12 of the 2018 Standard Specifications.

### (A) Installation

All stationary Advance/General warning work zone signs require notification to existing Utility owners per Article 105-8 of the 2018 Standard Specifications and Special Provision SP1 G115 within 3 to 12 full working days prior to installation.

Install Advance/General warning work zone signs before beginning work on a particular map. If signs are installed more than 7 calendar days prior to the beginning of work on a particular map, cover the signs until the work begins. Install each work zone Advance/General warning sign separately and not on the same post or stand with any other sign except where an advisory speed

2022CPT.13.01.10111 Etc. plate or directional arrow is used.

All stationary signing is to be installed as shown on the detail drawing(s) unless otherwise directed by the Engineer. The signs as shown on the detail drawing(s) are all that are required for a contractor to begin a resurfacing contract. Any additional signs requested by the Engineer shall be installed within 7 business days of the start of contract work. All sign locations are to be verified by the Engineer prior to installation. Once the signs have been installed and accepted, any sign relocations requested by the Department will be compensated in accordance with Article 104-7. Any additional signs other than the ones shown in the drawing will be compensated in accordance with Article 104-7.

No stationary -Y- Line advance warning signage is required unless there is more than 1,000 feet of resurfacing along the -Y- line. Whenever work proceeds through an intersection, portable signs shall be used for traffic control. There will be no direct compensation for any portable signing.

If there is a period of construction inactivity longer than 14 calendar days, remove or cover advance/general warning work zone signs. Uncover advance/general warning work zone signs no more than 7 calendar days before work resumes. All other operations may be suspended upon failure to comply with the above requirements. Such suspended operations would not be resumed until the above requirements are fulfilled.

### (B) Sign Removal

Once Maps on the Project are substantially complete, it is acceptable practice to remove the Stationary Work Zone Signs in lieu of waiting until all of the Maps are completed on the Project. A Map is substantially complete when the resurfacing operations are finished and the shoulders are brought up to the same elevation as the proposed pavement and when pavement markings (paint) are installed along the centerline and edge lines. The final pavement markings (ex. Thermoplastic/Polyurea) or pavement markers (Raised/Snowplowable) do not have to be installed for Maps to be considered substantially complete. Final pavement marking/markers are installed with portable signing according to Roadway Standard Drawing 1101.02, sheet 11 or 12. Any remaining punch list items requiring traffic control are compensated in the contract pay item for *Temporary Traffic Control*.

### Stationary Work Zone Sign removal is a condition of final project acceptance.

### (C) Lane Closure Work Zone Signs

Install any required lane closure signing needed during the life of the project in accordance with the Standard Drawing No. 1101.02, 1101.11 and 1110.02 of the 2018 Roadway Standard Drawings. Any required portable signs for lane closures are compensated in the contract pay item for Temporary Traffic Control.

### 2022CPT.13.01.10111 Etc.

### **MEASUREMENT AND PAYMENT:**

Temporary traffic control work, including, but not limited to installation and removal of portable signs, cones, drums, skinny drums, flaggers, AFAD's, changeable message boards, truck mounted attenuators, flashing arrow boards, and pilot vehicles for the sole purpose of maintaining vehicular traffic will be paid at the contract lump sum price for *Temporary Traffic Control*.

The *Temporary Traffic Control* pay item does not include work zone advance or general warning signs.

The *Temporary Traffic Control* pay item does not include Pedestrian Channelizing Devices and applicable signs, Audible Warning Devices, Temporary Curb Ramps, or a Pedestrian Transport Service required for the sole purpose of maintaining pedestrian movements. Refer to *Pedestrian Accommodation at Curb Ramp Work Locations*, found elsewhere in this Contract, for measurement and payment information for these items.

Partial payments for *Temporary Traffic Control* will be made as follows: The cumulative total of the lump sum price for temporary traffic control will be equal to the percent complete (project) as calculated for each partial pay estimate. Additional flashing arrow boards and message boards beyond those shown in the contract, detail drawings or *Roadway Standard Drawings* required by the Engineer will be paid as extra work in accordance with Article 104-7 of the *Standard Specifications*.

The work of satisfactorily installing and removing work zone advance and/or general warning signs, including, but not limited to, furnishing, locating, installing, covering, uncovering and removing stationary signs will be measured for each required sign and paid at the contract price for *Work Zone Advance/General Warning Signing (SF)*. Payment for *Work Zone Advance/General Warning Signing* will be limited to a maximum of 90% of the total installed quantity. The remaining 10% will be paid once all signs have been removed.

The Lump Sum price for *Temporary Traffic Control* will include the work of 4 flaggers per operation per map being utilized at the same time on any day. If a pilot vehicle is used for an operation, the Lump Sum Price for *Temporary Traffic Control* will include the work of five (5) flaggers. The operator of a pilot vehicle will be considered one of the five flaggers.

Any additional flagging beyond the "included" amount covered in the *Temporary Traffic Control* pay item will be considered supplemental flagging and compensated at a rate of \$35.00 per hour for each additional flagger as approved by the Engineer.

Payment will be made under:

Pay Item

2022CPT.13.01.10111 Etc. Temporary Traffic Control Work Zone Advance/General Warning Signing Buncombe County Lump Sum Square Foot

# **RESURFACING OPERATIONS:** (7-15-14) RWZ-2

Coordinate the installation of items required by the contract documents and resurfacing operations such that these operations are completed in the order as agreed upon with the Engineer at the first pre-construction meeting. Refer to the Provisions, Typicals and Details unless otherwise directed by the Engineer.

Notify the Engineer 15 consecutive calendar days before resurfacing a bridge or its approaches. Patch and make repairs to bridge surface and its approaches before resurfacing occurs. Coordinate all operations on the bridge and its approaches with the Engineer.

Notify the Engineer 48 hours before resurfacing the areas of existing pavement that require patching. Patch these areas before resurfacing occurs. Allow full depth asphalt patching to cool to the point of supporting traffic without displacement or rutting before reopening closed lane. Coordinate the resurfacing operations of the patched areas with the Engineer.

Notify the Engineer 48 hours before milling or resurfacing will interfere with the existing Signal Loops. Loops may need to be placed in milled surface before resurfacing occurs. Coordinate all signal loop operations with the Engineer.

For partial or wheel track milling operations on two-way, two-lane facilities, mill and pave back by the end of each work day. For Partial or wheel track milling operation on multi-lane facilities, the lane being milled may be left closed and paved back within 72 hours.

The following options are available during Resurfacing and milling operations on two-way, two-lane facilities when the entire roadway or entire lane is to be milled:

- (A) Mill a single lane and pave back by the end of each work day.
- (B) Mill the entire width of roadway and pave back within 72 hours.

The following options are available during Resurfacing and milling operations on multi-lane facilities when all lanes or a single lane in one direction are to be milled:

- (A) Mill a single lane and pave back by the end of each work day.
- (B) Mill the entire width of pavement for all lanes to be milled in any direction daily and pave back within 72 hours.

### 2022CPT.13.01.10111 Etc.

### Buncombe County

Slope the pavement at the beginning and ending of the daily milling operation as directed by the Engineer. Sweep and remove all milled material from the roadway as soon as the daily milling operation is completed. Continue milling operations until the particular section of roadway being milled is complete. Remove any existing pavement adjacent to the milled area that has been damaged and replace with patch material as directed by the Engineer.

Operate equipment and conduct operations in the same direction as the flow of traffic. Maintain vehicular access in accordance with Article 1101-05 of the *2018 Standard Specifications* using suitable backfill material approved by the Engineer.

Provide appropriate lighting in accordance with Section 1413 of the 2018 Standard Specifications.

### Milled Rumble Strips:

When utilized, milled rumble strips shall be installed in accordance with the 2018 Standard Specifications and the 2018 Roadway Standard Drawing 665.01.

### PAVEMENT MARKINGS AND MARKERS:

(7-15-14) RWZ-3

### Markings: All Facilities

Pavement markings shall be installed in accordance with Standard Drawings 1205.01 through 1205.15 of the *2018 Roadway Standard Drawings* and Section 1205 of the *2018 Standard Specifications* with the exception of the following changes underlined in Table 1205-1 in Subarticle 1205-3(D):

| TABLE 1205-1<br>TIME LIMITATIONS FOR<br>REPLACEMENT  |  |   |  |  |  |  |
|--|--|---|--|--|--|--|
| Facility Type  | Marking Type   | Replacement<br>Deadline   |  |  |  |  |
| Full-control-of-access<br>multi-lane roadway (4<br>or<br>more total lanes) and ramps,<br>including Interstates | All markings   | By the end of each<br>workday's operation if<br>the lane is opened to<br>traffic  |  |  |  |  |
| Multi-lane roadways<br>(3 or more lanes) and ramps   | Center Line, Lane Line,<br>Railroad symbols, Stop<br>bars, school symbols and<br><u>crosswalk markings</u> | By the end of each<br>workday's operation if<br>the lane is opened to<br>traffic<br>(temporary paint with<br>beads may be used) |  |  |  |  |

### (D) Time Limitations for Replacement

### 2022CPT.13.01.10111 Etc.

|                               | Edge Lines, gore lines<br>and all other<br>symbols   | By the end of the<br>3rd calendar day<br>after<br>obliteration      |
|-------------------------------|--|---|
| Two-lane, two-way<br>roadways | All centerline markings,<br>railroad, Stop bars,<br>school symbols and<br>crosswalk markings | By the end of the<br>5th calendar day<br>after<br>obliteration      |
|                               | Edge Lines and all other symbols   | By the end of the <u>30th</u><br>calendar day after<br>obliteration |

Prior to placing pavement marking material on concrete surfaces that are diamond ground, use an acceptable method to grind ridges smooth only where pavement marking will be installed.

Type 3 Cold Applied Plastic may be used in lieu of Type 2 Cold Applied Plastic. If Type 3 Cold Applied Plastic is used, it shall be paid for using the Type 2 Cold Applied Plastic pay item.

Unless otherwise specified, Heated-in-Place Thermoplastic may be used in lieu of Extruded Thermoplastic for stop bars, symbols, characters and diagonals. If Heated-in-Place Thermoplastic is used, it shall be paid for using the Extruded Thermoplastic pay item.

Unless otherwise specified, Heated-in-Place Thermoplastic may be used in lieu of Cold Applied Plastic for stop bars, symbols, characters and diagonals on asphalt or concrete roadways. If Heated-in-Place Thermoplastic is used, it shall be paid for using the Cold Applied Plastic pay item.

### **Markers: All Facilities**

Remove existing pavement markers in preparation for paving. Repair any pavement damage due to existing pavement marker removal prior to the end of the work day. Dispose of existing pavement markers as directed by the Engineer. No direct payment will be made for this work as it will be incidental to the paving operation.

Install permanent pavement markers within 60 calendar days after completing the resurfacing on each map. Pavement markers shall be installed in accordance with Standard Drawing 1205.12 and Standard Drawings 1250.01 through 1253.01 of the *2018 Roadway Standard Drawings* and Sections 1250 through 1253 of the *2018 Standard Specifications*.

### 2022CPT.13.01.10111 Etc. Markings and Markers: All Facilities

Review and record the existing pavement markings and markers before resurfacing. Re-establish the new pavement markings and markers using the record of existing markings in conjunction with the 2018 Roadway Standard Drawings. Unless otherwise directed by the engineer, new pavement markings not meeting the current standards should be updated to the 2018 Roadway Standard Drawings. Have existing or proposed "passing zones" reviewed by the engineer before installation. Submit the record of the existing pavement markings seven calendar days before the obliteration of any pavement markings.

Mainline pavement shall not be left milled, unmarked or uneven at the end of a paving season. If the Contractor begins any map and does not complete within the seasonal restrictions, including placement of final pavement markings or permanent markers, the Contractor shall be responsible for, at his expense, Paint in accordance with Article 1205-08 and Temporary Markers in accordance with Section 1251 of the *2018 Standard Specifications*.

### PEDESTRIAN ACCOMODATION AT CURB RAMP WORK LOCATIONS

(8-28-2020) RWZ-4

This special provision only applies when the level of pedestrian accommodation is either Absence of Need or Basic as defined by the *NCDOT Guidelines for the Level of Pedestrian Accommodation in Work Zones* found at the following link:

https://connect.ncdot.gov/projects/WZTC/Pages/PedSafety.aspx.

The contractor shall not perform curb ramp work on multiple maps without prior approval of the Engineer.

Pedestrian accommodation during construction is not required at sidewalks and curb ramp locations that are determined by the Engineer to be non-continuous. This is defined by a lack of connectivity to existing pedestrian facilities (including worn foot paths) to pedestrian traffic generators and attractors. At these locations, close the existing pedestrian facility with an ADA compliant pedestrian channelizing device.

Continuous pedestrian facilities are sidewalks or worn foot paths that do connect pedestrian generators and attractors. The Contractor shall plan curb ramp work on continuous pedestrian facilities in a manner that minimizes the duration of any disruption to this connectivity. <u>At each curb</u> ramp work location on a continuous pedestrian facility, the Contractor shall complete all work at that location within 7 calendar days. (See Intermediate Contract Time and Liquidated Damages.)

While working at curb ramp work locations on continuous pedestrian facilities, the contractor shall maintain pedestrian accommodations as follows:


### 2022CPT.13.01.10111 Etc.

### **Buncombe County**

- 1. If the Contractor is on-site and actively working at a curb ramp location, the Contractor may provide a dedicated traffic control employee to assist/direct pedestrians around the work site or to the nearest intersection. This employee shall be capable of orally communicating with the visually disabled so that they understand the assistance being provided. If a dedicated employee is not available or used, the Contractor shall provide pedestrian accommodations by any of the other methods described below.
- 2. The contractor may provide a temporary pedestrian detour if the following conditions are met:
  - A. The pedestrian traffic control devices are compliant with Figure 1: Crosswalk Closures and Pedestrian Detours and the ADA Compliant Pedestrian Traffic Control Devices special provision found elsewhere in this Contract.
  - B. The pedestrian detour is approved by the Engineer.
  - C. The accessibility features of the detour are consistent with the closed facility.
  - D. The additional detour length is  $\frac{1}{2}$  mile or less.
  - E. There are no existing accessible pedestrian signals within <sup>1</sup>/<sub>2</sub> mile of the ramp work location. Accessible pedestrian signals have audible locator tones and may also have speech walk messages or tones indicating permissible crossing and/or audible countdowns.
  - F. ADA compliant pedestrian channelizing devices are used at the hard and soft closure locations and decision points along the detour route. A hard closure is a point at which there is no safe access for the user beyond it. A soft closure is a point in advance of the hard closure that indicates the need for the user to move to the detour to continue towards their destination and avoid obstacles in current path.
- 3. If the Contractor is not on-site and/or is unable to provide an escort and a pedestrian detour is not permitted, then the contractor shall close the pedestrian facility and provide a Pedestrian Transport Service and Audible Warning Devices as described elsewhere in this Contract. Safe pickup and drop off locations shall be approved by the Engineer before implementation.

# FIGURE 1

### **Crosswalk Closures and Pedestrian Detours**



Buncombe County

# ADA COMPLIANT PEDESTRIAN TRAFFIC CONTROL DEVICES: (10/31/2017)

### Description

Furnish, install, and maintain all ADA compliant pedestrian traffic control devices for existing pedestrian facilities that are disrupted, closed, or relocated by planned work activities.

The ADA compliant pedestrian traffic control devices used to either close, redirect, divert or detour pedestrian traffic are Pedestrian Channelizing Devices.

### **Construction Methods**

2022CPT.13.01.10111 Etc.

The ADA compliant pedestrian traffic control devices involved in the closing or redirecting of pedestrians as designated on the Transportation Management Plan (TMP) shall be manufactured and assembled in accordance with the requirements of the Americans with Disabilities Act (ADA) and be on the NCDOT approved products list.

Pedestrian Channelizing Devices shall be manufactured and assembled to be connected as to eliminate any gaps that allow pedestrians to stray from the channelizing path. Any Pedestrian Channelizing Devices used to close or block a pedestrian facility shall have a "SIDEWALK CLOSED" sign affixed to it if designated on the TMP.

### **Measurement and Payment**

*Pedestrian Channelizing Devices* will be measured and paid as the maximum number of linear feet of *Pedestrian Channelizing Devices* furnished, acceptably placed, and in use at any one time during the life of the project.

No direct payment will be made for any sign affixed to a pedestrian channelizing device. Signs mounted to pedestrian channelizing devices will be considered incidental to the device.

Relocation, replacement, repair, maintenance, or disposal of *Pedestrian Channelizing Devices* will be incidental to the pay item.

Payment will be made under:

Pay Item

Pedestrian Channelizing Devices

Pay Unit

Linear Foot

### **STABILIZATION REQUIREMENTS:**

(3-11-16) (Rev. 4-30-19)

Stabilization for this project shall comply with the time frame guidelines as specified by the NCG-010000 general construction permit effective April 1, 2019 issued by the North Carolina Department of Environmental Quality Division of Water Resources. Temporary or permanent ground cover stabilization shall occur within 7 calendar days from the last land-disturbing activity, with the following exceptions in which temporary or permanent ground cover shall be provided in 14 calendar days from the last land-disturbing activity:

**EC-1** 

- Slopes between 2:1 and 3:1, with a slope length of 10 ft. or less
- Slopes 3:1 or flatter, with a slope of length of 50 ft. or less
- Slopes 4:1 or flatter

The stabilization timeframe for High Quality Water (HQW) Zones shall be 7 calendar days with no exceptions for slope grades or lengths. High Quality Water Zones (HQW) Zones are defined by North Carolina Administrative Code 15A NCAC 04A.0105 (25). Temporary and permanent ground cover stabilization shall be achieved in accordance with the provisions in this contract and as directed.

### **SEEDING AND MULCHING:**

The kinds of seed and fertilizer, and the rates of application of seed, fertilizer, and limestone, shall be as stated below. During periods of overlapping dates, the kind of seed to be used shall be determined. All rates are in pounds per acre.

### Shoulder and Median Areas

| August 1 - June 1 |                    | May 1 - September 1 |                           |
|-------------------|--------------------|---------------------|---------------------------|
| 20#               | Kentucky Bluegrass | 20#                 | Kentucky Bluegrass        |
| 75#               | Hard Fescue        | 75#                 | Hard Fescue               |
| 25#               | Rye Grain          | 10#                 | German or Browntop Millet |
| 500#              | Fertilizer         | 500#                | Fertilizer                |
| 4000#             | Limestone          | 4000#               | Limestone                 |

Areas Beyond the Mowing Pattern, Waste and Borrow Areas:

| August 1 - | June 1             | May 1 - September 1 |                           |  |
|------------|--------------------|---------------------|---------------------------|--|
| 100#       | Tall Fescue        | 100#                | Tall Fescue               |  |
| 15#        | Kentucky Bluegrass | 15#                 | Kentucky Bluegrass        |  |
| 30#        | Hard Fescue        | 30#                 | Hard Fescue               |  |
| 25#        | Rye Grain          | 10#                 | German or Browntop Millet |  |
| 500#       | Fertilizer         | 500#                | Fertilizer                |  |
| 4000#      | Limestone          | 4000#               | Limestone                 |  |

(WestEd)

## Approved Tall Fescue Cultivars

| 06 Dust                    | Escalade        | Justice         | Scorpion           |
|----------------------------|-----------------|-----------------|--------------------|
| 2 <sup>nd</sup> Millennium | Essential       | Kalahari        | Serengeti          |
| 3 <sup>rd</sup> Millennium | Evergreen 2     |                 | Shelby             |
| Apache III                 | Falcon IV       | Kitty Hawk 2000 | Sheridan           |
| Avenger                    | Falcon NG       | Legitimate      | Signia             |
| Barlexas                   | Falcon V        | Lexington       | Silver Hawk        |
| Barlexas II                | Faith           | LSD             | Sliverstar         |
| Bar Fa                     | Fat Cat         | Magellan        | Shenandoah Elite   |
| Barrera                    | Festnova        | Matador         | Sidewinder         |
| Barrington                 | Fidelity        | Millennium SRP  | Skyline            |
| Barrobusto                 | Finelawn Elite  | Monet           | Solara             |
| Barvado                    | Finelawn Xpress | Mustang 4       | Southern Choice II |
| Biltmore                   | Finesse II      | Ninja 2         | Speedway           |
| Bingo                      | Firebird        | Ol' Glory       | Spyder LS          |
| Bizem                      | Firecracker LS  | Olympic Gold    | Sunset Gold        |
| Blackwatch                 | Firenza         | Padre           | Taccoa             |
| Blade Runner II            | Five Point      | Patagonia       | Tanzania           |
| Bonsai                     | Focus           | Pedigree        | Trio               |
| Braveheart                 | Forte           | Picasso         | Tahoe II           |
| Bravo                      | Garrison        | Piedmont        | Talladega          |
| Bullseye                   | Gazelle II      | Plantation      | Tarheel            |
| Cannavaro                  | Gold Medallion  | Proseeds 5301   | Terrano            |
| Catalyst                   | Grande 3        | Prospect        | Titan ltd          |
| Cayenne                    | Greenbrooks     | Pure Gold       | Titanium LS        |
| Cessane Rz                 | Greenkeeper     | Quest           | Tracer             |
| Chipper                    | Gremlin         | Raptor II       | Traverse SRP       |
| Cochise IV                 | Greystone       | Rebel Exeda     | Tulsa Time         |
| Constitution               | Guardian 21     | Rebel Sentry    | Turbo              |
| Corgi                      | Guardian 41     | Rebel IV        | Turbo RZ           |
| Corona                     | Hemi            | Regiment II     | Tuxedo RZ          |
| Coyote                     | Honky Tonk      | Regenerate      | Ultimate           |
| Darlington                 | Hot Rod         | Rendition       | Venture            |
| Davinci                    | Hunter          | Rhambler 2 SRP  | Umbrella           |
| Desire                     | Inferno         | Rembrandt       | Van Gogh           |
| Dominion                   | Innovator       | Reunion         | Watchdog           |
| Dynamic                    | Integrity       | Riverside       | Wolfpack II        |
| Dynasty                    | Jaguar 3        | RNP             | Xtremegreen        |
| Endeavor                   | Jamboree        | Rocket          | -                  |
|                            |                 |                 |                    |

| Approved Kentucky Didegrass Cultivars. |              |                     |               |  |
|--|--------------|---------------------|---------------|--|
| 4-Season                               | Blue Velvet  | Gladstone           | Quantum Leap  |  |
| Alexa II                               | Blueberry    | Granite             | Rambo         |  |
| America                                | Boomerang    | Hampton             | Rhapsody      |  |
| Apollo                                 | Brilliant    | Harmonie            | Rhythm        |  |
| Arcadia                                | Cabernet     | Impact              | Rita          |  |
| Aries                                  | Champagne    | Jefferson           | Royce         |  |
| Armada                                 | Champlain    | Juliet              | Rubicon       |  |
| Arrow                                  | Chicago II   | Jump Start          | Rugby II      |  |
| Arrowhead                              | Corsair      | Keeneland           | Shiraz        |  |
| Aura                                   | Courtyard    | Langara             | Showcase      |  |
| Avid                                   | Delight      | Liberator           | Skye          |  |
| Award                                  | Diva         | Madison             | Solar Eclipse |  |
| Awesome                                | Dynamo       | Mercury             | Sonoma        |  |
| Bandera                                | Eagleton     | Midnight            | Sorbonne      |  |
| Barduke                                | Emblem       | Midnight II         | Starburst     |  |
| Barnique                               | Empire       | Moon Shadow         | Sudden Impact |  |
| Baroness                               | Envicta      | Moonlight SLT       | Total Eclipse |  |
| Barrister                              | Everest      | Mystere             | Touche        |  |
| Barvette HGT                           | Everglade    | Nu Destiny          | Tsunami       |  |
| Bedazzled                              | Excursion    | NuChicago           | Unique        |  |
| Belissimo                              | Freedom II   | NuGlade             | Valor         |  |
| Bewitched                              | Freedom III  | Odyssey             | Voyager II    |  |
| Beyond                                 | Front Page   | Perfection          | Washington    |  |
| Blacksburg II                          | Futurity     | Pinot               | Zinfandel     |  |
| Blackstone                             | Gaelic       | Princeton 105       |               |  |
| Blue Note                              | Ginney II    | Prosperity          |               |  |
|  | Approved Har | d Fescue Cultivars: |               |  |
| Aurora II                              | Eureka II    | Oxford              | Scaldis II    |  |
| Aurora Gold                            | Firefly      | Reliant II          | Spartan II    |  |
| Berkshire                              | Granite      | Reliant IV          | Stonehenge    |  |
| Bighorn GT                             | Heron        | Rescue 911          | -             |  |
| Chariot                                | Nordic       | Rhino               |               |  |

Approved Kentucky Bluegrass Cultivars:

On cut and fill slopes 2:1 or steeper add 20# Sericea Lespedeza and 15# Crown Vetch January 1 - December 31.

The Crown Vetch Seed should be double inoculated if applied with a hand seeder. Four times the normal rate of inoculant should be used if applied with a hydroseeder. If a fertilizer-seed slurry is used, the required limestone should also be included to prevent fertilizer acidity from killing the inoculant bacteria. Caution should be used to keep the inoculant below 80° F to prevent harm to the bacteria. The rates and grades of fertilizer and limestone shall be the same as specified for *Seeding and Mulching*.

Fertilizer shall be 10-20-20 analysis. A different analysis of fertilizer may be used provided the 1-2-2 ratio is maintained and the rate of application adjusted to provide the same amount of plant food as a 10-20-20 analysis and as directed.

Mar 14, 2022 11:17 am

Page 1 of 3

County : Buncombe

| Line<br># | Item Number  | Sec<br># | Description  | Quantity      | Unit Cost | Amount |
|-----------|--------------|----------|--|---------------|-----------|--------|
|           |              | F        | ROADWAY ITEMS  |               |           |        |
| 0001      | 0000100000-N | 800      | MOBILIZATION   | Lump Sum      | L.S.      |        |
| 0002      | 0262000000-N | SP       | GENERIC GRADING ITEM<br>REMOVE EXISTING CONCRETE<br>CURB RAMPS | 52<br>EA      |           |        |
| 0003      | 122000000-Е  | 545      | INCIDENTAL STONE BASE  | 569<br>TON    |           |        |
| 0004      | 1245000000-Е | SP       | SHOULDER RECONSTRUCTION  | 23.4<br>SMI   |           |        |
| 0005      | 126000000-Е  | SP       | AGGREGATE SHOULDER BORROW                                      | 5,783<br>TON  |           |        |
| 0006      | 1297000000-Е | 607      | MILLING ASPHALT PAVEMENT, ***"<br>DEPTH<br>(1-1/2")            | 119,151<br>SY |           |        |
| 0007      | 1297000000-E | 607      | MILLING ASPHALT PAVEMENT, ***"<br>DEPTH<br>(2-1/2")            | 116,473<br>SY |           |        |
| 0008      | 133000000-Е  | 607      | INCIDENTAL MILLING   | 10,090<br>SY  |           |        |
| 0009      | 1519000000-Е | 610      | ASPHALT CONC SURFACE COURSE,<br>TYPE S9.5B                     | 9,704<br>TON  |           |        |
| 0010      | 1523000000-Е | 610      | ASPHALT CONC SURFACE COURSE,<br>TYPE S9.5C                     | 23,484<br>TON |           |        |
| 0011      | 1575000000-Е |          | ASPHALT BINDER FOR PLANT MIX                                   | 811<br>TON    |           |        |
| 0012      | 1577000000-Е | 620      | POLYMER MODIFIED ASPHALT BIN-<br>DER FOR PLANT MIX             | 242<br>TON    |           |        |
| 0013      | 1693000000-Е | 654      | ASPHALT PLANT MIX, PAVEMENT<br>REPAIR                          | 2<br>TON      |           |        |
| 0014      | 1704000000-E | SP       | PATCHING EXISTING PAVEMENT                                     | 5,535<br>TON  |           |        |
| 0015      | 1839140000-Е | 661      | ULTRA-THIN BONDED WEARING<br>COURSE                            | 4,659<br>TON  |           |        |
| 0016      | 2549000000-Е | 846      | 2'-6" CONCRETE CURB & GUTTER                                   | 30<br>LF      |           |        |
| 0017      | 2591000000-Е | 848      | 4" CONCRETE SIDEWALK   | 6<br>SY       |           |        |
| 0018      | 2613000000-N | 848      | REMOVE AND REPLACE CURB RAMPS                                  | 6<br>EA       |           |        |

County : Buncombe

| Line<br># | Item Number  | Sec<br># | Description  | Quantity      | Unit Cost | Amount |
|-----------|--------------|----------|--|---------------|-----------|--------|
| 0019      | 2752000000-Е | SP       | GENERIC PAVING ITEM<br>REMOVE AND REPLACE 2'-6"<br>CONCRETE CURB & GUTTER                                  | 840<br>LF     |           |        |
| 0020      | 2815000000-N | 858      | ADJUSTMENT OF DROP INLETS  | <br>1<br>EA   |           |        |
| 0021      | 2830000000-N | 858      | ADJUSTMENT OF MANHOLES   | 56<br>EA      |           |        |
| 0022      | 2845000000-N | 858      | ADJUSTMENT OF METER BOXES OR<br>VALVE BOXES  | 37<br>EA      |           |        |
| 0023      | 4413000000-Е | SP       | WORK ZONE ADVANCE/GENERAL<br>WARNING SIGNING   | 2,137<br>SF   |           |        |
| 0024      | 4447000000-Е | SP       | PEDESTRIAN CHANNELIZING DE-<br>VICES   | 8<br>LF       |           |        |
| 0025      | 4457000000-N | SP       | TEMPORARY TRAFFIC CONTROL  | Lump Sum      | L.S.      |        |
| 0026      | 4685000000-Е | 1205     | THERMOPLASTIC PAVEMENT MARKING<br>LINES (4", 90 MILS)  | 18,590<br>LF  |           |        |
| 0027      | 4695000000-Е | 1205     | THERMOPLASTIC PAVEMENT MARKING<br>LINES (8", 90 MILS)  | 1,498<br>LF   |           |        |
| 0028      | 4720000000-Е | 1205     | THERMOPLASTIC PAVEMENT MARKING<br>CHARACTER (90 MILS)  | 86<br>EA      |           |        |
| 0029      | 4725000000-Е | 1205     | THERMOPLASTIC PAVEMENT MARKING<br>SYMBOL (90 MILS)   | 227<br>EA     |           |        |
| 0030      | 4810000000-Е | 1205     | PAINT PAVEMENT MARKING LINES<br>(4")   | 450,210<br>LF |           |        |
| 0031      | 4820000000-Е | 1205     | PAINT PAVEMENT MARKING LINES<br>(8")   | 1,110<br>LF   |           |        |
| 0032      | 4835000000-Е | 1205     | PAINT PAVEMENT MARKING LINES<br>(24")  | 1,405<br>LF   |           |        |
| 0033      | 4845000000-N | 1205     | PAINT PAVEMENT MARKING SYMBOL  | 210<br>EA     |           |        |
| 0034      | 489000000-Е  | SP       | GENERIC PAVEMENT MARKING ITEM<br>POLYUREA PAVEMENT MARKING<br>LINES, 4",<br>20 MILS (STANDARD GLASS BEADS) | 61,821<br>LF  |           |        |

County : Buncombe

| Line<br># | Item Number  | Sec<br># | Description  | Quantity     | Unit Cost | Amoun |
|-----------|--------------|----------|--|--------------|-----------|-------|
| 0035      | 489000000-E  | SP       | GENERIC PAVEMENT MARKING ITEM<br>POLYUREA PAVEMENT MARKING<br>LINES, 4",<br>30 MILS (STANDARD GLASS BEADS) | 69,884<br>LF |           |       |
| 0036      | 4891000000-E | 1205     | GENERIC PAVEMENT MARKING ITEM<br>THERMOPLASTIC PAVEMENT MARKING<br>LINES (16", 90 MILS)                    | 286<br>LF    |           |       |
| 0037      | 4891000000-Е | 1205     | GENERIC PAVEMENT MARKING ITEM<br>THERMOPLASTIC PAVEMENT MARKING<br>LINES (24", 90 MILS)                    | 1,667<br>LF  |           |       |
| 0038      | 4895000000-N | SP       | GENERIC PAVEMENT MARKING ITEM<br>NON-CAST IRON SNOWPLOWABLE<br>PAVEMENT MARKER                             | 1,803<br>EA  |           |       |
| 0039      | 5255000000-N | 1413     | PORTABLE LIGHTING  | Lump Sum     | L.S.      |       |
| 0040      | 7444000000-Е | 1725     | INDUCTIVE LOOP SAWCUT  | 7,206<br>LF  |           |       |
| 0041      | 7456000000-Е | 1726     | LEAD-IN CABLE (**********)<br>(14-2)   | 100<br>LF    |           |       |

1117/Mar14/Q915805.4/D134400240000/E41

Total Amount Of Bid For Entire Project :

# Vendor 1 of 2: APAC ATLANTIC INC DBA HARRISON CONSTRUCTION COMPANY (6166) Call Order 007 (Proposal: C204717)

### **Bid Information**

| <b>Proposal County:</b> | BUNCOMBE                              |
|-------------------------|---------------------------------------|
| Vendor Address:         | 226 GILL STREET<br>ALCOA , TN , 37701 |
| Signature Check:        | Eric Wade Ogren                       |
| Time Bid Received:      | April 19, 2022 01:40 PM               |
| Amendment Count:        | 0                                     |

 Bid Checksum:
 F0956337CA

 Bid Total:
 \$7,519,597.56

 Items Total:
 \$7,519,597.56

 Time Total:
 \$0.00

**Bidding Errors:** 

None.

### DBE Goal: 5.0% (\$375,979.88) Participation Submitted: 10.30% (\$774,582.81)

# Vendor 1 of 2: APAC ATLANTIC INC DBA HARRISON CONSTRUCTION COMPANY (6166) Call Order 007 (Proposal: C204717)

### **Bid Bond Information**

| <b>Projects:</b>     |             | Bond Maximum:            |                       |
|----------------------|-------------|--------------------------|-----------------------|
| Counties:            |             | State of Incorporation:  |                       |
| Bond ID:             | SNC04074512 | Agency Execution Date:   | 04/08/2022 07         |
| Paid by Check:       | No          | Surety Name:             | Surety2000            |
| <b>Bond Percent:</b> | 5%          | <b>Bond Agency Name:</b> | Liberty Mutual - Ohio |

### DBE Load Information

Letting ID: L220419 Letting Date: 04/19/2022 Call Order: 007 Contract ID: C204717 Project: STATE FUNDEDSTATE FUNDED Bid Total: \$7,519,597.56 DBE Goal: 5.00% (\$375,979.88)

Vendor ID: 6166 Vendor Name: APAC Atlantic Inc dba Harrison Construction Company DBE Entered: 10.30% (\$774,582.81)

| Vendor ID | DBE Name   | Is Supplier? | City/State  | Goods/Service | Amount     |
|-----------|--|--------------|---|---------------|------------|
| 5319      | NEW DIMENSIONS IN PAVEMEN<br>MARKINGS INC DBA NEW DEMENSIONS | ITFalse      | P.O. BOX<br>9928 ,<br>ASHEVILLE, NC<br>28815                | SubContractor | 325,741.31 |
| 2635      | ASPHALT UNLIMITED OF ASHEVILLE IN                            | C False      | PO BOX 17772 ,<br>ASHEVILLE, NC<br>28816                    | SubContractor | 141,400.00 |
| 15649     | HICKORY SEALING AND STRIPING INC                             | False        | 2300 MONTEITH<br>LANE ,<br>CONNELLY<br>SPRINGS, NC<br>28612 | SubContractor | 75,726.00  |
| 7876      | EMERY SEALCO INC   | False        | P.O. BOX 814 ,<br>ARDEN, NC 28704                           | SubContractor | 231,715.50 |

BondID: SNC04074512 Surety Registry Agency: Surety2000 Verified?: 1 Surety Agency: Liberty Mutual - Ohio Bond Execution Date: 04/08/2022 07:31:20 PM

### North Carolina Department of Transportation 6166 - APAC Atlantic Inc dba Harrison Constructio

Contract ID: C204717 Call: 007

| Line Number                   | Item Number                            | Quantity                     | Unit                      | Unit Price                      | Extension Price     |
|-------------------------------|--|------------------------------|---------------------------|---------------------------------|---------------------|
| Section 0001<br>ROADWAY ITEMS |  |                              |                           |                                 |                     |
| 0001                          | 0000100000-N<br>MOBILIZATION           | 1.000                        | LS                        | \$375,000.0000                  | \$375,000.00        |
| 0002                          | 0262000000-N<br>GENERIC GRADIN         |                              | EA<br>EXISTING CONCRETE   |                                 | \$148,200.00        |
| 0003                          | 1220000000-E<br>INCIDENTAL STO         |                              | TON                       | \$28.0000                       | \$15,932.00         |
| 0004                          | 1245000000-E<br>Shoulder recon         | 23.400<br>NSTRUCTION         | SMI                       | \$3,975.0000                    | \$93,015.00         |
| 0005                          | 1260000000-E<br>AGGREGATE SHOU         |                              | TON                       | \$19.5000                       | \$112,768.50        |
| 0006                          | 1297000000-E<br>MILLING ASPHAI         |                              | SY<br>**"DEPTH (1-1/2")   | \$3.2500                        | \$387,240.75        |
| 0007                          |  | 116473.000<br>T PAVEMENT, ** | SY<br>**"DEPTH (2-1/2")   | \$3.0000                        | \$349,419.00        |
| 0008                          | 1330000000-E<br>INCIDENTAL MII         |                              | SY                        | \$10.5000                       | \$105,945.00        |
| 0009                          | 1519000000-E<br>ASPHALT CONC S         |                              |                           | \$69.0000                       | \$669,576.00        |
| 0010                          | 1523000000-E<br>ASPHALT CONC S         |                              |                           | \$65.0000                       | \$1,526,460.00      |
| 0011                          | 1575000000-E<br>ASPHALT BINDER         |                              |                           | \$780.0000                      | \$632,580.00        |
| 0012                          |  | 242.000<br>IED ASPHALT BII   | TON<br>N- DER FOR PLANT M |                                 | \$225,060.00        |
| 0013                          | 1693000000-E<br>ASPHALT PLANT          |                              |                           | \$725.0000                      | \$1,450.00          |
| 0014                          | 1704000000-E<br>PATCHING EXIST         | 5535.000<br>TING PAVEMENT    | TON                       | \$160.0000                      | \$885,600.00        |
| 0015                          | 1839140000-E<br>ULTRA-THIN BON         | 4659.000<br>NDED WEARING     |                           | \$127.0000                      | \$591,693.00        |
| 0016                          | 254900000-E<br>2'-6" CONCRETE          | 30.000<br>E CURB & GUTTER    |                           | \$200.0000                      | \$6,000.00          |
| 0017                          | 2591000000-E<br>4" CONCRETE SI         | 6.000<br>IDEWALK             | SY                        | \$570.0000                      | \$3,420.00          |
| 0018                          | 261300000-N<br>REMOVE AND REF          | 6.000<br>PLACE CURB RAM      |                           | \$5,600.0000                    | \$33,600.00         |
| 0019                          | 2752000000-E<br>GENERIC PAVINO         | 840.000<br>G ITEM REMOVE 2   |                           | \$75.0000<br>CONCRETE CURB & GU | \$63,000.00<br>TTER |
| 0020                          | 281500000-N<br>ADJUSTMENT OF           | 1.000<br>DROP INLETS         | EA                        | \$1,500.0000                    | \$1,500.00          |
| 0021                          | 2830000000-N<br>ADJUSTMENT OF          | 56.000<br>MANHOLES           | EA                        | \$1,500.0000                    | \$84,000.00         |
| 0022                          | 2845000000-N<br>ADJUSTMENT OF          | 37.000<br>METER BOXES OF     |                           | \$1,200.0000                    | \$44,400.00         |
| 0023                          | 4413000000-E<br>Work zone adv <i>i</i> | 2137.000<br>ANCE/GENERAL     | SF<br>WARNING SIGNING     | \$7.0000                        | \$14,959.00         |

Item Total

### North Carolina Department of Transportation 6166 - APAC Atlantic Inc dba Harrison Constructio

Contract ID: C204717 Call: 007

|   | son constructio   | JU PM 6166 - APAC Atlantic Inc dba Ha   | 04/19/2022 02                        |
|---|---|---|--------------------------------------|
| \$296.00  | \$37.0000   | 4447000000-E 8.000 LF<br>PEDESTRIAN CHANNELIZING DE- VICI   | 0024                                 |
| \$525,000.00  | \$525,000.0000  | 4457000000-N 1.000 LS<br>TEMPORARY TRAFFIC CONTROL  | 0025                                 |
| \$11,897.60   |   | 4685000000-E 18590.000 LF<br>THERMOPLASTIC PAVEMENT MARKINGLINI   | 0026                                 |
| \$1 <b>,</b> 722.70   | \$1.1500<br>(8", 90 MILS)   | 4695000000-E 1498.000 LF<br>THERMOPLASTIC PAVEMENT MARKINGLIN   | 0027                                 |
| \$15,050.00   |   | 472000000-E 86.000 EA<br>THERMOPLASTIC PAVEMENT MARKINGCHAN   | 0028                                 |
| \$39,725.00   |   | 4725000000-E 227.000 EA<br>THERMOPLASTIC PAVEMENT MARKINGSYM  | 0029                                 |
| \$67,531.50   | \$0.1500  | 481000000-E 450210.000 LF<br>PAINT PAVEMENT MARKING LINES (4")  | 0030                                 |
| \$277.50  | \$0.2500  | 4820000000-E 1110.000 LF<br>PAINT PAVEMENT MARKING LINES (8")   | 0031                                 |
| \$4 <b>,</b> 566.25   | \$3.2500  | 4835000000-E 1405.000 LF<br>PAINT PAVEMENT MARKING LINES (24  | 0032                                 |
| \$15,750.00   | \$75.0000   | 4845000000-N 210.000 EA<br>PAINT PAVEMENT MARKING SYMBOL  | 0033                                 |
| \$59,348.16   | ¢0 0600   | 489000000-E 61821.000 LF  |                                      |
|   |   | 4890000000-E 61821.000 LF<br>GENERIC PAVEMENT MARKING ITEM POI<br>(STANDARD GLASS BEADS)  | 0034                                 |
| NES, 4", 20 MILS<br>\$80,366.60   | REA PAVEMENT MARKING LI<br>\$1.1500   | GENERIC PAVEMENT MARKING ITEM POI   |                                      |
| NES, 4", 20 MILS<br>\$80,366.60<br>NES, 4", 30 MILS<br>\$2,002.00   | REA PAVEMENT MARKING LI<br>\$1.1500<br>REA PAVEMENT MARKING LI<br>\$7.0000  | GENERIC PAVEMENT MARKING ITEM POI<br>(STANDARD GLASS BEADS)<br>4890000000-E 69884.000 LF<br>GENERIC PAVEMENT MARKING ITEM POI   | 0035                                 |
| NES, 4", 20 MILS<br>\$80,366.60<br>NES, 4", 30 MILS<br>\$2,002.00<br>LINES (16", 90<br>\$20,004.00  | REA PAVEMENT MARKING LI<br>\$1.1500<br>REA PAVEMENT MARKING LI<br>\$7.0000<br>RMOPLASTIC PAVEMENT MARKING<br>\$12.0000  | GENERIC PAVEMENT MARKING ITEM POL<br>(STANDARD GLASS BEADS)<br>489000000-E 69884.000 LF<br>GENERIC PAVEMENT MARKING ITEM POL<br>(STANDARD GLASS BEADS)<br>489100000-E 286.000 LF<br>GENERIC PAVEMENT MARKING ITEM T   | 0035                                 |
| NES, 4", 20 MILS<br>\$80,366.60<br>NES, 4", 30 MILS<br>\$2,002.00<br>LINES (16", 90<br>\$20,004.00<br>LINES (24", 90<br>\$75,726.00                             | REA PAVEMENT MARKING LI<br>\$1.1500<br>REA PAVEMENT MARKING LI<br>\$7.0000<br>RMOPLASTIC PAVEMENT MARKING<br>\$12.0000<br>RMOPLASTIC PAVEMENT MARKING<br>\$42.0000  | GENERIC PAVEMENT MARKING ITEM POL<br>(STANDARD GLASS BEADS)<br>489000000-E 69884.000 LF<br>GENERIC PAVEMENT MARKING ITEM POL<br>(STANDARD GLASS BEADS)<br>4891000000-E 286.000 LF<br>GENERIC PAVEMENT MARKING ITEM T<br>MILS)<br>4891000000-E 1667.000 LF<br>GENERIC PAVEMENT MARKING ITEM T  | 0035<br>0036<br>0037                 |
| NES, 4", 20 MILS<br>\$80,366.60<br>NES, 4", 30 MILS<br>\$2,002.00<br>LINES (16", 90<br>\$20,004.00<br>LINES (24", 90<br>\$75,726.00                             | REA PAVEMENT MARKING LI<br>\$1.1500<br>REA PAVEMENT MARKING LI<br>\$7.0000<br>RMOPLASTIC PAVEMENT MARKING<br>\$12.0000<br>RMOPLASTIC PAVEMENT MARKING<br>\$42.0000  | GENERIC PAVEMENT MARKING ITEM POL<br>(STANDARD GLASS BEADS)<br>489000000-E 69884.000 LF<br>GENERIC PAVEMENT MARKING ITEM POL<br>(STANDARD GLASS BEADS)<br>4891000000-E 286.000 LF<br>GENERIC PAVEMENT MARKING ITEM T<br>MILS)<br>4891000000-E 1667.000 LF<br>GENERIC PAVEMENT MARKING ITEM T<br>MILS)<br>489500000-N 1803.000 EA  | 0035<br>0036<br>0037<br>0038         |
| NES, 4", 20 MILS<br>\$80,366.60<br>NES, 4", 30 MILS<br>\$2,002.00<br>LINES (16", 90<br>\$20,004.00<br>LINES (24", 90<br>\$75,726.00<br>T MARKER                 | REA PAVEMENT MARKING LI<br>\$1.1500<br>REA PAVEMENT MARKING LI<br>\$7.0000<br>RMOPLASTIC PAVEMENT MARKING<br>\$12.0000<br>RMOPLASTIC PAVEMENT MARKING<br>\$42.0000<br>AST IRON SNOWPLOWABLE PAVEMEN                   | GENERIC PAVEMENT MARKING ITEM POL<br>(STANDARD GLASS BEADS)         489000000-E       69884.000 LF         GENERIC PAVEMENT MARKING ITEM POL<br>(STANDARD GLASS BEADS)         489100000-E       286.000 LF         GENERIC PAVEMENT MARKING ITEM T         MILS)         489100000-E         1667.000 LF         GENERIC PAVEMENT MARKING ITEM T         MILS)         489100000-N         1803.000 EA         GENERIC PAVEMENT MARKING ITEM NON-         525500000-N         1.000 LS   | 0035<br>0036<br>0037<br>0038<br>0039 |
| NES, 4", 20 MILS<br>\$80,366.60<br>NES, 4", 30 MILS<br>\$2,002.00<br>LINES (16", 90<br>\$20,004.00<br>LINES (24", 90<br>\$75,726.00<br>T MARKER<br>\$150,000.00 | REA PAVEMENT MARKING LI<br>\$1.1500<br>REA PAVEMENT MARKING LI<br>\$7.0000<br>RMOPLASTIC PAVEMENT MARKING<br>\$12.0000<br>RMOPLASTIC PAVEMENT MARKING<br>\$42.0000<br>AST IRON SNOWPLOWABLE PAVEMEN<br>\$150,000.0000 | GENERIC PAVEMENT MARKING ITEM POL<br>(STANDARD GLASS BEADS)         489000000-E       69884.000 LF         GENERIC PAVEMENT MARKING ITEM POL<br>(STANDARD GLASS BEADS)         489100000-E       286.000 LF         GENERIC PAVEMENT MARKING ITEM T         MILS)         489100000-E       1667.000 LF         GENERIC PAVEMENT MARKING ITEM T         MILS)         489100000-N       1803.000 EA         GENERIC PAVEMENT MARKING ITEM NON-         525500000-N       1.000 LS         PORTABLE LIGHTING         744400000-E       7206.000 LF | 0035                                 |

\$7,519,597.56

### ELECTRONIC BID SUBMISSION

By submitting this bid electronically, I hereby acknowledge that all requirements included in the hard copy proposal, addendum, amendments, plans, standard specifications, supplemental specifications and special provisions are part of the bid and contract. Further, I acknowledge that I have read, understand, accept, acknowledge and agree to comply with all statements in this electronic bid.

#### NON-COLLUSION, DEBARMENT AND GIFT BAN CERTIFICATION

The prequalified bidder declares (or certifies, verifies, or states) under penalty of perjury under the laws of the United States that neither he, nor any official, agent or employee has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the prequalified bidder has not been convicted of violating N.C.G.S. §133-24 within the last three years, and that the prequalified bidder intends to do the work with his own bonafide employees or subcontractors and will not bid for the benefit of another contractor.

By submitting this non-collusion, debarment and gift ban certification, the Contractor is attesting his status under penalty of perjury under the laws of the United States in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

N.C.G.S. §133-32 and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

#### DEBARMENT CERTIFICATION OF PREQUALIFIED BIDDER

Conditions for certification:

1. The prequalified bidder shall provide immediate written notice to the Department if at any time the bidder learns that his certification was erroneous when he submitted his debarment certification or explanation that is file with the Department, or has become erroneous because of changed circumstances.

2. The terms covered transaction, debarred, suspended, ineligible, lower tier

covered transaction, participant, person, primary covered transaction, principal, proposal, and voluntarily excluded, as used in this provision, have the meanings set out in the Definitions and Coverage sections of the rules implementing Executive Order 12549. A copy of the Federal Rules requiring this certification and detailing the definitions and coverages may be obtained from the Contract Officer of the Department.

3. The prequalified bidder agrees by submitting this form, that he will not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in NCDOT contracts, unless authorized by the Department.

4. For Federal Aid projects, the prequalified bidder further agrees that by submitting this form he will include the Federal- Aid Provision titled Required Contract Provisions Federal-Aid Construction Contract (Form FHWA PR 1273) provided by the Department, without subsequent modification, in all lower tier covered transactions.

5. The prequalified bidder may rely upon a certification of a participant in a lower tier covered transaction that he is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless he knows that the certification is erroneous. The bidder may decide the method and frequency by which he will determine the eligibility of his subcontractors.

6. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this provision. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

7. Except as authorized in paragraph 6 herein, the Department may terminate any contract if the bidder knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available by the Federal Government.

### DEBARMENT CERTIFICATION

The prequalified bidder certifies to the best of his knowledge and belief, that he and his principals:

a. Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;

b. Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records; making false statements; or receiving stolen property;

c. Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph b. of this certification; and

d. Have not within a three-year period preceding this proposal had one or more public transactions (Federal, State or local) terminated for cause or default.

e. Will submit a revised Debarment Certification immediately if his status changes and will show in his bid proposal an explanation for the change in status.

If the prequalified bidder cannot certify that he is not debarred, he shall provide an explanation with this submittal. An explanation will not necessarily result in denial of participation in a contract.

Failure to submit a non-collusion and debarment certification will result in the prequalified bidder's bid being considered non-responsive.

### EXPLANATION:

### \_\_\_\_\_

### Award Limits on Multiple Projects

By answering YES to this statement, the bidder acknowleges that they are using the award limits on multiple projects? Yes  $\bigcirc$  No  $\odot$ 

A bidder who desires to bid on more than one project on which bids are to be opened on the same date, and who also desires to avoid receiving an award of more projects than he is equipped to handle, may bid on any number of projects but may limit the total amount of work awarded to him on selected projects by completing the AWARD LIMITS ON MULTIPLE PROJECTS.

The Award Limits on Multiple Projects must be filled in on each project bid for which the Bidder desires protection.

It is the desire of the Bidder to be awarded contracts, the value of which

will not exceed a total of for those

projects indicated herein, for which bids will be opened on (MM/DD/YY)

The Award Limits shall apply to the following projects:

Contract Number County

It is agreed that if I am (we are) the low Bidder(s) on indicated projects, the total value of which is more than the above stipulated award limits, the Board of Transportation will award me (us) projects from among those indicated

| Letting: L220419       |           | North     | Carolina Depart  | tment of Transport | tation   |          | Contract | ID: C20 | 04717   |
|------------------------|-----------|-----------|------------------|--------------------|----------|----------|----------|---------|---------|
| 04/19/2022 02:00:00 PM | Μ         | 6166 - A  | PAC Atlantic Inc | dba Harrison Cor   | structio |          |          | Cal     | ll: 007 |
|                        |           |           |                  |                    |          |          |          |         |         |
| that have a            | total val | le not to | exceed           | the award          | limit    | and will | result   | in      | the     |

lowest total bids to the Department of Transportation.

### DBE List Summary

Project: STATE FUNDED Bid Total: 7,519,597.56 Bidder ID: 6166 Business Name: APAC Atlantic Inc dba Harrison Construction Company

Goal: 5.00% (375,979.88) Total Entered: 10.30% (774,582.81)

| ID    | Name  | Is Supplier? | ltem Count | Amount     | Is Complete? |
|-------|---|--------------|------------|------------|--------------|
| 5319  | NEW DIMENSIONS IN PAVEMENT<br>MARKINGS INC DBA NEW DEMENSIONS | False        | 13         | 325,741.31 | True         |
| 2635  | ASPHALT UNLIMITED OF ASHEVILLE INC                            | False        | 5          | 141,400.00 | True         |
| 15649 | HICKORY SEALING AND STRIPING INC                              | False        | 1          | 75,726.00  | True         |
| 7876  | EMERY SEALCO INC  | False        | 4          | 231,715.50 | True         |

| Letting: L220419<br>04/19/2022 02:00:00 PM | North Carolina Department of Transportation<br>6166 - APAC Atlantic Inc dba Harrison Constructio | Contract ID: C204717<br>Call: 007 |
|--|--|-----------------------------------|
| Name: NEW DIMENSIONS IN                    | PAVEMENT MARKINGS INC DBA NEW  | DEMENSIONS ID: 5319               |
| Address: P.O. BOX 9928                     | , ASHEVILLE, NC 28815  |                                   |
| Used As: SubContractor D                   | BE Items Total:\$325,741.31  |                                   |

#### Items for NEW DIMENSIONS IN PAVEMENT MARKINGS INC DBA NEW DEMENSIONS

| 0001<br>ROADWAY II | TEMS  |                               |                                 |
|--------------------|---|-------------------------------|---------------------------------|
| 0001               | 0000100000-N 1.000 LS<br>MOBILIZATION   | \$7,500.0000                  | \$7,500.00                      |
| Note: New Dir      | Mensions Mobilization<br>4685000000-E 18590.000 LF  | <u> </u>                      | ¢11 007 CO                      |
| 0026               | 4685000000-E 18590.000 LF<br>THERMOPLASTIC PAVEMENT MARKINGLINES (4", 90                          | \$0.6400<br>MILS)             | \$11,897.60                     |
| 0027               | 4695000000-E 1498.000 LF<br>THERMOPLASTIC PAVEMENT MARKINGLINES (8", 90                           | \$1.1500<br>MILS)             | \$1,722.70                      |
| 0028               | 472000000-E 86.000 EA<br>THERMOPLASTIC PAVEMENT MARKINGCHARACTER (90                              | \$175.0000<br>MILS)           | \$15,050.00                     |
| 0029               | 4725000000-E 227.000 EA<br>THERMOPLASTIC PAVEMENT MARKINGSYMBOL (90 MI                            | \$175.0000<br>(LS)            | \$39,725.00                     |
| 0030               | 481000000-E 450210.000 LF<br>PAINT PAVEMENT MARKING LINES (4")                                    | \$0.1500                      | \$67,531.50                     |
| 0031               | 482000000-E 1110.000 LF<br>PAINT PAVEMENT MARKING LINES (8")                                      | \$0.2500                      | \$277.50                        |
| 0032               | 4835000000-E 1405.000 LF<br>PAINT PAVEMENT MARKING LINES (24")                                    | \$3.2500                      | \$4,566.25                      |
| 0033               | 4845000000-N 210.000 EA<br>PAINT PAVEMENT MARKING SYMBOL  | \$75.0000                     | \$15,750.00                     |
| 0034               | 489000000-E 61821.000 LF<br>GENERIC PAVEMENT MARKING ITEM POLYUREA PAVE<br>(STANDARD GLASS BEADS) | \$0.9600<br>EMENT MARKING LII | 1                               |
| 0035               | 489000000-E 69884.000 LF<br>GENERIC PAVEMENT MARKING ITEM POLYUREA PAVE<br>(STANDARD GLASS BEADS) |                               | \$80,366.60<br>NES, 4", 30 MILS |
| 0036               | 489100000-E 286.000 LF<br>GENERIC PAVEMENT MARKING ITEM THERMOPLAST<br>MILS)                      |                               | \$2,002.00<br>LINES (16", 90    |
| 0037               | 4891000000-E 1667.000 LF<br>GENERIC PAVEMENT MARKING ITEM THERMOPLAST<br>MILS)                    |                               | \$20,004.00<br>LINES (24", 90   |
| Section 0001       | Total   |                               | \$325,741.31                    |
|                    |   |                               |                                 |
| Item Total         |   |                               | \$325 <b>,</b> 741.31           |

| Letting: L220419<br>04/19/2022 02:00:00 PM | North Carolina Department of Transportation<br>6166 - APAC Atlantic Inc dba Harrison Constructio | Contract ID: C204717<br>Call: 007 |
|--|--|-----------------------------------|
| Name: ASPHALT UNLIMITED                    | OF ASHEVILLE INC ID: 2635  |                                   |
| Address: PO BOX 17772                      | , ASHEVILLE, NC 28816  |                                   |
| Used As: SubContractor                     | DBE Items Total:\$141,400.00   |                                   |

#### Items for ASPHALT UNLIMITED OF ASHEVILLE INC

| Section 0001 To       | tal                            |                      |                      | \$141,400.00     |
|-----------------------|--------------------------------|----------------------|----------------------|------------------|
| Note: Asphalt U       | nlimited of Asheville, Inc Tra | ffic Control         |                      |                  |
| 0023                  | TEMPORARY TRAFFIC CO           |                      | \$6,500.0000         | \$6,500.00       |
| 0025                  | ADJUSTMENT OF METER H          | 30XES OR VALVE BOXES | ¢C 500 0000          | ¢C 500 00        |
| 0022                  | 284500000-N                    | 37.000 EA            | \$1,200.0000         | \$44,400.00      |
|                       | ADJUSTMENT OF MANHOLE          | IS                   |                      |                  |
| 0021                  | 283000000-N                    | 56.000 EA            | \$1,500.0000         | \$84,000.00      |
|                       | ADJUSTMENT OF DROP IN          | ILETS                |                      |                  |
| 0020                  | 281500000-N                    | 1.000 EA             | \$1,500.0000         | \$1,500.00       |
| Note: Asphalt U       | nlimited of Asheville, Inc. Mc | bilization           |                      |                  |
| 0001                  | MOBILIZATION                   | 1.000 15             | <i>\\\\\\\\\\\\\</i> | <i>40,000.00</i> |
| 0001<br>ROADWAY ITEMS | 0000100000-N                   | 1.000 LS             | \$5,000.0000         | \$5,000.00       |

| Letting: L220419<br>04/19/2022 02:00:00 PM | North Carolina Department of Transportation<br>6166 - APAC Atlantic Inc dba Harrison Constructio | Contract ID: C204717<br>Call: 007 |
|--|--|-----------------------------------|
| Name: HICKORY SEALING AND                  | STRIPING INC ID: 15649   |                                   |
| Address: 2300 MONTEITH LA                  | NE , CONNELLY SPRINGS, NC 28612  |                                   |
| Used As: SubContractor DB                  | E Items Total:\$75,726.00  |                                   |

### Items for HICKORY SEALING AND STRIPING INC

| 0001<br>ROADWAY | ITEMS                     |  |   |
|-----------------|---------------------------|--|---|
| 0038            | 4895000000-N<br>GENERIC P | 1803.000 EA<br>PAVEMENT MARKING ITEM NON-CAST IRON | \$42.0000 \$75,726.00<br>SNOWPLOWABLE PAVEMENT MARKER |
| Section 000     | )1 Total                  |  | \$75 <b>,</b> 726.00                                  |
| Item Total      |                           |  | \$75,726.00   |

| Letting: L220419<br>04/19/2022 02:00:00 PM | North Carolina Department of Transportation<br>6166 - APAC Atlantic Inc dba Harrison Constructio | Contract ID: C204717<br>Call: 007 |
|--|--|-----------------------------------|
| Name: EMERY SEALCO INC                     | ID: 7876   |                                   |
| Address: P.O. BOX 814                      | , ARDEN, NC 28704  |                                   |
| Used As: SubContractor                     | DBE Items Total:\$231,715.50   |                                   |

#### Items for EMERY SEALCO INC

|      |   | NE BASE |     |               |              |
|------|---|---------|-----|---------------|--------------|
| 0004 | 1245000000-E<br>SHOULDER RECON                          |         | SMI | \$3,975.0000  | \$93,015.00  |
| 0005 | 1260000000-E<br>AGGREGATE SHOU                          |         | TON | \$19.5000     | \$112,768.50 |
| 0025 | 4457000000-N<br>TEMPORARY TRAE<br>5, Inc Traffic Contro |         | LS  | \$10,000.0000 | \$10,000.00  |

Item Total

\$231,715.50

THIS PROPOSAL CONTAINS THE FOLLOWING ERRORS/WARNINGS (IF ANY)

This Bid contains 0 amendment files

### Electronic Bid Submission

By submitting this bid electronically, I hereby acknowledge that all requirements included in the hard copy proposal, addendum, amendments, plans, standard specifications, supplemental specifications and special provisions are part of the bid and contract. Further, I acknowledge that I have read, understand, accept, acknowledge and agree to comply with all statements in this electronic bid.

I hereby certify that I have the authority to submit this bid.

| Signature | <br>  | <br> |
|-----------|-------|------|
| Agency    |       |      |
| Date      |       |      |
| Signaturo |       |      |
| Signature | <br>  | <br> |
| Agency    | <br>  | <br> |
| Date      | <br>- |      |
|           |       |      |
| Signature | <br>  | <br> |
| Agency    | <br>  | <br> |
| Date      |       |      |

### Attachments

Failure to complete and attach the Fuel Usage Factor Adjustment Form will result in using 2.90 gallons per ton as the Fuel Usage Factor for Diesel for the asphalt items included on the form. The contractor will not be permitted to change the option after the bids are submitted.

NOTE: The maximum upload limit is 5 MB.C204717 Harrison Fuel Usage Factor Adjustment Form.pdf 🖌 Verify May 03, 2022 11:19 am

## North Carolina Department Of Transportation

Page: 1 of 3

Contract Item Sheets For C204717

| Line | ItemNumber   |     | Contract Item Sheets For C204717 Description Quantity          |                | Unit Bid   | Amount       |
|------|--------------|-----|--|----------------|------------|--------------|
| #    |              | #   |  | Unit           | Price      | Bid          |
|      |              |     | ROADWAY ITEMS  |                |            |              |
| 0001 | 0000100000-N | 800 | MOBILIZATION   | Lump Sum<br>LS | 375,000.00 | 375,000.00   |
| 0002 | 0262000000-N | SP  | GENERIC GRADING ITEM<br>REMOVE EXISTING CONCRETE<br>CURB RAMPS | 52<br>EA       | 2,850.00   | 148,200.00   |
| 0003 | 1220000000-E | 545 | INCIDENTAL STONE BASE  | 569<br>TON     | 28.00      | 15,932.00    |
| 0004 | 1245000000-E | SP  | SHOULDER RECONSTRUCTION  | 23.4<br>SMI    | 3,975.00   | 93,015.00    |
| 0005 | 1260000000-E | SP  | AGGREGATE SHOULDER BORROW                                      | 5,783<br>TON   | 19.50      | 112,768.50   |
| 0006 | 1297000000-E | 607 | MILLING ASPHALT PAVEMENT, ***"<br>DEPTH<br>(1-1/2")            | 119,151<br>SY  | 3.25       | 387,240.75   |
| 0007 | 1297000000-E | 607 | MILLING ASPHALT PAVEMENT, ***"<br>DEPTH<br>(2-1/2")            | 116,473<br>SY  | 3.00       | 349,419.00   |
| 0008 | 1330000000-E | 607 | INCIDENTAL MILLING   | 10,090<br>SY   | 10.50      | 105,945.00   |
| 0009 | 1519000000-E | 610 | ASPHALT CONC SURFACE COURSE,<br>TYPE S9.5B                     | 9,704<br>TON   | 69.00      | 669,576.00   |
| 0010 | 1523000000-E | 610 | ASPHALT CONC SURFACE COURSE,<br>TYPE S9.5C                     | 23,484<br>TON  | 65.00      | 1,526,460.00 |
| 0011 | 1575000000-E | 620 | ASPHALT BINDER FOR PLANT MIX                                   | 811<br>TON     | 780.00     | 632,580.00   |
| 0012 | 1577000000-E | 620 | POLYMER MODIFIED ASPHALT BIN-<br>DER FOR PLANT MIX             | 242<br>TON     | 930.00     | 225,060.00   |
| 0013 | 1693000000-E | 654 | ASPHALT PLANT MIX, PAVEMENT<br>REPAIR                          | 2<br>TON       | 725.00     | 1,450.00     |
| 0014 | 1704000000-E | SP  | PATCHING EXISTING PAVEMENT                                     | 5,535<br>TON   | 160.00     | 885,600.00   |
| 0015 | 1839140000-E | 661 | ULTRA-THIN BONDED WEARING<br>COURSE                            | 4,659<br>TON   | 127.00     | 591,693.00   |
| 0016 | 2549000000-E | 846 | 2'-6" CONCRETE CURB & GUTTER                                   | 30<br>LF       | 200.00     | 6,000.00     |
| 0017 | 2591000000-E | 848 | 4" CONCRETE SIDEWALK   | 6<br>SY        | 570.00     | 3,420.00     |
| 0018 | 2613000000-N | 848 | REMOVE AND REPLACE CURB RAMPS                                  | 6<br>EA        | 5,600.00   | 33,600.00    |
|      |              |     |  |                |            |              |

May 03, 2022 11:19 am

## North Carolina Department Of Transportation Contract Item Sheets For C204717

| Line<br># | ItemNumber   | Sec<br># | Description  | Quantity<br>Unit | Unit Bid<br>Price | Amount<br>Bid |
|-----------|--------------|----------|--|------------------|-------------------|---------------|
| 0019      | 2752000000-E | SP       | GENERIC PAVING ITEM<br>REMOVE AND REPLACE 2'-6"<br>CONCRETE CURB & GUTTER                                  | 840<br>LF        | 75.00             | 63,000.00     |
| 0020      | 2815000000-N | 858      | ADJUSTMENT OF DROP INLETS  | <br>1<br>EA      | 1,500.00          | 1,500.00      |
| 0021      | 2830000000-N | 858      | ADJUSTMENT OF MANHOLES   | 56<br>EA         | 1,500.00          | 84,000.00     |
| 0022      | 2845000000-N | 858      | ADJUSTMENT OF METER BOXES OR<br>VALVE BOXES  | 37<br>EA         | 1,200.00          | 44,400.00     |
| <br>0023  | 4413000000-E | SP       | WORK ZONE ADVANCE/GENERAL<br>WARNING SIGNING   | 2,137<br>SF      | 7.00              | 14,959.00     |
| <br>0024  | 4447000000-E | SP       | PEDESTRIAN CHANNELIZING DE-<br>VICES   | 8<br>LF          | 37.00             | 296.00        |
| <br>0025  | 4457000000-N | SP       | TEMPORARY TRAFFIC CONTROL  | Lump Sum<br>LS   | 525,000.00        | 525,000.00    |
| 0026      | 4685000000-E | 1205     | THERMOPLASTIC PAVEMENT MARKING<br>LINES (4", 90 MILS)  | 18,590<br>LF     | 0.64              | 11,897.60     |
| 0027      | 4695000000-E | 1205     | THERMOPLASTIC PAVEMENT MARKING<br>LINES (8", 90 MILS)  | 1,498<br>LF      | 1.15              | 1,722.70      |
| 0028      | 4720000000-E | 1205     | THERMOPLASTIC PAVEMENT MARKING<br>CHARACTER (90 MILS)  | 86<br>EA         | 175.00            | 15,050.00     |
| 0029      | 4725000000-E | 1205     | THERMOPLASTIC PAVEMENT MARKING<br>SYMBOL (90 MILS)   | 227<br>EA        | 175.00            | 39,725.00     |
| 0030      | 4810000000-E | 1205     | PAINT PAVEMENT MARKING LINES<br>(4")   | 450,210<br>LF    | 0.15              | 67,531.50     |
| <br>0031  | 4820000000-E | 1205     | PAINT PAVEMENT MARKING LINES<br>(8")   | 1,110<br>LF      | 0.25              | 277.50        |
| 0032      | 4835000000-E | 1205     | PAINT PAVEMENT MARKING LINES<br>(24")  | 1,405<br>LF      | 3.25              | 4,566.25      |
| 0033      | 4845000000-N | 1205     | PAINT PAVEMENT MARKING SYMBOL  | 210<br>EA        | 75.00             |               |
| 0034      | 4890000000-E | SP       | GENERIC PAVEMENT MARKING ITEM<br>POLYUREA PAVEMENT MARKING<br>LINES, 4",<br>20 MILS (STANDARD GLASS BEADS) | 61,821<br>LF     | 0.96              | 59,348.16     |

## North Carolina Department Of Transportation Contract Item Sheets For C204717

| Amoun<br>Bio | Unit Bid<br>Price | Quantity<br>Unit | Description  | Sec<br># | ItemNumber   | Line<br># |
|--------------|-------------------|------------------|--|----------|--------------|-----------|
| Bit          | The               | Unit             |  | #        |              | #         |
| 80,366.60    | 1.15              | 69,884<br>LF     | GENERIC PAVEMENT MARKING ITEM<br>POLYUREA PAVEMENT MARKING<br>LINES, 4",<br>30 MILS (STANDARD GLASS BEADS) | SP       | 489000000-E  | 0035      |
| 2,002.00     | 7.00              | 286<br>LF        | GENERIC PAVEMENT MARKING ITEM<br>THERMOPLASTIC PAVEMENT MARKING<br>LINES (16", 90 MILS)                    | 1205     | 489100000-E  | 0036      |
| 20,004.00    | 12.00             | 1,667<br>LF      | GENERIC PAVEMENT MARKING ITEM<br>THERMOPLASTIC PAVEMENT MARKING<br>LINES (24", 90 MILS)                    | 1205     | 489100000-E  | 0037      |
| 75,726.00    | 42.00             | 1,803<br>EA      | GENERIC PAVEMENT MARKING ITEM<br>NON-CAST IRON SNOWPLOWABLE<br>PAVEMENT MARKER                             | SP       | 4895000000-N | 0038      |
| 150,000.00   | 150,000.00        | Lump Sum<br>LS   | PORTABLE LIGHTING  | 1413     | 5255000000-N | 0039      |
| 79,266.00    | 11.00             | 7,206<br>LF      | INDUCTIVE LOOP SAWCUT  | 1725     | 7444000000-E | 0040      |
| 250.00       | 2.50              | 100<br>LF        | LEAD-IN CABLE (**********)<br>(14-2)   | 1726     | 7456000000-E | 0041      |

TOTAL AMOUNT OF BID FOR ENTIRE PROJECT

\$7,519,597.56

1119/May03/Q915805.4/D134400240000/E41

# Fuel Usage Factor Adjustment Form

| Contract Number      | C204717   |
|----------------------|---|
| County               | Buncombe  |
| Contractor Name      | APAC-Atlantic, Inc, dba Harrison Construction Company |
| HiCAMS Vendor Number | 6166  |

Select a Fuel Usage Factor for each of the Asphalt Material Descriptions to be used on the project. Within the Selected Fuel Usage Factor column, choose either 2.90 or 0.90 Gallons per Ton for the corresponding asphalt material description.

The Selected Fuel Usage Factor chosen will be used for the entire contract duration.

| Description   | 11      | Selected Fuel<br>Usage Factor |      |  |
|---|---------|-------------------------------|------|--|
| Description   | Unit    | 0.90                          | 2.90 |  |
| Asphalt Concrete Base Course, Type B25.0C                     | Gal/Ton |                               | ~    |  |
| Asphalt Concrete Intermediate Course, Type I19.0C             | Gal/Ton |                               | ~    |  |
| Asphalt Concrete Surface Course, Type SA-1                    | Gal/Ton |                               | ~    |  |
| Asphalt Concrete Surface Course, Type SA-1 (Leveling Course)  | Gal/Ton |                               | ~    |  |
| Asphalt Concrete Surface Course, Type S4.75                   | Gal/Ton |                               | ~    |  |
| Asphalt Concrete Surface Course, Type S4.75 (Leveling Course) | Gal/Ton |                               | ~    |  |
| Asphalt Concrete Surface Course, Type S9.5B                   | Gal/Ton |                               | ~    |  |
| Asphalt Concrete Surface Course, Type S9.5B (Leveling Course) | Gal/Ton |                               | 4    |  |
| Asphalt Concrete Surface Course, Type S9.5C                   | Gal/Ton |                               | ~    |  |
| Asphalt Concrete Surface Course, Type S9.5C (Leveling Course) | Gal/Ton |                               | ~    |  |
| Asphalt Concrete Surface Course, Type S9.5D                   | Gal/Ton |                               | ~    |  |
| Asphalt Concrete Surface Course, Type S9.5D (Leveling Course) | Gal/Ton |                               | ~    |  |
| Open-Graded Asphalt Friction Course                           | Gal/Ton |                               | ~    |  |
| Permeable Asphalt Drainage Course, Type                       | Gal/Ton |                               | v    |  |
| Sand Asphalt Surface Course, Type                             | Gal/Ton |                               | v    |  |

If the Contractor does not mark either Fuel Usage Factor or marks both Fuel Usage Factors for an asphalt item description, the 2.90 Fuel Usage Factor shall be used for that asphalt line item.

7-1-2021 Revised

#### EXECUTION OF CONTRACT NON-COLLUSION, DEBARMENT AND GIFT BAN CERTIFICATION

#### **CORPORATION**

The Contractor declares (or certifies, verifies, or states) under penalty of perjury under the laws of the United States that neither he, nor any official, agent or employee has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with this Contract, that the Contractor has not been convicted of violating N.C.G.S. § 133-24 within the last three years, and that the Contractor intends to do the work with its own bonafide employees or subcontractors and did not bid for the benefit of another contractor.

By submitting this Execution of Contract, Non-Collusion and Debarment Certification, the Contractor is certifying his status under penalty of perjury under the laws of the United States in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

N.C.G.S. § 133-32 and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

#### SIGNATURE OF CONTRACTOR

Harrison Construction Company Division of APAC-Atlantic, Inc.

Full name of Corporation

PO Box 6939, Asheville, NC 28816 Address as Prequalified Attest By sistan ecretary sident/Vice President/Assistant Vice President Select appropriate title Select appropriate title Jeff Ogle Eric W. Ogren

Print or type Signer's name

Print or type Signer's name

**CORPORATE SEAL** 



## **DEBARMENT CERTIFICATION**

Conditions for certification:

- 1. The prequalified bidder shall provide immediate written notice to the Department if at any time the bidder learns that his certification was erroneous when he submitted his debarment certification or explanation filed with the Department, or has become erroneous because of changed circumstances.
- 2. The terms covered transaction, debarred, suspended, ineligible, lower tier covered transaction, participant, person, primary covered transaction, principal, proposal, and voluntarily excluded, as used in this provision, have the meanings set out in the Definitions and Coverage sections of the rules implementing Executive Order 12549. A copy of the Federal Rules requiring this certification and detailing the definitions and coverages may be obtained from the Contract Officer of the Department.
- 3. The prequalified bidder agrees by submitting this form, that he will not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in NCDOT contracts, unless authorized by the Department.
- 4. For Federal Aid projects, the prequalified bidder further agrees that by submitting this form he will include the Federal-Aid Provision titled *Required Contract Provisions Federal-Aid Construction Contract (Form FHWA PR* 1273) provided by the Department, without subsequent modification, in all lower tier covered transactions.
- 5. The prequalified bidder may rely upon a certification of a participant in a lower tier covered transaction that he is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless he knows that the certification is erroneous. The bidder may decide the method and frequency by which he will determine the eligibility of his subcontractors.
- 6. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this provision. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
- 7. Except as authorized in paragraph 6 herein, the Department may terminate any contract if the bidder knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available by the Federal Government.

## **DEBARMENT CERTIFICATION**

The prequalified bidder certifies to the best of his knowledge and belief, that he and his principals:

- a. Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
- b. Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records; making false statements; or receiving stolen property;
- c. Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph b. of this certification; and
- d. Have not within a three-year period preceding this proposal had one or more public transactions (Federal, State or local) terminated for cause or default.
- e. Will submit a revised Debarment Certification immediately if his status changes and will show in his bid proposal an explanation for the change in status.

If the prequalified bidder cannot certify that he is not debarred, he shall provide an explanation with this submittal. An explanation will not necessarily result in denial of participation in a contract.

Failure to submit a non-collusion and debarment certification will result in the prequalified bidder's bid being considered non-responsive.

Check here if an explanation is attached to this certification.

Contract No. <u>C204717</u>

County (ies): <u>Buncombe</u>

# ACCEPTED BY THE DEPARTMENT OF TRANSPORTATION

F81B6038A47A442.... Contract Offi

Contract Officer

05/16/2022

Date

Execution of Contract and Bonds Approved as to Form:

—DocuSigned by: Sturn Armstrong

-5C738C23AF06459

Attorney General

05/16/2022

Date

Signature Sheet (Bid - Acceptance by Department)

| Contract No. | C204717  |
|--------------|----------|
| County       | Buncombe |

Bond #014248580

## CONTRACT PAYMENT BOND

| Date of Payment Bond Execution | 05/09/2022                                      |
|--------------------------------|---|
| Name of Principal Contractor   | APAC - Atlantic, Inc. dba Harrison Construction |
| Name of Surety:                | Liberty Mutual Insurance Company                |
| Name of Contracting Body:      | North Carolina Department of Transportation     |
|                                | Raleigh, North Carolina                         |
| Amount of Bond:                | \$7,519,597.56                                  |
| Contract ID No.:               | C204717   |
| County Name:                   | Buncombe  |
|                                |   |

KNOW ALL MEN BY THESE PRESENTS, That we, the PRINCIPAL CONTRACTOR (hereafter, PRINCIPAL) and SURETY above named, are held and firmly bound unto the above named Contracting Body, hereinafter called the Contracting Body, in the penal sum of the amount stated above for the payment of which sum well and truly to be made, we bind ourselves, our heirs, executors, administrators, and successors, jointly and severally, firmly by these presents.

THE CONDITION OF THIS OBLIGATION IS SUCH, that whereas the principal entered into a certain contract with the Contracting Body, numbered as shown above and hereto attached:

NOW THEREFORE, if the principal shall promptly make payment to all persons supplying labor and material in the prosecution of the work provided for in said contract, and any and all duly authorized modifications of said contract that may hereafter be made, notice of which modifications to the surety being hereby waived, then this obligation to be void; otherwise to remain in full force and virtue.

IN WITNESS WHEREOF, the above-bound parties have executed this instrument under their several seals on the date indicated above, the name and corporate seal of each corporate party being hereto affixed and these presents duly signed by its undersigned representative, pursuant to authority of its governing body.

C204717 Buncombe

## **CONTRACT PAYMENT BOND**

Affix Seal of Surety Company

HUTUAL WSURPHIC INCORPORTING 1912 BOOM, MASS. AND J771 AND Liberty Mutual Insurance Company Print or type Surety Company Name

By <u>Tannis Mattson, Attorney-in-Fact</u> Print, stamp or type name of Attorney-in-Fact

Signature of Attorney-in-F

Jaure Signature of Witness

Laura Sudduth, Witness

Print or type Signer's name

2929 Allen Parkway, Suite 2500, Houston, TX 77019 Address of Attorney-in-Fact

## **CONTRACT PAYMENT BOND**

## **CORPORATION**

#### SIGNATURE OF CONTRACTOR (Principal)

APAC - Atlantic, Inc. dba Harrison Construction

Full name of Corporation

PO Box 6939, Asheville, NC 28816

Address as pregualified By Signature of President, Vice President, Assistant Vice President Select appropriate atle

Eric W. Chron Print or type Signed's name

Affix Corporate Seal



Attest Signature of Seco tary, Assistant Secretary Select appropriate title

Print or type Signer's name

Bond #014248580

## **CONTRACT PERFORMANCE BOND**

| Date of Performance Bond Execution: | 05/09/2022                                      |  |  |
|-------------------------------------|---|--|--|
| Name of Principal Contractor:       | APAC - Atlantic, Inc. dba Harrison Construction |  |  |
| Name of Surety:                     | Liberty Mutual Insurance Company                |  |  |
| Name of Contracting Body:           | North Carolina Department of Transportation     |  |  |
|                                     | Raleigh, North Carolina                         |  |  |
| Amount of Bond:                     | \$7,519,597.56                                  |  |  |
| Contract ID No .:                   | C204717   |  |  |
| County Name:                        | Buncombe  |  |  |

KNOW ALL MEN BY THESE PRESENTS, That we, the PRINCIPAL CONTRACTOR (hereafter, PRINCIPAL) and SURETY above named, are held and firmly bound unto the above named Contracting Body, hereinafter called the Contracting Body, in the penal sum of the amount stated above for the payment of which sum well and truly to be made, we bind ourselves, our heirs, executors, administrators, and successors, jointly and severally, firmly by these presents.

THE CONDITION OF THIS OBLIGATION IS SUCH, that whereas the principal entered into a certain contract with the Contracting Body, numbered as shown above and hereto attached:

NOW THEREFORE, if the principal shall well and truly perform and fulfill all the undertakings, covenants, terms, conditions, and agreements of said contract during the original term of said contract and any extensions thereof that may be granted by the Contracting Body, with or without notice to the Surety, and during the life of any guaranty required under the contract, and shall also well and truly perform and fulfill all the undertakings, covenants, terms, conditions, and agreements of any and all duly authorized modifications of said contract that may hereafter be made, notice of which modifications to the surety being hereby waived, then this obligation to be void; otherwise to remain in full force and virtue.

IN WITNESS WHEREOF, the above-bound parties have executed this instrument under their several seals on the date indicated above, the name and corporate seal of each corporate party being hereto affixed and these presents duly signed by its undersigned representative, pursuant to authority of its governing body.

C204717 Buncombe

## **CONTRACT PERFORMANCE BOND**

Affix Seal of Surety Company

Liberty Mutual Insurance Company

Print or type Surety Company Name



By <u>Tannis Mattson, Attorney-in-Fact</u> Print, stamp or type name of Attorney-in-Fact

Signature of ttome

Laura

Signature of Witness

Laura Sudduth, Witness

Print or type Signer's name

2929 Allen Parkway, Suite 2500, Houston, TX 77019

Address of Attorney-in-Fact

## **CONTRACT PERFORMANCE BOND**

#### **CORPORATION**

#### SIGNATURE OF CONTRACTOR (Principal)

APAC - Atlantic, Inc. dba Harrison Construction

Full name of Corporation

PO Box 6939, Asheville, NC 28816

Address as prequalified By Signature of President, Vice President, Assistant Vice President Select appropriate tille

Print or type Signer's name

Affix Corporate Seal

Attest Signature of See tary, Assistant Secretary Select appropriate title rint or type Signer's name





This Power of Attorney limits the acts of those named herein, and they have no authority to bind the Company except in the manner and to the extent herein stated.

> Liberty Mutual Insurance Company The Ohio Casualty Insurance Company West American Insurance Company

Certificate No: 8206088-022029

## POWER OF ATTORNEY

KNOWN ALL PERSONS BY THESE PRESENTS: That The Ohio Casualty Insurance Company is a corporation duly organized under the laws of the State of New Hampshire, that Liberty Mutual Insurance Company is a corporation duly organized under the laws of the State of Massachusetts, and West American Insurance Company is a corporation duly organized under the laws of the State of Indiana (herein collectively called the "Companies"), pursuant to and by authority herein set forth, does hereby name, constitute and appoint, Amanda Turman-Avina; Barbara Norton; Laura E. Sudduth; Mario Arzamendi; Mary Ann Garcia; Melissa Haddick; Sandra Parker, Tannis Mattson

Houston all of the city of each individually if there be more than one named, its true and lawful attorney-in-fact to make, state of TX execute, seal, acknowledge and deliver, for and on its behalf as surety and as its act and deed, any and all undertakings, bonds, recognizances and other surety obligations, in pursuance of these presents and shall be as binding upon the Companies as if they have been duly signed by the president and attested by the secretary of the Companies in their own proper persons.

IN WITNESS WHEREOF, this Power of Attorney has been subscribed by an authorized officer or official of the Companies and the corporate seals of the Companies have been affixed 4th day of 2021 thereto this August

Liberty Mutual Insurance Company NSU INSUA The Ohio Casually Insurance Company West American Insurance Company 199guarantees. By; David M. Carey, Assistant Secretary State of PENNSYLVANIA County of MONTGOMERY <u>e</u> On this 4th day of August 2021 before me personally appeared David M. Carey, who acknowledged himself to be the Assistant Secretary of Liberty Mutual Insurance Company, The Ohio Casualty Company, and West American Insurance Company, and that he, as such, being authorized so to do, execute the foregoing instrument for the purpose S therein contained by signing on behalf of the corporations by himself as a duly authorized officer. , note, loan, trate or residual > (POA) IN WITNESS WHEREOF, I have hereunto subscribed my name and affixed my notarial seal at King of Prussia, Pennsylvania, on the day and year first above written. PAS Commonwealth of Pennsylvania - Notary Sea Teresa Pastella, Notary Public By: Ieresa Pastella Notary Public Montgomery County My commission expires March 28, 2025 Commission number 1126044 onsylvania Association of Notaries ARY PU This Power of Attorney is made and executed pursuant to and by authority of the following By-laws and Authorizations of The Ohio Casualty Insurance Company, Liberty Mutual Insurance Company, and West American Insurance Company which resolutions are now in full force and effect reading as follows: ARTICLE IV - OFFICERS: Section 12. Power of Attorney. Any officer or other official of the Corporation authorized for that purpose in writing by the Chairman or the President, and subject to such limitation as the Chairman or the President may prescribe, shall appoint such attorneys-in-fact, as may be necessary to act in behalf of the Corporation to make, execute, seal, acknowledge and deliver as surety any and all undertakings, bonds, recognizances and other surety obligations. Such attorneys-in-fact, subject to the limitations set forth in their respective powers of attorney, shall have full power to bind the Corporation by their signature and execution of any such instruments and to attach thereto the seal of the Corporation. When so executed, such instruments shall be as binding as if signed by the President and attested to by the Secretary. Any power or authority granted to any representative or attorney-in-fact under the provisions of this article may be revoked at any time by the Board, the Chairman, the President or by the officer or officers granting such power or authority. ARTICLE XIII - Execution of Contracts: Section 5. Surety Bonds and Undertakings. Any officer of the Company authorized for that purpose in writing by the chairman or the president, and subject to such limitations as the chairman or the president may prescribe, shall appoint such attorneys-in-fact, as may be necessary to act in behalf of the Company to make, execute, seal, acknowledge and deliver as surety any and all undertakings, bonds, recognizances and other surety obligations. Such attorneys-in-fact subject to the limitations set forth in their respective powers of attorney, shall have full power to bind the Company by their signature and execution of any such instruments and to attach thereto the seal of the Company, When so executed such instruments shall be as binding as if signed by the president and attested by the secretary. Certificate of Designation - The President of the Company, acting pursuant to the Bylaws of the Company, authorizes David M. Carey, Assistant Secretary to appoint such attorneys-infact as may be necessary to act on behalf of the Company to make, execute, seal, acknowledge and deliver as surety any and all undertakings, bonds, recognizances and other surety obligations. Authorization - By unanimous consent of the Company's Board of Directors, the Company consents that facsimile or mechanically reproduced signature of any assistant secretary of the Company, wherever appearing upon a certified copy of any power of attorney issued by the Company in connection with surety bonds, shall be valid and binding upon the Company with the same force and effect as though manually affixed. I, Renee C. Llewellyn, the undersigned, Assistant Secretary, The Ohio Casualty Insurance Company, Liberty Mutual Insurance Company, and West American Insurance Company do hereby certify that the original power of attorney of which the foregoing is a full, true and correct copy of the Power of Attorney executed by and Companies, is in full fore and effect and has not been revoked. ¢. 5.



LMS-12873 LMIC OCIC WAIC Multi Co 02/21

/ (POA) verification inquiries, HOSUR@libertymutual.com f Attorney or email h nd/or Power of 610-832-8240 bond ar ase call ( For bon please