

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

ROY COOPER
GOVERNOR

J.R. "JOEY" HOPKINS
SECRETARY

DATE: March 19, 2024

TO: Bidding Contractors and

Interested Parties

FROM: R. E. Davenport, Jr., PE DocuSigned by:

State Contract Officer | Kon Dan

03/19/2024

SUBJECT: May 28, 2024, Central Highway Letting

Please be advised that the May 2024 Central Highway Letting will be held on May 28th. This deviates from the normal schedule by one week. The Advertisement Date for the May Letting will remain April 23, 2024. The Advertisement Date for the June 2024 Letting remains May 21, 2024.

Also be advised that the Interested Parties List registration must be done the business day prior to the Letting. With May 27, 2024, being a holiday, the registration cutoff date will be Friday, May 24, 2024. Failure to register by the cutoff will result in being unable to bid. Questions may be sent to ContractOfficer@ncdot.gov or jakincaid1@ncdot.gov.

cc: Ms. Jaci Kincaid

File

Website: ncdot.gov

IMPORTANT NOTICE:

The 2024 NCDOT Standard Specifications and 2024 NCDOT Roadway Standard Drawings are now available on-line, and can be found here: Contract Standards and Development Unit (ncdot.gov). Additional content has been posted to be used along with these documents, which can be accessed at this link as well, under the 2024 Specifications and Standard Drawings websites or the Contracts Resources website. This includes memos with a summary of changes, Special Provisions to use with 2024 Standard Specifications, new instructions, updated spreadsheets with general notes for both ORD and SS2, etc. Printed copies of the 2024 Standard Specifications and 2024 Roadway Standard Drawings will be available starting in September.

PLEASE NOTE THAT ALL PROJECTS WITH A JANUARY 2024 OR LATER LET DATE SHALL BE PREPARED IN ACCORDANCE WITH THE NEW 2024 STANDARD SPECIFICATIONS AND 2024 ROADWAY STANDARD DRAWINGS.

This information is meant to be shared state-wide, so please feel free to forward this information to others who may need to be made aware, including but not limited to, Division representatives, private engineering firms, GESCs, industry representatives, et al.

Thank you.

Nicole M. Hackler, P.E.
State Plans & Standards Engineer
North Carolina Department of Transportation

919 707 6950 office

nmhackler@ncdot.gov

1020 Birch Ridge Drive (Delivery Only) 1591 Mail Service Center Raleigh, North Carolina 27699-1591





STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION


ROY COOPER GOVERNOR

J. ERIC BOYETTE SECRETARY

IMPORTANT INFORMATION PLEASE READ

TO PREQUALIFIED BIDDERS AND PURCHASE ORDER PRIMES:

The requirements for bidding on NCDOT construction projects are changing. The current requirement to purchase plans or a proposal to be eligible to bid will be replaced by a requirement to register for the *Interested Parties List*. This change will be effective for any Central or Division letting June 1, 2022 and later.



For any letting June 1, 2022 and later:

Contractors bidding on NCDOT contracts must sign up for the *Interested Parties* List for each project they intend to submit bids on. As part of this new requirement, Contractors must sign up for the Interested Parties List no later than one business day prior to the Letting Date.

The purchase of plans or proposals will no longer be required to bid on NCDOT Central Let projects and will be replaced by the new requirement above to sign up for the *Interested Parties* List. Plans will continue to be available for purchase, however anyone who purchases plans shall still sign up for the Interested Parties List to be eligible to bid.

A one-page quick guide follows this letter and the quick guide a more detailed walkthrough on signing up for the *Interested Parties List* can be found on the Central and Division Letting Resources pages at the links below:

https://connect.ncdot.gov/letting/Pages/Central.aspx

https://connect.ncdot.gov/letting/Pages/Division-Letting-Resources.aspx

The links and functionality described in the guides will be available on our website in the near future. For more information or assistance with this new process please submit any questions to InterestedPartiesHelp@ncdot.gov.

For additional assistance with general bidding related questions please email AWPhelp@ncdot.gov.

Ronald E. Davenport, Jr., PE State Contract Officer

Ronald E. Davenport, Jr.

Telephone: (919) 707-6900 Fax: (919) 250-4127

Customer Service: 1-877-368-4968

Website: www.ncdot.gov

Interested Parties List

To **register to bid on an upcoming NCDOT construction contract,** or to register in general to be notified about updates for selected upcoming contracts to be let, add your firm to the Interested Parties list for each contract in which you are interested. Interested parties will be informed by mail whenever there are addenda or other changes to the planned letting.

You are no longer required to be a Plan Holder to bid for any lettings occurring June 1, 2022, or later.

Interested parties and authorized bidders MUST sign up at least <u>one full business</u> <u>day</u> prior to the let date.

To Register:

- 1. Navigate to the details page for the selected contract. Press **Interested**Parties for this letting or go directly to the overall <u>Interested Parties list</u>
- Press Add Firm and find your firm using the Search box. Select your firm name and press Next
- 3. Complete the contact information for the person to be notified of changes and press **Next**
- 4. Review the list of upcoming Central and Division contracts and select the upcoming contract(s) in which you are interested and press **Next**. There is no need to register again for contracts for which you have previously registered.
- 5. The confirmation page will summarize your entered information. Press **Submit**.
- 6. A confirmation email will be sent to the provided address. Within one hour, the firm will appear on the publicly viewable Interested Parties list for each of the specified contracts. Allow five business days for NCDOT staff to upload your firm as an authorized bidder in Bid Express.

Email InterestedPartiesHelp@ncdot.gov if you have any problems registering.



STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

ROY COOPER GOVERNOR

J.R. "JOEY" HOPKINS SECRETARY

IMPORTANT NOTICE

January 5, 2024

Upcoming Opportunities for DBE Firms to Participate on NCDOT Projects

As part of the North Carolina Department of Transportation's continuing commitment to promote Disadvantaged/Minority/Women Business Enterprise (D/M/WBE) participation, the Division of Highways Chief Engineer's Office would like to remind you of the broad range of construction, maintenance, and operational opportunities available within NCDOT. One of these opportunities is the monthly advertisement of Central Let projects with letting held on the third Tuesday of each month. NCDOT is requesting bids for the following projects. If your firm is eligible to bid (i.e., pregualified as a Bidder), you can download and print the bid-related items from this list.



Central Highway Letting

If you are interested in providing subcontractor work for any of these projects, we strongly encourage you to solicit each of the contractors bidding on these projects to see if they are interested in receiving a quote. A list of interested parties with their contact information is listed for each project being advertised.



Central Plan Holder List

I would like to personally thank you for your time in considering this opportunity with the North Carolina Department of Transportation.

Sincerely,

DocuSigned by:

EF11EAF2524D443... Lamar Sylvester, PE Chief Engineer Division of Highways

Mailing Address: NC DEPARTMENT OF TRANSPORTATION OFFICE OF THE CHIEF ENGINEER MAIL SERVICE CENTER 1536 RALEIGH, NC 27699-1536

Telephone 919-707-2500 Fax: 919-733-9428

Customer Service: 1-877-368-4968

1 SOUTH WILMINGTON STREET RALEIGH, NC 27601

Website: www.ncdot.gov

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION INVITATION TO BID

ELECTRONIC BIDS (UNLESS OTHERWISE SPECIFIED IN THE PROJECT SPECIAL PROVISIONS) FOR THE CONSTRUCTION OF THE FOLLOWING PROJECTS WILL BE PUBLICLY READ IN THE CONTRACT STANDARDS AND DEVELOPMENT UNIT RIVERWOOD CONFERENCE ROOM, LOCATED IN BUILDING B AT 1020 BIRCH RIDGE DRIVE, RALEIGH, N.C. OR VIA THE WEBCAST AT **2:00 PM** ON MAY 28, 2024. NO ELECTRONIC BIDS WILL BE RECEIVED AFTER 2:00 PM.

1. THE BIDDER SHALL SELF REGISTER AT THE FOLLOWING WEBSITE FOR EACH PROJECT FOR WHICH THEY INTEND TO SUBMIT A BID IN RESPONSE TO THIS INVITATION TO BID

https://connect.ncdot.gov/letting/pages/Interested-Parties.aspx

- 2. A BID BOND OR BID DEPOSIT IN THE AMOUNT OF 5% OF THE TOTAL AMOUNT BID WILL BE REQUIRED. THE BIDDER SHALL SUBMIT AN ELECTRONIC BID BOND WITH EACH ELECTRONIC BID SUBMITTAL UNLESS THEY ELECT TO FURNISH A BID DEPOSIT.
- 3. UPON RECEIPT OF AWARD LETTER, THE SUCCESSFUL BIDDER SHALL FURNISH A PROPERLY EXECUTED EXECUTION OF CONTRACT, NON-COLLUSION, DEBARMENT AND GIFT BAN CERTIFICATION, EXECUTED PAYMENT AND PERFORMANCE BONDS, AND OPTIONAL BID ITEMS ELIGIBLE FOR STEEL PRICE ADJUSTMENT FORM (SPA-1) FOR EACH CONTRACT. CERTIFICATION FORMS AND BOND FORMS ARE AVAILABLE AS PART OF THE CONTRACT EXECUTION FORMS AT THE FOLLOWING WEBSITE https://connect.ncdot.gov/letting/Pages/Central-Letting-Forms.aspx. BID ITEMS ELIGIBLE FOR STEEL PRICE ADJUSTMENT FORM (SPA-1) IS AVAILABLE AT THE FOLLOWING WEBSITE https://connect.ncdot.gov/letting/Pages/Central-Letting-Resources.aspx.

ALL QUESTIONS RELATED TO PROJECTS DURING THE ADVERTISEMENT PERIOD SHALL BE EMAILED TO THE STATE CONTRACT OFFICER AT ContractOfficer@ncdot.gov.

THE MINIMUM WAGE FOR LABOR WILL BE SHOWN IN THE PROPOSAL FORM FOR FEDERAL AID PROJECTS.

CONTRACTOR'S LICENSE: A GENERAL CONTRACTOR'S LICENSE IS REQUIRED IN ORDER TO SUBMIT A BID ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$30,000.00 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD. ON FEDERAL PROJECTS, THE APPROPRIATE CONTRACTOR'S LICENSE SHALL BE OBTAINED WITHIN 60 DAYS OF BID OPENING. FOR ADDITIONAL INFORMATION OR TO MAKE APPLICATION FOR A LICENSE, VISIT THE CONTRATOR LICENSING BOARD WEBSITE AT https://www.nclbgc.org OR EMAIL licensing@nclbgc.org.

PREQUALIFYING TO BID: ALL PROSPECTIVE BIDDERS SHALL BE PREQUALIFIED WITH THE DEPARTMENT OF TRANSPORTATION PRIOR TO SUBMITTING A BID. CONTRACTORS WHO ARE NOT PREQUALIFIED MAY OBTAIN INFORMATION AND FORMS FOR PREQUALIFYING FROM THE PREQUALIFICATION SECTION OF THE CONTRACT STANDARDS AND DEVELOPMENT UNIT AT https://connect.ncdot.gov/business/Prequal/Pages/default.aspx. ALL REQUIRED PREQUALIFICATION STATEMENTS AND DOCUMENTS SHALL BE FILED WITH THE CONTRACTUAL SERVICES MANAGEMENT SECTION AT LEAST FOUR WEEKS PRIOR TO THE DATE OF OPENING BIDS.

THE DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY ENSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS INVITATION TO BID, MINORITY BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, OR NATIONAL ORIGIN IN COMPENSATION TO THIS AWARD.

PROPOSAL FORMS AT \$25.00 EACH, PLANS (SMALL SIZE) AT \$40.00 PER SET, PLANS (LARGE SIZE) AT \$100.00 PER SET, AND CROSS-SECTIONS AT \$40.00 PER SET, PLUS SALES TAX FOR N.C. RESIDENTS, MAY BE OBTAINED BY TELEPHONING (919-707-6925), FAXING (919-250-4127), OR VISITING THE WEBSITE AT: https://connect.ncdot.gov/letting/Pages/Order-Plans.aspx. THESE CHARGES ARE NOT DEPOSITS AND WILL NOT BE REFUNDED. ALL ORDERS FOR PROPOSAL FORMS, PLANS AND CROSS-SECTIONS DELIVERED IN NORTH CAROLINA ARE SUBJECT TO 7.25% SALES TAX. ORDERS MAILED TO OUT OF STATE CONTRACTORS ARE NOT SUBJECT TO SALES TAX. MAKE ALL CHECKS PAYABLE TO THE "N.C. DEPARTMENT OF TRANSPORTATION".

THE RIGHT IS RESERVED TO REJECT ANY OR ALL BIDS.

TODAY'S DATE IS APRIL 23, 2024.
BY ORDER OF THE DEPARTMENT OF TRANSPORTATION
(THE WORK WILL CONSIST APPROXIMATELY AS SHOWN ON THE FOLLOWING SHEETS)

REVIEW OF PLANS AND PROPOSALS IN DIVISION OFFICE

IN ORDER TO FACILITATE AND ENCOURAGE THE INVOLVEMENT OF MINORITY BUSINESS ENTERPRISES IN THE HIGHWAY CONSTRUCTION PROCESS, IT IS THE POLICY OF THE DEPARTMENT OF TRANSPORTATION, DIVISION OF HIGHWAYS, THAT A SET OF PLANS AND PROPOSAL FOR EACH PROJECT TO BE LET WILL BE MAINTAINED FOR REVIEW BY ANY CONTRACTOR INTERESTED IN BIDDING UPON OR QUOTING WORK IN AN ADVERTISED PROJECT.

THE PROPOSALS AND PLANS WILL BE AVAILABLE FOR REVIEW BEGINNING TWO WEEKS PRIOR TO THE DATE OF BID OPENING IN THE DIVISION OFFICE WHICH WILL ADMINISTER THE CONTRACT. THE DEPARTMENT WILL, UPON REQUEST, MAKE AVAILABLE FROM ITS STAFF A PERSON TO EXPLAIN THE PROPOSED PROJECT AND TO ANSWER GENERAL QUESTIONS RELATING TO THE PROJECT. THE PLANS AND PROPOSALS CAN BE REVIEWED ANY TIME MONDAY THRU FRIDAY, EXCLUDING HOLIDAYS, BETWEEN THE HOURS OF 8:00 A.M. AND 4:30 P.M. IN THE DIVISION OFFICE. IN ORDER TO HAVE A MEMBER OF THE STAFF EXPLAIN THE PROJECT AND/OR ANSWER GENERAL QUESTIONS PERTAINING TO THE PROJECT, PRIOR APPOINTMENTS MUST BE MADE BY CALLING THE APPROPRIATE DIVISION OFFICE.

FOLLOWING ARE THE LOCATIONS AND TELEPHONE NUMBERS OF THE OFFICES IN WHICH THE PLANS AND PROPOSALS WILL BE MADE AVAILABLE, REFERENCE SHOULD BE MADE TO THE SHEETS CONTAINING THE INDIVIDUAL PROJECT QUANTITIES TO DETERMINE WHICH DIVISION OFFICE WILL ADMINISTER THE CONTRACT.

DIV NO.	DIVISION ENGINEER	TOWN	TELEPHONE
001	C. Win Bridgers, Jr., PE	EDENTON	(252) 482-1850
002	Jeremy D. Stroud, PE	GREENVILLE	(252) 439-2800
003	D. Chad Kimes, PE	CASTLE HAYNE	(910) 341-2000
004	D. Keith Eason, PE	WILSON	(252) 237-6164
005	Brandon Jones, PE	DURHAM	(919) 220-4600
006	L. Wallace Jernigan	FAYETTEVILLE	(910) 486-1493
007	Wright Archer, III, PE	GREENSBORO	(336) 487-0000
008	Reuben Blakley, PE	CARTHAGE	(910) 773-8000
009	S. Pat Ivey, PE	WINSTON-SALEM	(336) 747-7800
010	Brett Canipe, PE	ALBEMARLE	(704) 983-4400
011	Michael Poe, PE	NORTH WILKESBORO	(336) 903-9101
012	Mark Stafford, PE	SHELBY	(704) 480-5400
013	Timothy Anderson, PE	ASHEVILLE	(828) 250-3000
014	Wanda Payne, PE	SYLVA	(828) 586-2141

Bid Letting Number: L24	40528
-------------------------	-------

RPN	Contract Id	I WBS	County	Length	Job Type
001	C204204	46932.3.1	WAKE	0.677 MI	GRADING, DRAINAGE, PAVING, SIGNALS, AND STRUCTURES.
002	C204861	40163.3.1	LENOIR	0.530 MI	GRADING, DRAINAGE, PAVING, AND STRUCTURES.
003	C204957	2024CPT.05.15.20391.1, ETC.	GRANVILLE, VANCE	11.074 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
004	C204958	2024CPT.05.16.10931.1, ETC.	WARREN	16.776 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
005	C204930	49987.3.1	COLUMBUS, ROBESON	9.686 MI	DRAINAGE, PAVEMENT REHABILITATION, AND BRIDGE PRESERVATION.
006	C204931	49988.3.1	ROBESON	3.299 MI	DRAINAGE, PAVEMENT REHABILITATION, AND BRIDGE PRESERVATION.
007	C204959	2024CPT.07.13.20011, ETC.	ALAMANCE, GUILFORD	24.550 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
008	C204908	40325.3.59	GUILFORD	0.092 MI	GRADING, DRAINAGE, AND PAVING.
009	C204762	67069.3.1	CASWELL	0.267 MI	GRADING, DRAINAGE, PAVING, AND STRUCTURE.
010	C204913	37405.3.1	FORSYTH	5.804 MI	GRADING, DRAINAGE, PAVING, SIGNALS, AND STRUCTURES.
011	C204844	46971.3.1	CALDWELL	0.658 MI	GRADING, DRAINAGE, PAVING, SIGNALS, AND RETAINING WALL.
012	C204411	14SP.20441.1, ETC.	HAYWOOD	0.175 MI	GRADING, DRAINAGE, PAVING, AND STRUCTURES.
013	C204796	49622.3.1	HAYWOOD	0.540 MI	GRADING, DRAINAGE, PAVING, AND STRUCTURES.

CONTRACT ID: C204204 46932.3.1 DIV OFFICE DURHAM LENGTH = 0.677 MI

COUNTY : WAKE

GRADING, DRAINAGE, PAVING, SIGNALS, AND STRUCTURES.

DBE GOAL 3.00% COMPLETION DATE: JAN 28, 2027

GRADE SEPARATION OF SR-2006 (DURANT ROAD) OVER CSX S LINE RAILROAD IN RALEIGH.

		ROADWAY ITEMS	5	EA	TEMPORARY STEEL PLATE COVERS FOR MASONRY DRAINAGE STRUCTURE
Lump Sum	LS	MOBILIZATION	9	CY	ENDWALLS
Lump Sum	LS	CONSTRUCTION SURVEYING	34	CY	FLOWABLE FILL
Lump Sum	LS	CLEARING & GRUBBING ACRE(S)	58	EA	MASONRY DRAINAGE STRUCTURES
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING	40	LF	MASONRY DRAINAGE STRUCTURES
1,500	CY	UNCLASSIFIED EXCAVATION	2	EA	FRAME WITH GRATE, STD 840.24
4,750	CY	UNDERCUT EXCAVATION	3	EA	FRAME WITH TWO GRATES, STD 840.16
222,000	CY	BORROW EXCAVATION	7	EA	FRAME WITH GRATE & HOOD, STD 840.03,
2,260	CY	DRAINAGE DITCH EXCAVATION			TYPE ** (E)
7,700	SY	REMOVAL OF EXISTING ASPHALT PAVEMENT	21	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **
8,500	SY	BREAKING OF EXISTING ASPHALT PAVEMENT	20	EA	(F) FRAME WITH GRATE & HOOD, STD 840.03,
4,700	CY	SELECT GRANULAR MATERIAL			TYPE ** (G)
5,200	SY	GEOTEXTILE FOR SOIL STABILIZATION	5	EA	FRAME WITH COVER, STD 840.54
18,820	SF	TEMPORARY SHORING	320	LF	1'-6" CONCRETE CURB & GUTTER
200	CY	GENERIC GRADING ITEM HAULING OF EXISTING PAVEMENT	9,300	LF	2'-6" CONCRETE CURB & GUTTER
500	TON	FOUNDATION CONDITIONING MATERIAL,	4,550	SY	4" CONCRETE SIDEWALK
		MINOR STRUCTURES	15	EA	CONCRETE CURB RAMPS
1,570	SY	FOUNDATION CONDITIONING GEOTEXTILE	50	SY	6" CONCRETE DRIVEWAY
40	LF	12" DRAINAGE PIPE	2	EA	ADJUSTMENT OF CATCH BASINS
152	LF	12" RC PIPE CULVERTS, CLASS III	2	EA	ADJUSTMENT OF MANHOLES
2,072	LF	15" RC PIPE CULVERTS, CLASS IV	10	EA	ADJUSTMENT OF METER BOXES OR VALVE
1,280	LF	18" RC PIPE CULVERTS, CLASS IV			BOXES
160	LF	24" RC PIPE CULVERTS, CLASS IV	3	EA	CONVERT EXISTING CATCH BASIN TO JUNCTION BOX
84	LF	30" RC PIPE CULVERTS, CLASS IV	1	EA	GENERIC DRAINAGE ITEM
372	LF	36" RC PIPE CULVERTS, CLASS IV	3,475	LF	CONVERT EXISTING CATCH BASIN TO 2GI STEEL BEAM GUARDRAIL
88	LF	42" RC PIPE CULVERTS, CLASS IV	337.5	LF	STEEL BEAM GUARDRAIL, SHOP CURVED
128	LF	**" RC PIPE CULVERTS, CLASS V (30")	5	EA	ADDITIONAL GUARDRAIL POSTS
228	LF	**" RC PIPE CULVERTS, CLASS V	1	EA	GUARDRAIL END UNITS, TYPE AT-1
40	LF	(42")	5	EA	GUARDRAIL END UNITS, TYPE AT-1
40 64	LF	15" CS PIPE CULVERTS, 0.064" THICK 18" CS PIPE CULVERTS, 0.064" THICK	4	EA	GUARDRAIL ANCHOR UNITS, TYPE III
			3	EA	GUARDRAIL END UNITS, TYPE TL-3
2	EA	**" CS PIPE ELBOWS, *****" THICK (15", 0.064")	3	EA	GUARDRAIL END UNITS, TYPE TL-2
2	EA	**" CS PIPE ELBOWS, *****" THICK	560	LF	CHAIN LINK FENCE, 48" FABRIC
2,996	LF	(18", 0.064") PIPE REMOVAL	47	EA	METAL LINE POSTS FOR 48" CHAIN LINK
Lump Sum	LS	FINE GRADING	47	LA	FENCE
250	CY	SHALLOW UNDERCUT	4	EA	METAL TERMINAL POSTS FOR 48" CHAIN LINK FENCE
500	TON	CLASS IV SUBGRADE STABILIZATION	110	TON	RIP RAP, CLASS I
750	SY	GEOTEXTILE FOR SUBGRADE	320	TON	RIP RAP, CLASS B
		STABILIZATION	1,720	SY	GEOTEXTILE FOR DRAINAGE
1,570	TON	AGGREGATE BASE COURSE	100	SF	CONTRACTOR FURNISHED, TYPE *** SIGN
100	TON	INCIDENTAL STONE BASE	270	LE	(E) SUPPORTS, 3-LB STEEL U-CHANNEL
133	GAL	PRIME COAT	270	LF	
7,820	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (3")	20	EA	SIGN ERECTION, TYPE E
830	SY	INCIDENTAL MILLING	1	EA	SIGN ERECTION, RELOCATE TYPE **** (GROUND MOUNTED)
10,740	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	1	EA	(D) SIGN ERECTION, RELOCATE TYPE ****
7,270	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C	1	EA	(GROUND MOUNTED) (E)
4,910	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B	2	EA	STOCKPILE SIGN SYSTEM, U-CHANNEL
1,155	TON	ASPHALT BINDER FOR PLANT MIX	12	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
50	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR	2	EA	DISPOSAL OF SUPPORT, U-CHANNEL
265	TON	GENERIC PAVING ITEM	709	SF	WORK ZONE SIGNS (STATIONARY)
		ABC(M) SHOULDER CONSTRUCTION	912	SF	WORK ZONE SIGNS (PORTABLE)
27	EA	RIGHT-OF-WAY MARKERS	135	SF	WORK ZONE SIGNS (BARRICADE
					MOUNTED)

2	EA	EL ACHINIC ADDOW DOADD	552	LF	2" EODCE MAIN CEWED
3	EA EA	FLASHING ARROW BOARD	553	EA	2" FORCE MAIN SEWER
205		PORTABLE CHANGEABLE MESSAGE SIGN	1	LF	SANITARY SEWER CLEAN-OUT
285	EA EA	DRUMS	67 18	LF LF	SEWER SERVICE LINE
30 30	EA	SEQUENTIAL FLASHING WARNING LIGHTS CONES	66	LF	UTILITY MANHOLE WALL 4' DIA ABANDON **" UTILITY PIPE
184	LF	BARRICADES (TYPE III)	00	LI	(4")
310	DAY	FLAGGER	99	LF	ABANDON 8" UTILITY PIPE
4	EA	TEMPORARY CRASH CUSHIONS	409	LF	ABANDON 12" UTILITY PIPE
4	EA	TMA	1,337	LF	ABANDON 24" UTILITY PIPE
2,830	LF	PORTABLE CONCRETE BARRIER	5	EA	REMOVE WATER METER
1,010	LF	WATER FILLED BARRIER	5	EA	REMOVE FIRE HYDRANT
1,196	HR	LAW ENFORCEMENT	1	EA	ABANDON UTILITY MANHOLE
30	EA	SKINNY DRUM	100	LF	**" ENCASEMENT PIPE (14")
538	EA	TEMPORARY RAISED PAVEMENT MARKERS	275	LF	16" ENCASEMENT PIPE
18,055	LF	THERMOPLASTIC PAVEMENT MARKING	385	LF	36" ENCASEMENT PIPE
		LINES (4", 90 MILS)	85	LF	BORE AND JACK OF **"
805	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)	2	EA	(36") GENERIC LITH ITY ITEM
500	LF	THERMOPLASTIC PAVEMENT MARKING	2	EA	GENERIC UTILITY ITEM 24" BUTTERFLY VALVE
157	LF	LINES (12", 90 MILS) THERMOPLASTIC PAVEMENT MARKING	1	EA	GENERIC UTILITY ITEM ADJUST 10" METER VAULT
137	LI	LINES (24", 90 MILS)	1	EA	GENERIC UTILITY ITEM
64	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)			REMOVE BACKFLOW PREVENTION ASSEMBLY.
28	EA	HEATED-IN-PLACE THERMOPLASTIC	16,040	LF	TEMPORARY SILT FENCE
		PAVEMENT MARKING SYMBOL (90 MILS)	255	TON	STONE FOR EROSION CONTROL, CLASS A
626	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (4")	1,620	TON	STONE FOR EROSION CONTROL, CLASS B
626	LF	(II) COLD APPLIED PLASTIC PAVEMENT	1,302	TON	SEDIMENT CONTROL STONE
626	LF	MARKING LINES, TYPE ** (4")	20	ACR	TEMPORARY MULCHING
125 191	LF	(IV) DAIN'T DAVEMENT MADVING LINES (4")	1,100	LB	SEED FOR TEMPORARY SEEDING
125,181 2,805	LF LF	PAINT PAVEMENT MARKING LINES (4") PAINT PAVEMENT MARKING LINES (8")	5.5	TON	FERTILIZER FOR TEMPORARY SEEDING
2,100	LF		1,220	LF	TEMPORARY SLOPE DRAINS
750	LF LF	PAINT PAVEMENT MARKING LINES (12") PAINT PAVEMENT MARKING LINES (16")	360	LF	SAFETY FENCE
1,047	LF	PAINT PAVEMENT MARKING LINES (10) PAINT PAVEMENT MARKING LINES (24")	2,400	CY	SILT EXCAVATION
30	EA	PAINT PAVEMENT MARKING CHARACTER	22,500	SY	MATTING FOR EROSION CONTROL
282	EA	PAINT PAVEMENT MARKING SYMBOL	35	SY	PERMANENT SOIL REINFORCEMENT MAT
18,635	LF	REMOVAL OF PAVEMENT MARKING LINES	3,705	LF	1/4" HARDWARE CLOTH
10,033	Li	(4")	500	SY	LOW PERMEABILITY GEOTEXTILE
322	LF	REMOVAL OF PAVEMENT MARKING LINES (12")	2	EA	SPECIAL STILLING BASINS
168	LF	REMOVAL OF PAVEMENT MARKING LINES	100	LB	FLOCCULANT
49	EA	(24") REMOVAL OF PAVEMENT MARKING	440	LF	COIR FIBER BAFFLE
49	LA	SYMBOLS & CHARACTERS	20	ACR	SEEDING & MULCHING
625	LF	CURING COMPOUND REMOVAL, LINES	10	ACR	MOWING
10	EA	PERMANENT RAISED PAVEMENT MARKERS	200	LB	SEED FOR REPAIR SEEDING
267	EA	NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER	1	TON	FERTILIZER FOR REPAIR SEEDING
3,300	LF	GENERIC LIGHTING ITEM	650	LB	SEED FOR SUPPLEMENTAL SEEDING
		STREET LIGHTING CONDUIT INSTALLATION (2" PVC)	19.5	TON	FERTILIZER TOPDRESSING
157	LF	6" WATER LINE	10	MHR	SPECIALIZED HAND MOWING
1,049	LF	8" WATER LINE	18	EA	RESPONSE FOR EROSION CONTROL
512	LF	12" WATER LINE	3	EA	CONCRETE WASHOUT STRUCTURE
1,358	LF	24" WATER LINE	54	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION
18,815	LB	DUCTILE IRON WATER PIPE FITTINGS	40		CLEANOUT
10	EA	6" VALVE	18	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION, TYPE 1
4	EA	12" VALVE	2	EA	PEDESTRIAN SIGNAL HEAD (16", 1 SECTION
1	EA	8" TAPPING SLEEVE & VALVE	1,250	LF	W/COUNTDOWN) SIGNAL CABLE
1	EA	12" TAPPING SLEEVE & VALVE	3	EA	VEHICLE SIGNAL HEAD (12", 3 SECTION)
1	EA	**" WATER METER (5/8")	3	EA	VEHICLE SIGNAL HEAD (12", 4 SECTION)
1	EA	2" WATER METER	325	LF	UNPAVED TRENCHING (*******)
1	EA	RELOCATE WATER METER	2	г.	(2, 2")
1	EA	RECONNECT WATER METER	2	EA	JUNCTION BOX (STANDARD SIZE)
1	EA	6" RPZ BACKFLOW PREVENTION ASSEMBLY	500	LF	INDUCTIVE LOOP SAWCUT
9	EA	FIRE HYDRANT	3,500	LF	LEAD-IN CABLE (14-2) MODIEV SDLICE ENCLOSURE
199	LF	FIRE HYDRANT LEG	1	EA	MODIFY SPLICE ENCLOSURE TYPE I POST WITH FOUNDATION
1	EA	12" LINE STOP	1	EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUNDATION
2	EA	24" LINE STOP	1	EA EA	TYPE II PEDESTAL WITH FOUNDATION CONTROLLERS WITH CABINET
57	LF	**" WATER SERVICE LINE	I	ĽA	(****************************)
19	LF	(2") WATER SERVICE LINE			(2070LX, BASE MTD)
1)					

7	EA	DETECTOR CARD (*********) (2070LX)
1	EA	CABINET BASE EXTENDER
		WALL ITEMS
7,120	SF	MSE RETAINING WALL NO **** (1)
4,520	SF	MSE RETAINING WALL NO **** (2)
5,590	SF	MSE RETAINING WALL NO **** (3)
5,820	SF	MSE RETAINING WALL NO **** (4)
		STRUCTURE ITEMS
9,653	SF	REINFORCED CONCRETE DECK SLAB
10,716	SF	GROOVING BRIDGE FLOORS
97	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ************************************
		(32+23.01 -L-)
11,588	LB	REINFORCING STEEL (BRIDGE)
22	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES (HP 14 X 73)
1,320	LF	HP 14 X 73 STEEL PILES
230.67	LF	TWO BAR METAL RAIL
245.67	LF	1'-**" X *****" CONCRETE PARAPET (1'-2" X 3"-3")
44	SY	4" SLOPE PROTECTION
Lump Sum	LS	ELASTOMERIC BEARINGS
230.67	LF	GENERIC STRUCTURE ITEM 72" CHAIN LINK FENCE (BLACK VINYL COATED)
1,346.58	LF	FIB **" PRESTRESSED CONCRETE GIRDERS (54")
		ROADWAY ITEMS
Lump Sum	LS	GENERIC GRADING ITEM TYPE 2 BRIDGE APPROACH FILL, STA 32+23.01 -L-

CONTRACT ID: C204861 40163.3.1

DIV OFFICE GREENVILLE

LENGTH = 0.530 MI

COUNTY : LENOIR

GRADING, DRAINAGE, PAVING, AND STRUCTURES.

DBE GOAL 3.00% COMPLETION DATE: JAN 11, 2028

BRIDGE #530020 OVER NEUSE RIVER AND BRIDGE #530034 OVER NEUSE RIVER OVERFLOW ON NC-55.

		ROADWAY ITEMS	8	EA	GUARDRAIL ANCHOR UNITS, TYPE III
Lump Sum	LS	MOBILIZATION	5	EA	GUARDRAIL END UNITS, TYPE TL-3
Lump Sum	LS	CONSTRUCTION SURVEYING	1	EA	GUARDRAIL END UNITS, TYPE TL-2
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING	75	LF	REMOVE & RESET EXISTING GUARDRAIL
5,290	CY	UNDERCUT EXCAVATION	2,400	LF	REMOVE EXISTING GUARDRAIL
Lump Sum	LS	GRADING	62.5	LF	TEMPORARY STEEL BEAM GUARDRAIL
42,500	CY	BORROW EXCAVATION	2	EA	TEMPORARY GUARDRAIL END UNITS, TYPE *****
4	EA	EMBANKMENT SETTLEMENT GAUGES			(TL-3)
487	CY	DRAINAGE DITCH EXCAVATION	279	TON	RIP RAP, CLASS I
7,030	CY	SELECT GRANULAR MATERIAL	1,110	TON	RIP RAP, CLASS II
6,930	SY	GEOTEXTILE FOR SOIL STABILIZATION	6,810	SY	GEOTEXTILE FOR DRAINAGE
1,760	SF	TEMPORARY SHORING	85	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
13,730	SY	ROCK PLATING	2	EA	SIGN ERECTION, TYPE D
Lump Sum	LS	GENERIC GRADING ITEM	4	EA	SIGN ERECTION, TYPE E
		TYPE 1 BRIDGE APPROACH FILL, STA 25+45.00 -L-	6	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
Lump Sum	LS	GENERIC GRADING ITEM	64	SF	WORK ZONE SIGNS (STATIONARY)
		TYPE 1 BRIDGE APPROACH FILL, STA 35+00.00 -L-	284	SF	WORK ZONE SIGNS (PORTABLE)
100	TON	FOUNDATION CONDITIONING MATERIAL,	36	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
210	CN	MINOR STRUCTURES	1	EA	TEMPORARY PORTABLE TRAFFIC SIGNAL
310	SY	FOUNDATION CONDITIONING GEOTEXTILE			SYSTEM
196	LF	15" DRAINAGE PIPE	100	EA	DRUMS
10	EA	**" DRAINAGE PIPE ELBOWS (15")	100	EA	CONES
640	LF	15" RC PIPE CULVERTS, CLASS III	48	LF	BARRICADES (TYPE III)
72	LF	**" RC PIPE CULVERTS, CLASS V	60	DAY	FLAGGER
120	LF	(18") PIPE REMOVAL	2	EA	TEMPORARY CRASH CUSHIONS
100	CY	SHALLOW UNDERCUT	2	EA	REMOVE & RESET TEMPORARY CRASH CUSHION
200	TON	CLASS IV SUBGRADE STABILIZATION	454	LF	PORTABLE CONCRETE BARRIER
300	SY	GEOTEXTILE FOR SUBGRADE	366	LF	REMOVE AND RESET PORTABLE CONCRETE
300	51	STABILIZATION	400		BARRIER
900	TON	AGGREGATE BASE COURSE	100	EA	SKINNY DRUM
100	TON	INCIDENTAL STONE BASE	159	EA	TEMPORARY RAISED PAVEMENT MARKERS
490	GAL	PRIME COAT	8,180	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
500	SY	INCIDENTAL MILLING	14,480	LF	PAINT PAVEMENT MARKING LINES (4")
1,500	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	25	LF	PAINT PAVEMENT MARKING LINES (24")
1,000	TON	ASPHALT CONC INTERMEDIATE COURSE,	3,020	LF	POLYUREA PAVEMENT MARKING LINES
1,400	TON	TYPE I19.0C ASPHALT CONC SURFACE COURSE, TYPE			(**", *** MILS) (4", 20 MILS)
1,400	1011	S9.5B	9	EA	PERMANENT RAISED PAVEMENT MARKERS
210	TON	ASPHALT BINDER FOR PLANT MIX	27	EA	NON-CAST IRON SNOWPLOWABLE
35	EA	RIGHT-OF-WAY MARKERS		Е.	PAVEMENT MARKER
453	CY	SUBDRAIN EXCAVATION	1	EA	**" COMBINATION AIR VALVE (1")
300	SY	GEOTEXTILE FOR SUBSURFACE DRAINS	2,890	LF	10" FORCE MAIN SEWER
290	CY	SUBDRAIN FINE AGGREGATE	830	LB	DUCTILE IRON SEWER PIPE FITTINGS
50	CY	SUBDRAIN COARSE AGGREGATE	1	EA	4' DIA UTILITY MANHOLE
2,000	LF	6" PERFORATED SUBDRAIN PIPE	2,760	LF	ABANDON 10" UTILITY PIPE
5	EA	SUBDRAIN PIPE OUTLET	1	EA	ABANDON UTILITY MANHOLE
30	LF	6" OUTLET PIPE	2,770	LF	DIRECTIONAL DRILLING OF **"
16	EA	MASONRY DRAINAGE STRUCTURES	2	EA	(10") GENERIC UTILITY ITEM
8	LF	MASONRY DRAINAGE STRUCTURES	2	LA	SINGLE UNIT TIE-IN ASSEMBLY
15	EA	FRAME WITH TWO GRATES, STD 840.29	29,875	LF	TEMPORARY SILT FENCE
1	EA	STEEL FRAME WITH TWO GRATES, STD	375	TON	STONE FOR EROSION CONTROL, CLASS A
1,560	LF	840.37 SHOULDER BERM GUTTER	1,210	TON	STONE FOR EROSION CONTROL, CLASS B
3,125	LF	STEEL BEAM GUARDRAIL	1,555	TON	SEDIMENT CONTROL STONE
25	LF	STEEL BEAM GUARDRAIL STEEL BEAM GUARDRAIL, SHOP CURVED	34.5	ACR	TEMPORARY MULCHING
20	EA	ADDITIONAL GUARDRAIL POSTS	1,300	LB	SEED FOR TEMPORARY SEEDING
20	ĿA	ADDITIONAL GUARDRAIL (US13	6.5	TON	FERTILIZER FOR TEMPORARY SEEDING

1,580	LF	TEMPORARY SLOPE DRAINS	1,411	TON	RIP RAP CLASS II (2'-0" THICK)
1,560	LF	SAFETY FENCE	1,474	SY	GEOTEXTILE FOR DRAINAGE
1,570	CY	SILT EXCAVATION	Lump Sum	LS	ELASTOMERIC BEARINGS
3,790	SY	MATTING FOR EROSION CONTROL	Lump Sum	LS	FOAM JOINT SEALS
100	SY	COIR FIBER MAT			
185	LF	1/4" HARDWARE CLOTH			
1,375	SY	FLOATING TURBIDITY CURTAIN			
30 25	EA LB	SPECIAL STILLING BASINS FLOCCULANT			
3,050	LF	COIR FIBER WATTLE			
290	LF	COIR FIBER BAFFLE			
24	ACR	SEEDING & MULCHING			
27	ACR	MOWING			
350	LB	SEED FOR REPAIR SEEDING			
1.25	TON	FERTILIZER FOR REPAIR SEEDING			
575	LB	SEED FOR SUPPLEMENTAL SEEDING			
16.75	TON	FERTILIZER TOPDRESSING			
100	LF	IMPERVIOUS DIKE			
10	MHR	SPECIALIZED HAND MOWING			
15	MHR	MANUAL LITTER REMOVAL			
1	TON	LITTER DISPOSAL			
150	EA	RESPONSE FOR EROSION CONTROL			
0.55	EA ACR	CONCRETE WASHOUT STRUCTURE REFORESTATION			
0.55	ACK	STRUCTURE ITEMS			
	1.0				
Lump Sum	LS	CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP ACCESS AT STA			

Lump Sum	LS	CONSTRUCTION, MAINTENANCE, &			
		REMOVAL OF TEMP ACCESS AT STA ************************************			
Lump Sum	LS	(35+00.00 -L-) REMOVAL OF EXISTING STRUCTURE AT			
Lump Sum	Lo	STATION **********			
Lump Sum	LS	(25+45.00 -L-) REMOVAL OF EXISTING STRUCTURE AT			
•		STATION ************************************			
Lump Sum	LS	ASBESTOS ASSESSMENT			
447	LF	**'-**" DIA DRILLED PIERS			
1,153.5	LF	(3'-6") **'_**" DIA DRILLED PIERS			
		(4'-0")			
153	LF	PERMANENT STEEL CASING FOR 3'-6" DIA DRILLED PIER			
559.5	LF	PERMANENT STEEL CASING FOR 4'-0" DIA DRILLED PIER			
7	EA	SID INSPECTIONS			
7	EA	CSL TESTING			
26,941	SF	REINFORCED CONCRETE DECK SLAB			
24,437	SF	GROOVING BRIDGE FLOORS			
407.5	CY	CLASS A CONCRETE (BRIDGE)			
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ************************************			
		(25+45.00 -L-)			
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ************************************			
214.250	I D	(35+00.00 -L-)			
214,359 45,016	LB LB	REINFORCING STEEL (BRIDGE) SPIRAL COLUMN REINFORCING STEEL			
45,010	LD	(BRIDGE)			
1,062.08	LF	45" PRESTRESSED CONCRETE GIRDERS			
2,674.58	LF	54" PRESTRESSED CONCRETE GIRDERS			
12	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES			
1.6	EA	(HP 12 X 53) PILE DRIVING EQUIPMENT SETUP FOR ***			
16	ьA	STEEL PILES			
630	LF	(HP 14 X 73) HP 12 X 53 STEEL PILES			
720	LF	HP 14 X 73 STEEL PILES			
14	EA	PILE REDRIVES			
4	EA	DYNAMIC PILE TESTING			
1,471.3	LF	TWO BAR METAL RAIL			
1,501.34	LF	1'-**" X *****" CONCRETE PARAPET			
		(1'-2" X 2'-6")			

2024CPT.05.15.20391.1

L240528

LENGTH = 11.074 MI

COUNTY : GRANVILLE, VANCE

CONTRACT ID: C204957

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL 7.00% COMPLETION DATE: NOV 15, 2025

DIV OFFICE DURHAM

5 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	Lo	WOBILIZATION
554	TON	INCIDENTAL STONE BASE
22.15	SMI	SHOULDER RECONSTRUCTION
2,048	TON	AGGREGATE SHOULDER BORROW
2,486	SY	INCIDENTAL MILLING
9,529	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
638	TON	ASPHALT BINDER FOR PLANT MIX
379	TON	PATCHING EXISTING PAVEMENT
1,355	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
221,494	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
42	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
26	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)

CONTRACT ID: C204958 2024CPT.05.16.10931.1 DIV OFFICE DURHAM LENGTH = 16.776 MI

COUNTY : WARREN

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL 6.00% COMPLETION DATE: NOV 15, 2025

US-158 E FROM US-1 TO US-158 BUS AND 6 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

		KOND WITT TIEMS
Lump Sum	LS	MOBILIZATION
14.66	SMI	SHOULDER RECONSTRUCTION
1,353	TON	AGGREGATE SHOULDER BORROW
270	SY	MILLING ASPHALT PAVEMENT, ***" TO ******"
1,240	SY	(0" TO 1") MILLING ASPHALT PAVEMENT, ***" TO *******" (0" TO 1-1/2")
12,664	SY	INCIDENTAL MILLING
25,007	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,660	TON	ASPHALT BINDER FOR PLANT MIX
736	TON	PATCHING EXISTING PAVEMENT
12	EA	ADJUSTMENT OF MANHOLES
4	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
1,861	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
80	HR	LAW ENFORCEMENT
387,511	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
3,236	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
178	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
18	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
24	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
1,085	EA	NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
530	LF	INDUCTIVE LOOP SAWCUT

005

COUNTY : COLUMBUS, ROBESON

CONTRACT ID: C204930

250 LF

3 EA

SUPPORTS, 3-LB STEEL U-CHANNEL

SIGN ERECTION, TYPE D

DIV OFFICE FAYETTEVILLE

DBE GOAL 6.00% COMPLETION DATE: AUG 15, 2026

LENGTH = 9.686 MI

DRAINAGE, PAVEMENT REHABILITATION, AND BRIDGE PRESERVATION.

49987.3.1

US-74 FROM 1 MILE EAST OF NC-41 TO 0.26 MILES EAST OF THE COLUMBUS COUNTY LINE.

		ROADWAY ITEMS	4	EA	SIGN ERECTION, TYPE E
Lump Sum	LS	MOBILIZATION	1	EA	SIGN ERECTION, TYPE F
Lump Sum	LS	CONSTRUCTION SURVEYING	4	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
1,600	CY	BORROW EXCAVATION	800	SF	WORK ZONE SIGNS (STATIONARY)
16	TON	FOUNDATION CONDITIONING MATERIAL,	4	EA	WORK ZONE DIGITAL SPEED LIMIT SIGNS
50	SY	MINOR STRUCTURES FOUNDATION CONDITIONING GEOTEXTILE	14	EA	WORK ZONE PRESENCE LIGHTING
48	LF	15" RC PIPE CULVERTS, CLASS III	100	EA	DRUMS
24	LF	18" RC PIPE CULVERTS, CLASS III	13	EA	SEQUENTIAL FLASHING WARNING LIGHTS
32	LF	24" RC PIPE CULVERTS, CLASS III	2	EA	GENERIC TRAFFIC CONTROL ITEM CONNECTED LANE CLOSURE SYSTEM
32	LF	30" RC PIPE CULVERTS, CLASS III	8	EA	GENERIC TRAFFIC CONTROL ITEM
8	LF	36" RC PIPE CULVERTS, CLASS III	0	E.4	RAMP/LOOP CLOSURES
16	LF	18" CS PIPE CULVERTS, 0.064" THICK	8	EA	GENERIC TRAFFIC CONTROL ITEM RAMP/LOOP TRAFFIC CONTROL
250	TON	INCIDENTAL STONE BASE	340	EA	GENERIC TRAFFIC CONTROL ITEM
32.83	SMI	SHOULDER RECONSTRUCTION	285,730	LF	SINGLE LANE CLOSURE THERMOPLASTIC PAVEMENT MARKING
6,555	TON	AGGREGATE SHOULDER BORROW			LINES (6", 90 MILS)
24,420	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH	5,930	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
24,420	51	(1-1/2")	16	EA	THERMOPLASTIC PAVEMENT MARKING
5,020	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (2")	71	EA	CHARACTER (90 MILS) THERMOPLASTIC PAVEMENT MARKING
250,175	SY	MILLING ASPHALT PAVEMENT, ***" TO	/1	EA	SYMBOL (90 MILS)
		******" (1" TO 2")	165	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (24")
104,815	SY	MILLING ASPHALT PAVEMENT, ***" TO			(II)
		******" (3/4" TO 1-1/2")	289,120	LF	PAINT PAVEMENT MARKING LINES (6")
5,000	SY	INCIDENTAL MILLING	5,930	LF	PAINT PAVEMENT MARKING LINES (12")
5,210	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	165	LF	PAINT PAVEMENT MARKING LINES (24")
38,340	TON	ASPHALT CONC SURFACE COURSE, TYPE	16	EA	PAINT PAVEMENT MARKING CHARACTER
2.500	TON	S9.5C	71	EA	PAINT PAVEMENT MARKING SYMBOL
2,580	TON	ASPHALT BINDER FOR PLANT MIX	3,390	LF	POLYUREA PAVEMENT MARKING LINES (**", *** MILS)
196,750	LF	MILLED RUMBLE STRIPS (ASPHALT CONCRETE)			(6", 30 MILS)
660	TON	GENERIC PAVING ITEM ASPHALT CONC INTERMEDIATE COURSE,	1,515	EA	NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
870	TON	TYPE I19.0C (WEDGING COURSE) GENERIC PAVING ITEM	400	LF	TEMPORARY SILT FENCE
		ASPHALT CONC SURFACE COURSE, TYPE	150	TON	SEDIMENT CONTROL STONE
15.5	CY	S9.5C (WEDGING COURSE) PIPE COLLARS	300	LF	SAFETY FENCE
16	EA	MASONRY DRAINAGE STRUCTURES	1,250	LF	1/4" HARDWARE CLOTH
2.6	LF	MASONRY DRAINAGE STRUCTURES	1,200	LF	WATTLE
16	EA	FRAME WITH TWO GRATES, STD 840.22	3	ACR	SEEDING & MULCHING
15	EA	GENERIC DRAINAGE ITEM	7	EA	RESPONSE FOR EROSION CONTROL
		CONCRETE APRON FOR DROP INLET	10	EA	CONCRETE WASHOUT STRUCTURE
6	SY	4" CONCRETE PAVED DITCH			STRUCTURE ITEMS
1	EA	ADJUSTMENT OF DROP INLETS	312	LF	GENERIC STRUCTURE ITEM FOAM JOINT SEALS FOR PRESERVATION
2	EA	IMPACT ATTENUATOR UNITS, TYPE TL-3	76	CF	GENERIC STRUCTURE ITEM
26,162.5	LF	STEEL BEAM GUARDRAIL			ELASTOMERIC CONCRETE FOR PRESERVATION
200	LF	STEEL BEAM GUARDRAIL, SHOP CURVED	304	SF	GENERIC STRUCTURE ITEM
25	EA	ADDITIONAL GUARDRAIL POSTS	0.200.4	or.	BRIDGE JOINT DEMOLITION
1	EA	GUARDRAIL END UNITS, TYPE AT-1	8,389.4	SF	GENERIC STRUCTURE ITEM SILANE BARRIER RAIL TREATMENT
12	EA	GUARDRAIL END UNITS, TYPE CAT-1	8,389.4	SF	GENERIC STRUCTURE ITEM
4	EA	GUARDRAIL ANCHOR UNITS, TYPE III			SURFACE PREPARATION FOR SILANE BARRIER RAIL TREATMENT
26	EA	GUARDRAIL END UNITS, TYPE TL-3	5,507.8	SY	GENERIC STRUCTURE ITEM
30	EA	GUARDRAIL ANCHOR UNITS, TYPE B-77	5,507.8	SY	SHOTBLASTING BRIDGE DECK GENERIC STRUCTURE ITEM
27,870	LF	REMOVE EXISTING GUARDRAIL	2,237.0		SILANE DECK TREATMENT
2,220	LF	WOVEN WIRE FENCE, 47" FABRIC			
131	EA	4" TIMBER FENCE POSTS, 7'-6" LONG			
50	EA	5" TIMBER FENCE POSTS, 8'-0" LONG			

006

CONTRACT ID: C204931 49988.3.1 DIV OFFICE FAYETTEVILLE LENGTH = 3.299 MI

COUNTY : ROBESON

DRAINAGE, PAVEMENT REHABILITATION, AND BRIDGE PRESERVATION.

DBE GOAL 4.00% COMPLETION DATE: MAY 15, 2026

US-74 FROM THE SCOTLAND COUNTY LINE TO I-74/US-74 BUS.

WORK ZONE DIGITAL SPEED LIMIT SIGNS

4 EA

		ROADWAY ITEMS	14	EA	WORK ZONE PRESENCE LIGHTING
Lump Sum	LS	MOBILIZATION	50	EA	DRUMS
Lump Sum	LS	CONSTRUCTION SURVEYING	13	EA	SEQUENTIAL FLASHING WARNING LIGHTS
10,455	CY	BORROW EXCAVATION	2	EA	GENERIC TRAFFIC CONTROL ITEM CONNECTED LANE CLOSURE SYSTEM
5	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	4	EA	GENERIC TRAFFIC CONTROL ITEM RAMP/LOOP CLOSURES
10	SY	FOUNDATION CONDITIONING GEOTEXTILE	4	EA	GENERIC TRAFFIC CONTROL ITEM RAMP/LOOP TRAFFIC CONTROL
16 8	LF LF	15" RC PIPE CULVERTS, CLASS III 18" RC PIPE CULVERTS, CLASS III	110	EA	GENERIC TRAFFIC CONTROL ITEM SINGLE LANE CLOSURE
4	LF	15" CS PIPE CULVERTS, 0.064" THICK	2	EA	GENERIC TRAFFIC CONTROL ITEM TEMPORARY ROAD CLOSURE
1 100	EA TON	PIPE CLEAN OUT	74,820	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
12.35	SMI	INCIDENTAL STONE BASE SHOULDER RECONSTRUCTION	1,420	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
11,395	TON	AGGREGATE SHOULDER BORROW	8	EA	THERMOPLASTIC PAVEMENT MARKING
375	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (2")	79,450	LF	SYMBOL (90 MILS) PAINT PAVEMENT MARKING LINES (6")
104,790	SY	MILLING ASPHALT PAVEMENT, ***" TO	1,420	LF	PAINT PAVEMENT MARKING LINES (12")
		******" (1" TO 3")	8	EA	PAINT PAVEMENT MARKING SYMBOL
9,082.1	SY	INCIDENTAL MILLING	4,630	LF	POLYUREA PAVEMENT MARKING LINES
12,870	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C			(**", *** MILS) (6", 30 MILS)
130	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C	516	EA	NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
12,988.5	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C	Lump Sum	LS	PORTABLE LIGHTING
1,381.1	TON	ASPHALT BINDER FOR PLANT MIX	200	LF	TEMPORARY SILT FENCE
65,200	LF	MILLED RUMBLE STRIPS (ASPHALT	50	TON	SEDIMENT CONTROL STONE
480	TON	CONCRETE) GENERIC PAVING ITEM	150	LF	SAFETY FENCE
400	1011	ASPHALT CONC SURFACE COURSE, TYPE	450	LF	1/4" HARDWARE CLOTH
3.4	CY	S9.5C (WEDGING COURSE) PIPE COLLARS	400	LF	WATTLE
2	EA	FRAME WITH TWO GRATES, STD 840.22	1	ACR	SEEDING & MULCHING
4	EA	GENERIC DRAINAGE ITEM	3 4	EA EA	RESPONSE FOR EROSION CONTROL CONCRETE WASHOUT STRUCTURE
7.7	SY	CONCRETE APRON FOR DROP INLET 4" CONCRETE PAVED DITCH	4	EA	STRUCTURE ITEMS
6,787.5	LF	STEEL BEAM GUARDRAIL	4	CF	SHOTCRETE REPAIRS
15	EA	ADDITIONAL GUARDRAIL POSTS	24.6	LF	EPOXY RESIN INJECTION
4	EA	GUARDRAIL END UNITS, TYPE CAT-1	Lump Sum	LS	GENERIC STRUCTURE ITEM
14	EA	GUARDRAIL END UNITS, TYPE TL-3	1,234.7	LF	VOLUMETRIC MIXER GENERIC STRUCTURE ITEM
22	EA	GUARDRAIL ANCHOR UNITS, TYPE B-77	1,234.7	LF	FOAM JOINT SEALS FOR PRESERVATION
7,989	LF	REMOVE EXISTING GUARDRAIL	132.8	CF	GENERIC STRUCTURE ITEM ELASTOMERIC CONCRETE FOR
470	LF	WOVEN WIRE FENCE, 47" FABRIC			PRESERVATION
21	EA	4" TIMBER FENCE POSTS, 7'-6" LONG	7.4	CF	GENERIC STRUCTURE ITEM REPAIRS TO PRESTRESSED CONCRETE
24 8	EA CY	5" TIMBER FENCE POSTS, 8'-0" LONG REINFORCED CONCRETE SIGN	707.5	SF	CORED SLABS GENERIC STRUCTURE ITEM
1	CY	FOUNDATIONS PLAIN CONCRETE SIGN FOUNDATIONS	10,566.5	SF	BRIDGE JOINT DEMOLITION GENERIC STRUCTURE ITEM
8,440	LB	SUPPORTS, BREAKAWAY STEEL BEAM			SILANE BARRIER RAIL TREATMENT
170	LF	SUPPORTS, 3-LB STEEL U-CHANNEL	10,566.5	SF	GENERIC STRUCTURE ITEM SURFACE PREPARATION FOR CONCRETE
6	EA	SIGN ERECTION, TYPE E	7.051.0	CN	BARRIER RAIL
1	EA	SIGN ERECTION, TYPE F	7,851.9	SY	GENERIC STRUCTURE ITEM SHOTBLASTING BRIDGE DECK
10	EA	SIGN ERECTION, TYPE *** (GROUND	7,851.9	SY	GENERIC STRUCTURE ITEM SILANE DECK TREATMENT
		MOUNTED) (A)	12	EA	GENERIC STRUCTURE ITEM
8	EA	SIGN ERECTION, TYPE *** (GROUND MOUNTED) (B)			POST TENSIONING STRAND REPLACEMENT
11	EA	DISPOSAL OF SIGN SYSTEM, STEEL BEAM			
1	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL			
880	SF	WORK ZONE SIGNS (STATIONARY)			

0528 00

CONTRACT ID: C204959 2024CPT.07.13.20011 DIV OFFICE GREENSBORO LENGTH = 24.550 MI

COUNTY : ALAMANCE, GUILFORD

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL 4.00% COMPLETION DATE: NOV 15, 2025

29 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

		ROADWAYITEMS
Lump Sum	LS	MOBILIZATION
156	CY	BORROW EXCAVATION
1,338	TON	INCIDENTAL STONE BASE
31.26	SMI	SHOULDER RECONSTRUCTION
1,184	TON	AGGREGATE SHOULDER BORROW
157,536	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")
21,100	SY	INCIDENTAL MILLING
34,684	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
2,296	TON	ASPHALT BINDER FOR PLANT MIX
905	TON	PATCHING EXISTING PAVEMENT
196,230	SY	ASPHALT SURFACE TREATMENT, MAT COAT, #78M STONE
3,646	SY	ASPHALT SURFACE TREATMENT, MAT COAT, #*** STONE (#67)
66,140	GAL	EMULSION FOR ASPHALT SURFACE TREATMENT
1	EA	ADJUSTMENT OF DROP INLETS
13	EA	ADJUSTMENT OF MANHOLES
20	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
1,690	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
160	HR	LAW ENFORCEMENT
397,765	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
2,320	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
2,160	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
3,210	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
829	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
43	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
107	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
380	EA	NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
Lump Sum	LS	PORTABLE LIGHTING
2.25	ACR	RESIDENTIAL SEEDING
4,450	LF	GENERIC SIGNAL ITEM INDUCTIVE LOOP SAW CUT (DEEP CUT)

L240528

CONTRACT ID: C204908 40325.3.59 DIV OFFICE GREENSBORO LENGTH = 0.092 MI

COUNTY : GUILFORD

GRADING, DRAINAGE, AND PAVING.

DBE GOAL 4.00% COMPLETION DATE: FEB 11, 2026

RAILWAY-HIGHWAY CROSSING CLOSURE AT PINE STREET AND NORFOLK SOUTHERN CROSSING 722 957-L.

		DO ADWAY ITEMS	2	EA	ADJUSTMENT OF DROP INLETS		
		ROADWAY ITEMS	75	LF	STEEL BEAM GUARDRAIL		
Lump Sum	LS	MOBILIZATION	675	SY	GEOTEXTILE FOR DRAINAGE		
Lump Sum	LS	CONSTRUCTION SURVEYING	62	SF	CONTRACTOR FURNISHED, TYPE *** SIGN		
100	CY	UNDERCUT EXCAVATION			(TYPE E SIGN)		
Lump Sum	LS	GRADING	140	LF	SUPPORTS, 3-LB STEEL U-CHANNEL		
100 100	CY SY	SELECT GRANULAR MATERIAL GEOTEXTILE FOR SOIL STABILIZATION	10	EA	SIGN ERECTION, TYPE E		
300	SF	TEMPORARY SHORING	1	EA	DISPOSAL OF SUPPORT, U-CHANNEL		
130	TON	FOUNDATION CONDITIONING MATERIAL,	1	EA	DISPOSAL OF SIGN, D, E OR F		
130	ION	MINOR STRUCTURES	383	SF	WORK ZONE SIGNS (STATIONARY)		
410	SY	FOUNDATION CONDITIONING GEOTEXTILE	288	SF SF	WORK ZONE SIGNS (PORTABLE)		
88	LF	12" RC PIPE CULVERTS, CLASS III	214	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)		
560	LF	15" RC PIPE CULVERTS, CLASS III	2	EA	FLASHING ARROW BOARD		
400	LF	18" RC PIPE CULVERTS, CLASS III	4	EA	PORTABLE CHANGEABLE MESSAGE SIGN		
168	LF	24" RC PIPE CULVERTS, CLASS III	75	EA	DRUMS		
412	LF	PIPE REMOVAL	26	EA	SEQUENTIAL FLASHING WARNING LIGHTS		
300	CY	SHALLOW UNDERCUT	270	LF	BARRICADES (TYPE III)		
600	TON	CLASS IV SUBGRADE STABILIZATION	10	LF	PEDESTRIAN CHANNELIZING DEVICES		
900	SY	GEOTEXTILE FOR SUBGRADE STABILIZATION	55	DAY	FLAGGER		
500	TON	INCIDENTAL STONE BASE	20	HR	LAW ENFORCEMENT		
620	SY	INCIDENTAL MILLING	32	EA	TUBULAR MARKERS (FIXED)		
1,240	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	4	EA	GENERIC TRAFFIC CONTROL ITEM AUDIBLE WARNING DEVICES		
1,070	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0C	4	EA	GENERIC TRAFFIC CONTROL ITEM TEMPORARY CURB RAMPS		
1,180	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B	4,341	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)		
230	TON	ASPHALT BINDER FOR PLANT MIX	183	LF	THERMOPLASTIC PAVEMENT MARKING		
920	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR	639	LF	LINES (6", 90 MILS) THERMOPLASTIC PAVEMENT MARKING		
44.8	CY	SUBDRAIN EXCAVATION			LINES (8", 90 MILS)		
200	SY	GEOTEXTILE FOR SUBSURFACE DRAINS	88	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 90 MILS)		
33.6	CY	SUBDRAIN COARSE AGGREGATE	231	LF	THERMOPLASTIC PAVEMENT MARKING		
200	LF	6" PERFORATED SUBDRAIN PIPE	4	EA	LINES (24", 90 MILS) THERMOPLASTIC PAVEMENT MARKING		
1	EA	SUBDRAIN PIPE OUTLET			CHARACTER (90 MILS)		
6	LF	6" OUTLET PIPE	12	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)		
0.09	CY CY	PIPE PLUGS	3,942	LF	PAINT PAVEMENT MARKING LINES (4")		
3 23	EA	FLOWABLE FILL MASONDY DRAINAGE STRUGTURES	766	LF	PAINT PAVEMENT MARKING LINES (8")		
25.1	EA LF	MASONRY DRAINAGE STRUCTURES MASONRY DRAINAGE STRUCTURES	430	LF	PAINT PAVEMENT MARKING LINES (24")		
23.1	EA	FRAME WITH TWO GRATES, STD 840.16	58	EA	PAINT PAVEMENT MARKING SYMBOL		
2	EA	FRAME WITH GRATE & HOOD, STD 840.03,	216	LF	REMOVAL OF PAVEMENT MARKING LINES (24")		
2	LA	TYPE ** (E)	58	EA	REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS		
4	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **	84.1	LF	6" WATER LINE		
		(F)	915.9	LF	8" WATER LINE		
4	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **	494	LF	12" WATER LINE		
		(G)	6,825	LB	DUCTILE IRON WATER PIPE FITTINGS		
6	EA	FRAME WITH COVER, STD 840.54	6	EA	6" VALVE		
80	LF	**" X **" CONCRETE CURB (8" X 18")	6	EA	8" VALVE		
2,760	LF	2'-6" CONCRETE CURB & GUTTER	2	EA	12" VALVE		
1,140	SY	4" CONCRETE SIDEWALK	1	EA	**" BLOW OFF (1-1/2")		
13	EA	CONCRETE CURB RAMPS	16	EA	**" WATER METER		
690	SY	6" CONCRETE DRIVEWAY			(5/8")		
90	SY	5" MONOLITHIC CONCRETE ISLANDS	4	EA	RECONNECT WATER METER		
230	SY	(KEYED IN) GENERIC PAVING ITEM	4	EA	FIRE HYDRANT		
		8" REINFORCED CONCRETE SIDEWALK	1 02.6	EA LF	RELOCATE FIRE HYDRANT		
2	EA	ADJUSTMENT OF CATCH BASINS	93.6	LF	FIRE HYDRANT LEG		

1 EA

1 EA

CABINET BASE EXTENDER
GENERIC SIGNAL ITEM
ETHERNET EDGE SWITCH

67.7	LF	**" WATER SERVICE LINE
551.9	LF	(1-1/2") WATER SERVICE LINE
16	EA	SANITARY SEWER CLEAN-OUT
1,233.7	LF	ABANDON 6" UTILITY PIPE
468.6	LF	ABANDON 12" UTILITY PIPE
20	EA	REMOVE WATER METER
3	EA	REMOVE FIRE HYDRANT
239.2	LF	16" ENCASEMENT PIPE
219.2	LF	BORE AND JACK OF **" (16")
3,090	LF	TEMPORARY SILT FENCE
225	TON	STONE FOR EROSION CONTROL, CLASS A
15	TON	STONE FOR EROSION CONTROL, CLASS B
130	TON	SEDIMENT CONTROL STONE
5.5	ACR	TEMPORARY MULCHING
400	LB	SEED FOR TEMPORARY SEEDING
2	TON	FERTILIZER FOR TEMPORARY SEEDING
200	LF	TEMPORARY SLOPE DRAINS
360	LF	SAFETY FENCE
20	CY	SILT EXCAVATION
8,000	SY	MATTING FOR EROSION CONTROL
620	LF	1/4" HARDWARE CLOTH
90	LF	WATTLE
6	ACR	SEEDING & MULCHING
3	ACR	MOWING
100 0.25	LB TON	SEED FOR REPAIR SEEDING FERTILIZER FOR REPAIR SEEDING
125	LB	SEED FOR SUPPLEMENTAL SEEDING
3.5	TON	FERTILIZER TOPDRESSING
10	MHR	SPECIALIZED HAND MOWING
25	EA	RESPONSE FOR EROSION CONTROL
6	EA	CONCRETE WASHOUT STRUCTURE
78	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION CLEANOUT
26	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION, TYPE 2
8	EA	PEDESTRIAN SIGNAL HEAD (16", 1 SECTION W/COUNTDOWN)
2,550	LF	SIGNAL CABLE
10	EA	VEHICLE SIGNAL HEAD (12", 3 SECTION)
2	EA	VEHICLE SIGNAL HEAD (12", 4 SECTION)
2,000	LF	MESSENGER CABLE (1/4")
475	LF	MESSENGER CABLE (3/8")
1,550	LF	TRACER WIRE
25	LF	PAVED TRENCHING (********) (1, 2")
325	LF	UNPAVED TRENCHING (*******) (1. 1")
1,550	LF	DIRECTIONAL DRILL (********) (2, 2")
6	EA	JUNCTION BOX (STANDARD SIZE)
9	EA	JUNCTION BOX (OVER-SIZED, HEAVY DUTY)
8	EA	GUY ASSEMBLY
6	EA	2" RISER WITH HEAT SHRINK TUBING
3,100	LF	LEAD-IN CABLE (14-2)
1	EA EA	MODIFY SPLICE ENCLOSURE INTERCONNECT CENTER
9	EA	DELINEATOR MARKER
4	EA	METAL STRAIN SIGNAL POLE
4	EA	SOIL TEST
24	CY	DRILLED PIER FOUNDATION
1	EA	SIGN FOR SIGNALS
8	EA	TYPE II PEDESTAL WITH FOUNDATION
1	EA	LED BLANKOUT SIGN
1	EA	SIGNAL CABINET FOUNDATION
1	EA	CONTROLLERS WITH CABINET (************************************
6	EA	(TYPE 2070E, BASE MOUNTED) DETECTOR CARD (TYPE 170)
0	EA	DETECTOR CARD (TIPE 1/0)

LENGTH = 0.267 MI

009

CONTRACT ID: C204762 67069.3.1 DIV OFFICE GREENSBORO

COUNTY : CASWELL

GRADING, DRAINAGE, PAVING, AND STRUCTURE.

DBE GOAL 2.00% COMPLETION DATE: DEC 12, 2026

BRIDGE #160001 OVER COUNTRY LINE CREEK ON US-158/NC-86.

		ROADWAY ITEMS	3	EA	TEMPORARY GUARDRAIL END UNITS, TYPE *****	
Lump Sum	LS	MOBILIZATION CONSTRUCTION SUPPLYING	5	EA	(TL-3) TEMPORARY ADDITIONAL GUARDRAIL	
Lump Sum	LS ACR	CONSTRUCTION SURVEYING SUPPLEMENTARY CLEARING & GRUBBING	4 000		POSTS	
23,000	CY	UNCLASSIFIED EXCAVATION	1,080	LF	WOVEN WIRE FENCE, 47" FABRIC	
23,000	CY	UNDERCUT EXCAVATION UNDERCUT EXCAVATION	66	EA	4" TIMBER FENCE POSTS, 7'-6" LONG	
Lump Sum	LS	GRADING	21	EA	5" TIMBER FENCE POSTS, 8'-0" LONG	
160	CY	DRAINAGE DITCH EXCAVATION	100	LF	ADDITIONAL BARBED WIRE	
500	CY	SELECT GRANULAR MATERIAL	950	LF	TEMP **" WOVEN WIRE FENCE, COMPLETE W/POSTS	
2,830	SY	GEOTEXTILE FOR SOIL STABILIZATION	177	TON	(47") RIP RAP, CLASS II	
151	SF	TEMPORARY SHORING	207	TON	RIP RAP, CLASS B	
Lump Sum	LS	GENERIC GRADING ITEM	1,785	SY	GEOTEXTILE FOR DRAINAGE	
		TYPE 1 BRIDGE APPROACH FILL, STA 20+18 - L-	28	SF	CONTRACTOR FURNISHED, TYPE *** SIGN	
70	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	80	LF	(D) SUPPORTS, 3-LB STEEL U-CHANNEL	
220	SY	FOUNDATION CONDITIONING GEOTEXTILE	4	EA	SIGN ERECTION, TYPE D	
256	LF	15" RC PIPE CULVERTS, CLASS III	2	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL	
152	LF	18" RC PIPE CULVERTS, CLASS III	48	SF	WORK ZONE SIGNS (STATIONARY)	
188	LF	15" CS PIPE CULVERTS, 0.064" THICK	40	SF	WORK ZONE SIGNS (PORTABLE)	
48	LF	18" CS PIPE CULVERTS, 0.064" THICK	36	SF	WORK ZONE SIGNS (BARRICADE	
6	EA	**" CS PIPE ELBOWS, *****" THICK	30	51	MOUNTED)	
2	EA	(15", 0.064") **" CS PIPE ELBOWS, ***** THICK	5	DAY	PORTABLE CHANGEABLE MESSAGE SIGN (SHORT TERM)	
		(18", 0.064")	98	EA	DRUMS	
83	LF	PIPE REMOVAL	48	LF	BARRICADES (TYPE III)	
200	CY	SHALLOW UNDERCUT	16	DAY	FLAGGER	
400	TON	CLASS IV SUBGRADE STABILIZATION	81	EA	TEMPORARY RAISED PAVEMENT MARKERS	
600	SY	GEOTEXTILE FOR SUBGRADE STABILIZATION	1,809	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)	
841	TON	AGGREGATE BASE COURSE	1,000	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (4")	
1,000	TON	INCIDENTAL STONE BASE			(II)	
887.5	GAL	PRIME COAT	7,422	· ·		
900	SY TON	INCIDENTAL MILLING	2,190	LF	REMOVAL OF PAVEMENT MARKING LINES (4")	
1,040 820	TON	ASPHALT CONG DITERMEDIATE COURSE	3	EA	PERMANENT RAISED PAVEMENT MARKERS	
		ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0C	14	EA	NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER	
1,220	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C	4,645	LF	TEMPORARY SILT FENCE	
160	TON	ASPHALT BINDER FOR PLANT MIX	105	TON	STONE FOR EROSION CONTROL, CLASS A	
1,000	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR	790	TON	STONE FOR EROSION CONTROL, CLASS B	
45	CY	SUBDRAIN EXCAVATION	655	TON	SEDIMENT CONTROL STONE	
200	SY	GEOTEXTILE FOR SUBSURFACE DRAINS	5.5	ACR	TEMPORARY MULCHING	
34	CY	SUBDRAIN COARSE AGGREGATE	400	LB	SEED FOR TEMPORARY SEEDING	
200	LF	6" PERFORATED SUBDRAIN PIPE	3	TON	FERTILIZER FOR TEMPORARY SEEDING	
1	EA	SUBDRAIN PIPE OUTLET	380	LF	TEMPORARY SLOPE DRAINS	
6	LF	6" OUTLET PIPE	520	LF	SAFETY FENCE	
7	EA	MASONRY DRAINAGE STRUCTURES	1,390	CY	SILT EXCAVATION	
0.2	LF	MASONRY DRAINAGE STRUCTURES	10,200	SY	MATTING FOR EROSION CONTROL	
7	EA	FRAME WITH TWO GRATES, STD 840.20	1,015	SY	COIR FIBER MAT	
115	LF	SHOULDER BERM GUTTER	740	LF	1/4" HARDWARE CLOTH	
1,225	LF	STEEL BEAM GUARDRAIL	100	SY	LOW PERMEABILITY GEOTEXTILE	
10	EA	ADDITIONAL GUARDRAIL POSTS	250	SY	FLOATING TURBIDITY CURTAIN	
2	EA	GUARDRAIL END UNITS, TYPE TL-3	12	EA	SPECIAL STILLING BASINS	
4	EA	GUARDRAIL ANCHOR UNITS, TYPE B-77	210	LB	FLOCCULANT	
1,400	LF	REMOVE EXISTING GUARDRAIL	60	LF	COIR FIBER WATTLE	
987.5	LF	TEMPORARY STEEL BEAM GUARDRAIL	125	LF	COIR FIBER BAFFLE	
4	EA	TEMPORARY GUARDRAIL ANCHOR UNITS, TYPE ************************************	2	EA	**" SKIMMER (1-1/2")	

6	ACR	SEEDING & MULCHING
3	ACR	MOWING
100	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
150	LB	SEED FOR SUPPLEMENTAL SEEDING
4.25	TON	FERTILIZER TOPDRESSING
10	MHR	SPECIALIZED HAND MOWING
2	MHR	MANUAL LITTER REMOVAL
1	TON	LITTER DISPOSAL
15	EA	RESPONSE FOR EROSION CONTROL
2	EA	CONCRETE WASHOUT STRUCTURE
9	EA	GENERIC EROSION CONTROL ITEM
ĺ	2.4.1	FABRIC INSERT INLET PROTECTION CLEANOUT
3	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION, TYPE 2
		STRUCTURE ITEMS
Lump Sum	LS	CONSTRUCTION, MAINTENANCE, &
Lump Sum	Lo	REMOVAL OF TEMP STRUCTURE AT STA
		(17+10.00 -L DET-)
Lump Sum	LS	CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP ACCESS AT STA
		(20+18.00 -L-)
Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION *********
		(20+18.00 -L-)
Lump Sum	LS	ASBESTOS ASSESSMENT
122.8	LF	4'-0" DIA DRILLED PIERS IN SOIL
93.4	LF	4'-0" DIA DRILLED PIERS NOT IN SOIL
48	LF EA	PERMANENT STEEL CASING FOR 4'-0" DIA DRILLED PIER CSL TESTING
	LS	UNCLASSIFIED STRUCTURE EXCAVATION
Lump Sum	LS	AT STATION ************************************
11,729	SF	REINFORCED CONCRETE DECK SLAB
12,146	SF	GROOVING BRIDGE FLOORS
190.5	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION
43,955	LB	(20+18.00 -L-) REINFORCING STEEL (BRIDGE)
8,351	LB	SPIRAL COLUMN REINFORCING STEEL
		(BRIDGE)
1,232.5	LF	54" PRESTRESSED CONCRETE GIRDERS
18	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES (HP 12 X 53)
660	LF	HP 12 X 53 STEEL PILES
9	EA	STEEL PILE POINTS
1	EA	DYNAMIC PILE TESTING
496.46	LF	CONCRETE BARRIER RAIL
1,394	TON	RIP RAP CLASS II (2'-0" THICK)
1,475	SY	GEOTEXTILE FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS

L240528

CONTRACT ID: C204913 37405.3.1 DIV OFFICE WINSTON-SALEM LENGTH = 5.804 MI

COUNTY : FORSYTH

GRADING, DRAINAGE, PAVING, SIGNALS, AND STRUCTURES.

DBE GOAL 6.00% COMPLETION DATE: MAR 30, 2029

US-158 FROM MULTI-LANES NORTH OF US-421/I-40 BUSINESS TO SR-1965 (BELEWS CREEK ROAD).

		ROADWAY ITEMS	88	LF	24" CS PIPE CULVERTS, 0.064" THICK		
Lump Sum	1.0		100	LF	30" CS PIPE CULVERTS, 0.079" THICK		
Lump Sum Lump Sum	LS LS	MOBILIZATION CONSTRUCTION SURVEYING	42	EA	**" CS PIPE ELBOWS, *****" THICK		
Lump Sum	LS	CLEARING & GRUBBING ACRE(S)	26	EA	(15", 0.064") **" CS PIPE ELBOWS, *****" THICK		
3	ACR	SUPPLEMENTARY CLEARING & GRUBBING	26	EA	(18", 0.064")		
14	EA	SEALING ABANDONED WELLS	4	EA	**" CS PIPE ELBOWS, *****" THICK (24", 0.064")		
153,120	CY	UNCLASSIFIED EXCAVATION	6	EA	**" CS PIPE ELBOWS, *****" THICK		
12,900	CY	UNDERCUT EXCAVATION	2	EA	(30", 0.079") **" CS PIPE ELBOWS, *****" THICK		
147,990	CY	BORROW EXCAVATION	2	EA	(36", 0.079")		
18,330	CY	DRAINAGE DITCH EXCAVATION	2	EA	**" CS PIPE ELBOWS, *****" THICK (42", 0.109")		
4,300	LF	BERM DITCH CONSTRUCTION	2	EA	**" CS PIPE ELBOWS, *****" THICK		
19,050	SY	REMOVAL OF EXISTING ASPHALT	96	LF	(48", 0.109") **" WELDED STEEL PIPE, ****" THICK,		
48,230	SY	PAVEMENT REMOVAL OF EXISTING CONCRETE	90	LF	GRADE B IN SOIL (24", 0.500")		
3,035	SY	PAVEMENT BREAKING OF EXISTING ASPHALT	108	LF	**" WELDED STEEL PIPE, ****" THICK, GRADE B IN SOIL		
7,905	SY	PAVEMENT BREAKING OF EXISTING CONCRETE			(30", 0.500")		
7,903	31	PAVEMENT	82	LF	**" WELDED STEEL PIPE, ****" THICK, GRADE B IN SOIL		
1,700	CY	SELECT GRANULAR MATERIAL, CLASS III			(48", 0.625")		
3,700	CY	SELECT GRANULAR MATERIAL	148	LF	**" WELDED STEEL PIPE, ****" THICK, GRADE B IN SOIL		
6,200	SY	GEOTEXTILE FOR SOIL STABILIZATION			(72", 1.000")		
3,377	SF	TEMPORARY SHORING	96	LF	**" WELDED STEEL PIPE, ****" THICK, GRADE B NOT IN SOIL		
Lump Sum	LS	GENERIC GRADING ITEM TYPE 1 BRIDGE APPROACH FILL, STA	100	LE	(24", 0.500")		
Lump Sum	LS	140+39.50 -L- LT GENERIC GRADING ITEM	108	LF	**" WELDED STEEL PIPE, ****" THICK, GRADE B NOT IN SOIL (30", 0.500")		
		TYPE 1 BRIDGE APPROACH FILL, STA 140+39.50 -L- RT	82	LF	**" WELDED STEEL PIPE, ****" THICK, GRADE B NOT IN SOIL		
100	TON	GENERIC GRADING ITEM HAULING AND DISPOSAL OF PETROLEUM	148	LF	(48", 0.625") **" WELDED STEEL PIPE, ****" THICK,		
6,020	TON	CONTAMINATED SOIL FOUNDATION CONDITIONING MATERIAL,			GRADE B NOT IN SOIL		
0,020	1011	MINOR STRUCTURES	7,698	LF	(72", 1.000") PIPE REMOVAL		
18,910	SY	FOUNDATION CONDITIONING GEOTEXTILE	Lump Sum	LS	FINE GRADING		
16	LF	**" SIDE DRAIN PIPE (30")	3,400	CY	SHALLOW UNDERCUT		
2,608	LF	15" SIDE DRAIN PIPE	6,600	TON	CLASS IV SUBGRADE STABILIZATION		
1,076	LF	18" SIDE DRAIN PIPE	10,200	SY	GEOTEXTILE FOR SUBGRADE		
56	LF	24" SIDE DRAIN PIPE	4,610	TON	STABILIZATION INCIDENTAL STONE BASE		
5,976	LF	15" RC PIPE CULVERTS, CLASS III	510	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH		
11,612	LF	18" RC PIPE CULVERTS, CLASS III			(1-1/2")		
2,888	LF	24" RC PIPE CULVERTS, CLASS III	1,660	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (2-1/2")		
1,484	LF	30" RC PIPE CULVERTS, CLASS III	11,360	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH		
792	LF	36" RC PIPE CULVERTS, CLASS III	3,670	SY	(4") INCIDENTAL MILLING		
300	LF	42" RC PIPE CULVERTS, CLASS III	85,820	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C		
132	LF	48" RC PIPE CULVERTS, CLASS III	50,990	TON	ASPHALT CONC INTERMEDIATE COURSE,		
76	LF	60" RC PIPE CULVERTS, CLASS III	< 0.20	TON	TYPE I19.0C		
104 23,696	LF LF	72" RC PIPE CULVERTS, CLASS III 15" RC PIPE CULVERTS, CLASS IV	6,030	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B		
1,272	LF	18" RC PIPE CULVERTS, CLASS IV	39,180	TON	ASPHALT CONC SURFACE COURSE, TYPE \$9.5C		
940	LF	24" RC PIPE CULVERTS, CLASS IV	9,015	TON	ASPHALT BINDER FOR PLANT MIX		
688	LF	30" RC PIPE CULVERTS, CLASS IV	1,290	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR		
472	LF	36" RC PIPE CULVERTS, CLASS IV	231	EA	RIGHT-OF-WAY MARKERS		
76	LF	**" CS PIPE CULVERTS, *****" THICK	1,311	CY	SUBDRAIN EXCAVATION		
		(36", 0.079")	3,900	SY	GEOTEXTILE FOR SUBSURFACE DRAINS		
132	LF	**" CS PIPE CULVERTS, *****" THICK (42", 0.109")	655	CY	SUBDRAIN COARSE AGGREGATE		
32	LF	**" CS PIPE CULVERTS, *****" THICK	3,900	LF	6" PERFORATED SUBDRAIN PIPE		
920	LF	(48", 0.109") 15" CS PIPE CULVERTS, 0.064" THICK	8	EA	SUBDRAIN PIPE OUTLET		
832	LF	18" CS PIPE CULVERTS, 0.064" THICK	48	LF	6" OUTLET PIPE		
			17.9	CY	ENDWALLS		

12.4	CV	DEDIFORCED ENDWALLS	126	E.A.	DICDOCAL OF SIGN SYSTEM II GHANNEI
13.4	CY	REINFORCED ENDWALLS	126	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
170	CY	FLOWABLE FILL MASONEY DRAINAGE STRUCTURES	5	EA	DISPOSAL OF SUPPORT, U-CHANNEL
566	EA CY	MASONRY DRAINAGE STRUCTURES	2 169	EA SF	DISPOSAL OF SIGN, A OR B (OVERHEAD)
28.6 427.4	LF	MASONRY DRAINAGE STRUCTURES	3,168	SF	WORK ZONE SIGNS (STATIONARY)
75	EA	MASONRY DRAINAGE STRUCTURES FRAME WITH GRATE, STD 840.****	625 423	SF	WORK ZONE SIGNS (PORTABLE) WORK ZONE SIGNS (BARRICADE
13	LA	(840.16)	423	31	MOUNTED)
48	EA	FRAME WITH TWO GRATES, STD 840.24	2	EA	FLASHING ARROW BOARD
32	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **	4	EA	PORTABLE CHANGEABLE MESSAGE SIGN
		(E)	1,076	EA	DRUMS
189	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **	50	EA	CONES
		(F)	1,144	LF	BARRICADES (TYPE III)
201	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **	720	DAY	FLAGGER
22	E.4	(G)	4	EA	TEMPORARY CRASH CUSHIONS
23	EA	FRAME WITH COVER, STD 840.54	1	EA	REMOVE & RESET TEMPORARY CRASH CUSHION
1	EA	CONCRETE TRANSITIONAL SECTION FOR CATCH BASIN	1,580	LF	PORTABLE CONCRETE BARRIER
55	EA	CONCRETE TRANSITIONAL SECTION FOR DROP INLET	430	LF	REMOVE AND RESET PORTABLE CONCRETE BARRIER
860	LF	**" X **" CONCRETE CURB	96	HR	LAW ENFORCEMENT
26.700		(8" X 18")	2,081	EA	TEMPORARY RAISED PAVEMENT MARKERS
36,700	LF	1'-6" CONCRETE CURB & GUTTER	40,107	LF	THERMOPLASTIC PAVEMENT MARKING
56,040 550	LF SY	2'-6" CONCRETE CURB & GUTTER 4" CONCRETE SIDEWALK	06 124	LF	LINES (4", 90 MILS) THERMOPLASTIC PAVEMENT MARKING
4	EA	CONCRETE SIDEWALK CONCRETE CURB RAMPS	96,124	LF	LINES (6", 90 MILS)
4,934	SY	6" CONCRETE DRIVEWAY	133	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
140	SY	4" CONCRETE PAVED DITCH	16,218	LF	THERMOPLASTIC PAVEMENT MARKING
11,430	SY	5" MONOLITHIC CONCRETE ISLANDS	1 452	LF	LINES (12", 90 MILS) THERMOPLASTIC PAVEMENT MARKING
		(KEYED IN)	1,452	LF	LINES (24", 90 MILS)
3	EA	ADJUSTMENT OF CATCH BASINS	27	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
27	EA	ADJUSTMENT OF MANHOLES	215	EA	THERMOPLASTIC PAVEMENT MARKING
22	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES	-	EA	SYMBOL (90 MILS)
2	EA	IMPACT ATTENUATOR UNITS, TYPE TL-3	5	EA	HEATED-IN-PLACE THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
10,375	LF	STEEL BEAM GUARDRAIL	1,375	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (6")
1,287.5	LF	STEEL BEAM GUARDRAIL, SHOP CURVED			(II)
2	EA	STEEL BEAM GUARDRAIL TERMINAL SECTIONS	1,308	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (6")
10	EA	ADDITIONAL GUARDRAIL POSTS			(IV)
8	EA	GUARDRAIL END UNITS, TYPE AT-1	320	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (12")
21	EA	GUARDRAIL END UNITS, TYPE CAT-1	120 <02		(IV)
22	EA	GUARDRAIL END UNITS, TYPE TL-3	128,603	LF	PAINT PAVEMENT MARKING LINES (4")
4	EA	GUARDRAIL END UNITS, TYPE TL-2	475,311 104	LF LF	PAINT PAVEMENT MARKING LINES (6") PAINT PAVEMENT MARKING LINES (8")
9	EA	GUARDRAIL ANCHOR UNITS, TYPE B-77	63,237	LF	PAINT PAVEMENT MARKING LINES (6) PAINT PAVEMENT MARKING LINES (12")
130	LF	REMOVE & RESET EXISTING GUARDRAIL	5,006	LF	PAINT PAVEMENT MARKING LINES (24")
1,240	LF	REMOVE EXISTING GUARDRAIL	60	EA	PAINT PAVEMENT MARKING CHARACTER
850	LF	TEMPORARY STEEL BEAM GUARDRAIL	423	EA	PAINT PAVEMENT MARKING SYMBOL
8	EA	TEMPORARY GUARDRAIL END UNITS, TYPE *****	9,274	LF	REMOVAL OF PAVEMENT MARKING LINES
		(TL-3)			(4")
5	EA	TEMPORARY ADDITIONAL GUARDRAIL POSTS	57,373	LF	REMOVAL OF PAVEMENT MARKING LINES (6")
58	EA	METAL LINE POSTS FOR **" CHAIN LINK	2,103	LF	REMOVAL OF PAVEMENT MARKING LINES (12")
		FENCE (96")	407	LF	REMOVAL OF PAVEMENT MARKING LINES
10	EA	METAL TERMINAL POSTS FOR **" CHAIN LINK FENCE	50	г.	(24")
		(96")	58	EA	REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS
677	LF	GENERIC FENCING ITEM VINYL COATED CHAIN LINK FENCE, 96"	203	EA	PERMANENT RAISED PAVEMENT MARKERS
		FABRIC WITH BROWN PRIVACY SLATS	1,616	EA	NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
1,160	TON	RIP RAP, CLASS I	2	EA	120' HIGH MOUNT STANDARD
380	TON	RIP RAP, CLASS II	1	EA	PORTABLE DRIVE UNIT
4,880	TON	RIP RAP, CLASS B	19	CY	HIGH MOUNT FOUNDATIONS
23,655	SY	GEOTEXTILE FOR DRAINAGE	16	EA	HIGH MOUNT LUMINAIRES *******
1	EA	PREFORMED SCOUR HOLES WITH LEVEL SPREADER APRON	21	EA	(560W LED) LIGHT STANDARDS, TYPE MTLT
3,221	LF	SUPPORTS, 3-LB STEEL U-CHANNEL	21	ъл	********
2	EA	SIGN ERECTION, TYPE D	19	EA	(45' SA, 15' ARM) STANDARD FOUNDATION *******
158	EA	SIGN ERECTION, TYPE E			(TYPE R1)
41	EA	SIGN ERECTION, TYPE F	2	EA	STANDARD FOUNDATION ******* (TYPE R2)
1	EA	SIGN ERECTION, TYPE *** (OVERHEAD) (A)	21	EA	LIGHT STANDARD LUMINAIRES, TYPE
5	EA	SIGN ERECTION, RELOCATE TYPE ****			**************************************
		(GROUND MOUNTED) (E)	1	EA	ELECTRIC SERVICE POLE ************************************
					(SV CLASS T)

				.	DELICATE WATER DEFEND
25	LF	ELECTRIC SERVICE LATERAL ************************************	37	EA	REMOVE WATER METER
1	EA	LIGHT CONTROL EQUIPMENT, TYPE RW	30	EA	REMOVE FIRE HYDRANT
		**************************************	1	EA	ABANDON UTILITY MANHOLE
490	LF	ELECTRICAL DUCT, TYPE **, SIZE ****	130	LF	24" ENCASEMENT PIPE
120	LF	(TL, 3") ELECTRICAL DUCT, TYPE **, SIZE *****	96	LF	36" ENCASEMENT PIPE
120	LI	(TL, 4")	130	LF	BORE AND JACK OF **" (24")
150	LF	ELECTRICAL DUCT, TYPE BD, SIZE ***** (2")	96	LF	BORE AND JACK OF **"
130	LF	** #8 W/G FEEDER CIRCUIT	346	LF	(36") DIRECTIONAL DRILLING OF **"
		(2)	540	LI	(16")
130	LF	** #6 W/G FEEDER CIRCUIT (2)	5	EA	GENERIC UTILITY ITEM CONCRETE CRADLE
3,305	LF	** #8 W/G FEEDER CIRCUIT IN *****"	4	EA	GENERIC UTILITY ITEM
		CONDUIT (2, 1-1/2")			RELOCATE DCV BACKFLOW PREVENTOR
1,160	LF	** #6 W/G FEEDER CIRCUIT IN *****"	8	EA	GENERIC UTILITY ITEM WATER METER
		CONDUIT (2, 1-1/2")	2,352	LF	GENERIC UTILITY ITEM
4,690	LF	** #4 W/G FEEDER CIRCUIT IN *****"	24	LF	3" PVC SLEEVE GENERIC UTILITY ITEM
		CONDUIT (2, 1-1/2")			REMOVE 6" UTILITY PIPE
1	EA	ELECTRICAL JUNCTION BOXES	34	LF	GENERIC UTILITY ITEM REMOVE 8" UTILITY PIPE
		(CS36)	118,190	LF	TEMPORARY SILT FENCE
2	EA	ELECTRICAL JUNCTION BOXES	5,640	TON	STONE FOR EROSION CONTROL, CLASS A
		(HM18)	14,035	TON	STONE FOR EROSION CONTROL, CLASS B
3	EA	ELECTRICAL JUNCTION BOXES	12,110	TON	SEDIMENT CONTROL STONE
		(IG18)	150.5	ACR	TEMPORARY MULCHING
20	EA	ELECTRICAL JUNCTION BOXES ************************************	5,900	LB	SEED FOR TEMPORARY SEEDING
		(LS18)	30.5	TON	FERTILIZER FOR TEMPORARY SEEDING
1	EA	ELECTRICAL JUNCTION BOXES	5,115	LF	TEMPORARY SLOPE DRAINS
		(LS36)	6,900	LF	SAFETY FENCE
1,477	LF	6" WATER LINE	58,160	CY	SILT EXCAVATION
4,160	LF	8" WATER LINE	231,689	SY	MATTING FOR EROSION CONTROL
5,696	LF	12" WATER LINE	1,275	SY	COIR FIBER MAT
945	LF	16" WATER LINE	2,975	SY	PERMANENT SOIL REINFORCEMENT MAT
1,874	LF	24" WATER LINE	29,065	LF	1/4" HARDWARE CLOTH
52,840	LB	DUCTILE IRON WATER PIPE FITTINGS	1,600	SY	LOW PERMEABILITY GEOTEXTILE
30	EA	6" VALVE	290	LF	**" TEMPORARY PIPE
9	EA	8" VALVE			(36")
14	EA	12" VALVE	148	CY	STILLING BASINS
4	EA	16" VALVE	12	EA	SPECIAL STILLING BASINS
1	EA	24" VALVE	16,705	LB	FLOCCULANT
12	EA	**" INSERTION VALVE	17,250	LF	COIR FIBER WATTLE
1	EA	(12") **" INSERTION VALVE	9,520	LF	COIR FIBER BAFFLE
•	Lil	(24")	37	EA	**" SKIMMER (1-1/2")
2	EA	**" INSERTION VALVE (6")	4	EA	**" SKIMMER
6	EA	**" INSERTION VALVE	1	EA	(2") **" SKIMMER
0	E.	(8")	•		(2-1/2")
8	EA	6" TAPPING SLEEVE & VALVE	99	ACR	SEEDING & MULCHING
1	EA	8" TAPPING SLEEVE & VALVE	111	ACR	MOWING
1	EA	2" AIR RELEASE VALVE	1,550	LB	SEED FOR REPAIR SEEDING
1	EA	**" WATER METER (1")	4.75	TON	FERTILIZER FOR REPAIR SEEDING
45	EA	**" WATER METER	2,325	LB	SEED FOR SUPPLEMENTAL SEEDING
73	EA	(5/8") RELOCATE WATER METER	69.5	TON	FERTILIZER TOPDRESSING
10	EA	RECONNECT WATER METER	193	LF	IMPERVIOUS DIKE
1	EA	RELOCATE 6" DCV BACKFLOW	60	MHR	SPECIALIZED HAND MOWING
		PREVENTION ASSEMBLY	62	MHR	MANUAL LITTER REMOVAL
31	EA	FIRE HYDRANT	54	TON	LITTER DISPOSAL
1,359	LF	FIRE HYDRANT LEG	24	SMI	MECHANICAL LITTER REMOVAL
8,750.5	LF	WATER SERVICE LINE	150	EA	RESPONSE FOR EROSION CONTROL
1,852	LF	4" SANITARY GRAVITY SEWER	35	EA	CONCRETE WASHOUT STRUCTURE
647	LF	8" SANITARY GRAVITY SEWER	164	CY	CULVERT DIVERSION CHANNEL
25	EA	SANITARY SEWER CLEAN-OUT	3,639	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION
3	EA	4' DIA UTILITY MANHOLE			CLEANOUT
24	LF	UTILITY MANHOLE WALL 4' DIA	1,213	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION, TYPE 1
1,345	LF	ABANDON 6" UTILITY PIPE	138	EA	BETULA NIGRA, RIVER BIRCH,
5,145	LF	ABANDON 8" UTILITY PIPE	10	E.v	(3 GAL)
5,138	LF	ABANDON 12" UTILITY PIPE	10	EA	CRYPTOMERIA JAPONICA, JAPANESE CRYPTOMERIA,
492	LF	ABANDON 16" UTILITY PIPE			(3 GAL)
1,861	LF	ABANDON 24" UTILITY PIPE			

23	EA	JUNIPERUS VIRGINIANA, EASTERN RED CEDAR,	2	EA	GENERIC SIGNAL ITEM CCTV FIELD EQUIPMENT CABINET
138	EA	(3 GAL) PLATANUS OCCIDENTALIS, SYCAMORE,	3	EA	GENERIC SIGNAL ITEM CCTV METAL POLE
138	EA	(3 GAL) QUERCUS PHELLOS, WILLOW OAK,	5	EA	GENERIC SIGNAL ITEM DEPARTMENT SUPPLIED 2070 CONTROLLER
		(3 GAL)	3	EA	GENERIC SIGNAL ITEM
9	EA	GENERIC PLANTING ITEM CEDRUS DEODARA, DEODAR CEDAR (3	2	EA	DIGITAL CCTV CAMERA ASSEMBLY GENERIC SIGNAL ITEM
12	EA	GAL) GENERIC PLANTING ITEM	2	EA	DMS ACCESS LADDER GENERIC SIGNAL ITEM
		CUPRESSUS ARIZONICA VAR GLABRA, CAROLINA SAPPHIRE (3 GAL)	2	EA	DMS PEDESTAL STRUCTURE GENERIC SIGNAL ITEM
138	EA	GENERIC PLANTING ITEM QUERCUS PAGODA, CHERRYBARK OAK (3	18	EA	DYNAMIC MESSAGE SIGN (TYPE 1A) GENERIC SIGNAL ITEM
15	EA	GAL) GENERIC PLANTING ITEM			ETHERNET EDGE SWITCH
		THUJA STANDISHII X PLICATA, GREEN GIANT (5 GAL)	40	EA	GENERIC SIGNAL ITEM LUMINAIRE ARM FOR TEMPORARY VIDEO SYSTEM
23,975	LF	SIGNAL CABLE	4	EA	GENERIC SIGNAL ITEM
94 31	EA EA	VEHICLE SIGNAL HEAD (12", 3 SECTION) VEHICLE SIGNAL HEAD (12", 4 SECTION)	4	EA	METER BASE/DISCONNECT COMBO PANEL GENERIC SIGNAL ITEM
11	EA	VEHICLE SIGNAL HEAD (12", 5 SECTION)	180	LF	MODIFY EXISTING VEHICLE SIGNAL HEAD GENERIC SIGNAL ITEM
14	EA	LOUVER	104.5	LF	#4 SOLID BARE GROUNDING CONDUCTOR GENERIC SIGNAL ITEM
30,840	LF	MESSENGER CABLE (1/4")			3-WIRE COPPER FEEDER CONDUCTORS
4,225	LF	MESSENGER CABLE (3/8")	120	LF	GENERIC SIGNAL ITEM 3-WIRE COPPER SERVICE ENTRANCE
3,174 200	LF LF	TRACER WIRE PAVED TRENCHING (************)	71.5	LF	CONDUCTORS GENERIC SIGNAL ITEM
		(I, 2") UNPAVED TRENCHING (********)			4-WIRE COPPER FEEDER CONDUCTORS
9,746	LF	(1, 2")	Lump Sum	LS	CULVERT ITEMS BOX CULVERT EXCAVATION, STA ********
1,271	LF	DIRECTIONAL DRILL (********) (1, 2")	•		(107+57.00 -L-)
1,550	LF	DIRECTIONAL DRILL (********) (2, 2")	Lump Sum	LS	BOX CULVERT EXCAVATION, STA ******** (229+09.00 -L2-)
105	EA	JUNCTION BOX (STANDARD SIZE)	354	TON	FOUNDATION CONDITIONING MATERIAL, BOX CULVERT
39	EA	JUNCTION BOX (OVER-SIZED, HEAVY DUTY)	188	CY	CLASS A CONCRETE (CULVERT)
16 27	EA EA	WOOD POLE GUY ASSEMBLY	19,507	LB	REINFORCING STEEL (CULVERT)
4	EA	***" RISER WITH ********	207		WALL ITEMS
3	EA	(1-1/2", WEATHERHEAD) 1" RISER WITH WEATHERHEAD	305	LF	CONCRETE BARRIER RAIL WITH MOMENT SLAB
1	EA	2" RISER WITH WEATHERHEAD	3,000	SF	MSE RETAINING WALL NO **** (1)
16	EA	2" RISER WITH HEAT SHRINK TUBING			STRUCTURE ITEMS
7,075	LF	INDUCTIVE LOOP SAWCUT	Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION **********
21,625	LF EA	LEAD-IN CABLE (14-2) SITE SURVEY	Laura Carr	1.0	(140+39.50 -L- LT)
48	EA	CAMERA WITHOUT INTERNAL LOOP	Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ************************************
13	EA	EMULATOR PROCESSING UNIT EXTERNAL LOOP EMULATOR PROCESSING	44	LF	(140+39.50 -L- RT) PILE EXCAVATION IN SOIL
		UNIT	46	LF	PILE EXCAVATION NOT IN SOIL
1,128	LF	COMMUNICATIONS CABLE (** FIBER) (24)	27	LF	3'-6" DIA DRILLED PIERS IN SOIL
36,295	LF	COMMUNICATIONS CABLE (** FIBER) (72)	51	LF EA	3'-6" DIA DRILLED PIERS NOT IN SOIL SID INSPECTIONS
8,036	LF	DROP CABLE	2	EA	SPT TESTING
12 4	EA EA	SPLICE ENCLOSURE	2	EA	CSL TESTING
17	EA	MODIFY SPLICE ENCLOSURE INTERCONNECT CENTER	Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION *******
25	EA	DELINEATOR MARKER			(140+39.50 -L- LT)
4	EA	METAL STRAIN SIGNAL POLE	Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ********
10	EA	METAL POLE WITH SINGLE MAST ARM	13,146	SF	(140+39.50 -L- RT) REINFORCED CONCRETE DECK SLAB
19	EA CY	SOIL TEST DRILLED PIER FOUNDATION	14,146	SF	GROOVING BRIDGE FLOORS
166 10	EA	MAST ARM WITH METAL POLE DESIGN	356.9	CY	CLASS A CONCRETE (BRIDGE)
43	EA	SIGN FOR SIGNALS	Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ************************************
15	EA	TYPE II PEDESTAL WITH FOUNDATION	Lump Sum	LS	(140+39.50 -L- LT) BRIDGE APPROACH SLABS, STATION
11	EA	SIGNAL CABINET FOUNDATION	Eurip Suili	-10	**************************************
6	EA	CONTROLLERS WITH CABINET (************************************	58,954	LB	REINFORCING STEEL (BRIDGE)
55	EA	(TYPE 2070LX, BASE MTD) DETECTOR CARD (TYPE 170)	4,404	LB	SPIRAL COLUMN REINFORCING STEEL (BRIDGE)
11	EA	CABINET BASE EXTENDER	1,648.34	LF	54" PRESTRESSED CONCRETE GIRDERS
2	EA	GENERIC SIGNAL ITEM 2070LX CONTROLLER	29	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES
18	EA	GENERIC SIGNAL ITEM	585	LF	(HP 12 X 53) HP 12 X 53 STEEL PILES
5	EA	5/8" X 10' GROUNDING ELECTRODE GENERIC SIGNAL ITEM	585 21	EA	STEEL PILE POINTS
		CABINET WITHOUT CONTROLLER (TYPE 170E)	7	EA	PILE REDRIVES

2	EA	DYNAMIC PILE TESTING
753.56	LF	CONCRETE BARRIER RAIL
3,555	TON	RIP RAP CLASS II (2'-0" THICK)
3,960	SY	GEOTEXTILE FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS
Lump Sum	LS	EXPANSION JOINT SEALS

L240528

DIV OFFICE NORTH WILKESBORO LENGTH = 0.658 MI CONTRACT ID: C204844 46971.3.1

COUNTY : CALDWELL

GRADING, DRAINAGE, PAVING, SIGNALS, AND RETAINING WALL.

DBE GOAL 5.00% COMPLETION DATE: MAR 30, 2027

SR-1109 (PINEWOOD ROAD) FROM US-321 TO SR-1252 (BERT HUFFMAN ROAD).

		DO ADWAY ITEMS	310	LF	CONCRETE EXPRESSWAY GUTTER		
		ROADWAY ITEMS	2,940	SY	4" CONCRETE SIDEWALK		
Lump Sum	LS	MOBILIZATION	26	EA	CONCRETE CURB RAMPS		
Lump Sum	LS	CONSTRUCTION SURVEYING	1,000	SY	6" CONCRETE DRIVEWAY		
Lump Sum	LS ACR	GRADING SUPPLEMENTARY CLEARING & GRUBBING	270	SY	5" MONOLITHIC CONCRETE ISLANDS		
600	CY	UNDERCUT EXCAVATION	120	OX.	(SURFACE MOUNTED)		
138	CY	DRAINAGE DITCH EXCAVATION	420	SY	GENERIC PAVING ITEM 7" CONCRETE TRUCK APRON		
600	CY	SELECT GRANULAR MATERIAL	3	EA	ADJUSTMENT OF CATCH BASINS		
600	SY	GEOTEXTILE FOR SOIL STABILIZATION	1	EA	ADJUSTMENT OF MANHOLES		
1,420	TON	FOUNDATION CONDITIONING MATERIAL,	300	LF	STEEL BEAM GUARDRAIL		
1,420	1011	MINOR STRUCTURES	5	EA	ADDITIONAL GUARDRAIL POSTS		
4,410	SY	FOUNDATION CONDITIONING GEOTEXTILE	2	EA	GUARDRAIL END UNITS, TYPE TL-2		
3,432	LF	15" RC PIPE CULVERTS, CLASS IV	485	LF	GENERIC FENCING ITEM BLACK VINYL COATED CHAIN LINK FENCE,		
1,268	LF	18" RC PIPE CULVERTS, CLASS IV			48" FABRIC		
268	LF	24" RC PIPE CULVERTS, CLASS IV	45	EA	GENERIC FENCING ITEM BLACK VINYL COATED METAL LINE POST		
32	LF	**" RC PIPE CULVERTS, CLASS V (18")			FOR 48" CHAIN LINK FENCE		
60	LF	24" CS PIPE CULVERTS, 0.064" THICK	7	EA	GENERIC FENCING ITEM BLACK VINYL COATED METAL TERMINAL		
1,481	LF	PIPE REMOVAL			POST FOR 48" CHAIN LINK FENCE		
700	CY	SHALLOW UNDERCUT	25	TON	RIP RAP, CLASS I		
1,400	TON	CLASS IV SUBGRADE STABILIZATION	73	TON	RIP RAP, CLASS B		
2,100	SY	GEOTEXTILE FOR SUBGRADE	1,145	SY	GEOTEXTILE FOR DRAINAGE		
1,000	TON	STABILIZATION AGGREGATE BASE COURSE	1	EA	PREFORMED SCOUR HOLES WITH LEVEL SPREADER APRON		
500	TON	INCIDENTAL STONE BASE	770	LF	SUPPORTS, 3-LB STEEL U-CHANNEL		
1,000	SY	INCIDENTAL MILLING	5	EA	SIGN ERECTION, TYPE D		
2,100	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	51	EA	SIGN ERECTION, TYPE E		
2,100	TON	ASPHALT CONC INTERMEDIATE COURSE,	1	EA	SIGN ERECTION, TYPE F		
2,100		TYPE II9.0C	8	EA	SIGN ERECTION, RELOCATE TYPE ****		
3,900	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C			(GROUND MOUNTED) (E)		
430	TON	ASPHALT BINDER FOR PLANT MIX	27	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL		
900	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR	1	EA	DISPOSAL OF SIGN SYSTEM, WOOD		
56	CY	SUBDRAIN EXCAVATION	5	EA	DISPOSAL OF SUPPORT, U-CHANNEL		
250	SY	GEOTEXTILE FOR SUBSURFACE DRAINS	1	EA	DISPOSAL OF SIGN, D, E OR F		
42	CY	SUBDRAIN COARSE AGGREGATE	669	SF	WORK ZONE SIGNS (STATIONARY)		
250	LF	6" PERFORATED SUBDRAIN PIPE	96	SF	WORK ZONE SIGNS (PORTABLE)		
1	EA	SUBDRAIN PIPE OUTLET	156	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)		
6	LF	6" OUTLET PIPE	620	EA	DRUMS		
7	CY	FLOWABLE FILL	30	EA	CONES		
73	EA	MASONRY DRAINAGE STRUCTURES	112	LF	BARRICADES (TYPE III)		
38.1	LF	MASONRY DRAINAGE STRUCTURES	100	LF	PEDESTRIAN CHANNELIZING DEVICES		
9	EA	FRAME WITH TWO GRATES, STD 840.16	180	DAY	FLAGGER		
2	EA	FRAME WITH TWO GRATES, STD 840.24	535	LF	WATER FILLED BARRIER		
2	EA	FRAME WITH TWO GRATES, STD 840.29	36	HR	LAW ENFORCEMENT		
9	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **	45	EA	SKINNY DRUM		
		(E)	11,132	LF	THERMOPLASTIC PAVEMENT MARKING		
28	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F)	1,064	LF	LINES (4", 90 MILS) THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)		
22	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **	166	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)		
1	EA	(G) FRAME WITH COVER, STD 840.54	52	EA	THERMOPLASTIC PAVEMENT MARKING		
1	EA EA	CONCRETE TRANSITIONAL SECTION FOR	12,235	LF	SYMBOL (90 MILS) PAINT PAVEMENT MARKING LINES (4")		
		DROP INLET	828	LF	PAINT PAVEMENT MARKING LINES (8")		
370	LF	**" X **" CONCRETE CURB (9" X 12")	213	LF	PAINT PAVEMENT MARKING LINES (24")		
185	LF	**" X **" CONCRETE CURB	30	EA	PAINT PAVEMENT MARKING SYMBOL		
8,220	LF	(9" X 18") 2'-6" CONCRETE CURB & GUTTER	180	EA	NON-CAST IRON SNOWPLOWABLE		
0,220	Li.	2 0 CONCRETE CORD & COTTER			PAVEMENT MARKER		

177	LF	6" WATER LINE
1,101	LF	8" WATER LINE
910	LF	10" WATER LINE
2,674	LF	12" WATER LINE
13,000	LB	DUCTILE IRON WATER PIPE FITTINGS
3	EA	6" VALVE
5	EA	8" VALVE
10 12	EA EA	10" VALVE 12" VALVE
12	EA EA	RELOCATE WATER METER
3	EA	RECONNECT WATER METER
4	EA	RELOCATE FIRE HYDRANT
40	LF	FIRE HYDRANT LEG
1,050	LF	WATER SERVICE LINE
3,282	LF	8" SANITARY GRAVITY SEWER
15	EA	SANITARY SEWER CLEAN-OUT
453	LF	SEWER SERVICE LINE
21	EA	4' DIA UTILITY MANHOLE
1	EA	5' DIA UTILITY MANHOLE
122.6	LF	UTILITY MANHOLE WALL 4' DIA
14.9	LF	UTILITY MANHOLE WALL 5' DIA
3,167	LF	ABANDON 8" UTILITY PIPE
1,623	LF	ABANDON 12" UTILITY PIPE
9	EA	ABANDON UTILITY MANHOLE
50	LF	12" ENCASEMENT PIPE
230	LF	16" ENCASEMENT PIPE
50	LF	20" ENCASEMENT PIPE 24" ENCASEMENT PIPE
50 100	LF LF	GENERIC UTILITY ITEM
100	LF	POLYETHYLENE ENCASEMENT
9,440	LF	TEMPORARY SILT FENCE
640	TON	STONE FOR EROSION CONTROL, CLASS A
1,335	TON	STONE FOR EROSION CONTROL, CLASS B
1,495	TON	SEDIMENT CONTROL STONE
8	ACR	TEMPORARY MULCHING
500 2.5	LB TON	SEED FOR TEMPORARY SEEDING FERTILIZER FOR TEMPORARY SEEDING
200	LF	TEMPORARY SLOPE DRAINS
360	LF	SAFETY FENCE
2,550	CY	SILT EXCAVATION
10,000	SY	MATTING FOR EROSION CONTROL
100	SY	COIR FIBER MAT
4,260	LF	1/4" HARDWARE CLOTH
290	LB	FLOCCULANT
20	LF	COIR FIBER WATTLE
45	LF	COIR FIBER BAFFLE
8	ACR	SEEDING & MULCHING
4	ACR	MOWING
100	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
175	LB	SEED FOR SUPPLEMENTAL SEEDING
5.25	TON	FERTILIZER TOPDRESSING SPECIALIZED HAND MOWING
10 100	MHR EA	RESPONSE FOR EROSION CONTROL
6	EA	CONCRETE WASHOUT STRUCTURE
102	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION
34	EA	CLEANOUT GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION, TYPE 1
12	EA	PEDESTRIAN SIGNAL HEAD (16", 1 SECTION W/COUNTDOWN)
4,400	LF	SIGNAL CABLE
15	EA	VEHICLE SIGNAL HEAD (12", 3 SECTION)
7	EA	VEHICLE SIGNAL HEAD (12", 4 SECTION)
400	LF LF	MESSENGER CABLE (3/8") UNPAVED TRENCHING (********)
480	LF	UNPAVED TRENCHING (********) (1, 2")

330	LF	DIRECTIONAL DRILL (********) (1, 2")
8	EA	JUNCTION BOX (STANDARD SIZE)
4	EA	WOOD POLE
8	EA	GUY ASSEMBLY
4	EA	1/2" RISER WITH WEATHERHEAD
1	EA	1" RISER WITH WEATHERHEAD
1	EA	2" RISER WITH WEATHERHEAD
1,450	LF	INDUCTIVE LOOP SAWCUT
3,500	LF	LEAD-IN CABLE (14-2)
2	EA	SITE SURVEY
5	EA	CAMERA WITHOUT INTERNAL LOOP EMULATOR PROCESSING UNIT
2	EA	EXTERNAL LOOP EMULATOR PROCESSING UNIT
4	EA	METAL POLE WITH SINGLE MAST ARM
4	EA	SOIL TEST
24	CY	DRILLED PIER FOUNDATION
4	EA	MAST ARM WITH METAL POLE DESIGN
9	EA	TYPE II PEDESTAL WITH FOUNDATION
2	EA	CONTROLLERS WITH CABINET (************************************
22	EA	DETECTOR CARD (TYPE 170)
2	EA	CABINET BASE EXTENDER
2	EA	GENERIC SIGNAL ITEM LUMINAIRE ARM FOR TEMPORARY VIDEO SYSTEM
		WALL ITEMS
3,320	SF	GENERIC RETAINING WALL ITEM SMSE RETAINING WALL NO 1
825	SF	GENERIC RETAINING WALL ITEM TEMPORARY SOIL NAIL SHORING

L240528

CONTRACT ID: C204411 14SP.20441.1 DIV OFFICE SYLVA LENGTH = 0.175 MI

COUNTY : HAYWOOD

GRADING, DRAINAGE, PAVING, AND STRUCTURES.

DBE GOAL 2.00% COMPLETION DATE: NOV 11, 2027

BRIDGE #430175 AND BRIDGE #430174 OVER BIG CREEK ON SR-1332 (WATERVILLE ROAD).

Lump Sum	LS	ROADWAY ITEMS MOBILIZATION	10	EA	GENERIC GUARDRAIL ITEM POWDER COATED GALVANIZED ADDITIONAL GUARDRAIL POSTS
Lump Sum	LS	CONSTRUCTION SURVEYING	4	EA	GENERIC GUARDRAIL ITEM
Lump Sum	LS	GRADING			POWDER COATED GALVANIZED GUARDRAIL ANCHOR UNITS, TYPE III
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING	2	EA	GENERIC GUARDRAIL ITEM
50	CY	UNDERCUT EXCAVATION			POWDER COATED GALVANIZED GUARDRAIL ANCHOR UNITS, TYPE III SHOP
50	CY	SELECT GRANULAR MATERIAL	6	EA	CURVED GENERIC GUARDRAIL ITEM
50	SY	GEOTEXTILE FOR SOIL STABILIZATION	0	EA	POWDER COATED GALVANIZED
877	SF	TEMPORARY SHORING	17	TON	GUARDRAIL END UNITS, TYPE TL-2 RIP RAP, CLASS B
293.2	SY	GENERIC GRADING ITEM	755	SY	GEOTEXTILE FOR DRAINAGE
Lump Sum	LS	PRE-SPLITTING OF ROCK GENERIC GRADING ITEM	384	SF	WORK ZONE SIGNS (STATIONARY)
Lump Sum	Lo	TYPE I BRIDGE APPROACH FILL, STA 12+30.00 -L-	52	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
Lump Sum	LS	GENERIC GRADING ITEM	4	EA	PORTABLE CHANGEABLE MESSAGE SIGN
		TYPE 1 BRIDGE APPROACH FILL, STA 13+33.99 -L-	2	EA	TEMPORARY PORTABLE TRAFFIC SIGNAL
35	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	00	E.A	SYSTEM
110	SY	FOUNDATION CONDITIONING GEOTEXTILE	90	EA	DRUMS
76	LF	15" DRAINAGE PIPE	50	EA LF	CONES PARRICADES (TYPE HI)
76	LF	15" RC PIPE CULVERTS, CLASS III	195 17	DAY	BARRICADES (TYPE III) FLAGGER
108	LF	15" CS PIPE CULVERTS, 0.064" THICK	20	EA	GENERIC TRAFFIC CONTROL ITEM
44	LF	18" CS PIPE CULVERTS, 0.064" THICK	20	EA	PEDESTRAIN TRANSPORT SERVICE
6	EA	**" CS PIPE ELBOWS, *****" THICK (15", 0.064")	4,423	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
2	EA	**" CS PIPE ELBOWS, *****" THICK	4,147	LF	PAINT PAVEMENT MARKING LINES (4")
48	LF	(18", 0.064") PIPE REMOVAL	44	LF	PAINT PAVEMENT MARKING LINES (24")
50	TON	CLASS IV SUBGRADE STABILIZATION	1,712	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
50	TON	INCIDENTAL STONE BASE	44	LF	REMOVAL OF PAVEMENT MARKING LINES
1,340	SY	INCIDENTAL MILLING	Lump Sum	LS	(24") GENERIC UTILITY ITEM
440	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	Zump bum	25	TEMPORARY AND PERMANENT WATER LINE
400	TON	ASPHALT CONC SURFACE COURSE, TYPE	1,310	LF	CONSTRUCTION TEMPORARY SILT FENCE
50	TON	S9.5C ASPHALT BINDER FOR PLANT MIX	180	TON	STONE FOR EROSION CONTROL, CLASS A
8	EA	MASONRY DRAINAGE STRUCTURES	215	TON	STONE FOR EROSION CONTROL, CLASS B
4	EA	FRAME WITH TWO GRATES, STD 840.29	335	TON	SEDIMENT CONTROL STONE
1	EA	FRAME WITH GRATE & HOOD, STD 840.03,	1	ACR	TEMPORARY MULCHING
•	Lit	TYPE **	200		
			200	LB	SEED FOR TEMPORARY SEEDING
3	EA	(E) FRAME WITH GRATE & HOOD, STD 840.03.	200	TON	SEED FOR TEMPORARY SEEDING FERTILIZER FOR TEMPORARY SEEDING
3	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **			
3 380	EA LF	FRAME WITH GRATE & HOOD, STD 840.03,	1	TON	FERTILIZER FOR TEMPORARY SEEDING
		FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F)	1 200	TON LF	FERTILIZER FOR TEMPORARY SEEDING TEMPORARY SLOPE DRAINS
380	LF	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F) 2'-6" CONCRETE CURB & GUTTER	1 200 200	TON LF LF	FERTILIZER FOR TEMPORARY SEEDING TEMPORARY SLOPE DRAINS SAFETY FENCE
380 1	LF EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F) 2'-6" CONCRETE CURB & GUTTER MODIFIED CONCRETE FLUME	1 200 200 260	TON LF LF CY	FERTILIZER FOR TEMPORARY SEEDING TEMPORARY SLOPE DRAINS SAFETY FENCE SILT EXCAVATION
380 1 140	LF EA SY	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F) 2'-6" CONCRETE CURB & GUTTER MODIFIED CONCRETE FLUME 4" CONCRETE SIDEWALK	1 200 200 260 4,870	TON LF LF CY SY	FERTILIZER FOR TEMPORARY SEEDING TEMPORARY SLOPE DRAINS SAFETY FENCE SILT EXCAVATION MATTING FOR EROSION CONTROL
380 1 140 3	LF EA SY EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F) 2'-6" CONCRETE CURB & GUTTER MODIFIED CONCRETE FLUME 4" CONCRETE SIDEWALK CONCRETE CURB RAMPS 4" CONCRETE PAVED DITCH PRECAST REINFORCED CONCRETE	1 200 200 260 4,870 3,360 810	TON LF LF CY SY SY LF EA	FERTILIZER FOR TEMPORARY SEEDING TEMPORARY SLOPE DRAINS SAFETY FENCE SILT EXCAVATION MATTING FOR EROSION CONTROL COIR FIBER MAT
380 1 140 3 52 110	LF EA SY EA SY LF	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F) 2'-6" CONCRETE CURB & GUTTER MODIFIED CONCRETE FLUME 4" CONCRETE SIDEWALK CONCRETE CURB RAMPS 4" CONCRETE PAVED DITCH PRECAST REINFORCED CONCRETE BARRIER, SINGLE FACED	1 200 200 260 4,870 3,360 810 4	TON LF LF CY SY SY LF EA LB	FERTILIZER FOR TEMPORARY SEEDING TEMPORARY SLOPE DRAINS SAFETY FENCE SILT EXCAVATION MATTING FOR EROSION CONTROL COIR FIBER MAT 1/4" HARDWARE CLOTH SPECIAL STILLING BASINS FLOCCULANT
380 1 140 3 52 110	LF EA SY EA SY LF	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F) 2'-6" CONCRETE CURB & GUTTER MODIFIED CONCRETE FLUME 4" CONCRETE SIDEWALK CONCRETE CURB RAMPS 4" CONCRETE PAVED DITCH PRECAST REINFORCED CONCRETE BARNIER, SINGLE FACED REMOVE & RESET EXISTING GUARDRAIL	1 200 200 260 4,870 3,360 810 4 25	TON LF LF CY SY SY LF EA LB ACR	FERTILIZER FOR TEMPORARY SEEDING TEMPORARY SLOPE DRAINS SAFETY FENCE SILT EXCAVATION MATTING FOR EROSION CONTROL COIR FIBER MAT 1/4" HARDWARE CLOTH SPECIAL STILLING BASINS FLOCCULANT SEEDING & MULCHING
380 1 140 3 52 110 225 95	LF EA SY EA SY LF	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F) 2'-6" CONCRETE CURB & GUTTER MODIFIED CONCRETE FLUME 4" CONCRETE SIDEWALK CONCRETE CURB RAMPS 4" CONCRETE PAVED DITCH PRECAST REINFORCED CONCRETE BARRIER, SINGLE FACED	1 200 200 260 4,870 3,360 810 4 25	TON LF LF CY SY LF EA LB ACR	FERTILIZER FOR TEMPORARY SEEDING TEMPORARY SLOPE DRAINS SAFETY FENCE SILT EXCAVATION MATTING FOR EROSION CONTROL COIR FIBER MAT 1/4" HARDWARE CLOTH SPECIAL STILLING BASINS FLOCCULANT SEEDING & MULCHING MOWING
380 1 140 3 52 110	LF EA SY EA SY LF LF	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F) 2'-6" CONCRETE CURB & GUTTER MODIFIED CONCRETE FLUME 4" CONCRETE SIDEWALK CONCRETE CURB RAMPS 4" CONCRETE PAVED DITCH PRECAST REINFORCED CONCRETE BARRIER, SINGLE FACED REMOVE & RESET EXISTING GUARDRAIL REMOVE EXISTING GUARDRAIL	1 200 200 260 4,870 3,360 810 4 25 1	TON LF LF CY SY SY LF EA LB ACR ACR LB	FERTILIZER FOR TEMPORARY SEEDING TEMPORARY SLOPE DRAINS SAFETY FENCE SILT EXCAVATION MATTING FOR EROSION CONTROL COIR FIBER MAT 1/4" HARDWARE CLOTH SPECIAL STILLING BASINS FLOCCULANT SEEDING & MULCHING MOWING SEED FOR REPAIR SEEDING
380 1 140 3 52 110 225 95 262.5 50	LF EA SY EA SY LF LF LF LF	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F) 2'-6" CONCRETE CURB & GUTTER MODIFIED CONCRETE FLUME 4" CONCRETE SIDEWALK CONCRETE CURB RAMPS 4" CONCRETE PAVED DITCH PRECAST REINFORCED CONCRETE BARRIER, SINGLE FACED REMOVE & RESET EXISTING GUARDRAIL REMOVE EXISTING GUARDRAIL TEMPORARY STEEL BEAM GUARDRAIL TEMPORARY STEEL BEAM GUARDRAIL, SHOP CURVED	1 200 200 260 4,870 3,360 810 4 25 1 1 100	TON LF LF CY SY SY LF EA LB ACR ACR LB TON	FERTILIZER FOR TEMPORARY SEEDING TEMPORARY SLOPE DRAINS SAFETY FENCE SILT EXCAVATION MATTING FOR EROSION CONTROL COIR FIBER MAT 1/4" HARDWARE CLOTH SPECIAL STILLING BASINS FLOCCULANT SEEDING & MULCHING MOWING SEED FOR REPAIR SEEDING FERTILIZER FOR REPAIR SEEDING
380 1 140 3 52 110 225 95 262.5	LF EA SY EA SY LF LF LF LF	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F) 2'-6" CONCRETE CURB & GUTTER MODIFIED CONCRETE FLUME 4" CONCRETE SIDEWALK CONCRETE CURB RAMPS 4" CONCRETE PAVED DITCH PRECAST REINFORCED CONCRETE BARRIER, SINGLE FACED REMOVE & RESET EXISTING GUARDRAIL REMOVE EXISTING GUARDRAIL TEMPORARY STEEL BEAM GUARDRAIL TEMPORARY STEEL BEAM GUARDRAIL,	1 200 200 260 4,870 3,360 810 4 25 1 1 100 0.5	TON LF LF CY SY SY LF EA LB ACR ACR LB TON LB	TEMPORARY SLOPE DRAINS SAFETY FENCE SILT EXCAVATION MATTING FOR EROSION CONTROL COIR FIBER MAT 1/4" HARDWARE CLOTH SPECIAL STILLING BASINS FLOCCULANT SEEDING & MULCHING MOWING SEED FOR REPAIR SEEDING FERTILIZER FOR REPAIR SEEDING SEED FOR SUPPLEMENTAL SEEDING
380 1 140 3 52 110 225 95 262.5 50	LF EA SY EA SY LF LF LF LF LF LF	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F) 2'-6" CONCRETE CURB & GUTTER MODIFIED CONCRETE FLUME 4" CONCRETE SIDEWALK CONCRETE CURB RAMPS 4" CONCRETE PAVED DITCH PRECAST REINFORCED CONCRETE BARRIER, SINGLE FACED REMOVE & RESET EXISTING GUARDRAIL REMOVE EXISTING GUARDRAIL TEMPORARY STEEL BEAM GUARDRAIL TEMPORARY STEEL BEAM GUARDRAIL, SHOP CURVED TEMPORARY GUARDRAIL END UNITS, TYPE ******* (TL-2)	1 200 200 260 4,870 3,360 810 4 25 1 1 100 0.5 100 0.5	TON LF LF CY SY SY LF EA LB ACR ACR LB TON LB TON	TEMPORARY SLOPE DRAINS SAFETY FENCE SILT EXCAVATION MATTING FOR EROSION CONTROL COIR FIBER MAT 1/4" HARDWARE CLOTH SPECIAL STILLING BASINS FLOCCULANT SEEDING & MULCHING MOWING SEED FOR REPAIR SEEDING FERTILIZER FOR REPAIR SEEDING SEED FOR SUPPLEMENTAL SEEDING FERTILIZER TOPDRESSING
380 1 140 3 52 110 225 95 262.5 50	LF EA SY EA SY LF LF LF LF	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F) 2'-6" CONCRETE CURB & GUTTER MODIFIED CONCRETE FLUME 4" CONCRETE SIDEWALK CONCRETE SIDEWALK CONCRETE PAVED DITCH PRECAST REINFORCED CONCRETE BARRIER, SINGLE FACED REMOVE & RESET EXISTING GUARDRAIL REMOVE EXISTING GUARDRAIL TEMPORARY STEEL BEAM GUARDRAIL TEMPORARY STEEL BEAM GUARDRAIL, SHOP CURVED TEMPORARY GUARDRAIL END UNITS, TYPE ***** (TL-2) GENERIC GUARDRAIL ITEM POWDER COATED GALVANIZED STEEL	1 200 200 260 4,870 3,360 810 4 25 1 1 100 0.5 100 0.5 405	TON LF LF CY SY SY LF EA LB ACR ACR LB TON LB TON LF	TEMPORARY SLOPE DRAINS SAFETY FENCE SILT EXCAVATION MATTING FOR EROSION CONTROL COIR FIBER MAT 1/4" HARDWARE CLOTH SPECIAL STILLING BASINS FLOCCULANT SEEDING & MULCHING MOWING SEED FOR REPAIR SEEDING FERTILIZER FOR REPAIR SEEDING SEED FOR SUPPLEMENTAL SEEDING FERTILIZER TOPDRESSING IMPERVIOUS DIKE
380 1 140 3 52 110 225 95 262.5 50 4	LF EA SY EA SY LF LF LF LF LF LF LF	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F) 2'-6" CONCRETE CURB & GUTTER MODIFIED CONCRETE FLUME 4" CONCRETE SIDEWALK CONCRETE CURB RAMPS 4" CONCRETE PAVED DITCH PRECAST REINFORCED CONCRETE BARRIER, SINGLE FACED REMOVE & RESET EXISTING GUARDRAIL REMOVE EXISTING GUARDRAIL TEMPORARY STEEL BEAM GUARDRAIL TEMPORARY STEEL BEAM GUARDRAIL, SHOP CURVED TEMPORARY GUARDRAIL END UNITS, TYPE ****** (TL-2) GENERIC GUARDRAIL ITEM POWDER COATED GALVANIZED STEEL BEAM GUARDRAIL	1 200 200 260 4,870 3,360 810 4 25 1 1 100 0.5 100 0.5 405 20	TON LF LF CY SY SY LF EA LB ACR ACR LB TON LB TON LF MHR	TEMPORARY SLOPE DRAINS SAFETY FENCE SILT EXCAVATION MATTING FOR EROSION CONTROL COIR FIBER MAT 1/4" HARDWARE CLOTH SPECIAL STILLING BASINS FLOCCULANT SEEDING & MULCHING MOWING SEED FOR REPAIR SEEDING FERTILIZER FOR REPAIR SEEDING SEED FOR SUPPLEMENTAL SEEDING FERTILIZER TOPDRESSING IMPERVIOUS DIKE SPECIALIZED HAND MOWING
380 1 140 3 52 110 225 95 262.5 50	LF EA SY EA SY LF LF LF LF LF LF	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F) 2'-6" CONCRETE CURB & GUTTER MODIFIED CONCRETE FLUME 4" CONCRETE SIDEWALK CONCRETE SIDEWALK CONCRETE PAVED DITCH PRECAST REINFORCED CONCRETE BARRIER, SINGLE FACED REMOVE & RESET EXISTING GUARDRAIL REMOVE EXISTING GUARDRAIL TEMPORARY STEEL BEAM GUARDRAIL TEMPORARY STEEL BEAM GUARDRAIL, SHOP CURVED TEMPORARY GUARDRAIL END UNITS, TYPE ***** (TL-2) GENERIC GUARDRAIL ITEM POWDER COATED GALVANIZED STEEL	1 200 200 260 4,870 3,360 810 4 25 1 1 100 0.5 100 0.5 405	TON LF LF CY SY SY LF EA LB ACR ACR LB TON LB TON LF	TEMPORARY SLOPE DRAINS SAFETY FENCE SILT EXCAVATION MATTING FOR EROSION CONTROL COIR FIBER MAT 1/4" HARDWARE CLOTH SPECIAL STILLING BASINS FLOCCULANT SEEDING & MULCHING MOWING SEED FOR REPAIR SEEDING FERTILIZER FOR REPAIR SEEDING SEED FOR SUPPLEMENTAL SEEDING FERTILIZER TOPDRESSING IMPERVIOUS DIKE

0.2	ACR	REFORESTATION
9	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION CLEANOUT
3	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION, TYPE 1
		WALL ITEMS
2,030	SF	GENERIC RETAINING WALL ITEM ARCHITECTURAL CONCRETE SURFACE TREATMENT
348	SF	GENERIC RETAINING WALL ITEM CAST-IN-PLACE CANTILEVER RETAINING WALL NO 1
319	SF	GENERIC RETAINING WALL ITEM CAST-IN-PLACE CANTILEVER RETAINING WALL NO 2
2,030	SF	GENERIC RETAINING WALL ITEM ROCK NAIL RETAINING WALLS
4	EA	GENERIC STRUCTURE ITEM ROCK NAIL PROOF TESTS
2	EA	GENERIC STRUCTURE ITEM ROCK NAIL VERIFICATION TESTS STRUCTURE ITEMS
Lump Sum	LS	CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP ACCESS AT STA
Lump Sum	LS	(12+30.00 -L-) CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP ACCESS AT STA
Lump Sum	LS	(13+33.99 -L-) REMOVAL OF EXISTING STRUCTURE AT STATION ************************************
Lump Sum	LS	(12+30.00 -L-) REMOVAL OF EXISTING STRUCTURE AT STATION ************************************
Lump Sum	LS	ASBESTOS ASSESSMENT
35	LF	PILE EXCAVATION IN SOIL
135	LF	PILE EXCAVATION NOT IN SOIL
28.5	LF	3'-0" DIA DRILLED PIERS IN SOIL
22	LF	3'-0" DIA DRILLED PIERS NOT IN SOIL
1	EA	SID INSPECTIONS
1	EA	CSL TESTING
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ********
Lump Sum	LS	(12+30.00 -L-) UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ********* (13+33.99 -L-)
3,863	SF	REINFORCED CONCRETE DECK SLAB
3,809	SF	GROOVING BRIDGE FLOORS
20.8	CY	CLASS AA CONCRETE (BRIDGE)
220.1	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION
Lump Sum	LS	(12+30.00 -L-) BRIDGE APPROACH SLABS, STATION ************************************
		(13+33.99 -L-)
30,515	LB	REINFORCING STEEL (BRIDGE)
870	LB	EPOXY COATED REINFORCING STEEL (BRIDGE)
1,301	LB	SPIRAL COLUMN REINFORCING STEEL (BRIDGE)
215,000	LS	APPROX LBS STRUCTURAL STEEL
14	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES (HP 12 X 53)
279	LF	HP 12 X 53 STEEL PILES
279.1	LF	1'-**" X *****" CONCRETE PARAPET (1'-2" X 2'-6")
106.83	LF	1'-**" X *****" CONCRETE PARAPET (1'-2" X 2'-9 1/2")
106.83	LF	1'-**" X *****" CONCRETE PARAPET (1'-2" X 3'-6 1/2")
613	TON	RIP RAP CLASS II (2'-0" THICK)
680	SY	GEOTEXTILE FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS
Lump Sum	LS	FOAM JOINT SEALS
440	LF	3'-0" X 1'-9" PRESTRESSED CONC CORED
825	LF	SLABS 3'-0" X 2'-0" PRESTRESSED CONC CORED SLABS

Lump Sum LS GENERIC STRUCTURE ITEM WATER LINE HANGERS

460.67 LF GENERIC STRUCTURE ITEM ANODIZED TWO BAR METAL RAIL

19 EA GENERIC STRUCTURE ITEM 10-3/4" DIA MICROPILES

L240528

CONTRACT ID: C204796 49622.3.1 DIV OFFICE SYLVA LENGTH = 0.540 MI

COUNTY : HAYWOOD

GRADING, DRAINAGE, PAVING, AND STRUCTURES.

DBE GOAL 3.00% COMPLETION DATE: APR 29, 2028

BRIDGES #248 AND #249 OVER SR-1613 (BEAVERDAM RD) ON I-40.

		ROADWAY ITEMS	500	SY	GEOTEXTILE FOR SUBGRADE STABILIZATION
Lump Sum	LS	MOBILIZATION	6,100	TON	AGGREGATE BASE COURSE
Lump Sum	LS	CONSTRUCTION SURVEYING	10	TON	INCIDENTAL STONE BASE
Lump Sum	LS	CLEARING & GRUBBING ACRE(S)	2,000	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING	0.500	CV	(1-1/2")
45,000	CY	UNCLASSIFIED EXCAVATION	9,500	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (2-1/4")
450	CY	UNDERCUT EXCAVATION	1,400	SY	MILLING ASPHALT PAVEMENT, ***" TO
62,000	CY	BORROW EXCAVATION			(0" TO 3")
12	EA	EMBANKMENT SETTLEMENT GAUGES	800	SY	INCIDENTAL MILLING
1,600	CY	DRAINAGE DITCH EXCAVATION	14,360	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
750	LF	BERM DITCH CONSTRUCTION	10,700	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C
11,800	SY	REMOVAL OF EXISTING ASPHALT PAVEMENT	1,240	TON	ASPHALT CONC SURFACE COURSE, TYPE
4,600	SY	BREAKING OF EXISTING ASPHALT	8,360	TON	S9.5B ASPHALT CONC SURFACE COURSE, TYPE
400	CV	PAVEMENT SELECT CRANKII AD MATERIAL	8,300	ION	S9.5D
400	CY	SELECT GRANULAR MATERIAL	1,245	TON	ASPHALT BINDER FOR PLANT MIX
1,100	SY SF	GEOTEXTILE FOR SOIL STABILIZATION TEMPORARY SHOPING	515	TON	POLYMER MODIFIED ASPHALT BINDER FOR PLANT MIX
28,000 420	SY	TEMPORARY SHORING PEINEODOED SOIL SLODES	580	TON	OPEN-GRADED ASPHALT FRICTION
		REINFORCED SOIL SLOPES FOUNDATION CONDITIONING MATERIAL	11.260	I.E.	COURSE, TYPE FC-1 MODIFIED
440	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	11,360	LF	MILLED RUMBLE STRIPS (ASPHALT CONCRETE)
1,360	SY	FOUNDATION CONDITIONING GEOTEXTILE	45	CY	SUBDRAIN EXCAVATION
68	LF	**" SIDE DRAIN PIPE (42")	200	SY	GEOTEXTILE FOR SUBSURFACE DRAINS
488	LF	15" SIDE DRAIN PIPE	34	CY	SUBDRAIN COARSE AGGREGATE
244	LF	18" SIDE DRAIN PIPE	200	LF	6" PERFORATED SUBDRAIN PIPE
16	EA	**" SIDE DRAIN PIPE ELBOWS	1	EA	SUBDRAIN PIPE OUTLET
8	EA	(15") **" SIDE DRAIN PIPE ELBOWS	6	LF	6" OUTLET PIPE
0	LA	(18")	1	EA	TEMPORARY STEEL PLATE COVERS FOR MASONRY DRAINAGE STRUCTURE
296	LF	15" RC PIPE CULVERTS, CLASS III	68.1	CY	REINFORCED ENDWALLS
116	LF	18" RC PIPE CULVERTS, CLASS III	3.53	CY	PIPE COLLARS
52	LF	24" RC PIPE CULVERTS, CLASS III	15	CY	FLOWABLE FILL
20	LF	66" RC PIPE CULVERTS, CLASS III	47	EA	MASONRY DRAINAGE STRUCTURES
56	LF	****" RC PIPE CULVERTS, CLASS IV (60")	9.2	CY	MASONRY DRAINAGE STRUCTURES
60	LF	****" RC PIPE CULVERTS, CLASS IV	36.7	LF	MASONRY DRAINAGE STRUCTURES
92	LF	(72") ****" RC PIPE CULVERTS, CLASS IV	5	EA	FRAME WITH TWO GRATES, STD 840.20
/2		(84")	3	EA	FRAME WITH TWO GRATES, STD 840.22
1,288	LF	15" RC PIPE CULVERTS, CLASS IV	5	EA	FRAME WITH TWO GRATES, STD 840.24
416	LF	18" RC PIPE CULVERTS, CLASS IV	6	EA	FRAME WITH TWO GRATES, STD 840.29
324	LF	24" RC PIPE CULVERTS, CLASS IV	1	EA	FRAME WITH COVER, STD 840.54
180	LF	**" RC PIPE CULVERTS, CLASS V (15")	26	EA	STEEL FRAME WITH TWO GRATES, STD 840.37
52	LF	15" CS PIPE CULVERTS, 0.064" THICK	1,900	LF	SHOULDER BERM GUTTER
2	EA	**" CS PIPE ELBOWS, *****" THICK	500	SY	4" CONCRETE PAVED DITCH
132	LF	(15", 0.064") **" WELDED STEEL PIPE, ****" THICK,	135	SY	4" CONCRETE ISLAND COVER
		GRADE B IN SOIL (120", 1.000")	1,200	LF	CONCRETE BARRIER, TYPE ******
28	LF	**" WELDED STEEL PIPE, ****" THICK,	200	LF	(SINGLE SLOPE, 2'-7" MAX BIFURCATION) CONCRETE BARRIER, TYPE *******
		GRADE B IN SOIL (18", 0.250")			(SINGLE SLOPE, 2'-7" THRU 6'-0" MAX
132	LF	**" WELDED STEEL PIPE, ****" THICK,	1	EA	BIFURCATION) CONCRETE BARRIER TRANSITION SECTION
		GRADE B NOT IN SOIL (120", 1.000")	800	LF	PRECAST REINFORCED CONCRETE
28	LF	**" WELDED STEEL PIPE, ****" THICK,		T. /	BARRIER, SINGLE FACED
		GRADE B NOT IN SOIL (18", 0.250")	1	EA	ADJUSTMENT OF DROP INLETS CONVERT EXISTING DROP INLET TO
1,079	LF	PIPE REMOVAL	1	EA	CONVERT EXISTING DROP INLET TO JUNCTION BOX
Lump Sum	LS	FINE GRADING	6,500	LF	STEEL BEAM GUARDRAIL
100	CY	SHALLOW UNDERCUT	350	LF	STEEL BEAM GUARDRAIL, SHOP CURVED
200	TON	CLASS IV SUBGRADE STABILIZATION	10	EA	ADDITIONAL GUARDRAIL POSTS
			1	EA	GUARDRAIL END UNITS, TYPE AT-1

2	E.	CHARDS AN END LINES TWO CAT I	100	Б.	NON CAST IDON SNOWING OWARD F
3	EA	GUARDRAIL END UNITS, TYPE CAT-1	100	EA	NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
8	EA	GUARDRAIL END UNITS, TYPE TL-3 GUARDRAIL ANCHOR UNITS, TYPE B-77	1	EA	ELECTRIC SERVICE POLE ************************************
6,500	EA LF	REMOVE EXISTING GUARDRAIL	25	LF	(30' CLASS 4) ELECTRIC SERVICE LATERAL ************************************
3,600	LF	WOVEN WIRE FENCE, 47" FABRIC			(3 #1/0 USE)
200	EA	4" TIMBER FENCE POSTS, 7'-6" LONG	65	LF	ELECTRICAL DUCT, TYPE BD, SIZE ***** (3")
90	EA	5" TIMBER FENCE POSTS, 8'-0" LONG	Lump Sum	LS	GENERIC LIGHTING ITEM
650	TON	RIP RAP, CLASS I	100	LF	CULVERT LIGHTING CONDUIT SYSTEM GENERIC LIGHTING ITEM
190	TON	RIP RAP, CLASS II			2 #10 W/G FEEDER CIRCUIT IN 1" PVC CONDUIT
360	TON	RIP RAP, CLASS B	60	LF	GENERIC LIGHTING ITEM
3,665	SY	GEOTEXTILE FOR DRAINAGE			2 #10 W/G FEEDER CIRCUIT IN 1" RGS CONDUIT
2	CY	REINFORCED CONCRETE SIGN	8	EA	GENERIC LIGHTING ITEM
2.050	I.D.	FOUNDATIONS	1	EA	CULVERT LIGHTING LUMINAIRE, 85W LED GENERIC LIGHTING ITEM
2,060 300	LB LF	SUPPORTS, SIMPLE STEEL BEAM SUPPORTS, 3-LB STEEL U-CHANNEL	1	LA	LIGHTING CONTROL SYSTEM, TYPE RW,
73	LF	SUPPORTS, WOOD	8	EA	120/240V GENERIC LIGHTING ITEM
5	EA	SIGN ERECTION, TYPE D	· ·		LUMINAIRE BRACKET
13	EA	SIGN ERECTION, TYPE E	1,250	LF	8" WATER LINE
2	EA	SIGN ERECTION, TYPE F	2,600	LB	DUCTILE IRON WATER PIPE FITTINGS
5	EA	SIGN ERECTION, TYPE *** (GROUND	1	EA	6" VALVE
		MOUNTED)	10	EA	8" VALVE
3	EA	(A) SIGN ERECTION, TYPE *** (GROUND	2	EA	RELOCATE WATER METER
		MOUNTED) (B)	1	EA	FIRE HYDRANT
2	EA	SIGN ERECTION, MILEMARKERS	16 50	LF LF	FIRE HYDRANT LEG WATER SERVICE LINE
2	EA	SIGN ERECTION, RELOCATE TYPE ****	1,479	LF	8" SANITARY GRAVITY SEWER
		(GROUND MOUNTED) (D)	1,479	EA	4' DIA UTILITY MANHOLE
1	EA	SIGN ERECTION, RELOCATE TYPE ****	26	LF	UTILITY MANHOLE WALL 4' DIA
		(GROUND MOUNTED) (E)	2,344	LF	ABANDON 8" UTILITY PIPE
1	EA	DISPOSAL OF SUPPORT, WOOD	2,5	EA	REMOVE WATER METER
3	EA	DISPOSAL OF SIGN SYSTEM, STEEL BEAM	1	EA	REMOVE FIRE HYDRANT
10	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL	2	EA	ABANDON UTILITY MANHOLE
2	EA	DISPOSAL OF SUPPORT, U-CHANNEL	1	EA	REMOVE UTILITY MANHOLE
1,150	SF	HIGH VISIBILITY STATIONARY SIGNS	498	LF	16" ENCASEMENT PIPE
110	SF	WORK ZONE SIGNS (PORTABLE)	498	LF	BORE AND JACK OF **"
210	SF	HIGH VISIBILITY PORTABLE SIGNS	150	LF	(16") DIRECTIONAL DRILLING OF **"
350	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)	150	LF	(8")
2	EA	FLASHING ARROW BOARD	13,100	LF	TEMPORARY SILT FENCE
2	EA	PORTABLE CHANGEABLE MESSAGE SIGN	750	TON	STONE FOR EROSION CONTROL, CLASS A
3	EA	TEMPORARY PORTABLE TRAFFIC SIGNAL	3,350	TON	STONE FOR EROSION CONTROL, CLASS B
200	EA	SYSTEM HIGH VISIBILITY DRUMS	2,050	TON	SEDIMENT CONTROL STONE
18	EA	SEQUENTIAL FLASHING WARNING LIGHTS	50	ACR	TEMPORARY MULCHING
208	LF	BARRICADES (TYPE III)	2,100	LB	SEED FOR TEMPORARY SEEDING
20	DAY	FLAGGER	11.5	TON	FERTILIZER FOR TEMPORARY SEEDING
3	EA	TEMPORARY CRASH CUSHIONS	2,200	LF	TEMPORARY SLOPE DRAINS
3	EA	REMOVE & RESET TEMPORARY CRASH	450	LF	SAFETY FENCE
2	Е.	CUSHION	10,400	CY SY	SILT EXCAVATION MATTING FOR EROSION CONTROL
2 279	EA	TMA	87,000 100	SY	MATTING FOR EROSION CONTROL COIR FIBER MAT
8,378	LF	PORTABLE CONCRETE BARRIER (ANCHORED)	2,700	LF	1/4" HARDWARE CLOTH
7,449	LF	REMOVE & RESET PORTABLE CONCRETE BARRIER (ANCHORED)	2,700	SY	LOW PERMEABILITY GEOTEXTILE
Lump Sum	LS	GENERIC TRAFFIC CONTROL ITEM	350	LF	**" TEMPORARY PIPE
-		DYNAMIC ZIPPER MERGE SYSTEM DEPLOYMENT	330		(18")
1	EA	GENERIC TRAFFIC CONTROL ITEM	40	LF	**" TEMPORARY PIPE (30")
2	EA	CONNECTED LANE CLOSURE SYSTEM	25	LF	**" TEMPORARY PIPE
2	EA	GENERIC TRAFFIC CONTROL ITEM DYNAMIC ZIPPER MERGE SYSTEM	5	EA	(60") SPECIAL STILLING BASINS
15	DAY	RELOCATION GENERIC TRAFFIC CONTROL ITEM	2,850	LB	FLOCCULANT
13	DAI	DYNAMIC ZIPPER MERGE SYSTEM	1,350	LF	COIR FIBER BAFFLE
450	EA	TEMPORARY RAISED PAVEMENT MARKERS	3	EA	**" SKIMMER
7,640	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)			(1-1/2")
14,550	LF	THERMOPLASTIC PAVEMENT MARKING	2	EA	**" SKIMMER (2")
60	LF	LINES (6", 90 MILS) THERMOPLASTIC PAVEMENT MARKING	33	ACR	SEEDING & MULCHING
00	LF	LINES (24", 90 MILS)	20	ACR	MOWING
14,480	LF	PAINT PAVEMENT MARKING LINES (4")	550	LB	SEED FOR REPAIR SEEDING
260	LF	PAINT PAVEMENT MARKING LINES (24")	1.75	TON	FERTILIZER FOR REPAIR SEEDING
36,190	LF	WORK ZONE PERFORMANCE PAVEMENT MARKING LINES, 6"	800	LB	SEED FOR SUPPLEMENTAL SEEDING
		,			

24	TON	FERTILIZER TOPDRESSING
250	LF	IMPERVIOUS DIKE
35	MHR	SPECIALIZED HAND MOWING
11	MHR	MANUAL LITTER REMOVAL
1	TON	LITTER DISPOSAL
150	EA	RESPONSE FOR EROSION CONTROL
4	EA	CONCRETE WASHOUT STRUCTURE
220	CY	CULVERT DIVERSION CHANNEL
1	ACR	REFORESTATION
2,592	LF	TRACER WIRE
5,184	LF	DIRECTIONAL DRILL (********) (1, 2")
4	EA	JUNCTION BOX (OVER-SIZED, HEAVY DUTY)
		CULVERT ITEMS
Lump Sum	LS	REMOVAL OF EXISTING STRUCTURES AT STATION ************************************
Lump Sum	LS	ASBESTOS ASSESSMENT
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ******** (316+12.24 -L-)
Lump Sum	LS	GENERIC CULVERT ITEM CAST-IN-PLACE REINFORCED FOOTING FOR PRECAST CULVERT
Lump Sum	LS	GENERIC CULVERT ITEM PRECAST REINFORCED CONCRETE THREE- SIDED CULVERT AT STA 316+12.24 -L-
		WALL ITEMS
2,750	SF	MSE RETAINING WALL NO **** (1)
9,005	SF	MSE RETAINING WALL NO **** (2)
970	SF	MSE RETAINING WALL NO **** (3)
1,190	SF	MSE RETAINING WALL NO **** (4)



2024 NCDOT TECHNICAL TRAINING SCHEDULE



DURHAM

Durham Technical Community College
The Chesterfield Building
701 West Main Street
Durham, N.C. 27701

GREENSBORO

Guilford Technical Community College Continuing Education Center - W2 Building 3501 East Wendover Avenue Greensboro, N.C. 27405

FAYETTEVILLE

Fayetteville Tech Community College Neill Currie Building - Room 7A 218 Hull Road Fayetteville, N.C. 28303

WILKESBORO

Wilkes County Agricultural Center Ag Building Conference Rooms 416 Executive Drive Wilkesboro, N.C. 28697

DATES	COURSE TOPICS	DURHAM	FAYETTEVILLE	GREENSBORO	WILKESBORO
April 2024	Clearing, Grubbing & Excavation	April 11	n/a	n/a	April 18
May 2024	Erosion Control	n/a	May 9	May 23	n/a
June 2024	Incidental Concrete	June 13	n/a	n/a	June 27
July 2024	Utility Installation & Adjustments	n/a	July 11	July 25	n/a
August 2024	Work Zone Traffic Control	Aug. 8	n/a	n/a	Aug. 22
September 2024	Pipe and Culvert Installation	n/a	Sept. 12	Sept. 26	n/a
October 2024	Clearing, Grubbing & Excavation	n/a	Oct. 10	Oct. 17	n/a

The 2024 NCDOT Technical Training Series is a pilot program that will offer various courses to small highway construction contractors interested in working on NCDOT projects. Each course will cover NCDOT Standard Specifications and Drawings, equipment requirements, bidding and estimating, project management, invoicing and payment, and more. Courses will be held in Durham, Fayetteville, Greensboro and Wilkesboro, and will be taught in-person by NCDOT engineers, prime contractors and other industry professionals. To register, please visit the website: www.ncdot.gov/highwaystechtraining. For questions, please email: ccu@ncdot.gov or call: 984-810-9276.

