



STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

JOSH STEIN
GOVERNOR

DANIEL H. JOHNSON
SECRETARY

October 16, 2025

Addendum No. 2

RE: Contract # C205092

WBS # 44677.3.1

STATE FUNDED

Pitt County (U-5875)

SR-1203 (ALLEN RD) FROM SR-1467 (STANTONSBURG RD) TO US-13
(DICKINSON AVE EXT)

October 21, 2025 Letting

To Whom It May Concern:

Reference is made to the plans and proposal furnished to you on this project.

The following revisions have been made to the Roadway Plans.

Sheet No.	Revision
3D-1 thru 3D-19	Revised Standard Drawing number for Spring Box

Please void the above listed Sheets in your plans and staple the revised Sheets thereto.

The following revisions have been made to the proposal:

Page No.	Revision
Proposal Cover	Note added that reads "Includes Addendum No. 2 Dated 10-16-2025".
UC-3 thru (New) UC-11	The Unit Project Special Provision entitled UTILITY CONSTRUCTION (Water and Sewer) has been revised. Restrained joint pipe and restrained fittings requirements were clarified on Page UC-3. New Page UC-11 added
(New) UC-29-G	The Unit Project Special Provision entitled UTILITY CONSTRUCTION (Natural Gas Construction) has been revised to add Page UC-29-G

Please void the above listed existing Pages in your proposal and staple the revised Pages thereto. Staple New Page UC-11 after revised Page UC-10. Staple New Page UC-29-G after revised Page UC-28-G.

Mailing Address:
NC DEPARTMENT OF TRANSPORTATION
CONTRACT STANDARDS AND DEVELOPMENT
1591 MAIL SERVICE CENTER
RALEIGH, NC 27699-1591

Telephone: (919) 707-6900
Fax: (919) 250-4127
Customer Service: 1-877-368-4968

Website: www.ncdot.gov

Location:
1020 BIRCH RIDGE DR.
RALEIGH, NC 27610

The contract will be prepared accordingly.

NOTE: Addendum #1 issued October 14, 2025 contained the following revision notes:

Page No.	Revision
Table of Contents	Table of Contents revised to add Project Special Provision shown below
G-50	The Project Special Provision entitled NOTE TO CONTRACTOR has been added.

These two revision notes were included inadvertently. NO revision was made to the Table of Contents and NO Project Special Provision entitled **NOTE TO CONTRACTOR** was added to Page G-50. These two pages that were provided as part of the addendum were unchanged from the original proposal.

Sincerely,

Signed by:

52C46046381F443...

Ronald E. Davenport, Jr., PE
State Contract Officer

RED/jjr
Attachments

cc: Mr. Wiley W. Jones III, PE
Ms. Mary Beth Houston, PE
Mr. Ken Kennedy, PE
Mr. Malcolm Bell

Mr. Forrest Dungan, PE
Ms. Jaci Kincaid
Mr. Jon Weathersbee, PE
Project File (2)

STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
RALEIGH, N.C.

PROPOSAL

INCLUDES ADDENDUM No.2 DATED 10-16-2025

DATE AND TIME OF BID OPENING: **Oct 21, 2025 AT 02:00 PM**

CONTRACT ID C205092

WBS 44677.3.1

FEDERAL-AID NO. STATE FUNDED

COUNTY PITT

T.I.P NO. U-5875

MILES 2.406

ROUTE NO. SR-1203

LOCATION SR-1203 (ALLEN RD) FROM SR-1467 (STANTONSBURG RD) TO US-13
(DICKINSON AVE EXT).

TYPE OF WORK GRADING, DRAINAGE, PAVING, SIGNALS, AND CULVERTS.

NOTICE:

ALL BIDDERS SHALL COMPLY WITH ALL APPLICABLE LAWS REGULATING THE PRACTICE OF GENERAL CONTRACTING AS CONTAINED IN CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA WHICH REQUIRES THE BIDDER TO BE LICENSED BY THE N.C. LICENSING BOARD FOR CONTRACTORS WHEN BIDDING ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$30,000 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD. BIDDERS SHALL ALSO COMPLY WITH ALL OTHER APPLICABLE LAWS REGULATING THE PRACTICES OF ELECTRICAL, PLUMBING, HEATING AND AIR CONDITIONING AND REFRIGERATION CONTRACTING AS CONTAINED IN CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA. NOTWITHSTANDING THESE LIMITATIONS ON BIDDING, THE BIDDER WHO IS AWARDED ANY FEDERAL - AID FUNDED PROJECT SHALL COMPLY WITH CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA FOR LICENSING REQUIREMENTS WITHIN 60 CALENDAR DAYS OF BID OPENING.

BIDS WILL BE RECEIVED AS SHOWN BELOW:

THIS IS A ROADWAY & CULVERT PROPOSAL

5% BID BOND OR BID DEPOSIT REQUIRED

COMPUTED BY:	HLV	DATE:	8/8/2025
CHECKED BY:	JHP	DATE:	8/8/2025

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

PROJECT NO.	SHEET NO.
U-5875	3D-1

Note: Invert Elevations indicated are for Bid Purposes only and shall not be used for project construction stakeout.
See "Standard Specifications For Roads and Structures, Section 300-5".

LIST OF PIPES, ENDWALLS, ETC. (FOR PIPES 48 INCHES & UNDER)

[illegible]

COMPUTED BY:	HLV	DATE:	8/8/2025
CHECKED BY:	JHP	DATE:	8/8/2025

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

PROJECT NO.	SHEET NO.
U-5875	3D-4

Note: Invert Elevations indicated are for Bid Purposes only and shall not be used for project construction stakeout. See "Standard Specifications For Roads and Structures, Section 300-5".

LIST OF PIPES, ENDWALLS, ETC. (FOR PIPES 48 INCHES & UNDER)

[illegible]

COMPUTED BY:	HLV	DATE:	8/8/2025
CHECKED BY:	JHP	DATE:	8/8/2025

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

PROJECT NO.	SHEET NO.
U-5875	3D-6

Note: Invert Elevations indicated are for Bid Purposes only and shall not be used for project construction stakeout. See "Standard Specifications For Roads and Structures, Section 300-5".

LIST OF PIPES, ENDWALLS, ETC. (FOR PIPES 48 INCHES & UNDER)

[illegible]

COMPUTED BY:	HLV	DATE:	8/8/2025
CHECKED BY:	JHP	DATE:	8/8/2025

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

PROJECT NO.	SHEET NO.
U-5875	3D-8

Note: Invert Elevations indicated are for Bid Purposes only and shall not be used for project construction stakeout. See "Standard Specifications For Roads and Structures, Section 300-5".

LIST OF PIPES, ENDWALLS, ETC. (FOR PIPES 48 INCHES & UNDER)

[illegible]

COMPUTED BY:	HLV	DATE:	8/8/2025
CHECKED BY:	JHP	DATE:	8/8/2025

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

PROJECT NO.	SHEET NO.
U-5875	3D-9

Note: Invert Elevations indicated are for Bid Purposes only and shall not be used for project construction stakeout. See "Standard Specifications For Roads and Structures, Section 300-5".

LIST OF PIPES, ENDWALLS, ETC. (FOR PIPES 48 INCHES & UNDER)

[illegible]

COMPUTED BY:	HLV	DATE:	8/8/2025
CHECKED BY:	JHP	DATE:	8/8/2025

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

PROJECT NO.	SHEET NO.
U-5875	3D-10

Note: Invert Elevations indicated are for Bid Purposes only and shall not be used for project construction stakeout. See "Standard Specifications For Roads and Structures, Section 300-5".

LIST OF PIPES, ENDWALLS, ETC. (FOR PIPES 48 INCHES & UNDER)

[illegible]

COMPUTED BY:	HLV	DATE:	8/8/2025
CHECKED BY:	JHP	DATE:	8/8/2025

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

PROJECT NO.	SHEET NO.
U-5875	3D-11

Note: Invert Elevations indicated are for Bid Purposes only and shall not be used for project construction stakeout. See "Standard Specifications For Roads and Structures, Section 300-5".

LIST OF PIPES, ENDWALLS, ETC. (FOR PIPES 48 INCHES & UNDER)

[illegible]

COMPUTED BY:	HLV	DATE:	8/8/2025
CHECKED BY:	JHP	DATE:	8/8/2025

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

PROJECT NO.	SHEET NO.
U-5875	3D-12

Note: Invert Elevations indicated are for Bid Purposes only and shall not be used for project construction stakeout. See "Standard Specifications For Roads and Structures, Section 300-5".

LIST OF PIPES, ENDWALLS, ETC. (FOR PIPES 48 INCHES & UNDER)

[illegible]

COMPUTED BY:	HLV	DATE:	8/8/2025
CHECKED BY:	JHP	DATE:	8/8/2025

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

Note: Invert Elevations indicated are for Bid Purposes only and shall not be used for project construction stakeout. See "Standard Specifications For Roads and Structures, Section 300-5".

LIST OF PIPES, ENDWALLS, ETC. (FOR PIPES 48 INCHES & UNDER)

[illegible]

COMPUTED BY:	HLV	DATE:	8/8/2025
CHECKED BY:	JHP	DATE:	8/8/2025

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

PROJECT NO.	SHEET NO.
U-5875	3D-14

Note: Invert Elevations indicated are for Bid Purposes only and shall not be used for project construction stakeout. See "Standard Specifications For Roads and Structures, Section 300-5".

LIST OF PIPES, ENDWALLS, ETC. (FOR PIPES 48 INCHES & UNDER)

STATION	THICKNESS OR GAUGE	LOCATION (L.T. OR CL.)		STRUCTURE NO.	TOP ELEVATION	INVERT ELEVATION	INVERT ELEVATION	SLOPE CRITICAL	DRAINAGE PIPE (RCP, CSP, CAAP, HDPE, or PVC)										DUCTILE IRON PIPE								R.C. PIPE CLASS III								R.C. PIPE CLASS IV								ENDWALLS		QUANTITIES FOR DRAINAGE STRUCTURES *TOTAL L.F. FOR PAY QUANTITY SHALL BE COL. 'A' + (1.3 X COL.'B')	FRAME, GRATES, AND HOOD STANDARD 840.03			CONCRETE TRANSITIONAL SECTION (EACH)		D.I. STD. 840.14 OR STD. 840.15	D.I. FRAME AND GRATE STD. 840.16	MINIMUM DEPTH CB STD. 840.002	G.D.I. TYPE "B" STD. 840.18 OR 840.27	G.D.I. TYPE "D" STD. 840.19 OR 840.28	G.D.I. (W/S FLAT) FRAME WITH TWO GRATES STD 840.20	OFFSET CB STD. 840.06	OFFSET CB UNDER TRAVEL SPECIAL DETAIL G.U.L. (W/S SAG) FRAME WITH TWO GRATES STD. 840.24	J.B. STD. 840.31 OR 840.32	M.H. FRAME AND COVER STD 840.54	CONWER D.I. TO J.B.	FLOWABLE FILL (C.Y.)	T.B.J.B. WITH SLAB LID STD. 840.34	T.B.D.I. STD. 840.35	SPRING BOX STD. 840.46	CONC. & BRICK PIPE PLUG C.Y. STD. 840.71	CONC. COLLARS CL. "B" C.Y. STD. 840.72	PIPE REMOVAL LIN. FT.	ABBREVIATIONS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		FROM	TO						12"	15"	18"	24"	30"	36"	42"	48"	DO NOT USE RCP	DO NOT USE CSP	DO NOT USE CAAP	DO NOT USE HDPE	.064	.064	.064	.079	.079	.109	.12"	.15"	.18"	.24"	.30"	.36"	.42"	.48"	.12"	.15"	.18"	.24"	.30"	.36"	.42"	.48"	6" SPRING BOX PIPE	15" R.C. PIPE (CLASS V)		18" R.C. PIPE (CLASS V)	24" R.C. PIPE (CLASS V)	36" R.C. PIPE (CLASS V)	42" R.C. PIPE (CLASS V)	STD. 838.01 838.11 OR STD. 838.80 (UNLESS NOTED CU. YARDS																			PER EACH (0' THRU 5.0')	5.0' THRU 10.0'	10.0' AND ABOVE	E	F	G	DROP INLET	CATCH BASIN	REMARKS	C.B. N.D.I.	D.I. G.D.I. G.D.I.(N.S.) J.B. M.H. T.B.D.I.	CATCH BASIN NARROW DROP INLET DROP INLET GRATED DROP INLET (NARROW SLOT) JUNCTION BOX MANHOLE TRAFFIC BEARING DROP INLET																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
									DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE																																																																		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP		DO NOT USE HDPE		DO NOT USE RCP		DO NOT USE CSP		DO NOT USE CAAP	

COMPUTED BY:	HLV	DATE:	8/8/2025
CHECKED BY:	JHP	DATE:	8/8/2025

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

PROJECT NO.	SHEET NO.
U-5875	3D-17

Note: Invert Elevations indicated are for Bid Purposes only and shall not be used for project construction stakeout. See "Standard Specifications For Roads and Structures, Section 300-5".

LIST OF PIPES, ENDWALLS, ETC. (FOR PIPES 48 INCHES & UNDER)

[illegible]

[illegible]