

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

JOSH STEIN

GOVERNOR

DANIEL H. JOHNSON

SECRETARY

November 14, 2025

Addendum No. 3

RE: Contract # C205147
WBS #2026CPT.12.03.10231, 2026CPT.12.03.20231
STATE FUNDED
Cleveland County
1 SECTION OF NC-18, 1 SECTION OF NC-161, AND 8 SECTIONS OF SECONDARY ROADS

November 18, 2025 Letting

To Whom It May Concern:

Reference is made to the proposal furnished to you on this project.

The following revisions have been made to the proposal:

Page No.	Revision
Proposal Cover	Note added that reads "Includes Addendum No. 3 Dated 11-14-2025".
R-4	The Measurement and Payment section of the Project Special Provision entitled FIBER REINFORCEMENT IN ASPHALT has been revised.

The contract will be prepared accordingly

Sincerely,

Ronald E. Davenport, Jr.
52C46046381F443...

Ronald E. Davenport, Jr., P.E. State Contract Officer

RED/jjr Attachments

cc: Mr. Wiley W. Jones III, PE Mr. Forrest Dungan, PE

Mr. Mark Stafford, PE Ms. Jaci Kincaid

Mr. Ken Kennedy, PE Mr. Jon Weathersbee, PE

Mr. Malcolm Bell Project File (2)

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION RALEIGH. N.C.

PROPOSAL

INCLUDES ADDENDUM No.3 DATED 11-14-2025

DATE AND TIME OF BID OPENING: Nov 18, 2025 AT 02:00 PM

CONTRACT ID C205147

WBS 2026CPT.12.03.10231, 2026CPT.12.03.20231

FEDERAL-AID NO. STATE FUNDED

COUNTY CLEVELAND

T.I.P NO.

MILES 17.850

ROUTE NO.

LOCATION 1 SECTION OF NC-18, 1 SECTION OF NC-161, AND 8 SECTIONS OF

SECONDARY ROADS.

TYPE OF WORK MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

NOTICE:

ALL BIDDERS SHALL COMPLY WITH ALL APPLICABLE LAWS REGULATING THE PRACTICE OF GENERAL CONTRACTING AS CONTAINED IN CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA WHICH REQUIRES THE BIDDER TO BE LICENSED BY THE N.C. LICENSING BOARD FOR CONTRACTORS WHEN BIDDING ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$30,000 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD. BIDDERS SHALL ALSO COMPLY WITH ALL OTHER APPLICABLE LAWS REGULATING THE PRACTICES OF ELECTRICAL, PLUMBING, HEATING AND AIR CONDITIONING AND REFRIGERATION CONTRACTING AS CONTAINED IN CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA. NOTWITHSTANDING THESE LIMITATIONS ON BIDDING, THE BIDDER WHO IS AWARDED ANY FEDERAL - AID FUNDED PROJECT SHALL COMPLY WITH CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA FOR LICENSING REQUIREMENTS WITHIN 60 CALENDAR DAYS OF BID OPENING.

BIDS WILL BE RECEIVED AS SHOWN BELOW:

THIS IS A ROADWAY PROPOSAL

5% BID BOND OR BID DEPOSIT REQUIRED

the required method for fiber placement into the asphalt mixture. The representative may be excluded if the asphalt manufacturer can attest by submitting that they have suitably trained personnel to operate the dosing equipment to the Engineer for approval prior to installation.

Add fibers to the mix in accordance with manufacturer's recommendations. In accordance with ASTM D8395, aramid fiber single dosage rate is 2.1 ounces (+/- 5%) per ton of HMA/WMA and a double dosage rate is 4.2 ounces (+/- 5%) per ton of HMA/WMA; this does not include the treatment weight. Dosage rates shall be determined by mix design criteria in accordance with Table 610-3 of the *Standard Specifications*, the fiber reinforcement manufacturer's recommendations for the mix type and asphalt plant type.

Ensure that the fibers are uniformly distributed throughout the asphalt mixture through metering devices or feeder system with an electronic counting device with documentation of fiber inclusion.

Measurement and Payment

Fiber Reinforcement of Asphalt will be measured and paid as the actual number of pounds of fiber reinforcement incorporated in the asphalt completed and accepted. The weight of Fiber Reinforcement of Asphalt will be determined by bag count of standard weight bags or by weighing the fiber reinforcement. Such price and payment includes, but is not limited to, furnishing all labor, materials, tools, equipment, metering device, feed system and other incidentals necessary to perform the required work.

Payment will be made under:

Pay ItemPay UnitFiber Reinforcement of AsphaltPound

SHOULDER WEDGE:

(9-20-11)(Rev. 1-16-24) 610 SP6 R03R

Revise the *Standard Specifications* as follows:

Page 6-21, Article 610-8, SPREADING AND FINISHING, add the following after line 40:

Attach a device, mounted on screed of paving equipment, capable of constructing a shoulder wedge with an angle of 30 degrees plus or minus 4 degrees along the outside edge of the roadway, measured from the horizontal plane in place after final compaction on the final surface course. Use an approved mechanical device which will form the asphalt mixture to produce a wedge with uniform texture, shape and density while automatically adjusting to varying heights.