

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION


ROY COOPER GOVERNOR

J. ERIC BOYETTE SECRETARY

IMPORTANT INFORMATION PLEASE READ

TO PREQUALIFIED BIDDERS AND PURCHASE ORDER PRIMES:

The requirements for bidding on NCDOT construction projects are changing. The current requirement to purchase plans or a proposal to be eligible to bid will be replaced by a requirement to register for the *Interested Parties List*. This change will be effective for any Central or Division letting June 1, 2022 and later.



For any letting June 1, 2022 and later:

Contractors bidding on NCDOT contracts must sign up for the *Interested Parties* List for each project they intend to submit bids on. As part of this new requirement, Contractors must sign up for the Interested Parties List no later than one business day prior to the Letting Date.

The purchase of plans or proposals will no longer be required to bid on NCDOT Central Let projects and will be replaced by the new requirement above to sign up for the *Interested Parties* List. Plans will continue to be available for purchase, however anyone who purchases plans shall still sign up for the Interested Parties List to be eligible to bid.

A one-page quick guide follows this letter and the quick guide a more detailed walkthrough on signing up for the *Interested Parties List* can be found on the Central and Division Letting Resources pages at the links below:

https://connect.ncdot.gov/letting/Pages/Central.aspx

https://connect.ncdot.gov/letting/Pages/Division-Letting-Resources.aspx

The links and functionality described in the guides will be available on our website in the near future. For more information or assistance with this new process please submit any questions to InterestedPartiesHelp@ncdot.gov.

For additional assistance with general bidding related questions please email AWPhelp@ncdot.gov.

Ronald E. Davenport, Jr., PE State Contract Officer

Ronald E. Davenport, Jr.

Telephone: (919) 707-6900 Fax: (919) 250-4127

Customer Service: 1-877-368-4968

Website: www.ncdot.gov

Interested Parties List

To **register to bid on an upcoming NCDOT construction contract,** or to register in general to be notified about updates for selected upcoming contracts to be let, add your firm to the Interested Parties list for each contract in which you are interested. Interested parties will be informed by mail whenever there are addenda or other changes to the planned letting.

You are no longer required to be a Plan Holder to bid for any lettings occurring June 1, 2022, or later.

Interested parties and authorized bidders MUST sign up at least <u>one full business</u> day prior to the let date.

To Register:

- 1. Navigate to the details page for the selected contract. Press **Interested**Parties for this letting or go directly to the overall <u>Interested Parties list</u>
- Press Add Firm and find your firm using the Search box. Select your firm name and press Next
- 3. Complete the contact information for the person to be notified of changes and press **Next**
- 4. Review the list of upcoming Central and Division contracts and select the upcoming contract(s) in which you are interested and press **Next**. There is no need to register again for contracts for which you have previously registered.
- 5. The confirmation page will summarize your entered information. Press **Submit**.
- 6. A confirmation email will be sent to the provided address. Within one hour, the firm will appear on the publicly viewable Interested Parties list for each of the specified contracts. Allow five business days for NCDOT staff to upload your firm as an authorized bidder in Bid Express.

Email InterestedPartiesHelp@ncdot.gov if you have any problems registering.



STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

ROY COOPER GOVERNOR

J.R. "JOEY" HOPKINS SECRETARY

NOTICE OF DBE OPPORTUNITIES

Upcoming Opportunities for DBE Firms to Participate on NCDOT Projects

As part of the North Carolina Department of Transportation's continuing commitment to promote Disadvantaged/Minority/Women Business Enterprise (D/M/WBE) participation, the Division of Highways Chief Engineer's Office would like to remind you of the broad range of construction, maintenance and operational opportunities available within NCDOT. One of these opportunities is the monthly advertisement of Central Let projects with letting typically held on the third Tuesday of each month. NCDOT advertises the Central Lettings at the location below with a separate letting page for each month. If your firm is eligible to bid (i.e. prequalified as a Bidder), you can download and print the bid related items from the upcoming monthly letting pages here:

Central Highway Lettings

Additionally, if you are interested in providing subcontractor work for any of the listed projects, we strongly encourage you to solicit each of the contractors bidding on the projects to see if they are interested in receiving a quote. Potential bidders or subcontractors may sign themselves up and provide contact information using the Interested Parties List button on each of the monthly letting pages. A screenshot of the IPL button is shown below for reference:

> **Interested Parties for** this Letting

I would like to personally thank you for your time in considering this opportunity with the North Carolina Department of Transportation.

Sincerely,

DocuSianed by:

Lamar Sylvester Lanfiai Syfwester, PE Chief Engineer Division of Highways

MAILING ADDRESS:

NC DEPARTMENT OF TRANSPORTATION OFFICE OF THE CHIEF ENGINEER MAIL SERVICE CENTER 1536 RALEIGH NC 27699-1536

TELEPHONE: 919-707-2500 FAX: 919-733-9428 Customer Service: 1-877-368-4968

WEBSITE: WWW.NCDOT.GOV

LOCATION: 1 SOUTH WILMINGTON STREET

RALEIGH NC 27601

Notice Regarding Upcoming Buy America Changes

On January 14, 2025, the Federal Highway Administration (FHWA) terminated its General Waiver for Manufactured Products and established specific Buy America requirements for their use on Federal-aid highway projects.

This means that as of the following dates, materials defined as manufactured products permanently incorporated into Federal-aid highway projects will have to be manufactured in the United States.

Key Implementation Dates

- Phase 1: contracts obligated on or after October 1, 2025
 - Final assembly of all manufactured products permanently incorporated into Federal-aid highway projects must occur in the United States.
- Phase 2: contracts obligated on or after October 1, 2026
 - Final assembly of all manufactured products permanently incorporated into Federal-aid highway projects must occur in the United States.

AND

The cost of U.S.-produced components in manufactured products must be greater than
 55% of the total cost of all components.

Definition of Manufactured Products

Manufactured Products are defined as articles, materials, or supplies that:

- Have been processed into a specific form and shape, or
- Have been combined with other articles or supplies to create a product with different properties than the individual articles, materials, or supplies.

This places greater emphasis on using domestically produced materials on these projects and is consistent with the Build America, Buy America Act (BABA) under the Bipartisan Infrastructure Law (BIL).



2025 NCDOT TECHNICAL TRAINING SCHEDULE



RALEIGH

Wake Technical Community College Western Wake Campus 3434 Kildaire Farm Road Cary, N.C. 27518

CONCORD

Rowan Cabarrus Community College South Campus - Bldg S201/Room 107 1531 Trinity Church Road Concord, N.C. 28027

LUMBERTON

Robeson Community College Truist Conference Room 5160 Fayetteville Road Lumberton, N.C. 28360

HICKORY

Western Piedmont Council of Governments WPCOG Conference Room 1880 2nd Ave NW Hickory, N.C. 28601

DATES	COURSE TOPICS	RALEIGH	CONCORD	LUMBERTON	HICKORY
April 2025	Construction Plan Reading	April 3	April 10	April 17	April 24
May 2025	Drones (UAS) & Construction Surveying	n/a	May 15	May 29	n/a
June 2025	Erosion Control	June 12	n/a	n/a	June 19
July 2025	Navigating NCDOT Contracts	n/a	July 10	July 24	n/a
August 2025	Incidental Concrete	Aug. 14	n/a	n/a	Aug. 28
September 2025	Work Zone Traffic Control	n/a	Sept. 11	Sept. 25	n/a
October 2025	Clearing, Grubbing & Excavation	Oct. 9	n/a	n/a	Oct. 23
November 2025	Construction Hauling	Nov. 6	Nov. 13	n/a	n/a

The 2025 NCDOT Technical Training Series is a program that offers various courses to small highway construction contractors interested in working on NCDOT projects. Each course will cover NCDOT Standard Specifications and Drawings, lettings & bidding, project management, invoicing and payment, equipment requirements, and more. Courses will be held in Raleigh, Concord, Lumberton, and Hickory and will be taught in-person by NCDOT engineers, prime contractors, and other industry professionals. To register, please visit the website: www.ncdot.gov/highwaystechtraining. For questions, please email: ccu@ncdot.gov or call: 984-810-9276.



STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION INVITATION TO BID

ELECTRONIC BIDS (UNLESS OTHERWISE SPECIFIED IN THE PROJECT SPECIAL PROVISIONS) FOR THE CONSTRUCTION OF THE FOLLOWING PROJECTS WILL BE PUBLICLY READ IN THE CONTRACT STANDARDS AND DEVELOPMENT UNIT RIVERWOOD CONFERENCE ROOM, LOCATED IN BUILDING B AT 1020 BIRCH RIDGE DRIVE, RALEIGH, N.C. OR VIA THE WEBCAST AT **2:00 PM** ON NOVEMBER 18, 2025. NO ELECTRONIC BIDS WILL BE RECEIVED AFTER 2:00 PM.

1. THE BIDDER SHALL SELF REGISTER AT THE FOLLOWING WEBSITE FOR EACH PROJECT FOR WHICH THEY INTEND TO SUBMIT A BID IN RESPONSE TO THIS INVITATION TO BID

https://connect.ncdot.gov/letting/pages/Interested-Parties.aspx

- 2. A BID BOND OR BID DEPOSIT IN THE AMOUNT OF 5% OF THE TOTAL AMOUNT BID WILL BE REQUIRED. THE BIDDER SHALL SUBMIT AN ELECTRONIC BID BOND WITH EACH ELECTRONIC BID SUBMITTAL UNLESS THEY ELECT TO FURNISH A BID DEPOSIT.
- 3. UPON RECEIPT OF AWARD LETTER, THE SUCCESSFUL BIDDER SHALL FURNISH A PROPERLY EXECUTED EXECUTION OF CONTRACT, NON-COLLUSION, DEBARMENT AND GIFT BAN CERTIFICATION, EXECUTED PAYMENT AND PERFORMANCE BONDS, AND OPTIONAL BID ITEMS ELIGIBLE FOR STEEL PRICE ADJUSTMENT FORM (SPA-1) FOR EACH CONTRACT. CERTIFICATION FORMS AND BOND FORMS ARE AVAILABLE AS PART OF THE CONTRACT EXECUTION FORMS AT THE FOLLOWING WEBSITE https://connect.ncdot.gov/letting/Pages/Central-Letting-Forms.aspx. BID ITEMS ELIGIBLE FOR STEEL PRICE ADJUSTMENT FORM (SPA-1) IS AVAILABLE AT THE FOLLOWING WEBSITE https://connect.ncdot.gov/letting/Pages/Central-Letting-Resources.aspx.

ALL QUESTIONS RELATED TO PROJECTS DURING THE ADVERTISEMENT PERIOD SHALL BE EMAILED TO THE STATE CONTRACT OFFICER AT ContractOfficer@ncdot.gov.

THE MINIMUM WAGE FOR LABOR WILL BE SHOWN IN THE PROPOSAL FORM FOR FEDERAL AID PROJECTS.

CONTRACTOR'S LICENSE: A GENERAL CONTRACTOR'S LICENSE IS REQUIRED IN ORDER TO SUBMIT A BID ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$30,000.00 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD. ON FEDERAL PROJECTS, THE APPROPRIATE CONTRACTOR'S LICENSE SHALL BE OBTAINED WITHIN 60 DAYS OF BID OPENING. FOR ADDITIONAL INFORMATION OR TO MAKE APPLICATION FOR A LICENSE, VISIT THE CONTRATOR LICENSING BOARD WEBSITE AT https://www.nclbgc.org OR EMAIL licensing@nclbgc.org.

PREQUALIFYING TO BID: ALL PROSPECTIVE BIDDERS SHALL BE PREQUALIFIED WITH THE DEPARTMENT OF TRANSPORTATION PRIOR TO SUBMITTING A BID. CONTRACTORS WHO ARE NOT PREQUALIFIED MAY OBTAIN INFORMATION AND FORMS FOR PREQUALIFYING FROM THE PREQUALIFICATION SECTION OF THE CONTRACT STANDARDS AND DEVELOPMENT UNIT AT https://connect.ncdot.gov/business/Prequal/Pages/default.aspx. ALL REQUIRED PREQUALIFICATION STATEMENTS AND DOCUMENTS SHALL BE FILED WITH THE CONTRACTUAL SERVICES MANAGEMENT SECTION AT LEAST FOUR WEEKS PRIOR TO THE DATE OF OPENING BIDS.

THE DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY ENSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS INVITATION TO BID, MINORITY BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, OR NATIONAL ORIGIN IN COMPENSATION TO THIS AWARD.

PROPOSAL FORMS AT \$25.00 EACH, PLANS (SMALL SIZE) AT \$40.00 PER SET, PLANS (LARGE SIZE) AT \$100.00 PER SET, AND CROSS-SECTIONS AT \$40.00 PER SET, PLUS SALES TAX FOR N.C. RESIDENTS, MAY BE OBTAINED BY TELEPHONING (919-707-6925), FAXING (919-250-4127), OR VISITING THE WEBSITE AT: https://connect.ncdot.gov/letting/Pages/Order-Plans.aspx. THESE CHARGES ARE NOT DEPOSITS AND WILL NOT BE REFUNDED. ALL ORDERS FOR PROPOSAL FORMS, PLANS AND CROSS-SECTIONS DELIVERED IN NORTH CAROLINA ARE SUBJECT TO 7.25% SALES TAX. ORDERS MAILED TO OUT OF STATE CONTRACTORS ARE NOT SUBJECT TO SALES TAX. MAKE ALL CHECKS PAYABLE TO THE "N.C. DEPARTMENT OF TRANSPORTATION".

THE RIGHT IS RESERVED TO REJECT ANY OR ALL BIDS.

TODAY'S DATE IS OCTOBER 21, 2025.
BY ORDER OF THE DEPARTMENT OF TRANSPORTATION
(THE WORK WILL CONSIST APPROXIMATELY AS SHOWN ON THE FOLLOWING SHEETS)

REVIEW OF PLANS AND PROPOSALS IN DIVISION OFFICE

IN ORDER TO FACILITATE AND ENCOURAGE THE INVOLVEMENT OF MINORITY BUSINESS ENTERPRISES IN THE HIGHWAY CONSTRUCTION PROCESS, IT IS THE POLICY OF THE DEPARTMENT OF TRANSPORTATION, DIVISION OF HIGHWAYS, THAT A SET OF PLANS AND PROPOSAL FOR EACH PROJECT TO BE LET WILL BE MAINTAINED FOR REVIEW BY ANY CONTRACTOR INTERESTED IN BIDDING UPON OR QUOTING WORK IN AN ADVERTISED PROJECT.

THE PROPOSALS AND PLANS WILL BE AVAILABLE FOR REVIEW BEGINNING TWO WEEKS PRIOR TO THE DATE OF BID OPENING IN THE DIVISION OFFICE WHICH WILL ADMINISTER THE CONTRACT. THE DEPARTMENT WILL, UPON REQUEST, MAKE AVAILABLE FROM ITS STAFF A PERSON TO EXPLAIN THE PROPOSED PROJECT AND TO ANSWER GENERAL QUESTIONS RELATING TO THE PROJECT. THE PLANS AND PROPOSALS CAN BE REVIEWED ANY TIME MONDAY THRU FRIDAY, EXCLUDING HOLIDAYS, BETWEEN THE HOURS OF 8:00 A.M. AND 4:30 P.M. IN THE DIVISION OFFICE. IN ORDER TO HAVE A MEMBER OF THE STAFF EXPLAIN THE PROJECT AND/OR ANSWER GENERAL QUESTIONS PERTAINING TO THE PROJECT, PRIOR APPOINTMENTS MUST BE MADE BY CALLING THE APPROPRIATE DIVISION OFFICE.

FOLLOWING ARE THE LOCATIONS AND TELEPHONE NUMBERS OF THE OFFICES IN WHICH THE PLANS AND PROPOSALS WILL BE MADE AVAILABLE, REFERENCE SHOULD BE MADE TO THE SHEETS CONTAINING THE INDIVIDUAL PROJECT QUANTITIES TO DETERMINE WHICH DIVISION OFFICE WILL ADMINISTER THE CONTRACT.

DIV NO.	DIVISION ENGINEER	TOWN	TELEPHONE
001	C. Win Bridgers, Jr., PE	EDENTON	(252) 482-1850
002	Mary Beth Houston	NEW BERN	(252) 514-4716
003	Trevor Carroll	CASTLE HAYNE	(910) 341-2000
004	W. Matthew Clarke	WILSON	(252) 237-6164
005	Rebecca Gallas	DURHAM	(919) 220-4600
006	Wallace Jernigan, PE	FAYETTEVILLE	(910) 364-0600
007	Wright Archer, III, PE	GREENSBORO	(336) 487-0000
008	Reuben Blakley, PE	CARTHAGE	(910) 773-8000
009	John Rhyne	WINSTON-SALEM	(336) 747-7800
010	Felix Obregon	ALBEMARLE	(704) 983-4400
011	Michael Poe, PE	NORTH WILKESBORO	(336) 903-9101
012	Mark Stafford, PE	SHELBY	(704) 480-5400
013	Timothy Anderson, PE	ASHEVILLE	(828) 250-3000
014	Wesley Grindstaff, PE	SYLVA	(828) 586-2141

Bid Letting Number: L251118

RPN Contract Id WBS		County	Length	Job Type
001 C204	967 15BPR.144.3	WAKE	0.239 MI	BRIDGE PRESERVATION.
002 C205	148 2026CPT.05.05.10321.1	DURHAM	9.774 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
003 C205	094 15BPR.146.3	CUMBERLAND	0.050 MI	BRIDGE PRESERVATION.
004 C205	069 47749.3.3	ROBESON	0.122 MI	GRADING, DRAINAGE, PAVING, SIGNALS, AND STRUCTURES.
005 C205	155 2026CPT.08.02.10631, ETC.	MOORE	24.296 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
006 C205	012 46381.3.1	FORSYTH	2.034 MI	GRADING, DRAINAGE, PAVING, SIGNALS AND STRUCTURES.
007 C205	2026CPT.10.13.10901, ETC.	UNION	14.380 MI	MILLLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
008 C205	118 44856.3.24	MECKLENBURG	0.286 MI	GRADING, DRAINAGE, AND PAVING.
009 C204.	505 46451.3.1	MECKLENBURG	0.405 MI	GRADING, DRAINAGE, PAVING, SIGNALS, AND RETAINING WALLS.
010 C205)44 45784.3.1	SURRY, YADKIN	0.371 MI	GRADING, DRAINAGE, PAVING, AND STRUCTURE.
011 C205	2026CPT.12.03.10231, ETC.	CLEVELAND	17.850 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
012 C205	126 49742.3.4	BUNCOMBE	0.503 MI	GRADING, DRAINAGE, AND PAVING.
013 C205	146 2026CPT.14.02.10451, ETC.	HENDERSON	33.644 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
014 C205	086 45818.3.1	JACKSON	2.620 MI	GRADING, DRAINAGE, PAVING, SIGNALS, & STRUCTURES.

L251118

CONTRACT ID: C204967 15BPR.144.3 DIV OFFICE DURHAM LENGTH = 0.239 MI

4,522.4 SY

56 EA

EA

COUNTY : WAKE

BRIDGE PRESERVATION.

DBE GOAL COMPLETION DATE: NOV 01, 2026

GENERIC STRUCTURE ITEM SCARIFYING BRIDGE DECK

GENERIC STRUCTURE ITEM ELASTOMERIC BEARING, MODIFIED

GENERIC STRUCTURE ITEM

TYPE II BRIDGE JACKING BRIDGE NO 910538

BRIDGES #910001 AND #910538 OVER CRABTREE CREEK AND CLNA RAILROAD ON SR-2911 (NEW BERN AVE).

BKIDGE	<i>i</i> 3 #910	001 AND #910336 OVER CRABIT
		ROADWAY ITEMS
Lump Sum	LS	MOBILIZATION
1,045	SY	INCIDENTAL MILLING
120	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
9	TON	ASPHALT BINDER FOR PLANT MIX
68	EA	GENERIC GUARDRAIL ITEM GUARDRAIL AND BARRIER DELINEATORS
80	SF	WORK ZONE SIGNS (STATIONARY)
326.25	SF	WORK ZONE SIGNS (PORTABLE)
3	EA	FLASHING ARROW BOARD
2	EA	PORTABLE CHANGEABLE MESSAGE SIGN
155	EA	DRUMS
21	EA	SEQUENTIAL FLASHING WARNING LIGHTS
4	EA	TMA
400	HR	LAW ENFORCEMENT
30	EA	SKINNY DRUM
2,900	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
3	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
2,900	LF	PAINT PAVEMENT MARKING LINES (6")
3	EA	PAINT PAVEMENT MARKING SYMBOL
Lump Sum	LS	PORTABLE LIGHTING
		STRUCTURE ITEMS
37,843	SF	GROOVING BRIDGE FLOORS
Lump Sum	LS	POLLUTION CONTROL
2.5	SY	CLASS II, SURFACE PREPARATION
19.3	CF	SHOTCRETE REPAIRS
Lump Sum	LS	GENERIC STRUCTURE ITEM CLEANING AND PAINTING EXISTING WEATHERING STEEL FOR BRIDGE #910001
Lump Sum	LS	GENERIC STRUCTURE ITEM CLEANING AND PAINTING EXISTING WEATHERING STEEL FOR BRIDGE #910538
Lump Sum	LS	GENERIC STRUCTURE ITEM CLEANING AND REPAINTING OF BRIDGE #910538
Lump Sum	LS	GENERIC STRUCTURE ITEM FIELD MEASURING
Lump Sum	LS	GENERIC STRUCTURE ITEM PAINTING CONTAINMENT FOR BRIDGE #910001
Lump Sum	LS	GENERIC STRUCTURE ITEM PAINTING CONTAINMENT FOR BRIDGE
Lump Sum	LS	#910538 GENERIC STRUCTURE ITEM PEDESTRIAN PROTECTION
595.5	LF	GENERIC STRUCTURE ITEM FOAM JOINT SEALS FOR PRESERVATION
219.8	CY	GENERIC STRUCTURE ITEM LATEX MODIFIED CONCRETE OVERLAY - VERY EARLY STRENGTH
143.2	CF	GENERIC STRUCTURE ITEM ELASTOMERIC CONCRETE FOR PRESERVATION
515	LB	GENERIC STRUCTURE ITEM BEAM REPAIR CUT-OUT
574	SF	GENERIC STRUCTURE ITEM BRIDGE JOINT DEMOLITION
754	SF	GENERIC STRUCTURE ITEM EPOXY COATING
4,522.4	SY	GENERIC STRUCTURE ITEM HYDRO-DEMOLITION OF BRIDGE DECK
4,522.4	SY	GENERIC STRUCTURE ITEM PLACING & FINISHING OF LATEX MODIFIED CONCRETE OVERLAY - VERY EARLY STRENGTH

L251118

CONTRACT ID: C205148 2026CPT.05.05.10321.1 DIV OFFICE DURHAM LENGTH = 9.774 MI

COUNTY : DURHAM

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL COMPLETION DATE: SEP 16, 2027

1 SECTION OF NC-55.

ROADWAY ITEMS

		ROADWAY ITEMS
Lump Sum	LS	MOBILIZATION
18	SY	REMOVAL OF EXISTING ASPHALT PAVEMENT
174	TON	INCIDENTAL STONE BASE
6.94	SMI	SHOULDER RECONSTRUCTION
898	TON	AGGREGATE SHOULDER BORROW
272,026	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")
8,104	SY	INCIDENTAL MILLING
25,137	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
1,491	TON	ASPHALT BINDER FOR PLANT MIX
169	TON	PATCHING EXISTING PAVEMENT
249	LF	2'-6" CONCRETE CURB & GUTTER
102	SY	4" CONCRETE SIDEWALK
1	EA	CONCRETE CURB RAMPS
70	EA	REMOVE AND REPLACE CONCRETE CURB RAMPS
2	SY	5" MONOLITHIC CONCRETE ISLANDS (KEYED IN)
109	SY	GENERIC PAVING ITEM REMOVE 4" CONCRETE SIDEWALK
5	SY	GENERIC PAVING ITEM REMOVE 5" MONOLITHIC CONCRETE ISLANDS (KEYED IN)
213	SY	GENERIC PAVING ITEM REMOVE AND REPLACE 4" CONCRETE SIDEWALK
15	LF	GENERIC PAVING ITEM REMOVE 2'-6" CONCRETE CURB & GUTTER
280	LF	GENERIC PAVING ITEM REMOVE AND REPLACE 2'-6" CONCRETE CURB & GUTTER
17	EA	GENERIC PAVING ITEM REMOVE CONCRETE CURB RAMPS
18	EA	ADJUSTMENT OF MANHOLES
8	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
1,089	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
120	LF	PEDESTRIAN CHANNELIZING DEVICES
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
880	HR	LAW ENFORCEMENT
12	EA	GENERIC TRAFFIC CONTROL ITEM AUDIBLE WARNING DEVICES
20	EA	GENERIC TRAFFIC CONTROL ITEM PEDESTRIAN TRANSPORT SERVICE
233,531	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
198	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
2,027	LF EA	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS) THERMOPLASTIC PAVEMENT MARKING
341	EA	CHARACTER (90 MILS) THERMOPLASTIC PAVEMENT MARKING
		SYMBOL (90 MILS) PAINT PAVEMENT MARKING LINES (6")
233,531	LF	. ,
198	LF	PAINT PAVEMENT MARKING LINES (8")
2,027	LF	PAINT PAVEMENT MARKING LINES (24")
15	EA	PAINT PAVEMENT MARKING CHARACTER
341	EA	PAINT PAVEMENT MARKING SYMBOL
6,069	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS SEEDING & MULCHING
3.43	ACR	
13,188	LF	INDUCTIVE LOOP SAWCUT

L251118

003

CONTRACT ID: C205094 15BPR.146.3 DIV OFFICE FAYETTEVILLE LENGTH = 0.050 MI

COUNTY : CUMBERLAND

GENERIC STRUCTURE ITEM PLACING & FINISHING POLYMER CONCRETE OVERLAY

2,687.1 SY

BRIDGE PRESERVATION.

DBE GOAL COMPLETION DATE: OCT 01, 2026

BRIDGE #250227 OVER SR-1007 (ALL AMERICAN FREEWAY) ON SR-1400 (CLIFFDALE RD).

BRIDGE	£ #2502	227 OVER SR-1007 (ALL AMERICAN FR	EEWAY) ON SR-1400	0 (CL	IFFDALE RD).
		ROADWAY ITEMS	2,687.1	SY	GENERIC STRUCTURE ITEM SCARIFYING BRIDGE DECK
Lump Sum	LS	MOBILIZATION	2,687.1	SY	GENERIC STRUCTURE ITEM
426	SY	INCIDENTAL MILLING	96	EA	SHOTBLASTING BRIDGE DECK GENERIC STRUCTURE ITEM
36	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B	90	EA	CLEANING AND PAINTING EXISTING BEARINGS WITH HIGH RATIO CALCIUM
3	TON	ASPHALT BINDER FOR PLANT MIX			SULFONATE
424	SF	WORK ZONE SIGNS (STATIONARY)			****** DECIN COHEDINE A A ******
160	SF	WORK ZONE SIGNS (PORTABLE)			******* BEGIN SCHEDULE AA******
32	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)	74.7	CY	******* (2 ALTERNATES) ******* GENERIC STRUCTURE ITEM
2	EA	FLASHING ARROW BOARD			POLYESTER POLYMER CONCRETE MATERIALS
60	DAY	PORTABLE CHANGEABLE MESSAGE SIGN (SHORT TERM)			*** OR ***
83	EA	DRUMS	74.7	CY	GENERIC STRUCTURE ITEM EPOXY POLYMER CONCRETE MATERIALS
24	EA	SEQUENTIAL FLASHING WARNING LIGHTS			
36	LF	BARRICADES (TYPE III)			*** END SCHEDULE AA***
8	LF	PEDESTRIAN CHANNELIZING DEVICES			
2	EA	TMA			
80	HR	LAW ENFORCEMENT			
1,200	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (4") (IV)			
540	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (6") (IV)			
325	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (8") (IV)			
140	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (24") (IV)			
14	EA	COLD APPLIED PLASTIC PAVEMENT MARKING SYMBOL, TYPE **			
73	LF	(IV) GENERIC PAVEMENT MARKING ITEM INTEGRATED MULTIPOLYMER PAVEMENT			
90	LF	MARKING LINE (12", 90 MILS) GENERIC PAVEMENT MARKING ITEM INTEGRATED MULTIPOLYMER PAVEMENT MARKING LINE (24", 90 MILS)			
1,941	LF	GENERIC PAVEMENT MARKING ITEM INTEGRATED MULTIPOLYMER PAVEMENT MARKING LINES (4", 90 MILS)			
14	EA	GENERIC PAVEMENT MARKING ITEM INTEGRATED MULTIPOLYMER PAVEMENT MARKING SYMBOLS (90 MILS)			
58	EA	PERMANENT RAISED PAVEMENT MARKERS			
Lump Sum	LS	PORTABLE LIGHTING			
		STRUCTURE ITEMS			
22,778	SF	GROOVING BRIDGE FLOORS			
Lump Sum	LS	POLLUTION CONTROL			
23.1	SY	CLASS II, SURFACE PREPARATION			
1.5	CF	SHOTCRETE REPAIRS			
Lump Sum	LS	GENERIC STRUCTURE ITEM CLEANING AND REPAINTING OF BRIDGE #250227			
Lump Sum	LS	GENERIC STRUCTURE ITEM PAINTING CONTAINMENT FOR BRIDGE #250227			
466	LF	GENERIC STRUCTURE ITEM			
1,094	SF	FOAM JOINT SEALS FOR PRESERVATION GENERIC STRUCTURE ITEM EPOXY COATING			
23.1	SY	GENERIC STRUCTURE ITEM CONCRETE DECK REPAIR FOR POLYMER CONCRETE OVERLAY			
2 697 1	CM	CONCRETE OVERLAT			

L251118 004

CONTRACT ID: C205069 47749.3.3 DIV OFFICE FAYETTEVILLE LENGTH = 0.122 MI

COUNTY : ROBESON

GRADING, DRAINAGE, PAVING, SIGNALS, AND STRUCTURES.

DBE GOAL COMPLETION DATE: MAY 03, 2028

BRIDGE #770175 OVER LUMBER RIVER ON SR-1600 (W 5TH ST).

		DO ADWAY/IMEN	10	TON	DID DAD CLASS D
		ROADWAY ITEM	10 1,705	TON SY	RIP RAP, CLASS B
Lump Sum	LS	MOBILIZATION	1,705	LF	GEOTEXTILE FOR DRAINAGE SUPPORTS, 3-LB STEEL U-CHANNEL
Lump Sum	LS	CONSTRUCTION SURVEYING	10	EA	SIGN ERECTION, TYPE E
200	ACR CY	SUPPLEMENTARY CLEARING & GRUBBING UNDERCUT EXCAVATION	2	EA	SIGN ERECTION, PHYLE SIGN ERECTION, RELOCATE TYPE **** (GROUND MOUNTED)
Lump Sum	LS	GRADING			(D)
1,400	CY	BORROW EXCAVATION	6	EA	SIGN ERECTION, RELOCATE TYPE **** (GROUND MOUNTED)
200	CY	SELECT GRANULAR MATERIAL	2	EA	(E)
200	SY	GEOTEXTILE FOR SOIL STABILIZATION	8	EA EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL DISPOSAL OF SUPPORT, U-CHANNEL
Lump Sum	LS	GENERIC GRADING ITEM TYPE 1 BRIDGE APPROACH FILL, STATION	1,320	SF	WORK ZONE SIGNS (STATIONARY)
50	TON	22+08 -L- GENERIC GRADING ITEM	560	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
		HAULING AND DISPOSAL OF PETROLEUM CONTAMINATED SOIL	5	EA	PORTABLE CHANGEABLE MESSAGE SIGN
40	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	256	LF	BARRICADES (TYPE III)
120	SY	FOUNDATION CONDITIONING GEOTEXTILE	882	LF	PEDESTRIAN CHANNELIZING DEVICES
188	LF	15" DRAINAGE PIPE	4	EA	GENERIC TRAFFIC CONTROL ITEM
8	EA	**" DRAINAGE PIPE ELBOWS	1,093	LF	TEMPORARY CURB RAMPS THERMOPLASTIC PAVEMENT MARKING
44	LF	(15") 15" RC PIPE CULVERTS, CLASS III	192	LF	LINES (4", 90 MILS) THERMOPLASTIC PAVEMENT MARKING
112	LF	72" RC PIPE CULVERTS, CLASS III	121	LF	LINES (8", 90 MILS) THERMOPLASTIC PAVEMENT MARKING
206	LF	PIPE REMOVAL	121	LF	LINES (24", 90 MILS)
50	CY	SHALLOW UNDERCUT	5	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
100	TON	CLASS IV SUBGRADE STABILIZATION	813	LF	COLD APPLIED PLASTIC PAVEMENT
150	SY	GEOTEXTILE FOR SUBGRADE STABILIZATION			MARKING LINES, TYPE ** (4") (II)
250	TON	INCIDENTAL STONE BASE	160	LF	COLD APPLIED PLASTIC PAVEMENT
1,400	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")			MARKING LINES, TYPE ** (8") (II)
820	SY	MILLING ASPHALT PAVEMENT, ***" TO ******	80	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (8") (IV)
100	SY	(0" TO 1-1/2") INCIDENTAL MILLING	29	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (24")
150	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	4	EA	(II) COLD APPLIED PLASTIC PAVEMENT
150	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C	4	LA	MARKING SYMBOL, TYPE ** (II)
310	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C	20	LF	GENERIC PAVEMENT MARKING ITEM YIELD LINE THERMOPLASTIC PAVEMENT
35	TON	ASPHALT BINDER FOR PLANT MIX	1.705	I.E.	MARKING (24", 90 MILS)
200	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR	1,725	LF	TEMPORARY SILT FENCE
14.2	CY	REINFORCED ENDWALLS	150	TON	STONE FOR EROSION CONTROL, CLASS A
6	EA	MASONRY DRAINAGE STRUCTURES	80	TON	STONE FOR EROSION CONTROL, CLASS B
3	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **	485 1.5	TON ACR	SEDIMENT CONTROL STONE TEMPORARY MULCHING
		(F)	1.00	LB	SEED FOR TEMPORARY SEEDING
2	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **	0.5	TON	FERTILIZER FOR TEMPORARY SEEDING
	E.4	(G)	200	LF	TEMPORARY SLOPE DRAINS
1	EA	FRAME WITH COVER, STD 840.54	1,460	LF	SAFETY FENCE
630	LF	2'-6" CONCRETE CURB & GUTTER	120	CY	SILT EXCAVATION
470	SY	4" CONCRETE SIDEWALK	3,000	SY	MATTING FOR EROSION CONTROL
8	EA	CONCRETE CURB RAMPS	1,275	SY	COIR FIBER MAT
20	SY	6" CONCRETE DRIVEWAY	275	LF	1/4" HARDWARE CLOTH
125	LF	STEEL BEAM GUARDRAIL	160	SY	FLOATING TURBIDITY CURTAIN
5	EA	ADDITIONAL GUARDRAIL POSTS	18	EA	SPECIAL STILLING BASINS
2	EA	GUARDRAIL ANCHOR UNITS, TYPE ****** (III, SHOP CURVED)	120	LF	COIR FIBER WATTLE
1	EA	GUARDRAIL ANCHOR UNITS, TYPE III	1.5	ACR	SEEDING & MULCHING
3	EA	GUARDRAIL END UNITS, TYPE TL-2	0.75	ACR	MOWING
1	EA	GENERIC FENCING ITEM REMOVE AND RESET BOLLARDS	50	LB	SEED FOR REPAIR SEEDING
15	TON	RIP RAP, CLASS I	0.25	TON	FERTILIZER FOR REPAIR SEEDING

50	LB	SEED FOR SUPPLEMENTAL SEEDING	200	LF	PERMANENT STEEL CASING FOR 4'-0" DIA
1	TON	FERTILIZER TOPDRESSING	2	EA	DRILLED PIER SID INSPECTIONS
70	LF	IMPERVIOUS DIKE	2	EA	SPT TESTING
10	MHR	SPECIALIZED HAND MOWING			
25	EA	RESPONSE FOR EROSION CONTROL	2	EA	CSL TESTING
1	EA	CONCRETE WASHOUT STRUCTURE	Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ********
27	EA	GENERIC EROSION CONTROL ITEM	17,131	SF	(22+08.00 -L-) REINFORCED CONCRETE DECK SLAB
		FABRIC INSERT INLET PROTECTION CLEANOUT			
9	EA	GENERIC EROSION CONTROL ITEM	12,895	SF	GROOVING BRIDGE FLOORS
		FABRIC INSERT INLET PROTECTION, TYPE 1	229.9	CY	CLASS A CONCRETE (BRIDGE)
6	EA	GENERIC EROSION CONTROL ITEM PREFABRICATED CONCRETE WASHOUT	Lump Sum	LS	BRIDGE APPROACH SLABS, STATION
8	EA	PEDESTRIAN SIGNAL HEAD (16", 1 SECTION W/COUNTDOWN)	93,960	LB	(22+08.00 -L-)
2,250	LF	SIGNAL CABLE			REINFORCING STEEL (BRIDGE)
8	EA	VEHICLE SIGNAL HEAD (12", 3 SECTION)	25,138	LB	SPIRAL COLUMN REINFORCING STEEL (BRIDGE)
	EA		2,260	LF	FIB **" PRESTRESSED CONCRETE GIRDERS
2		VEHICLE SIGNAL HEAD (12", 4 SECTION)	4#.000		(45")
20	LF	PAVED TRENCHING (*********) (2, 2")	15,800	LS	APPROX LBS STRUCTURAL STEEL
10	LF	UNPAVED TRENCHING (*******)	25	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES
150	LF	(1, 2") UNPAVED TRENCHING (*********)	4 400		(HP 12 X 53)
130	Li	(2, 2")	1,680	LF	HP 12 X 53 STEEL PILES
20	LF	UNPAVED TRENCHING (********)	13	EA	PILE REDRIVES
157	LF	(3, 2") DIRECTIONAL DRILL (*********)	2	EA	DYNAMIC PILE TESTING
137	LI	(2, 2")	360	TON	RIP RAP CLASS II (2'-0" THICK)
540	LF	INDUCTIVE LOOP SAWCUT	454	SY	GEOTEXTILE FOR DRAINAGE
1,750	LF	LEAD-IN CABLE (14-2)	Lump Sum	LS	ELASTOMERIC BEARINGS
1	EA	MODIFY RADIO INSTALLATION	Lump Sum	LS	FOAM JOINT SEALS
2	EA	METAL POLE WITH DUAL MAST ARM	Lump Sum	LS	ELECTRICAL CONDUIT SYSTEM AT STA
2	EA	SOIL TEST	Lump Sum	Lij	******
			#0.4.0.4		(22+08.00 -L-)
14	CY	DRILLED PIER FOUNDATION	591.01	LF	GENERIC STRUCTURE ITEM CLASSIC CONCRETE BRIDGE RAIL
2	EA	MAST ARM WITH METAL POLE DESIGN			
3	EA	SIGN FOR SIGNALS			
2	EA	TYPE I POST WITH FOUNDATION			
6	EA	TYPE II PEDESTAL WITH FOUNDATION			
1	EA	SIGNAL CABINET FOUNDATION			
1	EA	CONTROLLERS WITH CABINET (************************************			
		(TYPE 2070LX, BASE MOUNTED)			
3	EA	DETECTOR CARD (TYPE 170)			
1	EA	CABINET BASE EXTENDER			
1	EA	GENERIC SIGNAL ITEM MICROWAVE VEHICLE DETECTION SYSTEM - MULTIPLE ZONES			
		****** BEGIN SCHEDULE AA*****			
		******* (5 ALTERNATES) *******			
21	EA	GENERIC PAVEMENT MARKING ITEM			
		10' INLAID PAVEMENT MARKINGS			
		*** OR ***			
21	EA	GENERIC PAVEMENT MARKING ITEM 10' RUMBLE SKIPS			
		*** OR ***			
21	EA	GENERIC PAVEMENT MARKING ITEM			
		INLAID CRADLE MARKERS			
		*** OR ***			
21	EA	GENERIC PAVEMENT MARKING ITEM INLAID RAISED PAVEMENT MARKERS			
		*** OR ***			
21	EA	GENERIC PAVEMENT MARKING ITEM			
21	121	POLYCARBONATE H-SHAPED MARKERS			
		*** END SCHEDULE AA***			
		STRUCTURE ITEMS			
Lump Sum	LS	CONSTRUCTION, MAINTENANCE, &			
Lump Sum	ப	REMOVAL OF TEMP ACCESS AT STA			
		(22+08.00 -L-)			
Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION **********			
		(22+08.00 -L-)			
Lump Sum	LS	ASBESTOS ASSESSMENT			
014	T F2	**! **" DIA DDII I ED DIEDC			

914 LF

'-" DIA DRILLED PIERS

(4'-0")

L251118

005

CONTRACT ID: C205155 2026CPT.08.02.10631 DIV OFFICE CARTHAGE LENGTH = 24.296 MI

COUNTY : MOORE

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL COMPLETION DATE : SEE SPECIAL

PROVISIONS

1 SECTION OF NC-705, 1 SECTION OF NC-24W, AND 15 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
36.99	SMI	SHOULDER RECONSTRUCTION
5,525	TON	AGGREGATE SHOULDER BORROW
91,417	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")
8,195	SY	INCIDENTAL MILLING
18,195	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
12,277	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
1,943	TON	ASPHALT BINDER FOR PLANT MIX
737	TON	PATCHING EXISTING PAVEMENT
37	EA	ADJUSTMENT OF MANHOLES
21	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
2,767	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
80	HR	LAW ENFORCEMENT
171,871	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
1,200	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
75	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 90 MILS)
300	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
621,368	LF	PAINT PAVEMENT MARKING LINES (4")
100	LF	PAINT PAVEMENT MARKING LINES (16")
50	LF	PAINT PAVEMENT MARKING LINES (24")
8	EA	PAINT PAVEMENT MARKING CHARACTER
5	EA	PAINT PAVEMENT MARKING SYMBOL
Lump Sum	LS	PORTABLE LIGHTING
1,900	LF	INDUCTIVE LOOP SAWCUT

L251118

LENGTH = 2.034 MI

CONTRACT ID: C205012 COUNTY : FORSYTH

GRADING, DRAINAGE, PAVING, SIGNALS AND STRUCTURES.

46381.3.1

DBE GOAL COMPLETION DATE: JAN 28, 2031

DIV OFFICE WINSTON-SALEM

BIG MILL FARM RD FROM S OF US-421 TO SR-2649, SR-2649 FROM BIG MILL FARM RD TO NC-66, & INT OF US-421 &

BIG MIL	L FA	RM RD	.,		
		ROADWAY ITEMS	2,250	SY	GEOTEXTILE FOR SUBGRADE
Lump Sum	LS	MOBILIZATION	1,475	TON	STABILIZATION AGGREGATE BASE COURSE
Lump Sum	LS	CONSTRUCTION SURVEYING	530	TON	INCIDENTAL STONE BASE
Lump Sum	LS	CLEARING & GRUBBING ACRE(S)	1.15	SMI	SHOULDER RECONSTRUCTION
3	ACR	SUPPLEMENTARY CLEARING & GRUBBING	200	TON	AGGREGATE SHOULDER BORROW
1	EA	SEALING ABANDONED WELLS	810	GAL	PRIME COAT
166,600	CY	UNCLASSIFIED EXCAVATION	57,400	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH
5,100	CY	UNDERCUT EXCAVATION			(1-1/2")
423,000	CY	BORROW EXCAVATION	6,100	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (4")
820	CY	DRAINAGE DITCH EXCAVATION	8,060	SY	INCIDENTAL MILLING
30,750	SY	REMOVAL OF EXISTING ASPHALT	41,990	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
4,620	SY	PAVEMENT BREAKING OF EXISTING ASPHALT PAVEMENT	26,720	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0C
3,250	CY	SELECT GRANULAR MATERIAL	14,850	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
5,450	SY	GEOTEXTILE FOR SOIL STABILIZATION	14,800	TON	ASPHALT CONC SURFACE COURSE, TYPE
2,400	SF	TEMPORARY SHORING	5,065	TON	S9.5C ASPHALT BINDER FOR PLANT MIX
Lump Sum	LS	GENERIC GRADING ITEM			
-	TON	TYPE 2 BRIDGE APPROACH FILL, STATION 27+37.26 -L-	130 17,480	TON LF	ASPHALT PLANT MIX, PAVEMENT REPAIR GENERIC PAVING ITEM MILLED RUMBLE STRIPS (ASPHALT
50	TON	GENERIC GRADING ITEM HAULING AND DISPOSAL OF PETROLEUM CONTAMINATED SOIL	78	EA	CONCRETE), (16") RIGHT-OF-WAY MARKERS
4,862	TON	FOUNDATION CONDITIONING MATERIAL,	51	EA	CONTROL-OF-ACCESS MARKERS
14,414	SY	MINOR STRUCTURES FOUNDATION CONDITIONING GEOTEXTILE	470	CY	SUBDRAIN EXCAVATION
104	LF	15" DRAINAGE PIPE	2,100	SY	GEOTEXTILE FOR SUBSURFACE DRAINS
358	LF	18" DRAINAGE PIPE	353	CY	SUBDRAIN COARSE AGGREGATE
420	LF	15" SIDE DRAIN PIPE	2,100	LF	6" PERFORATED SUBDRAIN PIPE
36	LF	18" SIDE DRAIN PIPE	5	EA	SUBDRAIN PIPE OUTLET
200	LF	****" RC PIPE CULVERTS, CLASS IV	30	LF	6" OUTLET PIPE
200		(48")	11	EA	TEMPORARY STEEL PLATE COVERS FOR
108	LF	**** RC PIPE CULVERTS, CLASS IV (54")	13.9	CY	MASONRY DRAINAGE STRUCTURE ENDWALLS
92	LF	****" RC PIPE CULVERTS, CLASS IV (66")	6.3	CY	REINFORCED ENDWALLS
11,432	LF	15" RC PIPE CULVERTS, CLASS IV	1.786	CY	PIPE COLLARS
6,492	LF	18" RC PIPE CULVERTS, CLASS IV	129	CY	FLOWABLE FILL
3,992	LF	24" RC PIPE CULVERTS, CLASS IV	272	EA	MASONRY DRAINAGE STRUCTURES
1,492	LF	30" RC PIPE CULVERTS, CLASS IV	12.57	CY	MASONRY DRAINAGE STRUCTURES
224	LF	36" RC PIPE CULVERTS, CLASS IV	169.3	LF	MASONRY DRAINAGE STRUCTURES
740	LF	42" RC PIPE CULVERTS, CLASS IV	44	EA	FRAME WITH TWO GRATES, STD 840.16
204	LF	18" CS PIPE CULVERTS, 0.064" THICK	12	EA	FRAME WITH TWO GRATES, STD 840.20
192	LF	24" CS PIPE CULVERTS, 0.064" THICK	29	EA	FRAME WITH TWO GRATES, STD 840.22
6	EA	**" CS PIPE ELBOWS, *****" THICK (18", 0.064")	8	EA	FRAME WITH TWO GRATES, STD 840.24
2	EA	**" CS PIPE ELBOWS, *****" THICK	2	EA	FRAME WITH TWO GRATES, STD 840.29
226	LF	(24", 0.064") **" WELDED STEEL PIPE, ****" THICK,	13	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **
80	LF	GRADE B IN SOIL (20", 0.250") **" WELDED STEEL PIPE, ****" THICK,	84	EA	(E) FRAME WITH GRATE & HOOD, STD 840.03, TYPE **
	I.E.	GRADE B IN SOIL (24", 0.250")	69	EA	(F) FRAME WITH GRATE & HOOD, STD 840.03,
226	LF	**" WELDED STEEL PIPE, ****" THICK, GRADE B NOT IN SOIL (20", 0.250")	19	EA	TYPE ** (G) FRAME WITH COVER, STD 840.54
80	LF	**" WELDED STEEL PIPE, ****" THICK,	2	EA	STEEL FRAME WITH TWO GRATES, STD
2,451	LF	GRADE B NOT IN SOIL (24", 0.250") PIPE REMOVAL	25	EA	840.37 CONCRETE TRANSITIONAL SECTION FOR
Lump Sum	LS	FINE GRADING	22	г.	CATCH BASIN
Lump Sum 20	TON	#57 STONE	32	EA	CONCRETE TRANSITIONAL SECTION FOR DROP INLET
750	CY	#5/ STONE SHALLOW UNDERCUT	1	EA	GENERIC DRAINAGE ITEM
1,500	TON	CLASS IV SUBGRADE STABILIZATION	232	LF	DE-WATERING GENERIC DRAINAGE ITEM 36" PIPE REHABILITATION CIPP LINER

232	LF	GENERIC DRAINAGE ITEM	16	EA	SIGN ERECTION, TYPE *** (OVERHEAD)
100	LE	PRE INSTALLATION INSPECTION **" V **" CONCRETE CURR	11	EA	(B)
100	LF	**" X **" CONCRETE CURB (8" X 12")	11	EA	SIGN ERECTION, TYPE *** (GROUND MOUNTED)
12,060	LF	1'-6" CONCRETE CURB & GUTTER			(A)
21,910	LF	2'-6" CONCRETE CURB & GUTTER	2	EA	SIGN ERECTION, TYPE *** (GROUND MOUNTED)
1,260	LF	SHOULDER BERM GUTTER			(B)
110	LF	CONCRETE EXPRESSWAY GUTTER	2	EA	SIGN ERECTION, MILEMARKERS
1,960	LF	CONCRETE VALLEY GUTTER	1	EA	SIGN ERECTION, OVERLAY (OVERHEAD)
	SY	4" CONCRETE SIDEWALK	Lump Sum	LS	SUPPORTS, OVERHEAD SIGN STRUCTURE
11,660					***** (30+50 -Y1-)
48	EA	CONCRETE CURB RAMPS	Lump Sum	LS	SUPPORTS, OVERHEAD SIGN STRUCTURE
2,330	SY	6" CONCRETE DRIVEWAY			***** (42.95 V1.)
80	SY	4" CONCRETE PAVED DITCH	Lump Sum	LS	(42+85 -Y1-) SUPPORTS, OVERHEAD SIGN STRUCTURE
3,330	SY	5" MONOLITHIC CONCRETE ISLANDS (KEYED IN)			****
680	LF	PRECAST REINFORCED CONCRETE	Lump Sum	LS	(54+50-Y1-) SUPPORTS, OVERHEAD SIGN STRUCTURE
		BARRIER, SINGLE FACED	Lump Sum	Lo	*****
3	EA	ADJUSTMENT OF CATCH BASINS	T 0		(57+57 - Y1-)
1	EA	ADJUSTMENT OF DROP INLETS	Lump Sum	LS	SUPPORTS, OVERHEAD SIGN STRUCTURE *****
15	EA	ADJUSTMENT OF MANHOLES			(77+50 -Y1-)
28	EA	ADJUSTMENT OF METER BOXES OR VALVE	Lump Sum	LS	SUPPORTS, OVERHEAD SIGN STRUCTURE *****
2	EA	BOXES CONVERT EXISTING CATCH BASIN TO			(80+00 -Y1-)
2	LA	JUNCTION BOX WITH MANHOLE	Lump Sum	LS	SUPPORTS, OVERHEAD SIGN STRUCTURE *****
1	EA	CONVERT EXISTING DROP INLET TO			(90+80 -Y1-)
5,800	LF	JUNCTION BOX STEEL BEAM GUARDRAIL	1	EA	DISPOSAL OF SIGN SYSTEM, OVERHEAD
			69	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
175	LF	STEEL BEAM GUARDRAIL, SHOP CURVED	16	EA	GENERIC SIGNING ITEM
7,800	EA	EXTRA LENGTH GUARDRAIL POST (**' STEEL)			SUPPORTS, OMNI-DIRECTIONAL
		(8')	2,716	SF	BREAKAWAY WORK ZONE SIGNS (STATIONARY)
25	EA	ADDITIONAL GUARDRAIL POSTS	224	SF	HIGH VISIBILITY STATIONARY SIGNS
2	EA	GUARDRAIL END UNITS, TYPE AT-1			
11	EA	GUARDRAIL END UNITS, TYPE CAT-1	289	SF	WORK ZONE SIGNS (PARTISE)
4	EA	GUARDRAIL ANCHOR UNITS, TYPE III	290	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
12	EA	GUARDRAIL END UNITS, TYPE TL-3	130	SF	WORK ZONE ADVANCE/GENERAL WARNING
8	EA	GUARDRAIL ANCHOR UNITS, TYPE B-77	4	E.A	SIGNING FLASHING ARROW BOARD
11,750	LF	REMOVE EXISTING GUARDRAIL	4	EA	FLASHING ARROW BOARD
5,000	LF	TEMPORARY STEEL BEAM GUARDRAIL	4	EA	PORTABLE CHANGEABLE MESSAGE SIGN
9,400	LF	WOVEN WIRE FENCE, 47" FABRIC	343	EA	DRUMS
622	EA	4" TIMBER FENCE POSTS, 7'-6" LONG	154	EA	HIGH VISIBILITY DRUMS
92	EA	5" TIMBER FENCE POSTS, 8'-0" LONG	39	EA	SEQUENTIAL FLASHING WARNING LIGHTS
		CHAIN LINK FENCE, 48" FABRIC	624	LF	BARRICADES (TYPE III)
2,540	LF		24	LF	PEDESTRIAN CHANNELIZING DEVICES
212	EA	METAL LINE POSTS FOR 48" CHAIN LINK FENCE	660	DAY	FLAGGER
21	EA	METAL TERMINAL POSTS FOR 48" CHAIN	Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
150	EA	LINK FENCE	8	EA	TEMPORARY CRASH CUSHIONS
150	EA	GENERIC FENCING ITEM VINYL COATED METAL LINE POSTS FOR 48"	4	EA	REMOVE & RESET TEMPORARY CRASH
		CHAIN LINK FENCE			CUSHION
10	EA	GENERIC FENCING ITEM VINYL COATED METAL TERMINAL POSTS	4	EA	TMA
		FOR 48" CHAIN LINK FENCE	8,931	LF	PORTABLE CONCRETE BARRIER
1,810	LF	GENERIC FENCING ITEM VINYL COATED CHAIN LINK FENCE FABRIC	7,965	LF	PORTABLE CONCRETE BARRIER
		(48")	80	HR	(ANCHORED) LAW ENFORCEMENT
725	TON	RIP RAP, CLASS I	Lump Sum	LS	GENERIC TRAFFIC CONTROL ITEM
525	TON	RIP RAP, CLASS II	Lump Sum	Lis	DYNAMIC ZIPPER MERGE SYSTEM
40	TON	RIP RAP, CLASS A	1	E.A	DEPLOYMENT GENERIC TRAFFIC CONTROL ITEM
915	TON	RIP RAP, CLASS B	1	EA	GENERIC TRAFFIC CONTROL ITEM CONNECTED LANE CLOSURE SYSTEM
50	TON	BOULDERS	1	EA	GENERIC TRAFFIC CONTROL ITEM
6,570	SY	GEOTEXTILE FOR DRAINAGE			DYNAMIC ZIPPER MERGE SYSTEM RELOCATION
776	SF	CONTRACTOR FURNISHED, TYPE *** SIGN	14	DAY	GENERIC TRAFFIC CONTROL ITEM
		(E)	#20		DYNAMIC ZIPPER MERGE SYSTEM
114	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (F)	539	EA	TEMPORARY RAISED PAVEMENT MARKERS
5	CY	REINFORCED CONCRETE SIGN	63,133	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
	0.	FOUNDATIONS	38,638	LF	THERMOPLASTIC PAVEMENT MARKING
1	CY	PLAIN CONCRETE SIGN FOUNDATIONS			LINES (6", 90 MILS)
85	CY	OVERHEAD FOOTING	12,932	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
6,783	LB	SUPPORTS, BREAKAWAY STEEL BEAM	2,775	LF	THERMOPLASTIC PAVEMENT MARKING
2,069	LF	SUPPORTS, 3-LB STEEL U-CHANNEL	•		LINES (12", 90 MILS)
105	EA	SIGN ERECTION, TYPE E	89	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
8	EA	SIGN ERECTION, TYPE F	8	EA	THERMOPLASTIC PAVEMENT MARKING
18	EA	SIGN ERECTION, TYPE *** (OVERHEAD)		E.	CHARACTER (90 MILS)
		(A)	168	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
					•

101	EA	HEATED-IN-PLACE THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)	1	EA	6" TAPPING SLEEVE & VALVE
777	LF	COLD APPLIED PLASTIC PAVEMENT	2	EA	2" AIR RELEASE VALVE
		MARKING LINES, TYPE ** (4") (II)	2	EA	**" WATER METER (5/8")
1	EA	COLD APPLIED PLASTIC PAVEMENT	28	EA	RELOCATE WATER METER
		MARKING SYMBOL, TYPE **	20	EA	RECONNECT WATER METER
130,266	LF	(II) PAINT PAVEMENT MARKING LINES (4")	12	EA	FIRE HYDRANT
105,454	LF	PAINT PAVEMENT MARKING LINES (6")	155	LF	FIRE HYDRANT LEG
7,131	LF	PAINT PAVEMENT MARKING LINES (8")	1	EA	6" LINE STOP
1,757	LF	PAINT PAVEMENT MARKING LINES (12")	2,125	LF	WATER SERVICE LINE
999	LF	PAINT PAVEMENT MARKING LINES (12)	3,285	LF	8" SANITARY GRAVITY SEWER
6	EA	PAINT PAVEMENT MARKING CHARACTER	1,866	LF	12" SANITARY GRAVITY SEWER
		PAINT PAVEMENT MARKING CHARACTER PAINT PAVEMENT MARKING SYMBOL		LF	24" SANITARY GRAVITY SEWER
127	EA		203		
24,048	LF	REMOVAL OF PAVEMENT MARKING LINES (4")	16	EA	SANITARY SEWER CLEAN-OUT
28,242	LF	REMOVAL OF PAVEMENT MARKING LINES	700	LF	SEWER SERVICE LINE
685	LF	(6") REMOVAL OF PAVEMENT MARKING LINES	23	EA	4' DIA UTILITY MANHOLE
-		(8")	9	EA	5' DIA UTILITY MANHOLE
331	LF	REMOVAL OF PAVEMENT MARKING LINES (12")	121	LF	UTILITY MANHOLE WALL 4' DIA
179	LF	REMOVAL OF PAVEMENT MARKING LINES	91	LF	UTILITY MANHOLE WALL 5' DIA
		(24")	87	LF	ABANDON **" UTILITY PIPE (4")
23	EA	REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS	1,148	LF	ABANDON 6" UTILITY PIPE
18	LF	GENERIC PAVEMENT MARKING ITEM	4,421	LF	ABANDON 8" UTILITY PIPE
		YIELD LINE THERMOPLASTIC PAVEMENT MARKING (24", 90 MILS)	6,857	LF	ABANDON 12" UTILITY PIPE
980	EA	PERMANENT RAISED PAVEMENT MARKERS	148	LF	ABANDON 24" UTILITY PIPE
2	EA	80' HIGH MOUNT STANDARD	8	EA	REMOVE FIRE HYDRANT
2	EA	100' HIGH MOUNT STANDARD	27	EA	REMOVE UTILITY MANHOLE
2	EA	120' HIGH MOUNT STANDARD	95	LF	**" ENCASEMENT PIPE
1	EA	PORTABLE DRIVE UNIT			(48")
42	CY	HIGH MOUNT FOUNDATIONS	495	LF	16" ENCASEMENT PIPE
16	EA	HIGH MOUNT LUMINAIRES *******	906	LF	20" ENCASEMENT PIPE
		(335W LED)	269	LF	24" ENCASEMENT PIPE
28	EA	HIGH MOUNT LUMINAIRES ******* (560W LED)	263	LF	BORE AND JACK OF **" (16")
1	EA	ELECTRIC SERVICE POLE *********	384	LF	BORE AND JACK OF **"
		(30' CLASS 4)			(20")
70	LF	ELECTRIC SERVICE LATERAL ************************************	218	LF	BORE AND JACK OF **" (24")
1	EA	LIGHT CONTROL EQUIPMENT, TYPE RW	42	LF	BORE AND JACK OF **"
		**************************************	2	EA	(48")
80	LF	ELECTRICAL DUCT, TYPE **, SIZE *****	2	EA	GENERIC UTILITY ITEM CONCRETE SUPPORT PIER
90	LE	(TL, 3")	18	EA	GENERIC UTILITY ITEM
80	LF	ELECTRICAL DUCT, TYPE **, SIZE ***** (TL, 4")	48,725	LF	THRUST COLLAR TEMPORARY SILT FENCE
340	LF	ELECTRICAL DUCT, TYPE BD, SIZE *****	2,460	TON	STONE FOR EROSION CONTROL, CLASS A
135	LF	(2") ELECTRICAL DUCT, TYPE BD, SIZE *****	6,460	TON	STONE FOR EROSION CONTROL, CLASS B
133	Li	(3")	6,280	TON	SEDIMENT CONTROL STONE
880	LF	** #6 W/G FEEDER CIRCUIT (2)			
179	LF	** #8 W/G FEEDER CIRCUIT IN *****"	22	ACR	TEMPORARY MULCHING
		CONDUIT	1,100	LB	SEED FOR TEMPORARY SEEDING
5,450	LF	(2, 1-1/2") ** #6 W/G FEEDER CIRCUIT IN *****"	6	TON	FERTILIZER FOR TEMPORARY SEEDING
-,		CONDUIT	4,225	LF	TEMPORARY SLOPE DRAINS
1	EA	(2, 1-1/2") ELECTRICAL JUNCTION BOXES	680	LF	SAFETY FENCE
1	1271	*******	23,830	CY	SILT EXCAVATION
6	EA	(CS36) ELECTRICAL JUNCTION BOXES	71,000	SY	MATTING FOR EROSION CONTROL
0	LA	*******	205	SY	COIR FIBER MAT
4	Ε.	(HM18)	12,870	LF	1/4" HARDWARE CLOTH
4	EA	ELECTRICAL JUNCTION BOXES ************************************	1,200	SY	LOW PERMEABILITY GEOTEXTILE
2	Б.	(IG18)	145	LF	**" TEMPORARY PIPE
2	EA	ELECTRICAL JUNCTION BOXES ************************************	224	LF	(36") **" TEMPORARY PIPE
		(IG36)			(48")
Lump Sum	LS	PORTABLE LIGHTING	4	EA	SPECIAL STILLING BASINS
1,664	LF	6" WATER LINE	2,620	LB	FLOCCULANT
2,143	LF	8" WATER LINE	6,960	LF	COIR FIBER WATTLE
5,319	LF	12" WATER LINE	260	LF	COIR FIBER WATTLE BARRIER
19,651	LB	DUCTILE IRON WATER PIPE FITTINGS	3,865	LF	COIR FIBER BAFFLE
23	EA	6" VALVE	10	EA	**" SKIMMER (1-1/2")
6	EA	8" VALVE	6	EA	(1-1/2) **" SKIMMER
15	EA	12" VALVE			(2")
1	EA	**" INSERTION VALVE (8")	1	EA	**" SKIMMER (2-1/2")
		· /			

39	ACR	SEEDING & MULCHING	1	EA	GENERIC SIGNAL ITEM
36	ACR	MOWING	1	EA	ETHERNET EDGE SWITCH GENERIC SIGNAL ITEM
200	LB	SEED FOR REPAIR SEEDING	1	EA	FIELD EQUIPMENT CABINET
2	TON	FERTILIZER FOR REPAIR SEEDING	1	EA	GENERIC SIGNAL ITEM METER BASE/DISCONNECT COMBINATION
900	LB	SEED FOR SUPPLEMENTAL SEEDING			PANEL
27	TON	FERTILIZER TOPDRESSING	12	EA	GENERIC SIGNAL ITEM PROTECTIVE COATING FOR STRAIN POLE
268	LF	IMPERVIOUS DIKE			(BLACK)
60	MHR	SPECIALIZED HAND MOWING	14	EA	GENERIC SIGNAL ITEM PROTECTIVE COATING FOR TYPE II SIGNAL
20	MHR	MANUAL LITTER REMOVAL	40		PEDESTAL (BLACK)
3	TON	LITTER DISPOSAL	40	LF	GENERIC SIGNAL ITEM #4 SOLID BARE GROUNDING CONDUCTOR
100	EA	RESPONSE FOR EROSION CONTROL	200	LF	GENERIC SIGNAL ITEM 3-WIRE COPPER FEEDER CONDUCTORS
2	EA	CONCRETE WASHOUT STRUCTURE	30	LF	GENERIC SIGNAL ITEM
338	CY	CULVERT DIVERSION CHANNEL			3-WIRE COPPER SERVICE ENTRANCE CONDUCTORS
12	EA	GENERIC EROSION CONTROL ITEM PREFABRICATED CONCRETE WASHOUT			CULVERT ITEMS
40	SY	GENERIC EROSION CONTROL ITEM PERMANENT SOIL REINFORCEMENT MAT,	Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT
10	EA	TYPE 1			STATION ************************************
18	EA	PEDESTRIAN SIGNAL HEAD (16", 1 SECTION W/COUNTDOWN)	Lump Sum	LS	BOX CULVERT EXCAVATION, STA *******
8,600	LF	SIGNAL CABLE	Lump Sum	LS	(22+76.41 -L-) BOX CULVERT EXCAVATION, STA *******
22	EA	VEHICLE SIGNAL HEAD (12", 3 SECTION)	•		(58+35.89 -Y1-)
9	EA	VEHICLE SIGNAL HEAD (12", 4 SECTION)	Lump Sum	LS	BOX CULVERT EXCAVATION, STA ******** (90+93.82 -L-)
1,600	LF	MESSENGER CABLE (3/8")	685	TON	FOUNDATION CONDITIONING MATERIAL,
8,300	LF	TRACER WIRE	1,109.2	CY	BOX CULVERT CLASS A CONCRETE (CULVERT)
25	LF	PAVED TRENCHING (********) (2, 2")	179,166	LB	REINFORCING STEEL (CULVERT)
4,020	LF	UNPAVED TRENCHING (********) (2, 2")	,		WALL ITEMS
6,830	LF	DIRECTIONAL DRILL (********) (2, 2")	15,200	SF	MSE RETAINING WALL NO ****
6	EA	JUNCTION BOX (*************) (SPECIAL OVERSIZED, HEAVY-DUTY)	3,750	SF	(1) MSE RETAINING WALL NO **** (2A)
21	EA	JUNCTION BOX (STANDARD SIZE)	5,300	SF	MSE RETAINING WALL NO ****
25	EA	JUNCTION BOX (OVER-SIZED, HEAVY DUTY)	1,320	SF	(2B) MSE RETAINING WALL NO ****
3,125	LF	INDUCTIVE LOOP SAWCUT	1,320		(3)
10,600	LF	LEAD-IN CABLE (14-2)	260	SF	MSE RETAINING WALL NO **** (4)
4	EA	SITE SURVEY			STRUCTURE ITEMS
7	EA	LUMINAIRE ARM FOR VIDEO SYSTEM	Lump Sum	LS	FOUNDATION EXCAVATION FOR BENT NO **
7	EA	CAMERA WITHOUT INTERNAL LOOP EMULATOR PROCESSING UNIT	•		AT STATION ******** (1, 27+37.26 -L-)
7	EA	EXTERNAL LOOP EMULATOR PROCESSING	15,638	SF	REINFORCED CONCRETE DECK SLAB
3,860	LF	UNIT COMMUNICATIONS CABLE (** FIBER)	16,787	SF	GROOVING BRIDGE FLOORS
		(12)	268.1	CY	CLASS A CONCRETE (BRIDGE)
5,510	LF	COMMUNICATIONS CABLE (** FIBER) (144)	Lump Sum	LS	BRIDGE APPROACH SLABS, STATION
90	LF	DROP CABLE			(27+37.26 -L-)
3	EA	SPLICE ENCLOSURE	49,607	LB	REINFORCING STEEL (BRIDGE)
4	EA	INTERCONNECT CENTER	2,666	LB	SPIRAL COLUMN REINFORCING STEEL (BRIDGE)
20	EA	DELINEATOR MARKER	1,776.5	LF	54" PRESTRESSED CONCRETE GIRDERS
5,120	LF	REMOVE EXISTING COMMUNICATIONS CABLE	68	EA	PILE DRIVING EQUIPMENT SETUP FOR ***
12	EA	METAL STRAIN SIGNAL POLE			STEEL PILES (HP 12 X 53)
13	EA	SOIL TEST	2,580	LF	HP 12 X 53 STEEL PILES
78	CY	DRILLED PIER FOUNDATION	53.6	SY	4" SLOPE PROTECTION
8	EA	SIGN FOR SIGNALS	Lump Sum	LS	ELASTOMERIC BEARINGS
16	EA	TYPE II PEDESTAL WITH FOUNDATION	Lump Sum	LS	FOAM JOINT SEALS
3	EA	SIGNAL CABINET FOUNDATION	Lump Sum	LS	ELECTRICAL CONDUIT SYSTEM FOR SIGNALS AT STA *********
1	EA	CONDUIT ENTRANCE INTO EXISTING FOUNDATION	Lump Sum	LS	(27+37.26 -L-) ELECTRICAL CONDUIT SYSTEM AT STA
3	EA	CONTROLLERS WITH CABINET (************************************	Lump Sum	Lo	**************************************
20	Ε.	(2070LX, BASE MOUNTED) DETECTOR CARD (*********)	324.67	LF	GENERIC STRUCTURE ITEM
20	EA	(TYPE 170)			CLASSIC CONCRETE BRIDGE RAIL
3	EA EA	CABINET BASE EXTENDER GENERIC SIGNAL ITEM			
4	EA	2070LX CONTROLLER GENERIC SIGNAL ITEM			
-+		5/8" X 10' GROUNDING ELECTRODE			
1	EA	GENERIC SIGNAL ITEM CCTV METAL POLE			
1	EA	GENERIC SIGNAL ITEM			
1	EA	DIGITAL CCTV CAMERA ASSEMBLY GENERIC SIGNAL ITEM			
•		EQUIPMENT CABINET DISCONNECT			

L251118

CONTRACT ID: C205154 2026CPT.10.13.10901 DIV OFFICE ALBEMARLE LENGTH = 14.380 MI

COUNTY : UNION

MILLLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL COMPLETION DATE: SEP 16, 2027

1 SECTION OF US-74, 1 SECTION OF NC-207, AND 9 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

		ROADWAY ITEMS
Lump Sum	LS	MOBILIZATION
710	TON	INCIDENTAL STONE BASE
26.58	SMI	SHOULDER RECONSTRUCTION
3,924	TON	AGGREGATE SHOULDER BORROW
14,812	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")
36,347	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (2")
16,541	SY	INCIDENTAL MILLING
1,401	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
8,667	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,926	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B (LEVELING COURSE)
11,256	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
1,133	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C (LEVELING COURSE)
1,839	TON	ASPHALT BINDER FOR PLANT MIX
7,444	TON	PATCHING EXISTING PAVEMENT
23,704	SY	ASPHALT SURFACE TREATMENT, MAT COAT, #78M STONE
5,930	GAL	EMULSION FOR ASPHALT SURFACE TREATMENT
1	WK	VACUUM TRUCK
17,003	LF	GENERIC PAVING ITEM CENTERLINE MILLED RUMBLE STRIPS (ASPHALT CONCRETE), (18")
60	TON	BLOTTING SAND
468	SY	6" CONCRETE DRIVEWAY
2	EA	ADJUSTMENT OF MANHOLES
2	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
1,638	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
40	HR	LAW ENFORCEMENT
105,033	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
192	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 240 MILS)
47,028	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
188	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
82	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
50	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
42	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
48	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
253,837	LF	PAINT PAVEMENT MARKING LINES (4")
340	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS
Lump Sum	LS	PORTABLE LIGHTING
268	LF	INDUCTIVE LOOP SAWCUT

L251118

CONTRACT ID: C205118 44856.3.24 DIV OFFICE ALBEMARLE LENGTH = 0.286 MI

COUNTY : MECKLENBURG

GRADING, DRAINAGE, AND PAVING.

COMPLETION DATE: JAN 11, 2028 DBE GOAL

SR-2042 (OAKDALE RD), SR-2108 (SUNSET RD), SR-2025 (MIRANDA RD), AND SR-2040 (LAWING RD).

		ROADWAY ITEMS	2	EA	FRAME WITH TWO GRATES, STD 840.29
			14	EA	FRAME WITH GRATE & HOOD, STD 840.03,
Lump Sum	LS	MOBILIZATION CONSTRUCTION SURVEYING			TYPE ** (E)
Lump Sum	LS LS	CONSTRUCTION SURVEYING GRADING	11	EA	FRAME WITH GRATE & HOOD, STD 840.03,
Lump Sum	ACR	SUPPLEMENTARY CLEARING & GRUBBING			TYPE ** (F)
2.150	CY		13	EA	FRAME WITH GRATE & HOOD, STD 840.03,
2,150		UNDERCUT EXCAVATION			TYPE ** (G)
180	CY	DRAINAGE DITCH EXCAVATION	1	EA	FRAME WITH COVER, STD 840.54
2,100	CY	SELECT GRANULAR MATERIAL	30	LF	FRAME WITH GRATES, DRIVEWAY DROP
2,100	SY	GEOTEXTILE FOR SOIL STABILIZATION			INLET
100	TON	GENERIC GRADING ITEM HAULING AND DISPOSAL OF PETROLEUM CONTAMINATED SOIL	2	EA LF	CONCRETE TRANSITIONAL SECTION FOR DROP INLET
305	TON	FOUNDATION CONDITIONING MATERIAL,	4,580	SY	2'-6" CONCRETE CURB & GUTTER 4" CONCRETE SIDEWALK
955	SY	MINOR STRUCTURES FOUNDATION CONDITIONING GEOTEXTILE	550		
28	LF	18" DRAINAGE PIPE	10	EA	CONCRETE CURB RAMPS
24	LF	****" RC PIPE CULVERTS, CLASS IV	50	SY	6" CONCRETE DRIVEWAY
24	LI	(12")	925	SY	5" MONOLITHIC CONCRETE ISLANDS (KEYED IN)
1,904	LF	15" RC PIPE CULVERTS, CLASS IV	720	LF	GENERIC PAVING ITEM
752	LF	18" RC PIPE CULVERTS, CLASS IV			1'-6" CONCRETE CURB AND GUTTER, CLASS AA CONCRETE
12	LF	24" RC PIPE CULVERTS, CLASS IV	710	LF	GENERIC PAVING ITEM
52	LF	**" RC PIPE CULVERTS, CLASS V	2	EA	SPILL CURB ADJUSTMENT OF MANHOLES
92	LF	(24") **" RC PIPE CULVERTS, CLASS V (30")	1	EA	ADJUSTMENT OF METER BOXES OR VALVE
1	EA	**" PIPE END SECTION	219	TON	BOXES RIP RAP, CLASS B
		(15")	1,206	SY	GEOTEXTILE FOR DRAINAGE
820	LF	PIPE REMOVAL	417	SF	CONTRACTOR FURNISHED, TYPE *** SIGN
100	CY	SHALLOW UNDERCUT		51	(E)
200	TON	CLASS IV SUBGRADE STABILIZATION	10	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (F)
300	SY	GEOTEXTILE FOR SUBGRADE STABILIZATION	890	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
400	TON	AGGREGATE BASE COURSE	77	EA	SIGN ERECTION, TYPE E
125	TON	INCIDENTAL STONE BASE	1	EA	SIGN ERECTION, TYPE F
2,680	GAL	PRIME COAT	3	EA	SIGN ERECTION, RELOCATE TYPE ****
560	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")			(GROUND MOUNTED) (E)
625	SY	INCIDENTAL MILLING	12	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
3,200	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	1,007	SF	WORK ZONE SIGNS (STATIONARY)
2,650	TON	ASPHALT CONC INTERMEDIATE COURSE,	224	SF	WORK ZONE SIGNS (PORTABLE)
2,450	TON	TYPE 119.0C ASPHALT CONC SURFACE COURSE, TYPE	322	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
		S9.5C	4	EA	PORTABLE CHANGEABLE MESSAGE SIGN
520	TON	ASPHALT BINDER FOR PLANT MIX	250	EA	DRUMS
100	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR	100	EA	CONES
1,150	SY	GENERIC PAVING ITEM 12" JOINTED CONCRETE TRUCK APRON	224	LF	BARRICADES (TYPE III)
29	EA	RIGHT-OF-WAY MARKERS	20	LF	PEDESTRIAN CHANNELIZING DEVICES
175	CY	SUBDRAIN EXCAVATION	42	DAY	FLAGGER
580	SY	GEOTEXTILE FOR SUBSURFACE DRAINS	90	EA	TEMPORARY RAISED PAVEMENT MARKERS
34	CY	SUBDRAIN FINE AGGREGATE	4,106	LF	THERMOPLASTIC PAVEMENT MARKING
98	CY	SUBDRAIN COARSE AGGREGATE	830	LF	LINES (4", 90 MILS) THERMOPLASTIC PAVEMENT MARKING
780	LF	6" PERFORATED SUBDRAIN PIPE	050	Li	LINES (8", 90 MILS)
3	EA	SUBDRAIN PIPE OUTLET	800	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
18	LF	6" OUTLET PIPE	4	EA	THERMOPLASTIC PAVEMENT MARKING
2.3	CY	ENDWALLS	2	E.A	CHARACTER (90 MILS)
0.45	CY	PIPE COLLARS	3	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
39	CY	FLOWABLE FILL	12,907	LF	PAINT PAVEMENT MARKING LINES (4")
46	EA	MASONRY DRAINAGE STRUCTURES	633	LF	PAINT PAVEMENT MARKING LINES (8")
0.2	LF	MASONRY DRAINAGE STRUCTURES	30	LF	PAINT PAVEMENT MARKING LINES (24")
4	EA	FRAME WITH TWO GRATES, STD 840.24			

165	LF	GENERIC PAVEMENT MARKING ITEM YIELD LINE THERMOPLASTIC PAVEMENT MARKING (24" 00 MH S)
83	EA	MARKING (24", 90 MILS) GENERIC PAVEMENT MARKING ITEM INLAID CRADLE MARKERS
342.1	LF	6" WATER LINE
184.1	LF	8" WATER LINE
547.8	LF	12" WATER LINE
1,183.8	LF	16" WATER LINE
13,240	LB	DUCTILE IRON WATER PIPE FITTINGS
5	EA	6" VALVE
1	EA	8" VALVE
2	EA	12" VALVE
8	EA	16" VALVE
2	EA	RELOCATE WATER METER
3	EA	RECONNECT WATER METER
3	EA	RELOCATE FIRE HYDRANT
18.7	LF	FIRE HYDRANT LEG
1	EA	6" LINE STOP
1	EA	8" LINE STOP
2	EA	12" LINE STOP
2	EA	16" LINE STOP
58	LF	**" WATER SERVICE LINE
45	LF	(2") **" WATER SERVICE LINE
		(6")
112.5	LF	WATER SERVICE LINE
988.5	LF	8" SANITARY GRAVITY SEWER
10	EA	4' DIA UTILITY MANHOLE
21.7	LF	UTILITY MANHOLE WALL 4' DIA
287	LF	ABANDON 6" UTILITY PIPE
781	LF	ABANDON 8" UTILITY PIPE
883	LF	ABANDON 12" UTILITY PIPE
1,015	LF	ABANDON 16" UTILITY PIPE
6	EA	ABANDON UTILITY MANHOLE
2	EA	REMOVE UTILITY MANHOLE
122.4	LF	16" ENCASEMENT PIPE
241.9	LF	18" ENCASEMENT PIPE
89.3	LF	24" ENCASEMENT PIPE
91.2	LF	BORE AND JACK OF **" (16")
100	LF	BORE AND JACK OF **"
400	LF	(18") GENERIC UTILITY ITEM 4" PVC CONDUIT
6,145	LF	TEMPORARY SILT FENCE
425	TON	STONE FOR EROSION CONTROL, CLASS A
930	TON	STONE FOR EROSION CONTROL, CLASS B
620	TON	SEDIMENT CONTROL STONE
6	ACR	TEMPORARY MULCHING
300	LB	SEED FOR TEMPORARY SEEDING
2.5	TON	FERTILIZER FOR TEMPORARY SEEDING
200	LF	TEMPORARY SLOPE DRAINS
920	LF	SAFETY FENCE
2,600	CY	SILT EXCAVATION
9,240	SY	MATTING FOR EROSION CONTROL
100	SY	COIR FIBER MAT
20	SY	PERMANENT SOIL REINFORCEMENT MAT TYPE 3
1,275	LF	1/4" HARDWARE CLOTH
100	SY	LOW PERMEABILITY GEOTEXTILE
2	EA	SPECIAL STILLING BASINS
290	LB	FLOCCULANT
1,230	LF	COIR FIBER WATTLE
470	LF	COIR FIBER BAFFLE
3	EA	**" SKIMMER (1-1/2")
6	ACR	(1-1/2) SEEDING & MULCHING
3	ACR	MOWING
50	LB	SEED FOR REPAIR SEEDING
0.25	TON	EEDTH IZED EOD DEDAID SEEDING

0.25 TON FERTILIZER FOR REPAIR SEEDING

100	LB	SEED FOR SUPPLEMENTAL SEEDING
3	TON	FERTILIZER TOPDRESSING
50	LF	IMPERVIOUS DIKE
10	MHR	SPECIALIZED HAND MOWING
13	EA	RESPONSE FOR EROSION CONTROL
2	EA	CONCRETE WASHOUT STRUCTURE
10	EA	GENERIC EROSION CONTROL ITEM FABIC INSERT INLET PROTECTION, TYPE 1
30	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION CLEANOUT
9	EA	GENERIC EROSION CONTROL ITEM PREFABRICATED CONCRETE WASHOUT

L251118

CONTRACT ID: C204505 46451.3.1 DIV OFFICE ALBEMARLE LENGTH = 0.405 MI

COUNTY : MECKLENBURG

GRADING, DRAINAGE, PAVING, SIGNALS, AND RETAINING WALLS.

DBE GOAL COMPLETION DATE: NOV 11, 2028

SR-2195 (TORRENCE CHAPEL RD) AND SR-5544 (WEST CATAWBA AVE) IN CORNELIUS.

		ROADWAY ITEMS	12	LF	6" OUTLET PIPE
I C	LS	MOBILIZATION	5	CY	ENDWALLS
Lump Sum	LS	CONSTRUCTION SURVEYING	3	CY	PIPE COLLARS
Lump Sum Lump Sum	LS	GRADING	2	CY	PIPE PLUGS
Lump Sum	ACR	SUPPLEMENTARY CLEARING & GRUBBING	163	CY	FLOWABLE FILL
450	CY	UNDERCUT EXCAVATION	98	EA	MASONRY DRAINAGE STRUCTURES
200	SY	GEOTEXTILE FOR SOIL STABILIZATION	68.3	LF	MASONRY DRAINAGE STRUCTURES
50	TON	GENERIC GRADING ITEM	7	EA	FRAME WITH TWO GRATES, STD 840.16
50	TON	HAULING AND DISPOSAL OF PETROLEUM CONTAMINATED SOIL	5	EA	FRAME WITH TWO GRATES, STD 840.24
1,179	TON	FOUNDATION CONDITIONING MATERIAL,	3	EA	FRAME WITH TWO GRATES, STD 840.29
4,662	SY	MINOR STRUCTURES FOUNDATION CONDITIONING GEOTEXTILE	15	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (E)
92	LF	12" RC PIPE CULVERTS, CLASS III	28	EA	FRAME WITH GRATE & HOOD, STD 840.03,
3,400	LF	15" RC PIPE CULVERTS, CLASS III			TYPE ** (F)
684	LF	18" RC PIPE CULVERTS, CLASS III	29	EA	FRAME WITH GRATE & HOOD, STD 840.03,
284	LF	24" RC PIPE CULVERTS, CLASS III			TYPE ** (G)
712	LF	30" RC PIPE CULVERTS, CLASS III	11	EA	FRAME WITH COVER, STD 840.54
276	LF	36" RC PIPE CULVERTS, CLASS III	2	EA	CONCRETE TRANSITIONAL SECTION FOR
28	LF	42" RC PIPE CULVERTS, CLASS III			CATCH BASIN
1,420	LF	15" RC PIPE CULVERTS, CLASS IV	9	EA	CONCRETE TRANSITIONAL SECTION FOR DROP INLET
156	LF	18" RC PIPE CULVERTS, CLASS IV	1,800	LF	**" X **" CONCRETE CURB (8" X 18")
144	LF	24" RC PIPE CULVERTS, CLASS IV	110	LF	**" X **" CONCRETE CURB
200	LF	30" RC PIPE CULVERTS, CLASS IV	1,990	LF	(9" X 18") 1'-6" CONCRETE CURB & GUTTER
348	LF	**" RC PIPE CULVERTS, CLASS V (15")		LF	
1	EA	**" PIPE END SECTION	13,320	SY	2'-6" CONCRETE CURB & GUTTER
8	LF	(24") **" CS PIPE CULVERTS, *****" THICK	8,330		4" CONCRETE SIDEWALK
Ü	Li	(12", 0.064")	130 90	EA SY	CONCRETE CURB RAMPS 6" CONCRETE DRIVEWAY
1,637	LF	PIPE REMOVAL		SY	5" MONOLITHIC CONCRETE ISLANDS
2,100	CY	SHALLOW UNDERCUT	1,100	51	(SURFACE MOUNTED)
4,400	TON	CLASS IV SUBGRADE STABILIZATION	520	SY	5" MONOLITHIC CONCRETE ISLANDS (KEYED IN)
250	TON	STABILIZER AGGREGATE	3,560	SY	GENERIC PAVING ITEM
6,950	SY	GEOTEXTILE FOR SUBGRADE STABILIZATION			12" CONCRETE TRUCK APRON, CLASS AA CONCRETE
229	TON	AGGREGATE BASE COURSE	168.8	SY	GENERIC PAVING ITEM
250	TON	INCIDENTAL STONE BASE	1,610	LF	TEMPORARY CONCRETE SIDEWALK GENERIC PAVING ITEM
13,270	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")	1,010		1'-6" CONCRETE CURB AND GUTTER, CLASS AA CONCRETE
1,970	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (3")	1	EA	ADJUSTMENT OF CATCH BASINS
1,080	SY	MILLING ASPHALT PAVEMENT, ***" TO *******"	4	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
		(0" TO 1-1/2")	1	EA	CONVERT EXISTING CATCH BASIN TO DROP INLET
900	SY	MILLING ASPHALT PAVEMENT, ***" TO ******" (0" TO 3")	1	EA	CONVERT EXISTING CATCH BASIN TO JUNCTION BOX WITH MANHOLE
8,700	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	1	EA	CONVERT EXISTING DROP INLET TO
7,500	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0C	712.5	LF	JUNCTION BOX WITH MANHOLE STEEL BEAM GUARDRAIL
9,000	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C	2	EA	STEEL BEAM GUARDRAIL TERMINAL SECTIONS
1,285	TON	ASPHALT BINDER FOR PLANT MIX	66	EA	EXTRA LENGTH GUARDRAIL POST (**'
370	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR			STEEL) (8")
40	TON	GENERIC PAVING ITEM ASPHALT CAP, TYPE S9.5C	5	EA	ADDITIONAL GUARDRAIL POSTS
660	SY	GENERIC PAVING ITEM	2	EA	GUARDRAIL END UNITS, TYPE CAT-1
		STAMPED ASPHALT	5	EA	GUARDRAIL END UNITS, TYPE TL-2
114	CY	SUBDRAIN EXCAVATION	1	EA	GUARDRAIL ANCHOR UNITS, TYPE B-77
508.94	SY	GEOTEXTILE FOR SUBSURFACE DRAINS	550	LF	GENERIC FENCING ITEM BICYCLE/PEDESTRIAN SAFETY RAIL
85.5	CY	SUBDRAIN COARSE AGGREGATE	77	TON	RIP RAP, CLASS B
508.94	LF	6" PERFORATED SUBDRAIN PIPE	965	SY	GEOTEXTILE FOR DRAINAGE
2	EA	SUBDRAIN PIPE OUTLET			

202	SF	CONTRACTOR FURNISHED, TYPE *** SIGN	5	EA	8" VALVE
1,042	SF	(A) CONTRACTOR FURNISHED, TYPE *** SIGN	6	EA	12" VALVE
-,		(E)	1	EA	**" COMBINATION AIR VALVE
27	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (F)	14	EA	(2") RELOCATE WATER METER
2	CY	REINFORCED CONCRETE SIGN	10	EA	RECONNECT WATER METER
4.00		FOUNDATIONS	2	EA	FIRE HYDRANT
1,387	LB	SUPPORTS, BREAKAWAY STEEL BEAM	3	EA	RELOCATE FIRE HYDRANT
1,650	LF	SUPPORTS, 3-LB STEEL U-CHANNEL	84	LF	FIRE HYDRANT LEG
221	EA	SIGN ERECTION, TYPE E	2	EA	
3	EA	SIGN ERECTION, TYPE F			6" LINE STOP WITH BYPASS
2	EA	SIGN ERECTION, TYPE *** (GROUND MOUNTED)	1	EA	16" LINE STOP WITH BYPASS **" WATER SERVICE LINE
		(A)	121	LF	(2")
3	EA	SIGN ERECTION, RELOCATE TYPE **** (GROUND MOUNTED)	106	LF	**" WATER SERVICE LINE
		(D)	185	LF	(3") **" WATER SERVICE LINE
2	EA	DISPOSAL OF SIGN SYSTEM, STEEL BEAM	100		(6")
75	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL	60	LF	**" WATER SERVICE LINE (8")
2	EA	DISPOSAL OF SUPPORT, U-CHANNEL	1,045	LF	WATER SERVICE LINE
1,278	SF	WORK ZONE SIGNS (STATIONARY)	767	LF	8" SANITARY GRAVITY SEWER
512	SF	WORK ZONE SIGNS (PORTABLE)	971	LF	6" FORCE MAIN SEWER
318	SF	WORK ZONE SIGNS (BARRICADE	910	LB	DUCTILE IRON SEWER PIPE FITTINGS
2	EA	MOUNTED) FLASHING ARROW BOARD	2	EA	4' DIA UTILITY MANHOLE
2	EA	PORTABLE CHANGEABLE MESSAGE SIGN	12	LF	UTILITY MANHOLE WALL 4' DIA
130	EA	DRUMS	1,073	LF	ABANDON 6" UTILITY PIPE
248	LF	BARRICADES (TYPE III)	903	LF	ABANDON 8" UTILITY PIPE
723	LF	PEDESTRIAN CHANNELIZING DEVICES	1,330	LF	ABANDON 12" UTILITY PIPE
568	DAY	FLAGGER	1,550	LF	ABANDON 12 UTILITY PIPE ABANDON 16" UTILITY PIPE
1	EA	TMA	2	EA	REMOVE FIRE HYDRANT
285	LF	WATER FILLED BARRIER	2	EA	REMOVE UTILITY MANHOLE
100	HR	LAW ENFORCEMENT	178	LF	18" ENCASEMENT PIPE
21	EA	SKINNY DRUM	517	LF	20" ENCASEMENT PIPE
749	EA	TEMPORARY RAISED PAVEMENT MARKERS	1	EA	GENERIC UTILITY ITEM RELOCATE 2" WATER METER
27,842	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)	2	EA	GENERIC UTILITY ITEM
2,111	LF	THERMOPLASTIC PAVEMENT MARKING	3	EA	RELOCATE 3" WATER METER GENERIC UTILITY ITEM
2,858	LF	LINES (8", 90 MILS) THERMOPLASTIC PAVEMENT MARKING	3	LA	RELOCATE 6" WATER METER
2,030	LF	LINES (24", 90 MILS)	395	LF	GENERIC UTILITY ITEM
8	EA	THERMOPLASTIC PAVEMENT MARKING	11,195	LF	4" PVC CONDUIT TEMPORARY SILT FENCE
123	EA	CHARACTER (90 MILS) THERMOPLASTIC PAVEMENT MARKING	480	TON	STONE FOR EROSION CONTROL, CLASS A
123	Lat	SYMBOL (90 MILS)	990	TON	STONE FOR EROSION CONTROL, CLASS B
66	EA	HEATED-IN-PLACE THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)	1,430	TON	SEDIMENT CONTROL STONE
93,405	LF	PAINT PAVEMENT MARKING LINES (4")	1,450	ACR	TEMPORARY MULCHING
6,474	LF	PAINT PAVEMENT MARKING LINES (8")	500	LB	SEED FOR TEMPORARY SEEDING
8,406	LF	PAINT PAVEMENT MARKING LINES (24")	3.5	TON	FERTILIZER FOR TEMPORARY SEEDING
24	EA	PAINT PAVEMENT MARKING CHARACTER			
480	EA	PAINT PAVEMENT MARKING SYMBOL	200	LF	TEMPORARY SLOPE DRAINS
26,336	LF	REMOVAL OF PAVEMENT MARKING LINES	1,302	LF	SAFETY FENCE
20,550		(4")	1,780	CY	SILT EXCAVATION
1,128	LF	REMOVAL OF PAVEMENT MARKING LINES (8")	14,272	SY	MATTING FOR EROSION CONTROL
2,510	LF	REMOVAL OF PAVEMENT MARKING LINES	100	SY	COIR FIBER MAT
		(24")	4,790	LF	1/4" HARDWARE CLOTH
84	EA	REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS	100	SY	LOW PERMEABILITY GEOTEXTILE
217	LF	GENERIC PAVEMENT MARKING ITEM	2	EA	SPECIAL STILLING BASINS
		YIELD LINE PAINT PAVEMENT MARKING (24")	140	LB	FLOCCULANT
218	LF	GENERIC PAVEMENT MARKING ITEM	20	LF	COIR FIBER WATTLE
		YIELD LINE THERMOPLASTIC PAVEMENT MARKING (24", 90 MILS)	85	LF	COIR FIBER BAFFLE
476	EA	GENERIC PAVEMENT MARKING ITEM	1	EA	**" SKIMMER
		POLYCARBONATE H-SHAPED MARKERS	9	ACR	(1-1/2") SEEDING & MULCHING
10	EA	OBJECT MARKERS (TYPE **) (1)			
Lump Sum	LS	PORTABLE LIGHTING	6	ACR I B	MOWING SEED FOR REPAIR SEEDING
20	LF	6" WATER LINE	100	LB	SEED FOR REPAIR SEEDING
146	LF	8" WATER LINE	0.25	TON	FERTILIZER FOR REPAIR SEEDING
3,794	LF	12" WATER LINE	175	LB	SEED FOR SUPPLEMENTAL SEEDING
130	LF	16" WATER LINE	5	TON	FERTILIZER TOPDRESSING
	LB		80	LF	IMPERVIOUS DIKE
10,320	EA	DUCTILE IRON WATER PIPE FITTINGS **" VALVE	10	MHR	SPECIALIZED HAND MOWING
1	£A	(3")	4	MHR	MANUAL LITTER REMOVAL
5	EA	6" VALVE	1	TON	LITTER DISPOSAL

25	EA	RESPONSE FOR EROSION CONTROL
2	EA	CONCRETE WASHOUT STRUCTURE
708	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION CLEANOUT
18	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION, TYPE 1
218	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION, TYPE 2
9	EA	GENERIC EROSION CONTROL ITEM PREFABRICATED CONCRETE WASHOUT
5	EA	PEDESTRIAN SIGNAL HEAD (16", 1 SECTION W/COUNTDOWN)
7,316	LF	SIGNAL CABLE
15	EA	VEHICLE SIGNAL HEAD (12", 3 SECTION)
5	EA	VEHICLE SIGNAL HEAD (12", 4 SECTION)
200	LF	MESSENGER CABLE (3/8")
310	LF	PAVED TRENCHING (********) (2, 2")
300	LF	PAVED TRENCHING (*********) (3, 2")
425	LF	(3, 2) UNPAVED TRENCHING (********) (1, 2")
85	LF	UNPAVED TRENCHING (*******)
10	LF	(2, 2") UNPAVED TRENCHING (********)
360	LF	(4, 2") DIRECTIONAL DRILL (********)
200	LF	(2, 2") DIRECTIONAL DRILL (********)
12	EA	(3, 2") JUNCTION BOX (STANDARD SIZE)
10	EA	JUNCTION BOX (OVER-SIZED, HEAVY DUTY)
4	EA	WOOD POLE
4	EA	GUY ASSEMBLY
4	EA	2" RISER WITH WEATHERHEAD
820	LF	INDUCTIVE LOOP SAWCUT
5,470	LF	LEAD-IN CABLE (14-2)
2	EA	METAL POLE WITH SINGLE MAST ARM
2	EA	SOIL TEST
20	CY	DRILLED PIER FOUNDATION
2	EA	MAST ARM WITH METAL POLE DESIGN
11	EA	SIGN FOR SIGNALS
6	EA	TYPE I POST WITH FOUNDATION
19	EA EA	TYPE II PEDESTAL WITH FOUNDATION SIGNAL CABINET FOUNDATION
1 2	EA	CONTROLLERS WITH CABINET
2	EA	(******************************) (2070LX W/ QFREE MAXTIME, BASE
7	EA	MOUNTED) DETECTOR CARD (TYPE 170)
2	EA	CABINET BASE EXTENDER
2	EA	METAL POLE FOUNDATION REMOVAL
2	EA	METAL POLE REMOVAL
6	EA	GENERIC SIGNAL ITEM MICROWAVE VEHICLE DETECTION SYSTEM - MULTIPLE ZONES
2	EA	GENERIC SIGNAL ITEM PROTECTIVE COATING FOR SINGLE MAST ARM POLE (BLACK)
6	EA	GENERIC SIGNAL ITEM PROTECTIVE COATING FOR TYPE I PUSHBUTTON POST (BLACK)
19	EA	GENERIC SIGNAL ITEM PROTECTIVE COATING FOR TYPE II SIGNAL PEDESTAL (BLACK)
22	EA	GENERIC SIGNAL ITEM RECTANGULAR RAPID FLASHING BEACON ASSEMBLY WALL ITEMS
443.75	LF	CONCRETE BARRIER RAIL WITH MOMENT
2,490	SF	SLAB MSE RETAINING WALL NO ****
		(4)
794	SF	MSE RETAINING WALL NO **** (5)
712.71	SF	CIP GRAVITY RETAINING WALLS

L251118

CONTRACT ID: C205044 45784.3.1 DIV OFFICE NORTH WILKESBORO LENGTH = 0.371 MI

COUNTY : SURRY, YADKIN

GRADING, DRAINAGE, PAVING, AND STRUCTURE.

COMPLETION DATE: NOV 28, 2028 DBE GOAL

BRIDGE #850006 OVER NC-268, SOUTHERN RAILROAD TRACKS, AND THE YADKIN RIVER ON I-77.

		ROADWAY ITEMS	1,097	LF	GENERIC PAVING ITEM
Lump Sum	LS	MOBILIZATION	,		MILLED RUMBLE STRIPS (ASPHALT CONCRETE), (16")
Lump Sum	LS	CONSTRUCTION SURVEYING	3,200	SY	*****" PORT CEM CONC PAVEMENT,
22,640	CY	UNCLASSIFIED EXCAVATION			THROUGH LANES (WITH DOWELS) (13")
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING	775	SY	*****" PORT CEM CONC PAVEMENT, MISCELLANEOUS (WITHOUT DOWELS)
450	CY	UNDERCUT EXCAVATION			(13")
Lump Sum	LS	GRADING	3,920	SY	NONWOVEN GEOTEXTILE INTERLAYER
330	CY	DRAINAGE DITCH EXCAVATION	1,097	LF	MILLED RUMBLE STRIPS (CONCRETE SHOULDERS)
400	CY	SELECT GRANULAR MATERIAL	9	EA	RIGHT-OF-WAY MARKERS
500	SY	GEOTEXTILE FOR SOIL STABILIZATION	44.8	CY	SUBDRAIN EXCAVATION
1,035	SF	TEMPORARY SHORING	200	SY	GEOTEXTILE FOR SUBSURFACE DRAINS
Lump Sum	LS	GENERIC GRADING ITEM TYPE 1 BRIDGE APPROACH FILL, STATION	33.6	CY	SUBDRAIN COARSE AGGREGATE
		32+28.00 -L-	200	LF	6" PERFORATED SUBDRAIN PIPE
100	TON	GENERIC GRADING ITEM HAULING AND DISPOSAL OF PETROLEUM	1	EA	SUBDRAIN PIPE OUTLET
240	TON	CONTAMINATED SOIL FOUNDATION CONDITIONING MATERIAL,	6	LF	6" OUTLET PIPE
240	ION	MINOR STRUCTURES	2,150	LF	SHOULDER DRAIN
760	SY	FOUNDATION CONDITIONING GEOTEXTILE	2,150	LF	4" SHOULDER DRAIN PIPE
12	LF	**" SIDE DRAIN PIPE	170	LF	4" OUTLET PIPE FOR SHOULDER DRAINS
784	LF	(30") 15" SIDE DRAIN PIPE	1	EA	CONCRETE PAD FOR SHOULDER DRAIN PIPE OUTLET
52	LF	18" SIDE DRAIN PIPE	3	EA	TEMPORARY STEEL PLATE COVERS FOR MASONRY DRAINAGE STRUCTURE
76	LF	24" SIDE DRAIN PIPE	1.4	CY	ENDWALLS
160	LF	15" RC PIPE CULVERTS, CLASS III	36	CY	FLOWABLE FILL
60	LF	15" RC PIPE CULVERTS, CLASS IV	42	EA	MASONRY DRAINAGE STRUCTURES
164	LF	18" RC PIPE CULVERTS, CLASS IV	22.1	LF	MASONRY DRAINAGE STRUCTURES
40	LF	30" RC PIPE CULVERTS, CLASS IV	14	EA	FRAME WITH TWO GRATES, STD 840.20
80	LF	15" CS PIPE CULVERTS, 0.064" THICK	15	EA	FRAME WITH TWO GRATES, STD 840.22
448	LF	24" CS PIPE CULVERTS, 0.064" THICK	3	EA	FRAME WITH TWO GRATES, STD 840.29
2	EA	**" CS PIPE ELBOWS, *****" THICK (15", 0.064")	1	EA	FRAME WITH COVER, STD 840.54
8	EA	**" CS PIPE ELBOWS, *****" THICK (24", 0.064")	7	EA	STEEL FRAME WITH TWO GRATES, STD 840.37
38	LF	**" WELDED STEEL PIPE, ****" THICK,	570	LF	SHOULDER BERM GUTTER
		GRADE B IN SOIL (18", 0.500")	207	LF	PRECAST REINFORCED CONCRETE BARRIER, SINGLE FACED
151	LF	**" WELDED STEEL PIPE, ****" THICK, GRADE B IN SOIL	737.5	LF	STEEL BEAM GUARDRAIL
		(24", 0.500")	10	EA	ADDITIONAL GUARDRAIL POSTS
38	LF	**" WELDED STEEL PIPE, ****" THICK, GRADE B NOT IN SOIL	1	EA	GUARDRAIL END UNITS, TYPE CAT-1
		(18", 0.500")	5	EA	GUARDRAIL END UNITS, TYPE TL-3
151	LF	**" WELDED STEEL PIPE, ****" THICK, GRADE B NOT IN SOIL	6	EA	GUARDRAIL ANCHOR UNITS, TYPE B-77
		(24", 0.500")	222	LF	REMOVE & RESET EXISTING GUARDRAIL
1,309	LF	PIPE REMOVAL	870	LF	REMOVE EXISTING GUARDRAIL
1,200	CY	SHALLOW UNDERCUT	3,100	LF	REMOVE EXISTING GUIDERAIL
3,800	TON	CLASS IV SUBGRADE STABILIZATION	3,050	LF	DOUBLE FACED CABLE GUIDERAIL
5,640	SY	GEOTEXTILE FOR SUBGRADE STABILIZATION	10	EA	ADDITIONAL GUIDERAIL POSTS
50	TON	AGGREGATE BASE COURSE	4	EA	CABLE GUIDERAIL ANCHOR UNITS
630	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")	60	LF	WOVEN WIRE FENCE RESET
630	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH	90	TON	RIP RAP, CLASS I
2.550	TON	(3")	3,770	SY	GEOTEXTILE FOR DRAINAGE
2,650	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	1.82	CY	REINFORCED CONCRETE SIGN FOUNDATIONS
2,110	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0C	0.3	CY	PLAIN CONCRETE SIGN FOUNDATIONS
270	TON	ASPHALT CONC SURFACE COURSE, TYPE \$9.5B	1,508.5	LB	SUPPORTS, BREAKAWAY STEEL BEAM
1,770	TON	ASPHALT CONC SURFACE COURSE, TYPE	304.27	LB	SUPPORTS, SIMPLE STEEL BEAM
		S9.5C	129	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
345	TON	ASPHALT BINDER FOR PLANT MIX	2	EA	SIGN ERECTION, TYPE D
75	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR	4	EA	SIGN ERECTION, TYPE E

1	EA	SIGN ERECTION, TYPE *** (GROUND MOUNTED)	800	LF	WATTLE BARRIER
3	EA	(A) SIGN ERECTION, TYPE *** (GROUND	390	LF EA	COIR FIBER BAFFLE **" SKIMMER
		MOUNTED) (B)	1	EA	(2") **" SKIMMER
2	EA	DISPOSAL OF SIGN SYSTEM, STEEL BEAM	5.4	ACR	(2-1/2") SEEDING & MULCHING
3	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL	2.7	ACR	MOWING
2	EA	DISPOSAL OF SIGN SYSTEM, WOOD	100	LB	SEED FOR REPAIR SEEDING
602	SF	WORK ZONE SIGNS (STATIONARY)	0.25	TON	FERTILIZER FOR REPAIR SEEDING
304	SF	HIGH VISIBILITY STATIONARY SIGNS	150	LB	SEED FOR SUPPLEMENTAL SEEDING
96	SF	WORK ZONE SIGNS (PORTABLE)	4	TON	FERTILIZER TOPDRESSING
176	SF	HIGH VISIBILITY PORTABLE SIGNS	300	LF	IMPERVIOUS DIKE
112	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)	10	MHR	SPECIALIZED HAND MOWING
7	EA	FLASHING ARROW BOARD	2	MHR	MANUAL LITTER REMOVAL
5	EA	PORTABLE CHANGEABLE MESSAGE SIGN	1	TON	LITTER DISPOSAL
8	EA	WORK ZONE DIGITAL SPEED LIMIT SIGNS	75	EA	RESPONSE FOR EROSION CONTROL
28	EA	WORK ZONE PRESENCE LIGHTING	2	EA	CONCRETE WASHOUT STRUCTURE
40	EA	DRUMS	81	EA	GENERIC EROSION CONTROL ITEM
100	EA	HIGH VISIBILITY DRUMS			FABRIC INSERT INLET PROTECTION CLEANOUT
30	EA	SEQUENTIAL FLASHING WARNING LIGHTS	27	EA	GENERIC EROSION CONTROL ITEM
72	LF	BARRICADES (TYPE III)		г.	FABRIC INSERT INLET PROTECTION, TYPE 1
10	DAY	FLAGGER	9	EA	GENERIC EROSION CONTROL ITEM PREFABRICATED CONCRETE WASHOUT
3	EA	TEMPORARY CRASH CUSHIONS			STRUCTURE ITEMS
2	EA	TMA	Lump Sum	LS	CONSTRUCTION, MAINTENANCE, &
4,950	LF	PORTABLE CONCRETE BARRIER			REMOVAL OF TEMP ACCESS AT STA
2,250	LF	PORTABLE CONCRETE BARRIER (ANCHORED)			(32+28.00 -L-)
500	HR	LAW ENFORCEMENT	Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION *********
3,325	LF	TEMPORARY GLARE SCREEN			(32+28.00 -L-)
1	EA	GENERIC TRAFFIC CONTROL ITEM	Lump Sum	LS	ASBESTOS ASSESSMENT
260	EA	CONNECTED LANE CLOSURE SYSTEM TEMPORARY RAISED PAVEMENT MARKERS	728.05	LF	**'_**" DIA DRILLED PIERS (5'-0")
1,648	LF	THERMOPLASTIC PAVEMENT MARKING	70.89	LF	PERMANENT STEEL CASING FOR **'-**" DIA
1,010		LINES (4", 90 MILS)			DRILLED PIER (5'-0")
10	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)	18	EA	SID INSPECTIONS
5	EA	COLD APPLIED PLASTIC PAVEMENT	18	EA	CSL TESTING
		MARKING SYMBOL, TYPE ** (IV)	Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION
7,425	LF	PAINT PAVEMENT MARKING LINES (6")			AT STATION ******* (32+28.00 -L-)
430	LF	POLYUREA PAVEMENT MARKING LINES	41,660	SF	REINFORCED CONCRETE DECK SLAB
		(**", *** MILS) (12", 30)	38,620	SF	GROOVING BRIDGE FLOORS
27,355	LF	POLYUREA PAVEMENT MARKING LINES	727.7	CY	CLASS A CONCRETE (BRIDGE)
		(**", *** MILS) (6", 30)	Lump Sum	LS	BRIDGE APPROACH SLABS, STATION
7,000	LF	REMOVAL OF PAVEMENT MARKING LINES			(32+28.00 -L-)
27,399	LF	(6") GENERIC PAVEMENT MARKING ITEM	161,923	LB	REINFORCING STEEL (BRIDGE)
		INTEGRATED MUTIPOLYMER PAVEMENT	41,934	LB	SPIRAL COLUMN REINFORCING STEEL (BRIDGE)
132	EA	MARKING LINES, (6", 90 MILS) GENERIC PAVEMENT MARKING ITEM	4,851	LF	FIB **" PRESTRESSED CONCRETE GIRDERS
		POLYCARBONATE H-SHAPED MARKERS	22	EA	(63") PILE DRIVING EQUIPMENT SETUP FOR ***
35	EA	PERMANENT RAISED PAVEMENT MARKERS	22	EA	STEEL PILES
Lump Sum	LS	PORTABLE LIGHTING	825	LF	(HP 12 X 53)
1,860	LF	TEMPORARY SILT FENCE	1,665.78	LF	HP 12 X 53 STEEL PILES CONCRETE BARRIER RAIL
455	TON	STONE FOR EROSION CONTROL, CLASS A	465	TON	RIP RAP CLASS II (2'-0" THICK)
685	TON	STONE FOR EROSION CONTROL, CLASS B	515	SY	GEOTEXTILE FOR DRAINAGE
1,550	TON	SEDIMENT CONTROL STONE	Lump Sum	LS	ELASTOMERIC BEARINGS
6	ACR	TEMPORARY MULCHING	Lump Sum	LS	EXPANSION JOINT SEALS
400	LB	SEED FOR TEMPORARY SEEDING	Eurip Sun	Lo	EM MINION JOHN BENES
3	TON LF	FERTILIZER FOR TEMPORARY SEEDING TEMPORARY SLOPE DRAINS			
360 960	LF	SAFETY FENCE			
3,490	CY SY	SILT EXCAVATION MATTING FOR EROSION CONTROL			
12,000 100	SY	MATTING FOR EROSION CONTROL COID FIRED MAT			
1,110	LF	COIR FIBER MAT 1/4" HARDWARE CLOTH			
1,110	SY	LOW PERMEABILITY GEOTEXTILE			
735	SY	FLOATING TURBIDITY CURTAIN			
36	EA	SPECIAL STILLING BASINS			
400	LB	FLOCCULANT			
		WARRY D			

560 LF

WATTLE

CONTRACT ID: C205147 2026CPT.12.03.10231 DIV OFFICE SHELBY LENGTH = 17.850 MI

COUNTY : CLEVELAND

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL COMPLETION DATE: SEP 16, 2027

1 SECTION OF NC-18, 1 SECTION OF NC-161, AND 8 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

		ROADWAY ITEMS
Lump Sum	LS	MOBILIZATION
784	TON	INCIDENTAL STONE BASE
27.24	SMI	SHOULDER RECONSTRUCTION
4,814	TON	AGGREGATE SHOULDER BORROW
63,544	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")
16,108	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (4-1/2")
7,950	SY	INCIDENTAL MILLING
7,324	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
24,004	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
2,104	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C (LEVELING COURSE)
2,062	TON	ASPHALT BINDER FOR PLANT MIX
3,996	TON	PATCHING EXISTING PAVEMENT
25	EA	RETROFIT EXISTING CONCRETE CURB RAMPS
14	EA	REMOVE AND REPLACE CONCRETE CURB RAMPS
4,988	LB	GENERIC PAVING ITEM FIBER REINFORCEMENT OF ASPHALT
1	EA	ADJUSTMENT OF CATCH BASINS
6	EA	ADJUSTMENT OF DROP INLETS
22	EA	ADJUSTMENT OF MANHOLES
25	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
2	EA	ADJUSTMENT OF OVERSIZED MANHOLES
2,007	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
20	LF	PEDESTRIAN CHANNELIZING DEVICES
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
65,703	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
405	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
180	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
50	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 90 MILS)
417	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
22	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
103	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
596,040	LF	PAINT PAVEMENT MARKING LINES (4")
380	LF	PAINT PAVEMENT MARKING LINES (24")
2	EA	PAINT PAVEMENT MARKING CHARACTER
35	EA	PAINT PAVEMENT MARKING SYMBOL
500	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
450	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS
Lump Sum	LS	PORTABLE LIGHTING
3	EA	JUNCTION BOX (STANDARD SIZE)
4,500	LF	INDUCTIVE LOOP SAWCUT
1,800	LF	LEAD-IN CABLE (14-2)

L251118 012

CONTRACT ID: C205126 49742.3.4 DIV OFFICE ASHEVILLE LENGTH = 0.503 MI

COUNTY : BUNCOMBE

GRADING, DRAINAGE, AND PAVING.

DBE GOAL COMPLETION DATE: APR 15, 2028

FUTURE CONNECTOR ROAD (EAST FREDERICK LAW OLMSTEAD WAY) FROM I-26 INTERCHANGE TO ROUNDABOUT.

		DO 1 DW 1 W 1 W 1 W 1 W 1 W 1 W 1 W 1 W 1	2.125	LE	CTEEL DE AM CHADDRAIL
		ROADWAY ITEM	2,125	LF EA	STEEL BEAM GUARDRAIL ADDITIONAL GUARDRAIL POSTS
Lump Sum	LS	MOBILIZATION	6	EA	GUARDRAIL END UNITS, TYPE TL-2
Lump Sum	LS	CONSTRUCTION SURVEYING	1,650	LF	WOVEN WIRE FENCE, 47" FABRIC
Lump Sum	LS	CLEARING & GRUBBING ACRE(S)	102	EA	4" TIMBER FENCE POSTS, 7'-6" LONG
2	ACR	SUPPLEMENTARY CLEARING & GRUBBING	28	EA	5" TIMBER FENCE POSTS, 8'-0" LONG
136,900	CY	UNCLASSIFIED EXCAVATION	386	TON	RIP RAP, CLASS I
1,150	CY	UNDERCUT EXCAVATION	583	TON	RIP RAP, CLASS B
411	CY	DRAINAGE DITCH EXCAVATION	2,275	SY	GEOTEXTILE FOR DRAINAGE
1,520	LF	BERM DITCH CONSTRUCTION	2,273	EA	PREFORMED SCOUR HOLES WITH LEVEL
300	CY	SELECT GRANULAR MATERIAL, CLASS III	1	LA	SPREADER APRON
1,800	SY	GEOTEXTILE FOR SOIL STABILIZATION	230	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
290	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	5	EA	SIGN ERECTION, TYPE D
910	SY	FOUNDATION CONDITIONING GEOTEXTILE	12	EA	SIGN ERECTION, TYPE E
1,396	LF	15" RC PIPE CULVERTS, CLASS III	36	EA	SIGN ERECTION, TYPE F
668	LF	18" RC PIPE CULVERTS, CLASS III	24	SF	WORK ZONE SIGNS (STATIONARY)
100	LF	24" RC PIPE CULVERTS, CLASS III	20	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
160	LF	30" RC PIPE CULVERTS, CLASS III	25	EA	DRUMS
140	LF	36" RC PIPE CULVERTS, CLASS III	16	LF	BARRICADES (TYPE III)
9	EA	**" RC PIPE ELBOWS, CLASS III	5,054	LF	GENERIC PAVEMENT MARKING ITEM
240	LE	(15")	.,		INTEGRATED MULTIPOLYMER PAVEMENT
240	LF	18" CS PIPE CULVERTS, 0.064" THICK	505	LF	MARKING LINES (4", 90 MILS) GENERIC PAVEMENT MARKING ITEM
2	EA	**" CS PIPE ELBOWS, *****" THICK (18", 0.064")			INTEGRATED MULTIPOLYMER PAVEMENT
Lump Sum	LS	FINE GRADING	23	LF	MARKING LINES (8", 90 MILS) GENERIC PAVEMENT MARKING ITEM
100	CY	SHALLOW UNDERCUT			YIELD LINE INTEGRATED MULTIPOLYMER PAVEMENT MARKING (24", 90 MILS)
955	TON	CLASS IV SUBGRADE STABILIZATION	62	EA	GENERIC PAVEMENT MARKING (24, 90 MILS)
1,950	SY	GEOTEXTILE FOR SUBGRADE			INLAID CRADLE MARKERS
2,720	TON	STABILIZATION ASPHALT CONC BASE COURSE, TYPE B25.0C	9,425	LF	TEMPORARY SILT FENCE
2,290	TON	ASPHALT CONC INTERMEDIATE COURSE,	255	TON	STONE FOR EROSION CONTROL, CLASS A
2,270	1011	TYPE I19.0C	2,880	TON	STONE FOR EROSION CONTROL, CLASS B
1,690	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C	1,240	TON	SEDIMENT CONTROL STONE
333	TON	ASPHALT BINDER FOR PLANT MIX	13.2	ACR	TEMPORARY MULCHING
45	CY	SUBDRAIN EXCAVATION	800	LB	SEED FOR TEMPORARY SEEDING
200	SY	GEOTEXTILE FOR SUBSURFACE DRAINS	6	TON	FERTILIZER FOR TEMPORARY SEEDING
34	CY	SUBDRAIN COARSE AGGREGATE	590	LF	TEMPORARY SLOPE DRAINS
200	LF	6" PERFORATED SUBDRAIN PIPE	260	LF	SAFETY FENCE
1	EA	SUBDRAIN PIPE OUTLET	5,800	CY	SILT EXCAVATION
6	LF	6" OUTLET PIPE	48,000	SY	MATTING FOR EROSION CONTROL
3.4	CY	ENDWALLS	165	SY	COIR FIBER MAT
31	EA	MASONRY DRAINAGE STRUCTURES	1,245	LF	1/4" HARDWARE CLOTH
4.3	LF	MASONRY DRAINAGE STRUCTURES	200	SY	LOW PERMEABILITY GEOTEXTILE
3	EA	FRAME WITH GRATE, STD 840.22	6	EA	SPECIAL STILLING BASINS
3	EA	FRAME WITH GRATE & HOOD, STD 840.03,	635	LB	FLOCCULANT
		TYPE ** (E)	120	LF	COIR FIBER WATTLE
10	EA	FRAME WITH GRATE & HOOD, STD 840.03,	865	LF	COIR FIBER BAFFLE
		TYPE ** (F)	7	EA	**" SKIMMER (1-1/2")
14	EA	FRAME WITH GRATE & HOOD, STD 840.03,	13.2	ACR	SEEDING & MULCHING
		TYPE ** (G)	6.6	ACR	MOWING
1	EA	FRAME WITH COVER, STD 840.54	150	LB	SEED FOR REPAIR SEEDING
5,350	LF	2'-6" CONCRETE CURB & GUTTER	0.75	TON	FERTILIZER FOR REPAIR SEEDING
1,060	SY	4" CONCRETE SIDEWALK	625	LB	SEED FOR SUPPLEMENTAL SEEDING
4	EA	CONCRETE CURB RAMPS	19	TON	FERTILIZER TOPDRESSING
33	SY	4" CONCRETE PAVED DITCH	701	LF	IMPERVIOUS DIKE
160	SY	5" MONOLITHIC CONCRETE ISLANDS	10	MHR	SPECIALIZED HAND MOWING
		(SURFACE MOUNTED)	25	EA	RESPONSE FOR EROSION CONTROL

- 1 EA CONCRETE WASHOUT STRUCTURE
- 550 CY CULVERT DIVERSION CHANNEL
- 1 ACR REFORESTATION
- 6 EA GENERIC EROSION CONTROL ITEM PREFABRICATED CONCRETE WASHOUT

L251118

CONTRACT ID: C205146 2026CPT.14.02.10451 DIV OFFICE SYLVA LENGTH = 33.644 MI

COUNTY : HENDERSON

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL COMPLETION DATE: SEP 16, 2027

$1\,SECTION\,OF\,US-176, 2\,SECTIONS\,OF\,US-25, 1\,SECTION\,OF\,US-64, 1\,SECTION\,OF\,NC-191\,AND\,13\,SECTIONS\,OF\,SECONDARY\,ROADS.$

ROADWAY ITEMS

		ROADWAY ITEMS
Lump Sum	LS	MOBILIZATION
53.43	SMI	SHOULDER RECONSTRUCTION
8,036	TON	AGGREGATE SHOULDER BORROW
172,709	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")
17,729	SY	INCIDENTAL MILLING
21,275	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
3,642	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B (LEVELING COURSE)
24,765	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
3,297	TON	ASPHALT BINDER FOR PLANT MIX
4,474	TON	PATCHING EXISTING PAVEMENT
345	LF	GENERIC PAVING ITEM CENTERLINE MILLED RUMBLE STRIPS (ASPHALT CONCRETE), (18")
8,340	LF	GENERIC PAVING ITEM SINUSOIDAL MILLED RUMBLE STRIPS, (18")
60,192	LF	GENERIC PAVING ITEM SINUSOIDAL MILLED RUMBLE STRIPS, (8")
8	EA	REMOVE AND REPLACE CONCRETE CURB RAMPS
29	EA	ADJUSTMENT OF MANHOLES
46	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
2,869	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
30	EA	TUBULAR MARKERS (FIXED)
83,764	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
148,504	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
750	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
50	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
100	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 90 MILS)
1,994	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
28	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
241	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
27,521	LF	PAINT PAVEMENT MARKING LINES (4")
32,744	LF	PAINT PAVEMENT MARKING LINES (6")
1,477	LF	PAINT PAVEMENT MARKING LINES (24")
199	EA	PAINT PAVEMENT MARKING SYMBOL
300	LF	GENERIC PAVEMENT MARKING ITEM HOT SPRAY THERMOPLASTIC PAVEMENT MARKING LINES, (24", 60 MILS)
611,903	LF	GENERIC PAVEMENT MARKING ITEM HOT SPRAY THERMOPLASTIC PAVEMENT MARKING LINES, (4", 60 MILS)
100	LF	GENERIC PAVEMENT MARKING ITEM HOT SPRAY THERMOPLASTIC PAVEMENT MARKING LINES, (8", 60 MILS)
2,566	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS
50	LF	TEMPORARY SILT FENCE
50	LF	SAFETY FENCE
50	LF	1/4" HARDWARE CLOTH
0.25	ACR	SEEDING & MULCHING
3	EA	RESPONSE FOR EROSION CONTROL
6,432	LF	INDUCTIVE LOOP SAWCUT
3,250	LF	LEAD-IN CABLE (14-2)

CONTRACT ID: C205086 45818.3.1 DIV OFFICE SYLVA LENGTH = 2.620 MI

COUNTY : JACKSON

GRADING, DRAINAGE, PAVING, SIGNALS, & STRUCTURES.

DBE GOAL COMPLETION DATE: NOV 11, 2031

$US-23\;BUSINESS\;AT\;MILL\;ST,\;TO\;NC-107,\;ALONG\;NC-107\;(E\;MAIN\;ST)\;TO\;SOUTH\;OF\;SR-1780\;(LOVEDALE\;RD).$

		DO ADWAY ITEMS	Luma Cum	1.0	EINE CD ADING
		ROADWAY ITEMS	Lump Sum	LS CY	FINE GRADING
Lump Sum	LS	MOBILIZATION	7,700 15,050	TON	SHALLOW UNDERCUT CLASS IV SUBGRADE STABILIZATION
Lump Sum	LS	CONSTRUCTION SURVEYING	15,900	SY	GEOTEXTILE FOR SUBGRADE
Lump Sum	LS	CLEARING & GRUBBING ACRE(S)	15,700	51	STABILIZATION
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING	400	TON	AGGREGATE BASE COURSE
1	EA	SEALING ABANDONED WELLS	1,000	TON	INCIDENTAL STONE BASE
87,500	CY	UNCLASSIFIED EXCAVATION	160	CY	SHOULDER BORROW
4,780	CY	UNDERCUT EXCAVATION	60	GAL	PRIME COAT
2,665	CY	DRAINAGE DITCH EXCAVATION	6,250	SY	INCIDENTAL MILLING
110	LF	BERM DITCH CONSTRUCTION	25,800	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
6,310	SY SY	REMOVAL OF EXISTING ASPHALT PAVEMENT BREAKING OF EXISTING ASPHALT	25,600	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0C
000	31	PAVEMENT	3,200	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
2,500	CY	SELECT GRANULAR MATERIAL	21,400	TON	ASPHALT CONC SURFACE COURSE, TYPE
3,900	SY	GEOTEXTILE FOR SOIL STABILIZATION	3,865	TON	S9.5C ASPHALT BINDER FOR PLANT MIX
24,720	SF	TEMPORARY SHORING	4,170	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR
6,000	SY	ROCK PLATING	4,079	CY	SUBDRAIN EXCAVATION
300	SY	GENERIC GRADING ITEM SOIL NAIL SLOPE STABILIZATION	18,210	SY	GEOTEXTILE FOR SUBSURFACE DRAINS
Lump Sum	LS	GENERIC GRADING ITEM	3,059.3	CY	SUBDRAIN COARSE AGGREGATE
		TYPE 1 BRIDGE APPROACH FILL, STATION 27+24.00 -L-	18,210	LF	6" PERFORATED SUBDRAIN PIPE
250	TON	GENERIC GRADING ITEM	37	EA	SUBDRAIN PIPE OUTLET
		HAULING AND DISPOSAL OF PETROLEUM CONTAMINATED SOIL	222	LF	6" OUTLET PIPE
5	EA	GENERIC GRADING ITEM SOIL NAIL PROOF TESTS FOR SLOPE	20	EA	TEMPORARY STEEL PLATE COVERS FOR MASONRY DRAINAGE STRUCTURE
10	E.4	STABILIZATION	8.5	CY	ENDWALLS
10	EA	GENERIC GRADING ITEM SUPPLEMENTAL SOIL NAILS FOR SLOPE	12.7	CY	REINFORCED ENDWALLS
2.140	mon.	STABILIZATION FOUND ATTION CONDITIONING MATTERIAL	2.104	CY	PIPE COLLARS
3,140	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	0.51	CY	PIPE PLUGS
9,870	SY	FOUNDATION CONDITIONING GEOTEXTILE	99	CY	FLOWABLE FILL
208	LF	15" RC PIPE CULVERTS, CLASS III	401	EA	MASONRY DRAINAGE STRUCTURES
88	LF	18" RC PIPE CULVERTS, CLASS III	44.9	CY	MASONRY DRAINAGE STRUCTURES
180	LF	****" RC PIPE CULVERTS, CLASS IV (12")	222.6	LF	MASONRY DRAINAGE STRUCTURES
560	LF	****" RC PIPE CULVERTS, CLASS IV	75	EA	FRAME WITH TWO GRATES, STD 840.16
640		(48")	18	EA	FRAME WITH TWO GRATES, STD 840.22
648	LF	****" RC PIPE CULVERTS, CLASS IV (54")	2	EA	FRAME WITH TWO GRATES, STD 840.24
808	LF	****" RC PIPE CULVERTS, CLASS IV (60")	18	EA	FRAME WITH TWO GRATES, STD 840.29
148	LF	****" RC PIPE CULVERTS, CLASS IV (72")	29	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (E)
9,888	LF	15" RC PIPE CULVERTS, CLASS IV	111	EA	FRAME WITH GRATE & HOOD, STD 840.03,
5,942	LF	18" RC PIPE CULVERTS, CLASS IV			TYPE ** (F)
5,644	LF	24" RC PIPE CULVERTS, CLASS IV	128	EA	FRAME WITH GRATE & HOOD, STD 840.03,
3,740	LF	30" RC PIPE CULVERTS, CLASS IV			TYPE ** (G)
1,332	LF	36" RC PIPE CULVERTS, CLASS IV	34	EA	FRAME WITH COVER, STD 840.54
212	LF	42" RC PIPE CULVERTS, CLASS IV	3	EA	STEEL FRAME WITH TWO GRATES, STD
56	LF	15" CS PIPE CULVERTS, 0.064" THICK	291	LF	840.37 FRAME WITH GRATES, DRIVEWAY DROP
68	LF	18" CS PIPE CULVERTS, 0.064" THICK	291	LI	INLET
32	LF	24" CS PIPE CULVERTS, 0.064" THICK	20	EA	CONCRETE TRANSITIONAL SECTION FOR CATCH BASIN
40	LF	30" CS PIPE CULVERTS, 0.079" THICK	34	EA	CONCRETE TRANSITIONAL SECTION FOR
2	EA	**" CS PIPE ELBOWS, *****" THICK (15", 0.064")	1	EA	DROP INLET GENERIC DRAINAGE ITEM
2	EA	**" CS PIPE ELBOWS, *****" THICK (18", 0.064")	3,300	LF	FRAME WITH COVER, STD 840.55 **" X **" CONCRETE CURB
2	EA	**" CS PIPE ELBOWS, *****" THICK			(8" X 18")
2	EA	(24", 0.064") **" CS PIPE ELBOWS, *****" THICK (30", 0.079")	4,700	LF	**'_**" CONCRETE CURB & GUTTER (2'-9")
15,316	LF	PIPE REMOVAL	7,700	LF LF	1'-6" CONCRETE CURB & GUTTER
			28,200	LF	2'-6" CONCRETE CURB & GUTTER

320	LF	CONCRETE VALLEY GUTTER	6	EA	REMOVE & RESET TEMPORARY CRASH CUSHION
17,262	SY	4" CONCRETE SIDEWALK	2	EA	TMA
205	EA	CONCRETE CURB RAMPS	2,300	LF	PORTABLE CONCRETE BARRIER
1,600	SY	6" CONCRETE DRIVEWAY	1,680	LF	REMOVE AND RESET PORTABLE CONCRETE
891	SY	4" CONCRETE PAVED DITCH	330	LF	BARRIER WATER FILLED BARRIER
4,400	SY	5" MONOLITHIC CONCRETE ISLANDS (KEYED IN)	64	LF	REMOVE AND RESET WATER FILLED
4	EA	ADJUSTMENT OF CATCH BASINS			BARRIER
2	EA	ADJUSTMENT OF DROP INLETS	96	HR	LAW ENFORCEMENT
4	EA	ADJUSTMENT OF MANHOLES	350	EA	SKINNY DRUM
3	EA	CONVERT EXISTING CATCH BASIN TO JUNCTION BOX	Lump Sum	LS	GENERIC TRAFFIC CONTROL ITEM PORTABLE QUEUE WARNING SYSTEM
4	EA	CONVERT EXISTING DROP INLET TO	19,200	SF	DEPLOYMENT GENERIC TRAFFIC CONTROL ITEM
2	EA	JUNCTION BOX CONVERT EXISTING DROP INLET TO CATCH	15,200		WORK ZONE BLANK CANVAS
_		BASIN	20	EA	GENERIC TRAFFIC CONTROL ITEM PEDESTRIAN TRANSPORT SERVICE
2,150	LF	STEEL BEAM GUARDRAIL	25	EA	GENERIC TRAFFIC CONTROL ITEM
575	LF	STEEL BEAM GUARDRAIL, SHOP CURVED	1	EA	TEMPORARY CURB RAMPS GENERIC TRAFFIC CONTROL ITEM
5	EA EA	ADDITIONAL GUARDRAIL POSTS GUARDRAIL ANCHOR UNITS, TYPE ******			TEMPORARY PORTABLE TRAFFIC SIGNAL SYSTEM
2	EA	(III, SHOP CURVED)	90	DAY	GENERIC TRAFFIC CONTROL ITEM
13	EA	GUARDRAIL END UNITS, TYPE AT-1	056	Б.	PORTABLE QUEUE WARNING SYSTEM
5	EA	GUARDRAIL END UNITS, TYPE CAT-1	856 11,279	EA LF	TEMPORARY RAISED PAVEMENT MARKERS
6	EA	GUARDRAIL ANCHOR UNITS, TYPE III	11,279	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
1	EA	GUARDRAIL END UNITS, TYPE TL-3	73,426	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
19	EA	GUARDRAIL END UNITS, TYPE TL-2	250	LF	THERMOPLASTIC PAVEMENT MARKING
1	EA	GUARDRAIL ANCHOR UNITS, TYPE B-77	1 290	LE	LINES (8", 90 MILS) THERMOPLASTIC PAVEMENT MARKING
12.5	LF	REMOVE EXISTING GUARDRAIL TEMPORARY STEEL REAM CHARDRAIL	1,389	LF	LINES (12", 90 MILS)
75 2	LF EA	TEMPORARY STEEL BEAM GUARDRAIL TEMPORARY GUARDRAIL END LINITS TYPE	6,524	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
2	EA	TEMPORARY GUARDRAIL END UNITS, TYPE *****	32	EA	THERMOPLASTIC PAVEMENT MARKING
4,010	LF	(TL-2) CHAIN LINK FENCE, **" FABRIC	174	EA	CHARACTER (90 MILS)
4,010	Li	(48")	1/4	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
329	EA	METAL LINE POSTS FOR 48" CHAIN LINK FENCE	104	EA	HEATED-IN-PLACE THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
48	EA	METAL TERMINAL POSTS FOR 48" CHAIN	1,171	LF	COLD APPLIED PLASTIC PAVEMENT
3,200	LF	LINK FENCE GENERIC FENCING ITEM			MARKING LINES, TYPE ** (6") (III)
3,200	Li	PEDESTRIAN SAFETY RAIL	35	LF	COLD APPLIED PLASTIC PAVEMENT
890	TON	RIP RAP, CLASS I			MARKING LINES, TYPE ** (12") (III)
1,685	TON	RIP RAP, CLASS II	20	LF	COLD APPLIED PLASTIC PAVEMENT
325	TON	RIP RAP, CLASS B			MARKING LINES, TYPE ** (24") (IV)
6,830 232	SY SF	GEOTEXTILE FOR DRAINAGE CONTRACTOR FURNISHED, TYPE *** SIGN	164,352	LF	PAINT PAVEMENT MARKING LINES (4")
232	31	(D)	11,361	LF	PAINT PAVEMENT MARKING LINES (8")
1,653	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (E)	2,348	LF	PAINT PAVEMENT MARKING LINES (24")
417	SF	CONTRACTOR FURNISHED, TYPE *** SIGN	38	EA	PAINT PAVEMENT MARKING CHARACTER
5,005	LF	(F) SUPPORTS, 3-LB STEEL U-CHANNEL	390	EA	PAINT PAVEMENT MARKING SYMBOL
16	EA	SIGN ERECTION, TYPE D	41,943	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
256	EA	SIGN ERECTION, TYPE E	30	LF	REMOVAL OF PAVEMENT MARKING LINES (8")
35	EA	SIGN ERECTION, TYPE F	633	LF	REMOVAL OF PAVEMENT MARKING LINES
1	EA	SIGN ERECTION, RELOCATE TYPE ****	81	EA	(24") REMOVAL OF PAVEMENT MARKING
		(GROUND MOUNTED) (D)	01	LA	SYMBOLS & CHARACTERS
120	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL	66	LF	GENERIC PAVEMENT MARKING ITEM YIELD LINE THERMOPLASTIC PAVEMENT
6	EA	DISPOSAL OF SUPPORT, U-CHANNEL			MARKING, (24", 90 MILS)
1	EA	STOCKPILE SIGN, D, E OR F	823	EA	GENERIC PAVEMENT MARKING ITEM INLAID CRADLE MARKERS
1	EA	GENERIC SIGNING ITEM DISPOSAL SIGN SYSTEM ON SPAN WIRE	9	EA	GENERIC PAVEMENT MARKING ITEM
Lump Sum	LS	GENERIC SIGNING ITEM	11	EA	POLYCARBONATE H-SHAPED MARKERS PERMANENT RAISED PAVEMENT MARKERS
	an	DISPOSAL OF FLASHER SYSTEM	Lump Sum	LS	PORTABLE LIGHTING
1,425	SF	WORK ZONE SIGNS (STATIONARY)	1,962	LF	2" WATER LINE
640	SF	WORK ZONE SIGNS (PORTABLE)	1,513	LF	6" WATER LINE
262	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)	17,604	LF	8" WATER LINE
4	EA	FLASHING ARROW BOARD	503	LF	10" WATER LINE
9	EA	PORTABLE CHANGEABLE MESSAGE SIGN	11,535	LF	12" WATER LINE
300	EA	DRUMS	79,533	LB	DUCTILE IRON WATER PIPE FITTINGS
100	EA	CONES	7	EA	2" VALVE
200	LF	BARRICADES (TYPE III)	45	EA	6" VALVE
175	LF	PEDESTRIAN CHANNELIZING DEVICES	62	EA	8" VALVE
120	DAY EA	FLAGGER TEMPORARY CRASH CUSHIONS	2	EA	10" VALVE
0	£A	TEMPORARY CRASH CUSHIONS	30	EA	12" VALVE

2	EA	**" TAPPING SLEEVE & VALVE	220	LF	COIR FIBER BAFFLE
-		(2")	42	ACR	SEEDING & MULCHING
1	EA	6" TAPPING SLEEVE & VALVE	39	ACR	MOWING
6	EA	8" TAPPING SLEEVE & VALVE	600	LB	SEED FOR REPAIR SEEDING
1	EA	2" BLOW OFF	1.75	TON	FERTILIZER FOR REPAIR SEEDING
97	EA	RELOCATE WATER METER	1,050	LB	SEED FOR SUPPLEMENTAL SEEDING
33	EA	RECONNECT WATER METER	31.25	TON	FERTILIZER TOPDRESSING
8	EA	RELOCATE **" RPZ BACKFLOW PREVENTION ASSEMBLY	5,050	LF	IMPERVIOUS DIKE
		(1")	10	MHR	SPECIALIZED HAND MOWING
4	EA	RELOCATE **" RPZ BACKFLOW PREVENTION ASSEMBLY	22	MHR	MANUAL LITTER REMOVAL
-	Е.	(2")	4	TON	LITTER DISPOSAL
7	EA	RELOCATE **" RPZ BACKFLOW PREVENTION ASSEMBLY	100	EA	RESPONSE FOR EROSION CONTROL
10	E.A.	(3/4")	3	EA	CONCRETE WASHOUT STRUCTURE
12 14	EA EA	FIRE HYDRANT RELOCATE FIRE HYDRANT	0.1	ACR	REFORESTATION
481	LF	FIRE HYDRANT LEG	600	EA	GENERIC EROSION CONTROL ITEM
2,800	LF	WATER SERVICE LINE			FABRIC INSERT INLET PROTECTION CLEANOUT
69	LF	6" SANITARY GRAVITY SEWER	200	EA	GENERIC EROSION CONTROL ITEM
10,461	LF	8" SANITARY GRAVITY SEWER	15	EA	FABRIC INSERT INLET PROTECTION, TYPE 1 GENERIC EROSION CONTROL ITEM
599	LF	10" SANITARY GRAVITY SEWER	13	Lit	PREFABRICATED CONCRETE WASHOUT
2,806	LF	12" SANITARY GRAVITY SEWER	50	SY	GENERIC EROSION CONTROL ITEM PERMANENT SOIL REINFORCEMENT MAT,
4,334	LF	10" FORCE MAIN SEWER			TYPE 2
72	LF	12" FORCE MAIN SEWER	77	EA	PEDESTRIAN SIGNAL HEAD (16", 1 SECTION W/COUNTDOWN)
53	EA	SANITARY SEWER CLEAN-OUT	63,070	LF	SIGNAL CABLE
1,711	LF	SEWER SERVICE LINE	173	EA	VEHICLE SIGNAL HEAD (12", 3 SECTION)
5,210	LB	DUCTILE IRON SEWER PIPE FITTINGS	44	EA	VEHICLE SIGNAL HEAD (12", 4 SECTION)
124	EA	4' DIA UTILITY MANHOLE	2	EA	VEHICLE SIGNAL HEAD (12", 5 SECTION)
189	LF	UTILITY MANHOLE WALL 4' DIA	6	EA	LOUVER
971	LF	ABANDON **" UTILITY PIPE	870	LF	MESSENGER CABLE (1/4")
57	LF	(2") ABANDON **" UTILITY PIPE	4,950	LF	MESSENGER CABLE (3/8")
37	LI	(4")	6,220	LF	TRACER WIRE
10,531	LF	ABANDON 6" UTILITY PIPE	160	LF	PAVED TRENCHING (********) (1, 2")
13,252	LF	ABANDON 8" UTILITY PIPE	260	LF	PAVED TRENCHING (*********)
4,952	LF	ABANDON 10" UTILITY PIPE	10	LF	(2, 2") PAYED TRENCHING (***********)
12,841	LF	ABANDON 12" UTILITY PIPE	10	LF	PAVED TRENCHING (********) (5, 2")
71	EA	ABANDON UTILITY MANHOLE	10	LF	PAVED TRENCHING (********) (9, 2")
7	EA	REMOVE UTILITY MANHOLE	30	LF	UNPAVED TRENCHING (*******)
503	LF	DIRECTIONAL DRILLING OF **" (10")	20		(1, 1")
72	LF	DIRECTIONAL DRILLING OF **"	30	LF	UNPAVED TRENCHING (*******) (1, 1/2")
142	LF	(12") DIRECTIONAL DRILLING OF **"	640	LF	UNPAVED TRENCHING (********)
1.2		(8")	10	LF	(1, 2") UNPAVED TRENCHING (*******)
1	EA	GENERIC UTILITY ITEM ADJUSTMENT OF VAULT BOXES			(10, 2")
3	EA	GENERIC UTILITY ITEM	2,440	LF	UNPAVED TRENCHING (********) (2, 2")
2	EA	RECONNECT FIRE HYDRANT GENERIC UTILITY ITEM	170	LF	UNPAVED TRENCHING (*******)
2	LA	RECONNECT GREASE TRAPS	40	LF	(3, 2") UNPAVED TRENCHING (********)
8	EA	GENERIC UTILITY ITEM TRANSITION COUPLING			(4, 2")
33,840	LF	TEMPORARY SILT FENCE	230	LF	UNPAVED TRENCHING (********) (5, 2")
3,220	TON	STONE FOR EROSION CONTROL, CLASS A	70	LF	UNPAVED TRENCHING (*******)
4,500	TON	STONE FOR EROSION CONTROL, CLASS B	20	LF	(6, 2") UNPAVED TRENCHING (********)
9,250	TON	SEDIMENT CONTROL STONE	20	ы	(8, 2")
59.5	ACR	TEMPORARY MULCHING	40	LF	UNPAVED TRENCHING (********) (9, 2")
2,900	LB	SEED FOR TEMPORARY SEEDING	5,860	LF	DIRECTIONAL DRILL (********)
14.5	TON	FERTILIZER FOR TEMPORARY SEEDING	1,250	LF	(2, 2") DIRECTIONAL DRILL (********)
200	LF	TEMPORARY SLOPE DRAINS	1,230	LI	(3, 2")
1,180	LF	SAFETY FENCE	1,000	LF	DIRECTIONAL DRILL (*******) (4, 2")
10,310	CY	SILT EXCAVATION	670	LF	DIRECTIONAL DRILL (*******)
135,000	SY	MATTING FOR EROSION CONTROL		T: A	(5, 2") JUNCTION BOX (************************************
165	SY	COIR FIBER MAT	6	EA	JUNCTION BOX (************************************
25,980	LF	1/4" HARDWARE CLOTH	42	EA	JUNCTION BOX (STANDARD SIZE)
30	LF	**" TEMPORARY PIPE (36")	32	EA	JUNCTION BOX (OVER-SIZED, HEAVY DUTY)
15	EA	SPECIAL STILLING BASINS	35	EA	WOOD POLE
865	LB	FLOCCULANT	114	EA	GUY ASSEMBLY
160	LF	COIR FIBER WATTLE	3	EA	1/2" RISER WITH WEATHERHEAD
1,780	LF	WATTLE BARRIER	8	EA	1" RISER WITH WEATHERHEAD
			55	EA	2" RISER WITH WEATHERHEAD

13	EA	2" RISER WITH HEAT SHRINK TUBING	24	EA	SOIL NAIL VERIFICATION TESTS
27,900	LF	LEAD-IN CABLE (14-2)	70	EA	SOIL NAIL PROOF TESTS
18,300	LF	COMMUNICATIONS CABLE (** FIBER)	2,586	SF	SEGMENTAL GRAVITY RETAINING WALLS
2,100	LF	(24) DROP CABLE	2,167	SF	PRECAST GRAVITY RETAINING WALLS
9	EA	SPLICE ENCLOSURE	Lump Sum	LS	GENERIC RETAINING WALL ITEM UNDERPINNING
8	EA	INTERCONNECT CENTER	31,865	SF	GENERIC RETAINING WALL ITEM
25	EA	DELINEATOR MARKER			SCULPTED SHOTCRETE SURFACE TREATMENT
4	EA	900MHZ SERIAL/ETHERNET SPREAD			STRUCTURE ITEMS
		SPECTRUM RADIO	Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT
19	EA	METAL POLE WITH SINGLE MAST ARM	Lump Sum	Lo	STATION *********
6	EA	METAL POLE WITH DUAL MAST ARM	Lump Sum	LS	(27+24.00 -L-) ASBESTOS ASSESSMENT
25	EA	SOIL TEST	Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION
225	CY EA	DRILLED PIER FOUNDATION	Lump Sum	Lis	AT STATION *******
25 68	EA	MAST ARM WITH METAL POLE DESIGN SIGN FOR SIGNALS	6,672	SF	(27+24.00 -L-) REINFORCED CONCRETE DECK SLAB
11	EA	TYPE I POST WITH FOUNDATION	2,217.6	SF	CONCRETE WEARING SURFACE
52	EA	TYPE II PEDESTAL WITH FOUNDATION	10,081	SF	GROOVING BRIDGE FLOORS
8	EA	SIGNAL CABINET FOUNDATION	75	CY	CLASS A CONCRETE (BRIDGE)
8	EA	CONTROLLERS WITH CABINET	Lump Sum	LS	BRIDGE APPROACH SLABS, STATION
Ü	Lar	(*************************)	•		**************************************
8	EA	(TYPE 2070LX, BASE MOUNTED) CABINET BASE EXTENDER	13,821	LB	REINFORCING STEEL (BRIDGE)
4	EA	METAL POLE FOUNDATION REMOVAL	866.8	LF	FIB **" PRESTRESSED CONCRETE GIRDERS
4	EA	METAL POLE REMOVAL	22	EA	(36")
5	EA	GENERIC SIGNAL ITEM	32	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES
		DIGITAL CCTV CAMERA ASSEMBLY	1.040	I.E.	(HP 12 X 53)
12	EA	GENERIC SIGNAL ITEM ETHERNET EDGE SWITCH	1,840	LF	HP 12 X 53 STEEL PILES
47	EA	GENERIC SIGNAL ITEM	32	EA	STEEL PILE POINTS
		MICROWAVE VEHICLE DETECTION SYSTEM - MULTIPLE ZONES	1 161	EA LF	DYNAMIC PILE TESTING THREE BAR METAL RAIL
6	EA	GENERIC SIGNAL ITEM	20	TON	RIP RAP, CLASS **
		PROTECTIVE COATING FOR DUAL MAST ARM POLE (BLACK POWDER COATING)	20	1011	(II)
19	EA	GENERIC SIGNAL ITEM PROTECTIVE COATING FOR SINGLE MAST	435	TON	RIP RAP CLASS II (2'-0" THICK)
		ARM POLE (BLACK POWDER COATING)	480	SY	GEOTEXTILE FOR DRAINAGE
7	EA	GENERIC SIGNAL ITEM PROTECTIVE COATING FOR TYPE I	Lump Sum	LS	ELASTOMERIC BEARINGS
		PUSHBUTTON POST (BLACK POWDER COATING)	14.9	CF	CONCRETE REPAIRS
46	EA	GENERIC SIGNAL ITEM	23.6	CF	SHOTCRETE REPAIRS
		PROTECTIVE COATING FOR TYPE II SIGNAL PEDESTAL (BLACK POWDER COATING)	159.5 57.6	LF LF	EPOXY RESIN INJECTION GENERIC STRUCTURE ITEM
4	EA	GENERIC SIGNAL ITEM	37.0	LI	POURABLE SILICONE JOINT SEALANT
		RECTANGULAR RAPID FLASHING BEACON ASSEMBLY	10.9	SF	GENERIC STRUCTURE ITEM EPOXY COATING
		CULVERT ITEMS	753.5	SF	GENERIC STRUCTURE ITEM
Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT	246.4	CV	SIDEWALK CONCRETE OVERLAY CENERIC STRUCTURE ITEM
1		STATION ************************************	246.4	SY	GENERIC STRUCTURE ITEM SCARIFYING BRIDGE DECK
Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT	246.4	SY	GENERIC STRUCTURE ITEM SHOTBLASTING BRIDGE DECK
•		STATION ************************************			SHOTBERSTING BRIDGE BEEK
Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT			
		STATION ************************************			
Lump Sum	LS	PRECAST REINFORCED CONC BOX			
		CULVERT AT STA *******************************			
Lump Sum	LS	PRECAST REINFORCED CONC BOX			
		CULVERT AT STA *******************************			
Lump Sum	LS	ASBESTOS ASSESSMENT			
Lump Sum	LS	BOX CULVERT EXCAVATION, STA ******** (11+63.55 - Y18-)			
Lump Sum	LS	BOX CULVERT EXCAVATION, STA *******			
	T. C.	(12+33.00 -Y4-)			
Lump Sum	LS	BOX CULVERT EXCAVATION, STA ******** (12+94.00 -Y6-)			
Lump Sum	LS	BOX CULVERT EXCAVATION, STA ******** (135+82.00 -L-)			
Lump Sum	LS	BOX CULVERT EXCAVATION, STA *******			
_		(64+35.31 -L-)			
2,655	TON	FOUNDATION CONDITIONING MATERIAL, BOX CULVERT			
1,011.3	CY	CLASS A CONCRETE (CULVERT)			
134,429	LB	REINFORCING STEEL (CULVERT)			
49.4	SF	SHEET PILE RETAINING WALLS			
		WALL ITEMS			
31,383	SF	SOIL NAIL RETAINING WALLS			
192	CE	COLDIED BILE DETAINING WALLS			

SOLDIER PILE RETAINING WALLS

482 SF