

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION


ROY COOPER GOVERNOR

J. ERIC BOYETTE SECRETARY

IMPORTANT INFORMATION PLEASE READ

TO PREQUALIFIED BIDDERS AND PURCHASE ORDER PRIMES:

The requirements for bidding on NCDOT construction projects are changing. The current requirement to purchase plans or a proposal to be eligible to bid will be replaced by a requirement to register for the *Interested Parties List*. This change will be effective for any Central or Division letting June 1, 2022 and later.



For any letting June 1, 2022 and later:

Contractors bidding on NCDOT contracts must sign up for the *Interested Parties* List for each project they intend to submit bids on. As part of this new requirement, Contractors must sign up for the Interested Parties List no later than one business day prior to the Letting Date.

The purchase of plans or proposals will no longer be required to bid on NCDOT Central Let projects and will be replaced by the new requirement above to sign up for the *Interested Parties* List. Plans will continue to be available for purchase, however anyone who purchases plans shall still sign up for the Interested Parties List to be eligible to bid.

A one-page quick guide follows this letter and the quick guide a more detailed walkthrough on signing up for the *Interested Parties List* can be found on the Central and Division Letting Resources pages at the links below:

https://connect.ncdot.gov/letting/Pages/Central.aspx

https://connect.ncdot.gov/letting/Pages/Division-Letting-Resources.aspx

The links and functionality described in the guides will be available on our website in the near future. For more information or assistance with this new process please submit any questions to InterestedPartiesHelp@ncdot.gov.

For additional assistance with general bidding related questions please email AWPhelp@ncdot.gov.

Ronald E. Davenport, Jr., PE State Contract Officer

Ronald E. Davenport, Ir.

Telephone: (919) 707-6900 Fax: (919) 250-4127

Customer Service: 1-877-368-4968

Website: www.ncdot.gov

Bid Letting Number: L221220

RPN Contract	Id WBS	County	Length	Job Type
001 C204435	45599.3.1	PENDER	0.170 MI	GRADING, DRAINAGE, PAVING, AND STRUCTURE.
002 C204477	45607.3.1	ONSLOW	0.348 MI	GRADING, DRAINAGE, PAVING, AND STRUCTURE.
003 C204807	2023CPT.05.07.10931.1, ETC.	WARREN	29.264 MI	MILLING, AND RESURFACING.
004 C204656	47954.3.1	WAKE	12.288 MI	PAVEMENT REHABILITATION.
005 C204806	2023CPT.07.13.20681	ORANGE	21.046 MI	MILLING AND RESURFACING.
006 C204809	2023CPT.08.07.10191, ETC.	CHATHAM, RANDOLPH	14.970 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
007 C204808	2023CPT.08.09.20191	СНАТНАМ	13.964 MI	SHOULDER RECONSTRUCTION, MILLING, AND RESURFACING.
008 C204811	2023CPT.09.07.10801, ETC.	ROWAN	15.973 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
009 C204800	44670.3.1	STOKES	0.299 MI	WIDENING, GRADING, DRAINAGE, PAVING, SIGNALS, AND WALLS.
010 C204385	45721.3.1	DAVIDSON	0.243 MI	GRADING, DRAINAGE, PAVING, AND STRUCTURE.
011 C204810	2023CPT.12.03.10231, ETC.	CLEVELAND	16.180 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
012 C204361	38414.3.1	LINCOLN	0.213 MI	GRADING, DRAINAGE, PAVING, AND STRUCTURE.
013 C204812	32572.3.15	GRAHAM	2.593 MI	GRADING, DRAINAGE, PAVING, AND STRUCTURES.

CONTRACT ID: C204435 45599.3.1 DIV OFFICE CASTLE HAYNE LENGTH = 0.170 MI

COUNTY : PENDER

GRADING, DRAINAGE, PAVING, AND STRUCTURE.

DBE GOAL 5.00 % COMPLETION DATE: SEE SPECIAL

PROVISIONS

BRIDGE #15 OVER CROOKED RUN ON NC-11.

		ROADWAY ITEMS	94	SF	WORK ZONE SIGNS (BARRICADE
Lump Sum	LS	MOBILIZATION	30	EA	MOUNTED) DRUMS
Lump Sum	LS	CONSTRUCTION SURVEYING			
Lump Sum	LS	TYPE II MODIFIED APPROACH FILL,	64	LF	BARRICADES (TYPE III) FLAGGER
Zump zum	25	STATION ******	144	DAY LF	THERMOPLASTIC PAVEMENT MARKING
Lump Sum	LS	(15+55.00 -L-) GRADING	13,432	LF	LINES (4", 90 MILS)
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING	60	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
300	CY	UNDERCUT EXCAVATION	292	LF	POLYUREA PAVEMENT MARKING LINES, **",
300	CY	SELECT GRANULAR MATERIAL, CLASS III			** MILS (STANDARD GLASS BEADS) (4", 20 MILS)
300	SY	GEOTEXTILE FOR SOIL STABILIZATION	15	EA	NON-CAST IRON SNOWPLOWABLE
230	SY	ROCK PLATING	613	LF	PAVEMENT MARKER 8" WATER LINE
52	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	880	LB	DUCTILE IRON WATER PIPE FITTINGS
244	SY	FOUNDATION CONDITIONING GEOTEXTILE	2	EA	8" VALVE
108	LF	15" DRAINAGE PIPE	1	EA	RECONNECT WATER METER
6	EA	**" DRAINAGE PIPE ELBOWS	80	LF	**" WATER SERVICE LINE
10		(15")	611	LF	(1") ADANDONI S" LITH ITY DIDE
18	LF	PIPE REMOVAL	611 320	LF	ABANDON 8" UTILITY PIPE DIRECTIONAL DRILLING OF **"
243	TON	AGGREGATE BASE COURSE	320	LF	(8")
20	TON	INCIDENTAL STONE BASE	8,200	LF	TEMPORARY SILT FENCE
600	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (6-1/2")	190	TON	STONE FOR EROSION CONTROL, CLASS A
10	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH	175	TON	STONE FOR EROSION CONTROL, CLASS B
170	SY	(9") INCIDENTAL MILLING	155	TON	SEDIMENT CONTROL STONE
1,060	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	2	ACR	TEMPORARY MULCHING
440	TON	ASPHALT CONC INTERMEDIATE COURSE,	200	LB	SEED FOR TEMPORARY SEEDING
4.040	morr	TYPE I19.0C	1	TON	FERTILIZER FOR TEMPORARY SEEDING
1,010	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B	200	LF	TEMPORARY SLOPE DRAINS
135	TON	ASPHALT BINDER FOR PLANT MIX	920	LF	SAFETY FENCE
50	CY	SUBDRAIN EXCAVATION	200	CY	SILT EXCAVATION
200	SY	GEOTEXTILE FOR SUBSURFACE DRAINS	2,100	SY	MATTING FOR EROSION CONTROL
40	CY	SUBDRAIN FINE AGGREGATE	615	SY	COIR FIBER MAT
200	LF	6" PERFORATED SUBDRAIN PIPE	155	LF	1/4" HARDWARE CLOTH
1	EA	SUBDRAIN PIPE OUTLET	4	EA	SPECIAL STILLING BASINS
6	LF	6" OUTLET PIPE	100 240	LF LF	WATTLE COIR FIBER WATTLE
4	EA	MASONRY DRAINAGE STRUCTURES	30	LB	
4	EA	FRAME WITH TWO GRATES, STD 840.29	3	ACR	POLYACRYLAMIDE (PAM) SEEDING & MULCHING
420	LF	SHOULDER BERM GUTTER	1.5	ACR	MOWING
60	SY	6" CONCRETE DRIVEWAY	50	LB	SEED FOR REPAIR SEEDING
712.5	LF	STEEL BEAM GUARDRAIL	0.25	TON	FERTILIZER FOR REPAIR SEEDING
50	LF	STEEL BEAM GUARDRAIL, SHOP CURVED	50	LB	SEED FOR SUPPLEMENTAL SEEDING
10	EA	ADDITIONAL GUARDRAIL POSTS	1.5	TON	FERTILIZER TOPDRESSING
1	EA	GUARDRAIL END UNITS, TYPE AT-1	185	LF	IMPERVIOUS DIKE
4	EA	GUARDRAH, END UNITS, TYPE III	10	MHR	SPECIALIZED HAND MOWING
3	EA	GUARDRAIL END UNITS, TYPE TL-3	2	MHR	MANUAL LITTER REMOVAL
125	TON	RIP RAP, CLASS II	1	TON	LITTER DISPOSAL
160	TON SY	RIP RAP, CLASS B GEOTEXTILE FOR DRAINAGE	13	EA	RESPONSE FOR EROSION CONTROL
2,220 20	LF	SUPPORTS, 3-LB STEEL U-CHANNEL	2	EA	CONCRETE WASHOUT STRUCTURE
20	EA	SIGN ERECTION, RELOCATE TYPE ****			STRUCTURE ITEMS
2	ĽА	(GROUND MOUNTED)	Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT
4	EA	(E) DISPOSAL OF SIGN SYSTEM, U-CHANNEL	ւսոր ծաո	பல	STATION *********
593	SF	WORK ZONE SIGNS (STATIONARY)	Lump Sum	LS	(15+55.00 -L-) ASBESTOS ASSESSMENT
128	SF	WORK ZONE SIGNS (STATIONARY) WORK ZONE SIGNS (PORTABLE)	Lump Sum	EA	PDA TESTING
120			•		

Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ********* (15+55.00 -L-)
2,975	SF	CONCRETE WEARING SURFACE
3,859	SF	GROOVING BRIDGE FLOORS
64	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ************************************
		(15+55.00 -L-)
9,202	LB	REINFORCING STEEL (BRIDGE)
16	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES (HP 12 X 53)
840	LF	HP 12 X 53 STEEL PILES
8	EA	PILE REDRIVES
123.65	LF	TWO BAR METAL RAIL
140	LF	1'-**" X *****" CONCRETE PARAPET (1'-2" X 2'-11 5/16")
210	TON	RIP RAP CLASS II (2'-0" THICK)
235	SY	GEOTEXTILE FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS
1,050	LF	3'-0" X 2'-0" PRESTRESSED CONC CORED SLABS

L221220

CONTRACT ID: C204477 DIV OFFICE CASTLE HAYNE 45607.3.1 LENGTH = 0.348 MI

COUNTY : ONSLOW

GRADING, DRAINAGE, PAVING, AND STRUCTURE.

DBE GOAL 2.00 % COMPLETION DATE: MAY 29, 2024

BRIDGE #33 OVER WOLF SWAMP ON US-17 (NBL).

		ROADWAY ITEMS	3	TON	RIP RAP, CLASS B
I C	1.0		1,165	SY	GEOTEXTILE FOR DRAINAGE
Lump Sum	LS	MOBILIZATION CONSTRUCTION SURVEYING	34	SF	CONTRACTOR FURNISHED, TYPE *** SIGN
Lump Sum	LS	CONSTRUCTION SURVEYING TYPE I STANDARD APPROACH FILL STATION			(E)
Lump Sum	LS	******	63	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
I C	1.0	(20+64 -L- RT)	4	EA	SIGN ERECTION, TYPE E
Lump Sum	LS	GRADING	4	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING	216	SF	WORK ZONE SIGNS (STATIONARY)
300	CY	UNDERCUT EXCAVATION	192	SF	WORK ZONE SIGNS (PORTABLE)
1,688	CY	DRAINAGE DITCH EXCAVATION	28	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
300	CY	SELECT GRANULAR MATERIAL	2	EA	FLASHING ARROW BOARD
300	SY	GEOTEXTILE FOR SOIL STABILIZATION	2	EA	PORTABLE CHANGEABLE MESSAGE SIGN
1,177	SF	TEMPORARY SHORING	85	EA	DRUMS
40	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	96	LF	BARRICADES (TYPE III)
125	SY	FOUNDATION CONDITIONING GEOTEXTILE	1	EA	TEMPORARY CRASH CUSHIONS
44	LF	15" DRAINAGE PIPE	2	EA	REMOVE & RESET TEMPORARY CRASH
4	EA	**" DRAINAGE PIPE ELBOWS	1	EA	CUSHION TMA
300	LF	(15") 15" RC PIPE CULVERTS, CLASS IV	700	LF	
96	LF	PIPE REMOVAL	1,060	LF	PORTABLE CONCRETE BARRIER REMOVE AND RESET PORTABLE CONCRETE
1,816	TON	AGGREGATE BASE COURSE	1,000	LF	BARRIER
62	TON	INCIDENTAL STONE BASE	12	HR	LAW ENFORCEMENT
1,270	GAL	PRIME COAT	50	EA	SKINNY DRUM
340	SY	INCIDENTAL MILLING	79	EA	TEMPORARY RAISED PAVEMENT MARKERS
230	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	3,932	LF	THERMOPLASTIC PAVEMENT MARKING
760	TON	ASPHALT CONC INTERMEDIATE COURSE,	7	EA	LINES (6", 90 MILS) THERMOPLASTIC PAVEMENT MARKING
700	1011	TYPE I19.0C			SYMBOL (90 MILS)
1,510	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C	338	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (6")
140	TON	ASPHALT BINDER FOR PLANT MIX			(III)
45	CY	SUBDRAIN EXCAVATION	12,437	LF	PAINT PAVEMENT MARKING LINES (6")
200	SY	GEOTEXTILE FOR SUBSURFACE DRAINS	242	LF	PAINT PAVEMENT MARKING LINES (12")
34	CY	SUBDRAIN COARSE AGGREGATE	15	EA	PAINT PAVEMENT MARKING SYMBOL
200	LF	6" PERFORATED SUBDRAIN PIPE	1,560	LF	REMOVAL OF PAVEMENT MARKING LINES (6")
1	EA	SUBDRAIN PIPE OUTLET	121	LF	REMOVAL OF PAVEMENT MARKING LINES
6	LF	6" OUTLET PIPE	3	EA	(12") PERMANENT RAISED PAVEMENT MARKERS
10	CY	FLOWABLE FILL	26	EA	NON-CAST IRON SNOWPLOWABLE
4	EA	MASONRY DRAINAGE STRUCTURES			PAVEMENT MARKER
2.2	LF	MASONRY DRAINAGE STRUCTURES	3,485	LF	TEMPORARY SILT FENCE
2	EA	FRAME WITH TWO GRATES, STD 840.24	75	TON	STONE FOR EROSION CONTROL, CLASS A
2	EA	FRAME WITH TWO GRATES, STD 840.29	340	TON	STONE FOR EROSION CONTROL, CLASS B
90	LF	SHOULDER BERM GUTTER	180	TON	SEDIMENT CONTROL STONE
825	LF	STEEL BEAM GUARDRAIL	5	ACR	TEMPORARY MULCHING
10	EA	ADDITIONAL GUARDRAIL POSTS	300	LB	SEED FOR TEMPORARY SEEDING
1	EA	GUARDRAIL END UNITS, TYPE CAT-1	1.5	TON	FERTILIZER FOR TEMPORARY SEEDING
3	EA	GUARDRAIL END UNITS, TYPE TL-3	200	LF	TEMPORARY SLOPE DRAINS
4	EA	GUARDRAIL ANCHOR UNITS, TYPE B-77	1,320	LF	SAFETY FENCE
1,025	LF	REMOVE EXISTING GUARDRAIL	240	CY	SILT EXCAVATION
725	LF	TEMPORARY STEEL BEAM GUARDRAIL	2,100	SY	MATTING FOR EROSION CONTROL
4	EA	TEMPORARY GUARDRAIL ANCHOR UNITS, TYPE ********	100	SY	COIR FIBER MAT
		(III)	210	LF	1/4" HARDWARE CLOTH
2	EA	TEMPORARY GUARDRAIL END UNITS, TYPE *****	150	SY	FLOATING TURBIDITY CURTAIN
		***** (TL-3)	2	EA	SPECIAL STILLING BASINS
2	EA	GENERIC GUARDRAIL ITEM	350	LF	COIR FIBER WATTLE
		TEMPORARY GUARDRAIL END UNITS, TYPE CAT-1	95	LB	POLYACRYLAMIDE (PAM)
425	TON	RIP RAP, CLASS I	50	LF	COIR FIBER BAFFLE
			6	ACR	SEEDING & MULCHING

6	ACR	MOWING
50	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
125	LB	SEED FOR SUPPLEMENTAL SEEDING
3.75	TON	FERTILIZER TOPDRESSING
65	LF	IMPERVIOUS DIKE
10	MHR	SPECIALIZED HAND MOWING
2	MHR	MANUAL LITTER REMOVAL
0.5	TON	LITTER DISPOSAL
25	EA	RESPONSE FOR EROSION CONTROL
2	EA	CONCRETE WASHOUT STRUCTURE
		STRUCTURE ITEMS
Lump Sum	LS	CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP STRUCTURE AT STA
Lump Sum	LS	(19+22.00 -L- DET) REMOVAL OF EXISTING STRUCTURE AT STATION ************************************
Lump Sum	LS	ASBESTOS ASSESSMENT
1	EA	PDA TESTING
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ******** (20+64.00 -L- RT)
3,958	SF	REINFORCED CONCRETE DECK SLAB
4,973	SF	GROOVING BRIDGE FLOORS
73.4	CY	CLASS AA CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ************************************
40.000		(20+64.00 -L- RT)
10,098	LB	REINFORCING STEEL (BRIDGE)
489.58	LF	54" PRESTRESSED CONCRETE GIRDERS
16	EA	PILE DRIVING EQUIPMENT SETUP FOR *** GALVANIZED STEEL PILES (PP 16 X 0.50)
840	LF	PP ** X **** GALVANIZED STEEL PILES (16 X 0.50)
16	EA	PIPE PILE PLATES
8	EA	PILE REDRIVES
196.67	LF	CONCRETE BARRIER RAIL
365	TON	RIP RAP CLASS II (2'-0" THICK)
410	SY	GEOTEXTILE FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS

CONTRACT ID: C204807 2023CPT.05.07.10931.1 DIV OFFICE DURHAM LENGTH = 29.264 MI

COUNTY : WARREN

MILLING, AND RESURFACING.

DBE GOAL 6.00 % COMPLETION DATE: SEP 30, 2024

1 SECTION OF NC-903 AND 10 SECTIONS OF PRIMARY ROADS.

		ROADWAY ITEMS
Lump Sum	LS	MOBILIZATION
58.02	SMI	GENERIC GRADING ITEM SHOULDER GRADING
1,464	TON	INCIDENTAL STONE BASE
5,362	TON	AGGREGATE SHOULDER BORROW
795	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")
82	SY	MILLING ASPHALT PAVEMENT, ***" TO ******"
		(0" TO 1-1/2")
4,002	SY	INCIDENTAL MILLING
15	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
30,997	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
2,165	TON	ASPHALT BINDER FOR PLANT MIX
1,844	TON	PATCHING EXISTING PAVEMENT
50	SY	GENERIC PAVING ITEM REMOVE 5" MONOLITHIC CONCRETE ISLAND
3,293	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
546,979	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
132	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
115	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
24	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
9	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
2,712	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
2,712	LF	GENERIC PAVEMENT MARKING ITEM HOT SPRAY THERMOPLASTIC PAVEMENT MARKING LINES (4", 50 MILS)
925	EA	NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER

CONTRACT ID: C204656 DIV OFFICE DURHAM 47954.3.1 **LENGTH = 12.288 MI**

COUNTY : WAKE

PAVEMENT REHABILITATION.

DBE GOAL 7.00 % COMPLETION DATE: SEP 15, 2024

I-540 FROM US-70 (GLENWOOD AVE) TO EAST OF TRIANGLE TOWN BLVD.

		ROADWAY ITEMS	182	EA	GENERIC TRAFFIC CONTROL ITEM DOUBLE LANE CLOSURE
Lump Sum	LS	MOBILIZATION	28	EA	GENERIC TRAFFIC CONTROL ITEM RAMP/LOOP CLOSURES
150	CY	BORROW EXCAVATION	11	EA	GENERIC TRAFFIC CONTROL ITEM
27	SMI	GENERIC GRADING ITEM SHOULDER GRADING AGGREGATE SHOULDER BORROW	77	EA	RAMP/LOOP TRAFFIC CONTROL GENERIC TRAFFIC CONTROL ITEM SINGLE LANE CLOSURE
180,479	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH	8,200	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
12,059	SY	(2") INCIDENTAL MILLING	467,750	LF	THERMOPLASTIC PAVEMENT MARKING
611	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	3,040	LF	LINES (6", 90 MILS) THERMOPLASTIC PAVEMENT MARKING
20,722	TON	ASPHALT CONC SURFACE COURSE, TYPE			LINES (8", 90 MILS)
55	TON	S9.5D ASPHALT BINDER FOR PLANT MIX	23,980	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
2,194	TON	POLYMER MODIFIED ASPHALT BINDER FOR	710	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
500	LB	PLANT MIX SEALING EXISTING PAVEMENT CRACKS &	12	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
102	TON	JOINTS PATCHING EXISTING PAVEMENT	204	EA	THERMOPLASTIC PAVEMENT MARKING
253,400	SY	ASPHALT SURFACE TREATMENT, FOG SEAL	21,750	LF	SYMBOL (90 MILS) COLD APPLIED PLASTIC PAVEMENT
30,408	GAL	EMULSION FOR ASPHALT SURFACE			MARKING LINES, TYPE ** (6") (II)
17,725	TON	TREATMENT ULTRA-THIN BONDED WEARING COURSE	280	LF	COLD APPLIED PLASTIC PAVEMENT
10	EA	GENERIC DRAINAGE ITEM			MARKING LINES, TYPE ** (12") (II)
500	LF	DRAINAGE STRUCTURE CLEAN-OUT GENERIC DRAINAGE ITEM	80	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (24")
1	EA	CLEAR EXISTING SHOULDER BERM GUTTER RETROFIT EXISTING CURB RAMPS	8	EA	(II) COLD APPLIED PLASTIC PAVEMENT MARKING CHARACTER. TYPE **
2,675	LF	STEEL BEAM GUARDRAIL			(II)
10	EA	ADDITIONAL GUARDRAIL POSTS	9	EA	COLD APPLIED PLASTIC PAVEMENT MARKING SYMBOL, TYPE **
1	EA	GUARDRAIL END UNITS, TYPE CAT-1	16,400	LF	(II) PAINT PAVEMENT MARKING LINES (4")
1	EA	GUARDRAIL END UNITS, TYPE TL-3	866,870	LF	PAINT PAVEMENT MARKING LINES (6")
2,675	LF	REMOVE EXISTING GUARDRAIL	6,080	LF	PAINT PAVEMENT MARKING LINES (8")
3,893	EA	GENERIC GUARDRAIL ITEM GUARDRAIL AND BARRIER DELINEATORS	43,300	LF	PAINT PAVEMENT MARKING LINES (12")
3	CY	PLAIN CONCRETE SIGN FOUNDATIONS	790	LF	PAINT PAVEMENT MARKING LINES (24")
3,313	LB	SUPPORTS, BREAKAWAY STEEL BEAM	24	EA	PAINT PAVEMENT MARKING CHARACTER
408	LF	SUPPORTS, 3-LB STEEL U-CHANNEL	268	EA	PAINT PAVEMENT MARKING SYMBOL
50	EA	SIGN ERECTION, TYPE *** (OVERHEAD) (A)	395,312	LF	REMOVAL OF PAVEMENT MARKING LINES (6")
41	EA	SIGN ERECTION, TYPE *** (OVERHEAD) (B)	411	LF	REMOVAL OF PAVEMENT MARKING LINES (12")
16	EA	SIGN ERECTION, TYPE *** (GROUND MOUNTED)	533	LF	REMOVAL OF PAVEMENT MARKING LINES (24")
32	EA	(A) SIGN ERECTION, MILEMARKERS	52	EA	REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS
16	EA	DISPOSAL OF SIGN SYSTEM, STEEL BEAM	7,410	EA	NON-CAST IRON SNOWPLOWABLE
13	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL	Lump Sum	LS	PAVEMENT MARKER PORTABLE LIGHTING
91	EA	DISPOSAL OF SIGN, A OR B (OVERHEAD)	300	LF	TEMPORARY SILT FENCE
31	EA	DISPOSAL OF LIGHTING SYSTEM	40	LF	SAFETY FENCE
33	EA	DISPOSAL OF WALKWAY	0.75	ACR	SEEDING & MULCHING
158	EA	GENERIC SIGNING ITEM CUTTING OF SIGN HANGERS, OVERHEAD	1	EA	CONCRETE WASHOUT STRUCTURE
704	SF	WORK ZONE ADVANCE/GENERAL WARNING	1,567	LF	INDUCTIVE LOOP SAWCUT
5	EA	SIGNING WORK ZONE DIGITAL SPEED LIMIT SIGNS	4	EA	INTERCONNECT CENTER
14	EA	WORK ZONE PRESENCE LIGHTING	3,893	EA	DELINEATOR MARKER
12	EA	SEQUENTIAL FLASHING WARNING LIGHTS	3	EA	GENERIC SIGNAL ITEM CCTV WOOD POLE
24	LF	PEDESTRIAN CHANNELIZING DEVICES	5	EA	GENERIC SIGNAL ITEM DIGITAL CCTV CAMERA
5,149	HR	LAW ENFORCEMENT	8	EA	GENERIC SIGNAL ITEM
70	EA	TUBULAR MARKERS (FIXED)	1	EA	DIGITAL CCTV CAMERA ASSEMBLY GENERIC SIGNAL ITEM
2	EA	GENERIC TRAFFIC CONTROL ITEM			DMS WALKWAY
		CONNECTED LANE CLOSURE DEVICE	2	EA	GENERIC SIGNAL ITEM DYNAMIC MESSAGE SIGN (TYPE-2C)

9	EA	GENERIC SIGNAL ITEM FIELD EQUIPMENT CABINET
3	EA	GENERIC SIGNAL ITEM METER BASE/DISCONNECT COMBINATION PANEL
5	EA	GENERIC SIGNAL ITEM MODIFY EXISTING ELECTRICAL SERVICE
2	EA	GENERIC SIGNAL ITEM REMOVAL AND DISPOSAL OF EXISTING DMS COMPONENTS
7	EA	GENERIC SIGNAL ITEM WIRELESS ETHERNET REPEATER SYSTEM
10	EA	GENERIC SIGNAL ITEM WIRELESS ETHERNET SYSTEM
15	LF	GENERIC SIGNAL ITEM 3-WIRE COPPER FEEDER CONDUCTORS

CONTRACT ID: C204806 DIV OFFICE GREENSBORO 2023CPT.07.13.20681 **LENGTH = 21.046 MI**

COUNTY : ORANGE

MILLING AND RESURFACING.

DBE GOAL 6.00 % COMPLETION DATE: SEP 15, 2024

27 SECTIONS OF SECONDARY ROADS.

		ROADWATTIEMS
Lump Sum	LS	MOBILIZATION
1,019	TON	INCIDENTAL STONE BASE
50,329	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")
11,676	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/4")
9,078	SY	INCIDENTAL MILLING
26,223	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
3,072	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
2,006	TON	ASPHALT BINDER FOR PLANT MIX
1,385	TON	PATCHING EXISTING PAVEMENT
103,973	SY	ASPHALT SURFACE TREATMENT, MAT COAT, #78M STONE
132,766	SY	ASPHALT SURFACE TREATMENT, MAT COAT, #*** STONE
84,762	GAL	(#67) EMULSION FOR ASPHALT SURFACE TREATMENT
12,027	SY	GENERIC PAVING ITEM FINE MILLING
73	EA	ADJUSTMENT OF MANHOLES
111	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
2,452	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
39,950	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
117,307	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
1,364	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
200	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 90 MILS)
2,651	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
72	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
133	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
3	EA	HEATED-IN-PLACE THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)
206,800	LF	GENERIC PAVEMENT MARKING ITEM HOT SPRAY THERMOPLASTIC PAVEMENT MARKING LINES (4", 50 MILS)
455	LF	GENERIC PAVEMENT MARKING ITEM HOT SPRAY THERMOPLASTIC PAVEMENT MARKING LINES (6", 50 MILS)
330	LF	GENERIC PAVEMENT MARKING ITEM HOT SPRAY THERMOPLASTIC PAVEMENT MARKING LINES (8", 50 MILS)
8,225	LF	INDUCTIVE LOOP SAWCUT

CONTRACT ID: C204809 2023CPT.08.07.10191 DIV OFFICE CARTHAGE LENGTH = 14.970 MI

COUNTY: CHATHAM, RANDOLPH

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL 6.00 % COMPLETION DATE: OCT 01, 2024

2 SECTIONS OF US-421.

		ROND WITT TIEMS
Lump Sum	LS	MOBILIZATION
51.78	SMI	SHOULDER RECONSTRUCTION
7,256	TON	AGGREGATE SHOULDER BORROW
495,924	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")
4,420	SY	INCIDENTAL MILLING
41,656	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5D
10	TON	ASPHALT BINDER FOR PLANT MIX
2,376	TON	POLYMER MODIFIED ASPHALT BINDER FOR PLANT MIX
200	TON	PATCHING EXISTING PAVEMENT
243,725	LF	MILLED RUMBLE STRIPS (ASPHALT CONCRETE)
1,699	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
213	HR	LAW ENFORCEMENT
332,807	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
5,520	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
127	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
15	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
334,895	LF	PAINT PAVEMENT MARKING LINES (6")
6,248	LF	PAINT PAVEMENT MARKING LINES (12")
127	LF	PAINT PAVEMENT MARKING LINES (24")
15	EA	PAINT PAVEMENT MARKING SYMBOL
1,080	LF	REMOVAL OF PAVEMENT MARKING LINES (6")
360	LF	REMOVAL OF PAVEMENT MARKING LINES (12")
1,726	EA	NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER

LENGTH = 13.964 MI

COUNTY : CHATHAM

CONTRACT ID: C204808

2023CPT.08.09.20191 DIV OFFICE FAYETTEVILLE

SHOULDER RECONSTRUCTION, MILLING, AND RESURFACING.

DBE GOAL 5.00 % COMPLETION DATE: OCT 01, 2024

4 SECTIONS OF SECONDARY ROADS.

Lump Sum	LS	MOBILIZATION
27.93	SMI	SHOULDER RECONSTRUCTION
3,910	TON	AGGREGATE SHOULDER BORROW
376	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")
3,887	SY	INCIDENTAL MILLING
16,724	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,116	TON	ASPHALT BINDER FOR PLANT MIX
600	TON	PATCHING EXISTING PAVEMENT
1	EA	ADJUSTMENT OF DROP INLETS
1,600	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
262,650	LF	PAINT PAVEMENT MARKING LINES (4")

CONTRACT ID: C204811 2023CPT.09.07.10801 DIV OFFICE WINSTON-SALEM LENGTH = 15.973 MI

COUNTY : ROWAN

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL 6.00 % COMPLETION DATE: SEP 15, 2024

1 SECTION OF US-70, US-29, AND NC-150, AND 5 SECTIONS OF SECONDARY ROADS.

		ROADWAY ITEMS
Lump Sum	LS	MOBILIZATION
2,054	CY	BORROW EXCAVATION
546	TON	INCIDENTAL STONE BASE
34.22	SMI	SHOULDER RECONSTRUCTION
130,004	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")
1,075	SY	MILLING ASPHALT PAVEMENT, ***" TO ******"
15.173	SY	(0" TO 1-1/2") INCIDENTAL MILLING
13,811	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
20,735	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
2,193	TON	ASPHALT BINDER FOR PLANT MIX
470	TON	PATCHING EXISTING PAVEMENT
110,946	SY	ASPHALT SURFACE TREATMENT, MAT COAT, #*** STONE (#67)
44,328	GAL	EMULSION FOR ASPHALT SURFACE TREATMENT
35	EA	ADJUSTMENT OF MANHOLES
14	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
2,066	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
67,244	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
160	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 240 MILS)
294,914	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
1,504	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
794	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
18	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
166	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
30,747	LF	PAINT PAVEMENT MARKING LINES (4")
213	LF	PAINT PAVEMENT MARKING LINES (24")
860	EA	NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
Lump Sum	LS	PORTABLE LIGHTING
6,956	LF	TEMPORARY SILT FENCE
697	LF	WATTLE

L221220

CONTRACT ID: C204800 44670.3.1 DIV OFFICE WINSTON-SALEM LENGTH = 0.299 MI

COUNTY : STOKES

WIDENING, GRADING, DRAINAGE, PAVING, SIGNALS, AND WALLS.

DBE GOAL 5.00 % COMPLETION DATE: FEB 28, 2025

US-311 (S MAIN ST) AT NC-65 AND SR-1928 (STOKESBURG RD) AND NC-65 AT NORFOLK SOUTHERN RAIL CROSSING IN WALNUT COVE.

WALNU	1 CO	VE.			
		ROADWAY ITEMS	1	EA	GUARDRAIL END UNITS, TYPE TL-3
Lump Sum	LS	MOBILIZATION	2	EA	GUARDRAIL END UNITS, TYPE TL-2
Lump Sum	LS	CONSTRUCTION SURVEYING	2	EA	GUARDRAIL ANCHOR UNITS, TYPE B-83
Lump Sum	LS	GRADING	635	LF	REMOVE EXISTING GUARDRAIL
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING	180	LF	GENERIC FENCING ITEM BLACK VINYL COATED CHAIN LINK FENCE,
2,244	CY	UNDERCUT EXCAVATION	15	EA	48" FABRIC GENERIC FENCING ITEM
500	CY	DRAINAGE DITCH EXCAVATION	13	EA	BLACK VINYL COATED METAL LINE POST
84	LF	BERM DITCH CONSTRUCTION	2	EA	FOR 48" CHAIN LINK FENCE GENERIC FENCING ITEM
200 400	CY SY	SELECT GRANULAR MATERIAL GEOTEXTILE FOR SOIL STABILIZATION	2	EA	BLACK VINYL COATED METAL TERMINAL POST FOR 48" CHAIN LINK FENCE
300	TON	GENERIC GRADING ITEM	20	TON	RIP RAP, CLASS I
300	1011	HAULING AND DISPOSAL OF PETROLEUM CONTAMINATED SOIL	24	TON	RIP RAP, CLASS II
1,212	LF	15" RC PIPE CULVERTS, CLASS III	72	TON	RIP RAP, CLASS A
404	LF	18" RC PIPE CULVERTS, CLASS III	26	TON	RIP RAP, CLASS B
80	LF	24" RC PIPE CULVERTS, CLASS III	370	SY	GEOTEXTILE FOR DRAINAGE
56	LF	42" RC PIPE CULVERTS, CLASS III	1	EA	PREFORMED SCOUR HOLES WITH LEVEL SPREADER APRON
296	LF	15" RC PIPE CULVERTS, CLASS IV	690	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
32	LF	18" RC PIPE CULVERTS, CLASS IV	3	EA	SIGN ERECTION, TYPE D
144	LF	15" CS PIPE CULVERTS, 0.064" THICK	28	EA	SIGN ERECTION, TYPE E
8	EA	**" CS PIPE ELBOWS, *****" THICK	7	EA	SIGN ERECTION, TYPE F
507	T.E.	(15", 0.064")	38	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
597	LF	PIPE REMOVAL	572	SF	WORK ZONE SIGNS (STATIONARY)
100	CY	SHALLOW UNDERCUT	192	SF	WORK ZONE SIGNS (PORTABLE)
100	TON	CLASS IV SUBGRADE STABILIZATION	107	SF	WORK ZONE SIGNS (BARRICADE
220	TON	AGGREGATE BASE COURSE			MOUNTED)
50	TON	INCIDENTAL STONE BASE	140	EA	DRUMS
795	SY	INCIDENTAL MILLING	70	EA	CONES
3,040	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	288	LF	BARRICADES (TYPE III)
2,480	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C	720	DAY	FLAGGER
2,270	TON	ASPHALT CONC SURFACE COURSE, TYPE	2	EA	TMA
390	TON	S9.5B ASPHALT BINDER FOR PLANT MIX	24	HR	LAW ENFORCEMENT
50	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR	90	EA	TEMPORARY RAISED PAVEMENT MARKERS
22	EA	RIGHT-OF-WAY MARKERS	8,836	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
89.6	CY	SUBDRAIN EXCAVATION	155	LF	THERMOPLASTIC PAVEMENT MARKING
67.2	CY	SUBDRAIN FINE AGGREGATE	80	LF	LINES (12", 90 MILS) THERMOPLASTIC PAVEMENT MARKING
400	LF	6" PERFORATED SUBDRAIN PIPE			LINES (16", 90 MILS)
1	EA	SUBDRAIN PIPE OUTLET	228	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
6	LF	6" OUTLET PIPE	4	EA	THERMOPLASTIC PAVEMENT MARKING
12	CY	FLOWABLE FILL	7	EA	CHARACTER (90 MILS) THERMOPLASTIC PAVEMENT MARKING
30	EA	MASONRY DRAINAGE STRUCTURES	,	EA	SYMBOL (90 MILS)
9	LF	MASONRY DRAINAGE STRUCTURES	34,662	LF	PAINT PAVEMENT MARKING LINES (4")
14	EA	FRAME WITH TWO GRATES, STD 840.24	310	LF	PAINT PAVEMENT MARKING LINES (8")
6	EA	FRAME WITH GRATE & HOOD, STD 840.03,	160	LF	PAINT PAVEMENT MARKING LINES (16")
		TYPE ** (F)	484	LF	PAINT PAVEMENT MARKING LINES (24")
8	EA	FRAME WITH GRATE & HOOD, STD 840.03,	8	EA	PAINT PAVEMENT MARKING CHARACTER
		TYPE ** (G)	14	EA	PAINT PAVEMENT MARKING SYMBOL
2	EA	FRAME WITH COVER, STD 840.54	3,549	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
4,170	LF	2'-6" CONCRETE CURB & GUTTER	62	EA	NON-CAST IRON SNOWPLOWABLE
35	LF	SHOULDER BERM GUTTER	122	LE	PAVEMENT MARKER
22	SY	4" CONCRETE PAVED DITCH	123	LF	2" WATER LINE
900	LF	STEEL BEAM GUARDRAIL	1,730	LF	8" WATER LINE
125	LF	STEEL BEAM GUARDRAIL, SHOP CURVED	2,925	LB	DUCTILE IRON WATER PIPE FITTINGS
5	EA	ADDITIONAL GUARDRAIL POSTS	1	EA	6" VALVE
5	EA	GUARDRAIL END UNITS, TYPE AT-1	3	EA	8" VALVE

1	EA	6" TAPPING SLEEVE & VALVE
3	EA	3/4" WATER METER
3	EA	RECONNECT WATER METER
2	EA	FIRE HYDRANT
1	EA	RELOCATE FIRE HYDRANT
76	LF	FIRE HYDRANT LEG
345	LF	**" WATER SERVICE LINE (1")
426	LF	8" SANITARY GRAVITY SEWER
346	LF	2" FORCE MAIN SEWER
5	EA	4' DIA UTILITY MANHOLE
9	LF	UTILITY MANHOLE WALL 4' DIA
2,182	LF	ABANDON 8" UTILITY PIPE
9	EA	REMOVE WATER METER
2	EA	REMOVE FIRE HYDRANT
1 7 470	EA	REMOVE UTILITY MANHOLE TEMPORARY SILT FENCE
7,470 580	LF TON	STONE FOR EROSION CONTROL, CLASS A
490	TON	STONE FOR EROSION CONTROL, CLASS B
690	TON	SEDIMENT CONTROL STONE
21	ACR	TEMPORARY MULCHING
1,100	LB	SEED FOR TEMPORARY SEEDING
6	TON	FERTILIZER FOR TEMPORARY SEEDING
200	LF	TEMPORARY SLOPE DRAINS
200	LF	SAFETY FENCE
1,790	CY	SILT EXCAVATION
12,400	SY	MATTING FOR EROSION CONTROL
100	SY	COIR FIBER MAT
620	SY	PERMANENT SOIL REINFORCEMENT MAT
570	LF	1/4" HARDWARE CLOTH
560 250	LF LF	COIR FIBER WATTLE COIR FIBER WATTLE BARRIER
380	LB	POLYACRYLAMIDE (PAM)
255	LF	COIR FIBER BAFFLE
2	EA	**" SKIMMER
15	ACR	(1-1/2") SEEDING & MULCHING
15	ACR	MOWING
250	LB	SEED FOR REPAIR SEEDING
0.75	TON	FERTILIZER FOR REPAIR SEEDING
350	LB	SEED FOR SUPPLEMENTAL SEEDING
10.25	TON	FERTILIZER TOPDRESSING
10	MHR	SPECIALIZED HAND MOWING
9	MHR	MANUAL LITTER REMOVAL
1	TON	LITTER DISPOSAL
100	EA	RESPONSE FOR EROSION CONTROL
2	EA	CONCRETE WASHOUT STRUCTURE
1,300 10	LF EA	SIGNAL CABLE VEHICLE SIGNAL HEAD (12", 3 SECTION)
10	EA	VEHICLE SIGNAL HEAD (12", 4 SECTION)
3	EA	LOUVER
900	LF	UNPAVED TRENCHING (*******)
225	LF	(1, 2") DIRECTIONAL DRILL (********)
223	LF	(2, 2")
6	EA	JUNCTION BOX (STANDARD SIZE)
7	EA	JUNCTION BOX (OVER-SIZED, HEAVY DUTY)
610	LF	INDUCTIVE LOOP SAWCUT
1,700	LF	LEAD-IN CABLE (**********) (14-2)
2	EA	METAL POLE WITH SINGLE MAST ARM
1	EA	METAL POLE WITH DUAL MAST ARM
3	EA	SOIL TEST
24	CY	DRILLED PIER FOUNDATION MAST ARM WITH METAL BOLE DESIGN
3 2	EA EA	MAST ARM WITH METAL POLE DESIGN SIGN FOR SIGNALS
1	EA EA	SIGN FOR SIGNALS LED BLANKOUT SIGN
1	EA	SIGNAL CABINET FOUNDATION
•		

WALL ITEMS

1,816 SF SOIL NAIL RETAINING WALLS
2 EA SOIL NAIL VERIFICATION TESTS
5 EA SOIL NAIL PROOF TESTS

010

CONTRACT ID: C204385 45721.3.1 DIV OFFICE WINSTON-SALEM LENGTH = 0.243 MI

COUNTY : DAVIDSON

GRADING, DRAINAGE, PAVING, AND STRUCTURE.

DBE GOAL 3.00 % COMPLETION DATE: SEE SPECIAL

PROVISIONS

BRIDGE #115 OVER WINSTON-SALEM SOUTHERN RAILWAY ON SR-1711 (GUMTREE RD).

		ROADWAY ITEMS	260	LF	REMOVE EXISTING GUARDRAIL
Lump Sum	LS	MOBILIZATION	155	TON	RIP RAP, CLASS B
•	LS	MOBILIZATION CONSTRUCTION SURVEYING	370	SY	GEOTEXTILE FOR DRAINAGE
Lump Sum	EA	SEALING ABANDONED WELLS	53	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
	LS	TYPE III REINFORCED APPROACH FILL,	7	EA	SIGN ERECTION, TYPE E
Lump Sum	Lo	STATION ******	14	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
Lump Sum	LS	(18+69.79 -L-) GRADING	482	SF	WORK ZONE SIGNS (STATIONARY)
450	CY	UNDERCUT EXCAVATION	144	SF	WORK ZONE SIGNS (PORTABLE)
207	CY	DRAINAGE DITCH EXCAVATION	144	SF	WORK ZONE SIGNS (BARRICADE
400	CY	SELECT GRANULAR MATERIAL	40	EA	MOUNTED)
600	SY	GEOTEXTILE FOR SOIL STABILIZATION	40	EA	DRUMS
220	TON	FOUNDATION CONDITIONING MATERIAL,	40	EA LF	CONES DARBICADES (TYPE HI)
220	1011	MINOR STRUCTURES	112 30		BARRICADES (TYPE III)
1,055	SY	FOUNDATION CONDITIONING GEOTEXTILE		DAY	FLAGGER
434	LF	15" SIDE DRAIN PIPE	22	EA	SKINNY DRUM TEMBORADY RAISED DAVEMENT MARKERS
347	LF	15" RC PIPE CULVERTS, CLASS III	6	EA LF	TEMPORARY RAISED PAVEMENT MARKERS
140	LF	15" CS PIPE CULVERTS, 0.064" THICK	6,885	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
6	EA	**" CS PIPE ELBOWS, *****" THICK (15", 0.064")	826	LF	COLD APPLIED PLASTIC PAVEMENT
382	LF	PIPE REMOVAL			MARKING LINES, TYPE ** (4") (II)
100	CY	SHALLOW UNDERCUT	3,800	LF	PAINT PAVEMENT MARKING LINES (4")
200	TON	CLASS IV SUBGRADE STABILIZATION	449	LF	2" WATER LINE
110	TON	AGGREGATE BASE COURSE	117	LF	3" WATER LINE
50	TON	INCIDENTAL STONE BASE	259	LF	6" WATER LINE
2,800	SY	INCIDENTAL MILLING	999	LF	8" WATER LINE
880	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	442	LF	12" WATER LINE
800	TON	ASPHALT CONC INTERMEDIATE COURSE,	4,050	LB	DUCTILE IRON WATER PIPE FITTINGS
1.040	TON	TYPE I19.0C	1	EA	**" VALVE (3")
1,040	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B	1	EA	6" VALVE
140	TON	ASPHALT BINDER FOR PLANT MIX	1	EA	1" AIR RELEASE VALVE
135	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR	1	EA	2" BLOW OFF
21	EA	RIGHT-OF-WAY MARKERS	9	EA	RELOCATE WATER METER
45	CY	SUBDRAIN EXCAVATION	1	EA	RELOCATE FIRE HYDRANT
200	SY	GEOTEXTILE FOR SUBSURFACE DRAINS	27	LF	FIRE HYDRANT LEG
34	CY	SUBDRAIN COARSE AGGREGATE	337	LF	WATER SERVICE LINE
200	LF	6" PERFORATED SUBDRAIN PIPE	240	LF	ABANDON 6" UTILITY PIPE
1	EA	SUBDRAIN PIPE OUTLET	960	LF	ABANDON 8" UTILITY PIPE
6	LF	6" OUTLET PIPE	360	LF	ABANDON 12" UTILITY PIPE
0.399	CY	PIPE COLLARS	3,580	LF	TEMPORARY SILT FENCE
2	CY	FLOWABLE FILL	110	TON	STONE FOR EROSION CONTROL, CLASS A
9	EA	MASONRY DRAINAGE STRUCTURES	235	TON	STONE FOR EROSION CONTROL, CLASS B
1.8	LF	MASONRY DRAINAGE STRUCTURES	205	TON	SEDIMENT CONTROL STONE
1	EA	FRAME WITH TWO GRATES, STD 840.16	4.5	ACR	TEMPORARY MULCHING
3	EA	FRAME WITH TWO GRATES, STD 840.24	400	LB	SEED FOR TEMPORARY SEEDING
3	EA	FRAME WITH TWO GRATES, STD 840.29	2	TON	FERTILIZER FOR TEMPORARY SEEDING
2	EA	FRAME WITH COVER, STD 840.54	260	LF	TEMPORARY SLOPE DRAINS
244	LF	SHOULDER BERM GUTTER	100	LF	SAFETY FENCE
200	SY	GENERIC PAVING ITEM 6" JOINTED CONCRETE WITH WIRE MESH (4	370	CY	SILT EXCAVATION
57.5		X 4, W3 X W3)	7,500	SY	MATTING FOR EROSION CONTROL
575	LF	STEEL BEAM GUARDRAIL	85	SY	PERMANENT SOIL REINFORCEMENT MAT
50	LF EA	STEEL BEAM GUARDRAIL, SHOP CURVED ADDITIONAL GUARDRAIL POSTS	445	LF	1/4" HARDWARE CLOTH
5	EA EA	ADDITIONAL GUARDRAIL POSTS GUARDRAIL END UNITS, TYPE AT-1	280	LF	COIR FIBER WATTLE
2 4	EA	GUARDRAIL END UNITS, TYPE AT-1 GUARDRAIL ANCHOR UNITS, TYPE III	40	LB	POLYACRYLAMIDE (PAM)
2	EA	GUARDRAIL ANCHOR UNITS, TYPE III GUARDRAIL END UNITS, TYPE TL-2	65	LF	COIR FIBER BAFFLE
2	LA	GOTALDANIE END UNITS, TITE IL-2			

	. an	annonia a vari avinya
6	ACR	SEEDING & MULCHING
6	ACR	MOWING
50	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
125	LB	SEED FOR SUPPLEMENTAL SEEDING
3.75	TON	FERTILIZER TOPDRESSING
10	MHR	SPECIALIZED HAND MOWING
13	EA	RESPONSE FOR EROSION CONTROL
1	EA	CONCRETE WASHOUT STRUCTURE
		WALL ITEMS
2,199.23	SF	MSE RETAINING WALL NO **** (1)
3,039.91	SF	MSE RETAINING WALL NO **** (2)
		STRUCTURE ITEMS
Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ************************************
Lump Sum	LS	ASBESTOS ASSESSMENT
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ******** (18+69.79-L-)
5,323	SF	REINFORCED CONCRETE DECK SLAB
5,891	SF	GROOVING BRIDGE FLOORS
88.6	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ************************************
15,730	LB	(18+69.79-L-) REINFORCING STEEL (BRIDGE)
287,526	LS	APPROX LBS STRUCTURAL STEEL
12	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES (HP 14 X 73)
732	LF	HP 14 X 73 STEEL PILES
12	EA	STEEL PILE POINTS
290.9	LF	TWO BAR METAL RAIL
307.83	LF	1'-**" X *****" CONCRETE PARAPET (1'-2" X 2'-6")
300	LF	**" CHAIN LINK FENCE (72")
150	SY	4" SLOPE PROTECTION
Lump Sum	LS	ELASTOMERIC BEARINGS
Lump Sum	LS	FOAM JOINT SEALS

LENGTH = 16.180 MI

011

CONTRACT ID: C204810 2023CPT.12.03.10231 DIV OFFICE SHELBY

COUNTY : CLEVELAND

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL 3.00 % COMPLETION DATE: SEP 14, 2024

1 SECTION OF US-74, NC-150, NC-226 AND US-74 RAMPS, AND 1 SECTION OF SECONDARY ROAD.

		ROADWAY ITEMS
Lump Sum	LS	MOBILIZATION
1,226	TON	INCIDENTAL STONE BASE
40.11	SMI	SHOULDER RECONSTRUCTION
7,053	TON	AGGREGATE SHOULDER BORROW
43,965	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")
8,953	SY	INCIDENTAL MILLING
29,555	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
2,245	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C (LEVELING COURSE)
2,235	TON	ASPHALT BINDER FOR PLANT MIX
6,597	TON	PATCHING EXISTING PAVEMENT
30,200	LF	MILLED RUMBLE STRIPS (ASPHALT CONCRETE)
1	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (E)
2	EA	ADJUSTMENT OF DROP INLETS
17	EA	ADJUSTMENT OF MANHOLES
5	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
1	EA	CONVERT EXISTING DROP INLET TO CATCH BASIN
456	SF	WORK ZONE SIGNS (STATIONARY)
1,537	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
4	EA	WORK ZONE DIGITAL SPEED LIMIT SIGNS
8	EA	WORK ZONE PRESENCE LIGHTING
24	EA	SEQUENTIAL FLASHING WARNING LIGHTS
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
301	HR	LAW ENFORCEMENT
4	EA	GENERIC TRAFFIC CONTROL ITEM RAMP/LOOP CLOSURES
8	EA	GENERIC TRAFFIC CONTROL ITEM SINGLE LANE CLOSURE
866	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
4,040	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
439	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
12	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
62	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
27,574	LF	PAINT PAVEMENT MARKING LINES (4")
254	LF	PAINT PAVEMENT MARKING LINES (24")
35	EA	PAINT PAVEMENT MARKING SYMBOL
53,936	LF	POLYUREA PAVEMENT MARKING LINES (6", 20 MILS)
297,677	LF	GENERIC PAVEMENT MARKING ITEM HOT SPRAY THERMOPLASTIC PAVEMENT MARKING LINES (4", 50 MILS)
1,400	EA	NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
Lump Sum	LS	PORTABLE LIGHTING
2	EA	JUNCTION BOX (STANDARD SIZE)
2,100	LF	INDUCTIVE LOOP SAWCUT
720	LF	LEAD-IN CABLE (**********) (14-2)

L221220

CONTRACT ID: C204361 DIV OFFICE SHELBY 38414.3.1 LENGTH = 0.213 MI

COUNTY : LINCOLN

GRADING, DRAINAGE, PAVING, AND STRUCTURE.

DBE GOAL 2.00 % COMPLETION DATE: NOV 11, 2024

BRIDGE #7 OVER INDIAN CREEK ON NC-182.

		ROADWAY ITEMS	4,500	LF	POLYUREA PAVEMENT MARKING LINES, **", ** MILS (STANDARD GLASS BEADS)
Lump Sum	LS	MOBILIZATION	3	EA	(4", 20) PERMANENT RAISED PAVEMENT MARKERS
Lump Sum Lump Sum	LS LS	CONSTRUCTION SURVEYING TYPE II MODIFIED APPROACH FILL,	14	EA	NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
		STATION ******* (17+40.00 -L-)	2,100	LF	TEMPORARY SILT FENCE
Lump Sum	LS	GRADING	65	TON	STONE FOR EROSION CONTROL, CLASS A
450	CY	UNDERCUT EXCAVATION	575	TON	STONE FOR EROSION CONTROL, CLASS B
113	CY	DRAINAGE DITCH EXCAVATION	220	TON	SEDIMENT CONTROL STONE
400	CY	SELECT GRANULAR MATERIAL	1.5	ACR	TEMPORARY MULCHING
600	SY	GEOTEXTILE FOR SOIL STABILIZATION	200	LB	SEED FOR TEMPORARY SEEDING
20	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	1	TON	FERTILIZER FOR TEMPORARY SEEDING
50	SY	FOUNDATION CONDITIONING GEOTEXTILE	200	LF	TEMPORARY SLOPE DRAINS
80	LF	15" DRAINAGE PIPE	520	LF	SAFETY FENCE
4	EA	**" DRAINAGE PIPE ELBOWS	160	CY	SILT EXCAVATION
		(15")	2,600	SY	MATTING FOR EROSION CONTROL
64	LF	15" RC PIPE CULVERTS, CLASS III	540	SY	COIR FIBER MAT
100	CY	SHALLOW UNDERCUT	250	LF	1/4" HARDWARE CLOTH
200	TON	CLASS IV SUBGRADE STABILIZATION	50	SY	FLOATING TURBIDITY CURTAIN
81	TON	AGGREGATE BASE COURSE	4	EA	SPECIAL STILLING BASINS
50	TON	INCIDENTAL STONE BASE	150	LB	POLYACRYLAMIDE (PAM)
70	GAL	PRIME COAT	1.5	ACR	SEEDING & MULCHING
240	SY	INCIDENTAL MILLING	1.5	ACR	MOWING
505	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	50	LB	SEED FOR REPAIR SEEDING
540	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C	0.25	TON	FERTILIZER FOR REPAIR SEEDING
60	TON	ASPHALT BINDER FOR PLANT MIX	50	LB	SEED FOR SUPPLEMENTAL SEEDING
67.2	CY	SUBDRAIN EXCAVATION	1.25	TON	FERTILIZER TOPDRESSING
200	SY	GEOTEXTILE FOR SUBSURFACE DRAINS	10	MHR	SPECIALIZED HAND MOWING
33.6	CY	SUBDRAIN COARSE AGGREGATE	2	MHR	MANUAL LITTER REMOVAL
200	LF	6" PERFORATED SUBDRAIN PIPE	1	TON	LITTER DISPOSAL
1	EA	SUBDRAIN PIPE OUTLET	13	EA	RESPONSE FOR EROSION CONTROL
6	LF	6" OUTLET PIPE	2	EA	CONCRETE WASHOUT STRUCTURE
3	EA	MASONRY DRAINAGE STRUCTURES	0.1	ACR	REFORESTATION
3	EA	FRAME WITH GRATE, STD 840.29			STRUCTURE ITEMS
341	LF	SHOULDER BERM GUTTER	Lump Sum	LS	CONSTRUCTION, MAINTENANCE, &
597.5	LF	STEEL BEAM GUARDRAIL			REMOVAL OF TEMP ACCESS AT STA ************************************
25	LF	STEEL BEAM GUARDRAIL, SHOP CURVED			(17+40.00 -L-)
5	EA	ADDITIONAL GUARDRAIL POSTS	Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION *********
1	EA	GUARDRAIL END UNITS, TYPE AT-1			(17+40.00 -L-)
4	EA	GUARDRAIL ANCHOR UNITS, TYPE III	Lump Sum	LS	ASBESTOS ASSESSMENT
3	EA	GUARDRAIL END UNITS, TYPE TL-3	311	LF	3'-6" DIA DRILLED PIERS IN SOIL
25	LF	ADDITIONAL BARBED WIRE	34	LF	3'-6" DIA DRILLED PIERS NOT IN SOIL
574	LF	** STRAND BARBED WIRE FENCE WITH POSTS (4)	97.5	LF EA	PERMANENT STEEL CASING FOR 3'-6" DIA DRILLED PIER SPT TESTING
580	TON	RIP RAP, CLASS II	1	EA	CSL TESTING
550	TON	RIP RAP, CLASS B	Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION
1,840	SY	GEOTEXTILE FOR DRAINAGE	•		AT STATION ******* (17+40.00 -L-)
62	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (E)	117.9	CY	CLASS A CONCRETE (BRIDGE)
98	LF	SUPPORTS, 3-LB STEEL U-CHANNEL	Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ************************************
14	EA	SIGN ERECTION, TYPE E			(17+40.00 -L-)
15	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL	34,499	LB	REINFORCING STEEL (BRIDGE)
479	SF	WORK ZONE SIGNS (STATIONARY)	8,813	LB	SPIRAL COLUMN REINFORCING STEEL (BRIDGE)
91	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)	14	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES
112	LF	BARRICADES (TYPE III)			(HP 12 X 53)

701	LF	HP 12 X 53 STEEL PILES	
384.2	LF	TWO BAR METAL RAIL	
400	LF	1'-**" X *****" CONCRETE PARAPET (1'-2" X 2'-6")	
577	TON	RIP RAP CLASS II (2'-0" THICK)	
642	SY	GEOTEXTILE FOR DRAINAGE	
Lump Sum	LS	ELASTOMERIC BEARINGS	
1,170	LF	3'-0" X 2'-9" PRESTRESSED CONC BOX BEAMS	
1,430	LF	3'-0" X 1'-9" PRESTRESSED CONC CORED SLABS	

CONTRACT ID: C204812 32572.3.15 DIV OFFICE SYLVA **LENGTH = 2.593 MI**

COUNTY : GRAHAM

GRADING, DRAINAGE, PAVING, AND STRUCTURES.

DBE GOAL 4.00 % COMPLETION DATE: JAN 28, 2027

NC-143 FROM 0.5 MI NORTH OF APPALACHIAN TRAIL TO NC-28 AND NC-28 FROM 0.2 MI WEST NC-143 TO 0.2 MI WEST OF SR-1228.

OF SK-L	228.				
		ROADWAY ITEMS	80	LF	42" RC PIPE CULVERTS, CLASS III
Lump Sum	LS	MOBILIZATION	92	LF	48" RC PIPE CULVERTS, CLASS III
Lump Sum	LS	CONSTRUCTION SURVEYING	80	LF	54" RC PIPE CULVERTS, CLASS III
Lump Sum	LS	CLEARING & GRUBBING ACRE(S)	1,000	LF	15" RC PIPE CULVERTS, CLASS IV
2	ACR	SUPPLEMENTARY CLEARING & GRUBBING	1,276	LF	18" RC PIPE CULVERTS, CLASS IV
161,000	CY	UNCLASSIFIED EXCAVATION	576	LF	24" RC PIPE CULVERTS, CLASS IV
17,010	CY	UNDERCUT EXCAVATION	136	LF	36" RC PIPE CULVERTS, CLASS IV
1,870	CY	DRAINAGE DITCH EXCAVATION	20	LF	**" CAA PIPE CULVERTS, *****" THICK
225	LF	BERM DITCH CONSTRUCTION	160	LF	(36", 0.075") **" CAA PIPE CULVERTS, *****" THICK
12,210	SY	REMOVAL OF EXISTING ASPHALT PAVEMENT	56	LF	(54", 0.105") **" CAA PIPE CULVERTS, *****" THICK
6,670	CY	SELECT GRANULAR MATERIAL, CLASS III			(66", 0.164")
16,320	SY	GEOTEXTILE FOR SOIL STABILIZATION	2	EA	**" CAA PIPE ELBOWS, *****" THICK (54", 0.105")
140	SY	GEOTEXTILE FOR ROCK EMBANKMENTS	148	LF	**" CS PIPE CULVERTS, *****" THICK
22,600	CY	GENERIC GRADING ITEM UNDERCUT EXCAVATION FOR TOE SHEAR	120	LF	(30", 0.064") **" CS PIPE CULVERTS, *****" THICK (36", 0.064")
700	SY	KEY GENERIC GRADING ITEM	176	LF	**" CS PIPE CULVERTS, *****" THICK (42", 0.064")
21,890	SY	GEOTEXTILE FOR ROCK FILL GENERIC GRADING ITEM GEOTEXTILE FOR TOE SHEAR KEY	140	LF	**" CS PIPE CULVERTS, *****" THICK (48", 0.064")
50	TON	GENERIC GRADING ITEM	184	LF	15" CS PIPE CULVERTS, 0.064" THICK
		HAULING AND DISPOSAL OF PETROLEUM CONTAMINATED SOIL	612	LF	18" CS PIPE CULVERTS, 0.064" THICK
1,400	TON	GENERIC GRADING ITEM	652	LF	24" CS PIPE CULVERTS, 0.064" THICK
		ROCK FILL FOR EMBANKMENT STABILIZATION	2	EA	**" CS PIPE ELBOWS, *****" THICK (15", 0.064")
650	TON	GENERIC GRADING ITEM SELECT MATERIAL, CLASS IV FOR ROCK EMBANKMENTS	12	EA	**" CS PIPE ELBOWS, *****" THICK (18", 0.064")
670	TON	GENERIC GRADING ITEM SELECT MATERIAL, CLASS VI FOR ROCK	13	EA	**" CS PIPE ELBOWS, *****" THICK (24", 0.064")
350	TON	EMBANKMENTS GENERIC GRADING ITEM	4	EA	**" CS PIPE ELBOWS, *****" THICK (30", 0.064")
330	TON	SELECT MATERIAL, CLASS VI FOR ROCK FILL	2	EA	**" CS PIPE ELBOWS, *****" THICK (36", 0.064")
5,630	TON	GENERIC GRADING ITEM SELECT MATERIAL, CLASS VI FOR TOE	1 2	EA EA	**" CS PIPE ELBOWS, *****" THICK (42", 0.064") **" CS PIPE ELBOWS, *****" THICK
2,130	TON	SHEAR KEY GENERIC GRADING ITEM	35	LF	(48", 0.064") **" WELDED STEEL PIPE, ****" THICK,
36,220	TON	SELECT MATERIAL, CLASS VII FOR ROCK EMBANKMENTS GENERIC GRADING ITEM	33	Li	GRADE B IN SOIL (42", 0.500")
30,220	1011	SELECT MATERIAL, CLASS VII FOR TOE SHEAR KEY	58	LF	**" WELDED STEEL PIPE, ****" THICK, GRADE B IN SOIL (66", 0.500")
1,100	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	35	LF	**" WELDED STEEL PIPE, ****" THICK, GRADE B NOT IN SOIL
3,450	SY	FOUNDATION CONDITIONING GEOTEXTILE			(42", 0.500")
1,228	LF LF	**" DRAINAGE PIPE (54") 15" DRAINAGE PIPE	58	LF	**" WELDED STEEL PIPE, ****" THICK, GRADE B NOT IN SOIL (66", 0.500")
968	LF	18" DRAINAGE PIPE	144	LF	GENERIC PIPE ITEM
352	LF	24" DRAINAGE PIPE	642	LF	24" PIPE REHABILITATION CIPP LINER GENERIC PIPE ITEM
96	LF	30" DRAINAGE PIPE	042	LI	36" PIPE REHABILITATION CIPP LINER
32	LF	36" DRAINAGE PIPE	296	LF	GENERIC PIPE ITEM 42" PIPE REHABILITATION CIPP LINER
436	LF	42" DRAINAGE PIPE	224	LF	GENERIC PIPE ITEM
2	EA	**" DRAINAGE PIPE ELBOWS	1,082	LF	6" PVC PIPE CULVERTS (SPRING BOX) GENERIC PIPE ITEM
1	EA	(15") **" DRAINAGE PIPE ELBOWS	1,164	LF	PRE-INSTALLATION INSPECTION PIPE REMOVAL
1	EA	(18") **" DRAINAGE PIPE ELBOWS	Lump Sum	LS	FINE GRADING
1	EA	(24") **" DRAINAGE PIPE ELBOWS	1,200	CY	SHALLOW UNDERCUT
104	I P	(36")	6,940	TON	CLASS IV SUBGRADE STABILIZATION
184	LF	18" RC PIPE CULVERTS, CLASS III	450	TON	STABILIZER AGGREGATE
292	LF LF	24" RC PIPE CULVERTS, CLASS III	10,590	SY	GEOTEXTILE FOR PAVEMENT STABILIZATION
632		30" RC PIPE CULVERTS, CLASS III	1,000	TON	AGGREGATE BASE COURSE
220	LF	36" RC PIPE CULVERTS, CLASS III	6,340	TON	INCIDENTAL STONE BASE

3,000	SY	MILLING ASPHALT PAVEMENT, ***" TO *******	3,420	LF	GENERIC FENCING ITEM STEEL PIPE HANDRAIL
		(0" TO 3")	1,100	TON	RIP RAP, CLASS I
600	SY	INCIDENTAL MILLING	1,315	TON	RIP RAP, CLASS II
14,200	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	320	TON	RIP RAP, CLASS A
10,000	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0C	505	TON	RIP RAP, CLASS B
14,600	TON	ASPHALT CONC SURFACE COURSE, TYPE	4,050	SY	GEOTEXTILE FOR DRAINAGE
1,985	TON	S9.5C ASPHALT BINDER FOR PLANT MIX	1	CY	REINFORCED CONCRETE SIGN
4,000	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR	1	CY	FOUNDATIONS PLAIN CONCRETE SIGN FOUNDATIONS
616	CY	SUBDRAIN EXCAVATION	871	LB	SUPPORTS, BREAKAWAY STEEL BEAM
2,750	SY	GEOTEXTILE FOR SUBSURFACE DRAINS	975	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
462	CY	SUBDRAIN COARSE AGGREGATE	6	EA	SIGN ERECTION, TYPE D
2,750	LF	6" PERFORATED SUBDRAIN PIPE	44	EA	SIGN ERECTION, TYPE E
6	EA	SUBDRAIN PIPE OUTLET	8	EA	SIGN ERECTION, TYPE F
36	LF	6" OUTLET PIPE	2	EA	SIGN ERECTION, TYPE *** (GROUND
2,400	LF	SHOULDER DRAIN			MOUNTED) (B)
16	EA	CONCRETE PAD FOR SHOULDER DRAIN	1	EA	SIGN ERECTION, RELOCATE TYPE ****
26	CY	PIPE OUTLET ENDWALLS			(GROUND MOUNTED) (A)
11.8	CY	REINFORCED ENDWALLS	6	EA	SIGN ERECTION, RELOCATE TYPE ****
2.202	CY	PIPE COLLARS			(GROUND MOUNTED) (D)
274	CY	FLOWABLE FILL	2	EA	SIGN ERECTION, RELOCATE TYPE **** (GROUND MOUNTED)
119	EA	MASONRY DRAINAGE STRUCTURES			(F)
9.4	CY	MASONRY DRAINAGE STRUCTURES	1	EA	DISPOSAL OF SUPPORT, STEEL BEAM
144.4	LF	MASONRY DRAINAGE STRUCTURES	37	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
1	EA	FRAME WITH GRATE, STD 840.22	4	EA	DISPOSAL OF SUPPORT, U-CHANNEL
4	EA	FRAME WITH TWO GRATES, STD 840.16	1	EA	DISPOSAL OF SIGN, A & B (GROUND MOUNTED)
46	EA	FRAME WITH TWO GRATES, STD 840.20	72	SF	WORK ZONE SIGNS (STATIONARY)
56	EA	FRAME WITH TWO GRATES, STD 840.22	208	SF	WORK ZONE SIGNS (PORTABLE)
6	EA	FRAME WITH COVER, STD 840.54	20	SF	WORK ZONE SIGNS (BARRICADE
6	EA	GENERIC DRAINAGE ITEM DE-WATERING	948	EA	MOUNTED) DRUMS
3,340	LF	GENERIC DRAINAGE ITEM	87	EA	CONES
2.775		HORIZONTAL DRAINS	32	LF	BARRICADES (TYPE III)
2,775	LF	SHOULDER BERM GUTTER	1,620	DAY	FLAGGER
660 710	LF SY	CONCRETE EXPRESSWAY GUTTER 6" CONCRETE DRIVEWAY	160	EA	TEMPORARY RAISED PAVEMENT MARKERS
855	SY	4" CONCRETE PAVED DITCH	61,451	LF	THERMOPLASTIC PAVEMENT MARKING
120	SY	5" MONOLITHIC CONCRETE ISLANDS	413	LF	LINES (4", 90 MILS) THERMOPLASTIC PAVEMENT MARKING
		(SURFACE MOUNTED)			LINES (8", 90 MILS)
1,720	LF	PRECAST REINFORCED CONCRETE BARRIER, SINGLE FACED	395	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
1,000	SY	GENERIC PAVING ITEM	157	LF	THERMOPLASTIC PAVEMENT MARKING
2,980	LF	5-1/2" CONCRETE OVERLAY GENERIC PAVING ITEM	8	EA	LINES (24", 90 MILS) THERMOPLASTIC PAVEMENT MARKING
,		PRECAST REINFORCED CONCRETE BARRIER, SINGLE FACED (STAINED)			CHARACTER (90 MILS)
11,500	LF	STEEL BEAM GUARDRAIL	12	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
275	LF	STEEL BEAM GUARDRAIL, SHOP CURVED	46,980	LF	PAINT PAVEMENT MARKING LINES (4")
70	EA	EXTRA LENGTH GUARDRAIL POST (**'	12	LF	PAINT PAVEMENT MARKING LINES (24")
		STEEL) (8')	2	EA	PAINT PAVEMENT MARKING SYMBOL
10	EA	ADDITIONAL GUARDRAIL POSTS	1,456	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
2	EA	GUARDRAIL ANCHOR UNITS, TYPE *****	466	EA	NON-CAST IRON SNOWPLOWABLE
10	EA	(B-77, SHOP CURVED) GUARDRAIL END UNITS, TYPE AT-1	40.010	LE	PAVEMENT MARKER
29	EA	GUARDRAIL END UNITS, TYPE TL-3	40,810 2,600	LF TON	TEMPORARY SILT FENCE STONE FOR EROSION CONTROL, CLASS A
12	EA	GUARDRAIL ANCHOR UNITS, TYPE B-77	9,895	TON	STONE FOR EROSION CONTROL, CLASS A STONE FOR EROSION CONTROL, CLASS B
7,678	LF	REMOVE EXISTING GUARDRAIL	5,570	TON	SEDIMENT CONTROL STONE
600	LF	TEMPORARY STEEL BEAM GUARDRAIL	3,370	ACR	TEMPORARY MULCHING
37.5	LF	TEMPORARY STEEL BEAM GUARDRAIL	31	LB	SEED FOR TEMPORARY SEEDING
	EA	(SHOP CURVED)	11	TON	FERTILIZER FOR TEMPORARY SEEDING
1	EA	TEMPORARY GUARDRAIL END UNITS, TYPE *****	2,810	LF	TEMPORARY SLOPE DRAINS
1	EA	(TL-3) GENERIC GUARDRAIL ITEM	10,400	LF	SAFETY FENCE
1	LA	TEMPORARY GUARDRAIL END UNITS, TYPE	28,270	CY	SILT EXCAVATION
1	EA	AT-1 GENERIC GUARDRAIL ITEM	137,202	SY	MATTING FOR EROSION CONTROL
		TEMPORARY GUARDRAIL END UNITS, TYPE	25,350	SY	COIR FIBER MAT
	LF	CAT-1 WOVEN WIRE FENCE, **" FABRIC	7,180	LF	1/4" HARDWARE CLOTH
2,980	LI.				
		(60")	4	EA	SPECIAL STILLING BASINS
2,980 182	EA	(60") 4" TIMBER FENCE POSTS, ***** LONG (9'-0")	4 30	EA LF	SPECIAL STILLING BASINS COIR FIBER WATTLE
		4" TIMBER FENCE POSTS, ***** LONG			

2,590	LF	COIR FIBER BAFFLE
22	EA	**" SKIMMER (1-1/2")
31	ACR	SEEDING & MULCHING
15.5	ACR	MOWING
500	LB	SEED FOR REPAIR SEEDING
1.5	TON	FERTILIZER FOR REPAIR SEEDING
725	LB	SEED FOR SUPPLEMENTAL SEEDING
21.25	TON	FERTILIZER TOPDRESSING
40	LF	IMPERVIOUS DIKE
65	MHR	SPECIALIZED HAND MOWING
20	MHR	MANUAL LITTER REMOVAL
5	TON	LITTER DISPOSAL
150	EA	RESPONSE FOR EROSION CONTROL
10	EA	CONCRETE WASHOUT STRUCTURE
11	ACR	REFORESTATION
0.23	ACR	STREAMBANK REFORESTATION
130 390	EA EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION DEVICE GENERIC EROSION CONTROL ITEM
		FABRIC INSERT INLET PROTECTION DEVICE CLEANOUT
		CULVERT ITMES
Lump Sum	LS	CULVERT EXCAVATION, STA ****** (66+85.00 -Y2-)
48	TON	FOUNDATION CONDITIONING MATERIAL, BOX CULVERT
54.7	CY	CLASS A CONCRETE (CULVERT)
6,584	LB	REINFORCING STEEL (CULVERT)
		WALL ITEMS
1,680	SF	MSE RETAINING WALL NO **** (26)
60,345	SF	SOIL NAIL RETAINING WALLS
26	EA	SOIL NAIL VERIFICATION TESTS
150	EA	SOIL NAIL PROOF TESTS
1,060	SF	GENERIC RETAINING WALL ITEM NON-STANDARD CIP GRAVITY RETAINING WALLS
6,550	SF	GENERIC RETAINING WALL ITEM SMSE RETAINING WALL NO 27
3,900	SF	GENERIC RETAINING WALL ITEM SMSE RETAINING WALL NO 30
24,390	SF	GENERIC RETAINING WALL ITEM SMSE RETAINING WALL NO 32
530	SF	GENERIC RETAINING WALL ITEM TEMPORARY SOIL NAIL SHORING FOR COLLUVIAL UNDERCUT RETAINING WALL NO 27
1,830	SF	GENERIC RETAINING WALL ITEM TEMPORARY SOIL NAIL SHORING FOR COLLUVIAL UNDERCUT RETAINING WALL NO 30
9,120	SF	GENERIC RETAINING WALL ITEM TEMPORARY SOIL NAIL SHORING FOR COLLUVIAL UNDERCUT RETAINING WALL NO 32

Interested Parties List

To **register to bid on an upcoming NCDOT construction contract,** or to register in general to be notified about updates for selected upcoming contracts to be let, add your firm to the Interested Parties list for each contract in which you are interested. Interested parties will be informed by mail whenever there are addenda or other changes to the planned letting.

You are no longer required to be a Plan Holder to bid for any lettings occurring June 1, 2022, or later.

Interested parties and authorized bidders MUST sign up at least <u>one full business</u> day prior to the let date.

To Register:

- 1. Navigate to the details page for the selected contract. Press **Interested**Parties for this letting or go directly to the overall <u>Interested Parties list</u>
- Press Add Firm and find your firm using the Search box. Select your firm name and press Next
- 3. Complete the contact information for the person to be notified of changes and press **Next**
- 4. Review the list of upcoming Central and Division contracts and select the upcoming contract(s) in which you are interested and press **Next**. There is no need to register again for contracts for which you have previously registered.
- 5. The confirmation page will summarize your entered information. Press **Submit**.
- 6. A confirmation email will be sent to the provided address. Within one hour, the firm will appear on the publicly viewable Interested Parties list for each of the specified contracts. Allow five business days for NCDOT staff to upload your firm as an authorized bidder in Bid Express.

Email InterestedPartiesHelp@ncdot.gov if you have any problems registering.



STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

ROY COOPER GOVERNOR

J. ERIC BOYETTE SECRETARY

IMPORTANT NOTICE

Upcoming Opportunities for DBE Firms to Participate on NCDOT Projects

As part of the North Carolina Department of Transportation's continuing commitment to promote Disadvantaged/Minority/Women Business Enterprise (D/M/WBE) participation, the Division of Highways Chief Engineer's Office would like to remind you of the broad range of construction, maintenance, and operational opportunities available within NCDOT. One of these opportunities is the monthly advertisement of Central Let projects with letting held on the third Tuesday of each month. NCDOT is requesting bids for the following projects. If your firm is eligible to bid (i.e., prequalified as a Bidder), you can download and print the bid related items from this list.



If you are interested in providing subcontractor work for any of these projects, we strongly encourage you to solicit each of the contractors bidding on these projects to see if they are interested in receiving a quote. A list of interested parties with their contact information is listed for each project being advertised.



I would like to personally thank you for your time in considering this opportunity with the North Carolina Department of Transportation.

Sincerely,

Ronald L. Keeter, Jr, PE

Chief Engineer

Division of Highways

Mailing Address: NC DEPARTMENT OF TRANSPORTATION OFFICE OF THE CHIEF ENGINEER MAIL SERVICE CENTER 1536 RALEIGH, NC 27699-1536

Telephone 919-707-2500 Fax: 919-733-9428

Customer Service: 1-877-368-4968

1 SOUTH WILMINGTON STREET RALEIGH, NC 27601

Location:

Website: www.ncdot.gov