



STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

ROY COOPER
GOVERNOR

J. ERIC BOYETTE
SECRETARY

**IMPORTANT INFORMATION
PLEASE READ**

TO PREQUALIFIED BIDDERS AND PURCHASE ORDER PRIMES:

The requirements for bidding on NCDOT construction projects are changing. The current requirement to purchase plans or a proposal to be eligible to bid will be replaced by a requirement to register for the *Interested Parties List*. This change will be effective for any Central or Division letting June 1, 2022 and later.

For any letting June 1, 2022 and later:

Contractors bidding on NCDOT contracts must sign up for the *Interested Parties List* for each project they intend to submit bids on. As part of this new requirement, Contractors must sign up for the *Interested Parties List* no later than one business day prior to the Letting Date.

The purchase of plans or proposals will no longer be required to bid on NCDOT Central Let projects and will be replaced by the new requirement above to sign up for the *Interested Parties List*. Plans will continue to be available for purchase, however anyone who purchases plans shall still sign up for the *Interested Parties List* to be eligible to bid.

A one-page quick guide follows this letter and the quick guide a more detailed walkthrough on signing up for the *Interested Parties List* can be found on the Central and Division Letting Resources pages at the links below:

<https://connect.ncdot.gov/letting/Pages/Central.aspx>

<https://connect.ncdot.gov/letting/Pages/Division-Letting-Resources.aspx>

The links and functionality described in the guides will be available on our website in the near future. For more information or assistance with this new process please submit any questions to InterestedPartiesHelp@ncdot.gov.

For additional assistance with general bidding related questions please email AWPhelp@ncdot.gov.

Ronald E. Davenport, Jr., PE
State Contract Officer

DocuSigned by:
Ronald E. Davenport, Jr.
F81B6038A47A442...



Interested Parties List

To **register to bid on an upcoming NCDOT construction contract**, or to register in general to be notified about updates for selected upcoming contracts to be let, add your firm to the Interested Parties list for each contract in which you are interested. Interested parties will be informed by mail whenever there are addenda or other changes to the planned letting.

You are no longer required to be a Plan Holder to bid for any lettings occurring June 1, 2022, or later.

Interested parties and authorized bidders MUST sign up at least one full business day prior to the let date.

To Register:

1. Navigate to the details page for the selected contract. Press **Interested Parties for this letting** or go directly to the overall [Interested Parties list](#)
2. Press **Add Firm** and find your firm using the Search box. Select your firm name and press **Next**
3. Complete the contact information for the person to be notified of changes and press **Next**
4. Review the list of upcoming Central and Division contracts and select the upcoming contract(s) in which you are interested and press **Next**.
There is no need to register again for contracts for which you have previously registered.
5. The confirmation page will summarize your entered information. Press **Submit**.
6. A confirmation email will be sent to the provided address. Within one hour, the firm will appear on the publicly viewable Interested Parties list for each of the specified contracts. Allow five business days for NCDOT staff to upload your firm as an authorized bidder in Bid Express.

Email InterestedPartiesHelp@ncdot.gov if you have any problems registering.



STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

ROY COOPER
GOVERNOR

J.R. "JOEY" HOPKINS
SECRETARY

NOTICE OF DBE OPPORTUNITIES

Upcoming Opportunities for DBE Firms to Participate on NCDOT Projects

As part of the North Carolina Department of Transportation's continuing commitment to promote Disadvantaged/Minority/Women Business Enterprise (D/M/WBE) participation, the Division of Highways Chief Engineer's Office would like to remind you of the broad range of construction, maintenance and operational opportunities available within NCDOT. One of these opportunities is the monthly advertisement of Central Let projects with letting typically held on the third Tuesday of each month. NCDOT advertises the Central Lettings at the location below with a separate letting page for each month. If your firm is eligible to bid (i.e. prequalified as a Bidder), you can download and print the bid related items from the upcoming monthly letting pages here:

[Central Highway Lettings](#)


Additionally, if you are interested in providing subcontractor work for any of the listed projects, we strongly encourage you to solicit each of the contractors bidding on the projects to see if they are interested in receiving a quote. Potential bidders or subcontractors may sign themselves up and provide contact information using the Interested Parties List button on each of the monthly letting pages. A screenshot of the IPL button is shown below for reference:

Interested Parties for
this Letting

I would like to personally thank you for your time in considering this opportunity with the North Carolina Department of Transportation.

Sincerely,

DocuSigned by:



Lamar Sylvester, PE

Chief Engineer

Division of Highways

MAILING ADDRESS:
NC DEPARTMENT OF TRANSPORTATION
OFFICE OF THE CHIEF ENGINEER
MAIL SERVICE CENTER 1536
RALEIGH NC 27699-1536


TELEPHONE: 919-707-2500
FAX: 919-733-9428
Customer Service: 1-877-368-4968

WEBSITE: WWW.NCDOT.GOV

LOCATION:
1 SOUTH WILMINGTON STREET
RALEIGH NC 27601



2025 NCDOT TECHNICAL TRAINING SCHEDULE



RALEIGH

Wake Technical Community College
Western Wake Campus
3434 Kildaire Farm Road
Cary, N.C. 27518

LUMBERTON

Robeson Community College
Truist Conference Room
5160 Fayetteville Road
Lumberton, N.C. 28360

CONCORD

Rowan Cabarrus Community College
South Campus - Bldg S201/Room 107
1531 Trinity Church Road
Concord, N.C. 28027

HICKORY

Western Piedmont Council of Governments
WPCOG Conference Room
1880 2nd Ave NW
Hickory, N.C. 28601

DATES	COURSE TOPICS	RALEIGH	CONCORD	LUMBERTON	HICKORY
April 2025	Construction Plan Reading	April 3	April 10	April 17	April 24
May 2025	Drones (UAS) & Construction Surveying	n/a	May 15	May 29	n/a
June 2025	Erosion Control	June 12	n/a	n/a	June 19
July 2025	Navigating NCDOT Contracts	n/a	July 10	July 24	n/a
August 2025	Incidental Concrete	Aug. 14	n/a	n/a	Aug. 28
September 2025	Work Zone Traffic Control	n/a	Sept. 11	Sept. 25	n/a
October 2025	Clearing, Grubbing & Excavation	Oct. 9	n/a	n/a	Oct. 23
November 2025	Construction Hauling	Nov. 6	Nov. 13	n/a	n/a

The 2025 NCDOT Technical Training Series is a program that offers various courses to small highway construction contractors interested in working on NCDOT projects. Each course will cover NCDOT Standard Specifications and Drawings, lettings & bidding, project management, invoicing and payment, equipment requirements, and more. Courses will be held in Raleigh, Concord, Lumberton, and Hickory and will be taught in-person by NCDOT engineers, prime contractors, and other industry professionals. To register, please visit the website: www.ncdot.gov/highwaystechtraining. For questions, please email: ccu@ncdot.gov or call: 984-810-9276.



**STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
INVITATION TO BID**

ELECTRONIC BIDS (UNLESS OTHERWISE SPECIFIED IN THE PROJECT SPECIAL PROVISIONS) FOR THE CONSTRUCTION OF THE FOLLOWING PROJECTS WILL BE PUBLICLY READ IN THE CONTRACT STANDARDS AND DEVELOPMENT UNIT RIVERWOOD CONFERENCE ROOM, LOCATED IN BUILDING B AT 1020 BIRCH RIDGE DRIVE, RALEIGH, N.C. OR VIA THE WEBCAST AT **2:00 PM** ON MAY 20, 2025. NO ELECTRONIC BIDS WILL BE RECEIVED AFTER 2:00 PM.

1. THE BIDDER SHALL SELF REGISTER AT THE FOLLOWING WEBSITE FOR EACH PROJECT FOR WHICH THEY INTEND TO SUBMIT A BID IN RESPONSE TO THIS INVITATION TO BID

<https://connect.ncdot.gov/letting/pages/Interested-Parties.aspx>

2. A BID BOND OR BID DEPOSIT IN THE AMOUNT OF 5% OF THE TOTAL AMOUNT BID WILL BE REQUIRED. THE BIDDER SHALL SUBMIT AN ELECTRONIC BID BOND WITH EACH ELECTRONIC BID SUBMITTAL UNLESS THEY ELECT TO FURNISH A BID DEPOSIT.

3. UPON RECEIPT OF AWARD LETTER, THE SUCCESSFUL BIDDER SHALL FURNISH A PROPERLY EXECUTED EXECUTION OF CONTRACT, NON-COLLUSION, DEBARMENT AND GIFT BAN CERTIFICATION, EXECUTED PAYMENT AND PERFORMANCE BONDS, AND OPTIONAL BID ITEMS ELIGIBLE FOR STEEL PRICE ADJUSTMENT FORM (SPA-1) FOR EACH CONTRACT. CERTIFICATION FORMS AND BOND FORMS ARE AVAILABLE AS PART OF THE CONTRACT EXECUTION FORMS AT THE FOLLOWING WEBSITE <https://connect.ncdot.gov/letting/Pages/Central-Letting-Forms.aspx>. BID ITEMS ELIGIBLE FOR STEEL PRICE ADJUSTMENT FORM (SPA-1) IS AVAILABLE AT THE FOLLOWING WEBSITE <https://connect.ncdot.gov/letting/Pages/Central-Letting-Resources.aspx>.

ALL QUESTIONS RELATED TO PROJECTS DURING THE ADVERTISEMENT PERIOD SHALL BE EMAILED TO THE STATE CONTRACT OFFICER AT ContractOfficer@ncdot.gov.

THE MINIMUM WAGE FOR LABOR WILL BE SHOWN IN THE PROPOSAL FORM FOR FEDERAL AID PROJECTS.

CONTRACTOR'S LICENSE: A GENERAL CONTRACTOR'S LICENSE IS REQUIRED IN ORDER TO SUBMIT A BID ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$30,000.00 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD. ON FEDERAL PROJECTS, THE APPROPRIATE CONTRACTOR'S LICENSE SHALL BE OBTAINED WITHIN 60 DAYS OF BID OPENING. FOR ADDITIONAL INFORMATION OR TO MAKE APPLICATION FOR A LICENSE, VISIT THE CONTRATOR LICENSING BOARD WEBSITE AT <https://www.nclbgc.org> OR EMAIL licensing@nclbgc.org.

PREQUALIFYING TO BID: ALL PROSPECTIVE BIDDERS SHALL BE PREQUALIFIED WITH THE DEPARTMENT OF TRANSPORTATION PRIOR TO SUBMITTING A BID. CONTRACTORS WHO ARE NOT PREQUALIFIED MAY OBTAIN INFORMATION AND FORMS FOR PREQUALIFYING FROM THE PREQUALIFICATION SECTION OF THE CONTRACT STANDARDS AND DEVELOPMENT UNIT AT <https://connect.ncdot.gov/business/Prequal/Pages/default.aspx>. ALL REQUIRED PREQUALIFICATION STATEMENTS AND DOCUMENTS SHALL BE FILED WITH THE CONTRACTUAL SERVICES MANAGEMENT SECTION AT LEAST FOUR WEEKS PRIOR TO THE DATE OF OPENING BIDS.

THE DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY ENSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS INVITATION TO BID, MINORITY BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, OR NATIONAL ORIGIN IN COMPENSATION TO THIS AWARD.

PROPOSAL FORMS AT **\$25.00** EACH, PLANS (SMALL SIZE) AT **\$40.00** PER SET, PLANS (LARGE SIZE) AT **\$100.00** PER SET, AND CROSS-SECTIONS AT **\$40.00** PER SET, PLUS SALES TAX FOR N.C. RESIDENTS, MAY BE OBTAINED BY TELEPHONING (919-707-6925), FAXING (919-250-4127), OR VISITING THE WEBSITE AT: <https://connect.ncdot.gov/letting/Pages/Order-Plans.aspx>. THESE CHARGES ARE NOT DEPOSITS AND WILL NOT BE REFUNDED. ALL ORDERS FOR PROPOSAL FORMS, PLANS AND CROSS-SECTIONS DELIVERED IN NORTH CAROLINA ARE SUBJECT TO 7.25% SALES TAX. ORDERS MAILED TO OUT OF STATE CONTRACTORS ARE NOT SUBJECT TO SALES TAX. MAKE ALL CHECKS PAYABLE TO THE **"N.C. DEPARTMENT OF TRANSPORTATION"**.

THE RIGHT IS RESERVED TO REJECT ANY OR ALL BIDS.

TODAY'S DATE IS APRIL 22, 2025.
BY ORDER OF THE DEPARTMENT OF TRANSPORTATION
(THE WORK WILL CONSIST APPROXIMATELY AS SHOWN ON THE FOLLOWING SHEETS)

REVIEW OF PLANS AND PROPOSALS IN DIVISION OFFICE

IN ORDER TO FACILITATE AND ENCOURAGE THE INVOLVEMENT OF MINORITY BUSINESS ENTERPRISES IN THE HIGHWAY CONSTRUCTION PROCESS, IT IS THE POLICY OF THE DEPARTMENT OF TRANSPORTATION, DIVISION OF HIGHWAYS, THAT A SET OF PLANS AND PROPOSAL FOR EACH PROJECT TO BE LET WILL BE MAINTAINED FOR REVIEW BY ANY CONTRACTOR INTERESTED IN BIDDING UPON OR QUOTING WORK IN AN ADVERTISED PROJECT.

THE PROPOSALS AND PLANS WILL BE AVAILABLE FOR REVIEW BEGINNING TWO WEEKS PRIOR TO THE DATE OF BID OPENING IN THE DIVISION OFFICE WHICH WILL ADMINISTER THE CONTRACT. THE DEPARTMENT WILL, UPON REQUEST, MAKE AVAILABLE FROM ITS STAFF A PERSON TO EXPLAIN THE PROPOSED PROJECT AND TO ANSWER GENERAL QUESTIONS RELATING TO THE PROJECT. THE PLANS AND PROPOSALS CAN BE REVIEWED ANY TIME MONDAY THRU FRIDAY, EXCLUDING HOLIDAYS, BETWEEN THE HOURS OF 8:00 A.M. AND 4:30 P.M. IN THE DIVISION OFFICE. IN ORDER TO HAVE A MEMBER OF THE STAFF EXPLAIN THE PROJECT AND/OR ANSWER GENERAL QUESTIONS PERTAINING TO THE PROJECT, PRIOR APPOINTMENTS MUST BE MADE BY CALLING THE APPROPRIATE DIVISION OFFICE.

FOLLOWING ARE THE LOCATIONS AND TELEPHONE NUMBERS OF THE OFFICES IN WHICH THE PLANS AND PROPOSALS WILL BE MADE AVAILABLE, REFERENCE SHOULD BE MADE TO THE SHEETS CONTAINING THE INDIVIDUAL PROJECT QUANTITIES TO DETERMINE WHICH DIVISION OFFICE WILL ADMINISTER THE CONTRACT.

DIV NO.	DIVISION ENGINEER	TOWN	TELEPHONE
001	C. Win Bridgers, Jr., PE	EDENTON	(252) 482-1850
002	Mary Beth Houston	NEW BERN	(252) 514-4716
003	Trevor Carroll	CASTLE HAYNE	(910) 341-2000
004	Andy Brown	WILSON	(252) 237-6164
005	Rebecca Gallas	DURHAM	(919) 220-4600
006	L. Wallace Jernigan	FAYETTEVILLE	(910) 486-1493
007	Wright Archer, III, PE	GREENSBORO	(336) 487-0000
008	Reuben Blakley, PE	CARTHAGE	(910) 773-8000
009	John Rhyne	WINSTON-SALEM	(336) 747-7800
010	Brett Canipe, PE	ALBEMARLE	(704) 983-4400
011	Michael Poe, PE	NORTH WILKESBORO	(336) 903-9101
012	Mark Stafford, PE	SHELBY	(704) 480-5400
013	Timothy Anderson, PE	ASHEVILLE	(828) 250-3000
014	Wesley Grindstaff, PE	SYLVA	(828) 586-2141

===== SUMMARY OF PROPOSALS =====

Bid Letting Number: L250520

RPN Contract Id	WBS	County	Length	Job Type
001	C205103	2025CPT.05.16.20731.1, ETC.	PERSON, CASWELL	8.997 MI MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
002	C205081	49987.3.1, ETC.	ROBESON, COLUMBUS	13.001 MI PAVEMENT REHABILITATION AND BRIDGE PRESERVATION.
003	C205102	2025CPT.08.13.10761, ETC.	RANDOLPH	22.217 MI MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
004	C205087	2025CPT.08.14.20761	RANDOLPH	20.198 MI MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
005	C205089	2025CPT.08.15.20761	RANDOLPH	24.037 MI MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
006	C205032	48599.3.2	CHATHAM	3.174 MI DRAINAGE, GRADING, PAVING, SIGNALS, AND STRUCTURES.
007	C205043	50189.3.1	CATAWBA	0.264 MI GRADING, DRAINAGE, PAVING, AND SIGNALS.
008	C205096	2025CPT.13.07.20121, ETC.	BURKE, MCDOWELL	32.590 MI MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L250520 001

CONTRACT ID : C205103 2025CPT.05.16.20731.1 DIV OFFICE DURHAM LENGTH = 8.997 MI

COUNTY : PERSON, CASWELL

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL 4.00% COMPLETION DATE : NOV 01, 2026

10 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
436	TON	INCIDENTAL STONE BASE
17.37	SMI	SHOULDER RECONSTRUCTION
1,607	TON	AGGREGATE SHOULDER BORROW
3,878	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")
138	SY	MILLING ASPHALT PAVEMENT, ***" TO ***** (0" TO 1-1/2")
2,824	SY	INCIDENTAL MILLING
9,378	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
655	TON	ASPHALT BINDER FOR PLANT MIX
950	TON	PATCHING EXISTING PAVEMENT
1,008	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
145,176	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
97	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
14	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
4	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L250520

002

CONTRACT ID : C205081 49987.3.1

DIV OFFICE FAYETTEVILLE

LENGTH = 13.001 MI

COUNTY : ROBESON, COLUMBUS

PAVEMENT REHABILITATION AND BRIDGE PRESERVATION.

DBE GOAL 4.00% COMPLETION DATE : JUN 30, 2027

US-74 FROM 1 MILE EAST OF NC-41 TO 0.26 MILES EAST OF COLUMBUS CO LINE AND FROM SCOTLAND CO LINE TO I-74/US-74 BUSINESS.

ROADWAY ITEMS			15	EA	RESPONSE FOR EROSION CONTROL
Lump Sum	LS	MOBILIZATION			
Lump Sum	LS	CONSTRUCTION SURVEYING	40	DAY	STRUCTURE ITEMS
15,580	SY	REMOVAL OF EXISTING ASPHALT PAVEMENT			GENERIC MISCELLANEOUS ITEM RAILROAD CONTRACTOR PROTECTIVE SERVICES
350	TON	INCIDENTAL STONE BASE	4	CF	SHOTCRETE REPAIRS
45.18	SMI	SHOULDER RECONSTRUCTION	24.6	LF	EPOXY RESIN INJECTION
17,950	TON	AGGREGATE SHOULDER BORROW	1,546.7	LF	GENERIC STRUCTURE ITEM FOAM JOINT SEALS FOR PRESERVATION
23,950	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")	208.8	CF	GENERIC STRUCTURE ITEM ELASTOMERIC CONCRETE FOR PRESERVATION
68,750	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (2")	7.4	CF	GENERIC STRUCTURE ITEM REPAIRS TO PRESTRESSED CONCRETE CORED SLABS
73,025	SY	MILLING ASPHALT PAVEMENT, ***" TO *****" (0-3/4" TO 1-1/2")	1,011.5	SF	GENERIC STRUCTURE ITEM BRIDGE JOINT DEMOLITION
216,355	SY	MILLING ASPHALT PAVEMENT, ***" TO *****" (1" TO 2")	18,955.9	SF	GENERIC STRUCTURE ITEM SILANE BARRIER RAIL TREATMENT
85,135	SY	MILLING ASPHALT PAVEMENT, ***" TO *****" (1" TO 3")	10,566.5	SF	GENERIC STRUCTURE ITEM SURFACE PREPARATION FOR CONCRETE BARRIER RAIL
17,877.1	SY	INCIDENTAL MILLING	8,389.4	SF	GENERIC STRUCTURE ITEM SURFACE PREPARATION FOR SILANE BARRIER RAIL TREATMENT
18,080	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	13,359.7	SY	GENERIC STRUCTURE ITEM SHOTBLASTING BRIDGE DECK
52,078.5	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C	13,359.7	SY	GENERIC STRUCTURE ITEM SILANE DECK TREATMENT
4,006.1	TON	ASPHALT BINDER FOR PLANT MIX	12	EA	GENERIC STRUCTURE ITEM POST-TENSIONING STRAND REPLACEMENT
261,950	LF	GENERIC PAVING ITEM MILLED RUMBLE STRIPS (ASPHALT CONCRETE), 16"			
790	TON	GENERIC PAVING ITEM ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C (WEDGING COURSE)			
1,350	TON	GENERIC PAVING ITEM ASPHALT CONC SURFACE COURSE, TYPE S9.5C (WEDGING COURSE)			
10	EA	WORK ZONE DIGITAL SPEED LIMIT SIGNS			
28	EA	WORK ZONE PRESENCE LIGHTING			
24	EA	SEQUENTIAL FLASHING WARNING LIGHTS			
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL			
4,000	HR	LAW ENFORCEMENT			
4	EA	GENERIC TRAFFIC CONTROL ITEM CONNECTED LANE CLOSURE SYSTEM			
360,550	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)			
7,350	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)			
165	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)			
16	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)			
79	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)			
360,550	LF	PAINT PAVEMENT MARKING LINES (6")			
7,350	LF	PAINT PAVEMENT MARKING LINES (12")			
165	LF	PAINT PAVEMENT MARKING LINES (24")			
16	EA	PAINT PAVEMENT MARKING CHARACTER			
79	EA	PAINT PAVEMENT MARKING SYMBOL			
13,021	LF	POLYUREA PAVEMENT MARKING LINES (**", *** MILS) (6", 30 MILS)			
2,031	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS			
74	EA	PERMANENT RAISED PAVEMENT MARKERS			
Lump Sum	LS	PORTABLE LIGHTING			
820	LF	TEMPORARY SILT FENCE			
450	LF	SAFETY FENCE			
600	LF	WATTLE			
4	ACR	SEEDING & MULCHING			

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L250520

003

CONTRACT ID : C205102

2025CPT.08.13.10761

DIV OFFICE CARTHAGE

LENGTH = 22.217 MI

COUNTY : RANDOLPH

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL 5.00% COMPLETION DATE : NOV 15, 2026

1 SECTION OF US-64, 2 SECTIONS OF NC-22, AND 1 SECTION OF NC-42.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
39.92	SMI	SHOULDER RECONSTRUCTION
5,595	TON	AGGREGATE SHOULDER BORROW
79,058	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")
20,510	SY	INCIDENTAL MILLING
1,665	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
28,324	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
1,773	TON	ASPHALT BINDER FOR PLANT MIX
550	TON	PATCHING EXISTING PAVEMENT
112,992	LF	GENERIC PAVING ITEM MILLED RUMBLE STRIPS (ASPHALT CONCRETE), 12"
40,700	LF	GENERIC PAVING ITEM CENTERLINE MILLED RUMBLE STRIPS (ASPHALT CONCRETE), 18"
2	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
2,269	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
400	HR	LAW ENFORCEMENT
200	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 240 MILS)
413,028	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
1,870	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
575	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
21	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
150	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
108,062	LF	PAINT PAVEMENT MARKING LINES (6")
895	LF	PAINT PAVEMENT MARKING LINES (12")
47	EA	PAINT PAVEMENT MARKING SYMBOL
1,540	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
2,113	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS
Lump Sum	LS	PORTABLE LIGHTING

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L250520

004

CONTRACT ID : C205087

2025CPT.08.14.20761

DIV OFFICE CARTHAGE

LENGTH = 20.198 MI

COUNTY : RANDOLPH

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL 3.00% COMPLETION DATE : OCT 15, 2026

13 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
40.37	SMI	SHOULDER RECONSTRUCTION
5,668	TON	AGGREGATE SHOULDER BORROW
9,982	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")
10,895	SY	INCIDENTAL MILLING
23,849	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,669	TON	ASPHALT BINDER FOR PLANT MIX
2,472	TON	PATCHING EXISTING PAVEMENT
241,755	SY	ASPHALT SURFACE TREATMENT, MAT COAT, #*** STONE (#67)
96,702	GAL	EMULSION FOR ASPHALT SURFACE TREATMENT
10.4	WK	VACUUM TRUCK
2,212	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
50,890	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
155	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
100	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
12	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
9	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
731,824	LF	PAINT PAVEMENT MARKING LINES (6")
400	LF	PAINT PAVEMENT MARKING LINES (8")
605	LF	PAINT PAVEMENT MARKING LINES (24")
60	EA	PAINT PAVEMENT MARKING CHARACTER
10	EA	PAINT PAVEMENT MARKING SYMBOL
1,300	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
192	EA	PERMANENT RAISED PAVEMENT MARKERS

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L250520 005

CONTRACT ID : C205089 2025CPT.08.15.20761 DIV OFFICE CARTHAGE LENGTH = 24.037 MI
 COUNTY : RANDOLPH

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL 6.00% COMPLETION DATE : NOV 01, 2026

10 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
48.07	SMI	SHOULDER RECONSTRUCTION
6,733	TON	AGGREGATE SHOULDER BORROW
12,705	SY	INCIDENTAL MILLING
26,499	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,791	TON	ASPHALT BINDER FOR PLANT MIX
1,440	TON	PATCHING EXISTING PAVEMENT
273,875	SY	ASPHALT SURFACE TREATMENT, MAT COAT, #*** STONE (#67)
109,551	GAL	EMULSION FOR ASPHALT SURFACE TREATMENT
10	WK	VACUUM TRUCK
2,908	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
1,031,392	LF	PAINT PAVEMENT MARKING LINES (6")
310	LF	PAINT PAVEMENT MARKING LINES (8")
324	LF	PAINT PAVEMENT MARKING LINES (24")
134	EA	PAINT PAVEMENT MARKING CHARACTER
2	EA	PAINT PAVEMENT MARKING SYMBOL

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L250520

006

CONTRACT ID : C205032 48599.3.2

DIV OFFICE CARTHAGE

LENGTH = 3.174 MI

COUNTY : CHATHAM

DRAINAGE, GRADING, PAVING, SIGNALS, AND STRUCTURES.

DBE GOAL 5.00% COMPLETION DATE : APR 30, 2029

SR-2700 (CHATHAM PARK WAY) FROM US-15/US-501 SOUTH OF PITTSBORO TO US-64 BUSINESS.

ROADWAY ITEMS						
			15,130	SY	GEOTEXTILE FOR SUBGRADE STABILIZATION	
Lump Sum	LS	MOBILIZATION	13,600	TON	AGGREGATE BASE COURSE	
Lump Sum	LS	CONSTRUCTION SURVEYING	56,500	SY	SOIL CEMENT BASE	
Lump Sum	LS	CLEARING & GRUBBING .. ACRE(S)	1,600	TON	PORTLAND CEMENT FOR SOIL CEMENT BASE	
2	EA	SEALING ABANDONED WELLS	100	TON	INCIDENTAL STONE BASE	
457,000	CY	UNCLASSIFIED EXCAVATION	4,900	CY	SHOULDER BORROW	
12,375	CY	UNDERCUT EXCAVATION	56	GAL	PRIME COAT	
3	ACR	SUPPLEMENTARY CLEARING & GRUBBING	1,150	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")	
5	EA	EMBANKMENT SETTLEMENT GAUGES	6,150	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (2-1/2")	
1,530	CY	DRAINAGE DITCH EXCAVATION	950	SY	INCIDENTAL MILLING	
2,700	LF	BERM DITCH CONSTRUCTION	22,000	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	
350	SY	REMOVAL OF EXISTING ASPHALT PAVEMENT	27,000	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C	
30	HR	PROOF ROLLING	20	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B	
8,275	CY	SELECT GRANULAR MATERIAL, CLASS III	24,000	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C	
12,025	SY	GEOTEXTILE FOR SOIL STABILIZATION	3,705	TON	ASPHALT BINDER FOR PLANT MIX	
3,180	SY	GEOTEXTILE FOR ROCK EMBANKMENTS	296	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR	
Lump Sum	LS	GENERIC GRADING ITEM TYPE 1 BRIDGE APPROACH FILL, STATION 134+65 -L- LT	270	SY	GENERIC PAVING ITEM 12" JOINTED CONCRETE TRUCK APRON	
Lump Sum	LS	GENERIC GRADING ITEM TYPE 1 BRIDGE APPROACH FILL, STATION 134+65 -L- RT	4	EA	RIGHT-OF-WAY MARKERS	
Lump Sum	LS	GENERIC GRADING ITEM TYPE 1 BRIDGE APPROACH FILL, STATION 76+49.00 -L-	199	EA	CONTROL-OF-ACCESS MARKERS	
1,730	TON	GENERIC GRADING ITEM SELECT MATERIAL, CLASS VI FOR ROCK EMBANKMENTS	4,170	CY	SUBDRAIN EXCAVATION	
16,640	TON	GENERIC GRADING ITEM SELECT MATERIAL, CLASS VII FOR ROCK EMBANKMENTS	12,400	SY	GEOTEXTILE FOR SUBSURFACE DRAINS	
3,984.25	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	2,090	CY	SUBDRAIN COARSE AGGREGATE	
8,942.25	SY	FOUNDATION CONDITIONING GEOTEXTILE	12,400	LF	6" PERFORATED SUBDRAIN PIPE	
116	LF	15" DRAINAGE PIPE	25	EA	SUBDRAIN PIPE OUTLET	
104	LF	18" DRAINAGE PIPE	150	LF	6" OUTLET PIPE	
112	LF	24" DRAINAGE PIPE	300	LF	SHOULDER DRAIN	
48	LF	30" DRAINAGE PIPE	320	LF	4" SHOULDER DRAIN PIPE	
6	EA	*** DRAINAGE PIPE ELBOWS (15")	80	LF	4" OUTLET PIPE FOR SHOULDER DRAINS	
4	EA	*** DRAINAGE PIPE ELBOWS (18")	4	EA	CONCRETE PAD FOR SHOULDER DRAIN PIPE OUTLET	
4	EA	*** DRAINAGE PIPE ELBOWS (24")	20	TON	BLOTTING SAND	
2	EA	*** DRAINAGE PIPE ELBOWS (30")	22.5	CY	ENDWALLS	
140	LF	15" SIDE DRAIN PIPE	0.6	CY	PIPE COLLARS	
428	LF	***** RC PIPE CULVERTS, CLASS IV (48")	275	EA	MASONRY DRAINAGE STRUCTURES	
8,184	LF	15" RC PIPE CULVERTS, CLASS IV	157	LF	MASONRY DRAINAGE STRUCTURES	
11,372	LF	18" RC PIPE CULVERTS, CLASS IV	4	EA	FRAME WITH TWO GRATES, STD 840.16	
3,744	LF	24" RC PIPE CULVERTS, CLASS IV	76	EA	FRAME WITH TWO GRATES, STD 840.24	
1,436	LF	30" RC PIPE CULVERTS, CLASS IV	1	EA	FRAME WITH TWO GRATES, STD 840.29	
264	LF	36" RC PIPE CULVERTS, CLASS IV	15	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **	
112	LF	*** RC PIPE CULVERTS, CLASS V (42")	91	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **	
565	LF	PIPE REMOVAL	53	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **	
Lump Sum	LS	FINE GRADING	5	EA	FRAME WITH COVER, STD 840.54	
56,500	SY	LIME TREATED SOIL (SLURRY METHOD)	26	EA	STEEL FRAME WITH TWO GRATES, STD 840.37	
700	TON	LIME FOR LIME TREATED SOIL	59	EA	CONCRETE TRANSITIONAL SECTION FOR CATCH BASIN	
1,500	CY	SHALLOW UNDERCUT	25	EA	CONCRETE TRANSITIONAL SECTION FOR DROP INLET	
7,810	TON	CLASS IV SUBGRADE STABILIZATION	270	LF	*** X *** CONCRETE CURB (9" X 18")	
500	TON	STABILIZER AGGREGATE	25,600	LF	1'-6" CONCRETE CURB & GUTTER	

17,800	LF	2'-6" CONCRETE CURB & GUTTER	32	LF	6" WATER LINE
340	LF	CONCRETE EXPRESSWAY GUTTER	400	LF	8" WATER LINE
120	EA	CONCRETE CURB RAMPS	9,512	LF	12" WATER LINE
370	SY	6" CONCRETE DRIVEWAY	588	LF	16" WATER LINE
40	SY	4" CONCRETE PAVED DITCH	14,800	LB	DUCTILE IRON WATER PIPE FITTINGS
3,460	SY	5" MONOLITHIC CONCRETE ISLANDS (KEYED IN)	15	EA	6" VALVE
2,125	LF	STEEL BEAM GUARDRAIL	13	EA	12" VALVE
10	EA	ADDITIONAL GUARDRAIL POSTS	1	EA	6" TAPPING SLEEVE & VALVE
7	EA	GUARDRAIL END UNITS, TYPE CAT-1	4	EA	2" AIR RELEASE VALVE
11	EA	GUARDRAIL END UNITS, TYPE TL-3	1	EA	RELOCATE WATER METER
12	EA	GUARDRAIL ANCHOR UNITS, TYPE B-77	16	EA	FIRE HYDRANT
1,010	LF	GENERIC FENCING ITEM BICYCLE/PEDESTRIAN SAFETY RAIL	237	LF	FIRE HYDRANT LEG
520	TON	RIP RAP, CLASS I	92	LF	WATER SERVICE LINE
2,380	TON	RIP RAP, CLASS A	590	LF	*** FORCE MAIN SEWER (3")
4,440	TON	RIP RAP, CLASS B	800	LB	DUCTILE IRON SEWER PIPE FITTINGS
8,820	SY	GEOTEXTILE FOR DRAINAGE	613	LF	ABANDON *** UTILITY PIPE (3")
2,970	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (A)	248	LF	ABANDON 8" UTILITY PIPE
165	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (B)	118	LF	ABANDON 12" UTILITY PIPE
203	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (D)	127	LF	12" ENCASEMENT PIPE
985	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (E)	105	LF	16" ENCASEMENT PIPE
1,114	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (F)	1,280	LF	20" ENCASEMENT PIPE
9	CY	REINFORCED CONCRETE SIGN FOUNDATIONS	165	LF	30" ENCASEMENT PIPE
8,593	LB	SUPPORTS, BREAKAWAY STEEL BEAM	108	LF	BORE AND JACK OF *** (20")
4,915	LF	SUPPORTS, 3-LB STEEL U-CHANNEL	588	LF	DIRECTIONAL DRILLING OF *** (16")
13	EA	SIGN ERECTION, TYPE D	1,744	LF	GENERIC UTILITY ITEM 2" PVC CASING
125	EA	SIGN ERECTION, TYPE E	6,193	LF	GENERIC UTILITY ITEM 4" PVC CASING
63	EA	SIGN ERECTION, TYPE F	3,744	LF	GENERIC UTILITY ITEM 6" PVC CASING
20	EA	SIGN ERECTION, TYPE *** (GROUND MOUNTED) (A)	50,650	LF	TEMPORARY SILT FENCE
6	EA	SIGN ERECTION, TYPE *** (GROUND MOUNTED) (B)	2,725	TON	STONE FOR EROSION CONTROL, CLASS A
33	EA	SIGN ERECTION, RELOCATE TYPE ***** (GROUND MOUNTED) (F)	7,900	TON	STONE FOR EROSION CONTROL, CLASS B
6	EA	DISPOSAL OF SIGN SYSTEM, STEEL BEAM	6,965	TON	SEDIMENT CONTROL STONE
24	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL	57	ACR	TEMPORARY MULCHING
12	EA	DISPOSAL OF SIGN, A & B (GROUND MOUNTED)	2,500	LB	SEED FOR TEMPORARY SEEDING
33	EA	DISPOSAL OF SIGN, D, E OR F	13	TON	FERTILIZER FOR TEMPORARY SEEDING
144	SF	WORK ZONE SIGNS (STATIONARY)	3,300	LF	TEMPORARY SLOPE DRAINS
768	SF	WORK ZONE SIGNS (PORTABLE)	2,720	LF	SAFETY FENCE
368	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)	38,800	CY	SILT EXCAVATION
93	EA	DRUMS	115,000	SY	MATting FOR EROSION CONTROL
339	EA	CONES	10,100	SY	COIR FIBER MAT
72	LF	BARRICADES (TYPE III)	12,400	LF	1/4" HARDWARE CLOTH
80	DAY	FLAGGER	5,200	SY	LOW PERMEABILITY GEOTEXTILE
131	EA	SKINNY DRUM	170	LF	*** TEMPORARY PIPE (15")
51,500	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)	430	LF	*** TEMPORARY PIPE (24")
8,200	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)	16	EA	SPECIAL STILLING BASINS
560	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)	3,585	LB	FLOCCULANT
144	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)	6,570	LF	COIR FIBER WATTLE
89,000	LF	PAINT PAVEMENT MARKING LINES (4")	930	LF	COIR FIBER WATTLE BARRIER
2,500	LF	PAINT PAVEMENT MARKING LINES (8")	11,310	LF	COIR FIBER BAFFLE
430	LF	PAINT PAVEMENT MARKING LINES (24")	16	EA	*** SKIMMER (1-1/2")
40	EA	PAINT PAVEMENT MARKING SYMBOL	11	EA	*** SKIMMER (2")
810	LF	POLYUREA PAVEMENT MARKING LINES (***, *** MILS) (4", 30 MILS)	1	EA	*** SKIMMER (2-1/2")
70	LF	GENERIC PAVEMENT MARKING ITEM YIELD LINE THERMOPLASTIC PAVEMENT MARKING (24", 90 MILS)	51	ACR	SEEDING & MULCHING
650	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS	48	ACR	MOWING
5	EA	PERMANENT RAISED PAVEMENT MARKERS	600	LB	SEED FOR REPAIR SEEDING
			2.25	TON	FERTILIZER FOR REPAIR SEEDING
			1,150	LB	SEED FOR SUPPLEMENTAL SEEDING
			34.25	TON	FERTILIZER TOPDRESSING
			60	LF	IMPERVIOUS DIKE
			10	MHR	SPECIALIZED HAND MOWING
			125	EA	RESPONSE FOR EROSION CONTROL

2	EA	CONCRETE WASHOUT STRUCTURE	70	EA	PILE DRIVING EQUIPMENT SETUP FOR ***
0.5	ACR	REFORESTATION			STEEL PILES
12	EA	GENERIC EROSION CONTROL ITEM	1,385	LF	(HP 14 X 73)
		PREFABRICATED CONCRETE WASHOUT			HP 14 X 73 STEEL PILES
16	EA	PEDESTRIAN SIGNAL HEAD (16", 1 SECTION	70	EA	STEEL PILE POINTS
		W/COUNTDOWN)	1	EA	DYNAMIC PILE TESTING
6,925	LF	SIGNAL CABLE	488.7	LF	TWO BAR METAL RAIL
22	EA	VEHICLE SIGNAL HEAD (12", 3 SECTION)	909.06	LF	CONCRETE BARRIER RAIL
4	EA	VEHICLE SIGNAL HEAD (12", 4 SECTION)	519.66	LF	1'-*** X ***** CONCRETE PARAPET
2	EA	VEHICLE SIGNAL HEAD (12", 5 SECTION)			(1'-2" X 2'-6")
295	LF	PAVED TRENCHING (*****)	1,480	TON	RIP RAP CLASS II (2'-0" THICK)
		(2, 2")	1,647	SY	GEOTEXTILE FOR DRAINAGE
990	LF	UNPAVED TRENCHING (*****)			
		(2, 2")	Lump Sum	LS	ELASTOMERIC BEARINGS
925	LF	DIRECTIONAL DRILL (*****)			
		(2, 2")			
15	EA	JUNCTION BOX (STANDARD SIZE)			
8	EA	JUNCTION BOX (OVER-SIZED, HEAVY DUTY)			
2,810	LF	INDUCTIVE LOOP SAWCUT			
7,370	LF	LEAD-IN CABLE (14-2)			
8	EA	METAL POLE WITH SINGLE MAST ARM			
8	EA	SOIL TEST			
44	CY	DRILLED PIER FOUNDATION			
8	EA	MAST ARM WITH METAL POLE DESIGN			
21	EA	SIGN FOR SIGNALS			
11	EA	TYPE II PEDESTAL WITH FOUNDATION			
2	EA	SIGNAL CABINET FOUNDATION			
2	EA	CONTROLLERS WITH CABINET			
		(*****)			
		(2070LX, BASE MTD)			
21	EA	DETECTOR CARD (TYPE 170)			
2	EA	CABINET BASE EXTENDER			
8	EA	GENERIC SIGNAL ITEM			
		PROTECTIVE COATING FOR SINGLE MAST			
		ARM POLE (AGATE GRAY, RAL 7038)			
12	EA	GENERIC SIGNAL ITEM			
		PROTECTIVE COATING FOR TYPE II SIGNAL			
		PEDESTAL (AGATE GRAY, RAL 7038)			
		WALL ITEMS			
3,440	SF	SOIL NAIL RETAINING WALLS			
4	EA	SOIL NAIL VERIFICATION TESTS			
8	EA	SOIL NAIL PROOF TESTS			
2,935	SF	GENERIC RETAINING WALL ITEM			
		NON-STANDARD CIP GRAVITY RETAINING			
		WALLS			
		STRUCTURE ITEMS			
291.2	LF	PILE EXCAVATION IN SOIL			
146	LF	PILE EXCAVATION NOT IN SOIL			
26.4	LF	3'-6" DIA DRILLED PIERS IN SOIL			
140.8	LF	3'-6" DIA DRILLED PIERS NOT IN SOIL			
34	LF	PERMANENT STEEL CASING FOR 3'-6" DIA			
		DRILLED PIER			
2	EA	CSL TESTING			
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION			
		AT STATION *****			
		(134+65.00 -L- LT)			
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION			
		AT STATION *****			
		(134+65.00 -L- RT)			
20,484	SF	REINFORCED CONCRETE DECK SLAB			
22,495	SF	GROOVING BRIDGE FLOORS			
327.5	CY	CLASS A CONCRETE (BRIDGE)			
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION			

		(134+65.00 -L- LT)			
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION			

		(134+65.00 -L- RT)			
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION			

		(76+49.00 -L-)			
54,732	LB	REINFORCING STEEL (BRIDGE)			
4,895	LB	SPIRAL COLUMN REINFORCING STEEL			
		(BRIDGE)			
1,111	LF	45" PRESTRESSED CONCRETE GIRDERS			
1,179.58	LF	FIB *** PRESTRESSED CONCRETE GIRDERS			
		(54")			

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L250520

007

CONTRACT ID : C205043 50189.3.1

DIV OFFICE SHELBY

LENGTH = 0.264 MI

COUNTY : CATAWBA

GRADING, DRAINAGE, PAVING, AND SIGNALS.

DBE GOAL 5.00% COMPLETION DATE : APR 30, 2027

NC-127 FROM 1ST AVENUE SOUTHEAST TO 2ND AVENUE SOUTHEAST.

		ROADWAY ITEMS	3,400	LF	2'-6" CONCRETE CURB & GUTTER
Lump Sum	LS	MOBILIZATION	1,470	SY	4" CONCRETE SIDEWALK
Lump Sum	LS	CONSTRUCTION SURVEYING	24	EA	CONCRETE CURB RAMPS
450	CY	UNDERCUT EXCAVATION	240	SY	6" CONCRETE DRIVEWAY
Lump Sum	LS	GRADING	30	SY	5" MONOLITHIC CONCRETE ISLANDS (KEYED IN)
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING	1,480	SY	GENERIC PAVING ITEM
25	CY	DRAINAGE DITCH EXCAVATION			5" CONCRETE MONOLITHIC ISLAND (KEYED IN) WITH STAMPED BRICK PATTERN
400	CY	SELECT GRANULAR MATERIAL	130	SY	GENERIC PAVING ITEM
548.52	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	1	EA	TEMPORARY CONCRETE SIDEWALK
1,721	SY	FOUNDATION CONDITIONING GEOTEXTILE			ADJUSTMENT OF CATCH BASINS
64	LF	15" DRAINAGE PIPE	5	TON	RIP RAP, CLASS B
36	LF	18" DRAINAGE PIPE	685	SY	GEOTEXTILE FOR DRAINAGE
2	EA	*** DRAINAGE PIPE ELBOWS (15")	684	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
1,832	LF	15" RC PIPE CULVERTS, CLASS IV	38	EA	SIGN ERECTION, TYPE E
308	LF	18" RC PIPE CULVERTS, CLASS IV	5	EA	SIGN ERECTION, TYPE F
184	LF	24" RC PIPE CULVERTS, CLASS IV	25	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
12	LF	15" CS PIPE CULVERTS, 0.064" THICK	3	EA	DISPOSAL OF SIGN, D, E OR F
701	LF	PIPE REMOVAL	157	SF	WORK ZONE SIGNS (STATIONARY)
300	CY	SHALLOW UNDERCUT	192	SF	WORK ZONE SIGNS (PORTABLE)
600	TON	CLASS IV SUBGRADE STABILIZATION	10	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
50	TON	STABILIZER AGGREGATE	2	EA	FLASHING ARROW BOARD
1,300	SY	GEOTEXTILE FOR SUBGRADE STABILIZATION	3	EA	PORTABLE CHANGEABLE MESSAGE SIGN
50	TON	INCIDENTAL STONE BASE	216	EA	DRUMS
1,450	SY	INCIDENTAL MILLING	27	EA	CONES
2,600	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	8	LF	BARRICADES (TYPE III)
2,750	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C	88	LF	PEDESTRIAN CHANNELIZING DEVICES
2,150	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B	15	DAY	FLAGGER
360	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B (LEVELING COURSE)	2	EA	TMA
425	TON	ASPHALT BINDER FOR PLANT MIX	656	LF	WATER FILLED BARRIER
250	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR	224	HR	LAW ENFORCEMENT
44.8	CY	SUBDRAIN EXCAVATION	16	EA	SKINNY DRUM
200	SY	GEOTEXTILE FOR SUBSURFACE DRAINS	12	EA	GENERIC TRAFFIC CONTROL ITEM
33.6	CY	SUBDRAIN COARSE AGGREGATE			AUDIBLE WARNING DEVICES
200	LF	6" PERFORATED SUBDRAIN PIPE	4	EA	GENERIC TRAFFIC CONTROL ITEM
1	EA	SUBDRAIN PIPE OUTLET			TEMPORARY CURB RAMPS
6	LF	6" OUTLET PIPE	227	EA	TEMPORARY RAISED PAVEMENT MARKERS
12	EA	TEMPORARY STEEL PLATE COVERS FOR MASONRY DRAINAGE STRUCTURE	3,514	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
47	EA	MASONRY DRAINAGE STRUCTURES	1,534	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
11.4	LF	MASONRY DRAINAGE STRUCTURES	273	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
13	EA	FRAME WITH TWO GRATES, STD 840.16	16	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
4	EA	FRAME WITH TWO GRATES, STD 840.29	30	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
5	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (E)	17,864	LF	PAINT PAVEMENT MARKING LINES (4")
9	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F)	6,566	LF	PAINT PAVEMENT MARKING LINES (8")
12	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (G)	1,036	LF	PAINT PAVEMENT MARKING LINES (24")
3	EA	FRAME WITH COVER, STD 840.54	16	EA	PAINT PAVEMENT MARKING CHARACTER
12	EA	CONCRETE TRANSITIONAL SECTION FOR DROP INLET	62	EA	PAINT PAVEMENT MARKING SYMBOL
750	LF	*** X *** CONCRETE CURB (8" X 18")	8,156	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
			2,073	LF	REMOVAL OF PAVEMENT MARKING LINES (8")
			479	LF	REMOVAL OF PAVEMENT MARKING LINES (24")
			48	EA	REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS
			119	EA	GENERIC PAVEMENT MARKING ITEM
					POLYCARBONATE H-SHAPED MARKERS

Lump Sum	LS	PORTABLE LIGHTING	85	LF	DIRECTIONAL DRILL (*****) (1, 2")
394	LF	6" WATER LINE	555	LF	DIRECTIONAL DRILL (*****) (2, 2")
450	LF	10" WATER LINE	115	LF	DIRECTIONAL DRILL (*****) (3, 2")
1,462	LF	12" WATER LINE	18	EA	JUNCTION BOX (STANDARD SIZE)
397	LF	16" WATER LINE	2	EA	JUNCTION BOX (OVER-SIZED, HEAVY DUTY)
9,650	LB	DUCTILE IRON WATER PIPE FITTINGS	10	EA	WOOD POLE
3	EA	10" VALVE	21	EA	GUY ASSEMBLY
5	EA	12" VALVE	10	EA	1/2" RISER WITH WEATHERHEAD
3	EA	16" VALVE	8	EA	2" RISER WITH WEATHERHEAD
1	EA	12" TAPPING SLEEVE & VALVE	1,665	LF	INDUCTIVE LOOP SAWCUT
3	EA	RELOCATE WATER METER	3,920	LF	LEAD-IN CABLE (14-2)
120	LF	*** WATER SERVICE LINE (1")	1	EA	MODIFY SPLICE ENCLOSURE
1,575	LF	8" SANITARY GRAVITY SEWER	1	EA	CABLE TRANSFER
11	EA	4' DIA UTILITY MANHOLE	6	EA	METAL POLE WITH SINGLE MAST ARM
37	LF	UTILITY MANHOLE WALL 4' DIA	6	EA	SOIL TEST
56	LF	ABANDON *** UTILITY PIPE (4")	36	CY	DRILLED PIER FOUNDATION
391	LF	ABANDON 6" UTILITY PIPE	6	EA	MAST ARM WITH METAL POLE DESIGN
376	LF	ABANDON 8" UTILITY PIPE	11	EA	SIGN FOR SIGNALS
1,595	LF	ABANDON 10" UTILITY PIPE	4	EA	TYPE I POST WITH FOUNDATION
1,404	LF	ABANDON 12" UTILITY PIPE	13	EA	TYPE II PEDESTAL WITH FOUNDATION
391	LF	ABANDON 16" UTILITY PIPE	12	EA	DETECTOR CARD (*****) (2070LX)
6	EA	ABANDON UTILITY MANHOLE	2	EA	CABINET BASE EXTENDER
1,065	LF	TEMPORARY SILT FENCE	1	EA	GENERIC SIGNAL ITEM MICROWAVE VEHICLE DETECTION SYSTEM - MULTIPLE ZONES
255	TON	STONE FOR EROSION CONTROL, CLASS A	1	EA	GENERIC SIGNAL ITEM MICROWAVE VEHICLE DETECTOR - SINGLE ZONE
60	TON	STONE FOR EROSION CONTROL, CLASS B	6	EA	GENERIC SIGNAL ITEM PROTECTIVE COATING FOR SINGLE MAST ARM POLE (BLACK)
415	TON	SEDIMENT CONTROL STONE	4	EA	GENERIC SIGNAL ITEM PROTECTIVE COATING FOR TYPE I POST (BLACK)
2	ACR	TEMPORARY MULCHING	13	EA	GENERIC SIGNAL ITEM PROTECTIVE COATING FOR TYPE II PEDESTAL (BLACK)
200	LB	SEED FOR TEMPORARY SEEDING	Lump Sum	LS	GENERIC SIGNAL ITEM FIBER OPTIC CABLE CONTINUITY TESTING
1	TON	FERTILIZER FOR TEMPORARY SEEDING			
200	LF	TEMPORARY SLOPE DRAINS			
360	LF	SAFETY FENCE			
130	CY	SILT EXCAVATION			
5,000	SY	MATting FOR EROSION CONTROL			
1,940	LF	1/4" HARDWARE CLOTH			
10	LB	FLOCCULANT			
20	LF	COIR FIBER WATTLE			
3	ACR	SEEDING & MULCHING			
3	ACR	MOWING			
50	LB	SEED FOR REPAIR SEEDING			
0.25	TON	FERTILIZER FOR REPAIR SEEDING			
50	LB	SEED FOR SUPPLEMENTAL SEEDING			
1.25	TON	FERTILIZER TOPDRESSING			
10	MHR	SPECIALIZED HAND MOWING			
2	MHR	MANUAL LITTER REMOVAL			
1	TON	LITTER DISPOSAL			
25	EA	RESPONSE FOR EROSION CONTROL			
2	EA	CONCRETE WASHOUT STRUCTURE			
69	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION CLEANOUT			
23	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION, TYPE I			
5	EA	GENERIC EROSION CONTROL ITEM PREFABRICATED CONCRETE WASHOUT			
29	EA	PEDESTRIAN SIGNAL HEAD (16", 1 SECTION W/COUNTDOWN)			
11,270	LF	SIGNAL CABLE			
36	EA	VEHICLE SIGNAL HEAD (12", 3 SECTION)			
3	EA	VEHICLE SIGNAL HEAD (12", 4 SECTION)			
1	EA	VEHICLE SIGNAL HEAD (12", 5 SECTION)			
20	EA	APS DETECTOR STATION			
2	EA	CENTRAL CONTROL UNIT APS DETECTOR STATION			
205	LF	MESSANGER CABLE (1/4")			
1,100	LF	MESSANGER CABLE (3/8")			
410	LF	UNPAVED TRENCHING (*****) (1, 2")			
275	LF	UNPAVED TRENCHING (*****) (2, 2")			

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L250520 008

CONTRACT ID : C205096 2025CPT.13.07.20121 DIV OFFICE ASHEVILLE LENGTH = 32.590 MI

COUNTY : BURKE, MCDOWELL

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL 4.00% COMPLETION DATE : NOV 01, 2026

20 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
875	TON	INCIDENTAL STONE BASE
57.19	SMI	SHOULDER RECONSTRUCTION
7,440	TON	AGGREGATE SHOULDER BORROW
83,584	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")
5,756	SY	MILLING ASPHALT PAVEMENT, ***" TO ***** (0" TO 1-1/2")
25,185	SY	INCIDENTAL MILLING
50,093	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
470	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C (LEVELING COURSE)
3,077	TON	ASPHALT BINDER FOR PLANT MIX
2,805	TON	PATCHING EXISTING PAVEMENT
3	EA	ADJUSTMENT OF MANHOLES
17	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
4,266	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
84	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 90 MILS)
1,782	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
58	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
137	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
2,880	LF	POLYUREA PAVEMENT MARKING LINES (**", *** MILS) (4", 20 MILS)
707,926	LF	GENERIC PAVEMENT MARKING ITEM HOT SPRAY THERMOPLASTIC PAVEMENT MARKING LINES (4", 55 MILS)
2,619	EA	GENERIC PAVEMENT MARKING ITEM INLAID CRADLE MARKERS
Lump Sum	LS	PORTABLE LIGHTING
4,700	LF	INDUCTIVE LOOP SAWCUT
1,020	LF	LEAD-IN CABLE (14-2)