



STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION

ROY COOPER  
GOVERNOR

J.R. "JOEY" HOPKINS  
SECRETARY

December 19, 2023

MEMORANDUM TO: Bidding Contractors and  
Interested Parties

FROM: R. E. Davenport, Jr., PE  
State Contract Officer

A handwritten signature in black ink, appearing to read "R. E. Davenport, Jr.", written over the printed name.

RE: **January 16, 2024 Central Highway Letting**

Please be advised that the Interested Parties List registration must be done the business day prior to the letting. **With January 15th being a holiday, the registration cutoff date for the January 16, 2024 letting will be Friday, January 12th.**

Failure to register by the cutoff will result in being unable to bid.

Questions may be sent to [ContractOfficer@ncdot.gov](mailto:ContractOfficer@ncdot.gov) or [jakincaid1@ncdot.gov](mailto:jakincaid1@ncdot.gov).

cc: Ms. Jaci Kincaid  
File



STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION

ROY COOPER  
GOVERNOR

J. ERIC BOYETTE  
SECRETARY

**IMPORTANT NOTICE**

**Upcoming Opportunities for DBE Firms to Participate on NCDOT Projects**

As part of the North Carolina Department of Transportation's continuing commitment to promote Disadvantaged/Minority/Women Business Enterprise (D/M/WBE) participation, the Division of Highways Chief Engineer's Office would like to remind you of the broad range of construction, maintenance, and operational opportunities available within NCDOT. One of these opportunities is the monthly advertisement of Central Let projects with letting held on the third Tuesday of each month. NCDOT is requesting bids for the following projects. If your firm is eligible to bid (i.e., prequalified as a Bidder), you can download and print the bid related items from this list.



[Central Highway Letting](#)

If you are interested in providing subcontractor work for any of these projects, we strongly encourage you to solicit each of the contractors bidding on these projects to see if they are interested in receiving a quote. A list of interested parties with their contact information is listed for each project being advertised.



[Central Plan Holder List](#)

I would like to personally thank you for your time in considering this opportunity with the North Carolina Department of Transportation.

Sincerely,

Ronald L. Keeter, Jr, PE  
Chief Engineer  
Division of Highways

*Mailing Address:*  
NC DEPARTMENT OF TRANSPORTATION  
OFFICE OF THE CHIEF ENGINEER  
MAIL SERVICE CENTER 1536  
RALEIGH, NC 27699-1536

*Telephone* 919-707-2500  
*Fax:* 919-733-9428  
*Customer Service:* 1-877-368-4968

*Website:* www.ncdot.gov

*Location:*  
1 SOUTH WILMINGTON STREET  
RALEIGH, NC 27601

**IMPORTANT NOTICE:**

The 2024 NCDOT Standard Specifications and 2024 NCDOT Roadway Standard Drawings are now available on-line, and can be found here: [Contract Standards and Development Unit \(ncdot.gov\)](https://www.ncdot.gov/contractstandards). Additional content has been posted to be used along with these documents, which can be accessed at this link as well, under the 2024 Specifications and Standard Drawings websites or the Contracts Resources website. This includes memos with a summary of changes, Special Provisions to use with 2024 Standard Specifications, new instructions, updated spreadsheets with general notes for both ORD and SS2, etc. **Printed copies of the 2024 Standard Specifications and 2024 Roadway Standard Drawings will be available starting in September.**

**PLEASE NOTE THAT ALL PROJECTS WITH A JANUARY 2024 OR LATER LET DATE SHALL BE PREPARED IN ACCORDANCE WITH THE NEW 2024 STANDARD SPECIFICATIONS AND 2024 ROADWAY STANDARD DRAWINGS.**

This information is meant to be shared state-wide, so please feel free to forward this information to others who may need to be made aware, including but not limited to, Division representatives, private engineering firms, GESCs, industry representatives, et al.

Thank you.

**Nicole M. Hackler, P.E.**  
State Plans & Standards Engineer  
North Carolina Department of Transportation

919 707 6950 office

[nmhackler@ncdot.gov](mailto:nmhackler@ncdot.gov)

1020 Birch Ridge Drive (Delivery Only)  
1591 Mail Service Center  
Raleigh, North Carolina 27699-1591



**STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION  
INVITATION TO BID**

ELECTRONIC BIDS (UNLESS OTHERWISE SPECIFIED IN THE PROJECT SPECIAL PROVISIONS) FOR THE CONSTRUCTION OF THE FOLLOWING PROJECTS WILL BE PUBLICLY READ IN THE CONTRACT STANDARDS AND DEVELOPMENT UNIT RIVERWOOD CONFERENCE ROOM, LOCATED IN BUILDING B AT 1020 BIRCH RIDGE DRIVE, RALEIGH, N.C. OR VIA THE WEBCAST AT **2:00 PM** ON JANUARY 16, 2024. NO ELECTRONIC BIDS WILL BE RECEIVED AFTER 2:00 PM.

1. THE BIDDER SHALL SELF REGISTER AT THE FOLLOWING WEBSITE FOR EACH PROJECT FOR WHICH THEY INTEND TO SUBMIT A BID IN RESPONSE TO THIS INVITATION TO BID

<https://connect.ncdot.gov/letting/pages/Interested-Parties.aspx>

2. A BID BOND OR BID DEPOSIT IN THE AMOUNT OF 5% OF THE TOTAL AMOUNT BID WILL BE REQUIRED. THE BIDDER SHALL SUBMIT AN ELECTRONIC BID BOND WITH EACH ELECTRONIC BID SUBMITTAL UNLESS THEY ELECT TO FURNISH A BID DEPOSIT.

3. UPON RECEIPT OF AWARD LETTER, THE SUCCESSFUL BIDDER SHALL FURNISH A PROPERLY EXECUTED EXECUTION OF CONTRACT, NON-COLLUSION, DEBARMENT AND GIFT BAN CERTIFICATION, EXECUTED PAYMENT AND PERFORMANCE BONDS, AND OPTIONAL BID ITEMS ELIGIBLE FOR STEEL PRICE ADJUSTMENT FORM (SPA-1) FOR EACH CONTRACT. CERTIFICATION FORMS AND BOND FORMS ARE AVAILABLE AS PART OF THE CONTRACT EXECUTION FORMS AT THE FOLLOWING WEBSITE <https://connect.ncdot.gov/letting/Pages/Central-Letting-Forms.aspx>. BID ITEMS ELIGIBLE FOR STEEL PRICE ADJUSTMENT FORM (SPA-1) IS AVAILABLE AT THE FOLLOWING WEBSITE <https://connect.ncdot.gov/letting/Pages/Central-Letting-Resources.aspx>.

ALL QUESTIONS RELATED TO PROJECTS DURING THE ADVERTISEMENT PERIOD SHALL BE EMAILED TO THE STATE CONTRACT OFFICER AT [ContractOfficer@ncdot.gov](mailto:ContractOfficer@ncdot.gov).

THE MINIMUM WAGE FOR LABOR WILL BE SHOWN IN THE PROPOSAL FORM FOR FEDERAL AID PROJECTS.

**CONTRACTOR'S LICENSE:** A GENERAL CONTRACTOR'S LICENSE IS REQUIRED IN ORDER TO SUBMIT A BID ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$30,000.00 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD. ON FEDERAL PROJECTS, THE APPROPRIATE CONTRACTOR'S LICENSE SHALL BE OBTAINED WITHIN 60 DAYS OF BID OPENING. FOR ADDITIONAL INFORMATION OR TO MAKE APPLICATION FOR A LICENSE, VISIT THE CONTRATOR LICENSING BOARD WEBSITE AT <https://www.nclbgc.org> OR EMAIL [licensing@nclbgc.org](mailto:licensing@nclbgc.org).

**PREQUALIFYING TO BID:** ALL PROSPECTIVE BIDDERS SHALL BE PREQUALIFIED WITH THE DEPARTMENT OF TRANSPORTATION PRIOR TO SUBMITTING A BID. CONTRACTORS WHO ARE NOT PREQUALIFIED MAY OBTAIN INFORMATION AND FORMS FOR PREQUALIFYING FROM THE PREQUALIFICATION SECTION OF THE CONTRACT STANDARDS AND DEVELOPMENT UNIT AT <https://connect.ncdot.gov/business/Prequal/Pages/default.aspx>. ALL REQUIRED PREQUALIFICATION STATEMENTS AND DOCUMENTS SHALL BE FILED WITH THE CONTRACTUAL SERVICES MANAGEMENT SECTION AT LEAST FOUR WEEKS PRIOR TO THE DATE OF OPENING BIDS.

THE DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY ENSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS INVITATION TO BID, MINORITY BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, OR NATIONAL ORIGIN IN COMPENSATION TO THIS AWARD.

PROPOSAL FORMS AT **\$25.00** EACH, PLANS (SMALL SIZE) AT **\$40.00** PER SET, PLANS (LARGE SIZE) AT **\$100.00** PER SET, AND CROSS-SECTIONS AT **\$40.00** PER SET, PLUS SALES TAX FOR N.C. RESIDENTS, MAY BE OBTAINED BY TELEPHONING (919-707-6925), FAXING (919-250-4127), OR VISITING THE WEBSITE AT: <https://connect.ncdot.gov/letting/Pages/Order-Plans.aspx>. THESE CHARGES ARE NOT DEPOSITS AND WILL NOT BE REFUNDED. ALL ORDERS FOR PROPOSAL FORMS, PLANS AND CROSS-SECTIONS DELIVERED IN NORTH CAROLINA ARE SUBJECT TO 7.25% SALES TAX. ORDERS MAILED TO OUT OF STATE CONTRACTORS ARE NOT SUBJECT TO SALES TAX. MAKE ALL CHECKS PAYABLE TO THE **"N.C. DEPARTMENT OF TRANSPORTATION"**.

THE RIGHT IS RESERVED TO REJECT ANY OR ALL BIDS.

**TODAY'S DATE IS DECEMBER 19, 2023.  
BY ORDER OF THE DEPARTMENT OF TRANSPORTATION  
(THE WORK WILL CONSIST APPROXIMATELY AS SHOWN ON THE FOLLOWING SHEETS)**

## REVIEW OF PLANS AND PROPOSALS IN DIVISION OFFICE

IN ORDER TO FACILITATE AND ENCOURAGE THE INVOLVEMENT OF MINORITY BUSINESS ENTERPRISES IN THE HIGHWAY CONSTRUCTION PROCESS, IT IS THE POLICY OF THE DEPARTMENT OF TRANSPORTATION, DIVISION OF HIGHWAYS, THAT A SET OF PLANS AND PROPOSAL FOR EACH PROJECT TO BE LET WILL BE MAINTAINED FOR REVIEW BY ANY CONTRACTOR INTERESTED IN BIDDING UPON OR QUOTING WORK IN AN ADVERTISED PROJECT.

THE PROPOSALS AND PLANS WILL BE AVAILABLE FOR REVIEW BEGINNING TWO WEEKS PRIOR TO THE DATE OF BID OPENING IN THE DIVISION OFFICE WHICH WILL ADMINISTER THE CONTRACT. THE DEPARTMENT WILL, UPON REQUEST, MAKE AVAILABLE FROM ITS STAFF A PERSON TO EXPLAIN THE PROPOSED PROJECT AND TO ANSWER GENERAL QUESTIONS RELATING TO THE PROJECT. THE PLANS AND PROPOSALS CAN BE REVIEWED ANY TIME MONDAY THRU FRIDAY, EXCLUDING HOLIDAYS, BETWEEN THE HOURS OF 8:00 A.M. AND 4:30 P.M. IN THE DIVISION OFFICE. IN ORDER TO HAVE A MEMBER OF THE STAFF EXPLAIN THE PROJECT AND/OR ANSWER GENERAL QUESTIONS PERTAINING TO THE PROJECT, PRIOR APPOINTMENTS MUST BE MADE BY CALLING THE APPROPRIATE DIVISION OFFICE.

FOLLOWING ARE THE LOCATIONS AND TELEPHONE NUMBERS OF THE OFFICES IN WHICH THE PLANS AND PROPOSALS WILL BE MADE AVAILABLE, REFERENCE SHOULD BE MADE TO THE SHEETS CONTAINING THE INDIVIDUAL PROJECT QUANTITIES TO DETERMINE WHICH DIVISION OFFICE WILL ADMINISTER THE CONTRACT.

<b>DIV NO.</b>	<b>DIVISION ENGINEER</b>	<b>TOWN</b>	<b>TELEPHONE</b>
001	C. Win Bridgers, Jr., PE	EDENTON	(252) 482-1850
002	Jeffrey Cabaniss, PE	GREENVILLE	(252) 439-2800
003	D. Chad Kimes, PE	CASTLE HAYNE	(910) 341-2000
004	D. Keith Eason, PE	WILSON	(252) 237-6164
005	Brandon Jones, PE	DURHAM	(919) 220-4600
006	Nathaniel Mills	FAYETTEVILLE	(910) 364-0600
007	Wright Archer, III, PE	GREENSBORO	(336) 487-0000
008	Reuben Blakley, PE	CARTHAGE	(910) 773-8000
009	S. Pat Ivey, PE	WINSTON-SALEM	(336) 747-7800
010	Brett Canipe, PE	ALBEMARLE	(704) 983-4400
011	Michael Poe, PE	NORTH WILKESBORO	(336) 903-9101
012	Mark Stafford, PE	SHELBY	(704) 480-5400
013	Timothy Anderson, PE	ASHEVILLE	(828) 250-3000
014	Wanda Payne, PE	SYLVA	(828) 586-2141

===== SUMMARY OF PROPOSALS =====

Bid Letting Number: L240116

RPN Contract Id	WBS	County	Length	Job Type
001	C204911	2024CPT.05.08.10921.1, ETC.	WAKE	18.111 MI MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
002	C204910	2024CPT.05.09.20921.1, ETC.	WAKE	15.782 MI MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
003	C204903	2024CPT.08.06.10191, ETC.	CHATHAM	31.160 MI MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
004	C204472	2024CPT.08.08.10471, ETC.	HOKE, SCOTLAND	15.380 MI MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
005	C204830	48409.3.1	STANLY	0.170 MI GRADING, DRAINAGE, PAVING, AND STRUCTURE.
006	C204828	17BP.14.R.204	JACKSON	0.341 MI GRADING, DRAINAGE, PAVING, AND STRUCTURES.

## STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L240116 001

CONTRACT ID : C204911

2024CPT.05.08.10921.1

DIV OFFICE DURHAM

LENGTH = 18.111 MI

COUNTY : WAKE

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL 5.00% COMPLETION DATE : OCT 15, 2025

2 SECTIONS OF NC-98 EAST, AND 60 SECTIONS OF SECONDARY ROADS.

## ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
20	SY	REMOVAL OF EXISTING ASPHALT PAVEMENT
60	TON	INCIDENTAL STONE BASE
30.36	SMI	SHOULDER RECONSTRUCTION
5,364	TON	AGGREGATE SHOULDER BORROW
140,123	SY	MILLING ASPHALT PAVEMENT, ****" DEPTH (1-1/2")
263	SY	MILLING ASPHALT PAVEMENT, ****" TO ***** (0" TO 1")
104	SY	MILLING ASPHALT PAVEMENT, ****" TO ***** (0" TO 1-1/2")
326	SY	MILLING ASPHALT PAVEMENT, ****" TO ***** (0" TO 1-1/4")
51,131	SY	INCIDENTAL MILLING
27,732	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,813	TON	ASPHALT BINDER FOR PLANT MIX
200	TON	PATCHING EXISTING PAVEMENT
108	LF	2'-6" CONCRETE CURB & GUTTER
51	SY	4" CONCRETE SIDEWALK
59	EA	REMOVE AND REPLACE CONCRETE CURB RAMPS
6	SY	GENERIC PAVING ITEM REMOVE AND REPLACE ISLAND
72	SY	GENERIC PAVING ITEM REMOVE AND REPLACE SIDEWALK
4	EA	GENERIC PAVING ITEM REMOVE CURB RAMP
6	EA	GENERIC PAVING ITEM RETROFIT CURB RAMP DETECTABLE WARNINGS
2	EA	ADJUSTMENT OF MANHOLES
36	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
2	EA	SIGN ERECTION, RELOCATE TYPE **** (GROUND MOUNTED) (E)
1,929	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
120	LF	PEDESTRIAN CHANNELIZING DEVICES
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
440	HR	LAW ENFORCEMENT
4	EA	GENERIC TRAFFIC CONTROL ITEM AUDIBLE WARNING DEVICES
20	EA	GENERIC TRAFFIC CONTROL ITEM PEDESTRIAN TRANSPORT SERVICE
91,740	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
8,490	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
2,480	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
12	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
255	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
3,190	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (4") (II)
3,190	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
2	EA	REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS
1,750	EA	NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
15,000	LF	INDUCTIVE LOOP SAWCUT

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L240116 002

CONTRACT ID : C204910 2024CPT.05.09.20921.1 DIV OFFICE DURHAM LENGTH = 15.782 MI

COUNTY : WAKE

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL 5.00% COMPLETION DATE : SEP 15, 2025

34 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS			1	EA	IN LANE ROUTE SHIELDS
Lump Sum	LS	MOBILIZATION	1,255	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
26	SY	REMOVAL OF EXISTING ASPHALT PAVEMENT	3,310	LF	INDUCTIVE LOOP SAWCUT
566	TON	INCIDENTAL STONE BASE			
12.47	SMI	SHOULDER RECONSTRUCTION			
1,173	TON	AGGREGATE SHOULDER BORROW			
141,423	SY	MILLING ASPHALT PAVEMENT, ****" DEPTH (1-1/2")			
356	SY	MILLING ASPHALT PAVEMENT, ****" TO ***** (0" TO 1-1/2")			
13,664	SY	INCIDENTAL MILLING			
14,915	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B			
9,554	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C			
1,589	TON	ASPHALT BINDER FOR PLANT MIX			
1,149	TON	PATCHING EXISTING PAVEMENT			
10	LF	*** X *** CONCRETE CURB (8" X 6")			
190	LF	2'-6" CONCRETE CURB & GUTTER			
102	SY	4" CONCRETE SIDEWALK			
2	EA	CONCRETE CURB RAMPS			
71	EA	REMOVE AND REPLACE CONCRETE CURB RAMPS			
64	SY	GENERIC PAVING ITEM REMOVE AND REPLACE SIDEWALK			
6	SY	GENERIC PAVING ITEM REMOVE ISLAND			
2	SY	GENERIC PAVING ITEM REMOVE SIDEWALK			
10	LF	GENERIC PAVING ITEM REMOVE AND REPLACE CURB & GUTTER			
12	EA	GENERIC PAVING ITEM REMOVE CURB RAMP			
4	EA	GENERIC PAVING ITEM RETROFIT CURB RAMP DETECTABLE WARNINGS			
5	EA	ADJUSTMENT OF MANHOLES			
3	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES			
2	EA	SIGN ERECTION, RELOCATE TYPE **** (GROUND MOUNTED) (E)			
1,864	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING			
120	LF	PEDESTRIAN CHANNELIZING DEVICES			
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL			
400	HR	LAW ENFORCEMENT			
8	EA	GENERIC TRAFFIC CONTROL ITEM AUDIBLE WARNING DEVICES			
20	EA	GENERIC TRAFFIC CONTROL ITEM PEDESTRIAN TRANSPORT SERVICE (PER TRIP)			
175,123	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)			
1,423	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)			
2,062	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)			
150	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 90 MILS)			
2,035	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)			
59	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)			
180	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)			
1,255	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (4") (III)			



## STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L240116

003

CONTRACT ID : C204903

2024CPT.08.06.10191

DIV OFFICE CARTHAGE

LENGTH = 31.160 MI

COUNTY : CHATHAM

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL 3.00% COMPLETION DATE : OCT 01, 2025

1 SECTION OF US-421 N AND S, 1 SECTION OF US-15, AND 16 SECTIONS OF SECONDARY ROADS.

## ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
52.72	SMI	SHOULDER RECONSTRUCTION
7,293	TON	AGGREGATE SHOULDER BORROW
91,137	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (2")
8,342	SY	INCIDENTAL MILLING
23,478	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
20,279	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
2,797	TON	ASPHALT BINDER FOR PLANT MIX
1,515	TON	PATCHING EXISTING PAVEMENT
65,000	SY	ASPHALT SURFACE TREATMENT, MAT COAT, #*** STONE (#67)
26,000	GAL	EMULSION FOR ASPHALT SURFACE TREATMENT
3	WK	VACUUM TRUCK
50,160	LF	MILLED RUMBLE STRIPS (ASPHALT CONCRETE)
5	TON	BLOTTING SAND
3,398	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
40	HR	LAW ENFORCEMENT
136,455	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
687	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
250	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
92	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
32	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
531,783	LF	PAINT PAVEMENT MARKING LINES (4")
687	LF	PAINT PAVEMENT MARKING LINES (8")
250	LF	PAINT PAVEMENT MARKING LINES (12")
250	LF	PAINT PAVEMENT MARKING LINES (16")
289	LF	PAINT PAVEMENT MARKING LINES (24")
10	EA	PAINT PAVEMENT MARKING CHARACTER
32	EA	PAINT PAVEMENT MARKING SYMBOL
654	EA	NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
216	LF	INDUCTIVE LOOP SAWCUT
216	LF	LEAD-IN CABLE (14-2)

## STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L240116 004

CONTRACT ID : C204472 2024CPT.08.08.10471 DIV OFFICE CARTHAGE LENGTH = 15.380 MI

COUNTY : HOKE, SCOTLAND

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL 4.00% COMPLETION DATE : OCT 01, 2025

1 SECTION OF US-401, 1 SECTION OF US-74 BUS, AND 6 SECTIONS OF SECONDARY ROADS.

## ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
17	SMI	SHOULDER RECONSTRUCTION
2,382	TON	AGGREGATE SHOULDER BORROW
117,639	SY	MILLING ASPHALT PAVEMENT, ****" DEPTH (1-1/2")
29,654	SY	INCIDENTAL MILLING
10,016	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
13,254	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
1,587	TON	ASPHALT BINDER FOR PLANT MIX
2,872	TON	PATCHING EXISTING PAVEMENT
125	TON	GENERIC PAVING ITEM JOINT REPAIR
2	EA	ADJUSTMENT OF MANHOLES
3	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
1,711	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
120	HR	LAW ENFORCEMENT
164,385	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
575	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
1,224	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
1,180	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
12	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
90	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
290,792	LF	PAINT PAVEMENT MARKING LINES (4")
575	LF	PAINT PAVEMENT MARKING LINES (8")
1,131	LF	PAINT PAVEMENT MARKING LINES (12")
1,221	LF	PAINT PAVEMENT MARKING LINES (24")
21	EA	PAINT PAVEMENT MARKING CHARACTER
86	EA	PAINT PAVEMENT MARKING SYMBOL
636	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
978	EA	NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
Lump Sum	LS	PORTABLE LIGHTING
3,204	LF	INDUCTIVE LOOP SAWCUT
100	LF	LEAD-IN CABLE (14-2)

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L240116

005

CONTRACT ID : C204830 48409.3.1

DIV OFFICE ALBEMARLE

LENGTH = 0.170 MI

COUNTY : STANLY

GRADING, DRAINAGE, PAVING, AND STRUCTURE.

DBE GOAL 3.00% COMPLETION DATE : DEC 12, 2025

BRIDGE #102 OVER LONG CREEK ON SR-1917.

ROADWAY ITEMS						
			1,176	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (4") (I)	
Lump Sum	LS	MOBILIZATION				
Lump Sum	LS	CONSTRUCTION SURVEYING	11	EA	PERMANENT RAISED PAVEMENT MARKERS	
450	CY	UNDERCUT EXCAVATION	2,390	LF	TEMPORARY SILT FENCE	
Lump Sum	LS	GRADING	70	TON	STONE FOR EROSION CONTROL, CLASS A	
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING	285	TON	STONE FOR EROSION CONTROL, CLASS B	
400	CY	SELECT GRANULAR MATERIAL	545	TON	SEDIMENT CONTROL STONE	
600	SY	GEOTEXTILE FOR SOIL STABILIZATION	2	ACR	TEMPORARY MULCHING	
Lump Sum	LS	GENERIC GRADING ITEM TYPE 1 BRIDGE APPROACH FILL, STATION 17+66.00 -L-	100	LB	SEED FOR TEMPORARY SEEDING	
			1	TON	FERTILIZER FOR TEMPORARY SEEDING	
20	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	200	LF	TEMPORARY SLOPE DRAINS	
60	SY	FOUNDATION CONDITIONING GEOTEXTILE	260	LF	SAFETY FENCE	
124	LF	15" DRAINAGE PIPE	470	CY	SILT EXCAVATION	
2	EA	*** DRAINAGE PIPE ELBOWS (15")	7,795	SY	MATTING FOR EROSION CONTROL	
52	LF	24" RC PIPE CULVERTS, CLASS III	100	SY	COIR FIBER MAT	
40	LF	PIPE REMOVAL	500	SY	PERMANENT SOIL REINFORCEMENT MAT	
100	CY	SHALLOW UNDERCUT	280	LF	1/4" HARDWARE CLOTH	
200	TON	CLASS IV SUBGRADE STABILIZATION	370	SY	FLOATING TURBIDITY CURTAIN	
300	SY	GEOTEXTILE FOR SUBGRADE STABILIZATION	18	EA	SPECIAL STILLING BASINS	
200	TON	INCIDENTAL STONE BASE	90	LB	FLOCCULANT	
335	SY	INCIDENTAL MILLING	4.4	ACR	SEEDING & MULCHING	
640	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	3	ACR	MOWING	
340	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B	50	LB	SEED FOR REPAIR SEEDING	
55	TON	ASPHALT BINDER FOR PLANT MIX	0.25	TON	FERTILIZER FOR REPAIR SEEDING	
6	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR	50	LB	SEED FOR SUPPLEMENTAL SEEDING	
44.8	CY	SUBDRAIN EXCAVATION	1	TON	FERTILIZER TOPDRESSING	
200	SY	GEOTEXTILE FOR SUBSURFACE DRAINS	10	MHR	SPECIALIZED HAND MOWING	
33.6	CY	SUBDRAIN COARSE AGGREGATE	25	EA	RESPONSE FOR EROSION CONTROL	
200	LF	6" PERFORATED SUBDRAIN PIPE	1	EA	CONCRETE WASHOUT STRUCTURE	
1	EA	SUBDRAIN PIPE OUTLET			<b>STRUCTURE ITEMS</b>	
6	LF	6" OUTLET PIPE	Lump Sum	LS	CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP ACCESS AT STA ***** (17+66.00 -L-)	
3	EA	MASONRY DRAINAGE STRUCTURES	Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (17+66.00 -L-)	
1	EA	FRAME WITH TWO GRATES, STD 840.24	Lump Sum	LS	ASBESTOS ASSESSMENT	
2	EA	FRAME WITH TWO GRATES, STD 840.29	168	LF	***,*** DIA DRILLED PIERS (3'-0")	
131	LF	SHOULDER BERM GUTTER	72	LF	PERMANENT STEEL CASING FOR 3'-0" DIA DRILLED PIER	
575	LF	STEEL BEAM GUARDRAIL	2	EA	CSL TESTING	
75	LF	STEEL BEAM GUARDRAIL, SHOP CURVED	Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ***** (17+66.00 -L-)	
5	EA	ADDITIONAL GUARDRAIL POSTS	109.2	CY	CLASS A CONCRETE (BRIDGE)	
4	EA	GUARDRAIL ANCHOR UNITS, TYPE III	Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ***** (17+66.00 -L-)	
4	EA	GUARDRAIL END UNITS, TYPE TL-3	37,166	LB	REINFORCING STEEL (BRIDGE)	
72	TON	RIP RAP, CLASS I	5,800	LB	SPIRAL COLUMN REINFORCING STEEL (BRIDGE)	
280	TON	RIP RAP, CLASS B	14	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES (HP 12 X 53)	
2,220	SY	GEOTEXTILE FOR DRAINAGE	390	LF	HP 12 X 53 STEEL PILES	
48	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (E)	56	LF	PREDRILLING FOR PILES	
63	LF	SUPPORTS, 3-LB STEEL U-CHANNEL	540.76	LF	VERTICAL CONCRETE BARRIER RAIL	
7	EA	SIGN ERECTION, TYPE E	637	TON	RIP RAP CLASS II (2'-0" THICK)	
14	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL	788	SY	GEOTEXTILE FOR DRAINAGE	
403	SF	WORK ZONE SIGNS (STATIONARY)				
104	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)				
104	LF	BARRICADES (TYPE III)				
3,035	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)				

Lump Sum	LS	ELASTOMERIC BEARINGS
2,970	LF	3'-0" X 2'-0" PRESTRESSED CONC CORED SLABS

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L240116

006

CONTRACT ID : C204828

17BP.14.R.204

DIV OFFICE SYLVA

LENGTH = 0.341 MI

COUNTY : JACKSON

GRADING, DRAINAGE, PAVING, AND STRUCTURES.

DBE GOAL 3.00% COMPLETION DATE : DEC 12, 2026

BRIDGE #32 OVER SAVANNAH CREEK ON NC-116.

ROADWAY ITEMS

			4	EA	GUARDRAIL END UNITS, TYPE TL-3
Lump Sum	LS	MOBILIZATION	75	LF	TEMPORARY STEEL BEAM GUARDRAIL
Lump Sum	LS	CONSTRUCTION SURVEYING	2	EA	TEMPORARY GUARDRAIL ANCHOR UNITS, TYPE *****
Lump Sum	LS	GRADING			(III)
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING	3	EA	TEMPORARY GUARDRAIL END UNITS, TYPE *****
450	CY	UNDERCUT EXCAVATION			(TL-3)
2,000	SY	PRE-SPLITTING OF ROCK	400	LF	** STRAND BARBED WIRE FENCE WITH POSTS
400	CY	SELECT GRANULAR MATERIAL			(4)
400	SY	GEOTEXTILE FOR SOIL STABILIZATION	263	TON	RIP RAP, CLASS I
500	SF	TEMPORARY SHORING	1,046	SY	GEOTEXTILE FOR DRAINAGE
600	SY	GENERIC GRADING ITEM TYPE 2 WIRE MESH	157	SF	WORK ZONE SIGNS (STATIONARY)
Lump Sum	LS	GENERIC GRADING ITEM TYPE 1 BRIDGE APPROACH FILL, STATION 24+58.00 -L-	160	SF	WORK ZONE SIGNS (PORTABLE)
1,275	LF	GENERIC GRADING ITEM ROCK ANCHORS	40	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
50	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	200	EA	DRUMS
140	SY	FOUNDATION CONDITIONING GEOTEXTILE	25	EA	CONES
60	LF	15" DRAINAGE PIPE	112	LF	BARRICADES (TYPE III)
52	LF	24" DRAINAGE PIPE	180	DAY	FLAGGER
112	LF	15" RC PIPE CULVERTS, CLASS IV	720	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (4")
184	LF	18" CS PIPE CULVERTS, 0.064" THICK			(IV)
2	EA	** CS PIPE ELBOWS, ***** THICK (18", 0.064")	22,342	LF	PAINT PAVEMENT MARKING LINES (4")
100	CY	SHALLOW UNDERCUT	400	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
200	TON	CLASS IV SUBGRADE STABILIZATION	3	EA	PERMANENT RAISED PAVEMENT MARKERS
300	SY	GEOTEXTILE FOR SUBGRADE STABILIZATION	22	EA	NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
650	TON	AGGREGATE BASE COURSE	3,210	LF	TEMPORARY SILT FENCE
200	TON	INCIDENTAL STONE BASE	125	TON	STONE FOR EROSION CONTROL, CLASS A
450	SY	INCIDENTAL MILLING	605	TON	STONE FOR EROSION CONTROL, CLASS B
1,145	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	505	TON	SEDIMENT CONTROL STONE
1,250	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C	4	ACR	TEMPORARY MULCHING
1,260	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C	300	LB	SEED FOR TEMPORARY SEEDING
190	TON	ASPHALT BINDER FOR PLANT MIX	1.5	TON	FERTILIZER FOR TEMPORARY SEEDING
44.8	CY	SUBDRAIN EXCAVATION	200	LF	TEMPORARY SLOPE DRAINS
200	SY	GEOTEXTILE FOR SUBSURFACE DRAINS	920	LF	SAFETY FENCE
33.6	CY	SUBDRAIN COARSE AGGREGATE	890	CY	SILT EXCAVATION
200	LF	6" PERFORATED SUBDRAIN PIPE	16,395	SY	MATTING FOR EROSION CONTROL
1	EA	SUBDRAIN PIPE OUTLET	875	SY	COIR FIBER MAT
6	LF	6" OUTLET PIPE	425	LF	1/4" HARDWARE CLOTH
4	EA	MASONRY DRAINAGE STRUCTURES	12	EA	SPECIAL STILLING BASINS
1	EA	FRAME WITH TWO GRATES, STD 840.22	150	LB	FLOCCULANT
3	EA	FRAME WITH TWO GRATES, STD 840.29	50	LF	COIR FIBER BAFFLE
30	LF	SHOULDER BERM GUTTER	4	ACR	SEEDING & MULCHING
420	LF	CONCRETE EXPRESSWAY GUTTER	2	ACR	MOWING
20	SY	5" MONOLITHIC CONCRETE ISLANDS (SURFACE MOUNTED)	50	LB	SEED FOR REPAIR SEEDING
1,025	LF	STEEL BEAM GUARDRAIL	0.25	TON	FERTILIZER FOR REPAIR SEEDING
50	LF	STEEL BEAM GUARDRAIL, SHOP CURVED	125	LB	SEED FOR SUPPLEMENTAL SEEDING
10	EA	ADDITIONAL GUARDRAIL POSTS	3.75	TON	FERTILIZER TOPDRESSING
1	EA	GUARDRAIL ANCHOR UNITS, TYPE ***** (B-83, SHOP CURVED)	340	LF	IMPERVIOUS DIKE
1	EA	GUARDRAIL ANCHOR UNITS, TYPE ***** (III, SHOP CURVED)	10	MHR	SPECIALIZED HAND MOWING
2	EA	GUARDRAIL END UNITS, TYPE AT-1	4	MHR	MANUAL LITTER REMOVAL
2	EA	GUARDRAIL ANCHOR UNITS, TYPE III	1	TON	LITTER DISPOSAL
			13	EA	RESPONSE FOR EROSION CONTROL
			2	EA	CONCRETE WASHOUT STRUCTURE
			2	ACR	REFORESTATION
			0.03	ACR	STREAMBANK REFORESTATION

6	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION CLEANOUT
2	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION, TYPE 1
		STRUCTURE ITEMS
Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (24+58.00 -L-)
Lump Sum	LS	ASBESTOS ASSESSMENT
184	LF	PILE EXCAVATION IN SOIL
34	LF	PILE EXCAVATION NOT IN SOIL
35.24	LF	4'-0" DIA DRILLED PIERS IN SOIL
52	LF	4'-0" DIA DRILLED PIERS NOT IN SOIL
39.24	LF	PERMANENT STEEL CASING FOR 4'-0" DIA DRILLED PIER
1	EA	CSL TESTING
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ***** (24+58.00 -L-)
6,250	SF	REINFORCED CONCRETE DECK SLAB
7,652	SF	GROOVING BRIDGE FLOORS
205.6	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ***** (24+58.00 -L-)
41,610	LB	REINFORCING STEEL (BRIDGE)
3,443	LB	SPIRAL COLUMN REINFORCING STEEL (BRIDGE)
668.32	LF	45" PRESTRESSED CONCRETE GIRDERS
23	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES (HP 12 X 53)
345	LF	HP 12 X 53 STEEL PILES
325.61	LF	TWO BAR METAL RAIL
359.3	LF	1'-***" X *****" CONCRETE PARAPET (1'-2" X 2'-6")
235	TON	RIP RAP CLASS II (2'-0" THICK)
260	SY	GEOTEXTILE FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS
Lump Sum	LS	GENERIC STRUCTURE ITEM STRIP SEAL EXPANSION JOINTS