

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

ROY COOPER GOVERNOR

J. ERIC BOYETTE SECRETARY



Upcoming Opportunities for DBE Firms to Participate on NCDOT Projects

As part of the North Carolina Department of Transportation's continuing commitment to promote Disadvantaged/Minority/Women Business Enterprise (D/M/WBE) participation, the Division of Highways Chief Engineer's Office would like to remind you of the broad range of construction, maintenance, and operational opportunities available within NCDOT. One of these opportunities is the monthly advertisement of Central Let projects with letting held on the third Tuesday of each month. NCDOT is requesting bids for the following projects. If your firm is eligible to bid (i.e., prequalified as a Bidder), you can download and print the bid related items from this list.

Central Highway Letting

If you are interested in providing subcontractor work for any of these projects, we strongly encourage you to solicit each of the contractors bidding on these projects to see if they are interested in receiving a quote. A list of interested parties with their contact information is listed for each project being advertised.



Central Plan Holder List

I would like to personally thank you for your time in considering this opportunity with the North Carolina Department of Transportation.

Sincerely,

Ronald L. Keeter, Jr, PE **Chief Engineer Division of Highways** Mailing Address:

NC DEPARTMENT OF TRANSPORTATION OFFICE OF THE CHIEF ENGINEER MAIL SERVICE CENTER 1536 RALEIGH, NC 27699-1536

Telephone 919-707-2500 Fax: 919-733-9428 Customer Service: 1-877-368-4968

Location: 1 SOUTH WILMINGTON STREET RALEIGH, NC 27601

Website: www.ncdot.gov

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION INVITATION TO BID

ELECTRONIC BIDS (UNLESS OTHERWISE SPECIFIED IN THE PROJECT SPECIAL PROVISION) FOR THE CONSTRUCTION OF THE FOLLOWING PROJECTS WILL BE PUBLICLY READ IN ROOM 156-A/B, THE CONTRACT STANDARDS AND DEVELOPMENT UNIT LARGE CONFERENCE ROOM, LOCATED IN BUILDING B AT 1020 BIRCH RIDGE DRIVE, RALEIGH, N.C. AT **2:00 PM** ON JANUARY 18, 2022. NO ELECTRONIC BIDS WILL BE RECEIVED AFTER 2.00 PM.

1. THE BIDDER SHALL PURCHASE A PROPOSAL FOR EACH PROJECT FOR WHICH THEY INTEND TO SUBMIT A BID IN RESPONSE TO THIS INVITATION TO BID.

2. A BID BOND OR BID DEPOSIT IN THE AMOUNT OF 5% OF THE TOTAL AMOUNT BID WILL BE REQUIRED. THE BIDDER SHALL SUBMIT AN ELECTRONIC BID BOND WITH EACH ELECTRONIC BID SUBMITTAL UNLESS THEY ELECT TO FURNISH A BID DEPOSIT.

3. UPON RECEIPT OF AWARD LETTER, THE SUCCESSFUL BIDDER SHALL FURNISH A PROPERLY EXECUTED EXECUTION OF CONTRACT, NON-COLLUSION, DEBARMENT AND GIFT BAN CERTIFICATION, AND EXECUTED PAYMENT AND PERFORMANCE BONDS FOR EACH CONTRACT. CERTIFICATION FORMS AND BOND FORMS ARE AVAILABLE AS PART OF THE CONTRACT EXECUTION FORMS AT THE FOLLOWING WEBSITE https://connect.ncdot.gov/letting/Pages/Central-Letting-Forms.aspx.

ALL QUESTIONS RELATED TO PROJECTS DURING THE ADVERTISEMENT PERIOD SHALL BE EMAILED TO THE STATE CONTRACT OFFICER AT ContractOfficer@ncdot.gov.

THE MINIMUM WAGE FOR LABOR WILL BE SHOWN IN THE PROPOSAL FORM FOR FEDERAL AID PROJECTS.

CONTRACTOR'S LICENSE: A GENERAL CONTRACTOR'S LICENSE IS REQUIRED IN ORDER TO SUBMIT A BID ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$30,000.00 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD. ON FEDERAL PROJECTS, THE APPROPRIATE CONTRACTORS LICENSE SHALL BE OBTAINED WITHIN 60 DAYS OF BID OPENING. FOR ADDITIONAL INFORMATION OR TO MAKE APPLICATION FOR A LICENSE, APPLY TO THE EXECUTIVE SECRETARY OF THE CONTRACTOR LICENSING BOARD, P.O. BOX 17187, RALEIGH, NC 27619, (919-571-4183).

PREQUALIFYING TO BID: ALL PROSPECTIVE BIDDERS SHALL BE PREQUALIFIED WITH THE DEPARTMENT OF TRANSPORTATION PRIOR TO SUBMITTING A BID. CONTRACTORS WHO ARE NOT PREQUALIFIED MAY OBTAIN INFORMATION AND FORMS FOR PREQUALIFYING FROM THE CONTRACTUAL SERVICES MANAGEMENT SECTION OF THE CONTRACT STANDARDS AND DEVELOPMENT UNIT. 1509 MAIL SERVICE CENTER, RALEIGH, N. C., . ALL REQUIRED PREQUALIFICATION STATEMENTS AND DOCUMENTS SHALL BE FILED WITH THE CONTRACTUAL SERVICES MANAGEMENT SECTION AT LEAST FOUR WEEKS PRIOR TO THE DATE OF OPENING BIDS.

THE DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY ENSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS INVITATION TO BID, MINORITY BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, OR NATIONAL ORIGIN IN COMPENSATION TO THIS AWARD.

PROPOSAL FORMS AT **\$25.00** EACH, PLANS (SMALL SIZE) AT **\$40.00** PER SET, PLANS (LARGE SIZE) AT **\$100.00** PER SET, AND CROSS-SECTIONS AT **\$40.00** PER SET, PLUS SALES TAX FOR N.C. RESIDENTS, MAY BE OBTAINED BY TELEPHONING (919-707-6925), FAXING (919-250-4127), OR WRITING TO: PLANS AND PROPOSALS, CONTRACT STANDARDS AND DEVELOPMENT UNIT, DEPARTMENT OF TRANSPORTATION, 1020 BIRCH RIDGE DRIVE, RALEIGH, N.C., 27610. THESE CHARGES ARE NOT DEPOSITS AND WILL NOT BE REFUNDED. ALL ORDERS FOR PROPOSAL FORMS, PLANS AND CROSS-SECTIONS DELIVERED IN NORTH CAROLINA ARE SUBJECT TO 7.25% SALES TAX. ORDERS MAILED TO OUT OF STATE CONTRACTORS ARE NOT SUBJECT TO SALES TAX. MAKE ALL CHECKS PAYABLE TO THE **"N.C. DEPARTMENT OF TRANSPORTATION".**

THE RIGHT IS RESERVED TO REJECT ANY OR ALL BIDS.

TODAY'S DATE IS DECEMBER 21, 2021. BY ORDER OF THE DEPARTMENT OF TRANSPORTATION (THE WORK WILL CONSIST APPROXIMATELY AS SHOWN ON THE FOLLOWING SHEETS)

(Revised on 15 Aug 2019)

REVIEW OF PLANS AND PROPOSALS IN DIVISION OFFICE

IN ORDER TO FACILITATE AND ENCOURAGE THE INVOLVEMENT OF MINORITY BUSINESS ENTERPRISES IN THE HIGHWAY CONSTRUCTION PROCESS, IT IS THE POLICY OF THE DEPARTMENT OF TRANSPORTATION, DIVISION OF HIGHWAYS, THAT A SET OF PLANS AND PROPOSAL FOR EACH PROJECT TO BE LET WILL BE MAINTAINED FOR REVIEW BY ANY CONTRACTOR INTERESTED IN BIDDING UPON OR QUOTING WORK IN AN ADVERTISED PROJECT.

THE PROPOSALS AND PLANS WILL BE AVAILABLE FOR REVIEW BEGINNING TWO WEEKS PRIOR TO THE DATE OF BID OPENING IN THE DIVISION OFFICE WHICH WILL ADMINISTER THE CONTRACT. THE DEPARTMENT WILL, UPON REQUEST, MAKE AVAILABLE FROM ITS STAFF A PERSON TO EXPLAIN THE PROPOSED PROJECT AND TO ANSWER GENERAL QUESTIONS RELATING TO THE PROJECT. THE PLANS AND PROPOSALS CAN BE REVIEWED ANY TIME MONDAY THRU FRIDAY, EXCLUDING HOLIDAYS, BETWEEN THE HOURS OF 8:00 A.M. AND 4:30 P.M. IN THE DIVISION OFFICE. IN ORDER TO HAVE A MEMBER OF THE STAFF EXPLAIN THE PROJECT AND/OR ANSWER GENERAL QUESTIONS PERTAINING TO THE PROJECT, PRIOR APPOINTMENTS MUST BE MADE BY CALLING THE APPROPRIATE DIVISION OFFICE.

FOLLOWING ARE THE LOCATIONS AND TELEPHONE NUMBERS OF THE OFFICES IN WHICH THE PLANS AND PROPOSALS WILL BE MADE AVAILABLE, REFERENCE SHOULD BE MADE TO THE SHEETS CONTAINING THE INDIVIDUAL PROJECT QUANTITIES TO DETERMINE WHICH DIVISION OFFICE WILL ADMINISTER THE CONTRACT.

DIV NO	<u>. DIVISION ENGINEER</u>	LOCATION	TOWN	TELEPHONE
00001	Sterling D Baker, PE	113 AIRPORT DRIVE, SUITE 100	EDENTON	(252) 482-1850
00002	R. Preston Hunter, PE	PO BOX 1587	GREENVILLE	(252) 439-2800
00003	D. Chad Kimes, PE	5501 BARBADOS BLVD	CASTLE HAYNE	(910) 341-2000
00004	Kevin G Bowen, PE	PO BOX 3165	WILSON	(252) 237-6164
00005	Brandon H Jones, PE	2612 NORTH DUKE STREET	DURHAM	(919) 220-4600
00006	Howard L Cox, PE	PO BOX 1150	FAYETTEVILLE	(910) 486-1493
00007	Wright R Archer, III, PE	PO BOX 14996	GREENSBORO	(336) 487-0000
00008	Patrick Norman, PE	121 DOT DRIVE	CARTHAGE	(910) 773-8000
00009	S. Pat Ivey, PE	375 SILAS CREEK PARKWAY	WINSTON-SALEM	(336) 747-7800
00010	Brett D Canipe, PE	716 WEST MAIN STREET	ALBEMARLE	(704) 983-4400
00011	Michael A Pettyjohn, PE	PO BOX 250	NORTH WILKESBORO	(336) 903-9101
00012	Mark E Stafford, PE	PO BOX 47	SHELBY	(704) 480-5400
00013	Mark T Gibbs, PE	PO BOX 3279	ASHEVILLE	(828) 250-3000
00014	Wanda H Austin, PE	253 WEBSTER ROAD	SYLVA	(828) 586-2141

			=== SUMMARY OF PROPOSALS ==		
Bid I	Letting Numl	ber L220118			
RPN	Contract Id	WBS	County	Length	JobType
003	C204301	15BPR.26	NEW HANOVER, PENDER	0.436 MI	BRIDGE PRESERVATION.
004	C204629	45579.3.1	BRUNSWICK	0.266 MI	GRADING, DRAINAGE, PAVING, AND STRUCTURE.
005	C204542	47133.3.1	NASH	1.185 MI	GRADING, DRAINAGE, PAVING, REATINING WALLS, AND STRUCTURE.
006	C204690	2022CPT.05.14.10391.1 ETC.	GRANVILLE	17.090 MI	MILLING, RESURFACING, AND SHOULDER GRADING.
007	C204689	2022CPT.05.15.20351.1	FRANKLIN	22.860 MI	MILLING, RESURFACING, AND SHOULDER GRADING.
008	C204656	47954.3.1	WAKE	12.288 MI	PAVEMENT REHABILITATION.
009	C204691	2022CPT.08.18.10191 ETC.	СНАТНАМ	14.826 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
010	C204692	49073.3.1	MOORE	0.326 MI	GRADING, DRAINAGE, PAVING, AND CULVERT.
011	C204417	45767.3.1	CABARRUS	0.352 MI	GRADING, DRAINAGE, PAVING, AND STRUCTURE.

CONTRACT ID : C204301 15BPR.26

DIV OFFICE CASTLE HAYNE

L220118 003 LENGTH = 0.436 MI

COUNTY : NEW HANOVER, PENDER

BRIDGE PRESERVATION.

DBE GOAL 1.0% COMPLETION DATE : NOV 15 2022 STRUCTURE #640048 AND STRUCTURE #640049 ON I-40 OVER NORTHEAST CAPE FEAR RIVER.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
176	SF	WORK ZONE SIGNS (STATIONARY)
526	SF	WORK ZONE SIGNS (PORTABLE)
4	EA	FLASHING ARROW BOARD
7	EA	PORTABLE CHANGEABLE MESSAGE SIGN
4	EA	WORK ZONE DIGITAL SPEED LIMIT SIGNS
132	EA	DRUMS
14	EA	SEQUENTIAL FLASHING WARNING LIGHTS
2	EA	TMA
60	HR	LAW ENFORCEMENT
120	EA	SKINNY DRUM
11,400	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (6") (IV)

STRUCTURE ITEMS

76,814.6	SF	GROOVING BRIDGE FLOORS
115.1	SY	CLASS II, SURFACE PREPARATION
45.6	CF	SHOTCRETE REPAIRS
1,362	LF	EPOXY RESIN INJECTION
1,036	LF	GENERIC STRUCTURE ITEM POURABLE SILICONE JOINT SEALANT
26.7	CF	GENERIC STRUCTURE ITEM REPAIRS TO PRESTRESSED CONCRETE GIRDERS
2,640	SF	GENERIC STRUCTURE ITEM EPOXY COATING
2,938	SF	GENERIC STRUCTURE ITEM FIBER REINFORCED POLYMER STRENGTHENING SYSTEM
28,405.1	SF	GENERIC STRUCTURE ITEM SILANE BARRIER RAIL TREATMENT
28,405.1	SF	GENERIC STRUCTURE ITEM SURFACE PREPARATION FOR CONCRETE BARRIER
115.1	SY	GENERIC STRUCTURE ITEM CONCRETE DECK REPAIR FOR POLYMER CONCRETE OVERLAY
9,366.8	SY	GENERIC STRUCTURE ITEM PLACING AND FINISHING POLYMER CONCRETE OVERLAY
9,366.8	SY	GENERIC STRUCTURE ITEM SCARIFYING BRIDGE DECK
9,366.8	SY	GENERIC STRUCTURE ITEM SHOTBLASTING BRIDGE DECK

		******* BEGIN SCHEDULE AA ******
		******* (2 ALTERNATES) ******
257.8	CY	GENERIC STRUCTURE ITEM POLYESTER POLYMER CONCRETE MATERIALS
		*** OR ***
257.8	СҮ	GENERIC STRUCTURE ITEM EPOXY POLYMER CONCRETE MATERIALS

*** END SCHEDULE AA ***

Page: 2 of 15

L220118 004

LENGTH = 0.266 MI

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

DIV OFFICE CASTLE HAYNE

18 EA

COUNTY : BRUNSWICK

CONTRACT ID : C204629

BRIDGE #57 OVER DRIVING CREEK ON NC-211.

GRADING, DRAINAGE, PAVING, AND STRUCTURE.

45579.3.1

ROADWAY ITEMS

	1.0	MODULIZI TION
Lump Sum	LS	MOBILIZATION
Lump Sum Lump Sum	LS LS	CONSTRUCTION SURVEYING TYPE II MODIFIED APPROACH
Lump Sull	го	FILL, STATION ******
		(17+46.00 -L-)
300	CY	UNDERCUT EXCAVATION
Lump Sum	LS	GRADING
1	ACR	SUPPLEMENTARY CLEARING & GRUB- BING
1,445	CY	DRAINAGE DITCH EXCAVATION
600	CY	SELECT GRANULAR MATERIAL
1,600	SY	GEOTEXTILE FOR SOIL STABILIZA-
		TION
260	SF	TEMPORARY SHORING ROCK PLATING
1,100 50	SY TON	FOUNDATION CONDITIONING MATE-
50	TON	RIAL, MINOR STRUCTURES
150	SY	FOUNDATION CONDITIONING GEO-
		TEXTILE
64	LF	15" DRAINAGE PIPE
4	EA	**" DRAINAGE PIPE ELBOWS
276	LF	(15") 15" RC PIPE CULVERTS, CLASS
270	LI	III
100	LF	15" RC PIPE CULVERTS, CLASS IV
316	LF	PIPE REMOVAL
10	TON	AGGREGATE BASE COURSE
210	SY	INCIDENTAL MILLING
1,650	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
880	TON	ASPHALT CONC INTERMEDIATE
		COURSE, TYPE I19.0C
1,130	TON	ASPHALT CONC SURFACE COURSE,
		TYPE S9.5B
185	TON	ASPHALT BINDER FOR PLANT MIX SUBDRAIN EXCAVATION
50 200	CY SY	GEOTEXTILE FOR SUBSURFACE
200	51	DRAINS
40	CY	SUBDRAIN COARSE AGGREGATE
200	LF	6" PERFORATED SUBDRAIN PIPE
1	EA	SUBDRAIN PIPE OUTLET
6	LF	6" OUTLET PIPE
10	EA	MASONRY DRAINAGE STRUCTURES
10	EA	FRAME WITH TWO GRATES, STD 840.29
130	LF	SHOULDER BERM GUTTER
737.5	LF	STEEL BEAM GUARDRAIL
10	EA	ADDITIONAL GUARDRAIL POSTS
4	EA	GUARDRAIL END UNITS, TYPE TL-3
4	EA	GUARDRAIL ANCHOR UNITS, TYPE
		B-77
306	LF	REMOVE EXISTING GUARDRAIL
987.5 4	LF EA	TEMPORARY STEEL BEAM GUARDRAIL TEMPORARY GUARDRAIL ANCHOR
-	LA	UNITS, TYPE *********
		(B-77)
4	EA	TEMPORARY GUARDRAIL END UNITS, TYPE *****
		(TL-3)
90	TON	RIP RAP, CLASS II
150	TON	RIP RAP, CLASS B
860	SY	GEOTEXTILE FOR DRAINAGE
88	SF	WORK ZONE SIGNS (STATIONARY)
96	SF	WORK ZONE SIGNS (PORTABLE)
36	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
30	EA	DRUMS
36	EA	CONES
32	LF	BARRICADES (TYPE III)
40	DAY	FLAGGER
2	EA	TEMPORARY CRASH CUSHIONS
500	LF	PORTABLE CONCRETE BARRIER
200	LF	PORTABLE CONCRETE BARRIER
		(ANCHORED)

		MARKERS
5,272	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
16,884	LF	PAINT PAVEMENT MARKING LINES (4")
200	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
340	LF	GENERIC PAVEMENT MARKING ITEM POLYUREA PAVEMENT MARKING LINES, 4",
		20 MILS (STANDARD GLASS BEADS)
16	EA	GENERIC PAVEMENT MARKING ITEM NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
1	EA	PERMANENT RAISED PAVEMENT MARKERS
5,000	LF	TEMPORARY SILT FENCE
90	TON	STONE FOR EROSION CONTROL, CLASS A
210	TON	STONE FOR EROSION CONTROL, CLASS B
185	TON	SEDIMENT CONTROL STONE
4.5	ACR	TEMPORARY MULCHING
400	LB	SEED FOR TEMPORARY SEEDING
2	TON	FERTILIZER FOR TEMPORARY SEED- ING
515	LF	TEMPORARY SLOPE DRAINS
2,320	LF	SAFETY FENCE
410	CY	SILT EXCAVATION
8,000	SY	MATTING FOR EROSION CONTROL
1,750	SY	COIR FIBER MAT
280	LF	1/4" HARDWARE CLOTH
4	EA	SPECIAL STILLING BASINS
430	LF	COIR FIBER WATTLE
20	LB	POLYACRYLAMIDE (PAM)
6	ACR	SEEDING & MULCHING
3	ACR	MOWING
50	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
150	LB	SEED FOR SUPPLEMENTAL SEEDING
4.25	TON	FERTILIZER TOPDRESSING
300	LF	IMPERVIOUS DIKE
10	MHR	SPECIALIZED HAND MOWING
13	EA	RESPONSE FOR EROSION CONTROL
2	EA	CONCRETE WASHOUT STRUCTURE
0.7	ACR	STREAMBANK REFORESTATION
0.27	ACR	WETLAND REFORESTATION
0.27	ACR	GENERIC EROSION CONTROL ITEM DISKING
0.27	ACR	GENERIC EROSION CONTROL ITEM RIPPING
		STRUCTURE ITEMS
Lump Sum	LS	CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP STRUCTURE AT STA ************************************
Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ************************************
		· /

- Lump Sum LS ASBESTOS ASSESSMENT
- 1 EA PDA TESTING UNCLASSIFIED STRUCTURE EXCAVA-TION AT STATION ******* Lump Sum LS (17+46.00 -L-) 3,604 SF REINFORCED CONCRETE DECK SLAB

4,119	SF	GROOVING BRIDGE FLOORS
77.6	CY	CLASS A CONCRETE (BRIDGE)

- Lump Sum LS BRIDGE APPROACH SLABS, STATION (17+46.00 -L-)
 - 11,086 LB REINFORCING STEEL (BRIDGE)



DBE GOAL 6.0% COMPLETION DATE : DEC 12 2023

TEMPORARY RAISED PAVEMENT MARKERS

16	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES (HP 12 X 53)
1,040	LF	HP12X53 STEEL PILES
8	EA	PILE REDRIVES
166.67	LF	CONCRETE BARRIER RAIL
320	TON	RIP RAP CLASS II (2'-0" THICK)
356	SY	GEOTEXTILE FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS
4,850	SF	GENERIC STRUCTURE ITEM 18" GALVANIZED STEEL SHEET PILE SYSTEM

Page: 4 of 15

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

CONTRACT ID : C204542 47133.3.1

DIV OFFICE WILSON

L220118 005

LENGTH = 1.185 MI

COUNTY : NASH

GRADING, DRAINAGE, PAVING, REATINING WALLS, AND STRUCTURE. DBE GOAL 7.0% COMPLETION DATE : APR 30 2025

SR-1603 (N CARRIAGE RD) FROM NORTH OF SR-1770 (EASTERN AVE/ SUNSET AVE) TO SR-1601 (REGES STORE RD).

			1 200	CV	SUALLOW UNDERCUT
		ROADWAY ITEMS	1,200 2,600	CY TON	SHALLOW UNDERCUT CLASS IV SUBGRADE STABILIZA-
			2,000	1011	TION
Lump Sum	LS	MOBILIZATION	633	TON	AGGREGATE BASE COURSE
Lump Sum	LS	CONSTRUCTION SURVEYING	200	TON	INCIDENTAL STONE BASE
3	CY	GENERIC MISCELLANEOUS ITEM	131 5,050	GAL SY	PRIME COAT MILLING ASPHALT PAVEMENT, ***"
		ASPHALT JOINT REPAIR/REPLACE- MENT (18" - 24" WIDE, W/PLATE)	5,050	51	DEPTH
Lump Sum	LS	CLEARING & GRUBBING ACRE(S)			(1-1/2")
1	ACR	SUPPLEMENTARY CLEARING & GRUB-	24,430	SY	MILLING ASPHALT PAVEMENT, ***"
		BING			DEPTH (2-1/4")
16,500	CY	UNCLASSIFIED EXCAVATION	2,740	SY	MILLING ASPHALT PAVEMENT, ***"
7,700 12,500	CY LF	UNDERCUT EXCAVATION WICK DRAINS			TO *****" (0" TO 3")
191,000	CY	BORROW EXCAVATION	4,240	SY	INCIDENTAL MILLING
10	EA	EMBANKMENT SETTLEMENT GAUGES	13,870	TON	ASPHALT CONC BASE COURSE, TYPE
1,261	CY	DRAINAGE DITCH EXCAVATION			B25.0C
23,980	SY	REMOVAL OF EXISTING ASPHALT	9,575	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0C
11,200	SY	PAVEMENT GEOTEXTILE FOR SOIL STABILIZA-	6,570	TON	ASPHALT CONC SURFACE COURSE,
11,200	51	TION	0,2,7		TYPE S9.5B
6,200	SF	TEMPORARY SHORING	1,280	TON	ASPHALT CONC SURFACE COURSE,
1,270	SY	ROCK PLATING	2,790	TON	TYPE \$9.5C ASPHALT CONC SURFACE COURSE,
5,700	CY	GENERIC GRADING ITEM SELECT GRANULAR MATERIAL,	2,790	1010	TYPE \$9.5D
		CLASS III	1,605	TON	ASPHALT BINDER FOR PLANT MIX
Lump Sum	LS	GENERIC GRADING ITEM	230	TON	POLYMER MODIFIED ASPHALT BIN-
		APPROACH FILL FOR INTEGRAL ABUTMENT	1,120	TON	DER FOR PLANT MIX OPEN-GRADED ASPHALT FRICTION
		@ MSE WALL, STA 55+37.34 -L1-	1,120	ION	COURSE, TYPE FC-1 MODIFIED
940	TON	FOUNDATION CONDITIONING MATE-	105	TON	ASPHALT PLANT MIX, PAVEMENT
		RIAL, MINOR STRUCTURES			REPAIR
2,950	SY	FOUNDATION CONDITIONING GEO- TEXTILE	12,450	LF	MILLED RUMBLE STRIPS (ASPHALT CONCRETE)
220	LF	15" DRAINAGE PIPE	2,230	SY	GENERIC PAVING ITEM
1,776	LF	18" DRAINAGE PIPE			9" JOINTED CONCRETE TRUCK
24	LF	24" DRAINAGE PIPE	224	CY	APRON SUBDRAIN EXCAVATION
124	LF	30" DRAINAGE PIPE	1,000	SY	GEOTEXTILE FOR SUBSURFACE
64 6	LF EA	42" DRAINAGE PIPE **" DRAINAGE PIPE ELBOWS	1,000	51	DRAINS
0	LA	(18")	168	CY	SUBDRAIN COARSE AGGREGATE
1,460	LF	***" RC PIPE CULVERTS, CLASS	1,000	LF	6" PERFORATED SUBDRAIN PIPE
		***** (18", V)	2 12	EA LF	SUBDRAIN PIPE OUTLET 6" OUTLET PIPE
216	LF	***" RC PIPE CULVERTS, CLASS	12.2	CY	ENDWALLS
		****	0.6	CY	PIPE COLLARS
608	LE	(24", V)	0.1	CY	PIPE PLUGS
608	LF	***" RC PIPE CULVERTS, CLASS *****	73	CY	FLOWABLE FILL
		(30", V)	98	EA	MASONRY DRAINAGE STRUCTURES
444	LF	***" RC PIPE CULVERTS, CLASS *****	18.6	LF EA	MASONRY DRAINAGE STRUCTURES FRAME WITH TWO GRATES, STD
		(36", V)	2	LA	840.16
76	LF	42" RC PIPE CULVERTS, CLASS	13	EA	FRAME WITH TWO GRATES, STD
2 0 (0			21	E.A.	840.20
2,068 296	LF LF	18" RC PIPE CULVERTS, CLASS IV 24" RC PIPE CULVERTS, CLASS IV	21	EA	FRAME WITH TWO GRATES, STD 840.22
168	LF	36" RC PIPE CULVERTS, CLASS IV	2	EA	FRAME WITH TWO GRATES, STD
20	LF	**" CS PIPE CULVERTS, *****"			840.29
		THICK	8	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **
320	LF	(36", 0.079") 18" CS PIPE CULVERTS, 0.064"			(E)
520	1.1	THICK	19	EA	FRAME WITH GRATE & HOOD, STD
4	EA	**" CS PIPE ELBOWS, *****"			840.03, TYPE ** (F)
		THICK (18", 0.064")	23	EA	FRAME WITH GRATE & HOOD, STD
516	LF	**" WELDED STEEL PIPE, ****"			840.03, TYPE **
		THICK, GRADE B IN SOIL	9	EA	(G) FRAME WITH COVER, STD 840.54
304	LF	(18", 0.250") **" WELDED STEEL PIPE, ****"	10	EA	CONCRETE TRANSITIONAL SECTION
504	LI	THICK, GRADE B IN SOIL			FOR DROP INLET
		(24", 0.250")	1,070	LF	**"X **" CONCRETE CURB
132	LF	**" WELDED STEEL PIPE, ****" THICK, GRADE B IN SOIL	320	LF	(9" X 18") **'-**" CONCRETE CURB & GUTTER
		(30", 0.250")	520		(2'-9")
112	LF	**" WELDED STEEL PIPE, ****"	4,450	LF	1'-6" CONCRETE CURB & GUTTER
		THICK, GRADE B IN SOIL (48", 0.375")	9,190	LF	2'-6" CONCRETE CURB & GUTTER
1,536	LF	PIPE REMOVAL	237 23	LF LF	SHOULDER BERM GUTTER CONCRETE EXPRESSWAY GUTTER
Lump Sum	LS	FINE GRADING	23 50	SY	6" CONCRETE DRIVEWAY
			50	51	

			42	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
			182	EA	THERMOPLASTIC PAVEMENT MARKING
200	SY	4" CONCRETE PAVED DITCH	869	LF	SYMBOL (90 MILS) COLD APPLIED PLASTIC PAVEMENT
90 30	SY SY	4" CONCRETE ISLAND COVER 5" MONOLITHIC CONCRETE ISLANDS			MARKING LINES, TYPE ** (6") (II)
	51	(SURFACE MOUNTED)	59	LF	COLD APPLIED PLASTIC PAVEMENT
1,450	SY	5" MONOLITHIC CONCRETE ISLANDS (KEYED IN)			MARKING LINES, TYPE ** (12") (II)
515	LF	PRECAST REINFORCED CONCRETE	6	EA	COLD APPLIED PLASTIC PAVEMENT
1	EA	BARRIER, SINGLE FACED ADJUSTMENT OF MANHOLES			MARKING CHARACTER, TYPE ** (II)
1,875	LF	STEEL BEAM GUARDRAIL	5	EA	COLD APPLIED PLASTIC PAVEMENT
62.5	LF	STEEL BEAM GUARDRAIL, SHOP CURVED			MARKING SYMBOL, TYPE ** (II)
20	EA	ADDITIONAL GUARDRAIL POSTS	91,851	LF	PAINT PAVEMENT MARKING LINES
4	EA	GUARDRAIL END UNITS, TYPE CAT-1	49,318	LF	(4") PAINT PAVEMENT MARKING LINES
4	EA	GUARDRAIL ANCHOR UNITS, TYPE	2,043	LF	(6") PAINT PAVEMENT MARKING LINES
6	EA	III GUARDRAIL END UNITS, TYPE TL-3			(8")
4	EA	GUARDRAIL END UNITS, TYPE TL-2	8,354	LF	PAINT PAVEMENT MARKING LINES (12")
10	EA	GUARDRAIL ANCHOR UNITS, TYPE B-77	310	LF	PAINT PAVEMENT MARKING LINES
925	LF	REMOVE EXISTING GUARDRAIL	44	EA	(24") PAINT PAVEMENT MARKING CHARAC-
1	EA	TEMPORARY GUARDRAIL ANCHOR UNITS, TYPE *********	205	E.A.	TER
		(THRIE-BEAM)	205 10,997	EA LF	PAINT PAVEMENT MARKING SYMBOL REMOVAL OF PAVEMENT MARKING
3,440 208	LF EA	WOVEN WIRE FENCE, 47" FABRIC 4" TIMBER FENCE POSTS, 7'-6"	, 		LINES (4")
		LONG	853	LF	REMOVAL OF PAVEMENT MARKING LINES (8")
69	EA	5" TIMBER FENCE POSTS, 8'-0" LONG	68	LF	REMOVAL OF PAVEMENT MARKING LINES (24")
81		RIP RAP, CLASS I	2	EA	REMOVAL OF PAVEMENT MARKING
56 1,212	TON TON	RIP RAP, CLASS II RIP RAP, CLASS B	593	EA	SYMBOLS & CHARACTERS GENERIC PAVEMENT MARKING ITEM
3,819	SY	GEOTEXTILE FOR DRAINAGE	373	LA	NON-CAST IRON SNOWPLOWABLE
6	CY	REINFORCED CONCRETE SIGN FOUN- DATIONS	11	EA	PAVEMENT MARKER PERMANENT RAISED PAVEMENT
1	CY	PLAIN CONCRETE SIGN FOUNDA-			MARKERS
5,133	LB	TIONS SUPPORTS, BREAKAWAY STEEL BEAM	3	EA EA	7' U-CHANNEL POSTS OBJECT MARKERS (END OF ROAD)
2,217	LF	SUPPORTS, 3-LB STEEL U-CHANNEL	3	EA	100' HIGH MOUNT STANDARD
14	EA	SIGN ERECTION, TYPE D	1	EA	120' HIGH MOUNT STANDARD
113	EA	SIGN ERECTION, TYPE E	1	EA	PORTABLE DRIVE UNIT
8	EA EA	SIGN ERECTION, TYPE F SIGN ERECTION, TYPE ***	33 18	CY EA	HIGH MOUNT FOUNDATIONS HIGH MOUNT LUMINAIRES *******
		(GROUND MOUNTED)		.	(335W LED)
1	EA	(A) SIGN ERECTION, TYPE ***	8	EA	HIGH MOUNT LUMINAIRES ******** (560W LED)
		(GROUND MOUNTED) (B)	4	EA	LIGHT STANDARDS, TYPE MTLT
2	EA	SIGN ERECTION, RELOCATE TYPE			(45' TA, 15' ARM)
		**** (GROUND MOUNTED) (A)	2	EA	STANDARD FOUNDATION ******** (TYPE R1)
4	EA	SIGN ERECTION, RELOCATE TYPE **** (GROUND MOUNTED)	2	EA	STANDARD FOUNDATION *******
		(D)	8	EA	(TYPE R2) LIGHT STANDARD LUMINAIRES,
4	EA	DISPOSAL OF SUPPORT, STEEL BEAM			TYPE ************************************
1	EA	DISPOSAL OF SIGN SYSTEM, STEEL	1	EA	ELECTRIC SERVICE POLE ****
46	EA	BEAM DISPOSAL OF SIGN SYSTEM, U-			******** (30' CLASS 4)
		CHANNEL	25	LF	ELECTRIC SERVICE LATERAL
6 4	EA EA	DISPOSAL OF SIGN SYSTEM, WOOD DISPOSAL OF SUPPORT, U-CHANNEL			(3 #1/0 USE)
1,881	SF	WORK ZONE SIGNS (STATIONARY)	1	EA	LIGHT CONTROL EQUIPMENT, TYPE RW *******
686	SF	WORK ZONE SIGNS (PORTABLE)			(240/480V)
359	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)	120	LF	ELECTRICAL DUCT, TYPE BD, SIZE
4	EA	FLASHING ARROW BOARD			(2")
14	EA	PORTABLE CHANGEABLE MESSAGE SIGN	460	LF	ELECTRICAL DUCT, TYPE JA, SIZE
620	EA	DRUMS			(3")
240 60	LF DAY	BARRICADES (TYPE III) FLAGGER	60	LF	ELECTRICAL DUCT, TYPE JA, SIZE
5	EA	TEMPORARY CRASH CUSHIONS			(4")
2	EA	REMOVE & RESET TEMPORARY CRASH CUSHION	330	LF	** #8 W/G FEEDER CIRCUIT (2)
2	EA	TMA	110	LF	** #6 W/G FEEDER CIRCUIT
2,045	LF	PORTABLE CONCRETE BARRIER (ANCHORED)	1,980	LF	(2) ** #8 W/G FEEDER CIRCUIT IN
1,390	LF	REMOVE & RESET PORTABLE CONC-			*****" CONDUIT (2, 1.5")
800	HR	RETE BARRIER (ANCHORED) LAW ENFORCEMENT	1,680	LF	** #6 W/G FEEDER CIRCUIT IN
30	EA	SKINNY DRUM			*****" CONDUIT (2, 1.5")
604	EA	TEMPORARY RAISED PAVEMENT	1	EA	ELECTRICAL JUNCTION BOXES
41,466	LF	MARKERS THERMOPLASTIC PAVEMENT MARKING			************* (CS36)
		LINES (6", 90 MILS)	4	EA	ELECTRICAL JUNCTION BOXES
7,280	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)			(HM18)

9	EA	ELECTRICAL JUNCTION BOXES
		******(IG18)
1	EA	ELECTRICAL JUNCTION BOXES
		************* (IG36)
4	EA	ELECTRICAL JUNCTION BOXES

Lump Sum	LS	(LS18) PORTABLE LIGHTING
260	LF	6" WATER LINE
356	LF	12" WATER LINE
1,565	LF	24" WATER LINE
11,860	LB	DUCTILE IRON WATER PIPE FITTINGS
3	EA	6" VALVE
3	EA	12" VALVE
8	EA	24" VALVE
1	EA EA	24" TAPPING SLEEVE & VALVE FIRE HYDRANT
3	EA	RELOCATE FIRE HYDRANT
144	LF	FIRE HYDRANT LEG
1	EA	12" LINE STOP
2	EA	24" LINE STOP
64 80	LF LF	8" SANITARY GRAVITY SEWER 18" SANITARY GRAVITY SEWER
20	LF	24" SANITARY GRAVITY SEWER
1	EA	5' DIA UTILITY MANHOLE
6.5	LF	UTILITY MANHOLE WALL 5' DIA
1,365	LF	ABANDON 24" UTILITY PIPE
3 55	EA LF	REMOVE FIRE HYDRANT **" ENCASEMENT PIPE
55	LI	(16")
238	LF	**" ENCASEMENT PIPE
18,020	LF	(42") TEMPORARY SILT FENCE
615	TON	STONE FOR EROSION CONTROL,
		CLASS A
3,275	TON	STONE FOR EROSION CONTROL, CLASS B
2,125	TON	SEDIMENT CONTROL STONE
204.5	ACR	TEMPORARY MULCHING
13,100	LB	SEED FOR TEMPORARY SEEDING
66	TON	FERTILIZER FOR TEMPORARY SEED- ING
1,260	LF	TEMPORARY SLOPE DRAINS
1,920	LF	SAFETY FENCE
8,010	CY	SILT EXCAVATION
49,000	SY SY	MATTING FOR EROSION CONTROL
165 3.956	LF	COIR FIBER MAT 1/4" HARDWARE CLOTH
270	SY	LOW PERMEABILITY GEOTEXTILE
3,500	LF	COIR FIBER WATTLE
450	LF	WATTLE BARRIER
1,575 1,970	LB LF	POLYACRYLAMIDE (PAM) COIR FIBER BAFFLE
1,970	EA	**" SKIMMER
		(1-1/2")
39	ACR ACR	SEEDING & MULCHING MOWING
21 2,100	ACR LB	MOWING SEED FOR REPAIR SEEDING
5.75	TON	FERTILIZER FOR REPAIR SEEDING
4,600	LB	SEED FOR SUPPLEMENTAL SEEDING
137.75	TON	
10 25	MHR EA	SPECIALIZED HAND MOWING RESPONSE FOR EROSION CONTROL
25	EA	CONCRETE WASHOUT STRUCTURE
0.1	ACR	REFORESTATION
1,802	LF	MESSENGER CABLE (1/4")
105 89	LF LF	TRACER WIRE UNPAVED TRENCHING (*********)
69	LI,	(1, 1")
185	LF	UNPAVED TRENCHING (*********)
4	EA	(1, 2") JUNCTION BOX (STANDARD SIZE)
2	EA	JUNCTION BOX (OVER-SIZED, HEA-
		VY DUTY)
4	EA EA	WOOD POLE GUY ASSEMBLY
4	EA EA	UY ASSEMBLY 1" RISER WITH WEATHERHEAD
3	EA	2" RISER WITH HEAT SHRINK
10-	15	TUBING
185	LF EA	DROP CABLE SPLICE ENCLOSURE

EA	GENERIC SIGNAL ITEM 6" X 6" WOOD PEDESTAL
EA	GENERIC SIGNAL ITEM CCTV WOOD POLE
EA	GENERIC SIGNAL ITEM DIGITAL CCTV CAMERA ASSEMBLY

2 EA GENERIC SIGNAL ITEM ETHERNET EDGE SWITCH

2 2 2

- GENERIC SIGNAL ITEM EXISTING CCTV CAMERA REMOVAL 2 EA
- GENERIC SIGNAL ITEM FIELD EQUIPMENT CABINET 2 EA
- 2 EA GENERIC SIGNAL ITEM GROUNDING SYSTEM
- 2 EA
- GENERIC SIGNAL ITEM METER BASE/DISCONNECT COMBINA-TION PANEL
- GENERIC SIGNAL ITEM RELOCATE EXISTING MICROWAVE VEHICLE DETECTOR SINGLE ZONE 2 EA
- GENERIC SIGNAL ITEM REMOVE CCTV WOOD POLE 1 EA 185 LF GENERIC SIGNAL ITEM
- 3-WIRE COPPER FEEDER CONDUC-TORS
- GENERIC SIGNAL ITEM BACK PULL FIBER OPTIC CABLE 2,038 LF

WALL ITEMS

3,750	SF	MSE RETAINING WALL NO **** (1)
2,500	SF	MSE RETAINING WALL NO **** (2)

STRUCTURE ITEMS

Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION *********** (55+37.34 -L1-)
Lump Sum	LS	ASBESTOS ASSESSMENT
Lump Sum	LS	FOUNDATION EXCAVATION FOR BENT ** AT STATION ************************************
2	EA	PDA TESTING
11,791	SF	REINFORCED CONCRETE DECK SLAB
10,450	SF	GROOVING BRIDGE FLOORS
224.7	CY	
		CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION
		(55+37.34 -L1-)
34,890	LB	REINFORCING STEEL (BRIDGE)
1,675	LB	SPIRAL COLUMN REINFORCING STEEL (BRIDGE)
1,222.56	LF	45" PRESTRESSED CONCRETE GIR- DERS
20	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES (HP 12 X 53)
20	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES (HP 14 X 73)
1,400	LF	HP12X53 STEEL PILES
800	LF	HP14X73 STEEL PILES
40	EA	STEEL PILE POINTS
292.92	LF	TWO BAR METAL RAIL
308.55	LF	1'-**"X *****" CONCRETE PARA- PET
		(1'-2" X 3'-3")
70	SY	4" SLOPE PROTECTION
Lump Sum	LS	ELASTOMERIC BEARINGS

2 EA SPLICE ENCLOSURE 3,160 LF REMOVE EXISTING COMMUNICATIONS

CONTRACT ID : C204690 2022CPT.05.14.10391.1 **DIV OFFICE DURHAM**

L220118 006 LENGTH = 17.090 MI

COUNTY : GRANVILLE

MILLING, RESURFACING, AND SHOULDER GRADING.

DBE GOAL 9.0% COMPLETION DATE : JUN 30 2023

1 SECTION OF NC-96, AND 3 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
543	CY	BORROW EXCAVATION
34.18	SMI	GENERIC GRADING ITEM SHOULDER GRADING
856	TON	INCIDENTAL STONE BASE
2,158	TON	AGGREGATE SHOULDER BORROW
4,950	SY	INCIDENTAL MILLING
21,267	TON	ASPHALT CONC SURFACE COURSE, TYPE \$9.5B
50	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B (LEVELING COURSE)
1,800	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
1,537	TON	ASPHALT BINDER FOR PLANT MIX
770	TON	PATCHING EXISTING PAVEMENT
1	EA	ADJUSTMENT OF DROP INLETS
2	EA	ADJUSTMENT OF MANHOLES
6	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
1,930	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
338,851	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
26	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
16	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
5	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
640	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
640	LF	GENERIC PAVEMENT MARKING ITEM HOT SPRAY THERMOPLASTIC PAVE- MENT MARKING LINES (4", 50 MILS)
100	LF	GENERIC PAVEMENT MARKING ITEM THERMOPLASTIC PAVEMENT MARKING LINES (16", 90 MILS)
202	LF	GENERIC PAVEMENT MARKING ITEM THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
935	EA	GENERIC PAVEMENT MARKING ITEM NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
788	LF	TEMPORARY SILT FENCE
1,990	LF	WATTLE
7.88	ACR	SEEDING & MULCHING
3	EA	RESPONSE FOR EROSION CONTROL

- 3 EA RESPONSE FOR EROSION CONTROL 642 LF INDUCTIVE LOOP SAWCUT

CONTRACT ID : C204689 2022CPT.05.15.20351.1 DIV OFFICE DURHAM

L220118 007 LENGTH = 22.860 MI

COUNTY : FRANKLIN

MILLING, RESURFACING, AND SHOULDER GRADING.

DBE GOAL 8.0% COMPLETION DATE : NOV 15 2023

16 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
719	CY	BORROW EXCAVATION
46.81	SMI	GENERIC GRADING ITEM
		SHOULDER GRADING
1,107	TON	INCIDENTAL STONE BASE
2,895	TON	AGGREGATE SHOULDER BORROW
3,330	SY	INCIDENTAL MILLING
23,827	TON	ASPHALT CONC SURFACE COURSE, TYPE \$9.5B
1,599	TON	ASPHALT BINDER FOR PLANT MIX
4,655	TON	PATCHING EXISTING PAVEMENT
1	EA	ADJUSTMENT OF MANHOLES
1	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
2,322	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
436,208	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
6	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
1	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
480	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
480	LF	GENERIC PAVEMENT MARKING ITEM HOT SPRAY THERMOPLASTIC PAVE- MENT MARKING LINES (4", 50 MILS)
50	LF	GENERIC PAVEMENT MARKING ITEM THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
1,046	LF	TEMPORARY SILT FENCE
2,680	LF	WATTLE
10.89	ACR	SEEDING & MULCHING

7 EA RESPONSE FOR EROSION CONTROL

Page : 9 of 15

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

CONTRACT ID : C204656 47954.3.1

DIV OFFICE DURHAM

L220118 008

LENGTH = 12.288 MI

COUNTY : WAKE

PAVEMENT REHABILITATION.

DBE GOAL 7.0% COMPLETION DATE : DEC 01 2023

I-540 FROM US-70 (GLENWOOD AVE) TO EAST OF TRIANGLE TOWN BOULEVARD.

ROADWAY ITEMS

Lun	np Sum	LS	MOBILIZATION	
	150	CY	BORROW EXCAVATION	
	1	SMI	GENERIC GRADING ITEM SHOULDER GRADING	46
	27	TON	AGGREGATE SHOULDER BORROW	2
1,0	043,765	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (2")	
	17,894	SY	(2) INCIDENTAL MILLING	
	611	TON	ASPHALT CONC BASE COURSE, TYPE	
			B25.0C	2
I	17,302	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5D	
	55 6,840	TON TON	ASPHALT BINDER FOR PLANT MIX POLYMER MODIFIED ASPHALT BIN-	
	0,010	1011	DER FOR PLANT MIX	
	8,880	TON	PATCHING EXISTING PAVEMENT	
	23,570	TON	ULTRA-THIN BONDED WEARING COURSE	
2	259,974	LF	MILLED RUMBLE STRIPS (ASPHALT CONCRETE)	
	10	EA	GENERIC DRAINAGE ITEM DRAINAGE STRUCTURE CLEAN-OUT	86
	500	LF	GENERIC DRAINAGE ITEM	
			CLEAR EXISTING SHOULDER BERM	4
	1	EA	GUTTER RETROFIT EXISTING CURB RAMPS	
	2,675	LF	STEEL BEAM GUARDRAIL	
	10	EA	ADDITIONAL GUARDRAIL POSTS	
	1	EA	GUARDRAIL END UNITS, TYPE CAT-1	
	1	EA	GUARDRAIL END UNITS, TYPE TL-3	2
	2,675	LF	REMOVE EXISTING GUARDRAIL	
	3,893	EA	GENERIC GUARDRAIL ITEM GUARDRAIL AND BARRIER DELINEATORS	
	3	CY	PLAIN CONCRETE SIGN FOUNDA-	
	3,313	LB	TIONS SUPPORTS, BREAKAWAY STEEL BEAM	
	408	LF	SUPPORTS, 3-LB STEEL U-CHANNEL	
	57	EA	SIGN ERECTION, TYPE *** (OVER- HEAD)	
	47	EA	(A) SIGN ERECTION, TYPE *** (OVER- HEAD) (B)	
	16	EA	SIGN ERECTION, TYPE *** (GROUND MOUNTED) (A)	
	32	EA	SIGN ERECTION, MILEMARKERS	
	16	EA	DISPOSAL OF SIGN SYSTEM, STEEL	
	12	F 4	BEAM	
	13	EA	DISPOSAL OF SIGN SYSTEM, U- CHANNEL	
	104	EA	DISPOSAL OF SIGN, A OR B (OVERHEAD)	
	33	EA	DISPOSAL OF LIGHTING SYSTEM	
	35 174	EA EA	DISPOSAL OF WALKWAY GENERIC SIGNING ITEM CUTTING OF SIGN HANGERS,	
	704	er.	OVERHEAD WORK ZONE ADVANCE/GENERAL	
	704	SF	WARNING SIGNING	
	5	EA	WORK ZONE DIGITAL SPEED LIMIT SIGNS	
	14	EA	WORK ZONE PRESENCE LIGHTING	
	12	EA	SEQUENTIAL FLASHING WARNING LIGHTS	
	24	LF	PEDESTRIAN CHANNELIZING DE- VICES	
	5,149	HR	LAW ENFORCEMENT	
	70	EA	TUBULAR MARKERS (FIXED)	
	2	EA	GENERIC TRAFFIC CONTROL ITEM CONNECTED LANE CLOSURE DEVICE	
	182	EA	GENERIC TRAFFIC CONTROL ITEM DOUBLE LANE CLOSURE	

28	EA	GENERIC TRAFFIC CONTROL ITEM RAMP/LOOP CLOSURE
11	EA	GENERIC TRAFFIC CONTROL ITEM RAMP/LOOP TRAFFIC CONTROL
77	EA	GENERIC TRAFFIC CONTROL ITEM SINGLE LANE CLOSURE
467,750	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
23,580	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
4	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
195	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
21,750	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (6") (II)
280	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (12") (II)
8	EA	COLD APPLIED PLASTIC PAVEMENT MARKING CHARACTER, TYPE ** (II)
9	EA	COLD APPLIED PLASTIC PAVEMENT MARKING SYMBOL, TYPE ** (II)
866,870	LF	PAINT PAVEMENT MARKING LINES (6")
42,500	LF	PAINT PAVEMENT MARKING LINES (12")
790	LF	PAINT PAVEMENT MARKING LINES (24")
24	EA	PAINT PAVEMENT MARKING CHARAC- TER
268 27,382	EA LF	PAINT PAVEMENT MARKING SYMBOL REMOVAL OF PAVEMENT MARKING
411	LF	LINES (6") REMOVAL OF PAVEMENT MARKING
533	LF	LINES (12") REMOVAL OF PAVEMENT MARKING
52	EA	LINES (24") REMOVAL OF PAVEMENT MARKING
710	LF	SYMBOLS & CHARACTERS GENERIC PAVEMENT MARKING ITEM THERMOPLASTIC PAVEMENT MARKING
7,410	EA	LINES (24", 90 MILS) GENERIC PAVEMENT MARKING ITEM NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
300	LF	TEMPORARY SILT FENCE
40	LF	SAFETY FENCE
0.75 1	ACR EA	SEEDING & MULCHING CONCRETE WASHOUT STRUCTURE
2,820	LF	INDUCTIVE LOOP SAWCUT
4	EA	INTERCONNECT CENTER
1,153	EA	DELINEATOR MARKER GENERIC SIGNAL ITEM
3	EA EA	CCTV WOOD POLE GENERIC SIGNAL ITEM
8	EA	DIGITAL CCTV CAMERA GENERIC SIGNAL ITEM
1	EA	DIGITAL CCTV CAMERA ASSEMBLY GENERIC SIGNAL ITEM
2	EA	DMS WALKWAY GENERIC SIGNAL ITEM
9	EA	DYNAMIC MESSAGE SIGN (TYPE-2C) GENERIC SIGNAL ITEM
3	EA	FIELD EQUIPMENT CABINET GENERIC SIGNAL ITEM
-	-	METER BASE/DISCONNECT COMBINATION PANEL
5	EA	GENERIC SIGNAL ITEM MODIFY EXISTING ELECTRICAL SERVICE
2	EA	GENERIC SIGNAL ITEM REMOVAL AND DISPOSAL OF
7	EA	EXISTING DMS COMPONENTS GENERIC SIGNAL ITEM
/	EА	GENERIC SIGNAL ITEM WIRELESS ETHERNET REPEATER SYSTEM
10	EA	GENERIC SIGNAL ITEM

0 EA GENERIC SIGNAL ITEM WIRELESS ETHERNET SYSTEM 15 LF GENERIC SIGNAL ITEM 3-WIRE COPPER FEEDER CONDUC-TORS

L220118 009

LENGTH = 14.826 MI

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

CONTRACT ID : C2046912022CPT.08.18.10191DIV OFFICE CARTHAGE

COUNTY : CHATHAM

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL 7.0% COMPLETION DATE : JUN 30 2023

1 SECTION OF US-421, AND 24 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
225 11.02	TON SMI	INCIDENTAL STONE BASE SHOULDER RECONSTRUCTION
1,542	TON	AGGREGATE SHOULDER BORROW
176,516	SY	MILLING ASPHALT PAVEMENT, ***"
		DEPTH (1-1/2")
13,000	SY	MILLING ASPHALT PAVEMENT, ***"
		DEPTH
13,000	SY	(2") MILLING ASPHALT PAVEMENT, ***"
15,000	51	DEPTH
10.662	ev	(3") INCIDENTAL MILLING
10,662 225	SY TON	INCIDENTAL MILLING ASPHALT CONC BASE COURSE, TYPE
		B25.0C
17,529	TON	ASPHALT CONC SURFACE COURSE, TYPE \$9.5B
15,243	TON	ASPHALT CONC SURFACE COURSE,
		TYPE S9.5D
1,184 869	TON TON	ASPHALT BINDER FOR PLANT MIX POLYMER MODIFIED ASPHALT BIN-
809	ION	DER FOR PLANT MIX
1,450	TON	PATCHING EXISTING PAVEMENT
18,140	SY	ASPHALT SURFACE TREATMENT, MAT COAT, #*** STONE
		(78)
6,355	GAL	EMULSION FOR ASPHALT SURFACE TREATMENT
1.9	WK	VACUUM TRUCK
74,026	LF	MILLED RUMBLE STRIPS (ASPHALT
2	EA	CONCRETE)
3	EA EA	RETROFIT EXISTING CURB RAMPS CONCRETE CURB RAMPS
8	EA	REMOVE AND REPLACE CURB RAMPS
1	EA	GENERIC PAVING ITEM
5	EA	REMOVE CONCRETE CURB RAMP ADJUSTMENT OF DROP INLETS
72	EA	ADJUSTMENT OF MANHOLES
43	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
2,479	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
180	LF	PEDESTRIAN CHANNELIZING DE- VICES
Lump Sum 700	LS HR	TEMPORARY TRAFFIC CONTROL LAW ENFORCEMENT
47,029	LF	THERMOPLASTIC PAVEMENT MARKING
		LINES (4", 90 MILS)
74,560	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
930	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
4,780	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
8	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
105	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
103,951	LF	PAINT PAVEMENT MARKING LINES (4")
96,916	LF	PAINT PAVEMENT MARKING LINES (6")
885	LF	PAINT PAVEMENT MARKING LINES (8")
4,780	LF	PAINT PAVEMENT MARKING LINES (12")
400	LF	PAINT PAVEMENT MARKING LINES (16")
1,030	LF	PAINT PAVEMENT MARKING LINES (24")
8	EA	PAINT PAVEMENT MARKING CHARAC- TER
103	EA	PAINT PAVEMENT MARKING SYMBOL
1,728	LF	REMOVAL OF PAVEMENT MARKING LINES (6")

400	LF	GENERIC PAVEMENT MARKING ITEM THERMOPLASTIC PAVEMENT MARKING LINES (16", 90 MILS)
980	LF	GENERIC PAVEMENT MARKING ITEM THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
1,164	EA	GENERIC PAVEMENT MARKING ITEM NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
Lump Sum	LS	PORTABLE LIGHTING
10,300	LF	INDUCTIVE LOOP SAWCUT
10,300	LF	LEAD-IN CABLE (**********) (14-2)

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

DIV OFFICE CARTHAGE

CONTRACT ID : C204692 COUNTY : MOORE

GRADING, DRAINAGE, PAVING, AND CULVERT.

49073.3.1

BRIDGE #24 OVER NICK'S CREEK ON NC-22.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	GRADING
1	ACR	SUPPLEMENTARY CLEARING & GRUB-
950	CY	BING UNDERCUT EXCAVATION
50	CY	DRAINAGE DITCH EXCAVATION
200	CY	SELECT GRANULAR MATERIAL
1,070	SY	GEOTEXTILE FOR SOIL STABILIZA- TION
3,629	SF	TEMPORARY SHORING
180	TON	FOUNDATION CONDITIONING MATE- RIAL, MINOR STRUCTURES
530	SY	FOUNDATION CONDITIONING GEO- TEXTILE
44	LF	15" DRAINAGE PIPE
4	EA	**" DRAINAGE PIPE ELBOWS (15")
48	LF	15" RC PIPE CULVERTS, CLASS III
24	LF	18" RC PIPE CULVERTS, CLASS III
72	LF	15" RC PIPE CULVERTS, CLASS IV
212	LF	24" RC PIPE CULVERTS, CLASS IV
149	LF	PIPE REMOVAL
100 200	CY TON	SHALLOW UNDERCUT CLASS IV SUBGRADE STABILIZA-
310	TON	TION AGGREGATE BASE COURSE
100	TON	INCIDENTAL STONE BASE
470	SY	INCIDENTAL MILLING
2,300	TON	ASPHALT CONC BASE COURSE, TYPE
1,200	TON	B25.0C ASPHALT CONC SURFACE COURSE,
195	TON	TYPE S9.5B
185 18	TON EA	ASPHALT BINDER FOR PLANT MIX RIGHT-OF-WAY MARKERS
246.4	CY	SUBDRAIN EXCAVATION
1,100	SY	GEOTEXTILE FOR SUBSURFACE
		DRAINS
184.8	CY	SUBDRAIN COARSE AGGREGATE
1,100	LF	6" PERFORATED SUBDRAIN PIPE SUBDRAIN PIPE OUTLET
3 18	EA LF	6" OUTLET PIPE
3	EA	MASONRY DRAINAGE STRUCTURES
3	EA	FRAME WITH TWO GRATES, STD 840.29
500	LF	SHOULDER BERM GUTTER
787.5	LF	STEEL BEAM GUARDRAIL
50	LF	STEEL BEAM GUARDRAIL, SHOP CURVED
5	EA	ADDITIONAL GUARDRAIL POSTS
1	EA	GUARDRAIL END UNITS, TYPE AT-1
3 395	EA LF	GUARDRAIL END UNITS, TYPE TL-3 REMOVE EXISTING GUARDRAIL
12.5	LF	TEMPORARY STEEL BEAM GUARDRAIL
62.5	LF	TEMPORARY STEEL BEAM GUARDRAIL
2	EA	(SHOP CURVED) TEMPORARY GUARDRAIL ANCHOR
		UNITS, TYPE ************************************
1	EA	GENERIC GUARDRAIL ITEM TEMPORARY GUARDRAIL END UNITS, TYPE AT-1
250	TON	RIP RAP, CLASS II
20	TON	RIP RAP, CLASS A
213	TON	
1,085	SY	GEOTEXTILE FOR DRAINAGE
33	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (E)
56	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
4	EA	SIGN ERECTION, TYPE E
4	EA	DISPOSAL OF SIGN SYSTEM, U-
116	SF	CHANNEL WORK ZONE SIGNS (STATIONARY)

96	SF	WORK ZONE SIGNS (PORTABLE) WORK ZONE SIGNS (BARRICADE
10	SF	MOUNTED)
47	EA	DRUMS
48	LF	BARRICADES (TYPE III)
180	DAY	FLAGGER
2	EA	TEMPORARY CRASH CUSHIONS
350	LF	PORTABLE CONCRETE BARRIER
730	LF	PORTABLE CONCRETE BARRIER (ANCHORED)
30	EA	TEMPORARY RAISED PAVEMENT MARKERS
6,880	LF	THERMOPLASTIC PAVEMENT MARKING
8,832	LF	LINES (4", 90 MILS) PAINT PAVEMENT MARKING LINES
332	LF	(4") 8" WATER LINE
635	LF	10" WATER LINE
2,225	LB	DUCTILE IRON WATER PIPE
		FITTINGS
2	EA	6" VALVE
1	EA	10" VALVE 8" TAPPING SLEEVE & VALVE
1	EA EA	8" TAPPING SLEEVE & VALVE FIRE HYDRANT
57	LF	FIRE HYDRANT LEG
830	LF	8" FORCE MAIN SEWER
246	LF	10" FORCE MAIN SEWER
1,160	LB	DUCTILE IRON SEWER PIPE
		FITTINGS
1,607	LF	ABANDON 8" UTILITY PIPE Abandon 10" utility pipe
575 2	LF EA	REMOVE FIRE HYDRANT
140	LF	16" ENCASEMENT PIPE
60	LF	18" ENCASEMENT PIPE
90	LF	20" ENCASEMENT PIPE
50	LF	BORE AND JACK OF **"
35	LF	(16") BORE AND JACK OF **"
55	LF	(18") BORE AND JACK OF **"
246	LF	(20") DIRECTIONAL DRILLING OF **"
2	EA	(10") GENERIC UTILITY ITEM
1	EA	8" INSERTION VALVE GENERIC UTILITY ITEM
416	LF	8" PLUG VALVE GENERIC UTILITY ITEM
		8" RJ DIP FORCE MAIN SEWER W/EPOXY LINING
3,950	LF	TEMPORARY SILT FENCE
210	TON	STONE FOR EROSION CONTROL, CLASS A
365	TON	STONE FOR EROSION CONTROL,
255	TON	CLASS B SEDIMENT CONTROL STONE
4	ACR	TEMPORARY MULCHING
300	LB	SEED FOR TEMPORARY SEEDING
2.5	TON	FERTILIZER FOR TEMPORARY SEED- ING
400	LF	TEMPORARY SLOPE DRAINS
440	LF	SAFETY FENCE
730	CY	SILT EXCAVATION
9,000	SY SY	MATTING FOR EROSION CONTROL COIR FIBER MAT
510 660	LF	1/4" HARDWARE CLOTH
640	CY	STILLING BASINS
560	LF	COIR FIBER WATTLE
205	LB	POLYACRYLAMIDE (PAM)
460	LF	COIR FIBER BAFFLE
1	EA	**" SKIMMER
4	ACR	(1-1/2") SEEDING & MULCHING
2	ACR	MOWING
50	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
100	LB	SEED FOR SUPPLEMENTAL SEEDING
3	TON	FERTILIZER TOPDRESSING

LENGTH = 0.326 MI

DBE GOAL 7.0% COMPLETION DATE : MAY 05 2024

- 388
 LF
 IMPERVIOUS DIKE

 10
 MHR
 SPECIALIZED HAND MOWING

 18
 EA
 RESPONSE FOR EROSION CONTROL

 2
 EA
 CONCRETE WASHOUT STRUCTURE

CULVERT ITEMS

Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ************************************
Lump Sum	LS	ASBESTOS ASSESSMENT
Lump Sum	LS	CULVERT EXCAVATION, STA ***** (23+12.00 -L-)
207	TON	FOUNDATION CONDITIONING MATER- IAL, BOX CULVERT
307.7	CY	CLASS A CONCRETE (CULVERT)
33,536	LB	REINFORCING STEEL (CULVERT)

CONTRACT ID : C204417 45767.3.1

DIV OFFICE ALBEMARLE

L220118 011

LENGTH = 0.352 MI

DBE GOAL 6.0% COMPLETION DATE : FEB 11 2024

COUNTY : CABARRUS

GRADING, DRAINAGE, PAVING, AND STRUCTURE.

BRIDGE #132 OVER DUTCH BUFFALO CREEK ON NC-73.

ROADWAY ITEMS

Luma Sum	TC	MODILIZATION
Lump Sum	LS LS	MOBILIZATION CONSTRUCTION SURVEYING
Lump Sum Lump Sum	LS	TYPE I STANDARD APPROACH FILL
Dump Dum	20	STATION ********
		(21+85.00 -L-)
450	CY	UNDERCUT EXCAVATION
Lump Sum	LS	GRADING
10,500	CY	BORROW EXCAVATION
1,600	CY	DRAINAGE DITCH EXCAVATION
9,400	CY	SELECT GRANULAR MATERIAL, CLASS III
13,700	SY	GEOTEXTILE FOR SOIL STABILIZA-
,		TION
98	SF	TEMPORARY SHORING
13,200	SY	GENERIC GRADING ITEM
		GEOTEXTILE FOR EMBANKMENT STABILIZATION
20	TON	FOUNDATION CONDITIONING MATE-
20	ION	RIAL, MINOR STRUCTURES
40	SY	FOUNDATION CONDITIONING GEO-
		TEXTILE
28	LF	18" DRAINAGE PIPE
2	EA	**" DRAINAGE PIPE ELBOWS
	I F	(18")
44	LF	15" RC PIPE CULVERTS, CLASS III
32	LF	15" RC PIPE CULVERTS, CLASS IV
21	LF	PIPE REMOVAL
100	CY	SHALLOW UNDERCUT
200	TON	CLASS IV SUBGRADE STABILIZA-
		TION
230	TON	AGGREGATE BASE COURSE
100	TON	INCIDENTAL STONE BASE
150	SY	INCIDENTAL MILLING
1,620	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
890	TON	ASPHALT CONC INTERMEDIATE
890	ION	COURSE, TYPE 119.0C
1,310	TON	ASPHALT CONC SURFACE COURSE,
		TYPE S9.5B
205	TON	ASPHALT BINDER FOR PLANT MIX
16	EA	RIGHT-OF-WAY MARKERS
45	CY	SUBDRAIN EXCAVATION
200	SY	GEOTEXTILE FOR SUBSURFACE DRAINS
34	CY	SUBDRAIN COARSE AGGREGATE
200	LF	6" PERFORATED SUBDRAIN PIPE
1	EA	SUBDRAIN PIPE OUTLET
6	LF	6" OUTLET PIPE
1	EA	MASONRY DRAINAGE STRUCTURES
1	EA	FRAME WITH TWO GRATES, STD
		840.29
15	LF	SHOULDER BERM GUTTER
712.5 5	LF EA	STEEL BEAM GUARDRAIL ADDITIONAL GUARDRAIL POSTS
5	EA EA	GUARDRAIL END UNITS, TYPE TL-3
4	EA	GUARDRAIL END UNITS, TYPE 12-5 GUARDRAIL ANCHOR UNITS, TYPE
-	LA	B-77
250	LF	REMOVE EXISTING GUARDRAIL
487.5	LF	TEMPORARY STEEL BEAM GUARDRAIL
2	EA	TEMPORARY GUARDRAIL ANCHOR
		UNITS, TYPE ********* (III MODIFIED)
2	EA	TEMPORARY GUARDRAIL END UNITS,
2	LA	TYPE ****
		(TL-3)
70	TON	RIP RAP, CLASS I
1,280	TON	RIP RAP, CLASS II
25	TON	RIP RAP, CLASS B
1,870	SY	GEOTEXTILE FOR DRAINAGE
125	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
2 3	EA EA	SIGN ERECTION, TYPE D
3	EA EA	SIGN ERECTION, TYPE E SIGN ERECTION, TYPE F
1	LA	Sign Enderion, i i i E i

2	EA	SIGN ERECTION, RELOCATE TYPE
		***** (GROUND MOUNTED)
15	EA	(D) DISPOSAL OF SUPPORT, U-CHANNEL
13	EA	DISPOSAL OF SIGN, D, E OR F
282	SF	WORK ZONE SIGNS (STATIONARY)
256	SF	WORK ZONE SIGNS (PORTABLE)
155	SF	WORK ZONE SIGNS (BARRICADE
		MOUNTED)
20	DAY	PORTABLE CHANGEABLE MESSAGE
		SIGN (SHORT TERM)
200	EA	DRUMS
128	LF	BARRICADES (TYPE III)
90 47	DAY EA	FLAGGER TEMPORARY RAISED PAVEMENT
4/	EA	MARKERS
9,355	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
104	LF	THERMOPLASTIC PAVEMENT MARKING
4	EA	LINES (12", 90 MILS) THERMOPLASTIC PAVEMENT MARKING
1,328	LF	SYMBOL (90 MILS) COLD APPLIED PLASTIC PAVEMENT
1,528	LI	MARKING LINES, TYPE ** (4") (IV)
1	EA	COLD APPLIED PLASTIC PAVEMENT
		MARKING SYMBOL, TYPE ** (IV)
10,903	LF	PAINT PAVEMENT MARKING LINES (4")
104	LF	PAINT PAVEMENT MARKING LINES
		(12")
30	LF	PAINT PAVEMENT MARKING LINES (24")
3	EA	PAINT PAVEMENT MARKING SYMBOL
888	LF	REMOVAL OF PAVEMENT MARKING
15	I F	LINES (4")
15	LF	REMOVAL OF PAVEMENT MARKING LINES (24")
15	LF	GENERIC PAVEMENT MARKING ITEM THERMOPLASTIC PAVEMENT MARKING
		LINES (24", 90 MILS)
50	EA	PERMANENT RAISED PAVEMENT MARKERS
65	LB	DUCTILE IRON WATER PIPE FITTINGS
1	EA	6" VALVE
1	EA	FIRE HYDRANT
10	LF	FIRE HYDRANT LEG
152	LF	16" SANITARY GRAVITY SEWER
235	LB	DUCTILE IRON SEWER PIPE
		FITTINGS
2	EA	4' DIA UTILITY MANHOLE
9	LF	UTILITY MANHOLE WALL 4' DIA
137	LF EA	ABANDON 16" UTILITY PIPE REMOVE FIRE HYDRANT
1	EA	ABANDON UTILITY MANHOLE
1	EA	REMOVE UTILITY MANHOLE
52	LF	36" ENCASEMENT PIPE
1	EA	GENERIC UTILITY ITEM
1		6" INSERT VALVE
Lump Sum	LS	GENERIC UTILITY ITEM
		TEMPORARY SANITARY SEWER BY- PASS PUMPING
Lump Sum	LS	GENERIC UTILITY ITEM
		TEMPORARY STREAM BYPASS PUMPING
5 0 4 7	ΤF	
5,845 135	LF TON	TEMPORARY SILT FENCE STONE FOR EROSION CONTROL,
155	101	CLASS A
1,240	TON	STONE FOR EROSION CONTROL,
	TON	CLASS B
550	TON	SEDIMENT CONTROL STONE
3.5	ACR	TEMPORARY MULCHING
300	LB TON	SEED FOR TEMPORARY SEEDING

1.5 TON FERTILIZER FOR TEMPORARY SEED-

ING 270 LF TEMPORARY SLOPE DRAINS

320 LF SAFETY FENCE 1,080 CY SILT EXCAVATION

- 12,200SYMATTING FOR EROSION CONTROL100SYCOIR FIBER MAT
 - 700 SY PERMANENT SOIL REINFORCEMENT
 - MAT 360 LF 1/4" HARDWARE CLOTH
 - 50 LF TEMPORARY PIPE FOR STREAM
 - CROSSING
 - 40 SY FLOATING TURBIDITY CURTAIN
 - 4 EA SPECIAL STILLING BASINS 100 LF WATTLE
 - 100EIWHTHEE210LBPOLYACRYLAMIDE (PAM)60LFCOIR FIBER BAFFLE
 - 6 ACR SEEDING & MULCHING
 - 3 ACR MOWING
- 50 LB SEED FOR REPAIR SEEDING 0.25 TON FERTILIZER FOR REPAIR SEEDING
- 125 LB SEED FOR SUPPLEMENTAL SEEDING
- 3.75 TON FERTILIZER TOPDRESSING
- 275 LF IMPERVIOUS DIKE
- 10 MHR SPECIALIZED HAND MOWING
- 25 EA RESPONSE FOR EROSION CONTROL
- 2 EA CONCRETE WASHOUT STRUCTURE

STRUCTURE ITEMS

Lump Sum	LS	CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP ACCESS AT STA
		(21+85.00 -L-)
Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ************************************
Lump Sum	LS	ASBESTOS ASSESSMENT
52	LF	3'-6" DIA DRILLED PIERS IN SOIL
35	LF	3'-6" DIA DRILLED PIERS NOT IN SOIL
57	LF	PERMANENT STEEL CASING FOR 3'-6" DIA DRILLED PIER
3	EA	SID INSPECTIONS
3	EA	SPT TESTING
1	EA	CSL TESTING
9,744	SF	REINFORCED CONCRETE DECK SLAB
10,462	SF	GROOVING BRIDGE FLOORS
158.4	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION *********
		(21+85.00 -L-)
23,399	LB	REINFORCING STEEL (BRIDGE)
2,347	LB	SPIRAL COLUMN REINFORCING STEEL (BRIDGE)
1,018.13	LF	MODIFIED 63" PRESTRESSED CONC GIRDERS
14	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES (HP 14 X 73)
385	LF	HP14X73 STEEL PILES
412.4	LF	CONCRETE BARRIER RAIL
814	TON	RIP RAP CLASS II (2'-0" THICK)
904	SY	GEOTEXTILE FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS