



PAT McCRORY
Governor

NICHOLAS J. TENNYSON
Secretary

October 6, 2015

NOTICE TO: All Prequalified Contractors
FROM: R. A. Garris, PE
State Contract Officer
SUBJECT: Raleigh Central Highway Letting

The Highway Letting broadcast of bid opening has changed to a new format. The new method is broadcast via LiveStream. This can be accessed by clicking on the link below or by using the following manual process.

Go to [Raleigh Central Letting](#) and click on "Live Now" which will be available 15 minutes prior to Letting.

Manual process:

Go to www.livestream.com, click on the "Watch" button and then type NCDOT Raleigh Central Letting into the search events window. Select the Raleigh Central Letting event for the desired date. Click "Live Now" to listen to the audio after the event has started.

If you have any questions, please do not hesitate to contact me at (919) 707-6900.





PAT McCRORY
Governor

NICHOLAS J. TENNYSON
Secretary

January 19, 2016

NOTICE TO: All Prequalified Contractors
FROM: R. A. Garris, PE 
State Contract Officer
SUBJECT: Asbestos Inspection Prior to Bridge Demolition

Effective with the February 16, 2016 letting, a new project special provision entitled *Asbestos Assessment for Bridge Demolition and Renovation* will be included in any contract containing a structure removal line item. A contract line item for payment of this work will also be included in the contract.

The United States Environmental Protection Agency (EPA) has provided clarification of the asbestos National Emission Standards for Hazardous Air Pollutants (NESHAP) regulation as it applies to bridges, identifying them as regulated structures. As such, a thorough inspection is required for the presence of asbestos.

If you have any questions, please do not hesitate to contact me at (919) 707-6900.



**STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
INVITATION TO BID**

ELECTRONIC BIDS (UNLESS OTHERWISE SPECIFIED IN THE PROJECT SPECIAL PROVISION) FOR THE CONSTRUCTION OF THE FOLLOWING PROJECTS WILL BE PUBLICLY READ IN ROOM 156-A/B, THE CONTRACT STANDARDS AND DEVELOPMENT UNIT LARGE CONFERENCE ROOM, LOCATED IN BUILDING B AT 1020 BIRCH RIDGE DRIVE, RALEIGH, N.C. AT **2:00 PM** ON MARCH 15, 2016. NO ELECTRONIC BIDS WILL BE RECEIVED AFTER 2.00 PM.

1. THE BIDDER SHALL PURCHASE A PROPOSAL FOR EACH PROJECT FOR WHICH HE INTENDS TO SUBMIT A BID IN RESPONSE TO THIS INVITATION TO BID.

2. A BID BOND OR BID DEPOSIT IN THE AMOUNT OF 5% OF THE TOTAL AMOUNT BID WILL BE REQUIRED. THE BIDDER SHALL SUBMIT AN ELECTRONIC BID BOND WITH EACH ELECTRONIC BID SUBMITTAL UNLESS HE ELECTS TO FURNISH A BID DEPOSIT.

3. UPON RECEIPT OF AWARD LETTER, THE SUCCESSFUL BIDDER SHALL FURNISH A PROPERLY EXECUTED EXECUTION OF CONTRACT, NON-COLLUSION AFFIDAVIT AND DEBARMENT CERTIFICATION, AND EXECUTED PAYMENT AND PERFORMANCE BONDS FOR EACH CONTRACT. AFFIDAVIT FORMS AND BOND FORMS ARE AVAILABLE AS PART OF THE CONTRACT EXECUTION FORMS AT THE FOLLOWING WEBSITE
<https://connect.ncdot.gov/letting/Pages/>.

ALL QUESTIONS RELATED TO PROJECTS DURING THE ADVERTISEMENT PERIOD SHALL BE ADDRESSED TO THE STATE CONTRACT OFFICER AT 919-707-6900.

THE MINIMUM WAGE FOR LABOR WILL BE SHOWN IN THE PROPOSAL FORM FOR FEDERAL AID PROJECTS.

CONTRACTOR'S LICENSE: A GENERAL CONTRACTOR'S LICENSE IS REQUIRED IN ORDER TO SUBMIT A BID ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$30,000.00 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD. FOR ADDITIONAL INFORMATION OR TO MAKE APPLICATION FOR A LICENSE, APPLY TO THE EXECUTIVE SECRETARY OF THE CONTRACTOR LICENSING BOARD, P.O. BOX 17187, RALEIGH, NC 27619, (919-571-4183).

PREQUALIFYING TO BID: ALL PROSPECTIVE BIDDERS SHALL BE PREQUALIFIED WITH THE DEPARTMENT OF TRANSPORTATION PRIOR TO SUBMITTING A BID. CONTRACTORS WHO ARE NOT PREQUALIFIED MAY OBTAIN INFORMATION AND FORMS FOR PREQUALIFYING FROM THE CONTRACTUAL SERVICES UNIT, DIVISION OF HIGHWAYS, DEPARTMENT OF TRANSPORTATION, 1509 MAIL SERVICE CENTER, RALEIGH, N. C., . ALL REQUIRED PREQUALIFICATION STATEMENTS AND DOCUMENTS SHALL BE FILED WITH THE CONTRACTUAL SERVICES UNIT AT LEAST FOUR WEEKS PRIOR TO THE DATE OF OPENING BIDS.

THE DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY INSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS INVITATION TO BID, MINORITY BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, OR NATIONAL ORIGIN IN COMPENSATION TO THIS AWARD.

PROPOSAL FORMS AT **\$25.00** EACH, PLANS (SMALL SIZE) AT **\$40.00** PER SET, PLANS (LARGE SIZE) AT **\$100.00** PER SET, AND CROSS-SECTIONS AT **\$40.00** PER SET, PLUS SALES TAX FOR N.C. RESIDENTS, MAY BE OBTAINED BY TELEPHONING (919-707-6925), FAXING (919-250-4127), OR WRITING TO: PLANS AND PROPOSALS, CONTRACT STANDARDS AND DEVELOPMENT UNIT, DEPARTMENT OF TRANSPORTATION, 1591 MAIL SERVICE CENTER, RALEIGH, N.C., 27699-1591. THESE CHARGES ARE NOT DEPOSITS AND WILL NOT BE REFUNDED. ALL ORDERS FOR PROPOSAL FORMS, PLANS AND CROSS-SECTIONS DELIVERED IN NORTH CAROLINA ARE SUBJECT TO 6.75% SALES TAX. ORDERS MAILED TO OUT OF STATE CONTRACTORS ARE NOT SUBJECT TO SALES TAX. MAKE ALL CHECKS PAYABLE TO THE "N.C. DEPARTMENT OF TRANSPORTATION".

THE RIGHT IS RESERVED TO REJECT ANY OR ALL BIDS.

**TODAY'S DATE IS FEBRUARY 16, 2016.
BY ORDER OF THE DEPARTMENT OF TRANSPORTATION
(THE WORK WILL CONSIST APPROXIMATELY AS SHOWN ON THE FOLLOWING SHEETS)**

(Revised on 14Jul2011)

REVIEW OF PLANS AND PROPOSALS IN DIVISION OFFICE

IN ORDER TO FACILITATE AND ENCOURAGE THE INVOLVEMENT OF MINORITY BUSINESS ENTERPRISES IN THE HIGHWAY CONSTRUCTION PROCESS, IT IS THE POLICY OF THE DEPARTMENT OF TRANSPORTATION, DIVISION OF HIGHWAYS, THAT A SET OF PLANS AND PROPOSAL FOR EACH PROJECT TO BE LET WILL BE MAINTAINED FOR REVIEW BY ANY CONTRACTOR INTERESTED IN BIDDING UPON OR QUOTING WORK IN AN ADVERTISED PROJECT.

THE PROPOSALS AND PLANS WILL BE AVAILABLE FOR REVIEW BEGINNING TWO WEEKS PRIOR TO THE DATE OF BID OPENING IN THE DIVISION OFFICE WHICH WILL ADMINISTER THE CONTRACT. THE DEPARTMENT WILL, UPON REQUEST, MAKE AVAILABLE FROM ITS STAFF A PERSON TO EXPLAIN THE PROPOSED PROJECT AND TO ANSWER GENERAL QUESTIONS RELATING TO THE PROJECT. THE PLANS AND PROPOSALS CAN BE REVIEWED ANY TIME MONDAY THRU FRIDAY, EXCLUDING HOLIDAYS, BETWEEN THE HOURS OF 8:00 A.M. AND 4:30 P.M. IN THE DIVISION OFFICE. IN ORDER TO HAVE A MEMBER OF THE STAFF EXPLAIN THE PROJECT AND/OR ANSWER GENERAL QUESTIONS PERTAINING TO THE PROJECT, PRIOR APPOINTMENTS MUST BE MADE BY CALLING THE APPROPRIATE DIVISION OFFICE.

FOLLOWING ARE THE LOCATIONS AND TELEPHONE NUMBERS OF THE OFFICES IN WHICH THE PLANS AND PROPOSALS WILL BE MADE AVAILABLE, REFERENCE SHOULD BE MADE TO THE SHEETS CONTAINING THE INDIVIDUAL PROJECT QUANTITIES TO DETERMINE WHICH DIVISION OFFICE WILL ADMINISTER THE CONTRACT.

<u>DIV NO.</u>	<u>DIVISION ENGINEER</u>	<u>LOCATION</u>	<u>TOWN</u>	<u>TELEPHONE</u>
00001	Jerry Jennings, PE	113 AIRPORT DRIVE, SUITE 100	EDENTON	(252) 482-1850
00002	John W Rouse, PE	PO BOX 1587	GREENVILLE	(252) 439-2800
00003	Karen Eason Collette, PE	5501 BARBADOS BLVD	CASTLE HAYNE	(910) 341-2000
00004	Timothy M Little, PE	PO BOX 3165	WILSON	(252) 237-6164
00005	Joseph R Hopkins, PE	2612 NORTH DUKE STREET	DURHAM	(919) 220-4600
00006	Gregory W Burns, PE	PO BOX 1150	FAYETTEVILLE	(910) 486-1493
00007	James M Mills, PE	PO BOX 14996	GREENSBORO	(336) 487-0000
00008	Brandon H Jones, PE	902 N. SANDHILLS BLVD.	ABERDEEN	(910) 944-2344
00009	S. Pat Ivey, PE	375 SILAS CREEK PARKWAY	WINSTON-SALEM	(336) 747-7800
00010	Louis L Mitchell, PE	716 WEST MAIN STREET	ALBEMARLE	(704) 983-4400
00011	Michael A Pettyjohn, PE	PO BOX 250	NORTH WILKESBORO	(336) 903-9101
00012	Mark E Stafford, PE	PO BOX 47	SHELBY	(704) 480-5400
00013	Jay J Swain, PE	PO BOX 3279	ASHEVILLE	(828) 251-6171
00014	Ed Green, PE	253 WEBSTER ROAD	SYLVA	(828) 586-2141

===== SUMMARY OF PROPOSALS =====

Bid Letting Number L160315

RPN	Contract Id	WBS	County	Length	JobType
001	C203834	2016CPT.02.04.10741.2 ETC.	PITT, EDGECOMBE	12.060 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
002	C203775	2016CPT.02.27.20071.3 ETC.	BEAUFORT	5.002 MI	RESURFACING, GRADING, DRAINAGE, PAVING, & STRUCTURE.
003	C203784	53025.3.1	JOHNSTON	12.800 MI	PAVEMENT REHABILITATION & BRIDGE APPROACH, AND JOINT REPAIR.
004	C203835	2016CPT.05.07.10391.1 ETC.	GRANVILLE	35.856 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
005	C203818	53028.3.1	CUMBERLAND, HARNETT	24.996 MI	DRAINAGE, PAVEMENT REHABILITATION & BRIDGE REHABILITATION.
006	C203782	46264.3.FS1 ETC.	ALAMANCE	8.658 MI	PAVEMENT AND BRIDGE REHABILITATION.
007	C203785	53030.3.1 ETC.	GUILFORD	8.771 MI	PAVEMENT AND BRIDGE REHABILITATION.
008	C203674	42286.3.FD1	RANDOLPH	0.099 MI	GRADING, DRAINAGE, PAVING, AND CULVERT.
009	C203833	2016CPT.08.10.10531 ETC.	LEE, MOORE	26.047 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
010	C203832	2016CPT.08.11.10771 ETC.	RICHMOND, MONTGOMERY	10.081 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
011	C203837	2016CPT.08.12.10831 ETC.	SCOTLAND, HOKE	10.543 MI	MILLING, WIDENING, RESURFACING & SHOULDER RECONSTRUCTION.
012	C203838	2016CPT.08.13.10191 ETC.	CHATHAM, RANDOLPH	7.829 MI	MILLING, RESURFACING AND SHOULDER RECONSTRUCTION.
013	C203673	38523.3.2	GASTON	0.079 MI	GRADING, DRAINAGE, PAVING, AND STRUCTURE.
014	C203823	2017CPT.12.06.10551 ETC.	LINCOLN	27.770 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
015	C203762	52036.3.1 ETC.	HENDERSON	10.119 MI	PAVEMENT & BRIDGE REHABILITATION.

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L160315 001

CONTRACT ID : C203834 2016CPT.02.04.10741.2 DIV OFFICE GREENVILLE

LENGTH = 12.060 MI

COUNTY : PITT, EDGEcombe

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

MBE GOAL 3.0% WBE 5.0% COMPLETION DATE : FEB 28 2017

US-13/NC-11 FROM NC-903 TO 1180 FT NORTH OF BRIDGE #383.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
840	TON	INCIDENTAL STONE BASE
23.1	SMI	SHOULDER RECONSTRUCTION
187,724	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (2-1/2")
4,126	SY	INCIDENTAL MILLING
26,758	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B
23,865	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
2,716	TON	ASPHALT BINDER FOR PLANT MIX
253,854	LF	MILLED RUMBLE STRIPS (ASPHALT CONCRETE)
2	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
842	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
135,955	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
17,184	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 120 MILS)
150	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
700	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
4	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)
295	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
2,550	LF	POLYUREA PAVEMENT MARKING LINES (6", *****) (HIGHLY REFLECTIVE ELEMENTS)
40	LF	POLYUREA PAVEMENT MARKING LINES (12", *****) (HIGHLY REFLECTIVE ELEMENTS)
1,755	EA	SNOWPLOWABLE PAVEMENT MARKERS
250	LF	WATTLE
13	ACR	SEEDING & MULCHING
6	EA	RESPONSE FOR EROSION CONTROL

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L160315 002

CONTRACT ID : C203775 2016CPT.02.27.20071.3 DIV OFFICE GREENVILLE

LENGTH = 5.002 MI

COUNTY : BEAUFORT

RESURFACING, GRADING, DRAINAGE, PAVING, & STRUCTURE.

MBE GOAL 3.0% WBE 3.0% COMPLETION DATE : JUN 14 2017

BRIDGE OVER PANTEGO CREEK ON US-264 AND OFF-SITE DETOUR INCLUDES (SR-1625, SR-1626, AND SR-1621).

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	CONSTRUCTION SURVEYING
Lump Sum	LS	REINFORCED BRIDGE APPROACH FILL, STATION ***** (18+77.50 -L-)
1	ACR	SUPPLEMENTARY CLEARING & GRUB-BING
750	CY	UNDERCUT EXCAVATION
Lump Sum	LS	GRADING
5,700	CY	BORROW EXCAVATION
650	CY	SELECT GRANULAR MATERIAL
950	SY	GEOTEXTILE FOR SOIL STABILIZATION
61	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES
244	SY	FOUNDATION CONDITIONING GEOTEXTILE
304	LF	18" RC PIPE CULVERTS, CLASS IV
28	LF	PIPE REMOVAL
100	CY	SHALLOW UNDERCUT
200	TON	CLASS IV SUBGRADE STABILIZATION
45	TON	CLASS IV AGGREGATE STABILIZATION
800	TON	INCIDENTAL STONE BASE
9.82	SMI	SHOULDER RECONSTRUCTION
445	SY	INCIDENTAL MILLING
180	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
90	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B
250	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
7,132	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
508	TON	ASPHALT BINDER FOR PLANT MIX
13	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR
112	CY	SUBDRAIN EXCAVATION
500	SY	GEOTEXTILE FOR SUBSURFACE DRAINS
84	CY	SUBDRAIN COARSE AGGREGATE
500	LF	6" PERFORATED SUBDRAIN PIPE
1	EA	SUBDRAIN PIPE OUTLET
6	LF	6" OUTLET PIPE
1	CY	ENDWALLS
6	EA	MASONRY DRAINAGE STRUCTURES
1	EA	FRAME WITH TWO GRATES, STD 840.16
2	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F)
3	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (G)
480	LF	2'-6" CONCRETE CURB & GUTTER
120	SY	4" CONCRETE SIDEWALK
1	EA	CONCRETE CURB RAMP
60	SY	6" CONCRETE DRIVEWAY
2	TON	RIP RAP, CLASS B
595	SY	GEOTEXTILE FOR DRAINAGE
13	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
92	LF	SUPPORTS, WOOD
2	EA	SIGN ERECTION, TYPE D
4	EA	SIGN ERECTION, TYPE E
2	EA	SIGN ERECTION, TYPE F
12	EA	DISPOSAL OF SIGN SYSTEM, WOOD
380	SF	WORK ZONE SIGNS (STATIONARY)
96	SF	WORK ZONE SIGNS (PORTABLE)
94	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
551	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
20	EA	CONES
80	LF	BARRICADES (TYPE III)

16	HR	FLAGGER
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
311	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
802	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
496	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (4") (II)
100	LF	PAINT PAVEMENT MARKING LINES (24")
50	LF	REMOVAL OF PAVEMENT MARKING LINES (24")
14	EA	PERMANENT RAISED PAVEMENT MARKERS
472	LF	12" WATER LINE
2	EA	12" VALVE
2	EA	6" TAPPING VALVE
4	EA	2" AIR RELEASE VALVE
2	EA	6" LINE STOP
612	LF	6" FORCE MAIN SEWER
400	LF	ABANDON 6" UTILITY PIPE
450	LF	ABANDON 12" UTILITY PIPE
308	LF	TRENCHLESS INSTALLATION OF 6" IN SOIL
34	LF	TRENCHLESS INSTALLATION OF 6" NOT IN SOIL
307	LF	TRENCHLESS INSTALLATION OF 12" IN SOIL
34	LF	TRENCHLESS INSTALLATION OF 12" NOT IN SOIL
2,800	LF	TEMPORARY SILT FENCE
150	TON	STONE FOR EROSION CONTROL, CLASS A
25	TON	STONE FOR EROSION CONTROL, CLASS B
130	TON	SEDIMENT CONTROL STONE
6	ACR	TEMPORARY MULCHING
100	LB	SEED FOR TEMPORARY SEEDING
0.5	TON	FERTILIZER FOR TEMPORARY SEEDING
200	LF	TEMPORARY SLOPE DRAINS
400	LF	SAFETY FENCE
30	CY	SILT EXCAVATION
1,500	SY	MATTING FOR EROSION CONTROL
100	SY	COIR FIBER MAT
375	LF	1/4" HARDWARE CLOTH
200	SY	FLOATING TURBIDITY CURTAIN
2	EA	SPECIAL STILLING BASINS
50	LF	COIR FIBER WATTLE
10.75	ACR	SEEDING & MULCHING
0.5	ACR	MOWING
50	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
50	LB	SEED FOR SUPPLEMENTAL SEEDING
0.75	TON	FERTILIZER TOPDRESSING
10	MHR	SPECIALIZED HAND MOWING
24	EA	RESPONSE FOR EROSION CONTROL
0.1	ACR	REFORESTATION
4	EA	GENERIC EROSION CONTROL ITEM CONCRETE WASHOUT STRUCTURE

STRUCTURE ITEMS

Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (18+77.50-L-)
1	EA	PDA TESTING
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ***** (18+77.50-L-)
2,711	SF	CONCRETE WEARING SURFACE
3,647	SF	GROOVING BRIDGE FLOORS
115.3	CY	CLASS AA CONCRETE (BRIDGE)

Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ***** (18+77.50-L-)
11,796	LB	EPOXY COATED REINFORCING STEEL (BRIDGE)
1,260	LF	16" PRESTRESSED CONCRETE PILES
10	EA	PILE REDRIVES
117	TON	RIP RAP CLASS II (2'-0" THICK)
131	SY	GEOTEXTILE FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS
420	LF	3'-0" X 1'-9" PRESTRESSED CONC CORED SLABS
910	LF	3'-0" X 2'-0" PRESTRESSED CONC CORED SLABS
Lump Sum	LS	GENERIC STRUCTURE ITEM ASBESTOS ASSESSMENT
290.59	LF	GENERIC STRUCTURE ITEM CLASSIC CONCRETE BRIDGE RAIL

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L160315 004

CONTRACT ID : C203835 2016CPT.05.07.10391.1 DIV OFFICE DURHAM

LENGTH = 35.856 MI

COUNTY : GRANVILLE

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

MBE GOAL 3.0% WBE 5.0% COMPLETION DATE : NOV 30 2016

US-158 FROM SR-1306 TO US-158 BUSINESS, NC-50 FROM WAKE COUNTY LINE TO NC-56, AND 16 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
5,243	CY	BORROW EXCAVATION
1,854	TON	INCIDENTAL STONE BASE
52.44	SMI	SHOULDER RECONSTRUCTION
91,948	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
48,746	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (2")
5,366	SY	INCIDENTAL MILLING
23,347	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
22,035	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
2,875	TON	ASPHALT BINDER FOR PLANT MIX
4,015	TON	PATCHING EXISTING PAVEMENT
1	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
3,996	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
371,107	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
335,935	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
306	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
100	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)
551	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
6	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)
22	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
535	EA	SNOWPLOWABLE PAVEMENT MARKERS
3,803	LF	TEMPORARY SILT FENCE
9,560	LF	WATTLE
38.03	ACR	SEEDING & MULCHING
3,000	LF	INDUCTIVE LOOP SAWCUT

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L160315 006

CONTRACT ID : C203782 46264.3.FS1

DIV OFFICE GREENSBORO

LENGTH = 8.658 MI

COUNTY : ALAMANCE

PAVEMENT AND BRIDGE REHABILITATION.

DBE GOAL 4.0% COMPLETION DATE : OCT 15 2017

I-40/I-85 FROM EAST OF THE GUILFORD COUNTY LINE TO 0.2 MILES EAST OF NC-54 IN GRAHAM.

ROADWAY ITEMS				STRUCTURE ITEMS			
Lump Sum	LS	MOBILIZATION	99,761	SF	GROOVING BRIDGE FLOORS		
963	TON	INCIDENTAL STONE BASE	13	SY	CLASS II, SURFACE PREPARATION		
505,410	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")	13	SY	CLASS III, SURFACE PREPARATION		
63,531	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (2")	Lump Sum	LS	FOAM JOINT SEALS		
12,500	SY	MILLING ASPHALT PAVEMENT, **** TO ***** (1-1/2" TO 4")	Lump Sum	LS	GENERIC STRUCTURE ITEM VOLUMETRIC MIXER		
4,904	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C	488	CY	GENERIC STRUCTURE ITEM LATEX MODIFIED CONCRETE - VERY EARLY STRENGTH		
44,808	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5D	4	CF	GENERIC STRUCTURE ITEM CONCRETE FOR DECK REPAIR		
291	TON	ASPHALT BINDER FOR PLANT MIX	1,162	SF	GENERIC STRUCTURE ITEM BRIDGE JOINT DEMOLITION		
3,980	TON	POLYMER MODIFIED ASPHALT BIN- DER FOR PLANT MIX	11,650	SY	GENERIC STRUCTURE ITEM HYDRO-DEMOLITION OF BRIDGE DECK		
23,018	TON	OPEN-GRADED ASPHALT FRICTION COURSE, TYPE FC-2 MODIFIED	11,650	SY	GENERIC STRUCTURE ITEM PLACING & FINISHING LATEX MOD- IFIED CONC OVERLAY - VERY EARLY STRENGTH		
236,538	SY	ASPHALT SURFACE TREATMENT, FOG SEAL	11,650	SY	GENERIC STRUCTURE ITEM SCARIFYING BRIDGE DECK		
513	TON	GENERIC PAVING ITEM 4-1/2" PATCHING EXISTING PAVE- MENT					
14	CY	FLOWABLE FILL					
4	EA	GENERIC DRAINAGE ITEM REMOVE AND REPLACE CONCRETE APRON					
1	EA	ADJUSTMENT OF MANHOLES					
496	SF	WORK ZONE SIGNS (STATIONARY)					
597	SF	WORK ZONE SIGNS (PORTABLE)					
32	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)					
6	EA	FLASHING ARROW BOARD					
5	EA	PORTABLE CHANGEABLE MESSAGE SIGN					
250	EA	DRUMS					
40	LF	BARRICADES (TYPE III)					
4	EA	TMA					
250	EA	SKINNY DRUM					
220,037	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)					
71,769	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 120 MILS)					
1,175	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)					
514	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)					
18,693	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)					
1,566	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 120 MILS)					
613	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)					
170	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)					
314,456	LF	PAINT PAVEMENT MARKING LINES (6")					
6,500	LF	PAINT PAVEMENT MARKING LINES (8")					
20,159	LF	PAINT PAVEMENT MARKING LINES (12")					
629	LF	PAINT PAVEMENT MARKING LINES (24")					
158	EA	PAINT PAVEMENT MARKING SYMBOL					
5,700	EA	SNOWPLOWABLE PAVEMENT MARKERS					
Lump Sum	LS	PORTABLE LIGHTING					
4	EA	JUNCTION BOX (STANDARD SIZE)					
1	EA	2" RISER WITH WEATHERHEAD					
6,450	LF	INDUCTIVE LOOP SAWCUT					

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L160315 007

CONTRACT ID : C203785 53030.3.1

DIV OFFICE GREENSBORO

LENGTH = 8.771 MI

COUNTY : GUILFORD

PAVEMENT AND BRIDGE REHABILITATION.

DBE GOAL 4.0% COMPLETION DATE : SEP 15 2017

I-85 FROM SOUTH ELM EUGENE STREET TO I-40 IN GREENSBORO.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
293	CY	UNDERCUT EXCAVATION
1,758	SY	GEOTEXTILE FOR SOIL STABILIZATION
791	TON	SELECT MATERIAL, CLASS ***** (IV)
264	TON	#57 STONE
1,184	TON	INCIDENTAL STONE BASE
56,203	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
4,756	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
280	TON	ASPHALT BINDER FOR PLANT MIX
74	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR
250.7	LB	SEALING EXISTING PAVEMENT CRACKS & JOINTS
3,255	SF	PATCHING CONCRETE PAVEMENT SPALLS
220,909	SY	ASPHALT SURFACE TREATMENT, FOG SEAL
14,676	TON	GENERIC PAVING ITEM 3" PATCHING OF EXISTING PAVEMENT
521,620	LF	GENERIC PAVING ITEM JOINT CONSTRUCTION, REPAIR & SEALING
444,692	SY	GENERIC PAVING ITEM DIAMOND GRINDING PCC PAVEMENT
879	SY	GENERIC PAVING ITEM REPAIR OF JOINTED CONCRETE PAVEMENT SLABS
Lump Sum	LS	SURFACE TESTING CONCRETE PAVEMENT
194,081	LF	GENERIC PAVING ITEM MILLED RUMBLE STRIPS (CONCRETE SHOULDER)
600	SF	WORK ZONE SIGNS (STATIONARY)
566	SF	WORK ZONE SIGNS (PORTABLE)
32	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
6	EA	FLASHING ARROW BOARD
5	EA	PORTABLE CHANGEABLE MESSAGE SIGN
250	EA	DRUMS
40	LF	BARRICADES (TYPE III)
4	EA	TMA
250	EA	SKINNY DRUM
20	EA	TUBULAR MARKERS (FIXED)
330	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
318	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
24	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
38	EA	COLD APPLIED PLASTIC PAVEMENT MARKING SYMBOL, TYPE ** (II)
563,360	LF	PAINT PAVEMENT MARKING LINES (6")
34,720	LF	PAINT PAVEMENT MARKING LINES (12")
80	EA	PAINT PAVEMENT MARKING SYMBOL
325,568	LF	POLYUREA PAVEMENT MARKING LINES (6", ***** (HIGHLY REFLECTIVE ELEMENTS)
21,944	LF	POLYUREA PAVEMENT MARKING LINES (12", ***** (HIGHLY REFLECTIVE ELEMENTS)
330,401	LF	REMOVAL OF PAVEMENT MARKING LINES (6")
24,732	LF	REMOVAL OF PAVEMENT MARKING LINES (12")
35	EA	REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS

744	LF	GENERIC PAVEMENT MARKING ITEM EPOXY PAVEMENT MARKING LINES (BLACK, 12")
63,520	LF	GENERIC PAVEMENT MARKING ITEM EPOXY PAVEMENT MARKING LINES (BLACK, 6")
4,248	EA	SNOWPLOWABLE PAVEMENT MARKERS
535	EA	GENERIC TRAFFIC CONTROL ITEM REPLACE EXISTING BARRIER DELINEATOR
Lump Sum	LS	PORTABLE LIGHTING
600	LF	INDUCTIVE LOOP SAWCUT

STRUCTURE ITEMS

Lump Sum	LS	FOAM JOINT SEALS
291	CF	GENERIC STRUCTURE ITEM ELASTOMERIC CONCRETE
1,160	SF	GENERIC STRUCTURE ITEM BRIDGE JOINT DEMOLITION

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L160315 008

CONTRACT ID : C203674 42286.3.FD1

DIV OFFICE ABERDEEN

LENGTH = 0.099 MI

COUNTY : RANDOLPH

GRADING, DRAINAGE, PAVING, AND CULVERT.

DBE GOAL 6.0% COMPLETION DATE : MAR 14 2017

BRIDGE #58 OVER TRIBUTARY OF LITTLE UWHARRIE RIVER ON SR-1404.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	GRADING
1	ACR	SUPPLEMENTARY CLEARING & GRUB-BING
400	CY	UNDERCUT EXCAVATION
400	CY	SELECT GRANULAR MATERIAL
500	SY	GEOTEXTILE FOR SOIL STABILIZATION
10	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES
20	SY	FOUNDATION CONDITIONING GEOTEXTILE
32	LF	15" SIDE DRAIN PIPE
34	LF	PIPE REMOVAL
1	EA	PIPE CLEAN-OUT
20	TON	INCIDENTAL STONE BASE
100	SY	INCIDENTAL MILLING
210	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
140	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B
190	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
30	TON	ASPHALT BINDER FOR PLANT MIX
89.6	CY	SUBDRAIN EXCAVATION
67.2	CY	SUBDRAIN FINE AGGREGATE
400	LF	6" PERFORATED SUBDRAIN PIPE
1	EA	SUBDRAIN PIPE OUTLET
6	LF	6" OUTLET PIPE
375	LF	STEEL BM GUARDRAIL
5	EA	ADDITIONAL GUARDRAIL POSTS
4	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
90	TON	RIP RAP, CLASS I
230	TON	RIP RAP, CLASS B
2,150	SY	GEOTEXTILE FOR DRAINAGE
15	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
1	EA	SIGN ERECTION, TYPE *** (GROUND MOUNTED) (E)
8	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
1	EA	DISPOSAL OF SUPPORT, U-CHANNEL
325	SF	WORK ZONE SIGNS (STATIONARY)
94	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
64	LF	BARRICADES (TYPE III)
4,200	LF	PAINT PAVEMENT MARKING LINES (4")
675	LF	TEMPORARY SILT FENCE
150	TON	STONE FOR EROSION CONTROL, CLASS A
245	TON	STONE FOR EROSION CONTROL, CLASS B
255	TON	SEDIMENT CONTROL STONE
0.6	ACR	TEMPORARY MULCHING
100	LB	SEED FOR TEMPORARY SEEDING
1.5	TON	FERTILIZER FOR TEMPORARY SEEDING
200	LF	TEMPORARY SLOPE DRAINS
200	LF	SAFETY FENCE
170	CY	SILT EXCAVATION
1,500	SY	MATTING FOR EROSION CONTROL
100	SY	COIR FIBER MAT
100	LF	1/4" HARDWARE CLOTH
300	LF	*** TEMPORARY PIPE (18")
8	EA	SPECIAL STILLING BASINS
20	LF	WATTLE
100	LF	COIR FIBER WATTLE BARRIER
55	LB	POLYACRYLAMIDE (PAM)
100	LF	COIR FIBER BAFFLE
2	EA	*** SKIMMER (1-1/2")
0.6	ACR	SEEDING & MULCHING

0.3	ACR	MOWING
50	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
50	LB	SEED FOR SUPPLEMENTAL SEEDING
0.5	TON	FERTILIZER TOPDRESSING
100	LF	IMPERVIOUS DIKE
10	MHR	SPECIALIZED HAND MOWING
12	EA	RESPONSE FOR EROSION CONTROL
4	EA	GENERIC EROSION CONTROL ITEM CONCRETE WASHOUT STRUCTURE

CULVERT ITEMS

Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (13+78.00-L-)
Lump Sum	LS	CULVERT EXCAVATION, STA ***** (13+78.00-L-)
69	TON	FOUNDATION CONDITIONING MATERIAL, BOX CULVERT
96.1	CY	CLASS A CONCRETE (CULVERT)
11,981	LB	REINFORCING STEEL (CULVERT)
Lump Sum	LS	GENERIC STRUCTURE ITEM ASBESTOS ASSESSMENT

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L160315 009

CONTRACT ID : C203833 2016CPT.08.10.10531 DIV OFFICE ABERDEEN

LENGTH = 26.047 MI

COUNTY : LEE, MOORE

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

MBE GOAL 3.0% WBE 5.0% COMPLETION DATE : NOV 30 2016

US-1 FROM SR-1731 TO MOORE COUNTY LINE, US-1 FROM CRAINS CREEK TO CRYSTAL LAKE RD AND 6 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
2,635	CY	BORROW EXCAVATION
690	TON	INCIDENTAL STONE BASE
34.62	SMI	SHOULDER RECONSTRUCTION
43,770	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")
3,815	SY	MILLING ASPHALT PAVEMENT, **** TO ***** (0" TO 1-1/2")
3,015	SY	INCIDENTAL MILLING
17,945	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
8,830	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
1,597	TON	ASPHALT BINDER FOR PLANT MIX
12,120	TON	PATCHING EXISTING PAVEMENT
39,320	LF	MILLED RUMBLE STRIPS (ASPHALT CONCRETE)
163,782	SY	GENERIC PAVING ITEM LATEX MODIFIED MICROSURFACING TYPE III
13	EA	ADJUSTMENT OF MANHOLES
20	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
2,373	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
143,005	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
129,880	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
192	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 240 MILS)
133,240	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
18,115	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 120 MILS)
485	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
9,665	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
225	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)
25	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)
68	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
2,925	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (6") (II)
15,600	LF	PAINT PAVEMENT MARKING LINES (4")
2,925	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
255	EA	PERMANENT RAISED PAVEMENT MARKERS
1,360	EA	SNOWPLOWABLE PAVEMENT MARKERS
5,082	LF	TEMPORARY SILT FENCE
830	LF	WATTLE
35.68	ACR	SEEDING & MULCHING

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L160315 010

CONTRACT ID : C203832 2016CPT.08.11.10771 DIV OFFICE ABERDEEN

LENGTH = 10.081 MI

COUNTY : RICHMOND, MONTGOMERY

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

MBE GOAL 3.0% WBE 5.0% COMPLETION DATE : NOV 30 2016

1 SECTION OF US-1 AND 4 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
2,110	TON	GENERIC GRADING ITEM
		AGGREGATE SHOULDER BORROW
13.27	SMI	SHOULDER RECONSTRUCTION
233	SY	MILLING ASPHALT PAVEMENT, ****
		DEPTH
		(1-1/2")
3,055	SY	MILLING ASPHALT PAVEMENT, ****
		DEPTH
		(1-1/4")
2,127	SY	INCIDENTAL MILLING
14,545	TON	ASPHALT CONC SURFACE COURSE,
		TYPE S9.5B
870	TON	ASPHALT CONC SURFACE COURSE,
		TYPE SF9.5A
931	TON	ASPHALT BINDER FOR PLANT MIX
90	TON	PATCHING EXISTING PAVEMENT
120,360	SY	ASPHALT SURFACE TREATMENT,
		SINGLE SEAL
42,215	GAL	EMULSION FOR ASPHALT SURFACE
		TREATMENT
1,139	SF	WORK ZONE ADVANCE/GENERAL
		WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
107,135	LF	THERMOPLASTIC PAVEMENT MARKING
		LINE (4", 90 MILS)
110,000	LF	THERMOPLASTIC PAVEMENT MARKING
		LINE (4", 120 MILS)
1,010	LF	THERMOPLASTIC PAVEMENT MARKING
		LINE (8", 90 MILS)
185	LF	THERMOPLASTIC PAVEMENT MARKING
		LINE (8", 120 MILS)
150	LF	THERMOPLASTIC PAVEMENT MARKING
		LINE (24", 120 MILS)
12	EA	THERMOPLASTIC PAVEMENT MARKING
		CHARACTER (120 MILS)
95	EA	THERMOPLASTIC PAVEMENT MARKING
		SYMBOL (90 MILS)
389	EA	PERMANENT RAISED PAVEMENT
		MARKERS
481	EA	SNOWPLOWABLE PAVEMENT MARKERS

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L160315 011

CONTRACT ID : C203837 2016CPT.08.12.10831 DIV OFFICE ABERDEEN

LENGTH = 10.543 MI

COUNTY : SCOTLAND, HOKE

MILLING, WIDENING, RESURFACING & SHOULDER RECONSTRUCTION.

MBE GOAL 4.0% WBE 5.0% COMPLETION DATE : NOV 30 2016

US-401 FROM DIVIDED HIGHWAY TO SR-1424, US-401 FROM SR-1407 TO LUMBER RIVER BRIDGE AND 4 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
2,325	CY	BORROW EXCAVATION
477	TON	GENERIC GRADING ITEM
		AGGREGATE SHOULDER BORROW
525	TON	INCIDENTAL STONE BASE
11.7	SMI	SHOULDER RECONSTRUCTION
94,875	SY	MILLING ASPHALT PAVEMENT, ****
		DEPTH
		(1-1/2")
845	SY	INCIDENTAL MILLING
440	TON	ASPHALT CONC BASE COURSE, TYPE
		B25.0B
9,710	TON	ASPHALT CONC SURFACE COURSE,
		TYPE S9.5B
7,350	TON	ASPHALT CONC SURFACE COURSE,
		TYPE SF9.5A
1,095	TON	ASPHALT BINDER FOR PLANT MIX
115	TON	PATCHING EXISTING PAVEMENT
6	EA	ADJUSTMENT OF MANHOLES
8	EA	ADJUSTMENT OF METER BOXES OR
		VALVE BOXES
1,184	SF	WORK ZONE ADVANCE/GENERAL
		WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
108,440	LF	THERMOPLASTIC PAVEMENT MARKING
		LINES (4", 90 MILS)
86,870	LF	THERMOPLASTIC PAVEMENT MARKING
		LINES (4", 120 MILS)
300	LF	THERMOPLASTIC PAVEMENT MARKING
		LINES (8", 90 MILS)
280	LF	THERMOPLASTIC PAVEMENT MARKING
		LINES (8", 120 MILS)
300	LF	THERMOPLASTIC PAVEMENT MARKING
		LINES (16", 120 MILS)
350	LF	THERMOPLASTIC PAVEMENT MARKING
		LINES (24", 120 MILS)
24	EA	THERMOPLASTIC PAVEMENT MARKING
		CHARACTER (120 MILS)
25	EA	THERMOPLASTIC PAVEMENT MARKING
		SYMBOL (90 MILS)
31,600	LF	PAINT PAVEMENT MARKING LINES
		(4")
121	EA	PERMANENT RAISED PAVEMENT
		MARKERS
547	EA	SNOWPLOWABLE PAVEMENT MARKERS
865	LF	TEMPORARY SILT FENCE
160	LF	WATTLE
6.17	ACR	SEEDING & MULCHING

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L160315 012

CONTRACT ID : C203838 2016CPT.08.13.10191 DIV OFFICE ABERDEEN

LENGTH = 7.829 MI

COUNTY : CHATHAM, RANDOLPH

MILLING, RESURFACING AND SHOULDER RECONSTRUCTION.

MBE GOAL 3.0% WBE 4.0% COMPLETION DATE : NOV 30 2016

NC-22/42 FROM SR-2893 IN RANDOLPH COUNTY TO MOORE COUNTY LINE IN CHATHAM COUNTY, AND 1 SECTION OF SECONDARY ROAD.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
2,290	TON	GENERIC GRADING ITEM AGGREGATE SHOULDER BORROW
15.46	SMI	SHOULDER RECONSTRUCTION
1,795	SY	INCIDENTAL MILLING
8,550	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
1,216	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
594	TON	ASPHALT BINDER FOR PLANT MIX
1,430	TON	PATCHING EXISTING PAVEMENT
93,660	SY	ASPHALT SURFACE TREATMENT, MAT COAT, #*** STONE (6M)
33,265	GAL	EMULSION FOR ASPHALT SURFACE TREATMENT
1	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
853	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
78,500	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
66,515	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
6	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
18,795	LF	PAINT PAVEMENT MARKING LINES (4")
140	LF	PAINT PAVEMENT MARKING LINES (8")
12	LF	PAINT PAVEMENT MARKING LINES (24")
485	EA	SNOWPLOWABLE PAVEMENT MARKERS

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L160315 013

CONTRACT ID : C203673 38523.3.2

DIV OFFICE SHELBY

LENGTH = 0.079 MI

COUNTY : GASTON

GRADING, DRAINAGE, PAVING, AND STRUCTURE.

MBE GOAL 3.0% WBE 4.0% COMPLETION DATE : APR 30 2017

BRIDGE #203 OVER STANLEY CREEK ON SR-1935.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	CONSTRUCTION SURVEYING
Lump Sum	LS	BRIDGE APPROACH FILL - SUB REGIONAL TIER, STATION ***** (15+53.00 -L-)
300	CY	UNDERCUT EXCAVATION
Lump Sum	LS	GRADING
1	ACR	SUPPLEMENTARY CLEARING & GRUB-BING
210	CY	DRAINAGE DITCH EXCAVATION
300	CY	SELECT GRANULAR MATERIAL
425	SY	GEOTEXTILE FOR SOIL STABILIZATION
14	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES
43	SY	FOUNDATION CONDITIONING GEOTEXTILE
128	LF	15" RC PIPE CULVERTS, CLASS III
75	CY	SHALLOW UNDERCUT
150	TON	CLASS IV SUBGRADE STABILIZATION
25	TON	INCIDENTAL STONE BASE
375	TON	ASPHALT CONC BASE COURSE, TYPE B25.0B
210	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A
31	TON	ASPHALT BINDER FOR PLANT MIX
10	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR
4	EA	MASONRY DRAINAGE STRUCTURES
4	EA	FRAME WITH TWO GRATES, STD 840.29
120	LF	SHOULDER BERM GUTTER
50	LF	STEEL BM GUARDRAIL
5	EA	ADDITIONAL GUARDRAIL POSTS
4	EA	GUARDRAIL ANCHOR UNITS, TYPE III
4	EA	GUARDRAIL ANCHOR UNITS, TYPE 350
7	TON	RIP RAP, CLASS I
2	TON	RIP RAP, CLASS B
612	SY	GEOTEXTILE FOR DRAINAGE
8	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
328	SF	WORK ZONE SIGNS (STATIONARY)
96	SF	WORK ZONE SIGNS (PORTABLE)
94	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
10	EA	DRUMS
10	EA	CONES
64	LF	BARRICADES (TYPE III)
10	DAY	FLAGGER
2,477	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
2,477	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)
1,650	LF	TEMPORARY SILT FENCE
150	TON	STONE FOR EROSION CONTROL, CLASS A
15	TON	STONE FOR EROSION CONTROL, CLASS B
90	TON	SEDIMENT CONTROL STONE
0.8	ACR	TEMPORARY MULCHING
100	LB	SEED FOR TEMPORARY SEEDING
0.5	TON	FERTILIZER FOR TEMPORARY SEEDING
200	LF	TEMPORARY SLOPE DRAINS
200	LF	SAFETY FENCE
20	CY	SILT EXCAVATION
1,850	SY	MATTING FOR EROSION CONTROL
100	SY	COIR FIBER MAT
200	LF	1/4" HARDWARE CLOTH
2	EA	SPECIAL STILLING BASINS
20	LF	WATTLE

5	LB	POLYACRYLAMIDE (PAM)
0.8	ACR	SEEDING & MULCHING
0.4	ACR	MOWING
50	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
50	LB	SEED FOR SUPPLEMENTAL SEEDING
0.5	TON	FERTILIZER TOPDRESSING
10	MHR	SPECIALIZED HAND MOWING
12	EA	RESPONSE FOR EROSION CONTROL
4	EA	GENERIC EROSION CONTROL ITEM CONCRETE WASHOUT STRUCTURE

STRUCTURE ITEMS

Lump Sum	LS	CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP ACCESS AT STA ***** (15+53.00 -L-)
Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (15+53.00 -L-)
1	EA	PDA TESTING
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ***** (15+53.00 -L-)
57	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ***** (15+53.00 -L-)
7,850	LB	REINFORCING STEEL (BRIDGE)
410	LF	HP12X53 STEEL PILES
143.15	LF	TWO BAR METAL RAIL
160	LF	1'-***X ***** CONCRETE PARAPET (1'-2" X 2'-9 1/2")
200	TON	RIP RAP CLASS II (2'-0" THICK)
225	SY	GEOTEXTILE FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS
880	LF	3'-0" X 2'-9" PRESTRESSED CONC BOX BEAMS
Lump Sum	LS	GENERIC STRUCTURE ITEM ASBESTOS ASSESSMENT

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L160315 014

CONTRACT ID : C203823 2017CPT.12.06.10551 DIV OFFICE SHELBY
 COUNTY : LINCOLN

LENGTH = 27.770 MI

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

MBE GOAL 3.0% WBE 4.0% COMPLETION DATE : APR 28 2017

US-321 FROM HIGH SHOALS BRIDGE TO NC-27/NC-150, 1 SECT OF US-321 BUS, 1 SECT OF NC-150, AND 46 SECT
 OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	DESCRIPTION	Lump Sum	LS	DESCRIPTION
3,407	TON	MOBILIZATION GENERIC GRADING ITEM AGGREGATE SHOULDER BORROW			PORTABLE LIGHTING
545	TON	INCIDENTAL STONE BASE			
37.73	SMI	SHOULDER RECONSTRUCTION			
103,750	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (1-1/2")			
19,400	SY	MILLING ASPHALT PAVEMENT, **** DEPTH (2")			
4,245	SY	INCIDENTAL MILLING			
14,512	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B			
3,130	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B (LEVELING COURSE)			
17,188	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C			
900	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C (LEVELING COURSE)			
6,747	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A			
380	TON	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A (LEVELING COURSE)			
2,620	TON	ASPHALT BINDER FOR PLANT MIX			
4,003	TON	PATCHING EXISTING PAVEMENT			
60,900	SY	ASPHALT SURFACE TREATMENT, MAT COAT, **** STONE (#67)			
24,360	GAL	EMULSION FOR ASPHALT SURFACE TREATMENT			
53,600	LF	MILLED RUMBLE STRIPS (ASPHALT CONCRETE)			
2	EA	CONCRETE CURB RAMP			
1	EA	ADJUSTMENT OF DROP INLETS			
8	EA	ADJUSTMENT OF MANHOLES			
4	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES			
5,288	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING			
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL			
50	HR	LAW ENFORCEMENT			
185	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)			
100	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)			
819	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)			
20	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)			
165	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)			
423,000	LF	PAINT PAVEMENT MARKING LINES (4")			
67,100	LF	PAINT PAVEMENT MARKING LINES (6")			
1,450	LF	PAINT PAVEMENT MARKING LINES (12")			
79	LF	PAINT PAVEMENT MARKING LINES (24")			
42	EA	PAINT PAVEMENT MARKING SYMBOL			
106,500	LF	POLYUREA PAVEMENT MARKING LINES (4", *****) (HIGHLY REFLECTIVE ELEMENTS)			
67,100	LF	POLYUREA PAVEMENT MARKING LINES (6", *****) (HIGHLY REFLECTIVE ELEMENTS)			
1,250	LF	POLYUREA PAVEMENT MARKING LINES (8", *****) (HIGHLY REFLECTIVE ELEMENTS)			
1,450	LF	POLYUREA PAVEMENT MARKING LINES (12", *****) (HIGHLY REFLECTIVE ELEMENTS)			
1,600	LF	REMOVAL OF PAVEMENT MARKING LINES (6")			
1,445	EA	SNOWPLOWABLE PAVEMENT MARKERS			

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L160315 015

CONTRACT ID : C203762 52036.3.1

DIV OFFICE SYLVA

LENGTH = 10.119 MI

COUNTY : HENDERSON

PAVEMENT & BRIDGE REHABILITATION.

DBE GOAL 2.0% COMPLETION DATE : OCT 01 2017

I-26 FROM MILE MARKER 40 TO MILE MARKER 45 AND I-26 FROM MILE MARKER 45 TO MILE MARKER 50.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
10,000	LB	GENERIC MISCELLANEOUS ITEM HOT POURED RUBBER ASPHALT JOINT SEALER, TYPE I
803,494	LB	GENERIC MISCELLANEOUS ITEM PAVEMENT SLAB STABILIZATION MATERIAL
5,300	SY	GENERIC MISCELLANEOUS ITEM REPAIR OF JOINTED CONCRETE PAVEMENT SLABS
1,100	CY	UNDERCUT EXCAVATION
5,300	SY	GEOTEXTILE FOR SOIL STABILIZA- TION
8,400	TON	SELECT MATERIAL, CLASS ***** (IV)
186	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B (LEVELING COURSE)
13	TON	ASPHALT BINDER FOR PLANT MIX
924	TON	POLYMER MODIFIED ASPHALT BIN- DER FOR PLANT MIX
17,740	TON	ULTRA-THIN BONDED WEARING COURSE
325,248	SY	APPLICATION OF ULTRATHIN HOT MIX ASPHALT
13,000	SY	GENERIC PAVING ITEM MILLING CONCRETE AND ASPHALT PAVEMENT
480	SF	WORK ZONE SIGNS (STATIONARY)
1,644	SF	WORK ZONE SIGNS (PORTABLE)
104	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
8	EA	FLASHING ARROW BOARD
10	EA	PORTABLE CHANGEABLE MESSAGE SIGN
250	EA	DRUMS
64	LF	BARRICADES (TYPE III)
4,000	HR	LAW ENFORCEMENT
1,100	EA	SKINNY DRUM
6,600	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
30	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
247,210	LF	GENERIC PAVEMENT MARKING ITEM THERMOPLASTIC PAVEMENT MARKING LINES (6", 50 MILS)
1,426	EA	SNOWPLOWABLE PAVEMENT MARKERS
Lump Sum	LS	PORTABLE LIGHTING

STRUCTURE ITEMS

391.3	LF	GENERIC STRUCTURE ITEM FOAM JOINT SEALS
97.8	CF	GENERIC STRUCTURE ITEM ELASTOMERIC CONCRETE
419.2	SF	GENERIC STRUCTURE ITEM BRIDGE JOINT DEMOLITION