

### STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION


ROY COOPER GOVERNOR

### IMPORTANT INFORMATION PLEASE READ

J. ERIC BOYETTE Secretary

TO PREQUALIFIED BIDDERS AND PURCHASE ORDER PRIMES:

The requirements for bidding on NCDOT construction projects are changing. The current requirement to purchase plans or a proposal to be eligible to bid will be replaced by a requirement to register for the *Interested Parties List*. This change will be effective for any Central or Division letting June 1, 2022 and later.



### For any letting June 1, 2022 and later:

Contractors bidding on NCDOT contracts <u>must sign up for the *Interested Parties*</u> <u>List</u> for each project they intend to submit bids on. As part of this new requirement, Contractors must sign up for the *Interested Parties List* no later than one business day prior to the Letting Date.

The purchase of plans or proposals will no longer be required to bid on NCDOT Central Let projects and will be replaced by the new requirement above to sign up for the *Interested Parties List*. Plans will continue to be available for purchase, however anyone who purchases plans shall still sign up for the *Interested Parties List* to be eligible to bid.

A one-page quick guide follows this letter and the quick guide a more detailed walkthrough on signing up for the *Interested Parties List* can be found on the Central and Division Letting Resources pages at the links below:

https://connect.ncdot.gov/letting/Pages/Central.aspx https://connect.ncdot.gov/letting/Pages/Division-Letting-Resources.aspx

The links and functionality described in the guides will be available on our website in the near future. For more information or assistance with this new process please submit any questions to InterestedPartiesHelp@ncdot.gov.

For additional assistance with general bidding related questions please email <u>AWPhelp@ncdot.gov</u>.

Ronald E. Davenport, Jr., PE State Contract Officer

Ronald E. Davenport, Jr. F81B6038A47A442

Mailing Address: NC DEPARTMENT OF TRANSPORTATION CONTRACT STANDARDS & DEVELOPMENT 1591 MAIL SERVICE CENTER RALEIGH, NC 27699-1591 Telephone: (919) 707-6900 Fax: (919) 250-4127 Customer Service: 1-877-368-4968 Location: 1020 BIRCH RIDGE DRIVE RALEIGH, NC 27610

Website: www.ncdot.gov



# **Interested Parties List**

To **register to bid on an upcoming NCDOT construction contract**, or to register in general to be notified about updates for selected upcoming contracts to be let, add your firm to the Interested Parties list for each contract in which you are interested. Interested parties will be informed by mail whenever there are addenda or other changes to the planned letting.

You are no longer required to be a Plan Holder to bid for any lettings occurring June 1, 2022, or later.

Interested parties and authorized bidders MUST sign up at least <u>one full business</u> <u>day</u> prior to the let date.

# **To Register:**

- Navigate to the details page for the selected contract. Press Interested Parties for this letting or go directly to the overall <u>Interested Parties list</u>
- 2. Press **Add Firm** and find your firm using the Search box. Select your firm name and press **Next**
- 3. Complete the contact information for the person to be notified of changes and press **Next**
- 4. Review the list of upcoming Central and Division contracts and select the upcoming contract(s) in which you are interested and press **Next**. *There is no need to register again for contracts for which you have previously registered.*
- 5. The confirmation page will summarize your entered information. Press **Submit**.
- 6. A confirmation email will be sent to the provided address. Within one hour, the firm will appear on the publicly viewable Interested Parties list for each of the specified contracts. Allow five business days for NCDOT staff to upload your firm as an authorized bidder in Bid Express.

Email InterestedPartiesHelp@ncdot.gov if you have any problems registering.



## STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

**ROY COOPER** GOVERNOR

J. ERIC BOYETTE SECRETARY



### Upcoming Opportunities for DBE Firms to Participate on NCDOT Projects

As part of the North Carolina Department of Transportation's continuing commitment to promote Disadvantaged/Minority/Women Business Enterprise (D/M/WBE) participation, the Division of Highways Chief Engineer's Office would like to remind you of the broad range of construction, maintenance, and operational opportunities available within NCDOT. One of these opportunities is the monthly advertisement of Central Let projects with letting held on the third Tuesday of each month. NCDOT is requesting bids for the following projects. If your firm is eligible to bid (i.e., prequalified as a Bidder), you can download and print the bid related items from this list.

Central Highway Letting

If you are interested in providing subcontractor work for any of these projects, we strongly encourage you to solicit each of the contractors bidding on these projects to see if they are interested in receiving a quote. A list of interested parties with their contact information is listed for each project being advertised.



Central Plan Holder List

I would like to personally thank you for your time in considering this opportunity with the North Carolina Department of Transportation.

Sincerely,

Ronald L. Keeter, Jr, PE **Chief Engineer Division of Highways** Mailing Address:

NC DEPARTMENT OF TRANSPORTATION OFFICE OF THE CHIEF ENGINEER MAIL SERVICE CENTER 1536 RALEIGH, NC 27699-1536

Telephone 919-707-2500 Fax: 919-733-9428 Customer Service: 1-877-368-4968

Location: 1 SOUTH WILMINGTON STREET RALEIGH, NC 27601

Website: www.ncdot.gov

### STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION INVITATION TO BID

ELECTRONIC BIDS (UNLESS OTHERWISE SPECIFIED IN THE PROJECT SPECIAL PROVISION) FOR THE CONSTRUCTION OF THE FOLLOWING PROJECTS WILL BE PUBLICLY READ IN ROOM 156-A/B, THE CONTRACT STANDARDS AND DEVELOPMENT UNIT LARGE CONFERENCE ROOM, LOCATED IN BUILDING B AT 1020 BIRCH RIDGE DRIVE, RALEIGH, N.C. AT **2:00 PM** ON APRIL 19, 2022. NO ELECTRONIC BIDS WILL BE RECEIVED AFTER 2.00 PM.

1. THE BIDDER SHALL PURCHASE A PROPOSAL FOR EACH PROJECT FOR WHICH THEY INTEND TO SUBMIT A BID IN RESPONSE TO THIS INVITATION TO BID.

2. A BID BOND OR BID DEPOSIT IN THE AMOUNT OF 5% OF THE TOTAL AMOUNT BID WILL BE REQUIRED. THE BIDDER SHALL SUBMIT AN ELECTRONIC BID BOND WITH EACH ELECTRONIC BID SUBMITTAL UNLESS THEY ELECT TO FURNISH A BID DEPOSIT.

3. UPON RECEIPT OF AWARD LETTER, THE SUCCESSFUL BIDDER SHALL FURNISH A PROPERLY EXECUTED EXECUTION OF CONTRACT, NON-COLLUSION, DEBARMENT AND GIFT BAN CERTIFICATION, AND EXECUTED PAYMENT AND PERFORMANCE BONDS FOR EACH CONTRACT. CERTIFICATION FORMS AND BOND FORMS ARE AVAILABLE AS PART OF THE CONTRACT EXECUTION FORMS AT THE FOLLOWING WEBSITE https://connect.ncdot.gov/letting/Pages/Central-Letting-Forms.aspx.

ALL QUESTIONS RELATED TO PROJECTS DURING THE ADVERTISEMENT PERIOD SHALL BE ADDRESSED TO THE STATE CONTRACT OFFICER AT 919-707-6900.

THE MINIMUM WAGE FOR LABOR WILL BE SHOWN IN THE PROPOSAL FORM FOR FEDERAL AID PROJECTS.

**CONTRACTOR'S LICENSE:** A GENERAL CONTRACTOR'S LICENSE IS REQUIRED IN ORDER TO SUBMIT A BID ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$30,000.00 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD. ON FEDERAL PROJECTS, THE APPROPRIATE CONTRACTORS LICENSE SHALL BE OBTAINED WITHIN 60 DAYS OF BID OPENING. FOR ADDITIONAL INFORMATION OR TO MAKE APPLICATION FOR A LICENSE, APPLY TO THE EXECUTIVE SECRETARY OF THE CONTRACTOR LICENSING BOARD, P.O. BOX 17187, RALEIGH, NC 27619, (919-571-4183).

PREQUALIFYING TO BID: ALL PROSPECTIVE BIDDERS SHALL BE PREQUALIFIED WITH THE DEPARTMENT OF TRANSPORTATION PRIOR TO SUBMITTING A BID. CONTRACTORS WHO ARE NOT PREQUALIFIED MAY PREQUALIFYING FROM THE CONTRACTUAL SERVICES OBTAIN INFORMATION AND FORMS FOR MANAGEMENT SECTION OF THE CONTRACT STANDARDS AND DEVELOPMENT UNIT. 1509 MAIL SERVICE CENTER, RALEIGH, N. C., ALL REQUIRED PREQUALIFICATION STATEMENTS AND DOCUMENTS SHALL BE FILED WITH THE CONTRACTUAL SERVICES MANAGEMENT SECTION AT LEAST FOUR WEEKS PRIOR TO THE DATE OF OPENING BIDS.

THE DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY ENSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS INVITATION TO BID, MINORITY BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, OR NATIONAL ORIGIN IN COMPENSATION TO THIS AWARD.

PROPOSAL FORMS AT **\$25.00** EACH, PLANS (SMALL SIZE) AT **\$40.00** PER SET, PLANS (LARGE SIZE) AT **\$100.00** PER SET, AND CROSS-SECTIONS AT **\$40.00** PER SET, PLUS SALES TAX FOR N.C. RESIDENTS, MAY BE OBTAINED BY TELEPHONING (919-707-6925), FAXING (919-250-4127), OR WRITING TO: PLANS AND PROPOSALS, CONTRACT STANDARDS AND DEVELOPMENT UNIT, DEPARTMENT OF TRANSPORTATION, 1020 BIRCH RIDGE DRIVE, RALEIGH, N.C., 27610. THESE CHARGES ARE NOT DEPOSITS AND WILL NOT BE REFUNDED. ALL ORDERS FOR PROPOSAL FORMS, PLANS AND CROSS-SECTIONS DELIVERED IN NORTH CAROLINA ARE SUBJECT TO 7.25% SALES TAX. ORDERS MAILED TO OUT OF STATE CONTRACTORS ARE NOT SUBJECT TO SALES TAX. MAKE ALL CHECKS PAYABLE TO THE **"N.C. DEPARTMENT OF TRANSPORTATION".** 

THE RIGHT IS RESERVED TO REJECT ANY OR ALL BIDS.

### TODAY'S DATE IS MARCH 22, 2022. BY ORDER OF THE DEPARTMENT OF TRANSPORTATION (THE WORK WILL CONSIST APPROXIMATELY AS SHOWN ON THE FOLLOWING SHEETS)

(Revised on 15 Aug 2019)

### **REVIEW OF PLANS AND PROPOSALS IN DIVISION OFFICE**

IN ORDER TO FACILITATE AND ENCOURAGE THE INVOLVEMENT OF MINORITY BUSINESS ENTERPRISES IN THE HIGHWAY CONSTRUCTION PROCESS, IT IS THE POLICY OF THE DEPARTMENT OF TRANSPORTATION, DIVISION OF HIGHWAYS, THAT A SET OF PLANS AND PROPOSAL FOR EACH PROJECT TO BE LET WILL BE MAINTAINED FOR REVIEW BY ANY CONTRACTOR INTERESTED IN BIDDING UPON OR QUOTING WORK IN AN ADVERTISED PROJECT.

THE PROPOSALS AND PLANS WILL BE AVAILABLE FOR REVIEW BEGINNING TWO WEEKS PRIOR TO THE DATE OF BID OPENING IN THE DIVISION OFFICE WHICH WILL ADMINISTER THE CONTRACT. THE DEPARTMENT WILL, UPON REQUEST, MAKE AVAILABLE FROM ITS STAFF A PERSON TO EXPLAIN THE PROPOSED PROJECT AND TO ANSWER GENERAL QUESTIONS RELATING TO THE PROJECT. THE PLANS AND PROPOSALS CAN BE REVIEWED ANY TIME MONDAY THRU FRIDAY, EXCLUDING HOLIDAYS, BETWEEN THE HOURS OF 8:00 A.M. AND 4:30 P.M. IN THE DIVISION OFFICE. IN ORDER TO HAVE A MEMBER OF THE STAFF EXPLAIN THE PROJECT AND/OR ANSWER GENERAL QUESTIONS PERTAINING TO THE PROJECT, PRIOR APPOINTMENTS MUST BE MADE BY CALLING THE APPROPRIATE DIVISION OFFICE.

FOLLOWING ARE THE LOCATIONS AND TELEPHONE NUMBERS OF THE OFFICES IN WHICH THE PLANS AND PROPOSALS WILL BE MADE AVAILABLE, REFERENCE SHOULD BE MADE TO THE SHEETS CONTAINING THE INDIVIDUAL PROJECT QUANTITIES TO DETERMINE WHICH DIVISION OFFICE WILL ADMINISTER THE CONTRACT.

DIV NO	. DIVISION ENGINEER	LOCATION	TOWN	TELEPHONE
00001	Sterling D Baker, PE	113 AIRPORT DRIVE, SUITE 100	EDENTON	(252) 482-1850
00002	Jeffrey D Cabaniss, PE	PO BOX 1587	GREENVILLE	(252) 439-2800
00003	D. Chad Kimes, PE	5501 BARBADOS BLVD	CASTLE HAYNE	(910) 341-2000
00004	Kevin G Bowen, PE	PO BOX 3165	WILSON	(252) 237-6164
00005	Brandon H Jones, PE	2612 NORTH DUKE STREET	DURHAM	(919) 220-4600
00006	Howard L Cox, PE	PO BOX 1150	FAYETTEVILLE	(910) 486-1493
00007	Wright R Archer, III, PE	PO BOX 14996	GREENSBORO	(336) 487-0000
00008	Patrick Norman, PE	121 DOT DRIVE	CARTHAGE	(910) 773-8000
00009	S. Pat Ivey, PE	375 SILAS CREEK PARKWAY	WINSTON-SALEM	(336) 747-7800
00010	Brett D Canipe, PE	716 WEST MAIN STREET	ALBEMARLE	(704) 983-4400
00011	Michael A Pettyjohn, PE	PO BOX 250	NORTH WILKESBORO	(336) 903-9101
00012	Mark E Stafford, PE	PO BOX 47	SHELBY	(704) 480-5400
00013	Mark T Gibbs, PE	PO BOX 3279	ASHEVILLE	(828) 250-3000
00014	Wanda H Austin, PE	253 WEBSTER ROAD	SYLVA	(828) 586-2141

===	SUMMARY	OF	PROPOSALS	==
-----	---------	----	-----------	----

-

Bid I	Letting Num	ber L220419					
RPN	RPN Contract Id WBS         County         Length         JobType						
002	C204694	45886.3.1	WAKE	3.911 MI	DRAINAGE, PAVEMENT REHAB, ITS, AND BRIDGE PRESERVATION.		
003	C204438	45684.3.1	ALAMANCE	0.288 MI	GRADING, DRAINAGE, PAVING, AND STRUCTURE.		
004	C204572	47145.3.1	ALAMANCE	0.884 MI	GRADING, DRAINAGE, PAVING, SIGNALS, AND CULVERT.		
005	C204703	49637.3.1	DAVIDSON, RANDOLPH	7.774 MI	PAVEMENT REHABILITATION AND BRIDGE REHABILITIATION.		
006	C204416	45726.3.1	FORSYTH	0.130 MI	GRADING, DRAINAGE, PAVING, AND STRUCTURE.		
007	C204717	2022CPT.13.01.10111 ETC.	BUNCOMBE	18.810 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.		
008	C204484	67032.3.1	MADISON	0.133 MI	GRADING, DRAINAGE, PAVING, RETAINING WALLS, AND STRUCTURE.		

Page: 1 of 13

### FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

CONTRACT ID : C204694

### **DIV OFFICE DURHAM**

L220419 002

LENGTH = 3.911 MI

### COUNTY : WAKE

DRAINAGE, PAVEMENT REHAB, ITS, AND BRIDGE PRESERVATION.

### DBE GOAL 2.0% COMPLETION DATE : NOV 07 2023

### I-40 FROM SR-1728 (WADE AVENUE) TO I-440/US-1 IN RALEIGH.

45886.3.1

### **ROADWAY ITEMS**

Lump Sum	LS	MOBILIZATION
384	CY	UNDERCUT EXCAVATION
4,985	SY	GEOTEXTILE FOR SOIL STABILIZA- TION
660	SY	GENERIC GRADING ITEM CONCRETE DITCH REMOVAL
80	LF	18" DRAINAGE PIPE
20	LF	15" RC PIPE CULVERTS, CLASS IV
2	EA	PIPE CLEAN OUT
1,850	CY	SHALLOW UNDERCUT
3,470	TON	CLASS IV SUBGRADE STABILIZA- TION
3.4	SMI	SHOULDER RECONSTRUCTION
153,996	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (2")
51,174	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (2-5/8")
141,080	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (5/8")
801	SY	MILLING ASPHALT PAVEMENT, ***" TO ******"
309	SY	(2" TO 2-5/8") INCIDENTAL MILLING
555	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
190	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0C
13,241	TON	ASPHALT CONC SURFACE COURSE, TYPE \$9.5C
10,106	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5D
828.8	TON	ASPHALT BINDER FOR PLANT MIX
958	TON	POLYMER MODIFIED ASPHALT BIN- DER FOR PLANT MIX
38,773	LB	SEALING EXISTING PAVEMENT CRACKS & JOINTS
1,312	SY	REPAIR OF JOINTED CONCRETE PAVEMENT SLABS
255	TON	SELECT MATERIAL, CLASS IV
12,500	SF	PATCHING CONCRETE PAVEMENT SPALLS
7,366	TON	ULTRA-THIN BONDED WEARING COURSE
76,761	LF	MILLED RUMBLE STRIPS (ASPHALT CONCRETE)
6	EA	MASONRY DRAINAGE STRUCTURES
6	EA	FRAME WITH TWO GRATES, STD 840.29
5	LF	**"X **" CONCRETE CURB (8" X 12")
1,484	LF	SHOULDER BERM GUTTER
1	EA	GENERIC DRAINAGE ITEM DRAINAGE PIPE REPAIR
3	EA	GENERIC DRAINAGE ITEM DRAINAGE STRUCTURE REPAIR
4	EA	IMPACT ATTENUATOR UNITS, TYPE TL-3
5,675	LF	STEEL BEAM GUARDRAIL
100	LF	STEEL BEAM GUARDRAIL, DOUBLE FACED
58	EA	ADDITIONAL GUARDRAIL POSTS
19	EA	GUARDRAIL END UNITS, TYPE CAT-1
30	EA	GUARDRAIL END UNITS, TYPE TL-3
19	EA	GUARDRAIL ANCHOR UNITS, TYPE
2	EA	B-77 GUARDRAIL ANCHOR UNITS, TYPE B-83
3,800	LF	REMOVE & RESET EXISTING GUIDE- RAIL
6,535	LF	REMOVE EXISTING GUARDRAIL
229	EA	GENERIC GUARDRAIL ITEM
		GUARDRAIL AND BARRIER DELINEA- TORS

3	CY	REINFORCED CONCRETE SIGN FOUN- DATIONS
2	CY	PLAIN CONCRETE SIGN FOUNDA- TIONS
4,452	LB	SUPPORTS, BREAKAWAY STEEL BEAM
12	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
5	EA	SIGN ERECTION, TYPE F
8	EA	SIGN ERECTION, TYPE *** (GROUND MOUNTED) (A)
12	EA	SIGN ERECTION, MILEMARKERS
9	EA	DISPOSAL OF SIGN SYSTEM, STEEL
17	EA	BEAM DISPOSAL OF SIGN SYSTEM, U- CHANNEL
1,000	SF	WORK ZONE SIGNS (STATIONARY)
8	EA	WORK ZONE DIGITAL SPEED LIMIT SIGNS
14	EA	WORK ZONE PRESENCE LIGHTING
36	EA	SEQUENTIAL FLASHING WARNING LIGHTS
1,504	HR	LAW ENFORCEMENT
4	EA	GENERIC TRAFFIC CONTROL ITEM CONNECTED LANE CLOSURE DEVICE
18	EA	GENERIC TRAFFIC CONTROL ITEM DOUBLE LANE CLOSURE
22	EA	GENERIC TRAFFIC CONTROL ITEM RAMP/LOOP CLOSURES
74	EA	GENERIC TRAFFIC CONTROL ITEM SINGLE LANE CLOSURE
2,328	EA	TEMPORARY RAISED PAVEMENT MARKERS
122,953	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
15,245	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
40	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
33	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
3,312	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (6")
123,028	LF	(III) PAINT PAVEMENT MARKING LINES (6")
15,170	LF	PAINT PAVEMENT MARKING LINES (12")
39	LF	PAINT PAVEMENT MARKING LINES (24")
40	EA	PAINT PAVEMENT MARKING CHARAC- TER
30	EA	PAINT PAVEMENT MARKING SYMBOL
39	LF	GENERIC PAVEMENT MARKING ITEM THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
2,328	EA	GENERIC PAVEMENT MARKING ITEM NON-CAST IRON SNOWPLOWABLE
Luw - C	L C	PAVEMENT MARKER
Lump Sum 3,200	LS LF	PORTABLE LIGHTING TEMPORARY SILT FENCE
5,200	TON	STONE FOR EROSION CONTROL, CLASS A
30	TON	SEDIMENT CONTROL STONE
0.5	ACR	TEMPORARY MULCHING
100	LB	SEED FOR TEMPORARY SEEDING
0.5	TON	FERTILIZER FOR TEMPORARY SEED- ING
200 50	LF LF	TEMPORARY SLOPE DRAINS SAFETY FENCE
50 620	SY	SAFETY FENCE MATTING FOR EROSION CONTROL
150	LF	1/4" HARDWARE CLOTH
210	LF	COIR FIBER WATTLE
10	ACR	SEEDING & MULCHING
0.5	ACR	MOWING
50 0.25	LB TON	SEED FOR REPAIR SEEDING FERTILIZER FOR REPAIR SEEDING
0.25	LB	SEED FOR SUPPLEMENTAL SEEDING
0.25	TON	FERTILIZER TOPDRESSING
10	MHR	SPECIALIZED HAND MOWING
25	EA	RESPONSE FOR EROSION CONTROL

25 EA RESPONSE FOR EROSION CONTROL

1	EA	CONCRETE WASHOUT STRUCTURE
27,099	LF	TRACER WIRE
25	LF	UNPAVED TRENCHING (*********)
		(1, 2")
120	LF	DIRECTIONAL DRILL (*********)
		(1, 2")
7	EA	JUNCTION BOX (OVER-SIZED, HEA-
		VY DUTY)
1	EA	GUY ASSEMBLY
2	EA	HEAT SHRINK TUBING RETROFIT
		KIT
1	EA	2" RISER WITH HEAT SHRINK TUBING
04.750	LF	
24,753	LF	COMMUNICATIONS CABLE (**FIBER) (144)
2.345	LF	DROP CABLE
2,345	EA	SPLICE ENCLOSURE
5	EA	INTERCONNECT CENTER
38	EA	DELINEATOR MARKER
	LF	
27,099	LF	REMOVE EXISTING COMMUNICATIONS CABLE
5	EA	GENERIC SIGNAL ITEM
5	LA	DIGITAL CCTV CAMERA ASSEMBLY
3	EA	GENERIC SIGNAL ITEM
5	2.1	EQUIPMENT CABINET DISCONNECT
5	EA	GENERIC SIGNAL ITEM
		ETHERNET EDGE SWITCH
5	EA	GENERIC SIGNAL ITEM
		FIELD EQUIPMENT CABINET
2	EA	GENERIC SIGNAL ITEM
		NEW OVERSIZED JUNCTION BOX LID
4	EA	GENERIC SIGNAL ITEM
		REMOVE EXISTING JUNCTION BOX
15	LF	GENERIC SIGNAL ITEM
		3-WIRE COPPER FEEDER CONDUC- TORS
		IUKS

23,577	SF	GROOVING BRIDGE FLOORS
Lump Sum	LS	POLLUTION CONTROL
29.2	SY	CLASS II, SURFACE PREPARATION
3.5	CF	CONCRETE REPAIRS
54.9	CF	SHOTCRETE REPAIRS
120.1	LF	EPOXY RESIN INJECTION
Lump Sum	LS	GENERIC STRUCTURE ITEM CLEANING AND PAINTING EXISTING WEATHERING STEEL FOR BRIDGE #910552
Lump Sum	LS	GENERIC STRUCTURE ITEM CLEANING AND PAINTING EXISTING WEATHERING STEEL FOR BRIDGE #910553
Lump Sum	LS	GENERIC STRUCTURE ITEM CLEANING AND PAINTING EXISTING WEATHERING STEEL FOR BRIDGE #910554
Lump Sum	LS	GENERIC STRUCTURE ITEM FIELD MEASURING
Lump Sum	LS	GENERIC STRUCTURE ITEM PAINTING CONTAINMENT FOR BRIDGE #910552
Lump Sum	LS	GENERIC STRUCTURE ITEM PAINTING CONTAINMENT FOR BRIDGE #910553
Lump Sum	LS	GENERIC STRUCTURE ITEM PAINTING CONTAINMENT FOR BRIDGE #910554
Lump Sum	LS	GENERIC STRUCTURE ITEM REPAIR OF EXISTING DECK DRAINS
Lump Sum	LS	GENERIC STRUCTURE ITEM UNDERSTRUCTURE WORK PLATFORM
1,140	LF	GENERIC STRUCTURE ITEM FOAM JOINT SEALS FOR PRESERVA- TION
66	LF	GENERIC STRUCTURE ITEM PREFORMED SILICONE EXPANSION JOINT SEALS
117.4	CF	GENERIC STRUCTURE ITEM ELASTOMERIC CONCRETE FOR PRES- ERVATION
467.6	SF	GENERIC STRUCTURE ITEM BRIDGE JOINT DEMOLITION
31.8	SF	GENERIC STRUCTURE ITEM CONCRETE DECK REPAIR FOR SILANE DECK TREATMENT
2,644.7	SF	GENERIC STRUCTURE ITEM EPOXY COATING
10,315	SF	GENERIC STRUCTURE ITEM SILANE BARRIER RAIL TREATMENT

		6
10,315	SF	GENERIC STRUCTURE ITEM SURFACE PREPARATION FOR CON- CRETE BARRIER
29.2	SY	GENERIC STRUCTURE ITEM CONCRETE DECK REPAIR FOR POLY- MER CONCRETE OVERLAY
2,942	SY	GENERIC STRUCTURE ITEM PLACING AND FINISHING POLYMER CONCRETE OVERLAY
2,942	SY	GENERIC STRUCTURE ITEM SCARIFYING BRIDGE DECK
7,900	SY	GENERIC STRUCTURE ITEM SHOTBLASTING BRIDGE DECK
4,958	SY	GENERIC STRUCTURE ITEM SILANE DECK TREATMENT
28	EA	GENERIC STRUCTURE ITEM ELASTOMERIC BEARING, MODIFIED TYPE V
28	EA	GENERIC STRUCTURE ITEM TYPE I BRIDGE JACKING BRIDGE #910552
		******* BEGIN SCHEDULE AA *******
105.6	CY	(2 ALTERNATES)
		*** OR ***
105.6	СҮ	GENERIC STRUCTURE ITEM EPOXY POLYMER CONCRETE MATE- RIALS
		*** END SCHEDULE AA ***

Page : 3 of 13

### STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

CONTRACT ID : C204438 45684.3.1

L220419 003

LENGTH = 0.288 MI

DBE GOAL 3.0% COMPLETION DATE : DEC 12 2024

### COUNTY : ALAMANCE

### GRADING, DRAINAGE, PAVING, AND STRUCTURE.

### BRIDGE #112 OVER REEDY FORK CREEK ON NC-87 IN OSSIPEE.

### **ROADWAY ITEMS**

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	CONSTRUCTION SURVEYING
12,000	CY	UNCLASSIFIED EXCAVATION
Lump Sum	LS	TYPE I STANDARD APPROACH FILL STATION *********
		(21+77.00 -L-)
1	ACR	SUPPLEMENTARY CLEARING & GRUB-
1	ACK	BING
500	CY	UNDERCUT EXCAVATION
Lump Sum	LS	GRADING
300	CY	SELECT GRANULAR MATERIAL
550	SY	GEOTEXTILE FOR SOIL STABILIZA-
550	51	TION
2,350	SF	TEMPORARY SHORING
80	TON	FOUNDATION CONDITIONING MATE-
00		RIAL, MINOR STRUCTURES
317	SY	FOUNDATION CONDITIONING GEO-
		TEXTILE
156	LF	15" DRAINAGE PIPE
116	LF	18" DRAINAGE PIPE
32	LF	15" RC PIPE CULVERTS, CLASS
		III
36	LF	15" RC PIPE CULVERTS, CLASS IV
44	LF	15" CS PIPE CULVERTS, 0.064"
		THICK
2	EA	**" CS PIPE ELBOWS, *****"
		THICK
		(15", 0.064")
528	LF	PIPE REMOVAL
50	CY	SHALLOW UNDERCUT
150	TON	CLASS IV SUBGRADE STABILIZA-
		TION
841	TON	AGGREGATE BASE COURSE
500	TON	INCIDENTAL STONE BASE
1,005	GAL	PRIME COAT
1,000	SY	INCIDENTAL MILLING
760	TON	ASPHALT CONC BASE COURSE, TYPE
		B25.0C
560	TON	ASPHALT CONC INTERMEDIATE
970	TON	COURSE, TYPE 119.0C
870	TON	ASPHALT CONC SURFACE COURSE, TYPE \$9.5B
120	TON	ASPHALT BINDER FOR PLANT MIX
120	TON	ASPHALT PLANT MIX, PAVEMENT
10	101	REPAIR
5	EA	MASONRY DRAINAGE STRUCTURES
4	EA	FRAME WITH TWO GRATES, STD
	2.1	840.29
1	EA	FRAME WITH COVER, STD 840.54
111	LF	SHOULDER BERM GUTTER
525	LF	STEEL BEAM GUARDRAIL
50	LF	STEEL BEAM GUARDRAIL, SHOP
		CURVED
10	EA	ADDITIONAL GUARDRAIL POSTS
1	EA	GUARDRAIL END UNITS, TYPE AT-1
3	EA	GUARDRAIL END UNITS, TYPE TL-3
4	EA	GUARDRAIL ANCHOR UNITS, TYPE
		B-77
964	LF	REMOVE EXISTING GUARDRAIL
412.5	LF	TEMPORARY STEEL BEAM GUARDRAIL
4	EA	TEMPORARY GUARDRAIL ANCHOR
		UNITS, TYPE ********
		(III)
4	EA	TEMPORARY GUARDRAIL END UNITS,
		TYPE ***** (TL-2)
250	LF	WOVEN WIRE FENCE, 47" FABRIC
12	LF EA	4" TIMBER FENCE POSTS, 7'-6"
12	LA	4" TIMBER FENCE POSTS, 7-6" LONG
11	EA	5" TIMBER FENCE POSTS, 8'-0"
		LONG
360	LF	CHAIN LINK FENCE, **" FABRIC
		(60")
30	EA	METAL LINE POSTS FOR **" CHAIN
		LINK FENCE
		(60")

4	EA	METAL TERMINAL POSTS FOR **" CHAIN LINK FENCE (60")
2	EA	METAL GATE POSTS FOR **" CHAIN LINK FENCE, DOUBLE GATE
145	LF	(60") ** STRAND BARBED WIRE FENCE WITH POSTS
1	EA	(5) DOUBLE GATES, **" HIGH, **' WIDE, **' OPENING
360	LF	(60", 12', 24') CHAIN LINK FENCE RESET
380	TON	RIP RAP, CLASS II
200	TON	RIP RAP, CLASS B
1,355	SY	GEOTEXTILE FOR DRAINAGE
13	SF	CONTRACTOR FURNISHED, TYPE *** SIGN
12	SF	(D) CONTRACTOR FURNISHED, TYPE *** SIGN (E)
105	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
2	EA	SIGN ERECTION, TYPE D
2	EA	SIGN ERECTION, TYPE E
1	EA	SIGN ERECTION, RELOCATE TYPE **** (GROUND MOUNTED) (D)
8	EA	DISPOSAL OF SIGN SYSTEM, U- CHANNEL
128	SF	WORK ZONE SIGNS (STATIONARY)
192	SF	WORK ZONE SIGNS (PORTABLE)
72	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
109 36	EA LF	DRUMS BARRICADES (TYPE III)
28	DAY	FLAGGER
74	EA	TEMPORARY RAISED PAVEMENT MARKERS
7,932	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
1,360	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (4") (II)
9,006	LF	PAINT PAVEMENT MARKING LINES (4")
4,200	LF EA	REMOVAL OF PAVEMENT MARKING LINES (4") GENERIC PAVEMENT MARKING ITEM
55	LIT	NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
4	EA	PERMANENT RAISED PAVEMENT MARKERS
560 800	LF LB	6" WATER LINE DUCTILE IRON WATER PIPE
000		FITTINGS
3	EA	6" VALVE
1	EA	RELOCATE FIRE HYDRANT
11 100	LF LF	FIRE HYDRANT LEG 16" ENCASEMENT PIPE
100	LF	BORE AND JACK OF **" (16")
3,790	LF	TEMPORARY SILT FENCE
175	TON	STONE FOR EROSION CONTROL, CLASS A
1,215	TON	STONE FOR EROSION CONTROL, CLASS B
315 6.5	TON ACR	SEDIMENT CONTROL STONE TEMPORARY MULCHING
400	LB	SEED FOR TEMPORARY SEEDING
400	TON	FERTILIZER FOR TEMPORARY SEED- ING
375	LF	TEMPORARY SLOPE DRAINS
1,040	LF	SAFETY FENCE
3,450	CY	SILT EXCAVATION
15,200 100	SY SY	MATTING FOR EROSION CONTROL COIR FIBER MAT
210	LF	1/4" HARDWARE CLOTH
980	LF	COIR FIBER WATTLE
570	I D	DOLVACEVI AMIDE (BAM)

570 LB POLYACRYLAMIDE (PAM)

- 705 LF COIR FIBER BAFFLE
- 7 EA \*\*" SKIMMER (1-1/2")
- 6 ACR SEEDING & MULCHING
- 6 ACR MOWING
- 100 LB SEED FOR REPAIR SEEDING
- 0.25 TON FERTILIZER FOR REPAIR SEEDING
- 125 LB SEED FOR SUPPLEMENTAL SEEDING
- 3.5 TON FERTILIZER TOPDRESSING
- 10 MHR SPECIALIZED HAND MOWING
- FEA RESPONSE FOR EROSION CONTROL
  EA CONCRETE WASHOUT STRUCTURE
- 0.1 ACR REFORESTATION
- 8 EA GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION DEVICE CLEANOUT
- GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION DEVICE 4 EA

Lump Sum	LS	CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP STRUCTURE AT STA **********
		(22+05.00 -LDET-)
Lump Sum	LS	CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP ACCESS AT STA ********
		(21+77.00 -L-)
Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ************************************
Lump Sum	LS	ASBESTOS ASSESSMENT
57	LF	3'-6" DIA DRILLED PIERS IN SOIL
81	LF	3'-6" DIA DRILLED PIERS NOT IN SOIL
42.7	LF	PERMANENT STEEL CASING FOR 3'-6" DIA DRILLED PIER
1	EA	PDA TESTING
6	EA	SID INSPECTIONS
2	EA	CSL TESTING
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVA- TION AT STATION ******** (21+77.00 -L-)
13,247	SF	REINFORCED CONCRETE DECK SLAB
12,761	SF	GROOVING BRIDGE FLOORS
209.5	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION *******
		(21+77.00 -L-)
44,003	LB	REINFORCING STEEL (BRIDGE)
5,217	LB	SPIRAL COLUMN REINFORCING STEEL (BRIDGE)
1,336.83	LF	MODIFIED 63" PRESTRESSED CONC GIRDERS
22	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES (HP 12 X 53)
580	LF	HP12X53 STEEL PILES
675.19	LF	CONCRETE BARRIER RAIL
669	TON	RIP RAP CLASS II (2'-0" THICK)
743	SY	GEOTEXTILE FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS
Lump Sum	LS	FOAM JOINT SEALS

L220419 004

LENGTH = 0.884 MI

### STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

**DIV OFFICE GREENSBORO** 

COUNTY : ALAMANCE

**CONTRACT ID : C204572** 

### GRADING, DRAINAGE, PAVING, SIGNALS, AND CULVERT.

47145.3.1

### US-70 AT SR-1226/SR-1311 IN BURLINGTON.

### **ROADWAY ITEMS**

Lump Sum	LS LS	MOBILIZATION CONSTRUCTION SURVEYING
Lump Sum Lump Sum	LS	GRADING
Lump Sum 1	ACR	SUPPLEMENTARY CLEARING & GRUB- BING
1,100	CY	UNDERCUT EXCAVATION
255	CY	DRAINAGE DITCH EXCAVATION
500	CY	SELECT GRANULAR MATERIAL, CLASS III
6,080	SY	GEOTEXTILE FOR SOIL STABILIZA- TION
1,320	SF	TEMPORARY SHORING
1,200	TON	FOUNDATION CONDITIONING MATE- RIAL, MINOR STRUCTURES
4,683	SY	FOUNDATION CONDITIONING GEO- TEXTILE
228	LF	**" SIDE DRAIN PIPE (30")
36	LF	**" SIDE DRAIN PIPE (48")
40	LF	15" SIDE DRAIN PIPE
32	LF	18" RC PIPE CULVERTS, CLASS III
76	LF	30" RC PIPE CULVERTS, CLASS III
4,304	LF	15" RC PIPE CULVERTS, CLASS IV
464	LF	18" RC PIPE CULVERTS, CLASS IV
2,092	LF	24" RC PIPE CULVERTS, CLASS IV
1,004	LF	30" RC PIPE CULVERTS, CLASS IV
264	LF	36" RC PIPE CULVERTS, CLASS IV
12	LF	***" HDPE PIPE CULVERTS
		(8")
3,109	LF	PIPE REMOVAL
1,650	CY	SHALLOW UNDERCUT
3,400	TON	CLASS IV SUBGRADE STABILIZA- TION
1,394	TON	AGGREGATE BASE COURSE
1,000	TON	INCIDENTAL STONE BASE
1,287	GAL	PRIME COAT
28,160	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")
1,700	SY	INCIDENTAL MILLING
8,030	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
8,500	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE 119.0C
9,300	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
400	TON	ASPHALT CONC SURFACE COURSE, TYPE \$9.5C
1,420	TON	ASPHALT BINDER FOR PLANT MIX
1,000	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR
112	CY	SUBDRAIN EXCAVATION
500	SY	GEOTEXTILE FOR SUBSURFACE DRAINS
84	CY	SUBDRAIN COARSE AGGREGATE
500	LF	6" PERFORATED SUBDRAIN PIPE
1	EA	SUBDRAIN PIPE OUTLET
6	LF	6" OUTLET PIPE
5	EA	TEMPORARY STEEL PLATE COVERS FOR MASONRY DRAINAGE STRUCTURE
39	CY	FLOWABLE FILL
105	EA	MASONRY DRAINAGE STRUCTURES
52.5	LF	MASONRY DRAINAGE STRUCTURES
15	EA	FRAME WITH TWO GRATES, STD
		840.16
3	EA	FRAME WITH TWO GRATES, STD 840.24
9	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (E)

		(1)
35	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (G)
3	EA	FRAME WITH COVER, STD 840.54
7	EA	CONCRETE TRANSITIONAL SECTION FOR DROP INLET
2,610	LF	1'-6" CONCRETE CURB & GUTTER
9,960	LF	2'-6" CONCRETE CURB & GUTTER
2,930	SY	4" CONCRETE SIDEWALK
40	EA	CONCRETE CURB RAMPS
160	SY	6" CONCRETE DRIVEWAY
420	SY	5" MONOLITHIC CONCRETE ISLANDS
420		(KEYED IN) ADJUSTMENT OF CATCH BASINS
	EA	
14 28	EA EA	ADJUSTMENT OF MANHOLES ADJUSTMENT OF METER BOXES OR VALVE BOXES
1	EA	CONVERT EXISTING CATCH BASIN TO DROP INLET
850	LF	STEEL BEAM GUARDRAIL
25	LF	STEEL BEAM GUARDRAIL, SHOP CURVED
4	EA	ADDITIONAL GUARDRAIL POSTS
5	EA	GUARDRAIL END UNITS, TYPE CAT-1
5	EA	GUARDRAIL END UNITS, TYPE TL-3
1	EA	GUARDRAIL END UNITS, TYPE TL-2
858	LF	REMOVE EXISTING GUARDRAIL
140	TON	RIP RAP, CLASS I
265	TON	RIP RAP, CLASS II
10	TON	RIP RAP, CLASS B
1,880	SY	GEOTEXTILE FOR DRAINAGE
925	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
2	EA	SIGN ERECTION, TYPE D
52	EA	SIGN ERECTION, TYPE E
8	EA	SIGN ERECTION, TYPE F
3	EA	SIGN ERECTION, RELOCATE TYPE
		**** (GROUND MOUNTED) (E)
47	EA	DISPOSAL OF SIGN SYSTEM, U- CHANNEL
200	SF	WORK ZONE SIGNS (STATIONARY)
400	SF	WORK ZONE SIGNS (PORTABLE)
102	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
2	EA	FLASHING ARROW BOARD
2	EA	PORTABLE CHANGEABLE MESSAGE SIGN
500	EA	DRUMS
192	LF	BARRICADES (TYPE III)
280	LF	PEDESTRIAN CHANNELIZING DE- VICES
120	DAY	FLAGGER
2	EA	TEMPORARY CRASH CUSHIONS
2	EA	TMA
690	LF	PORTABLE CONCRETE BARRIER
310	LF	PORTABLE CONCRETE BARRIER
5,000	EA	(ANCHORED) TEMPORARY RAISED PAVEMENT MARKERS
20,114	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
1,875	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
550	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
73	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
103,000	LF	PAINT PAVEMENT MARKING LINES (4")
5,280	LF	PAINT PAVEMENT MARKING LINES (8")
2,640	LF	PAINT PAVEMENT MARKING LINES (24")
164	EA	DAINT DAVEMENT MADVING SVMDOL

164 EA PAINT PAVEMENT MARKING SYMBOL

### DBE GOAL 7.0% COMPLETION DATE : JAN 13 2025

40 EA FRAME WITH GRATE & HOOD, STD 840.03, TYPE \*\*

(F)

500	LF	GENERIC PAVEMENT MARKING ITEM THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
354	EA	GENERIC PAVEMENT MARKING ITEM NON-CAST IRON SNOWPLOWABLE
Lump Sum	LS	PAVEMENT MARKER PORTABLE LIGHTING
157	LF	6" WATER LINE
161	LF	8" WATER LINE
3,327	LF	12" WATER LINE
1,399	LF	24" WATER LINE
24,490	LB	DUCTILE IRON WATER PIPE
<i>,</i>		FITTINGS
10	EA	6" VALVE
2	EA	8" VALVE
7	EA	12" VALVE
5	EA	24" VALVE
1	EA	8" BLOW OFF
9 7	EA EA	RELOCATE WATER METER RECONNECT WATER METER
2	EA	RELOCATE **" RPZ BACKFLOW PRE-
2	LA	VENTION ASSEMBLY (1")
1	EA	RELOCATE **" RPZ BACKFLOW PRE- VENTION ASSEMBLY (2")
3	EA	RELOCATE **" RPZ BACKFLOW PRE-
		VENTION ASSEMBLY (3/4")
6	EA	RELOCATE FIRE HYDRANT
81	LF	FIRE HYDRANT LEG
105	LF	**" WATER SERVICE LINE (2")
8	LF	**" WATER SERVICE LINE (6")
820	LF	WATER SERVICE LINE
449	LF	8" SANITARY GRAVITY SEWER
6	EA	SANITARY SEWER CLEAN-OUT
600	LF	SEWER SERVICE LINE
5	EA	4' DIA UTILITY MANHOLE
16	LF	UTILITY MANHOLE WALL 4' DIA
64	LF LF	ABANDON 6" UTILITY PIPE ABANDON 8" UTILITY PIPE
912 3,190	LF	ABANDON 8" UTILITY PIPE ABANDON 12" UTILITY PIPE
1,335	LF	ABANDON 12 UTILITY PIPE
2	EA	ABANDON UTILITY MANHOLE
2	EA	REMOVE UTILITY MANHOLE
90	LF	36" ENCASEMENT PIPE
90	LF	BORE AND JACK OF **" (36")
13,635	LF	TEMPORARY SILT FENCE
285	TON	STONE FOR EROSION CONTROL,
740	TON	CLASS A STONE FOR EROSION CONTROL, CLASS B
1,480	TON	SEDIMENT CONTROL STONE
7.5	ACR	TEMPORARY MULCHING
500	LB	SEED FOR TEMPORARY SEEDING
2.5	TON	FERTILIZER FOR TEMPORARY SEED- ING
200	LF	TEMPORARY SLOPE DRAINS
440	LF	SAFETY FENCE
710	CY	SILT EXCAVATION
12,000	SY	MATTING FOR EROSION CONTROL
100 5,425	SY LF	COIR FIBER MAT 1/4" HARDWARE CLOTH
3,423	EA	SPECIAL STILLING BASINS
360	LF	COIR FIBER WATTLE
240	LB	POLYACRYLAMIDE (PAM)
35	LF	COIR FIBER BAFFLE
9	ACR	SEEDING & MULCHING
6	ACR	MOWING
100	LB	SEED FOR REPAIR SEEDING
0.25		FERTILIZER FOR REPAIR SEEDING
200	LB	SEED FOR SUPPLEMENTAL SEEDING
5.5	TON	
468	LE	IMPERVIOUS DIKE

468 LF IMPERVIOUS DIKE 10 MHR SPECIALIZED HAND MOWING 25 EA RESPONSE FOR EROSION CONTROL

1 ACR REFORESTATION

13,350 LF

31 EA

8 EA

4 EA CONCRETE WASHOUT STRUCTURE

18 EA PEDESTRIAN SIGNAL HEAD (16", 1 SECTION W/COUNTDOWN)

VEHICLE SIGNAL HEAD (12", 3

VEHICLE SIGNAL HEAD (12", 4 SECTION)

SIGNAL CABLE

SECTION)

4		
	EA	VEHICLE SIGNAL HEAD (12", 5
1,750	LF	SECTION) MESSENGER CABLE (1/4")
1,675	LF	MESSENGER CABLE (3/8")
3,800	LF	TRACER WIRE
100	LF	PAVED TRENCHING (**********) (1, 2")
2,860	LF	PAVED TRENCHING (*********) (3, 2")
1,775	LF	UNPAVED TRENCHING (*********)
150	LF	(1, 2") UNPAVED TRENCHING FOR TEMP- ORARY LEAD-IN
90	LF	DIRECTIONAL DRILL (*********)
225	LF	(1, 2") DIRECTIONAL DRILL (*********) (2, 2")
725	LF	(2, 2") DIRECTIONAL DRILL (*********) (3, 2")
2	EA	(3, 2 ) JUNCTION BOX (*************) (SPECIAL OVER-SIZED, HEAVY DUTY, 36 X 24 X 24)
23	EA	JUNCTION BOX (STANDARD SIZE)
19	EA	JUNCTION BOX (OVER-SIZED, HEA-
4		VY DUTY) WOOD POLE
	EA	
14	EA	GUY ASSEMBLY
4	EA	1/2" RISER WITH WEATHERHEAD
1	EA	1" RISER WITH WEATHERHEAD
3	EA	2" RISER WITH WEATHERHEAD
7	EA	2" RISER WITH HEAT SHRINK
/	LA	TUBING
3,425	LF	INDUCTIVE LOOP SAWCUT
12,200	LF	LEAD-IN CABLE (************************************
		(14-2)
1	EA	SITE SURVEY
4	EA	LUMINAIRE ARM FOR VIDEO SYSTEM
4	EA	CAMERA WITHOUT INTERNAL LOOP
	2.1	EMULATOR PROCESSING UNIT
1	EA	EXTERNAL LOOP EMULATOR PRO- CESSING UNIT
800	LF	COMMUNICATIONS CABLE (**FIBER)
1,200	LF	(12) COMMUNICATIONS CABLE (**FIBER)
		(18)
5,400	LF	COMMUNICATIONS CABLE (**FIBER) (36)
4	EA	SPLICE ENCLOSURE
1	EA	MODIFY SPLICE ENCLOSURE
2	EA	INTERCONNECT CENTER
5,600	LF	REMOVE EXISTING COMMUNICATIONS CABLE
7	EA	METAL STRAIN SIGNAL POLE
	EA	SOIL TEST
8		DRILLED PIER FOUNDATION
8		
64	CY	
64 10	EA	SIGN FOR SIGNALS
64		TYPE I POST WITH FOUNDATION
64 10	EA	
64 10 8 9	EA EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND- ATION
64 10 8	EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND-
64 10 8 9	EA EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET
64 10 8 9 2	EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (************************************
64 10 8 9 2 2	EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (*********************) (TYPE 2070 LX, BASE MOUNTED)
64 10 8 9 2	EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (********************) (TYPE 2070 LX, BASE MOUNTED) DETECTOR CARD (*********)
64 10 8 9 2 2 2	EA EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (************************************
64 10 8 9 2 2	EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (********************) (TYPE 2070 LX, BASE MOUNTED) DETECTOR CARD (*********)
64 10 8 9 2 2 2	EA EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (************************************
64 10 8 9 2 2 2 18 2	EA EA EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (************************) (TYPE 2070 LX, BASE MOUNTED) DETECTOR CARD (********) (TYPE 170) CABINET BASE EXTENDER
64 10 8 9 2 2 2 18 2 4 4 4	EA EA EA EA EA EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (************************************
64 10 8 9 2 2 2 18 2 4	EA EA EA EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE I PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (************************************
64 10 8 9 2 2 2 18 2 4 4 4 2	EA EA EA EA EA EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (************************************
64 10 8 9 2 2 2 18 2 4 4 4	EA EA EA EA EA EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE I PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (************************************
64 10 8 9 2 2 2 18 2 4 4 4 2	EA EA EA EA EA EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (************************************
64 10 8 9 2 2 2 18 2 4 4 2 22	EA EA EA EA EA EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (************************************
64 10 8 9 2 2 2 18 2 4 4 2 22	EA EA EA EA EA EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (************************************
64 10 8 9 2 2 2 18 2 4 4 2 22	EA EA EA EA EA EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (************************************
64 10 8 9 2 2 2 18 2 4 4 2 22	EA EA EA EA EA EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (************************) (TYPE 2070 LX, BASE MOUNTED) DETECTOR CARD (*********) (TYPE 170) CABINET BASE EXTENDER METAL POLE FOUNDATION REMOVAL METAL POLE FOUNDATION REMOVAL GENERIC SIGNAL ITEM ETHERNET EDGE SWITCH GENERIC SIGNAL ITEM JUNCTION BOX MARKER GENERIC SIGNAL ITEM GENERIC SIGNAL ITEM FRELOCATE CCTV METAL POLE WITH CCTV CAMERA ASSEMBLY
64 10 8 9 2 2 2 18 2 4 4 2 22 1	EA EA EA EA EA EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (************************************
64 10 8 9 2 2 2 18 2 4 4 2 22	EA EA EA EA EA EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (************************************
64 10 8 9 2 2 2 18 2 4 4 2 22 1	EA EA EA EA EA EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (************************************
64 10 8 9 2 2 1 18 2 4 4 2 22 1 1 Lump Sum	EA EA EA EA EA EA EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE I PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (************************************
64 10 8 9 2 2 2 18 2 4 4 2 22 1	EA EA EA EA EA EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (************************************
64 10 8 9 2 2 1 18 2 4 4 2 22 1 1 Lump Sum	EA EA EA EA EA EA EA EA EA EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (************************************
64 10 8 9 2 2 1 18 2 4 4 2 22 1 1 Lump Sum	EA EA EA EA EA EA EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (************************************
64 10 8 9 2 2 1 18 2 4 4 2 22 1 1 Lump Sum Lump Sum	EA EA EA EA EA EA EA EA EA EA LS LS	TYPE I POST WITH FOUNDATION TYPE I PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (************************************
64 10 8 9 2 2 1 18 2 4 4 2 22 1 1 Lump Sum	EA EA EA EA EA EA EA EA EA EA EA EA EA	TYPE I POST WITH FOUNDATION TYPE II PEDESTAL WITH FOUND- ATION SIGNAL CABINET FOUNDATION CONTROLLERS WITH CABINET (************************************

253 TON FOUNDATION CONDITIONING MATER-IAL, BOX CULVERT

### FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

DIV OFFICE CARTHAGE

440

L220419 005

LENGTH = 7.774 MI

### CONTRACT ID : C204703 49637.3.1 COUNTY : DAVIDSON, RANDOLPH

### PAVEMENT REHABILITATION AND BRIDGE REHABILITIATION.

### DBE GOAL 4.0% COMPLETION DATE : SEP 15 2023

### I-85 FROM NC-109 IN THOMASVILLE TO SR-1009 (SOUTH MAIN STREET) IN ARCHDALE.

### **ROADWAY ITEMS**

Lump Sum	LS	MOBILIZATION
31.96	SMI	SHOULDER RECONSTRUCTION
4,475	TON	AGGREGATE SHOULDER BORROW
539,224	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (2")
4,395	SY	INCIDENTAL MILLING
60,385	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5D
4,062	TON	POLYMER MODIFIED ASPHALT BIN- DER FOR PLANT MIX
200	TON	PATCHING EXISTING PAVEMENT
11,931	TON	ULTRA-THIN BONDED WEARING COURSE
138,230	LF	MILLED RUMBLE STRIPS (ASPHALT CONCRETE)
464	SF	WORK ZONE SIGNS (STATIONARY)
10	EA	WORK ZONE DIGITAL SPEED LIMIT SIGNS
28	EA	WORK ZONE PRESENCE LIGHTING
24	EA	SEQUENTIAL FLASHING WARNING LIGHTS
2,492	HR	LAW ENFORCEMENT
4	EA	GENERIC TRAFFIC CONTROL ITEM CONNECTED LANE CLOSURE DEVICE
162	EA	GENERIC TRAFFIC CONTROL ITEM DOUBLE LANE CLOSURE
12	EA	GENERIC TRAFFIC CONTROL ITEM RAMP/LOOP CLOSURES
42	EA	GENERIC TRAFFIC CONTROL ITEM SINGLE LANE CLOSURE
209,408	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
10,853	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
36	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
209,408	LF	PAINT PAVEMENT MARKING LINES (4")
6,608	LF	PAINT PAVEMENT MARKING LINES (6")
10,853	LF	PAINT PAVEMENT MARKING LINES (8")
157	LF	PAINT PAVEMENT MARKING LINES (24")
36	EA	PAINT PAVEMENT MARKING SYMBOL
3,293	LF	REMOVAL OF PAVEMENT MARKING LINES (6")
157	LF	GENERIC PAVEMENT MARKING ITEM THERMOPLASTIC PAVMENT MARKING LINES (24", 90 MILS)
2,324	EA	GENERIC PAVEMENT MARKING ITEM NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
Lump Sum	LS	PORTABLE LIGHTING
480	LF	INDUCTIVE LOOP SAWCUT
480	LF	LEAD-IN CABLE (***********) (14-2)

STRUCTURE ITEMS	
-----------------	--

75,701 SF GROOVING BRIDGE FLOOR	S
---------------------------------	---

- 146.9 SY CLASS II, SURFACE PREPARATION
- 20 CF CONCRETE REPAIRS
- 460.5 CF SHOTCRETE REPAIRS 128.3 LF EPOXY RESIN INJECTI
- 28.3 LF EPOXY RESIN INJECTION 664 LF GENERIC STRUCTURE ITE
- 664 LF GENERIC STRUCTURE ITEM FOAM JOINT SEALS FOR PRESERVA-TION
- 663.7 LF GENERIC STRUCTURE ITEM POURABLE SILICONE JOINT SEAL-ANT
- 4,801 SF GENERIC STRUCTURE ITEM EPOXY COATING

146.9	SY	GENERIC STRUCTURE ITEM CONCRETE DECK REPAIR FOR POLY- MER CONRETE OVERLAY
9,034.4	SY	GENERIC STRUCTURE ITEM PLACING & FINISHING POLYMER CONCRETE OVERLAY
9,034.4	SY	GENERIC STRUCTURE ITEM SCARIFYING BRIDGE DECK
9,034.4	SY	GENERIC STRUCTURE ITEM SHOTBLASTING BRIDGE DECK
18	EA	GENERIC STRUCTURE ITEM BARRIER RAIL COVER PLATE
43	EA	GENERIC STRUCTURE ITEM STEEL BEARING KEEPER ANGLE ASSEMBLY
9	EA	GENERIC STRUCTURE ITEM STEEL BEARING RETAINER ANGLE ASSEMBLY

	******* BEGIN SCHEDULE AA ******* (2 ALTERNATES)	****** ******
CY	GENERIC STRUCTURE ITEM POLYESTER POLYMER CONCRETE MATERIALS	
	*** OR ***	

440 CY GENERIC STRUCTURE ITEM EPOXY POLYMER CONCRETE MATE-RIALS

\*\*\* END SCHEDULE AA \*\*\*

Page: 9 of 13

### FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

CONTRACT ID : C204416 45726.3.1

### **DIV OFFICE WINSTON-SALEM**

L220419 006

LENGTH = 0.130 MI

### COUNTY : FORSYTH

### GRADING, DRAINAGE, PAVING, AND STRUCTURE.

### DBE GOAL 3.0% COMPLETION DATE : NOV 11 2024

1 EA SIGN ERECTION, RELOCATE TYPE \*\*\*\* (GROUND MOUNTED)

### BRIDGE #243 OVER NC-150 ON SALISBURY RD IN WINSTON-SALEM.

### **ROADWAY ITEMS**

		KOADWAT ITEMS			**** (GROUND MOUNTED)
			365	SF	(D) WORK ZONE SIGNS (STATIONARY)
Lump Sum	LS	MOBILIZATION	587	SF	WORK ZONE SIGNS (STATIONART) WORK ZONE SIGNS (PORTABLE)
Lump Sum	LS	CONSTRUCTION SURVEYING	257	SF	WORK ZONE SIGNS (BARRICADE
Lump Sum	LS	TYPE III REINFORCED APPROACH			MOUNTED)
		FILL, STATION ******* (16+94.29 -L-)	5	EA	FLASHING ARROW BOARD
Lump Sum	LS	GRADING	6	EA	PORTABLE CHANGEABLE MESSAGE
1	ACR	SUPPLEMENTARY CLEARING & GRUB-	582	EA	SIGN DRUMS
		BING	504	LF	BARRICADES (TYPE III)
450	CY	UNDERCUT EXCAVATION	24	LF	PEDESTRIAN CHANNELIZING DE-
400	CY	SELECT GRANULAR MATERIAL			VICES
600	SY	GEOTEXTILE FOR SOIL STABILIZA- TION	375	HR	LAW ENFORCEMENT
57	TON	FOUNDATION CONDITIONING MATE-	3	EA	GENERIC TRAFFIC CONTROL ITEM
		RIAL, MINOR STRUCTURES	200	EA	AUDIBLE WARNING DEVICES GENERIC TRAFFIC CONTROL ITEM
240	SY	FOUNDATION CONDITIONING GEO- TEXTILE	200	LIL	PEDESTRIAN TRANSPORT SERVICE
328	LF	15" DRAINAGE PIPE			(PER TRIP)
12	LF	18" DRAINAGE PIPE	2,736	LF	GENERIC PAVEMENT MARKING ITEM POLYUREA PAVEMENT MARKING
36	LF	15" RC PIPE CULVERTS, CLASS IV			LINES, 4",
123	LF	PIPE REMOVAL			20 MILS (STANDARD GLASS BEADS)
100	CY	SHALLOW UNDERCUT	18	EA	GENERIC PAVEMENT MARKING ITEM
200	TON	CLASS IV SUBGRADE STABILIZA-			NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
100	TON	TION INCIDENTAL STONE BASE	Lump Sum	LS	PORTABLE LIGHTING
560	SY	MILLING ASPHALT PAVEMENT, ***"	46	LF	6" WATER LINE
500	51	DEPTH	261	LF	8" WATER LINE
		(1-1/2")	1,460	LB	DUCTILE IRON WATER PIPE
310	SY	INCIDENTAL MILLING	1	EA	FITTINGS 6" VALVE
340	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	1	EA	8" TAPPING SLEEVE & VALVE
300	TON	ASPHALT CONC INTERMEDIATE	2	EA	RELOCATE WATER METER
		COURSE, TYPE I19.0C	2	EA	FIRE HYDRANT
290	TON	ASPHALT CONC SURFACE COURSE, TYPE \$9.5B	22	LF	FIRE HYDRANT LEG
50	TON	ASPHALT BINDER FOR PLANT MIX	28	LF	WATER SERVICE LINE
140	TON	ASPHALT PLANT MIX, PAVEMENT	22	LF	8" SANITARY GRAVITY SEWER
110	1011	REPAIR	1	EA	SANITARY SEWER CLEAN-OUT
45	CY	SUBDRAIN EXCAVATION	41	LF EA	SEWER SERVICE LINE 4' DIA UTILITY MANHOLE
200	SY	GEOTEXTILE FOR SUBSURFACE	1	LF	UTILITY MANHOLE WALL 4' DIA
34	CY	DRAINS SUBDRAIN COARSE AGGREGATE	290	LF	ABANDON 8" UTILITY PIPE
200	LF	6" PERFORATED SUBDRAIN PIPE	1	EA	REMOVE FIRE HYDRANT
1	EA	SUBDRAIN PIPE OUTLET	1	EA	ABANDON UTILITY MANHOLE
6	LF	6" OUTLET PIPE	50	LF	16" ENCASEMENT PIPE
1	CY	PIPE COLLARS	50	LF	BORE AND JACK OF **" (16")
10	EA	MASONRY DRAINAGE STRUCTURES	1,400	LF	TEMPORARY SILT FENCE
4	EA	FRAME WITH TWO GRATES, STD 840.16	90	TON	STONE FOR EROSION CONTROL,
1	EA	FRAME WITH TWO GRATES, STD			CLASS A
		840.24	35	TON	STONE FOR EROSION CONTROL, CLASS B
3	EA	FRAME WITH GRATE & HOOD, STD	95	TON	SEDIMENT CONTROL STONE
		840.03, TYPE ** (F)	3	ACR	TEMPORARY MULCHING
2	EA	FRAME WITH COVER, STD 840.54	200	LB	SEED FOR TEMPORARY SEEDING
380	LF	2'-6" CONCRETE CURB & GUTTER	1	TON	FERTILIZER FOR TEMPORARY SEED-
115	LF	SHOULDER BERM GUTTER	200	τE	ING
320	SY	4" CONCRETE SIDEWALK	200 120	LF LF	TEMPORARY SLOPE DRAINS SAFETY FENCE
3	EA SY	CONCRETE CURB RAMPS 6" CONCRETE DRIVEWAY	60	CY	SILT EXCAVATION
30 40	SY	5" MONOLITHIC CONCRETE ISLANDS	6,250	SY	MATTING FOR EROSION CONTROL
40	51	(KEYED IN)	325	LF	1/4" HARDWARE CLOTH
140	LF	PRECAST REINFORCED CONCRETE	20	LF	COIR FIBER BAFFLE
		BARRIER, SINGLE FACED	3	ACR	
2	EA	IMPACT ATTENUATOR UNITS, TYPE TL-3	3		MOWING
150	LF	STEEL BEAM GUARDRAIL	50 0.25	LB TON	SEED FOR REPAIR SEEDING FERTILIZER FOR REPAIR SEEDING
12.5	LF	STEEL BEAM GUARDRAIL, SHOP	0.23	LB	SEED FOR SUPPLEMENTAL SEEDING
	_	CURVED	2.25		FERTILIZER TOPDRESSING
5	EA	ADDITIONAL GUARDRAIL POSTS	10		SPECIALIZED HAND MOWING
1	EA EA	GUARDRAIL END UNITS, TYPE AT-1 GUARDRAIL ANCHOR UNITS, TYPE	13	EA	RESPONSE FOR EROSION CONTROL
4	ĽА	III	2	EA	CONCRETE WASHOUT STRUCTURE
3	EA	GUARDRAIL END UNITS, TYPE TL-2	10	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION
190	SY	GEOTEXTILE FOR DRAINAGE			DEVICE CLEANOUT

10	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION DEVICE
		BETTEE
170	LF	TRACER WIRE
170	LF	UNPAVED TRENCHING (*********) (4, 2")
2	EA	JUNCTION BOX (*************) (36" X 24" X 24")
2	EA	GUY ASSEMBLY
6	EA	2" RISER WITH HEAT SHRINK TUBING
700	LF	COMMUNICATIONS CABLE (**FIBER) (144)
700	LF	COMMUNICATIONS CABLE (**FIBER) (36)
700	LF	COMMUNICATIONS CABLE (**FIBER) (48)
3	EA	SPLICE ENCLOSURE
3	EA	MODIFY SPLICE ENCLOSURE
2	EA	DELINEATOR MARKER
200	LF	REMOVE EXISTING COMMUNICATIONS CABLE

### WALL ITEMS

3,915	SF	MSE RETAINING WALL NO **** (1)
5,170	SF	MSE RETAINING WALL NO **** (2)

Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE
		AT STATION *********
		(16+94.29 -L-)
Lump Sum	LS	ASBESTOS ASSESSMENT
198	LF	PILE EXCAVATION IN SOIL
166	LF	PILE EXCAVATION NOT IN SOIL
6,635	SF	REINFORCED CONCRETE DECK SLAB
5,725	SF	GROOVING BRIDGE FLOORS
109.6	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION *********
		(16+94.29 -L-)
18,185	LB	REINFORCING STEEL (BRIDGE)
26	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES (HP 14 X 73)
1,105	LF	HP14X73 STEEL PILES
286.83	LF	TWO BAR METAL RAIL
157.92	LF	1'-**"X *****" CONCRETE PARA-
157.92	LF	PET
		(1'-2" X 2'-6")
157.92	LF	1'-**"X *****" CONCRETE PARA-
		PET
		(1'-3" X 3'-3 1/2")
32.6	SY	4" SLOPE PROTECTION
Lump Sum	LS	ELASTOMERIC BEARINGS
Lump Sum	LS	GENERIC STRUCTURE ITEM STRIP SEAL EXPANSION JOINTS
891	LF	GENERIC STRUCTURE ITEM 63" FIB PRESTRESSED CONCRETE GIRDERS

Page: 11 of 13

L220419 007

### STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

# CONTRACT ID : C204717 2022CPT.13.01.10111 DIV OFFICE ASHEVILLE LENGTH = 18.810 MI COUNTY ...</td

COUNTY : BUNCOMBE

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

### DBE GOAL 5.0% COMPLETION DATE : NOV 15 2023

### 1 SECTION OF US-74 AND 23 SECTIONS OF SECONDARY ROADS.

### **ROADWAY ITEMS**

Lump Sum 52	LS EA	MOBILIZATION GENERIC GRADING ITEM
52	EA	REMOVE EXISTING CONCRETE CURB RAMPS
569	TON	INCIDENTAL STONE BASE
23.4	SMI	SHOULDER RECONSTRUCTION
5,783	TON	AGGREGATE SHOULDER BORROW
119,151	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")
116,473	SY	MILLING ASPHALT PAVEMENT, ***" DEPTH (2-1/2")
10,090	SY	INCIDENTAL MILLING
9,704	TON	ASPHALT CONC SURFACE COURSE, TYPE \$9.5B
23,484	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
811	TON	ASPHALT BINDER FOR PLANT MIX
242	TON	POLYMER MODIFIED ASPHALT BIN- DER FOR PLANT MIX
2	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR
5,535	TON	PATCHING EXISTING PAVEMENT
4,659	TON	ULTRA-THIN BONDED WEARING COURSE
30	LF	2'-6" CONCRETE CURB & GUTTER
6	SY	4" CONCRETE SIDEWALK
6	EA LF	REMOVE AND REPLACE CURB RAMPS
840	LF	GENERIC PAVING ITEM REMOVE AND REPLACE 2'-6" CONCRETE CURB & GUTTER
1	EA	ADJUSTMENT OF DROP INLETS
56	EA	ADJUSTMENT OF MANHOLES
37	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
2,137	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
8	LF	PEDESTRIAN CHANNELIZING DE- VICES
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
18,590	LF	THERMOPLASTIC PAVEMENT MARKING
1,498	LF	LINES (4", 90 MILS) THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
86	EA	THERMOPLASTIC PAVEMENT MARKING
227	EA	CHARACTER (90 MILS) THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
450,210	LF	PAINT PAVEMENT MARKING LINES (4")
1,110	LF	PAINT PAVEMENT MARKING LINES (8")
1,405	LF	PAINT PAVEMENT MARKING LINES (24")
210	EA	PAINT PAVEMENT MARKING SYMBOL
61,821	LF	GENERIC PAVEMENT MARKING ITEM POLYUREA PAVEMENT MARKING LINES, 4",
69,884	LF	20 MILS (STANDARD GLASS BEADS) GENERIC PAVEMENT MARKING ITEM POLYUREA PAVEMENT MARKING
		LINES, 4", 30 MILS (STANDARD GLASS BEADS)
286	LF	GENERIC PAVEMENT MARKING ITEM THERMOPLASTIC PAVEMENT MARKING
1,667	LF	LINES (16", 90 MILS) GENERIC PAVEMENT MARKING ITEM THERMOPLASTIC PAVEMENT MARKING
1,803	EA	LINES (24", 90 MILS) GENERIC PAVEMENT MARKING ITEM
		NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
Lump Sum	LS	PORTABLE LIGHTING
7,206	LF	INDUCTIVE LOOP SAWCUT

100	LF	LEAD-IN CABLE (***********)
		(14-2)

Page: 12 of 13

### STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

CONTRACT ID : C204484 67032.3.1

### DIV OFFICE ASHEVILLE

L220419 008

LENGTH = 0.133 MI

### COUNTY : MADISON

### BRIDGE #84 ON NC-209 OVER MEADOW FORK CREEK.

GRADING, DRAINAGE, PAVING, RETAINING WALLS, AND STRUCTURE.

### **ROADWAY ITEMS**

Lump Sum	LS	MOBILIZATION
Lump Sum	LS	CONSTRUCTION SURVEYING
1	EA	SEALING ABANDONED WELLS
Lump Sum	LS	TYPE II MODIFIED APPROACH
		FILL, STATION *******
Lump Sum	LS	(13+50.00 -L-) GRADING
Lump Sum 1	ACR	SUPPLEMENTARY CLEARING & GRUB-
1	ACK	BING
450	CY	UNDERCUT EXCAVATION
400	CY	SELECT GRANULAR MATERIAL
700	SY	GEOTEXTILE FOR SOIL STABILIZA-
		TION
3,558	SF	TEMPORARY SHORING
50	TON	GENERIC GRADING ITEM
		HAULING AND DISPOSAL OF PETRO- LEUM CONTAMINATED SOIL
30	TON	FOUNDATION CONDITIONING MATE-
		RIAL, MINOR STRUCTURES
80	SY	FOUNDATION CONDITIONING GEO-
		TEXTILE
64	LF	15" DRAINAGE PIPE
40	LF	18" DRAINAGE PIPE
2	EA	**" DRAINAGE PIPE ELBOWS (15")
2	EA	**" DRAINAGE PIPE ELBOWS
-	2	(18")
64	LF	15" RC PIPE CULVERTS, CLASS
		III
44	LF	18" RC PIPE CULVERTS, CLASS
48	LF	III PIPE REMOVAL
100	CY	SHALLOW UNDERCUT
200	TON	CLASS IV SUBGRADE STABILIZA-
200	1010	TION
10	TON	INCIDENTAL STONE BASE
170	SY	INCIDENTAL MILLING
355	TON	ASPHALT CONC BASE COURSE, TYPE
		B25.0C
391	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
45	TON	ASPHALT BINDER FOR PLANT MIX
25	TON	ASPHALT PLANT MIX, PAVEMENT
		REPAIR
44.8	CY	SUBDRAIN EXCAVATION
200	SY	GEOTEXTILE FOR SUBSURFACE
		DRAINS
33.6	CY	SUBDRAIN COARSE AGGREGATE
200	LF	6" PERFORATED SUBDRAIN PIPE
1	EA	SUBDRAIN PIPE OUTLET
6	LF	6" OUTLET PIPE
5 2.5	EA LF	MASONRY DRAINAGE STRUCTURES MASONRY DRAINAGE STRUCTURES
2.3	EA	FRAME WITH TWO GRATES, STD
2	LA	840.20
3	EA	FRAME WITH TWO GRATES, STD 840.29
132	LF	SHOULDER BERM GUTTER
250	LF	STEEL BEAM GUARDRAIL
75	LF	STEEL BEAM GUARDRAIL, SHOP
		CURVED
3	EA	ADDITIONAL GUARDRAIL POSTS
4	EA	GUARDRAIL ANCHOR UNITS, TYPE III
3	EA	GUARDRAIL END UNITS, TYPE TL-3
1	EA	GUARDRAIL END UNITS, TYPE TL-2
108	LF	REMOVE EXISTING GUARDRAIL
5	TON	RIP RAP, CLASS I
430	TON	RIP RAP, CLASS II
150	TON	RIP RAP, CLASS B
835	SY	GEOTEXTILE FOR DRAINAGE
58.75	SF	CONTRACTOR FURNISHED, TYPE ***
		SIGN (E)
	T E	GUDDODTO A LD OTEEL LL OLLAR TEL

230.5 LF SUPPORTS, 3-LB STEEL U-CHANNEL

		(E)
2	EA	SIGN ERECTION, RELOCATE TYPE
		**** (GROUND MOUNTED)
		(D)
1	EA	SIGN ERECTION, RELOCATE TYPE **** (GROUND MOUNTED)
		(E)
4	EA	DISPOSAL OF SIGN SYSTEM, U-
		CHANNEL
6	EA	DISPOSAL OF SUPPORT, U-CHANNEL
231	SF SF	WORK ZONE SIGNS (STATIONARY)
111	EA	WORK ZONE SIGNS (PORTABLE) TEMPORARY PORTABLE TRAFFIC
1	LA	SIGNAL SYSTEM
121	EA	DRUMS
9	DAY	FLAGGER
2	EA	TEMPORARY CRASH CUSHIONS
2	EA	REMOVE & RESET TEMPORARY CRASH CUSHION
190	LF	PORTABLE CONCRETE BARRIER
123	LF	PORTABLE CONCRETE BARRIER
		(ANCHORED)
128	LF	REMOVE AND RESET PORTABLE CON-
42	LF	CRETE BARRIER REMOVE & RESET PORTABLE CONC-
42	LI	RETE BARRIER (ANCHORED)
150	EA	TEMPORARY RAISED PAVEMENT
		MARKERS
30	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (24")
		(IV)
2,940	LF	PAINT PAVEMENT MARKING LINES
		(4")
2,940	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
2,894	LF	GENERIC PAVEMENT MARKING ITEM
_,		POLYUREA PAVEMENT MARKING
		LINES, 4",
26	LF	20 MILS (STANDARD GLASS BEADS) GENERIC PAVEMENT MARKING ITEM
20	LI	THERMOPLASTIC PAVEMENT MARKING TIEM
		LINES (24", 90 MILS)
18	EA	GENERIC PAVEMENT MARKING ITEM
		NON-CAST IRON SNOWPLOWABLE PAVEMENT MARKER
500	LF	TEMPORARY SILT FENCE
225	TON	STONE FOR EROSION CONTROL,
		CLASS A
150	TON	STONE FOR EROSION CONTROL, CLASS B
260	TON	SEDIMENT CONTROL STONE
0.5	ACR	TEMPORARY MULCHING
100	LB	SEED FOR TEMPORARY SEEDING
0.5	TON	FERTILIZER FOR TEMPORARY SEED-
200	1 F	ING TEMPORARY SLOPE DRAINS
200 440	LF LF	TEMPORARY SLOPE DRAINS SAFETY FENCE
130	CY	SILT EXCAVATION
2,500	SY	MATTING FOR EROSION CONTROL
100	SY	COIR FIBER MAT
900	LF	1/4" HARDWARE CLOTH
150	LF	WATTLE BARRIER
20	LB	POLYACRYLAMIDE (PAM)
0.5 0.25	ACR ACR	SEEDING & MULCHING MOWING
0.23 50	LB	SEED FOR REPAIR SEEDING
0.25	TON	FERTILIZER FOR REPAIR SEEDING
50	LB	SEED FOR SUPPLEMENTAL SEEDING
0.25	TON	
10	MHR	
25	EA	RESPONSE FOR EROSION CONTROL
4	EA	CONCRETE WASHOUT STRUCTURE
0.1	ACR	REFORESTATION

DBE GOAL 2.0% COMPLETION DATE : APR 29 2024

### WALL ITEMS

Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ************************************
Lump Sum	LS	ASBESTOS ASSESSMENT
Lump Sum	LS	FOUNDATION EXCAVATION FOR END BENT ** AT STATION ************************************
104.3	LF	PILE EXCAVATION IN SOIL
42.1	LF	PILE EXCAVATION NOT IN SOIL
31.6	LF	3'-0" DIA DRILLED PIERS IN SOIL
44	LF	3'-0" DIA DRILLED PIERS NOT IN SOIL
31	LF	PERMANENT STEEL CASING FOR 3'-0" DIA DRILLED PIER
2	EA	SID INSPECTIONS
1	EA	CSL TESTING
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVA- TION AT STATION ******** (13+50.00-L-)
120.3	CY	CLASS A CONCRETE (BRIDGE)
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION *********
		(13+50.00-L-)
26,911	LB	REINFORCING STEEL (BRIDGE)
1,876	LB	SPIRAL COLUMN REINFORCING STEEL (BRIDGE)
8	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES (HP 12 X 53)
160	LF	HP12X53 STEEL PILES
200.58	LF	VERTICAL CONCRETE BARRIER RAIL
180	TON	RIP RAP CLASS II (2'-0" THICK)
201	SY	GEOTEXTILE FOR DRAINAGE
Lump Sum	LS	ELASTOMERIC BEARINGS
360	LF	3'-0" X 1'-9" PRESTRESSED CONC CORED SLABS
840	LF	3'-0" X 2'-0" PRESTRESSED CONC CORED SLABS