



Interested Parties List

To **register to bid on an upcoming NCDOT construction contract**, or to register in general to be notified about updates for selected upcoming contracts to be let, add your firm to the Interested Parties list for each contract in which you are interested. Interested parties will be informed by mail whenever there are addenda or other changes to the planned letting.

You are no longer required to be a Plan Holder to bid for any lettings occurring June 1, 2022, or later.

Interested parties and authorized bidders MUST sign up at least one full business day prior to the let date.


To Register:

1. Navigate to the details page for the selected contract. Press **Interested Parties for this letting** or go directly to the overall [Interested Parties list](#)
2. Press **Add Firm** and find your firm using the Search box. Select your firm name and press **Next**
3. Complete the contact information for the person to be notified of changes and press **Next**
4. Review the list of upcoming Central and Division contracts and select the upcoming contract(s) in which you are interested and press **Next**.
There is no need to register again for contracts for which you have previously registered.
5. The confirmation page will summarize your entered information. Press **Submit**.
6. A confirmation email will be sent to the provided address. Within one hour, the firm will appear on the publicly viewable Interested Parties list for each of the specified contracts. Allow five business days for NCDOT staff to upload your firm as an authorized bidder in Bid Express.

Email InterestedPartiesHelp@ncdot.gov if you have any problems registering.



2026 NCDOT TECHNICAL TRAINING SCHEDULE



DURHAM

Durham Technical Community College
The Chesterfield Building
701 West Main Street
Durham, N.C. 27701

CONCORD

Rowan Cabarrus Community College
South Campus – Bldg S201/Room 107
1531 Trinity Church Road
Concord, N.C. 28027

GOLDSBORO

Wayne Community College
Walnut Room 104
3000 Wayne Memorial Drive
Goldsboro, N.C. 27534

ASHEVILLE

Asheville Buncombe Community College
Ferguson Allied Health - Bldg 24,
Room 345
10 Genevieve Circle
Asheville, N.C. 28801

DATES	COURSE TOPICS	DURHAM	CONCORD	GOLDSBORO	ASHEVILLE
April 2026	Construction Plan Reading	April 9	April 16	April 23	April 30
May 2026	Math for Highway Construction Trades	n/a	May 14	May 28	n/a
June 2026	Navigating NCDOT Contracts	June 11	n/a	n/a	June 25
July 2026	Business Insights & NCDOT Bidding/Letting	n/a	July 9	July 23	n/a
August 2026	Utility Construction & Manhole Adjustments	Aug. 13	n/a	n/a	Aug. 27
September 2026	Drones (UAS) & Construction Surveying	n/a	Sept. 10	Sept. 24	n/a
October 2026	Pipe Installation & Erosion Control	Oct. 8	n/a	n/a	Oct. 22
November 2026	Construction Hauling	Nov. 5	Nov. 12	n/a	n/a

The 2026 NCDOT Technical Training Series is a program that offers various courses to small highway construction contractors interested in working on NCDOT projects. Each course will cover NCDOT Standard Specifications and Drawings, lettings & bidding, project management, invoicing and payment, equipment requirements, and more. Courses will be held in Durham, Concord, Goldsboro, and Asheville and will be taught in-person by NCDOT engineers, prime contractors, and other industry professionals. To register, please visit the website: www.ncdot.gov/highwaystechtraining. For questions, please email: ccu@ncdot.gov or call: 984-810-9276.





STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

JOSH STEIN
GOVERNOR

DANIEL H. JOHNSON
SECRETARY

DATE: May 19, 2026

TO: Whom It May Concern

SUBJECT: [Bidx.com](https://www.bids.com) - Streamline Bidding Starts July 1, 2026

MEMORANDUM:

A significant upgrade is coming to the bid submission process! Starting with the July 1, 2026 letting, new enhanced bidding workflows will provide a more streamlined and accessible experience.

Key Benefits:

- Bid directly in your web browser—no downloads needed.
- Eliminates the need for AASHTOWare Project Bids™ Bid software.
- Works with all modern operating systems.

Stay tuned for more details.

Visit the [Knowledge Center Contractor Toolkit: Bid Submission in Bidx.com](#) for more information.

Contact AWPHelp@ncdot.gov with questions.

**STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
INVITATION TO BID**

ELECTRONIC BIDS (UNLESS OTHERWISE SPECIFIED IN THE PROJECT SPECIAL PROVISIONS) FOR THE CONSTRUCTION OF THE FOLLOWING PROJECTS WILL BE PUBLICLY READ IN THE CONTRACT STANDARDS AND DEVELOPMENT UNIT RIVERWOOD CONFERENCE ROOM, LOCATED IN BUILDING B AT 1020 BIRCH RIDGE DRIVE, RALEIGH, N.C. OR VIA THE WEBCAST AT **2:00 PM** ON NOVEMBER 17, 2026. NO ELECTRONIC BIDS WILL BE RECEIVED AFTER 2:00 PM.

1. THE BIDDER SHALL SELF REGISTER AT THE FOLLOWING WEBSITE FOR EACH PROJECT FOR WHICH THEY INTEND TO SUBMIT A BID IN RESPONSE TO THIS INVITATION TO BID

<https://connect.ncdot.gov/letting/pages/Interested-Parties.aspx>

2. A BID BOND OR BID DEPOSIT IN THE AMOUNT OF 5% OF THE TOTAL AMOUNT BID WILL BE REQUIRED. THE BIDDER SHALL SUBMIT AN ELECTRONIC BID BOND WITH EACH ELECTRONIC BID SUBMITTAL UNLESS THEY ELECT TO FURNISH A BID DEPOSIT.

3. UPON RECEIPT OF AWARD LETTER, THE SUCCESSFUL BIDDER SHALL FURNISH A PROPERLY EXECUTED EXECUTION OF CONTRACT, NON-COLLUSION, DEBARMENT AND GIFT BAN CERTIFICATION, EXECUTED PAYMENT AND PERFORMANCE BONDS, AND OPTIONAL BID ITEMS ELIGIBLE FOR STEEL PRICE ADJUSTMENT FORM (SPA-1) FOR EACH CONTRACT. CERTIFICATION FORMS AND BOND FORMS ARE AVAILABLE AS PART OF THE CONTRACT EXECUTION FORMS AT THE FOLLOWING WEBSITE <https://connect.ncdot.gov/letting/Pages/Central-Letting-Forms.aspx>. BID ITEMS ELIGIBLE FOR STEEL PRICE ADJUSTMENT FORM (SPA-1) IS AVAILABLE AT THE FOLLOWING WEBSITE <https://connect.ncdot.gov/letting/Pages/Central-Letting-Resources.aspx>.

ALL QUESTIONS RELATED TO PROJECTS DURING THE ADVERTISEMENT PERIOD SHALL BE EMAILED TO THE STATE CONTRACT OFFICER AT ContractOfficer@ncdot.gov.

THE MINIMUM WAGE FOR LABOR WILL BE SHOWN IN THE PROPOSAL FORM FOR FEDERAL AID PROJECTS.

CONTRACTOR'S LICENSE: A GENERAL CONTRACTOR'S LICENSE IS REQUIRED IN ORDER TO SUBMIT A BID ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$40,000.00 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD. ON FEDERAL PROJECTS, THE APPROPRIATE CONTRACTOR'S LICENSE SHALL BE OBTAINED WITHIN 60 DAYS OF BID OPENING. FOR ADDITIONAL INFORMATION OR TO MAKE APPLICATION FOR A LICENSE, VISIT THE CONTRATOR LICENSING BOARD WEBSITE AT <https://www.nclbgc.org> OR EMAIL licensing@nclbgc.org.

PREQUALIFYING TO BID: ALL PROSPECTIVE BIDDERS SHALL BE PREQUALIFIED WITH THE DEPARTMENT OF TRANSPORTATION PRIOR TO SUBMITTING A BID. CONTRACTORS WHO ARE NOT PREQUALIFIED MAY OBTAIN INFORMATION AND FORMS FOR PREQUALIFYING FROM THE PREQUALIFICATION SECTION OF THE CONTRACT STANDARDS AND DEVELOPMENT UNIT AT <https://connect.ncdot.gov/business/Prequal/Pages/default.aspx>. ALL REQUIRED PREQUALIFICATION STATEMENTS AND DOCUMENTS SHALL BE FILED WITH THE CONTRACTUAL SERVICES MANAGEMENT SECTION AT LEAST FOUR WEEKS PRIOR TO THE DATE OF OPENING BIDS.

THE DEPARTMENT OF TRANSPORTATION HEREBY NOTIFIES ALL BIDDERS THAT IT WILL AFFIRMATIVELY ENSURE THAT IN ANY CONTRACT ENTERED INTO PURSUANT TO THIS INVITATION TO BID, MINORITY BUSINESS ENTERPRISES WILL BE AFFORDED FULL OPPORTUNITY TO SUBMIT BIDS IN RESPONSE TO THIS INVITATION AND WILL NOT BE DISCRIMINATED AGAINST ON THE GROUNDS OF RACE, COLOR, SEX, OR NATIONAL ORIGIN IN COMPENSATION TO THIS AWARD.

PROPOSAL FORMS AT **\$25.00** EACH, PLANS (SMALL SIZE) AT **\$40.00** PER SET, PLANS (LARGE SIZE) AT **\$100.00** PER SET, AND CROSS-SECTIONS AT **\$40.00** PER SET, PLUS SALES TAX FOR N.C. RESIDENTS, MAY BE OBTAINED BY TELEPHONING (919-707-6925), FAXING (919-250-4127), OR VISITING THE WEBSITE AT: <https://connect.ncdot.gov/letting/Pages/Order-Plans.aspx>. THESE CHARGES ARE NOT DEPOSITS AND WILL NOT BE REFUNDED. ALL ORDERS FOR PROPOSAL FORMS, PLANS AND CROSS-SECTIONS DELIVERED IN NORTH CAROLINA ARE SUBJECT TO 7.25% SALES TAX. ORDERS MAILED TO OUT OF STATE CONTRACTORS ARE NOT SUBJECT TO SALES TAX. MAKE ALL CHECKS PAYABLE TO THE **"N.C. DEPARTMENT OF TRANSPORTATION"**.

THE RIGHT IS RESERVED TO REJECT ANY OR ALL BIDS.

**TODAY'S DATE IS OCTOBER 20, 2026.
BY ORDER OF THE DEPARTMENT OF TRANSPORTATION
(THE WORK WILL CONSIST APPROXIMATELY AS SHOWN ON THE FOLLOWING SHEETS)**

REVIEW OF PLANS AND PROPOSALS IN DIVISION OFFICE

IN ORDER TO FACILITATE AND ENCOURAGE THE INVOLVEMENT OF MINORITY BUSINESS ENTERPRISES IN THE HIGHWAY CONSTRUCTION PROCESS, IT IS THE POLICY OF THE DEPARTMENT OF TRANSPORTATION, DIVISION OF HIGHWAYS, THAT A SET OF PLANS AND PROPOSAL FOR EACH PROJECT TO BE LET WILL BE MAINTAINED FOR REVIEW BY ANY CONTRACTOR INTERESTED IN BIDDING UPON OR QUOTING WORK IN AN ADVERTISED PROJECT.

THE PROPOSALS AND PLANS WILL BE AVAILABLE FOR REVIEW BEGINNING TWO WEEKS PRIOR TO THE DATE OF BID OPENING IN THE DIVISION OFFICE WHICH WILL ADMINISTER THE CONTRACT. THE DEPARTMENT WILL, UPON REQUEST, MAKE AVAILABLE FROM ITS STAFF A PERSON TO EXPLAIN THE PROPOSED PROJECT AND TO ANSWER GENERAL QUESTIONS RELATING TO THE PROJECT. THE PLANS AND PROPOSALS CAN BE REVIEWED ANY TIME MONDAY THRU FRIDAY, EXCLUDING HOLIDAYS, BETWEEN THE HOURS OF 8:00 A.M. AND 4:30 P.M. IN THE DIVISION OFFICE. IN ORDER TO HAVE A MEMBER OF THE STAFF EXPLAIN THE PROJECT AND/OR ANSWER GENERAL QUESTIONS PERTAINING TO THE PROJECT, PRIOR APPOINTMENTS MUST BE MADE BY CALLING THE APPROPRIATE DIVISION OFFICE.

FOLLOWING ARE THE LOCATIONS AND TELEPHONE NUMBERS OF THE OFFICES IN WHICH THE PLANS AND PROPOSALS WILL BE MADE AVAILABLE, REFERENCE SHOULD BE MADE TO THE SHEETS CONTAINING THE INDIVIDUAL PROJECT QUANTITIES TO DETERMINE WHICH DIVISION OFFICE WILL ADMINISTER THE CONTRACT.

DIV NO.	DIVISION ENGINEER	TOWN	TELEPHONE
001	Ronald Sawyer	EDENTON	(252) 482-1850
002	Mary Beth Houston	NEW BERN	(252) 514-4716
003	Trevor Carroll	CASTLE HAYNE	(910) 341-2000
004	W. Matthew Clarke	WILSON	(252) 237-6164
005	Rebecca Gallas	DURHAM	(919) 220-4600
006	Wallace Jernigan, PE	FAYETTEVILLE	(910) 364-0600
007	Wright Archer, III, PE	GREENSBORO	(336) 487-0000
008	Reuben Blakley, PE	CARTHAGE	(910) 773-8000
009	John Rhyne	WINSTON-SALEM	(336) 747-7800
010	Felix Obregon	ALBEMARLE	(704) 983-4400
011	Michael Poe, PE	NORTH WILKESBORO	(336) 903-9101
012	Mark Stafford, PE	SHELBY	(704) 480-5400
013	Timothy Anderson, PE	ASHEVILLE	(828) 250-3000
014	Wesley Grindstaff, PE	SYLVA	(828) 586-2141

===== SUMMARY OF PROPOSALS =====

Bid Letting Number: L261117

RPN Contract Id WBS			County	Length	Job Type
003	C205252	2027CPT.05.07.20921	WAKE	7.210 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
004	C205227	45910.3.1, ETC.	ORANGE	7.700 MI	PAVEMENT REHABILITATION, ITS, AND BRIDGE REHABILITATION.
005	C205254	2027CPT.08.01.10631, ETC.	MOORE	15.256 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
006	C205255	2027CPT.08.05.10631, ETC.	MOORE	17.761 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
007	C205253	2027CPT.09.01.10291, ETC.	DAVIDSON	34.701 MI	MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.
008	C205091	67140.3.1	DAVIDSON	0.546 MI	GRADING, DRAINAGE, PAVING, AND STRUCTURES.
009	C205251	2027CPT.10.05.10601, ETC.	MECKLENBURG	14.270 MI	MILLING AND RESURFACING.
010	C204976	44691.3.1	WILKES	3.017 MI	GRADING, DRAINAGE, PAVING, SIGNALS, AND STRUCTURES.
011	C204481	45810.3.1, ETC.	GASTON	1.277 MI	GRADING, DRAINAGE, PAVING, SIGNALS, AND STRUCTURES.

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L261117

003

CONTRACT ID : C205252

2027CPT.05.07.20921

DIV OFFICE DURHAM

LENGTH = 7.210 MI

COUNTY : WAKE

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL

COMPLETION DATE : JUN 28, 2028

1 SECTION OF SECONDARY ROAD.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
8	SY	REMOVAL OF EXISTING ASPHALT PAVEMENT
138	TON	INCIDENTAL STONE BASE
5.5	SMI	SHOULDER RECONSTRUCTION
508	TON	AGGREGATE SHOULDER BORROW
459,361	SY	MILLING ASPHALT PAVEMENT, ****" DEPTH (1-1/2")
45,326	SY	INCIDENTAL MILLING
45,801	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
2,980	TON	ASPHALT BINDER FOR PLANT MIX
57	TON	PATCHING EXISTING PAVEMENT
439	LF	2'-6" CONCRETE CURB & GUTTER
196	SY	4" CONCRETE SIDEWALK
125	EA	REMOVE AND REPLACE CONCRETE CURB RAMPS
4	SY	5" MONOLITHIC CONCRETE ISLANDS (KEYED IN)
25	SY	GENERIC PAVING ITEM REMOVE 4" CONCRETE SIDEWALK
274	SY	GENERIC PAVING ITEM REMOVE AND REPLACE 4" CONCRETE SIDEWALK
500	LF	GENERIC PAVING ITEM REMOVE AND REPLACE 2'-6" CONCRETE CURB & GUTTER
23	EA	GENERIC PAVING ITEM REMOVE CONCRETE CURB RAMPS
1	EA	ADJUSTMENT OF MANHOLES
5	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
126	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
160	LF	PEDESTRIAN CHANNELIZING DEVICES
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
640	HR	LAW ENFORCEMENT
26	EA	GENERIC TRAFFIC CONTROL ITEM AUDIBLE WARNING DEVICES
40	EA	GENERIC TRAFFIC CONTROL ITEM PEDESTRIAN TRANSPORT SERVICE
101,040	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
110	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
4,110	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
1,100	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
200	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 90 MILS)
4,500	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
110	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
341	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
101,040	LF	PAINT PAVEMENT MARKING LINES (4")
110	LF	PAINT PAVEMENT MARKING LINES (6")
4,110	LF	PAINT PAVEMENT MARKING LINES (8")
1,100	LF	PAINT PAVEMENT MARKING LINES (12")
200	LF	PAINT PAVEMENT MARKING LINES (16")
4,500	LF	PAINT PAVEMENT MARKING LINES (24")
110	EA	PAINT PAVEMENT MARKING CHARACTER
341	EA	PAINT PAVEMENT MARKING SYMBOL
33,000	LF	INDUCTIVE LOOP SAWCUT

FEDERAL AID PROPOSAL, CONTRACTOR LICENSE NOT REQUIRED TO BID

L261117

004

CONTRACT ID : C205227 45910.3.1

DIV OFFICE GREENSBORO

LENGTH = 7.700 MI

COUNTY : ORANGE

PAVEMENT REHABILITATION, ITS, AND BRIDGE REHABILITATION.

DBE GOAL

COMPLETION DATE : NOV 01, 2028

I-40/I-85 FROM WEST OF SR-1114 (BUCKHORN RD) TO WEST OF SR-1006 (ORANGE GROVE RD).

ROADWAY ITEMS			31.4	LF	EPOXY RESIN INJECTION
Lump Sum	LS	MOBILIZATION	Lump Sum	LS	GENERIC STRUCTURE ITEM
588,893	SY	MILLING ASPHALT PAVEMENT, ****" DEPTH (1-1/2")			CLEANING AND PAINTING EXISTING WEATHERING STEEL FOR BRIDGE #670040
32,274	SY	MILLING ASPHALT PAVEMENT, ****" DEPTH (2-1/4")	Lump Sum	LS	GENERIC STRUCTURE ITEM
14,392.5	SY	INCIDENTAL MILLING			CLEANING AND PAINTING EXISTING WEATHERING STEEL FOR BRIDGE #670044
15,324	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C	Lump Sum	LS	GENERIC STRUCTURE ITEM
43,415	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5D			CLEANING AND PAINTING EXISTING WEATHERING STEEL FOR BRIDGE #670052
924	TON	ASPHALT BINDER FOR PLANT MIX	Lump Sum	LS	GENERIC STRUCTURE ITEM
3,351	TON	POLYMER MODIFIED ASPHALT BINDER FOR PLANT MIX			PAINTING CONTAINMENT FOR BRIDGE #670040
400	TON	PATCHING EXISTING PAVEMENT	Lump Sum	LS	GENERIC STRUCTURE ITEM
16,517	TON	ULTRA-THIN BONDED WEARING COURSE			PAINTING CONTAINMENT FOR BRIDGE #670044
93,180	LF	GENERIC PAVING ITEM	Lump Sum	LS	GENERIC STRUCTURE ITEM
		MILLED RUMBLE STRIPS (ASPHALT CONCRETE), (16")			PAINTING CONTAINMENT FOR BRIDGE #670052
Lump Sum	LS	GENERIC PAVING ITEM	Lump Sum	LS	GENERIC STRUCTURE ITEM
		WIM ASPHALT			POLLUTION CONTROL
464	SF	WORK ZONE SIGNS (STATIONARY)	779.1	LF	GENERIC STRUCTURE ITEM
14	EA	WORK ZONE PRESENCE LIGHTING			FOAM JOINT SEALS FOR PRESERVATION
12	EA	SEQUENTIAL FLASHING WARNING LIGHTS	32.8	CF	GENERIC STRUCTURE ITEM
2	EA	GENERIC TRAFFIC CONTROL ITEM			ELASTOMERIC CONCRETE FOR PRESERVATION
		CONNECTED LANE CLOSURE SYSTEM	3	SF	GENERIC STRUCTURE ITEM
45	EA	GENERIC TRAFFIC CONTROL ITEM			CONCRETE DECK REPAIR FOR DECK CRACK SEALING TREATMENT
		DOUBLE LANE CLOSURE	1,776.1	SF	GENERIC STRUCTURE ITEM
16	EA	GENERIC TRAFFIC CONTROL ITEM			EPOXY COATING
		RAMP/LOOP CLOSURES	1,272.2	SY	GENERIC STRUCTURE ITEM
35	EA	GENERIC TRAFFIC CONTROL ITEM			CONCRETE BRIDGE DECK CRACK SEALING
		SINGLE LANE CLOSURE	32.9	SY	GENERIC STRUCTURE ITEM
74	EA	GENERIC TRAFFIC CONTROL ITEM			CONCRETE DECK REPAIR FOR POLYMER CONCRETE OVERLAY
		TRIPLE LANE CLOSURE	4,548.1	SY	GENERIC STRUCTURE ITEM
5	EA	GENERIC TRAFFIC CONTROL ITEM			PLACING AND FINISHING POLYMER CONCRETE OVERLAY
		WORK ZONE DIGITAL SPEED LIMIT SIGNS	4,548.1	SY	GENERIC STRUCTURE ITEM
236,325	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)			SCARIFYING BRIDGE DECK
		THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)	5,820.3	SY	GENERIC STRUCTURE ITEM
14,745	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)			SHOTBLASTING BRIDGE DECK
		THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)			***** BEGIN SCHEDULE AA*****
285	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)			***** (2 ALTERNATES) *****
19	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)	157.9	CY	GENERIC STRUCTURE ITEM
		THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)			POLYESTER POLYMER CONCRETE MATERIALS
50	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)			*** OR ***
2,534	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (6") (III)	157.9	CY	GENERIC STRUCTURE ITEM
		PAINT PAVEMENT MARKING LINES (6")			EPOXY POLYMER CONCRETE MATERIALS
206,760	LF	PAINT PAVEMENT MARKING LINES (12")			*** END SCHEDULE AA***
10,650	LF	PAINT PAVEMENT MARKING LINES (12")			
14	EA	PAINT PAVEMENT MARKING CHARACTER			
38	EA	PAINT PAVEMENT MARKING SYMBOL			
72	LF	GENERIC PAVEMENT MARKING ITEM			
		YIELD LINE THERMOPLASTIC PAVEMENT MARKING (24", 90 MILS)			
3,818	EA	GENERIC PAVEMENT MARKING ITEM			
		POLYCARBONATE H-SHAPED MARKERS			
Lump Sum	LS	PORTABLE LIGHTING			
Lump Sum	LS	GENERIC SIGNAL ITEM			
		WIM COMPONENTS			
288	LF	GENERIC SIGNAL ITEM			
		INDUCTIVE LOOP SAWCUT (DEEP CUT)			
STRUCTURE ITEMS					
38,586	SF	GROOVING BRIDGE FLOORS			
32.9	SY	CLASS II, SURFACE PREPARATION			
242.8	CF	SHOTCRETE REPAIRS			

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L261117 005

CONTRACT ID : C205254 2027CPT.08.01.10631 DIV OFFICE CARTHAGE LENGTH = 15.256 MI
 COUNTY : MOORE

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL COMPLETION DATE : JUN 28, 2028

1 SECTION OF NC-24, AND 7 SECTIONS OF SECONDARY ROADS.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
550	SY	REMOVAL OF EXISTING ASPHALT PAVEMENT
485	TON	INCIDENTAL STONE BASE
30.9	SMI	SHOULDER RECONSTRUCTION
4,435	TON	AGGREGATE SHOULDER BORROW
65,500	SY	MILLING ASPHALT PAVEMENT, ****" DEPTH (1-1/2")
425	SY	MILLING ASPHALT PAVEMENT, ****" DEPTH (4-1/2")
530	SY	MILLING ASPHALT PAVEMENT, ****" TO *****" (1-1/2" TO 3")
5,250	SY	INCIDENTAL MILLING
2,774	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
80	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C
14,019	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
4,375	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
1,342	TON	ASPHALT BINDER FOR PLANT MIX
955	TON	PATCHING EXISTING PAVEMENT
79,730	SY	ASPHALT SURFACE TREATMENT, MAT COAT, **** STONE (#67)
31,895	GAL	EMULSION FOR ASPHALT SURFACE TREATMENT
4	WK	VACUUM TRUCK
40	TON	BLOTTING SAND
1,715	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
312,250	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
225	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
100	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 90 MILS)
150	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
4	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
8	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
312,250	LF	PAINT PAVEMENT MARKING LINES (6")
100	LF	PAINT PAVEMENT MARKING LINES (16")
175	LF	PAINT PAVEMENT MARKING LINES (24")
4	EA	PAINT PAVEMENT MARKING CHARACTER
178	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L261117 006

CONTRACT ID : C205255 2027CPT.08.05.10631 DIV OFFICE CARTHAGE LENGTH = 17.761 MI
 COUNTY : MOORE

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL COMPLETION DATE : JUN 28, 2028

1 SECTION OF NC-73, 1 SECTION OF NC-211, 1 SECTION OF NC-690, AND 5 SECTIONS OF SECONDARY ROAD.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
630	TON	INCIDENTAL STONE BASE
27.77	SMI	SHOULDER RECONSTRUCTION
3,965	TON	AGGREGATE SHOULDER BORROW
16,800	SY	MILLING ASPHALT PAVEMENT, ****" DEPTH (1-1/2")
8,215	SY	INCIDENTAL MILLING
11,027	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
7,683	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
1,224	TON	ASPHALT BINDER FOR PLANT MIX
1,135	TON	PATCHING EXISTING PAVEMENT
55,580	SY	ASPHALT SURFACE TREATMENT, MAT COAT, #*** STONE (#67)
22,240	GAL	EMULSION FOR ASPHALT SURFACE TREATMENT
2.25	WK	VACUUM TRUCK
50	TON	BLOTTING SAND
4	EA	ADJUSTMENT OF MANHOLES
18	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
1,743	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
303,365	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
400	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
50	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 90 MILS)
265	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
2	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
19	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
550	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (6") (II)
303,365	LF	PAINT PAVEMENT MARKING LINES (6")
250	LF	PAINT PAVEMENT MARKING LINES (12")
50	LF	PAINT PAVEMENT MARKING LINES (16")
265	LF	PAINT PAVEMENT MARKING LINES (24")
2	EA	PAINT PAVEMENT MARKING CHARACTER
435	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS
137	EA	PERMANENT RAISED PAVEMENT MARKERS

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L261117

007

CONTRACT ID : C205253

2027CPT.09.01.10291

DIV OFFICE WINSTON-SALEM

LENGTH = 34.701 MI

COUNTY : DAVIDSON

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

DBE GOAL

COMPLETION DATE : JUN 28, 2028

2 SECTIONS OF US-29, 1 SECTION OF NC-150, AND 15 SECTIONS OF SECONDARY ROAD.

ROADWAY ITEMS

Lump Sum	LS	MOBILIZATION
1,818	TON	INCIDENTAL STONE BASE
66.63	SMI	SHOULDER RECONSTRUCTION
12,858	TON	AGGREGATE SHOULDER BORROW
483,238	SY	MILLING ASPHALT PAVEMENT, ****" DEPTH (1-1/2")
26,146	SY	INCIDENTAL MILLING
25,198	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B
24,551	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
3,092	TON	ASPHALT BINDER FOR PLANT MIX
150	TON	PATCHING EXISTING PAVEMENT
19,599	SY	ASPHALT SURFACE TREATMENT, MAT COAT, #*** STONE (#67)
7,448	GAL	EMULSION FOR ASPHALT SURFACE TREATMENT
66	EA	ADJUSTMENT OF MANHOLES
210	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES
4,119	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL
80	HR	LAW ENFORCEMENT
983,533	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
110	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 240 MILS)
1,617	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
272	LF	THERMOPLASTIC PAVEMENT MARKING LINES (16", 90 MILS)
1,385	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
49	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
98	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
682,245	LF	PAINT PAVEMENT MARKING LINES (4")
1,617	LF	PAINT PAVEMENT MARKING LINES (8")
392	LF	PAINT PAVEMENT MARKING LINES (16")
1,075	LF	PAINT PAVEMENT MARKING LINES (24")
36	EA	PAINT PAVEMENT MARKING CHARACTER
97	EA	PAINT PAVEMENT MARKING SYMBOL
754	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS
Lump Sum	LS	PORTABLE LIGHTING

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L261117

008

CONTRACT ID : C205091 67140.3.1

DIV OFFICE WINSTON-SALEM

LENGTH = 0.546 MI

COUNTY : DAVIDSON

GRADING, DRAINAGE, PAVING, AND STRUCTURES.

DBE GOAL

COMPLETION DATE : OCT 28, 2030

BRIDGES #280087 AND #280089 OVER WSSB RAILROAD ON US-64/US-29/US-70.

ROADWAY ITEMS					
			1,890	LF	SHOULDER BERM GUTTER
Lump Sum	LS	MOBILIZATION	3	EA	CONCRETE BARRIER TRANSITION SECTION
Lump Sum	LS	CONSTRUCTION SURVEYING	1,440	LF	VARIABLE HEIGHT CONCRETE BARRIER, TYPE ***** (III)
Lump Sum	LS	GRADING	3	EA	ADJUSTMENT OF DROP INLETS
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING	4,862.5	LF	STEEL BEAM GUARDRAIL
425	CY	UNDERCUT EXCAVATION	5	EA	ADDITIONAL GUARDRAIL POSTS
10	CY	DRAINAGE DITCH EXCAVATION	2	EA	GUARDRAIL ANCHOR UNITS, TYPE ***** (B-77 MODIFIED)
200	CY	SELECT GRANULAR MATERIAL	1	EA	GUARDRAIL END UNITS, TYPE CAT-1
200	SY	GEOTEXTILE FOR SOIL STABILIZATION	4	EA	GUARDRAIL ANCHOR UNITS, TYPE B-77
3,918	SF	TEMPORARY SHORING	6,589	LF	REMOVE EXISTING GUARDRAIL
1,645	SY	REINFORCED SOIL SLOPES	7	EA	TEMPORARY GUARDRAIL ANCHOR UNITS, TYPE ***** (THRIE BEAM)
Lump Sum	LS	GENERIC GRADING ITEM TYPE 1 BRIDGE APPROACH FILL, STATION 39+69.46 -L- LT	1,400	LF	RELAPPING GUARDRAIL
Lump Sum	LS	GENERIC GRADING ITEM TYPE 1 BRIDGE APPROACH FILL, STATION 39+69.46 -L- RT	10	TON	RIP RAP, CLASS B
140	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	850	SY	GEOTEXTILE FOR DRAINAGE
420	SY	FOUNDATION CONDITIONING GEOTEXTILE	396	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (A)
20	LF	24" RC PIPE CULVERTS, CLASS III	30	SF	CONTRACTOR FURNISHED, TYPE *** SIGN (E)
1,008	LF	15" RC PIPE CULVERTS, CLASS IV	6	CY	REINFORCED CONCRETE SIGN FOUNDATIONS
68	LF	18" RC PIPE CULVERTS, CLASS IV	5,098	LB	SUPPORTS, SIMPLE STEEL BEAM
80	LF	15" CS PIPE CULVERTS, 0.064" THICK	65	LF	SUPPORTS, 3-LB STEEL U-CHANNEL
44	LF	18" CS PIPE CULVERTS, 0.064" THICK	3	EA	SIGN ERECTION, TYPE E
12	LF	24" CS PIPE CULVERTS, 0.064" THICK	2	EA	SIGN ERECTION, TYPE *** (GROUND MOUNTED) (A)
4	EA	*** CS PIPE ELBOWS, *****" THICK (15", 0.064")	2	EA	SIGN ERECTION, RELOCATE TYPE **** (GROUND MOUNTED) (A)
2	EA	*** CS PIPE ELBOWS, *****" THICK (18", 0.064")	1	EA	SIGN ERECTION, RELOCATE TYPE **** (GROUND MOUNTED) (B)
595	LF	PIPE REMOVAL	4	EA	DISPOSAL OF SUPPORT, STEEL BEAM
100	CY	SHALLOW UNDERCUT	2	EA	DISPOSAL OF SIGN SYSTEM, STEEL BEAM
200	TON	CLASS IV SUBGRADE STABILIZATION	4	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL
300	SY	GEOTEXTILE FOR SUBGRADE STABILIZATION	48	SF	HIGH VISIBILITY STATIONARY SIGNS
1,862	TON	AGGREGATE BASE COURSE	465	SF	HIGH VISIBILITY PORTABLE SIGNS
50	TON	INCIDENTAL STONE BASE	36	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)
4,760	SY	MILLING ASPHALT PAVEMENT, ****" DEPTH (1-1/2")	5	EA	FLASHING ARROW BOARD
4,700	SY	INCIDENTAL MILLING	3	EA	PORTABLE CHANGEABLE MESSAGE SIGN
7,540	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C	300	EA	HIGH VISIBILITY DRUMS
4,830	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C	20	EA	SEQUENTIAL FLASHING WARNING LIGHTS
5,560	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C	72	LF	BARRICADES (TYPE III)
900	TON	ASPHALT BINDER FOR PLANT MIX	4	EA	TEMPORARY CRASH CUSHIONS
44.8	CY	SUBDRAIN EXCAVATION	10	EA	REMOVE & RESET TEMPORARY CRASH CUSHION
200	SY	GEOTEXTILE FOR SUBSURFACE DRAINS	4	EA	TMA
33.6	CY	SUBDRAIN COARSE AGGREGATE	3,524	LF	PORTABLE CONCRETE BARRIER
200	LF	6" PERFORATED SUBDRAIN PIPE	2,389	LF	PORTABLE CONCRETE BARRIER (ANCHORED)
1	EA	SUBDRAIN PIPE OUTLET	6,702	LF	REMOVE AND RESET PORTABLE CONCRETE BARRIER
6	LF	6" OUTLET PIPE	4,204	LF	REMOVE & RESET PORTABLE CONCRETE BARRIER (ANCHORED)
6	EA	TEMPORARY STEEL PLATE COVERS FOR MASONRY DRAINAGE STRUCTURE	10	HR	LAW ENFORCEMENT
1	CY	PIPE COLLARS	170	EA	TEMPORARY RAISED PAVEMENT MARKERS
18	EA	MASONRY DRAINAGE STRUCTURES	29,608	LF	PAINT PAVEMENT MARKING LINES (6")
14.7	LF	MASONRY DRAINAGE STRUCTURES	4,507	LF	REMOVAL OF PAVEMENT MARKING LINES (6")
12	EA	FRAME WITH TWO GRATES, STD 840.29			
2	EA	FRAME WITH COVER, STD 840.54			
4	EA	STEEL FRAME WITH TWO GRATES, STD 840.37			

13,500	LF	GENERIC PAVEMENT MARKING ITEM INTEGRATED MULTIPOLYMER PAVEMENT MARKING LINES (6", 90 MILS)	1,009.4	LF	CONCRETE BARRIER RAIL
3	EA	GENERIC PAVEMENT MARKING ITEM INTEGRATED MULTIPOLYMER PAVEMENT MARKING SYMBOLS (90 MILS)	858	LF	**" CHAIN LINK FENCE (72")
68	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS	1,060	SY	4" SLOPE PROTECTION
5	EA	PERMANENT RAISED PAVEMENT MARKERS	Lump Sum	LS	DISC BEARINGS
8,340	LF	TEMPORARY SILT FENCE	Lump Sum	LS	ELASTOMERIC BEARINGS
310	TON	STONE FOR EROSION CONTROL, CLASS A	Lump Sum	LS	GENERIC STRUCTURE ITEM STRIP SEAL EXPANSION JOINTS
530	TON	STONE FOR EROSION CONTROL, CLASS B	Lump Sum	LS	GENERIC STRUCTURE ITEM TEMPORARY SHORING FOR REMOVAL OF EXISTING BENT 2 FOOTINGS
370	TON	SEDIMENT CONTROL STONE	10,458	LB	GENERIC STRUCTURE ITEM BOLTED PLATE REPAIR
5	ACR	TEMPORARY MULCHING			
300	LB	SEED FOR TEMPORARY SEEDING			
1.5	TON	FERTILIZER FOR TEMPORARY SEEDING			
635	LF	TEMPORARY SLOPE DRAINS			
320	LF	SAFETY FENCE			
1,010	CY	SILT EXCAVATION			
18,500	SY	MATTING FOR EROSION CONTROL			
3,595	SY	COIR FIBER MAT			
805	LF	1/4" HARDWARE CLOTH			
30	LB	FLOCCULANT			
55	LF	COIR FIBER BAFFLE			
6	ACR	SEEDING & MULCHING			
6	ACR	MOWING			
50	LB	SEED FOR REPAIR SEEDING			
0.25	TON	FERTILIZER FOR REPAIR SEEDING			
100	LB	SEED FOR SUPPLEMENTAL SEEDING			
3	TON	FERTILIZER TOPDRESSING			
10	MHR	SPECIALIZED HAND MOWING			
4	MHR	MANUAL LITTER REMOVAL			
1	TON	LITTER DISPOSAL			
100	EA	RESPONSE FOR EROSION CONTROL			
2	EA	CONCRETE WASHOUT STRUCTURE			
3	ACR	REFORESTATION			
72	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION CLEANOUT			
24	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION, TYPE 1			
8	EA	GENERIC EROSION CONTROL ITEM PREFABRICATED CONCRETE WASHOUT STRUCTURE ITEMS			
Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (39+69.46 -L- LT)			
Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (39+69.46 -L- RT)			
Lump Sum	LS	ASBESTOS ASSESSMENT			
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ***** (39+69.46 -L- LT)			
Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ***** (39+69.46 -L- RT)			
17,912	SF	REINFORCED CONCRETE DECK SLAB			
18,634	SF	GROOVING BRIDGE FLOORS			
312.5	CY	CLASS A CONCRETE (BRIDGE)			
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ***** (39+69.46 -L- LT)			
Lump Sum	LS	BRIDGE APPROACH SLABS, STATION ***** (39+69.46 -L- RT)			
44,071	LB	REINFORCING STEEL (BRIDGE)			
626,332	LS	APPROX LBS STRUCTURAL STEEL			
Lump Sum	LS	POLLUTION CONTROL			
27	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES (HP 12 X 53)			
20	EA	PILE DRIVING EQUIPMENT SETUP FOR *** GALVANIZED STEEL PILES (PP 30 X 0.50)			
1,785	LF	HP 12 X 53 STEEL PILES			
1,425	LF	PP ** X ***** GALVANIZED STEEL PILES (30 X 0.50)			

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L261117

009

CONTRACT ID : C205251 2027CPT.10.05.10601

DIV OFFICE ALBEMARLE

LENGTH = 14.270 MI

COUNTY : MECKLENBURG

MILLING AND RESURFACING.

DBE GOAL

COMPLETION DATE : JUN 28, 2028

1 SECTION OF US-29, 1 SECTION OF NC-16, 1 SECTION OF NC-51, AND 6 SECTIONS OF SECONDARY ROAD.

ROADWAY ITEMS			40	LF	REMOVAL OF PAVEMENT MARKING LINES (24")
Lump Sum	LS	MOBILIZATION			
25	TON	INCIDENTAL STONE BASE	1,095	EA	GENERIC PAVEMENT MARKING ITEM
125,856	SY	MILLING ASPHALT PAVEMENT, ****" DEPTH (1-1/2")	698	EA	POLYCARBONATE H-SHAPED MARKERS
20,028	SY	MILLING ASPHALT PAVEMENT, ****" DEPTH (2")			PERMANENT RAISED PAVEMENT MARKERS
3,107	SY	MILLING ASPHALT PAVEMENT, ****" DEPTH (4")	Lump Sum	LS	PORTABLE LIGHTING
7,790	SY	MILLING ASPHALT PAVEMENT, ****" TO *****" (0" TO 1-1/2")	10,518	LF	INDUCTIVE LOOP SAWCUT
45,017	SY	INCIDENTAL MILLING			
578	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE II9.0C			
981	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5B			
21,113	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C			
1,416	TON	ASPHALT BINDER FOR PLANT MIX			
1,650	TON	PATCHING EXISTING PAVEMENT			
33,125	LF	GENERIC PAVING ITEM			
		MILLED RUBLE STRIPS (ASPHALT CONCRETE), (16")			
4	EA	CONCRETE CURB RAMPS			
8	EA	RETROFIT EXISTING CONCRETE CURB RAMPS			
11	EA	ADJUSTMENT OF MANHOLES			
13	EA	ADJUSTMENT OF METER BOXES OR VALVE BOXES			
922	SF	WORK ZONE ADVANCE/GENERAL WARNING SIGNING			
22	LF	PEDESTRIAN CHANNELIZING DEVICES			
Lump Sum	LS	TEMPORARY TRAFFIC CONTROL			
880	HR	LAW ENFORCEMENT			
4	EA	GENERIC TRAFFIC CONTROL ITEM			
		AUDIBLE WARNING DEVICES			
4	EA	GENERIC TRAFFIC CONTROL ITEM			
		TEMPORARY CURB RAMPS			
141,868	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)			
13,779	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)			
4,344	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)			
1,620	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)			
1,298	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)			
60	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)			
157	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)			
121,600	LF	PAINT PAVEMENT MARKING LINES (4")			
13,779	LF	PAINT PAVEMENT MARKING LINES (6")			
3,133	LF	PAINT PAVEMENT MARKING LINES (8")			
1,620	LF	PAINT PAVEMENT MARKING LINES (12")			
1,280	LF	PAINT PAVEMENT MARKING LINES (24")			
60	EA	PAINT PAVEMENT MARKING CHARACTER			
108	EA	PAINT PAVEMENT MARKING SYMBOL			
940	LF	POLYUREA PAVEMENT MARKING LINES (**", *** MILS)			
		(12", 20 MILS)			
1,370	LF	POLYUREA PAVEMENT MARKING LINES (**", *** MILS)			
		(6", 20 MILS)			
400	LF	REMOVAL OF PAVEMENT MARKING LINES (4")			
160	LF	REMOVAL OF PAVEMENT MARKING LINES (8")			

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L261117

010

CONTRACT ID : C204976 44691.3.1

DIV OFFICE NORTH WILKESBORO LENGTH = 3.017 MI

COUNTY : WILKES

GRADING, DRAINAGE, PAVING, SIGNALS, AND STRUCTURES.

DBE GOAL

COMPLETION DATE : JAN 11, 2032

NC-115/US-421 BUSINESS (STATESVILLE RD) FROM US-421 TO NC-18 (2ND STREET).

ROADWAY ITEMS			250	TON	STABILIZER AGGREGATE
Lump Sum	LS	MOBILIZATION	27,265	SY	GEOTEXTILE FOR SUBGRADE STABILIZATION
Lump Sum	LS	CONSTRUCTION SURVEYING	20,270	TON	AGGREGATE BASE COURSE
Lump Sum	LS	CLEARING & GRUBBING .. ACRE(S)	1,500	TON	INCIDENTAL STONE BASE
2	ACR	SUPPLEMENTARY CLEARING & GRUBBING	625	CY	SHOULDER BORROW
286,000	CY	UNCLASSIFIED EXCAVATION	1,990	SY	MILLING ASPHALT PAVEMENT, ****" DEPTH (3")
3,200	CY	UNDERCUT EXCAVATION	1,800	SY	INCIDENTAL MILLING
1,808	CY	DRAINAGE DITCH EXCAVATION	15,620	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
680	LF	BERM DITCH CONSTRUCTION	22,250	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C
151,310	SY	REMOVAL OF EXISTING ASPHALT PAVEMENT	23,970	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
100	SY	REMOVAL OF EXISTING CONCRETE PAVEMENT	3,190	TON	ASPHALT BINDER FOR PLANT MIX
1,000	SY	BREAKING OF EXISTING ASPHALT PAVEMENT	700	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR
2,450	CY	SELECT GRANULAR MATERIAL	806.4	CY	SUBDRAIN EXCAVATION
3,500	SY	GEOTEXTILE FOR SOIL STABILIZATION	3,600	SY	GEOTEXTILE FOR SUBSURFACE DRAINS
4,698	SF	TEMPORARY SHORING	604.8	CY	SUBDRAIN COARSE AGGREGATE
250	TON	GENERIC GRADING ITEM	3,600	LF	6" PERFORATED SUBDRAIN PIPE
		HAULING AND DISPOSAL OF PETROLEUM CONTAMINATED SOIL	8	EA	SUBDRAIN PIPE OUTLET
7,983	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	48	LF	6" OUTLET PIPE
25,100	SY	FOUNDATION CONDITIONING GEOTEXTILE	52	EA	TEMPORARY STEEL PLATE COVERS FOR MASONRY DRAINAGE STRUCTURE
1,396	LF	15" DRAINAGE PIPE	9.4	CY	ENDWALLS
280	LF	18" DRAINAGE PIPE	17.1	CY	REINFORCED ENDWALLS
20	LF	24" DRAINAGE PIPE	114	CY	FLOWABLE FILL
192	LF	***** RC PIPE CULVERTS, CLASS IV (48")	341	EA	MASONRY DRAINAGE STRUCTURES
268	LF	***** RC PIPE CULVERTS, CLASS IV (60")	7,244	CY	MASONRY DRAINAGE STRUCTURES
60	LF	***** RC PIPE CULVERTS, CLASS IV (66")	166.7	LF	MASONRY DRAINAGE STRUCTURES
17,288	LF	15" RC PIPE CULVERTS, CLASS IV	1	EA	FRAME WITH GRATE, STD 840.24
4,680	LF	18" RC PIPE CULVERTS, CLASS IV	22	EA	FRAME WITH TWO GRATES, STD 840.16
2,560	LF	24" RC PIPE CULVERTS, CLASS IV	6	EA	FRAME WITH TWO GRATES, STD 840.20
616	LF	30" RC PIPE CULVERTS, CLASS IV	21	EA	FRAME WITH TWO GRATES, STD 840.24
216	LF	36" RC PIPE CULVERTS, CLASS IV	32	EA	FRAME WITH TWO GRATES, STD 840.29
36	LF	*** RC PIPE CULVERTS, CLASS V (15")	25	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **
136	LF	15" CS PIPE CULVERTS, 0.064" THICK	101	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **
272	LF	18" CS PIPE CULVERTS, 0.064" THICK			(F)
600	LF	24" CS PIPE CULVERTS, 0.064" THICK	92	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **
68	LF	30" CS PIPE CULVERTS, 0.079" THICK			(G)
4	EA	*** CS PIPE ELBOWS, *****" THICK (15", 0.064")	10	EA	FRAME WITH COVER, STD 840.54
6	EA	*** CS PIPE ELBOWS, *****" THICK (18", 0.064")	35	EA	STEEL FRAME WITH TWO GRATES, STD 840.37
10	EA	*** CS PIPE ELBOWS, *****" THICK (24", 0.064")	2	EA	CONCRETE TRANSITIONAL SECTION FOR CATCH BASIN
2	EA	*** CS PIPE ELBOWS, *****" THICK (30", 0.079")	49	EA	CONCRETE TRANSITIONAL SECTION FOR DROP INLET
86	LF	*** WELDED STEEL PIPE, ***** THICK, GRADE B IN SOIL (54", 0.875")	1,050	LF	*** X *** CONCRETE CURB (8" X 18")
86	LF	*** WELDED STEEL PIPE, ***** THICK, GRADE B NOT IN SOIL (54", 0.875")	1,980	LF	*** X *** CONCRETE CURB (9" X 18")
3,829	LF	PIPE REMOVAL	120	LF	***,*** CONCRETE CURB & GUTTER (2'-0")
3	EA	PIPE CLEAN OUT	2,700	LF	***,*** CONCRETE CURB & GUTTER (2'-9")
Lump Sum	LS	FINE GRADING	9,300	LF	1'-6" CONCRETE CURB & GUTTER
1	TON	#57 STONE	35,600	LF	2'-6" CONCRETE CURB & GUTTER
5,500	CY	SHALLOW UNDERCUT	1,635	LF	CONCRETE EXPRESSWAY GUTTER
13,650	TON	CLASS IV SUBGRADE STABILIZATION	14,050	SY	4" CONCRETE SIDEWALK
			213	EA	CONCRETE CURB RAMPS
			430	SY	6" CONCRETE DRIVEWAY

155	SY	4" CONCRETE PAVED DITCH	4,872	LF	PORTABLE CONCRETE BARRIER (ANCHORED)
5,550	SY	5" MONOLITHIC CONCRETE ISLANDS (KEYED IN)	390	LF	REMOVE & RESET PORTABLE CONCRETE BARRIER (ANCHORED)
2,930	SY	GENERIC PAVING ITEM 12" CONCRETE TRUCK APRON	100	HR	LAW ENFORCEMENT
200	SY	GENERIC PAVING ITEM 8" JOINTED CONCRETE DRIVEWAY	26	EA	SKINNY DRUM
1	EA	GENERIC PAVING ITEM EMERGENCY VEHICLE ACCESS FOR CONCRETE ISLAND	9	EA	TUBULAR MARKERS (FIXED)
15	EA	ADJUSTMENT OF MANHOLES	27	EA	GENERIC TRAFFIC CONTROL ITEM AUDIBLE WARNING DEVICES
2	EA	CONVERT EXISTING CATCH BASIN TO JUNCTION BOX	3	EA	GENERIC TRAFFIC CONTROL ITEM TEMPORARY CURB RAMPS
5	EA	CONVERT EXISTING DROP INLET TO JUNCTION BOX	1,242	EA	TEMPORARY RAISED PAVEMENT MARKERS
4,500	LF	STEEL BEAM GUARDRAIL	72,810	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)
437.5	LF	STEEL BEAM GUARDRAIL, SHOP CURVED	1,637	LF	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)
75	EA	EXTRA LENGTH GUARDRAIL POST (** STEEL) (8')	5,439	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)
10	EA	ADDITIONAL GUARDRAIL POSTS	422	LF	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)
5	EA	GUARDRAIL END UNITS, TYPE AT-1	1,552	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)
14	EA	GUARDRAIL END UNITS, TYPE CAT-1	24	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)
2	EA	GUARDRAIL ANCHOR UNITS, TYPE III	100	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
4	EA	GUARDRAIL END UNITS, TYPE TL-3	70	EA	HEATED-IN-PLACE THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)
12	EA	GUARDRAIL END UNITS, TYPE TL-2	1,943	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (4") (III)
5	EA	GUARDRAIL ANCHOR UNITS, TYPE B-77	2,163	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (4") (IV)
2,400	LF	REMOVE EXISTING GUARDRAIL	115	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (8") (III)
2,325	LF	GENERIC GUARDRAIL ITEM WOOD RUB RAIL	314,280	LF	PAINT PAVEMENT MARKING LINES (4")
630	LF	WOVEN WIRE FENCE, 47" FABRIC	13,556	LF	PAINT PAVEMENT MARKING LINES (6")
29	EA	4" TIMBER FENCE POSTS, 7'-6" LONG	12,452	LF	PAINT PAVEMENT MARKING LINES (8")
28	EA	5" TIMBER FENCE POSTS, 8'-0" LONG	916	LF	PAINT PAVEMENT MARKING LINES (12")
10	LF	CHAIN LINK FENCE RESET	1,508	LF	PAINT PAVEMENT MARKING LINES (24")
3,925	LF	GENERIC FENCING ITEM PEDESTRIAN SAFETY RAIL	28	EA	PAINT PAVEMENT MARKING CHARACTER
995	TON	RIP RAP, CLASS I	166	EA	PAINT PAVEMENT MARKING SYMBOL
1,200	TON	RIP RAP, CLASS B	39,253	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
7,661	SY	GEOTEXTILE FOR DRAINAGE	3,774	LF	REMOVAL OF PAVEMENT MARKING LINES (6")
1	CY	PLAIN CONCRETE SIGN FOUNDATIONS	1,321	LF	REMOVAL OF PAVEMENT MARKING LINES (8")
617	LB	SUPPORTS, BREAKAWAY STEEL BEAM	217	LF	REMOVAL OF PAVEMENT MARKING LINES (24")
4,191	LF	SUPPORTS, 3-LB STEEL U-CHANNEL	29	EA	REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS
13	EA	SIGN ERECTION, TYPE D	408	LF	GENERIC PAVEMENT MARKING ITEM YIELD LINE PAINT PAVEMENT MARKING (24")
295	EA	SIGN ERECTION, TYPE E	358	LF	GENERIC PAVEMENT MARKING ITEM YIELD LINE THERMOPLASTIC PAVEMENT MARKING (24", 90 MILS)
35	EA	SIGN ERECTION, TYPE F	1,863	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS
2	EA	SIGN ERECTION, TYPE *** (GROUND MOUNTED) (B)	35	EA	PERMANENT RAISED PAVEMENT MARKERS
1	EA	SIGN ERECTION, RELOCATE TYPE **** (GROUND MOUNTED) (B)	3	EA	7' U-CHANNEL POSTS
5	EA	SIGN ERECTION, RELOCATE TYPE **** (GROUND MOUNTED) (D)	3	EA	OBJECT MARKERS (END OF ROAD)
2	EA	SIGN ERECTION, RELOCATE TYPE **** (GROUND MOUNTED) (E)	387	LF	2" WATER LINE
2	EA	DISPOSAL OF SUPPORT, WOOD	114	LF	4" WATER LINE
131	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL	2,925	LF	6" WATER LINE
8	EA	DISPOSAL OF SIGN SYSTEM, WOOD	25	LF	8" WATER LINE
4	EA	DISPOSAL OF SUPPORT, U-CHANNEL	16,770	LF	12" WATER LINE
2	EA	DISPOSAL OF SIGN, D, E OR F	40,835	LB	DUCTILE IRON WATER PIPE FITTINGS
2,019	SF	WORK ZONE SIGNS (STATIONARY)	5	EA	2" VALVE
1,671	SF	WORK ZONE SIGNS (PORTABLE)	3	EA	4" VALVE
780	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)	31	EA	6" VALVE
2	EA	FLASHING ARROW BOARD	25	EA	12" VALVE
3	EA	PORTABLE CHANGEABLE MESSAGE SIGN	2	EA	*** COMBINATION AIR VALVE (2")
1,441	EA	DRUMS	4	EA	2" BLOW OFF
187	EA	CONES	1	EA	3/4" WATER METER
2,336	LF	BARRICADES (TYPE III)	93	EA	RELOCATE WATER METER
135	LF	PEDESTRIAN CHANNELIZING DEVICES	19	EA	RECONNECT WATER METER
1,104	DAY	FLAGGER			
7	EA	TEMPORARY CRASH CUSHIONS			
3	EA	TMA			
630	LF	PORTABLE CONCRETE BARRIER			

10	EA	FIRE HYDRANT	1,350	LB	SEED FOR SUPPLEMENTAL SEEDING
13	EA	RELOCATE FIRE HYDRANT	40.5	TON	FERTILIZER TOPDRESSING
492	LF	FIRE HYDRANT LEG	319	LF	IMPERVIOUS DIKE
2	EA	4" LINE STOP WITH BYPASS	25	MHR	SPECIALIZED HAND MOWING
4,032	LF	WATER SERVICE LINE	29	MHR	MANUAL LITTER REMOVAL
159	LF	6" SANITARY GRAVITY SEWER	5	TON	LITTER DISPOSAL
7,088	LF	8" SANITARY GRAVITY SEWER	100	EA	RESPONSE FOR EROSION CONTROL
2,522	LF	12" SANITARY GRAVITY SEWER	6	EA	CONCRETE WASHOUT STRUCTURE
600	LF	*** FORCE MAIN SEWER (3")	5	ACR	REFORESTATION
549	LF	4" FORCE MAIN SEWER	1,800	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION CLEANOUT
10,625	LF	8" FORCE MAIN SEWER	600	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION, TYPE 1
5	EA	SANITARY SEWER CLEAN-OUT	33	EA	GENERIC EROSION CONTROL ITEM PREFABRICATED CONCRETE WASHOUT
145	LF	SEWER SERVICE LINE	40	SY	GENERIC EROSION CONTROL ITEM PERMANENT SOIL REINFORCEMENT MAT, TYPE 3
7,610	LB	DUCTILE IRON SEWER PIPE FITTINGS	70	SY	GENERIC EROSION CONTROL ITEM PERMANENT SOIL REINFORCEMENT MAT, TYPE 5
50	EA	4' DIA UTILITY MANHOLE	4	EA	PEDESTRIAN SIGNAL HEAD (16", 1 SECTION W/COUNTDOWN)
9	EA	5' DIA UTILITY MANHOLE	7,065	LF	SIGNAL CABLE
266.3	LF	UTILITY MANHOLE WALL 4' DIA	22	EA	VEHICLE SIGNAL HEAD (12", 3 SECTION)
77	LF	UTILITY MANHOLE WALL 5' DIA	7	EA	VEHICLE SIGNAL HEAD (12", 4 SECTION)
1,792	LF	ABANDON *** UTILITY PIPE (2")	3	EA	VEHICLE SIGNAL HEAD (12", 5 SECTION)
3,128	LF	ABANDON *** UTILITY PIPE (3")	1,400	LF	MESSENGER CABLE (3/8")
6,620	LF	ABANDON *** UTILITY PIPE (4")	95	LF	UNPAVED TRENCHING (***** (1, 2"))
8,587	LF	ABANDON 6" UTILITY PIPE	55	LF	UNPAVED TRENCHING (***** (2, 2"))
13,779	LF	ABANDON 8" UTILITY PIPE	10	LF	UNPAVED TRENCHING (***** (4, 2"))
699	LF	ABANDON 12" UTILITY PIPE	150	LF	DIRECTIONAL DRILL (***** (1, 2"))
1	EA	REMOVE WATER METER	6	EA	JUNCTION BOX (STANDARD SIZE)
26	EA	ABANDON UTILITY MANHOLE	1	EA	JUNCTION BOX (OVER-SIZED, HEAVY DUTY)
18	EA	REMOVE UTILITY MANHOLE	3	EA	WOOD POLE
174	LF	12" ENCASEMENT PIPE	8	EA	GUY ASSEMBLY
856	LF	16" ENCASEMENT PIPE	3	EA	2" RISER WITH WEATHERHEAD
823	LF	24" ENCASEMENT PIPE	1,165	LF	INDUCTIVE LOOP SAWCUT
114	LF	BORE AND JACK OF *** (12")	5,395	LF	LEAD-IN CABLE (14-2)
363	LF	BORE AND JACK OF *** (16")	1	EA	SITE SURVEY
481	LF	BORE AND JACK OF *** (24")	4	EA	CAMERA WITHOUT INTERNAL LOOP EMULATOR PROCESSING UNIT
Lump Sum	LS	GENERIC UTILITY ITEM WATER PUMP STATION VAULT, 4"	4	EA	EXTERNAL LOOP EMULATOR PROCESSING UNIT
55,010	LF	TEMPORARY SILT FENCE	7	EA	METAL STRAIN SIGNAL POLE
2,360	TON	STONE FOR EROSION CONTROL, CLASS A	7	EA	SOIL TEST
6,995	TON	STONE FOR EROSION CONTROL, CLASS B	42	CY	DRILLED PIER FOUNDATION
4,395	TON	SEDIMENT CONTROL STONE	4	EA	SIGN FOR SIGNALS
72	ACR	TEMPORARY MULCHING	3	EA	TYPE II PEDESTAL WITH FOUNDATION
3,500	LB	SEED FOR TEMPORARY SEEDING	1	EA	CONTROLLERS WITH CABINET (***** (2070LX, BASE MOUNTED)
19	TON	FERTILIZER FOR TEMPORARY SEEDING	1	EA	CONTROLLERS WITH CABINET (***** (2070LX, POLE MOUNTED)
2,900	LF	TEMPORARY SLOPE DRAINS	9	EA	DETECTOR CARD (TYPE 170)
3,160	LF	SAFETY FENCE	1	EA	CABINET BASE EXTENDER
22,330	CY	SILT EXCAVATION	1	EA	GENERIC SIGNAL ITEM NON-INTRUSIVE DETECTION SYSTEM PROCESSOR
160,000	SY	MATTING FOR EROSION CONTROL	1	EA	GENERIC SIGNAL ITEM VIDEO CAMERA ASSEMBLY
599	SY	COIR FIBER MAT	CULVERT ITEMS		
6,015	LF	1/4" HARDWARE CLOTH	Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (11+21.00 -Y4-)
1,000	SY	LOW PERMEABILITY GEOTEXTILE	Lump Sum	LS	PRECAST REINFORCED CONC BOX CULVERT AT STA ***** (11+21.00 -Y4-)
322	LF	*** TEMPORARY PIPE (24")	Lump Sum	LS	BOX CULVERT EXCAVATION, STA ***** (11+21.00 -Y4-)
665	LF	*** TEMPORARY PIPE (36")	152.4	TON	FOUNDATION CONDITIONING MATERIAL, BOX CULVERT
12	EA	SPECIAL STILLING BASINS			
1,990	LB	FLOCCULANT			
1,700	LF	COIR FIBER WATTLE			
3,865	LF	COIR FIBER BAFFLE			
30	EA	*** SKIMMER (1-1/2")			
4	EA	*** SKIMMER (2")			
57	ACR	SEEDING & MULCHING			
51	ACR	MOWING			
750	LB	SEED FOR REPAIR SEEDING			
2.25	TON	FERTILIZER FOR REPAIR SEEDING			

WALL ITEMS

800	SF	MSE RETAINING WALL NO **** (3)
7,750	SF	MSE RETAINING WALL NO **** (4)
1,710	SF	MSE RETAINING WALL NO **** (6)
600	SF	SOIL NAIL RETAINING WALLS
2	EA	SOIL NAIL VERIFICATION TESTS
7	EA	SOIL NAIL PROOF TESTS

STRUCTURE ITEMS

Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (173+24.00 -L-)
421.5	LF	THREE BAR METAL RAIL
405.5	LF	GENERIC STRUCTURE ITEM FOAM JOINT SEALS FOR PRESERVATION
90.6	CF	GENERIC STRUCTURE ITEM ELASTOMERIC CONCRETE FOR PRESERVATION
402.7	SF	GENERIC STRUCTURE ITEM BRIDGE JOINT DEMOLITION
3,078	SF	GENERIC STRUCTURE ITEM REINFORCED CONCRETE SIDEWALK

STATE FUNDED PROPOSAL, CONTRACTOR LICENSE REQUIRED TO BID

L261117

011

CONTRACT ID : C204481 45810.3.1

DIV OFFICE SHELBY

LENGTH = 1.277 MI

COUNTY : GASTON

GRADING, DRAINAGE, PAVING, SIGNALS, AND STRUCTURES.

DBE GOAL

COMPLETION DATE : APR 13, 2031

US 29/US-74 (WILKINSON BLVD) FROM SR-2209 TO SR-2016/SR-2017.

		ROADWAY ITEMS	3,460	SY	INCIDENTAL MILLING
Lump Sum	LS	MOBILIZATION	13,600	TON	ASPHALT CONC BASE COURSE, TYPE B25.0C
Lump Sum	LS	CONSTRUCTION SURVEYING	13,600	TON	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C
Lump Sum	LS	GENERIC MISCELLANEOUS ITEM BOATER SAFETY PLAN	13,100	TON	ASPHALT CONC SURFACE COURSE, TYPE S9.5C
4	EA	SEALING ABANDONED WELLS	2,040	TON	ASPHALT BINDER FOR PLANT MIX
Lump Sum	LS	GRADING	300	TON	ASPHALT PLANT MIX, PAVEMENT REPAIR
1	ACR	SUPPLEMENTARY CLEARING & GRUBBING	112	CY	SUBDRAIN EXCAVATION
1,800	CY	UNDERCUT EXCAVATION	500	SY	GEOTEXTILE FOR SUBSURFACE DRAINS
200	CY	DRAINAGE DITCH EXCAVATION	84	CY	SUBDRAIN COARSE AGGREGATE
380	LF	BERM DITCH CONSTRUCTION	500	LF	6" PERFORATED SUBDRAIN PIPE
10	HR	PROOF ROLLING	1	EA	SUBDRAIN PIPE OUTLET
1,800	CY	SELECT GRANULAR MATERIAL	6	LF	6" OUTLET PIPE
1,300	SY	GEOTEXTILE FOR SOIL STABILIZATION	35	EA	TEMPORARY STEEL PLATE COVERS FOR MASONRY DRAINAGE STRUCTURE
2,525	SF	TEMPORARY SHORING	6.8	CY	ENDWALLS
600	SY	ROCK PLATING	0.797	CY	PIPE PLUGS
Lump Sum	LS	GENERIC GRADING ITEM TYPE 1 BRIDGE APPROACH FILL, STATION 32+93 -L-	46	CY	FLOWABLE FILL
50	TON	GENERIC GRADING ITEM HAULING AND DISPOSAL OF COAL ASH CONTAMINATED MATERIAL	174	EA	MASONRY DRAINAGE STRUCTURES
100	TON	GENERIC GRADING ITEM HAULING AND DISPOSAL OF PETROLEUM CONTAMINATED SOIL	120.5	LF	MASONRY DRAINAGE STRUCTURES
1,850	TON	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	11	EA	FRAME WITH TWO GRATES, STD 840.16
5,720	SY	FOUNDATION CONDITIONING GEOTEXTILE	3	EA	FRAME WITH TWO GRATES, STD 840.24
24	LF	15" RC PIPE CULVERTS, CLASS IV	38	EA	FRAME WITH TWO GRATES, STD 840.29
8,724	LF	18" RC PIPE CULVERTS, CLASS IV	6	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (E)
2,056	LF	24" RC PIPE CULVERTS, CLASS IV	56	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F)
860	LF	30" RC PIPE CULVERTS, CLASS IV	55	EA	FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (G)
28	LF	42" RC PIPE CULVERTS, CLASS IV	4	EA	FRAME WITH COVER, STD 840.54
284	LF	18" CS PIPE CULVERTS, 0.064" THICK	70	LF	FRAME WITH GRATES, DRIVEWAY DROP INLET
124	LF	24" CS PIPE CULVERTS, 0.064" THICK	1	EA	CONCRETE TRANSITIONAL SECTION FOR CATCH BASIN
9	EA	*** CS PIPE ELBOWS, ***** THICK (18", 0.064")	35	EA	CONCRETE TRANSITIONAL SECTION FOR DROP INLET
2	EA	*** CS PIPE ELBOWS, ***** THICK (24", 0.064")	880	LF	*** X *** CONCRETE CURB (8" X 12")
46	LF	*** WELDED STEEL PIPE, ***** THICK, GRADE B IN SOIL (18", 0.375")	30	LF	***_*** CONCRETE CURB & GUTTER (2'-0")
140	LF	*** WELDED STEEL PIPE, ***** THICK, GRADE B IN SOIL (24", 0.375")	120	LF	1'-6" CONCRETE CURB & GUTTER
146	LF	*** WELDED STEEL PIPE, ***** THICK, GRADE B IN SOIL (30", 0.500")	13,740	LF	2'-6" CONCRETE CURB & GUTTER
46	LF	*** WELDED STEEL PIPE, ***** THICK, GRADE B NOT IN SOIL (18", 0.375")	15	LF	SHOULDER BERM GUTTER
140	LF	*** WELDED STEEL PIPE, ***** THICK, GRADE B NOT IN SOIL (24", 0.375")	3,960	SY	4" CONCRETE SIDEWALK
146	LF	*** WELDED STEEL PIPE, ***** THICK, GRADE B NOT IN SOIL (30", 0.500")	43	EA	CONCRETE CURB RAMPS
3,146	LF	PIPE REMOVAL	1,000	SY	6" CONCRETE DRIVEWAY
1,500	CY	SHALLOW UNDERCUT	73	SY	4" CONCRETE PAVED DITCH
4,000	TON	CLASS IV SUBGRADE STABILIZATION	6,625	SY	5" MONOLITHIC CONCRETE ISLANDS (SURFACE MOUNTED)
500	TON	STABILIZER AGGREGATE	6,900	SY	GENERIC PAVING ITEM 4" CONCRETE MULTI-USE PATH
6,800	SY	GEOTEXTILE FOR SUBGRADE STABILIZATION	1	EA	CONVERT EXISTING CATCH BASIN TO JUNCTION BOX
1,200	TON	AGGREGATE BASE COURSE	1	EA	CONVERT EXISTING JUNCTION BOX TO DROP INLET
300	TON	INCIDENTAL STONE BASE	2,950	LF	STEEL BEAM GUARDRAIL
5,350	SY	MILLING ASPHALT PAVEMENT, ***** DEPTH (1-1/2")	50	LF	STEEL BEAM GUARDRAIL, SHOP CURVED SECTIONS
			2	EA	STEEL BEAM GUARDRAIL TERMINAL SECTIONS
			110	EA	EXTRA LENGTH GUARDRAIL POST (*** STEEL) (8')

5	EA	ADDITIONAL GUARDRAIL POSTS	57,900	LF	PAINT PAVEMENT MARKING LINES (4")
1	EA	GUARDRAIL END UNITS, TYPE AT-1	808	LF	PAINT PAVEMENT MARKING LINES (8")
4	EA	GUARDRAIL END UNITS, TYPE CAT-1	460	LF	PAINT PAVEMENT MARKING LINES (24")
5	EA	GUARDRAIL ANCHOR UNITS, TYPE III	77	EA	PAINT PAVEMENT MARKING SYMBOL
8	EA	GUARDRAIL END UNITS, TYPE TL-3	350	LF	REMOVAL OF PAVEMENT MARKING LINES (4")
2,710	LF	REMOVE EXISTING GUARDRAIL	235	LF	REMOVAL OF PAVEMENT MARKING LINES (8")
62.5	LF	TEMPORARY STEEL BEAM GUARDRAIL	115	LF	REMOVAL OF PAVEMENT MARKING LINES (24")
1	EA	TEMPORARY GUARDRAIL END UNITS, TYPE ***** (TL-3)	2	EA	REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS
70	LF	GENERIC GUARDRAIL ITEM WOOD RUB RAIL	30	LF	GENERIC PAVEMENT MARKING ITEM YIELD LINE PAINT PAVEMENT MARKING (24")
310	LF	GENERIC FENCING ITEM HANDRAIL ON RETAINING WALL (BLACK)	30	LF	GENERIC PAVEMENT MARKING ITEM YIELD LINE THERMOPLASTIC PAVEMENT MARKING (24", 90 MILS)
175	LF	GENERIC FENCING ITEM PEDESTRIAN SAFETY RAIL (BLACK)	602	EA	GENERIC PAVEMENT MARKING ITEM POLYCARBONATE H-SHAPED MARKERS
125	LF	GENERIC FENCING ITEM WOOD SAFETY RAIL	925	LF	*** WATER LINE (14")
6	EA	GENERIC FENCING ITEM TIMBER BOLLARD	360	LF	2" WATER LINE
68	EA	GENERIC FENCING ITEM BLACK VINYL COATED METAL LINE POSTS FOR 48" CHAIN LINK FENCE	300	LF	6" WATER LINE
4	EA	GENERIC FENCING ITEM BLACK VINYL COATED METAL TERMINAL POSTS FOR 48" CHAIN LINK FENCE	410	LF	8" WATER LINE
650	LF	GENERIC FENCING ITEM BLACK VINYL COATED CHAIN LINK FENCE, 48" FABRIC	255	LF	10" WATER LINE
280	TON	RIP RAP, CLASS I	2,250	LF	12" WATER LINE
199	TON	RIP RAP, CLASS II	370	LF	16" WATER LINE
50	TON	RIP RAP, CLASS B	13,300	LB	DUCTILE IRON WATER PIPE FITTINGS
3,320	SY	GEOTEXTILE FOR DRAINAGE	2	EA	2" VALVE
2	EA	PREFORMED SCOUR HOLES WITH LEVEL SPREADER APRON	3	EA	6" VALVE
880	LF	SUPPORTS, 3-LB STEEL U-CHANNEL	2	EA	8" VALVE
7	EA	SIGN ERECTION, TYPE D	2	EA	10" VALVE
41	EA	SIGN ERECTION, TYPE E	8	EA	12" VALVE
4	EA	SIGN ERECTION, TYPE F	1	EA	16" VALVE
6	EA	SIGN ERECTION, RELOCATE TYPE ***** (GROUND MOUNTED) (D)	1	EA	2" BLOW OFF
39	EA	DISPOSAL OF SIGN SYSTEM, U-CHANNEL	1	EA	6" BLOW OFF
7	EA	DISPOSAL OF SUPPORT, U-CHANNEL	6	EA	RELOCATE WATER METER
1	EA	DISPOSAL OF SIGN, D, E OR F	1	EA	RECONNECT WATER METER
517	SF	WORK ZONE SIGNS (STATIONARY)	1	EA	RELOCATE FIRE HYDRANT
228	SF	WORK ZONE SIGNS (PORTABLE)	85	LF	FIRE HYDRANT LEG
191	SF	WORK ZONE SIGNS (BARRICADE MOUNTED)	415	LF	WATER SERVICE LINE
3	EA	FLASHING ARROW BOARD	259	LF	8" SANITARY GRAVITY SEWER
5	EA	PORTABLE CHANGEABLE MESSAGE SIGN	240	LF	6" FORCE MAIN SEWER
200	EA	DRUMS	100	LF	SEWER SERVICE LINE
176	LF	BARRICADES (TYPE III)	505	LB	DUCTILE IRON SEWER PIPE FITTINGS
50	LF	PEDESTRIAN CHANNELIZING DEVICES	3	EA	4' DIA UTILITY MANHOLE
120	DAY	FLAGGER	4.4	LF	UTILITY MANHOLE WALL 4' DIA
2	EA	TEMPORARY CRASH CUSHIONS	2,703	LF	ABANDON 12" UTILITY PIPE
1	EA	REMOVE & RESET TEMPORARY CRASH CUSHION	318	LF	ABANDON 16" UTILITY PIPE
2	EA	TMA	250	LF	12" ENCASEMENT PIPE
2,050	LF	PORTABLE CONCRETE BARRIER (ANCHORED)	120	LF	16" ENCASEMENT PIPE
1,000	LF	REMOVE & RESET PORTABLE CONCRETE BARRIER (ANCHORED)	55	LF	24" ENCASEMENT PIPE
144	HR	LAW ENFORCEMENT	925	LF	DIRECTIONAL DRILLING OF *** (14")
14	EA	GENERIC TRAFFIC CONTROL ITEM TEMPORARY RIVER WARNING SIGN	1,160	LF	GENERIC UTILITY ITEM 3" CONDUIT
200	EA	TEMPORARY RAISED PAVEMENT MARKERS	100	LF	GENERIC UTILITY ITEM POLYETHYLENE ENCASEMENT
29,345	LF	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)	14,650	LF	TEMPORARY SILT FENCE
926	LF	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)	835	TON	STONE FOR EROSION CONTROL, CLASS A
1,465	LF	THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS)	1,540	TON	STONE FOR EROSION CONTROL, CLASS B
12	EA	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)	2,875	TON	SEDIMENT CONTROL STONE
82	EA	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)	15	ACR	TEMPORARY MULCHING
5,128	LF	COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (4") (IV)	900	LB	SEED FOR TEMPORARY SEEDING
			5.5	TON	FERTILIZER FOR TEMPORARY SEEDING
			365	LF	TEMPORARY SLOPE DRAINS
			2,620	LF	SAFETY FENCE
			3,850	CY	SILT EXCAVATION
			24,960	SY	MATTING FOR EROSION CONTROL
			4,125	SY	COIR FIBER MAT
			7,495	LF	1/4" HARDWARE CLOTH

100	SY	LOW PERMEABILITY GEOTEXTILE	10	EA	GENERIC SIGNAL ITEM
34	EA	SPECIAL STILLING BASINS			PROTECTIVE COATING FOR TYPE II SIGNAL PEDESTAL (BLACK)
320	LB	FLOCCULANT			WALL ITEMS
20	LF	COIR FIBER WATTLE	3,220	SF	MSE RETAINING WALL NO **** (4)
110	LF	COIR FIBER WATTLE BARRIER	1,360	SF	PRECAST GRAVITY RETAINING WALLS
480	LF	COIR FIBER BAFFLE	1,060	SF	CIP GRAVITY RETAINING WALLS
3	EA	*** SKIMMER (1-1/2")	3,710	SF	GENERIC RETAINING WALL ITEM SMSE RETAINING WALL NO. 5
15	ACR	SEEDING & MULCHING			STRUCTURE ITEMS
7.5	ACR	MOWING			
150	LB	SEED FOR REPAIR SEEDING	Lump Sum	LS	CONSTRUCTION, MAINTENANCE, & REMOVAL OF TEMP ACCESS AT STA *****
0.25	TON	FERTILIZER FOR REPAIR SEEDING			(32+93.00 -L-)
300	LB	SEED FOR SUPPLEMENTAL SEEDING	Lump Sum	LS	REMOVAL OF EXISTING STRUCTURE AT STATION *****
8.5	TON	FERTILIZER TOPDRESSING			(32+93.00 -L-)
815	LF	IMPERVIOUS DIKE	Lump Sum	LS	ASBESTOS ASSESSMENT
10	MHR	SPECIALIZED HAND MOWING	886.86	LF	***_***" DIA DRILLED PIERS IN SOIL (4'-6")
5	MHR	MANUAL LITTER REMOVAL			
2	TON	LITTER DISPOSAL	279.8	LF	***_***" DIA DRILLED PIERS NOT IN SOIL (4'-6")
25	EA	RESPONSE FOR EROSION CONTROL	306.48	LF	PERMANENT STEEL CASING FOR ***_***" DIA DRILLED PIER (4'-6")
2	EA	CONCRETE WASHOUT STRUCTURE			
321	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION CLEANOUT	10	EA	SID INSPECTIONS
			8	EA	CSL TESTING
107	EA	GENERIC EROSION CONTROL ITEM FABRIC INSERT INLET PROTECTION, TYPE 1	Lump Sum	LS	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION *****
11	EA	GENERIC EROSION CONTROL ITEM PREFABRICATED CONCRETE WASHOUT			(32+93.00 -L-)
11	EA	PEDESTRIAN SIGNAL HEAD (16", 1 SECTION W/COUNTDOWN)	51,650	SF	REINFORCED CONCRETE DECK SLAB
19,100	LF	SIGNAL CABLE	34,247	SF	GROOVING BRIDGE FLOORS
			719.2	CY	CLASS A CONCRETE (BRIDGE)
75	EA	VEHICLE SIGNAL HEAD (12", 3 SECTION)	Lump Sum	LS	BRIDGE APPROACH SLABS, STATION *****
4	EA	VEHICLE SIGNAL HEAD (12", 4 SECTION)			(32+93.00 -L-)
550	LF	MESSENGER CABLE (1/4")	214,496	LB	REINFORCING STEEL (BRIDGE)
1,500	LF	MESSENGER CABLE (3/8")	40,842	LB	SPIRAL COLUMN REINFORCING STEEL (BRIDGE)
400	LF	PAVED TRENCHING (***** (1, 2")	6,269.67	LF	54" PRESTRESSED CONCRETE GIRDERS
800	LF	UNPAVED TRENCHING (***** (1, 1")	38	EA	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES (HP 12 X 53)
650	LF	DIRECTIONAL DRILL (***** (1, 2")	2,090	LF	HP 12 X 53 STEEL PILES
22	EA	JUNCTION BOX (STANDARD SIZE)			
8	EA	WOOD POLE	2	EA	DYNAMIC PILE TESTING
16	EA	GUY ASSEMBLY	906.42	LF	1'-***" X *****" CONCRETE PARAPET (1'-2" X 2'-6")
3	EA	1" RISER WITH WEATHERHEAD	499.25	LF	1'-***" X *****" CONCRETE PARAPET (1'-4" X 2'-6")
8	EA	2" RISER WITH WEATHERHEAD	1,140	TON	RIP RAP CLASS II (2'-0" THICK)
4,000	LF	INDUCTIVE LOOP SAWCUT	1,270	SY	GEOTEXTILE FOR DRAINAGE
14,000	LF	LEAD-IN CABLE (14-2)	Lump Sum	LS	ELASTOMERIC BEARINGS
2	EA	SITE SURVEY	Lump Sum	LS	GENERIC STRUCTURE ITEM ELECTRICAL CONDUIT SYSTEM
2	EA	CAMERA WITHOUT INTERNAL LOOP EMULATOR PROCESSING UNIT	Lump Sum	LS	GENERIC STRUCTURE ITEM STRIP SEAL EXPANSION JOINTS
2	EA	EXTERNAL LOOP EMULATOR PROCESSING UNIT	Lump Sum	LS	GENERIC STRUCTURE ITEM STRUCTURE DRAINAGE SYSTEM AT STATION 32+93.00 -L-
7	EA	RELOCATE CAMERA SENSOR UNIT			
4	EA	METAL STRAIN SIGNAL POLE	491.75	LF	GENERIC STRUCTURE ITEM ANODIZED DOUBLE FACED TWO BAR METAL RAIL
4	EA	METAL POLE WITH SINGLE MAST ARM			
8	EA	SOIL TEST	866.17	LF	GENERIC STRUCTURE ITEM ANODIZED TWO BAR METAL RAIL
48	CY	DRILLED PIER FOUNDATION			
2	EA	METAL STRAIN POLE DESIGN			
4	EA	MAST ARM WITH METAL POLE DESIGN			
22	EA	SIGN FOR SIGNALS			
3	EA	TYPE I POST WITH FOUNDATION			
10	EA	TYPE II PEDESTAL WITH FOUNDATION			
2	EA	GENERIC SIGNAL ITEM 2070LX CONTROLLER			
1	EA	GENERIC SIGNAL ITEM PORTABLE CCTV CAMERA ASSEMBLY			
4	EA	GENERIC SIGNAL ITEM PROTECTIVE COATING FOR SINGLE MAST ARM POLE (BLACK)			
4	EA	GENERIC SIGNAL ITEM PROTECTIVE COATING FOR STRAIN POLE (BLACK)			
2	EA	GENERIC SIGNAL ITEM PROTECTIVE COATING FOR TYPE I PUSHBUTTON POST (BLACK)			