



STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

ROY COOPER
GOVERNOR

J.R. "JOEY" HOPKINS
SECRETARY

April 19, 2024

Addendum No. 2

Contract No.: C204953
TIP No: I-2513B & D
County: Buncombe County
Project Description: I-26 from South of US 19 Bus. / US 23 Bus. (Haywood Road) to North of NC 251 (Broadway Street), Including the I-26 / I-240 Interchange and SR 1477 (Riverside Drive) from SR 1517 (Hill Street) to NC 251 (Broadway Street)

RE: Addendum No. 2 to BAFO Final RFP with Optimization and Refinement

May 7, 2024 Letting

To Whom It May Concern:


Reference is made to the BAFO Final RFP with Optimization and Refinement with Addendum No. 1 dated April 15, 2024 recently furnished to you on the above project. We have since incorporated changes and have attached a copy of Addendum No. 2 for your information. Please note that all revisions have been highlighted in gray and are as follows:

The fourth page of the *Table of Contents* has been revised. Please void the fourth page in your proposal and staple the revised fourth page thereto.

Page No. 560 in *Division One* has been revised. Please void Page No. 560 in your proposal and staple the revised Page No. 560 thereto.

If you have any questions or need additional information, I can be reached by telephone at (919) 707-6901.

Sincerely,

DocuSigned by:

52C46046381F443...

Ronald E. Davenport, Jr., PE
State Contract Officer
RED/eff

Tim Anderson, PE
Wiley Jones, PE

Tim McFadden, CPM
File

Mailing Address:
NC DEPARTMENT OF TRANSPORTATION
CONTRACT STANDARDS AND
DEVELOPMENT UNIT
1591 MAIL SERVICE CENTER
RALEIGH, NC 27699-1591

Telephone: (919) 707-6900
Fax: (919) 250-4119
Customer Service: 1-877-368-4968
Website: www.ncdot.gov

Location:
CENTURY CENTER COMPLEX
ENTRANCE B-2
1020 BIRCH RIDGE DRIVE
RALEIGH, NC 27610

Addendum No. 2, April 19, 2024

C 204953 (I-2513B & D)

Table of Contents

Buncombe County

Subsurface Drainage..... 497
Impact Attenuator Units, Type TL-3..... 497
Temporary Shoring..... 498
On-the-Job Training 510
Availability of Funds - Termination of Contracts..... 514
NCDOT General Seed Specifications for Seed Quality 515
Errata 518
Title VI and Nondiscrimination 519
Minority and Female Employment Requirements 529
Required Contract Provisions Federal – Aid Construction Contracts..... 532
Minimum Wages..... 546
Division One 551

PROPOSAL FORMS - ITEMIZED SHEET, ETC.

- Itemized Proposal Sheet (TAN SHEET)
- Fuel Usage Factor Chart and Estimate of Quantities
- Listing of DBE Subcontractors
- Execution of Bid, Non-Collusion Affidavit, Debarment Certification and Gift Ban Certification
- Signature Sheet

Checks that have been furnished as a bid deposit will be retained until after the contract bonds have been furnished by the successful Proposer, at which time the checks that were furnished as a bid deposit will be returned.

****NOTE**** Deleted reference to Page 1-25, delete Article 103-7

****NOTE**** Deleted reference to Page 1-26, Article 103-9

SECTION 104

SCOPE OF WORK

Page 1-26, delete Article 104-1 and replace with the following:

104-1 INTENT OF CONTRACT

The intent of the contract is to prescribe the work or improvements that the Design-Build Team undertakes to perform, in full compliance with the contract documents. In case the method of construction or character of any part of the work is not covered by the contract, this section shall apply. The Design-Build Team shall perform all work in accordance with the contract or as may be modified by written orders, and shall do such additional, extra, and incidental work as may be considered necessary to complete the work to the full intent of the contract. Unless otherwise provided elsewhere in the contract, the Design-Build Team shall furnish all implements, machinery, equipment, tools, materials, supplies, transportation, and labor necessary for the design, prosecution and completion of the work.

Page 1-26, Article 104-3, replace “plans or details of construction” with “contract” in all instances within this Article.

Page 1-35, delete Article 104-10 and replace with the following: