

NOTES:

1. THE EXISTING WATER BOX SHALL BE RELOCATED BY CONTRACTOR. LOCATION SHOWN IN PLAN IS INDICATIVE AND FOR REFERENCE ONLY. FINAL LOCATION TO BE COORDINATED BY THE CONTRACTOR WITH NCDOT. SEE SHEETS D-101 AND M-101 FOR ADDITIONAL INFORMATION.
2. BELOW GRADE PIPING SHALL BE SOLVENT WELD 2" SCH. 80 PVC MEETING NSF/ANSI STANDARD 61.
3. ABOVE GRADE WATER PIPING AND FITTINGS SHALL BE SCH. 80 304 STAINLESS STEEL MEETING NSF/ANSI STANDARD 61.
4. PLANS DO NOT PURPORT THAT ALL REQUIRED FITTINGS OR PIPING CONFIGURATIONS ARE SHOWN. CONTRACTOR SHALL INVESTIGATE EXISTING WATER SYSTEM AND PROVIDE ALL PIPING AND/OR FITTINGS NECESSARY TO MAKE LINE AND GRADE ADJUSTMENTS TO CONNECT TO THE EXISTING WATER SYSTEM AND TO PROVIDE A COMPLETE AND FUNCTIONAL WATER SERVICE/HOSE BIBB.

1 WATER SERVICE - PLAN  
1" = 10'



Digitally signed by Kristopher P Pagan-Cruz  
Date: 2026.02.17 11:30:36-05'00'

M

M

MOTT  
MACDONALD

930 Main Campus Drive,  
Suite 200  
Raleigh, NC 27606  
License No. F-0669  
T +1 (919) 552 2253  
F +1 (919) 552 2254  
www.mottmacamericas.com



PROJECT ENGINEER		Designed By	STEVEN WHITE	County	DARE COUNTY
		Entered By	GORDON EDWARDS	Division	FERRY DIVISION
		Project Engineer	KRISTOPHER PAGAN	Plan Date	1-14-26
		Project Manager	ALLISON THORBURN		
Rev.	Date	Drawn	Description	Ch'k'd	App'd

NCDOT HATTERAS FERRY DOCK  
REPLACEMENT

C-101 WATER SERVICE PLAN