



STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

ROY COOPER
GOVERNOR

JAMES H. TROGDON, III
SECRETARY

June 10, 2019

Addendum No. 1

Contract No.: DA00410

WBS Element: 80079

*Grading, Drainage And Paving At The Intersection Of US17/US13 Business
(Granville St.), located in Bertie County*

To Whom It May Concern:

Reference is made to the proposal and plans previously furnished for this project.

The following revision has been made to the proposal:


Page 44, "Notes to Contractor" has been included to clarify the environmental requirements, for this project. Please replace the original Page 44, with the attached revised Page 44.

Pages 86-88, "Bid Form" has been revised to include a line item for "Construction Surveying", "Pipe Removal" and to remove the line item for "Modified Concrete Flume". Please replace the original Pages 86-88, "Bid Form" with the attached revised Pages 86-88, "Bid Form".

Plan Sheet (3D-1) has been revised to include the quantity of "Pipe Removal". Please replace the original Plan Sheet (3D-1), with the attached revised Plan Sheet (3D-1).

The amended EBS File (DA00410.001x) has been uploaded. We apologize for any inconvenience.

Sincerely,

DocuSigned by:

CDAEAC77A6394FB...

C. E. Slachta
Division Proposals Engineer

Cc: J. D. Jennings, PE
C. W. Bridgers Jr., PE
G. A. Byrum, PE
R. W. Midgett, PE
M. R. Hill, PE

REVISED 6/10/2019

CRIMPING STRAW MULCH:

Crimping shall be required on this project adjacent to any section of roadway where traffic is to be maintained or allowed during construction. In areas within six feet of the edge of pavement, straw is to be applied and then crimped. After the crimping operation is complete, an additional application of straw shall be applied and immediately tacked with a sufficient amount of undiluted emulsified asphalt.

Straw mulch shall be of sufficient length and quality to withstand the crimping operation.

Crimping equipment including power source shall be subject to the approval of the Engineer providing that maximum spacing of crimper blades shall not exceed 8".

NOTES TO CONTRACTOR:

Although no permits were required for this project, the following requirements must be followed:

- Project must not result in increased turbidity downstream, including the bypass pumping and dewatering operation
- Dewatering operation must utilize a silt bag placed on high ground with vegetative area to filter water before it enters the stream
- All stone must be clean and must be placed on filter fabric on stream banks
- Adjacent wetlands must not be impacted

County : Bertie

Line #	Item Number	Sec #	Description	Quantity	Unit Cost	Amount
ROADWAY ITEMS						
0001	0000100000-N	800	MOBILIZATION	Lump Sum	L.S.	
0002	0000400000-N	801	CONSTRUCTION SURVEYING	Lump Sum	L.S.	
0003	0043000000-N	226	GRADING	Lump Sum	L.S.	
0004	0318000000-E	300	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	8 TON		
0005	0320000000-E	300	FOUNDATION CONDITIONING GEOTEXTILE	86 SY		
0006	0448300000-E	310	18" RC PIPE CULVERTS, CLASS IV	70 LF		
0007	0995000000-E	340	PIPE REMOVAL	43 LF		
0008	1121000000-E	520	AGGREGATE BASE COURSE	60 TON		
0009	1297000000-E	607	MILLING ASPHALT PAVEMENT, **** DEPTH (1.5")	561 SY		
0010	1491000000-E	610	ASPHALT CONC BASE COURSE, TYPE B25.0C	740 TON		
0011	1503000000-E	610	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C	460 TON		
0012	1519000000-E	610	ASPHALT CONC SURFACE COURSE, TYPE S9.5B	380 TON		
0013	1575000000-E	620	ASPHALT BINDER FOR PLANT MIX	80 TON		
0014	2549000000-E	846	2'-6" CONCRETE CURB & GUTTER	980 LF		
0015	3030000000-E	862	STEEL BEAM GUARDRAIL	12.5 LF		
0016	3195000000-N	862	GUARDRAIL END UNITS, TYPE AT-1	2 EA		
0017	3628000000-E	876	RIP RAP, CLASS I	248 TON		
0018	3649000000-E	876	RIP RAP, CLASS B	33 TON		
0019	3656000000-E	876	GEOTEXTILE FOR DRAINAGE	605 SY		

County : Bertie

Line #	Item Number	Sec #	Description	Quantity	Unit Cost	Amount
0020	4413000000-E	SP	WORK ZONE ADVANCE/GENERAL WARNING SIGNING	61 SF		
0021	4420000000-N	1120	PORTABLE CHANGEABLE MESSAGE SIGN	3 EA		
0022	4457000000-N	SP	TEMPORARY TRAFFIC CONTROL	Lump Sum	L.S.	
0023	4685000000-E	1205	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)	2,638 LF		
0024	4891000000-E	1205	GENERIC PAVEMENT MARKING ITEM (THERMO PVT MKG LINES 24", 90 MILS)	44 LF		
0025	4905000000-N	1253	SNOWPLOWABLE PAVEMENT MARKERS	16 EA		
0026	6000000000-E	1605	TEMPORARY SILT FENCE	2,560 LF		
0027	6006000000-E	1610	STONE FOR EROSION CONTROL, CLASS A	80 TON		
0028	6009000000-E	1610	STONE FOR EROSION CONTROL, CLASS B	45 TON		
0029	6012000000-E	1610	SEDIMENT CONTROL STONE	55 TON		
0030	6015000000-E	1615	TEMPORARY MULCHING	0.5 ACR		
0031	6018000000-E	1620	SEED FOR TEMPORARY SEEDING	100 LB		
0032	6021000000-E	1620	FERTILIZER FOR TEMPORARY SEEDING	0.5 TON		
0033	6024000000-E	1622	TEMPORARY SLOPE DRAINS	200 LF		
0034	6029000000-E	SP	SAFETY FENCE	200 LF		
0035	6030000000-E	1630	SILT EXCAVATION	90 CY		
0036	6036000000-E	1631	MATTING FOR EROSION CONTROL	3,630 SY		
0037	6037000000-E	SP	COIR FIBER MAT	100 SY		
0038	6070000000-N	1639	SPECIAL STILLING BASINS	2 EA		

County : Bertie

Line #	Item Number	Sec #	Description	Quantity	Unit Cost	Amount
0039	6071012000-E	SP	COIR FIBER WATTLE	320		
					LF	
0040	6071014000-E	SP	COIR FIBER WATTLE BARRIER	66		
					LF	
0041	6071020000-E	SP	POLYACRYLAMIDE (PAM)	10		
					LB	
0042	6084000000-E	1660	SEEDING & MULCHING	0.5		
					ACR	
0043	6087000000-E	1660	MOWING	0.5		
					ACR	
0044	6090000000-E	1661	SEED FOR REPAIR SEEDING	50		
					LB	
0045	6093000000-E	1661	FERTILIZER FOR REPAIR SEEDING	0.25		
					TON	
0046	6096000000-E	1662	SEED FOR SUPPLEMENTAL SEEDING	50		
					LB	
0047	6108000000-E	1665	FERTILIZER TOPDRESSING	0.25		
					TON	
0048	6111000000-E	SP	IMPERVIOUS DIKE	104		
					LF	
0049	6114500000-N	1667	SPECIALIZED HAND MOWING	10		
					MHR	
0050	6117000000-N	SP	RESPONSE FOR EROSION CONTROL	7		
					EA	
0051	6117500000-N	SP	CONCRETE WASHOUT STRUCTURE	2		
					EA	
0052	8021000000-N	SP	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (12+83.33 -EY-)	Lump Sum	L.S.	
0053	8140000000-E	416	CHANNEL EXCAVATION	707		
					CY	

1438/Jun10/Q15526.0/D231807846000/E53

Total Amount Of Bid For Entire Project :

