.I.P. R-5849

ONTRACT:

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

SIGNING PLAN CLEVELAND COUNTY

APPROVED:

DATE:

SEAL

PROJECT REFERENCE NO.

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

LOCATION: WASHBURN SWITCH RD AND ACCESS ROADS TO PROPOSED INDUSTRIAL PARK

ROADWAY STANDARD DRAWING

THE FOLLOWING ROADWAY STANDARDS AS APPEAR IN "ROADWAY STANDARD DRAWINGS" - PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2018 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

STD. NO.	<u>TITLE</u>
903.10	GROUND MOUNTED SIGN SUPPORTS
904.10	ORIENTATION OF GROUND MOUNTED SIGNS
904.50	MOUNTING OF TYPE 'D', 'E' AND 'F' SIGNS ON 'U' CHANNEL POSTS
910.10	RAIL GRADE CROSSINGS RURAL/BUS

SUMMARY OF QUANTITIES ITEM DESCRIPTION |QUANTITY| UNIT ITEM NO. DESC. NO. 4025000000 901 4025000000 901 S.F. CONTRACTOR FURNISHED, TYPE D SIGN 15 CONTRACTOR FURNISHED, TYPE E SIGN 65 160 4072000000 903 L.F. SUPPORTS, 3 LB STEEL U-CHANNEL EA. EA. 4096000000 904 SIGN ERECTION, TYPE D 4102000000 904 SIGN ERECTION, TYPE E 4155000000 | 907 DISPOSAL OF SÍGN SYSTEM, U-CHANNEL EA. 4238000000 907 DISPOSAL OF SIGN, D, E OR F

GENERAL NOTES

- . SIGNS FURNISHED BY CONTRACTOR
- . ALL TYPE 'D' SIGNS SHALL BE MOUNTED ON TWO U-CHANNEL POSTS UNLESS OTHERWISE INDICATED ON THE PLANS.
- . IF REMOVAL OR RELOCATION OF SIGNS ON PRIVATE STREET (NON-STATE MAINTAINED) IS REQUIRED DUE TO CONSTRUCTION, THE CONTRACTOR SHALL INFORM THE ENGINEER. THE WORK WILL BE COMPLETED BY OTHERS.
- . WHEN NOT STATIONED OR DIMENSIONED ON PLANS, ALL 'E' AND 'F' SIGNS SHALL BE FIELD LOCATED BY THE ENGINEER
- . ALL EXISTING SIGNS ON $^{\prime\prime}$ U $^{\prime\prime}$ CHANNEL POST WITHIN THE PROJECT LIMITS SHALL BE REMOVED AND DISPOSED OF UNLESS OTHERWISE NOTED ON PLANS.
- . WHEN EXISTING SIGNS ARE REMOVED AND INSTALLED ON NEW SUPPORTS, THE RE-ERECTION SHALL IMMEDIATELY FOLLOW THE REMOVAL.
- . THE BACKGROUND FOR TYPE E & F SIGNS SHALL BE TYPE C REFLECTIVE SHEETING.

INDEX }

SHEET NO.

DESCRIPTION

SIGN-1 SIGN-2

TYPE E SIGNS

TITLE SHEET


TYPE D SIGN DESIGN SIGN-3-4 SIGNING PLAN SHEETS

PLANS PREPARED FOR N.C.D.O.T. BY:




JIMMY L. TERRY, PE PROJECT ENGINEER

SANDRA G. MELVIN DESIGN TECHNICIAN



401) QUANTITY K	REQ'D <u>1</u>	402 QUANTITY REQ'D _5_	403 QUANTITY REQ'D _1_	404) QUANTITY REQ'D _2_	405 QUANTITY REQ'D _1_	406 QUANTITY REQ'D _1_	PROJECT REFERENCE NO. SHEET N R - 5948 SIGN APPROVED:
RRR	36" DIA. W10-1	STOP 30 X 30 R1-1	30 X 30 W10-3	48 X 9 R15-1	SPEED LIMIT 24 X 30 R2-1	INDUSTRIAL SO X 30 W8-?	SEAL SEAL SEAL SEAL 35018
ONE "U" POST PER	₹ SIGN	ONE "U" POST PER SIGN	ONE "U" POST PER SIGN	MOUNT ABOVE SIGN 402 IN 2 INSTALLATIONS	ONE "U" POST PER SIGN	ONE "U" POST PER SIGN	DOCUMENT NOT CONSIDERED FI UNLESS ALL SIGNATURES COMPL
407) QUANTITY RE	ΞQ'D _ <u>1</u> _						
35 M.P.H.	18 X 18 W13-1P						
MOUNT BELOW SIGN IN 1 INSTALLATI							
SIGN NUMBER: name TYPE: D QUANTITY: 2 SIGN WIDTH: 4'-8" HEIGHT: 0'-9" TOTAL AREA: 3.5 Sq.Ft. BORDER TYPE: FLUSH RECESS: 0" WIDTH: 0" RADII: 1.5"	BACKG COLOR: COPY COPY COLOR: COPY COPY COLOR: COPY COPY COLOR: COPY COPY COPY COLOR: COPY COPY COPY COPY COLOR: COPY COPY COPY COPY COPY	PROJECT ID: ID	4'-8"	, 2017 /: DIV SIGN NUMBER: name TYPE: D QUANTITY: 2 SIGN WIDTH: 3'-8" HEIGHT: 0'-9" TOTAL AREA: 2.8 Sq. BORDER TYPE: FLUSH RECESS: 0" WIDTH: 0"	COPY COLOR: Green SYMBOL X Y WID HT Ft.	N BY: SGM CHECKED BY: CT ID:R-5849 LOCATION: Washburn Switch Bu	Aug 31, 20 Business Park, Shelby, NC DIV: DI
NO. Z BARS: LENGTH:			ustomer First DR 3","c	RADII: 1.5" NO. Z BARS: LENGTH:	MAT'L: 0.125" (3.2 mm) ALUMINUM	3'-8" 1" 6"c Laadarchi	
USE NOTES:		BORDER o o"	E1 4" 0 2"			· · · · · · · · · · · · · · · · · · ·	$\left[\mathbf{p} \right] = \frac{4}{3}$ c
USE NOTES: 1. Legend and border(excorder) shall be direct appl: 2. Background shall be o	ccept those that are co. lied Grade C sheeting. Grade C reflective shee	Pane	51.4" 2.3" el Style: Street Name 6-3in no border.ssi	1. Legend and borde shall be direct 2. Background shall	OTES: 1,2 er(except those that are colored black) applied Grade C sheeting. l be Grade C reflective sheeting.	BORDER 2.2" 39.6"	PDDR 3"c 3"c 2" eet Name 6-3in no border.ssi Edition
1.Legend and border(exc shall be direct appl:	ccept those that are co. lied Grade C sheeting. Grade C reflective shee	ored black) R=1.5" eting. Pane	el Style: Street Name 6-3in no border.ssi	1. Legend and borde shall be direct 2. Background shall	er(except those that are colored black) applied Grade C sheeting.	BORDER 2.2" 39.6" R=1.5" Panel Style: Stree M.U.T.C.D.: 2009 E	2.2" eet Name 6-3in no border.ssi Edition
1. Legend and border(exc shall be direct appl: 2. Background shall be (Grade C reflective shee	ored black) R=1.5" eting. Pane	Spacing Factor is 1 unless specified Ver left corner Style: Street Name 6-3in no border.ssi Spacing Factor is 1 unless specified Series	1. Legend and borde shall be direct 2. Background shall	er(except those that are colored black) applied Grade C sheeting. l be Grade C reflective sheeting.	BORDER 2.2" 39.6" R=1.5" Panel Style: Stree M.U.T.C.D.: 2009 E	2.2" eet Name 6-3in no border.ssi Edition acing Factor is 1 unless specified other
1. Legend and border(exceshall be direct appl: 2. Background shall be contained by the cont	Crade C reflective shee	eting. Pane M.U. Pare locations are panel edge to lov	Spacing Factor is 1 unless specified Ver left corner Series Tex	otherwise ies/Size t Length C 2000 45.2 L L e a	er(except those that are colored black) applied Grade C sheeting. l be Grade C reflective sheeting. Letter locations are d e r s h i p	BORDER 2.2" 39.6" R=1.5" Panel Style: Stree M.U.T.C.D.: 2009 E	eet Name 6-3in no border.ssi Edition acing Factor is 1 unless specified other Series/S. Text Len C 200
1. Legend and border(exc shall be direct appl: 2. Background shall be described by the control of the control o	Crade C reflective shee	er locations are panel edge to lov	Spacing Factor is 1 unless specified Ver left corner Series Tex	otherwise ies/Size t Length C 2000 45.2 L L e a	er(except those that are colored black) applied Grade C sheeting. l be Grade C reflective sheeting. Letter locations are	BORDER 2.2" 39.6" R=1.5" Panel Style: Stree M.U.T.C.D.: 2009 E	eet Name 6-3in no border.ssi Edition acing Factor is 1 unless specified other Series/S Text Len C 200 33.3
1. Legend and border(exc shall be direct appl: 2. Background shall be described by the shall be direct applications. C	Crade C reflective shee	er locations are panel edge to lov	Spacing Factor is 1 unless specified Ver left corner Series Tex	1. Legend and borde shall be direct 2. Background shall otherwise LETTER POSITIONS C 2000 45.2 C 2000 4 D R	er(except those that are colored black) applied Grade C sheeting. l be Grade C reflective sheeting. Letter locations are d e r s h i p	BORDER 2.2" 39.6" R=1.5" Panel Style: Stree M.U.T.C.D.: 2009 E	eet Name 6-3in no border.ssi Edition acing Factor is 1 unless specified othe Series/S: Text Leng C 200 33.3
1. Legend and border(exc shall be direct appl: 2. Background shall be described by the shall be	Crade C reflective shee	er locations are panel edge to lov	Spacing Factor is 1 unless specified Ver left corner Series Tex	1. Legend and borde shall be direct 2. Background shall otherwise LETTER POSITIONS C 2000 45.2 C 2000 4 D R	er(except those that are colored black) applied Grade C sheeting. l be Grade C reflective sheeting. Letter locations are d e r s h i p	BORDER 2.2" 39.6" R=1.5" Panel Style: Stree M.U.T.C.D.: 2009 E	2.2" eet Name 6-3in no border.ssi
1. Legend and border(exc shall be direct appl: 2. Background shall be described by the shall be	Lette t o m e r 3.3 15.8 19.8 25.7 29.5	er locations are panel edge to lov	Spacing Factor is 1 unless specified Ver left corner Series Tex	1. Legend and border shall be direct 2. Background shall	er(except those that are colored black) applied Grade C sheeting. l be Grade C reflective sheeting. Letter locations are d e r s h i p	BORDER 2.2" 39.6" R=1.5" Panel Style: Stree M.U.T.C.D.: 2009 E	eet Name 6-3in no border.ssi Edition acing Factor is 1 unless specified othe Series/Si Text Leng C 2006 33.3

TYPE "E" SIGNS
TYPE "D" SIGN DESIGN



DocuSign Envelope ID: 436AC541-DA06-4716-B8F8-300144A791DD PROJECT REFERENCE NO. SHEET NO. R-5948 SIGN-4 DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED TGS ENGINEERS 804–C N. LAFAYETTE ST SHELBY, NC 28150 PH (704) 476–0003 CORP. LICENSE NO.: C–0275 LEADERSHIP DR EARMVILLE RD TWO SIGNS MOUNTED

BACK TO BACK

> PROPOSED SIGNS LEADERSHIP DR