

PROJECT: DF18313.2011461

STRUCTURE SUBSURFACE INVESTIGATION

CONTENTS

<u>SHEET NO.</u>	<u>DESCRIPTION</u>
1	TITLE SHEET
2	LEGEND (SOIL & ROCK)
2A	SUPPLEMENTAL LEGEND (GS)
3	SITE PLAN
4-II	BORE LOG(S) & CORE REPORT(S) & CORE PHOTOGRAPH(S)

STATE	STATE PROJECT REFERENCE NO.	SHEET NO.	TOTAL SHEETS
N.C.	DF18313.2011461	1	12

THE SUBSURFACE INFORMATION AND THE SUBSURFACE INVESTIGATION ON WHICH IT IS BASED WERE MADE FOR THE PURPOSE OF STUDY, PLANNING AND DESIGN, AND NOT FOR CONSTRUCTION OR PAY PURPOSES. THE VARIOUS FIELD BORING LOGS, ROCK CORES AND SOIL TEST DATA AVAILABLE MAY BE REVIEWED OR INSPECTED IN RALEIGH BY CONTACTING THE N.C. DEPARTMENT OF TRANSPORTATION, GEOTECHNICAL ENGINEERING UNIT AT (919) 707-6850. THE SUBSURFACE PLANS AND REPORTS, FIELD BORING LOGS, ROCK CORES AND SOIL TEST DATA ARE NOT PART OF THE CONTRACT.

GENERAL SOIL AND ROCK STRATA DESCRIPTIONS AND INDICATED BOUNDARIES ARE BASED ON A GEOTECHNICAL INTERPRETATION OF ALL AVAILABLE SUBSURFACE DATA AND MAY NOT NECESSARILY REFLECT THE ACTUAL SUBSURFACE CONDITIONS BETWEEN BORINGS OR BETWEEN SAMPLED STRATA WITHIN THE BOREHOLE. THE LABORATORY SAMPLE DATA AND THE IN SITU (IN-PLACE) TEST DATA CAN BE RELIED ON ONLY TO THE DEGREE OF RELIABILITY INHERENT IN THE STANDARD TEST METHOD. THE OBSERVED WATER LEVELS AND SOIL MOISTURE CONDITIONS ARE THE SUBSURFACE CONDITIONS AT THE LOCATIONS AS RECORDED AT THE TIME OF THE INVESTIGATION. THE WATER LEVELS OR SOIL MOISTURE CONDITIONS MAY VARY CONSIDERABLY WITH TIME ACCORDING TO CLIMATIC CONDITIONS INCLUDING TEMPERATURES, PRECIPITATION AND WIND, AS WELL AS OTHER NON-CLIMATIC FACTORS.

THE BIDDER OR CONTRACTOR IS CAUTIONED THAT DETAILS SHOWN ON THE SUBSURFACE PLANS ARE PRELIMINARY ONLY AND IN MANY CASES THE FINAL DESIGN DETAILS ARE DIFFERENT. FOR BIDDING AND CONSTRUCTION PURPOSES, REFER TO THE CONSTRUCTION PLANS AND DOCUMENTS FOR FINAL DESIGN INFORMATION ON THIS PROJECT. THE DEPARTMENT DOES NOT WARRANT OR GUARANTEE THE SUFFICIENCY OR ACCURACY OF THE INVESTIGATION MADE, NOR THE INTERPRETATIONS MADE, OR OPINION OF THE DEPARTMENT AS TO THE TYPE OF MATERIALS AND CONDITIONS TO BE ENCOUNTERED. THE BIDDER OR CONTRACTOR IS CAUTIONED TO PERFORM INDEPENDENT SUBSURFACE INVESTIGATIONS AND MATERIALS TESTING TO CONFIRM THE CONDITIONS ENCOUNTERED. THE BIDDER OR CONTRACTOR SHALL HAVE NO CLAIM FOR ADDITIONAL COMPENSATION OR FOR AN EXTENSION OF TIME FOR ANY REASON RESULTING FROM THE ACTUAL CONDITIONS ENCOUNTERED AT THE SITE DIFFERING FROM THOSE INDICATED IN THE SUBSURFACE INFORMATION.

NOTES:

- NOTES:
1. THE INFORMATION CONTAINED HEREIN IS NOT MAILED OR GUARANTEED BY THE N.C. DEPARTMENT OF TRANSPORTATION AS ACCURATE NOR IS IT CONSIDERED PART OF THE PLANS, SPECIFICATIONS OR CONTRACT FOR THE PROJECT.
 2. BY HAVING REQUESTED THIS INFORMATION, THE CONTRACTOR SPECIFICALLY WAIVES ANY CLAIMS FOR INCREASED COMPENSATION OR EXTENSION OF TIME BASED ON DIFFERENCES BETWEEN THE CONDITIONS INDICATED HEREIN AND THE ACTUAL CONDITIONS AT THE PROJECT SITE.

PERSONNEL

CE STEWMAN, G.I.T.

CJ COFFEY

JD WORLEY


DC ELLIOTT, P.G.

INVESTIGATED BY CE STEWMAN, G.I.T.

DRAWN BY *CD JOHNSON, P.G.*

CHECKED BY DC ELLIOTT, P.G.

SUBMITTED BY DC ELLIOTT, P.G.

DATE APRIL 2026

Signed by:

Signed by: Crystal D. Johnson

04/04/2026

~~B46DEE97AE8E463...~~
SIGNATURE

DATE _____

**DOCUMENT NOT CONSIDERED FINAL
UNLESS ALL SIGNATURES COMPLETED**

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

DIVISION OF HIGHWAYS

GEOTECHNICAL ENGINEERING UNIT

SUBSURFACE INVESTIGATION

SOIL AND ROCK LEGEND, TERMS, SYMBOLS, AND ABBREVIATIONS

SOIL DESCRIPTION

SOIL IS CONSIDERED UNCONSOLIDATED, SEMI-CONSOLIDATED, OR WEATHERED EARTH MATERIALS THAT CAN BE PENETRATED WITH A CONTINUOUS FLIGHT POWER AUGER AND YIELD LESS THAN 100 BLOWS PER FOOT ACCORDING TO THE STANDARD PENETRATION TEST (ASTM D1586). SOIL CLASSIFICATION IS BASED ON THE AASHTO SYSTEM. BASIC DESCRIPTIONS GENERALLY INCLUDE THE FOLLOWING: CONSISTENCY, COLOR, TEXTURE, MOISTURE, AASHTO CLASSIFICATION, AND OTHER PERTINENT FACTORS SUCH AS MINERALOGICAL COMPOSITION, ANGULARITY, STRUCTURE, PLASTICITY, ETC. FOR EXAMPLE, VERY STIFF, GRAY, SILTY CLAY, MOST WITH INTERBEDDED FINE SAND LAYERS, HIGHLY PLASTIC, A-7-6

SOIL LEGEND AND AASHTO CLASSIFICATION

GENERAL CLASS.	GRANULAR MATERIALS ($\leq 35\%$ PASSING #200)	SILT-CLAY MATERIALS ($> 35\%$ PASSING #200)	ORGANIC MATERIALS
GROUP CLASS.	A-1, A-2, A-3, A-4, A-5, A-6, A-7	A-1, A-2, A-3, A-4, A-5, A-6, A-7	A-1, A-2, A-3, A-4, A-5, A-6, A-7
SYMBOL			
% PASSING #10 #40 #200	50 30 15 15 10 5	50 30 15 15 10 5	50 30 15 15 10 5
MATERIAL PASSING #40 LL PI	6 6 6 15 10 5	6 6 6 15 10 5	6 6 6 15 10 5
GROUP INDEX	0 0 0 1 1 1	0 0 0 1 1 1	0 0 0 1 1 1
USUAL TYPES OF MAJOR MATERIALS	STONE FRAGS. GRAVEL, AND SAND	FINE SAND SILTY OR CLAYEY GRAVEL AND SAND	SILTY SILTS CLAYEY SILTS
GENERAL RATING AS SUBGRADE	EXCELLENT TO GOOD	FAIR TO POOR	FAIR TO POOR POOR UNSUITABLE

CONSISTENCY OR DENSENESS

PRIMARY SOIL TYPE	COMPACTNESS OR CONSISTENCY	RANGE OF STANDARD PENETRATION RESISTANCE (N-VALUE)	RANGE OF UNCONFINED COMPRESSIVE STRENGTH (TONS/FT ²)
GENERALLY GRANULAR MATERIAL (NON-COHESIVE)	VERY LOOSE LOOSE MEDIUM DENSE DENSE VERY DENSE	< 4 4 TO 10 10 TO 30 30 TO 50 > 50	N/A
GENERALLY SILT-CLAY MATERIAL (COHESIVE)	VERY SOFT SOFT MEDIUM STIFF STIFF VERY STIFF HARD	< 2 2 TO 4 4 TO 8 8 TO 15 15 TO 30 > 30	< 0.25 0.25 TO 0.5 0.5 TO 1.0 1 TO 2 2 TO 4 > 4

TEXTURE OR GRAIN SIZE

U.S. STD. SIEVE SIZE (OPENING MM)	4	10	40	60	200	270
	4.75	2.00	0.42	0.25	0.075	0.053
BOULDER (BLDR.)						
COBBLE (COB.)						
GRAVEL (GR.)						
COARSE SAND (CSE. SD.)						
FINE SAND (F. SD.)						
SILT (SL.)						
CLAY (CL.)						

SOIL MOISTURE - CORRELATION OF TERMS

SOIL MOISTURE SCALE (ATTERBERG LIMITS)	FIELD MOISTURE DESCRIPTION	GUIDE FOR FIELD MOISTURE DESCRIPTION
LL - LIQUID LIMIT	- SATURATED - (SAT.)	USUALLY LIQUID; VERY WET, USUALLY FROM BELOW THE GROUND WATER TABLE
PL - PLASTIC LIMIT	- WET - (W)	SEMISOLID; REQUIRES DRYING TO ATTAIN OPTIMUM MOISTURE
OM - OPTIMUM MOISTURE SHRINKAGE LIMIT	- MOIST - (M)	SOLID; AT OR NEAR OPTIMUM MOISTURE
SL - SHRINKAGE LIMIT	- DRY - (D)	REQUIRES ADDITIONAL WATER TO ATTAIN OPTIMUM MOISTURE

PLASTICITY

NON PLASTIC	PLASTICITY INDEX (PI)	DRY STRENGTH
SLIGHTLY PLASTIC	0-5	VERY LOW
MODERATELY PLASTIC	6-15	SLIGHT
HIGHLY PLASTIC	16-25	MEDIUM
	26 OR MORE	HIGH

COLOR

DESCRIPTIONS MAY INCLUDE COLOR OR COLOR COMBINATIONS (TAN, RED, YELLOW-BROWN, BLUE-GRAY). MODIFIERS SUCH AS LIGHT, DARK, STREAKED, ETC. ARE USED TO DESCRIBE APPEARANCE.

GRADATION

WELL GRADED - INDICATES A GOOD REPRESENTATION OF PARTICLE SIZES FROM FINE TO COARSE. UNIFORM GRADED - INDICATES THAT SOIL PARTICLES ARE ALL APPROXIMATELY THE SAME SIZE. GAP-GRADED - INDICATES A MIXTURE OF UNIFORM PARTICLE SIZES OF TWO OR MORE SIZES.

ANGULARITY OF GRAINS

THE ANGULARITY OR ROUNDNESS OF SOIL GRAINS IS DESIGNATED BY THE TERMS: ANGULAR, SUBANGULAR, SUBROUNDED, OR ROUNDED.

MINERALOGICAL COMPOSITION

MINERAL NAMES SUCH AS QUARTZ, FELDSPAR, MICA, TALC, KAOLIN, ETC. ARE USED IN DESCRIPTIONS WHEN THEY ARE CONSIDERED OF SIGNIFICANCE.

COMPRESSIBILITY

SLIGHTLY COMPRESSIBLE	LL < 31
MODERATELY COMPRESSIBLE <td>LL > 31 - 50</td>	LL > 31 - 50
HIGHLY COMPRESSIBLE <td>LL > 50</td>	LL > 50

PERCENTAGE OF MATERIAL

ORGANIC MATERIAL	GRANULAR SOILS	SILT - CLAY SOILS	OTHER MATERIAL
TRACE OF ORGANIC MATTER	2 - 3%	3 - 5%	TRACE
LITTLE ORGANIC MATTER	3 - 5%	5 - 12%	LITTLE
MODERATELY ORGANIC	5 - 10%	12 - 20%	SOME
HIGHLY ORGANIC	$> 10\%$	$> 20\%$	HIGHLY

GROUND WATER

	WATER LEVEL IN BORE HOLE IMMEDIATELY AFTER DRILLING
	STATIC WATER LEVEL AFTER 24 HOURS
	PERCHED WATER, SATURATED ZONE, OR WATER BEARING STRATA
	SPRING OR SEEP

MISCELLANEOUS SYMBOLS

	ROADWAY EMBANKMENT (RE) WITH SOIL DESCRIPTION
	SOIL SYMBOL
	ARTIFICIAL FILL (AF) OTHER THAN ROADWAY EMBANKMENT
	INFERRED SOIL BOUNDARY
	INFERRED ROCK LINE
	ALLUVIAL SOIL BOUNDARY
	DIP & DIP DIRECTION OF ROCK STRUCTURES
	TEST BORING
	SLOPE INDICATOR INSTALLATION
	CONE PENETROMETER TEST
	SOUNDING ROD
	TEST BORING WITH CORE
	SPT N-VALUE

RECOMMENDATION SYMBOLS

	UNDERCUT
	SHALLOW UNDERCUT
	UNCLASSIFIED EXCAVATION - UNSUITABLE WASTE
	UNCLASSIFIED EXCAVATION - ACCEPTABLE DEGRADABLE ROCK
	UNCLASSIFIED EXCAVATION - ACCEPTABLE, BUT NOT TO BE USED IN THE TOP 3 FEET OF EMBANKMENT OR BACKFILL

ABBREVIATIONS

AR - AUGER REFUSAL	MD - MEDIUM	VST - VANE SHEAR TEST
BT - BORING TERMINATED	MICA - MICACEOUS	WEA - WEATHERED
CL - CLAY	MOD - MODERATELY	UNIT WEIGHT
CPT - CONE PENETRATION TEST	NP - NON PLASTIC	% - DRY UNIT WEIGHT
CSE - COARSE	ORG - ORGANIC	
DMT - DILATOMETER TEST	PMT - PRESSUREMETER TEST	
DPT - DYNAMIC PENETRATION TEST	SAP - SAPROLITE	
VOID RATIO	SD - SAND, SANDY	
F - FINE	SL - SILT, SILTY	
FOSS - FOSSILIFEROUS	SLI - SLIGHTLY	
FRAC - FRACTURED, FRACTURES	TCR - TRICONE REFUSAL	
FRAG - FRAGMENTS	MO - MOISTURE CONTENT	
HL - HIGHLY	V - VERY	

EQUIPMENT USED ON SUBJECT PROJECT

DRILL UNITS:	ADVANCING TOOLS:	HAMMER TYPE:
☐ CME-45C	☐ CLAY BITS	☒ AUTOMATIC ☐ MANUAL
☐ CME-55	☐ 6" CONTINUOUS FLIGHT AUGER	
☐ CME-55B	☐ 6" HOLLOW AUGERS	
☐ VANE SHEAR TEST	☐ HARD FACED FINGER BITS	
☐ PORTABLE MOIST	☐ TUNG-CARBIDE INSERTS	
☐	☒ CASING ☒ W/ ADVANCER	
☐	☐ TRICONE ☐ STEEL TEETH	
☐	☐ TRICONE ☐ TUNG-CARB.	
☐	☒ CORE BIT	
☐		

ROCK DESCRIPTION

HARD ROCK IS NON-COASTAL PLAIN MATERIAL THAT WOULD YIELD SPT REFUSAL IF TESTED. AN INFERRED ROCK LINE INDICATES THE LEVEL AT WHICH NON-COASTAL PLAIN MATERIAL WOULD YIELD SPT REFUSAL. SPT REFUSAL IS PENETRATION BY A SPLIT SPOON SAMPLER EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS IN NON-COASTAL PLAIN MATERIAL. THE TRANSITION BETWEEN SOIL AND ROCK IS OFTEN REPRESENTED BY A ZONE OF WEATHERED ROCK. ROCK MATERIALS ARE TYPICALLY DIVIDED AS FOLLOWS:

WEATHERED ROCK (WR)

NON-COASTAL PLAIN MATERIAL THAT WOULD YIELD SPT N VALUES > 100 BLOWS PER FOOT IF TESTED.

CRYSTALLINE ROCK (CR)

FINE TO COARSE GRAIN IGNEOUS AND METAMORPHIC ROCK THAT WOULD YIELD SPT REFUSAL IF TESTED. ROCK TYPE INCLUDES GRANITE, GNEISS, GABBRO, SCHIST, ETC.

NON-CRYSTALLINE ROCK (NCR)

FINE TO COARSE GRAIN METAMORPHIC AND NON-COASTAL PLAIN SEDIMENTARY ROCK THAT WOULD YIELD SPT REFUSAL IF TESTED. ROCK TYPE INCLUDES PHYLLITE, SLATE, SANDSTONE, ETC.

COASTAL PLAIN SEDIMENTARY ROCK (CP)

COASTAL PLAIN SEDIMENTS CEMENTED INTO ROCK, BUT MAY NOT YIELD SPT REFUSAL. ROCK TYPE INCLUDES LIMESTONE, SANDSTONE, CEMENTED SHELL BEDS, ETC.

WEATHERING

FRESH	ROCK FRESH, CRYSTALS BRIGHT, FEW JOINTS MAY SHOW SLIGHT STAINING. ROCK RINGS UNDER HAMMER IF CRYSTALLINE.
VERY SLIGHT (V SL.)	ROCK GENERALLY FRESH, JOINTS STAINED. SOME JOINTS MAY SHOW THIN CLAY COATINGS IF OPEN. CRYSTALS ON A BROKEN SPECIMEN FACE SHINE BRIGHTLY. ROCK RINGS UNDER HAMMER BLOWS IF OF A CRYSTALLINE NATURE.
SLIGHT (SL.)	ROCK GENERALLY FRESH, JOINTS STAINED AND DISCOLORATION EXTENDS INTO ROCK UP TO 1 INCH. OPEN JOINTS MAY CONTAIN CLAY. IN GRANITOID ROCKS SOME OCCASIONAL FELDSPAR CRYSTALS ARE DULL AND DISCOLORED. CRYSTALLINE ROCKS RING UNDER HAMMER BLOWS.
MODERATE (MOD.)	SIGNIFICANT PORTIONS OF ROCK SHOW DISCOLORATION AND WEATHERING EFFECTS. IN GRANITOID ROCKS, MOST FELDSPARS ARE DULL AND DISCOLORED. SOME SHOW CLAY. ROCK HAS DULL SOUND UNDER HAMMER BLOWS AND SHOWS SIGNIFICANT LOSS OF STRENGTH AS COMPARED WITH FRESH ROCK.
MODERATELY SEVERE (MOD. SEV.)	ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. IN GRANITOID ROCKS, ALL FELDSPARS DULL AND DISCOLORED AND A MAJORITY SHOW KAOLINIZATION. ROCK SHOWS SEVERE LOSS OF STRENGTH AND CAN BE EXCAVATED WITH A GEOLOGIST'S PICK. ROCK GIVES "CLUNK" SOUND WHEN STRUCK. IF TESTED, WOULD YIELD SPT REFUSAL.
SEVERE (SEV.)	ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC CLEAR AND EVIDENT BUT REDUCED IN STRENGTH TO STRONG SOIL. IN GRANITOID ROCKS ALL FELDSPARS ARE KAOLINIZED TO SOME EXTENT. SOME FRAGMENTS OF STRONG ROCK USUALLY REMAIN. IF TESTED, WOULD YIELD SPT N VALUES > 100 BPF.
VERY SEVERE (V SEV.)	ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC ELEMENTS ARE DISCERNIBLE BUT MASS IS EFFECTIVELY REDUCED TO SOIL STATUS, WITH ONLY FRAGMENTS OF STRONG ROCK REMAINING. SAPROLITE IS AN EXAMPLE OF ROCK WEATHERED TO A DEGREE THAT ONLY MINOR VESTIGES OF ORIGINAL ROCK FABRIC REMAIN. IF TESTED, WOULD YIELD SPT N VALUES < 100 BPF.
COMPLETE	ROCK REDUCED TO SOIL. ROCK FABRIC NOT DISCERNIBLE, OR DISCERNIBLE ONLY IN SMALL AND SCATTERED CONCENTRATIONS. QUARTZ MAY BE PRESENT AS DIKES OR STRINGERS. SAPROLITE IS ALSO AN EXAMPLE.

ROCK HARDNESS

VERY HARD	CANNOT BE SCRATCHED BY KNIFE OR SHARP PICK. BREAKING OF HAND SPECIMENS REQUIRES SEVERAL HARD BLOWS OF THE GEOLOGIST'S PICK.
HARD	CAN BE SCRATCHED BY KNIFE OR PICK ONLY WITH DIFFICULTY. HARD HAMMER BLOWS REQUIRED TO DETACH HAND SPECIMEN.
MODERATELY HARD	CAN BE SCRATCHED BY KNIFE OR PICK. GOUGES OR GROOVES TO 0.25 INCHES DEEP CAN BE EXCAVATED BY HARD BLOW OF A GEOLOGIST'S PICK. HAND SPECIMENS CAN BE DETACHED BY MODERATE BLOWS.
MEDIUM HARD	CAN BE GROVED OR GOUGED 0.85 INCHES DEEP BY FIRM PRESSURE OF KNIFE OR PICK POINT. CAN BE EXCAVATED IN SMALL CHIPS TO PIECES 1 INCH MAXIMUM SIZE BY HARD BLOWS OF THE POINT OF A GEOLOGIST'S PICK.
SOFT	CAN BE GROVED OR GOUGED READILY BY KNIFE OR PICK. CAN BE EXCAVATED IN FRAGMENTS FROM CHIPS TO SEVERAL INCHES IN SIZE BY MODERATE BLOWS OF A PICK POINT. SMALL, THIN PIECES CAN BE BROKEN BY FINGER PRESSURE.
VERY SOFT	CAN BE CARVED WITH KNIFE. CAN BE EXCAVATED READILY WITH POINT OF PICK. PIECES 1 INCH OR MORE IN THICKNESS CAN BE BROKEN BY FINGER PRESSURE. CAN BE SCRATCHED READILY BY FINGER NAIL.

FRACTURE SPACING

TERM	SPACING
VERY WIDE	MORE THAN 10 FEET
WIDE	3 TO 10 FEET
MODERATELY CLOSE	1 TO 3 FEET
CLOSE	0.16 TO 1 FOOT
VERY CLOSE	LESS THAN 0.16 FEET

BEDDING

TERM	THICKNESS
VERY THICKLY BEDDED	4 FEET
THICKLY BEDDED	1.5 - 4 FEET
THINLY BEDDED	0.16 - 1.5 FEET
VERY THINLY BEDDED	0.03 - 0.16 FEET
THICKLY LAMINATED	0.008 - 0.03 FEET
THINLY LAMINATED	< 0.008 FEET

INDURATION

FOR SEDIMENTARY ROCKS, INDURATION IS THE HARDENING OF MATERIAL BY CEMENTING, HEAT, PRESSURE, ETC.

FRAGILE	RUBBING WITH FINGER FREES NUMEROUS GRAINS; GENTLE BLOW BY HAMMER DISINTEGRATES SAMPLE.
MODERATELY INDURATED	GRAINS CAN BE SEPARATED FROM SAMPLE WITH STEEL PROBE; BREAKS EASILY WHEN HIT WITH HAMMER.
INDURATED	GRAINS ARE DIFFICULT TO SEPARATE WITH STEEL PROBE; DIFFICULT TO BREAK WITH HAMMER.
EXTREMELY INDURATED	SHARP HAMMER BLOWS REQUIRED TO BREAK SAMPLE; SAMPLE BREAKS ACROSS GRAINS.

TERMS AND DEFINITIONS

ALLUVIUM (ALLUV.) - SOILS THAT HAVE BEEN TRANSPORTED BY WATER.

AQUIFER - A WATER BEARING FORMATION OR STRATA.

ARENACEOUS - APPLIED TO ROCKS THAT HAVE BEEN DERIVED FROM SAND OR THAT CONTAIN SAND.

ARGILLACEOUS - APPLIED TO ALL ROCKS OR SUBSTANCES COMPOSED OF CLAY MINERALS, OR HAVING A NOTABLE PROPORTION OF CLAY IN THEIR COMPOSITION, SUCH AS SHALE, SLATE, ETC.

ARTESIAN - GROUND WATER THAT IS UNDER SUFFICIENT PRESSURE TO RISE ABOVE THE LEVEL AT WHICH IT IS ENCOUNTERED, BUT WHICH DOES NOT NECESSARILY RISE TO OR ABOVE THE GROUND SURFACE.

CALCAREOUS (CALC.) - SOILS THAT CONTAIN APPRECIABLE AMOUNTS OF CALCIUM CARBONATE.

COLLUVIUM - ROCK FRAGMENTS MIXED WITH SOIL DEPOSITED BY GRAVITY ON SLOPE OR AT BOTTOM OF SLOPE.

CORE RECOVERY (REC.) - TOTAL LENGTH OF ALL MATERIAL RECOVERED IN THE CORE BARREL DIVIDED BY TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE.

DIKE - A TABULAR BODY OF IGNEOUS ROCK THAT CUTS ACROSS THE STRUCTURE OF ADJACENT ROCKS OR CUTS MASSIVE ROCK.

DIP - THE ANGLE AT WHICH A STRATUM OR ANY PLANAR FEATURE IS INCLINED FROM THE HORIZONTAL.

DIP DIRECTION (DIP AZIMUTH) - THE DIRECTION OR BEARING OF THE HORIZONTAL TRACE OF THE LINE OF DIP, MEASURED CLOCKWISE FROM NORTH.

FAULT - A FRACTURE OR FRACTURE ZONE ALONG WHICH THERE HAS BEEN DISPLACEMENT OF THE SIDES RELATIVE TO ONE ANOTHER PARALLEL TO THE FRACTURE.

FISSILE - A PROPERTY OF SPLITTING ALONG CLOSELY SPACED PARALLEL PLANES.

FLOAT - ROCK FRAGMENTS ON SURFACE NEAR THEIR ORIGINAL POSITION AND DISLOOED FROM PARENT MATERIAL.

FLOOD PLAIN (FP) - LAND BORDERING A STREAM, BUILT OF SEDIMENTS DEPOSITED BY THE STREAM.

FORMATION (FM) - A MAPPABLE GEOLOGIC UNIT THAT CAN BE RECOGNIZED AND TRACED IN THE FIELD.

JOINT - FRACTURE IN ROCK ALONG WHICH NO APPRECIABLE MOVEMENT HAS OCCURRED.

LEDGE - A SHELF-LIKE RIDGE OR PROJECTION OF ROCK WHOSE THICKNESS IS SMALL COMPARED TO ITS LATERAL EXTENT.

LENS - A BODY OF SOIL OR ROCK THAT THINS OUT IN ONE OR MORE DIRECTIONS.

MOTTLED (MOT.) - IRREGULARLY MARKED WITH SPOTS OF DIFFERENT COLORS. MOTTLING IN SOILS USUALLY INDICATES POOR AERATION AND LACK OF GOOD DRAINAGE.

PERCHED WATER - WATER MAINTAINED ABOVE THE NORMAL GROUND WATER LEVEL BY THE PRESENCE OF AN INTERVENING IMPERVIOUS STRATUM.

RESIDUAL (RES.) SOIL - SOIL FORMED IN PLACE BY THE WEATHERING OF ROCK.

ROCK QUALITY DESIGNATION (RQD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE.

SAPROLITE (SAP.) - RESIDUAL SOIL THAT RETAINS THE RELIC STRUCTURE OR FABRIC OF THE PARENT ROCK.

SILL - AN INTRUSIVE BODY OF IGNEOUS ROCK OF APPROXIMATELY UNIFORM THICKNESS AND RELATIVELY THIN COMPARED WITH ITS LATERAL EXTENT, THAT HAS BEEN EMPLACED PARALLEL TO THE BEDDING OR SCHISTOSITY OF THE INTRUDED ROCKS.

SLICKENSIDE - POLISHED AND STRIATED SURFACE THAT RESULTS FROM FRICTION ALONG A FAULT OR SLIP PLANE.

STANDARD PENETRATION TEST (PENETRATION RESISTANCE) (SPT) - NUMBER OF BLOWS (N OR BPF) OF A 140 LB. HAMMER FALLING 30 INCHES REQUIRED TO PRODUCE A PENETRATION OF 1 FOOT INTO SOIL WITH A 2 INCH OUTSIDE DIAMETER SPLIT SPOON SAMPLER. SPT REFUSAL IS PENETRATION EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS.

STRATA CORE RECOVERY (SREC.) - TOTAL LENGTH OF STRATA MATERIAL RECOVERED DIVIDED BY TOTAL LENGTH OF STRATUM AND EXPRESSED AS A PERCENTAGE.

STRATA ROCK QUALITY DESIGNATION (SRQD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS WITHIN A STRATUM EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF STRATA AND EXPRESSED AS A PERCENTAGE.

TOPSOIL (TS) - SURFACE SOILS USUALLY CONTAINING ORGANIC MATTER.

BENCH MARK: BL-7
N 685073.041
E 96174.918
ELEVATION: 2032.03 FEET

NOTES:
BORING LOCATIONS DETERMINED WITH HANDHELD GPS
AND CALIBRATED TO BL-7

DATE: 8-15-14





NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT

SUBSURFACE INVESTIGATION

SUPPLEMENTAL LEGEND, GEOLOGICAL STRENGTH INDEX (GSI) TABLES
FROM AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS


AASHTO LRFD Figure 10.4.6.4-1 — Determination of GSI for Jointed Rock Mass (Marinos and Hoek, 2000)

AASHTO LRFD Figure 10.4.6.4-2 — Determination of GSI for Tectonically Deformed Heterogeneous Rock Masses (Marinos and Hoek, 2000)

GEOLOGICAL STRENGTH INDEX (GSI) FOR JOINTED ROCKS (Hoek and Marinos, 2000)		SURFACE CONDITIONS					GSI FOR HETEROGENEOUS ROCK MASSES SUCH AS FLYSCH (Marinos, P and Hoek E., 2000)		SURFACE CONDITIONS OF DISCONTINUITIES (Predominantly bedding planes)				
From the lithology, structure and surface conditions of the discontinuities, estimate the average value of GSI. Do not try to be too precise. Quoting a range from 33 to 37 is more realistic than stating that GSI = 35. Note that the table does not apply to structurally controlled failures. Where weak planar structural planes are present in an unfavorable orientation with respect to the excavation face, these will dominate the rock mass behaviour. The shear strength of surfaces in rocks that are prone to deterioration as a result of changes in moisture content will be reduced if water is present. When working with rocks in the fair to very poor categories, a shift to the right may be made for wet conditions. Water pressure is dealt with by effective stress analysis.		VERY GOOD Very rough, fresh unweathered surfaces	GOOD Rough, slightly weathered, iron stained surfaces	FAIR Smooth, moderately weathered and altered surfaces	POOR Slickensided, highly weathered surfaces with compact coatings or fillings or angular fragments	VERY POOR Slickensided, highly weathered surfaces with soft clay coatings or fillings	From a description of the lithology, structure and surface conditions (particularly of the bedding planes), choose a box in the chart. Locate the position in the box that corresponds to the condition of the discontinuities and estimate the average value of GSI from the contours. Do not attempt to be too precise. Quoting a range from 33 to 37 is more realistic than giving GSI = 35. Note that the Hoek-Brown criterion does not apply to structurally controlled failures. Where unfavourably oriented continuous weak planar discontinuities are present, these will dominate the behaviour of the rock mass. The strength of some rock masses is reduced by the presence of groundwater and this can be allowed for by a slight shift to the right in the columns for fair, poor and very poor conditions. Water pressure does not change the value of GSI and it is dealt with by using effective stress analysis.		VERY GOOD - Very Rough, fresh unweathered surfaces	GOOD - Rough, slightly weathered surfaces	FAIR - Smooth, moderately weathered and altered surfaces	POOR - Very smooth, occasionally slickensided surfaces with compact coatings or fillings with angular fragments	VERY POOR - Very smooth, slickensided or highly weathered surfaces with soft clay coatings or fillings
STRUCTURE		DECREASING SURFACE QUALITY ➡					COMPOSITION AND STRUCTURE						
	INTACT OR MASSIVE - intact rock specimens or massive in situ rock with few widely spaced discontinuities	90			N/A	N/A		A. Thick bedded, very blocky sandstone. The effect of pelitic coatings on the bedding planes is minimized by the confinement of the rock mass. In shallow tunnels or slopes these bedding planes may cause structurally controlled instability.	70				
	BLOCKY - well interlocked undisturbed rock mass consisting of cubical blocks formed by three intersecting discontinuity sets	80							60				
	VERY BLOCKY - interlocked, partially disturbed mass with multi-faceted angular blocks formed by 4 or more joint sets		70					B. Sandstone with thin inter-layers of siltstone		50			
	BLOCKY/DISTURBED/SEAMY - folded with angular blocks formed by many intersecting discontinuity sets. Persistence of bedding planes or schistosity		60					C. Sandstone and siltstone in similar amounts			40		
	DISINTEGRATED - poorly interlocked, heavily broken rock mass with mixture of angular and rounded rock pieces			50				D. Siltstone or silty shale with sandstone layers				30	
	LAMINATED/SHEARED - Lack of blockiness due to close spacing of weak schistosity or shear planes			40				E. Weak siltstone or clayey shale with sandstone layers					20
				30			C, D, E, and G - may be more or less folded than illustrated but this does not change the strength. Tectonic deformation, faulting and loss of continuity moves these categories to F and H.						
				20				F. Tectonically deformed, intensively folded/faulted, sheared clayey shale or siltstone with broken and deformed sandstone layers forming an almost chaotic structure					10
				10				G. Undisturbed silty or clayey shale with or without a few very thin sandstone layers					
								H. Tectonically deformed silty or clayey shale forming a chaotic structure with pockets of clay. Thin layers of sandstone are transformed into small rock pieces.					
		N/A	N/A				— Means deformation after tectonic disturbance						

GEOTECHNICAL BORING REPORT

BORE LOG

WBS				DF18313.2011461				TIP				NO TIP				COUNTY				BUNCOMBE				GEOLOGIST				Stewman, C. E.																							
SITE DESCRIPTION																				TEMP REPLACE BRDG NO. 0552 OVER THE SWANNANOA RIVER AT AZALEA RD										GROUND WTR (ft)																					
BORING NO.				EB1-A				STATION				N/A				OFFSET				N/A				ALIGNMENT				N/A				0 HR.		N/A																	
COLLAR ELEV.				2,020.6 ft				TOTAL DEPTH				20.0 ft				NORTHING				685,024				EASTING				961,306				24 HR.		N/A																	
DRILL RIG/HAMMER EFF./DATE										AFO8963 CME-550X 84% 04/26/2024										DRILL METHOD						NW Casing w/ SPT						HAMMER TYPE				Automatic															
DRILLER						Coffey, Jr., C.						START DATE						03/25/26						COMP. DATE						03/25/26						SURFACE WATER DEPTH										N/A					
ELEV (ft)		DRIVE ELEV (ft)		DEPTH (ft)		BLOW COUNT			BLOWS PER FOOT										SAMP. NO.		MOI		LOG		SOIL AND ROCK DESCRIPTION																										
						0.5ft 0.5ft 0.5ft			0 25 50 75 100																ELEV. (ft) DEPTH (ft)																										
2025																																																			
2020																									2,020.6 GROUND SURFACE 0.0																										
2015		2,015.6		5.0		3 5 3			 BOULDER										M						ALLUVIAL TAN, BROWN SILT-SAND w/ TR. GRAVELS (A-2) *** IN/OUT COBBLES & BOULDERS																										
2010		2,010.6		10.0		23 77/0.2			 100/0.7																2,011.9 8.7 2,009.9 10.7 2,008.6 12.0																										
2005		2,005.6		15.0		4 14 25			 39										M						WEATHERED ROCK WEATHERED ROCK SEAM GRAY, BROWN SL. MICACEOUS SEV. WEATHERED ROCK w/ MnO SEAMS																										
		2,000.6		20.0		60/0.0			 60/0.0																2,000.7 19.9 2,000.6 20.0																										
																									CRYSTALLINE ROCK GRAY MUSCOVITE-BIOTITE GNEISS (ASHE METAMORPHIC SUITE) Boring Terminated WITH STANDARD PENETRATION TEST REFUSAL at Elevation 2,000.6 ft IN CRYSTALLINE ROCK																										

WBS DF18313.2011461			TIP NO TIP			COUNTY BUNCOMBE			GEOLOGIST Stewman, C. E.					
SITE DESCRIPTION TEMP REPLACE BRDG NO. 0552 OVER THE SWANNANOA RIVER AT AZALEA RD									GROUND WTR (ft)					
BORING NO. EB1-B			STATION N/A			OFFSET N/A			ALIGNMENT N/A			0 HR.	N/A	
COLLAR ELEV. 2,019.3 ft			TOTAL DEPTH 18.4 ft			NORTHING 685,019			EASTING 961,290			24 HR.	4.0	
DRILL RIG/HAMMER EFF./DATE AFO8963 CME-550X 84% 04/26/2024						DRILL METHOD NW Casing w/ SPT			HAMMER TYPE Automatic					
DRILLER Coffey, Jr., C.			START DATE 03/24/26			COMP. DATE 03/24/26			SURFACE WATER DEPTH N/A					
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION
			0.5ft	0.5ft	0.5ft	0	25	50	75	100				
2020														
														2,019.3 GROUND SURFACE 0.0
2015	2,014.3	5.0												ALLUVIAL BROWN SILT-SAND w/ LOOSE SUB-ANGULAR GRAVELS (A-2) ***FLOOD MATERIAL***
			5	5	3						M			
2010	2,009.3	10.0												2,010.9 8.4 2,010.8 8.5
			20	18	9						M			SAPROLITE WHITE, GRAY V. STIFF SL. MICACEOUS SAND-SILT w/ TR. GARNETS (A-4)
														***IN/OUT HARDER SEAMS
2005	2,004.3	15.0												
			4	1	4						M			***IN/OUT HARDER SEAMS
	2,000.9	18.4												2,000.9 18.4
			60/0.0											CRYSTALLINE ROCK GRAY MUSCOVITE-BIOTITE GNEISS (ASHE METAMORPHIC SUITE) Boring Terminated WITH STANDARD PENETRATION TEST REFUSAL at Elevation 2,000.9 ft ON CRYSTALLINE ROCK (MUSCOVITE-BIOTITE GNEISS)

NCDOT BORE DOUBLE 10 GEO BRDG0552 DF18313.2011461 BUNCOMBE_TEMP_BOREHOLES.GPJ NC DOT.GDT 4/2/26

GEOTECHNICAL BORING REPORT

CORE LOG


NCDOT CORE DOUBLE 10_GEO_BRDG0552_DF18313.2011461_BUNCOMBE_TEMP_BOREHOLES.GPJ NC_DOT.GDT 4/2/26

WBS DF18313.2011461				TIP NO TIP			COUNTY BUNCOMBE			GEOLOGIST Stewman, C. E.		
SITE DESCRIPTION TEMP REPLACE BRDG NO. 0552 OVER THE SWANNANOA RIVER AT AZALEA RD										GROUND WTR (ft)		
BORING NO. B1-A				STATION N/A			OFFSET N/A			ALIGNMENT N/A		0 HR. N/A
COLLAR ELEV. 2,016.1 ft				TOTAL DEPTH 44.7 ft			NORTHING 684,939			EASTING 961,360		24 HR. 1.5
DRILL RIG/HAMMER EFF./DATE AFO8963 CME-550X 84% 04/26/2024							DRILL METHOD NW Casing W/SPT & Core			HAMMER TYPE Automatic		
DRILLER Coffey, Jr., C.				START DATE 03/23/26			COMP. DATE 03/23/26			SURFACE WATER DEPTH N/A		
CORE SIZE NXWL				TOTAL RUN 18.7 ft								
ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN REC. (ft) % RQD (ft) %		SAMP. NO.	STRATA REC. (ft) % RQD (ft) %		L O G	DESCRIPTION AND REMARKS	
											DEPTH (ft)	
1990.09											Continued from previous page	
	1,990.1	26.0	3.7	2:11/0.7 3:07/1.0 2:59/1.0 2:26/1.0	(3.8) 103%	(1.4) 38%					CRYSTALLINE ROCK (continued)	
1985	1,986.4	29.7	5.0	4:31/1.0 2:55/1.0 3:20/1.0 5:15/1.0 3:29/1.0	(4.9) 98%	(4.2) 84%						
1980	1,981.4	34.7	5.0	2:00/1.0 2:40/1.0 3:12/1.0 3:59/1.0 2:44/1.0	(5.0) 100%	(4.0) 80%						
1975	1,976.4	39.7	5.0	2:29/1.0 2:44/1.0 2:46/1.0 3:50/1.0 3:30/1.0	(4.9) 98%	(4.7) 94%						
	1,971.4	44.7									1,971.4 44.7	
Boring Terminated at Elevation 1,971.4 ft IN CRYSTALLINE ROCK (MUSCOVITE-BIOTITE GNEISS)												

CORE PHOTOGRAPHS



B1-A

BOX 1: 26.0 - 34.7 FEET
GSI: 50 - 60



B1-A

BOX 2: 19.8 - 24.8 FEET
GSI: 55 - 65



GEOTECHNICAL BORING REPORT

BORE LOG

WBS				DF18313.2011461				TIP				NO TIP				COUNTY				BUNCOMBE				GEOLOGIST				Stewman, C. E.																																											
SITE DESCRIPTION																				TEMP REPLACE BRDG NO. 0552 OVER THE SWANNANOA RIVER AT AZALEA RD																				GROUND WTR (ft)																															
BORING NO.								B1-B								STATION								N/A								OFFSET								N/A								ALIGNMENT								N/A								0 HR.				Caved			
COLLAR ELEV.								2,015.2 ft								TOTAL DEPTH								39.0 ft								NORTHING								684,931								EASTING								961,341								24 HR.				Caved			
DRILL RIG/HAMMER EFF./DATE												AFO8963 CME-550X 84% 04/26/2024												DRILL METHOD								NW Casing W/SPT & Core								HAMMER TYPE								Automatic																							
DRILLER								Coffey, Jr., C.								START DATE								03/19/26								COMP. DATE								03/19/26								SURFACE WATER DEPTH																N/A							
ELEV (ft)		DRIVE ELEV (ft)		DEPTH (ft)		BLOW COUNT			BLOWS PER FOOT										SAMP. NO.		MOI		LOG		SOIL AND ROCK DESCRIPTION																																														
						0.5ft 0.5ft 0.5ft			0 25 50 75 100																																																														
2020																																																																							
2015																									2,015.2 GROUND SURFACE 0.0																																														
2010		2,010.9		4.3		100/0.2			100/0.2												W				ALLUVIAL BROWN SILT-SAND w/ ANGULAR GRAVELS AND COBBLES (A-2)																																														
2005		2,005.9		9.3		12 6 3			9												M				2,006.9 8.3 SAPROLITE DRK BROWN, BLACK SAND-SILT w/ MICA																																														
2000		2,000.9		14.3		61 29/0.2			100/0.7																2,001.3 13.9 WEATHERED ROCK DRK BROWN, BLACK SEV. WEATHERED ROCK w/ MICA																																														
1995		1,998.2		17.0		60/0.05			60/0.05																1,998.2 17.0 CRYSTALLINE ROCK MUSCOVITE - BIOTITE GNEISS (ASHE METAMORPHIC SUITE)																																														
1990																																																																							
1985																																																																							
1980																																																																							
																									1,976.2 39.0 Boring Terminated at Elevation 1,976.2 ft IN CRYSTALLINE ROCK (MUSCOVITE-BIOTITE GNEISS)																																														


GEOTECHNICAL BORING REPORT CORE LOG

WBS DF18313.2011461				TIP NO TIP		COUNTY BUNCOMBE		GEOLOGIST Stewman, C. E.			
SITE DESCRIPTION TEMP REPLACE BRDG NO. 0552 OVER THE SWANNANOA RIVER AT AZALEA RD								GROUND WTR (ft)			
BORING NO. B1-B				STATION N/A		OFFSET N/A		ALIGNMENT N/A		0 HR. Caved	
COLLAR ELEV. 2,015.2 ft				TOTAL DEPTH 39.0 ft		NORTHING 684,931		EASTING 961,341		24 HR. Caved	
DRILL RIG/HAMMER EFF./DATE AFO8963 CME-550X 84% 04/26/2024						DRILL METHOD NW Casing W/SPT & Core		HAMMER TYPE Automatic			
DRILLER Coffey, Jr., C.				START DATE 03/19/26		COMP. DATE 03/19/26		SURFACE WATER DEPTH N/A			
CORE SIZE NXWL				TOTAL RUN 22.0 ft							
ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN REC. (ft) %	RQD (ft) %	SAMP. NO.	STRATA REC. (ft) %	RQD (ft) %	L O G	DESCRIPTION AND REMARKS
1998.18	1,998.2	17.0	2.0	1:39/1.0	(0.7)	(0.4)					Continued from previous page
	1,996.2	19.0		1:39/1.0	35%	18%					CRSTALLINE ROCK
1995			5.0	1:41/1.0	(2.4)	(0.4)					
				1:14/1.0	48%	7%					
				1:14/1.0							
				1:20/1.0							
				1:28/1.0							
1990	1,991.2	24.0		1:40/1.0							
			5.0	1:44/1.0	(4.0)	(1.3)					
				1:19/1.0	80%	26%					
				1:20/1.0							
				1:31/1.0							
				1:33/1.0							
1985	1,986.2	29.0		1:47/1.0	(5.0)	(4.8)					
			5.0	1:45/1.0	100%	96%					
				2:14/1.0							
				2:11/1.0							
1980	1,981.2	34.0		2:47/1.0							
			5.0	2:40/1.0	(5.0)	(4.4)					
				2:31/1.0	100%	88%					
				2:38/1.0							
	1,976.2	39.0		3:07/1.0							
											Boring Terminated at Elevation 1,976.2 ft IN CRYSTALLINE ROCK (MUSCOVITE-BIOTITE GNEISS)

CORE PHOTOGRAPHS



B1-B

BOX 1: 17.0 - 31.1 FEET
GSI: 30 - 40



B1-B

BOX 2: 31.1 - 39.0 FEET
GSI: 50 - 60



GEOTECHNICAL BORING REPORT
BORE LOG

WBS DF18313.2011461			TIP NO TIP			COUNTY BUNCOMBE			GEOLOGIST Stewman, C. E.						
SITE DESCRIPTION TEMP REPLACE BRDG NO. 0552 OVER THE SWANNANOA RIVER AT AZALEA RD												GROUND WTR (ft)			
BORING NO. EB2-A			STATION N/A			OFFSET N/A			ALIGNMENT N/A			0 HR. N/A			
COLLAR ELEV. 2,020.0 ft			TOTAL DEPTH 15.0 ft			NORTHING 684,839			EASTING 961,425			24 HR. N/A			
DRILL RIG/HAMMER EFF./DATE AFO8963 CME-550X 84% 04/26/2024						DRILL METHOD NW Casing w/ SPT				HAMMER TYPE Automatic					
DRILLER Coffey, Jr., C.			START DATE 03/10/26			COMP. DATE 03/10/26			SURFACE WATER DEPTH N/A						
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100				ELEV. (ft)	DEPTH (ft)
2025															
2020														2,020.0	GROUND SURFACE 0.0
2015	2,015.0	5.0												ALLUVIAL BROWN, HARD SAND-SILT w/TR. ROUNDED PEBBLES (A-4) **IN/OUT COBBLES/SMALL BOULDERS**	
2010	2,010.0	10.0	10	30	26						M			2,012.0	8.0
			16	9	33						M			SAPROLITE BROWN-BLACK, V. MICACEOUS, SAND-SILT, w/MnO SEAMS T/O (A-4)	
	2,005.0	15.0	60/0.0											2,005.0	15.0
														CRYSTALLINE ROCK V. HARD, MUSCOVITE-BIOTITE GNEISS Boring Terminated WITH STANDARD PENETRATION TEST REFUSAL at Elevation 2,005.0 ft ON CRYSTALLINE ROCK (MUSCOVITE-BIOTITE GNEISS)	

NCDOT BORE DOUBLE 10_GEO_BRDG0552_DF18313.2011461_BUNCOMBE_TEMP_BOREHOLES.GPJ NC_DOT.GDT 4/2/26

GEOTECHNICAL BORING REPORT
BORE LOG

WBS DF18313.2011461			TIP NO TIP		COUNTY BUNCOMBE		GEOLOGIST Stewman, C. E.							
SITE DESCRIPTION TEMP REPLACE BRDG NO. 0552 OVER THE SWANNANOA RIVER AT AZALEA RD								GROUND WTR (ft)						
BORING NO. EB2-B			STATION N/A			OFFSET N/A		ALIGNMENT N/A		0 HR. N/A				
COLLAR ELEV. 2,020.4 ft			TOTAL DEPTH 24.8 ft			NORTHING 684,826		EASTING 961,407		24 HR. 6.3				
DRILL RIG/HAMMER EFF./DATE AFO8963 CME-550X 84% 04/26/2024						DRILL METHOD NW Casing W/SPT & Core			HAMMER TYPE Automatic					
DRILLER Coffey, Jr., C.			START DATE 03/09/26			COMP. DATE 03/09/26		SURFACE WATER DEPTH N/A						
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION
			0.5ft	0.5ft	0.5ft	0	25	50	75	100				
2025														
2020														
2015	2,015.4	5.0	14	14	28									2,020.4 GROUND SURFACE 0.0
2010	2,010.4	10.0	60/0.1											ALLUVIAL BROWN V. DENSE SILT-SAND w/ GRAVELS (A-2) ***IN/OUT BOULDERS @6.2'
2005														2,012.3 8.1
2000														2,010.4 10.0
														CRYSTALLINE ROCK MUSCOVITE - BIOTITE GNEISS (ASHE METAMORPHIC SUITE) LIGHT TO DARK GRAY, MODERATE TO SLIGHT WEATHERING, MEDIUM HARD WITH CLOSE TO MOD. CLOSE FRACTURE SPACING
														1,995.6 24.8
														Boring Terminated at Elevation 1,995.6 ft IN CRYSTALLINE ROCK (MUSCOVITE-BIOTITE GNEISS)

GEOTECHNICAL BORING REPORT
CORE LOG


SHEET 10

WBS DF18313.2011461				TIP NO TIP				COUNTY BUNCOMBE				GEOLOGIST Stewman, C. E.					
SITE DESCRIPTION TEMP REPLACE BRDG NO. 0552 OVER THE SWANNANOA RIVER AT AZALEA RD												GROUND WTR (ft)					
BORING NO. EB2-B				STATION N/A				OFFSET N/A				ALIGNMENT N/A				0 HR. N/A	
COLLAR ELEV. 2,020.4 ft				TOTAL DEPTH 24.8 ft				NORTHING 684,826				EASTING 961,407				24 HR. 6.3	
DRILL RIG/HAMMER EFF./DATE AFO8963 CME-550X 84% 04/26/2024								DRILL METHOD NW Casing W/SPT & Core				HAMMER TYPE Automatic					
DRILLER Coffey, Jr., C.				START DATE 03/09/26				COMP. DATE 03/09/26				SURFACE WATER DEPTH N/A					
CORE SIZE NXWL				TOTAL RUN 13.8 ft													
ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN REC. (ft) %	RQD (ft) %	SAMP. NO.	STRATA REC. (ft) %	RQD (ft) %	L O G	DESCRIPTION AND REMARKS						
2009.4	2,009.4	11.0	3.8	2:17/0.8 3:03/1.0 3:00/1.0 2:07/1.0	(3.5) 92%	(1.3) 34%					Continued from previous page						
2005	2,005.6	14.8	5.0	1:25/1.0 1:20/1.0 1:53/1.0 2:03/1.0 1:37/1.0	(5.0) 100%	(3.0) 60%					CRYSTALLINE ROCK MUSCOVITE - BIOTITE GNEISS (ASHE METAMORPHIC SUITE) LIGHT TO DARK GRAY, MODERATE TO SLIGHT WEATHERING, MEDIUM HARD WITH CLOSE TO MOD. CLOSE FRACTURE SPACING (continued)						
	2,000.6	19.8	5.0	2:34/1.0 1:19/1.0 2:16/1.0 3:01/1.0 3:48/1.0	(4.3) 86%	(2.1) 42%											
2000	1,995.6	24.8									1,995.6	24.8 Boring Terminated at Elevation 1,995.6 ft IN CRYSTALLINE ROCK (MUSCOVITE-BIOTITE GNEISS)					

CORE PHOTOGRAPHS


EB2-B

BOX 1: 11.0 - 19.8 FEET
GSI: 35 - 45



EB2-B

BOX 2: 19.8 - 24.8 FEET
GSI: 50 - 60



GEOTECHNICAL BORING REPORT

BORE LOG

WBS				DF18313.2011461				TIP				NO TIP				COUNTY				BUNCOMBE				GEOLOGIST				Stewman, C. E.																									
SITE DESCRIPTION																				TEMP REPLACE BRDG NO. 0552 OVER THE SWANNANOA RIVER AT AZALEA RD										GROUND WTR (ft)																							
BORING NO.						RW-1						STATION						N/A						OFFSET						N/A						ALIGNMENT						N/A						0 HR.		N/A			
COLLAR ELEV.						2,020.6 ft						TOTAL DEPTH						18.2 ft						NORTHING						684,816						EASTING						961,457						24 HR.		N/A			
DRILL RIG/HAMMER EFF./DATE												AFO8963 CME-550X 84% 04/26/2024												DRILL METHOD						NW Casing w/ SPT						HAMMER TYPE						Automatic											
DRILLER						Worley, J. D.						START DATE						03/10/26						COMP. DATE						03/10/26						SURFACE WATER DEPTH												N/A					
ELEV (ft)		DRIVE ELEV (ft)		DEPTH (ft)		BLOW COUNT			BLOWS PER FOOT										SAMP. NO.		MOI		LOG		SOIL AND ROCK DESCRIPTION																												
						0.5ft 0.5ft 0.5ft			0 25 50 75 100																DEPTH (ft)																												
2025																																																					
2020																									2,020.6 GROUND SURFACE 0.0																												
2015		2,015.6		5.0		16 38 26													M				ALLUVIAL FLOOD DEPOSITS, TAN-BROWN, DENSE SILT-SAND w/SUB-ROUNDED GRAVELS (A-2) **IN/OUT COBBLES/SMALL BOULDERS**																														
2010		2,010.6		10.0		1 3 3													M				2,011.9 8.7 SAPROLITE BLACK-BROWN, V. MIC., SOFT SAND-SILT w/MnO PRESENT (A-4)																														
2005		2,005.6		15.0		47 32 68/0.1																			2,005.6 15.0 WEATHERED ROCK BLACK-BROWN, SEV. WEATHERED MICA GNEISS w/MnO SEAMS																												
		2,002.4		18.2		60/0.0																			2,002.4 18.2 CRYSTALLINE ROCK V. HARD, MUSCOVITE-BIOTITE GNEISS Boring Terminated WITH STANDARD PENETRATION TEST REFUSAL at Elevation 2,002.4 ft ON CRYSTALLINE ROCK (MUSCOVITE-BIOTITE GNEISS)																												

NCDOT BORE DOUBLE 10 GEO BRDG0552 DF18313.2011461 BUNCOMBE_TEMP_BOREHOLES.GPJ NC DOT.GDT 4/2/26