# STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION



**DIVISION 13 TRAFFIC SERVICES** 

# **CONTRACT PROPOSAL**

CONTRACT NUMBER: 11348036

**ROUTE:** Various

COUNTY: Buncombe, Burke, Madison, McDowell, Mitchell, Rutherford, and Yancey

DESCRIPTION: Blanket Contract for Traffic Signal Construction in Division 13 on an As Need Basis

BID OPENING: Wednesday, March 19, 2014 @ 2:00 PM

NOTICE:

ALL BIDDERS SHALL COMPLY WITH ALL APPLICABLE LAWS REGULATING THE PRACTICE OF GENERAL CONTRACTING AS CONTAINED IN CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA WHICH REQUIRES THE BIDDER TO BE LICENSED BY THE N.C. LICENSING BOARD FOR CONTRACTORS WHEN BIDDING ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$30,000 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD. BIDDERS SHALL ALSO COMPLY WITH ALL OTHER APPLICABLE LAWS REGULATING THE PRACTICES OF ELECTRICAL, PLUMBING, HEATING AND AIR CONDITIONING AND REFRIGERATION CONTRACTING AS CONTAINED IN CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA.

NAME OF BIDDER

N.C. CONTRACTOR'S LICENSE NUMBER

ADDRESS OF BIDDER

RETURN BIDS TO: North Carolina Department of Transportation 55 Orange St Asheville, North Carolina 28801 Attn: Mr. Mike Calloway, Division Project Manager

PAYMENT AND PERFORMANCE BONDS REQUIRED. ALL BONDS SHALL BE IN ACCORDANCE WITH SECTION 103-7 OF THE 2012 STANDARD SPECIFICATIONS

# PROPOSAL FOR THE CONSTRUCTION OF CONTRACT NUMBER 11348036 IN BUNCOMBE, BURKE, MADISON, McDOWELL, MITCHELL, RUTHERFORD, AND YANCEY COUNTY, NORTH CAROLINA

Date\_\_\_\_\_\_20\_\_\_

# DEPARTMENT OF TRANSPORTATION,

#### ASHEVILLE, NORTH CAROLINA

The Bidder has carefully examined the location of the proposed work to be known as **Contract Number <u>11348036</u>**; has carefully examined the plans and specifications, which are acknowledged to be part of the proposal, the special provisions, the proposal, the form of contract, and the forms of contract payment bond and contract performance bond; and thoroughly understands the stipulations, requirements and provisions. The undersigned bidder agrees to bound upon his execution of the bid and subsequent award to him by the Department of Transportation in accordance with this proposal to provide the necessary contract payment bond and contract performance bond within fourteen days after the written notice of award is received by him. The undersigned Bidder further agrees to provide all necessary machinery, tools, labor, and other means of construction; and to do all the work and to furnish all materials, except as otherwise noted, necessary to perform and complete the said contract in accordance with *the 2012 Standard Specifications for Roads and Structures* by the dates(s) specified in the Project Special Provisions and in accordance with the requirements of the Engineer, and at the unit or lump sum prices, as the case may be, for the various items given on the sheets contained herein.

The Bidder shall provide and furnish all the materials, machinery, implements, appliances and tools, and perform the work and required labor to construct and complete **State Highway Contract Number <u>11348036</u>** in **Buncombe, Burke, Madison, McDowell, Mitchell, Rutherford, and Yancey County**, for the unit or lump sum prices, as the case may be, bid by the Bidder in his bid and according to the proposal, plans, and specifications prepared by said Department, which proposal, plans, and specifications show the details covering this project, and hereby become a part of this contract.

The published volume entitled North Carolina Department of Transportation, Raleigh, Standard Specifications for Roads and Structures, January 2012 with all amendments and supplements thereto, is by reference incorporated into and made a part of this contract; that, except as herein modified, all the construction and work included in this contract is to be done in accordance with the specifications contained in said volume, and amendments and supplements thereto, under the direction of the Engineer.

If the proposal is accepted and the award is made, the contract is valid only when signed either by the Contract Officer or such other person as may be designated by the Secretary to sign for the Department of Transportation. The conditions and provisions herein cannot be changed except over the signature of the said Contract Officer or Division Engineer.

The quantities shown in the itemized proposal for the project are considered to be approximate only and are given as the basis for comparison of bids. The Department of Transportation may increase or decrease the quantity of any item or portion of the work as may be deemed necessary or expedient.

An increase or decrease in the quantity of an item will not be regarded as sufficient ground for an increase or decrease in the unit prices, nor in the time allowed for the completion of the work, except as provided for the contract.

Division 13Project Manager

| COVER SHEET                               |       |
|---|-------|
| PROPOSAL SHEET                            |       |
| INSTRUCTIONS TO BIDDER                    |       |
| PROJECT SPECIAL PROVISIONS GENERAL        | 6-24  |
| SCOPE                                     | 6     |
| PRE-CONSTRUCTION CONFERENCE               | 6     |
| CONTRACT TIME AND LIQUIDATED DAMAGES      |       |
| PERFORMANCE & PAYMENT BOND REQUIREMENTS   | 7     |
| CONTRACT PERIOD                           |       |
| NO MAJOR CONTRACT ITEMS                   | 7     |
| NO SPECIALTY ITEMS                        |       |
| DISADVANTAGED BUSINESS ENTERPRISE         |       |
| CERTIFICATION FOR FEDERAL-AID CONTRACTS   |       |
| CONTRACTOR'S LICENSE REQUIREMENTS         |       |
| U.S. DEPARTMENT OF TRANSPORTATION HOTLINE |       |
| SUBSURFACE INFORMATION                    |       |
| LOCATING UNDERGROUND UTILITIES            |       |
| RESOURCE CONSERVATION                     |       |
| SUBSURFACE INFORMATION                    |       |
| DOMESTIC STEEL                            |       |
| COOPERATION BETWEEN CONTRACTORS           |       |
| GIFTS FROM VENDORS AND CONTRACTORS        |       |
| EMPLOYMENT                                |       |
| STATE HIGHWAY ADMINISTRATOR TITLE CHANGE  |       |
| PROJECT SPECIAL PROVISIONS ROADWAY        | 25-51 |
| MOBILIZATIONS                             |       |
| SUPERVISION BY CONTRACTOR                 |       |
| UTILITY CONFLICTS                         |       |
| NOTIFICATION OF OPERATIONS                |       |
| INSPECTION                                |       |
| OBSERVATION PERIOD                        |       |
| SITE CLEANUP                              |       |
| SEEDING AND MULCHING                      |       |
| ELECTRICAL CODES AND INSPECTIONS          |       |
| STATE FURNISHED MATERIALS                 |       |
| RISER WITH WEATHERHEAD                    |       |
| INSTALL METER SERVICE                     |       |
| INSTALL METER SERVICE AND DISCONNECT      |       |
| STRAP WIRES TO EXISTING SPAN              |       |
| OVERHEAD LEAD-IN                          |       |
| UNDERGROUND LEAD-IN (in existing conduit) |       |

# **Table of Contents**

| ANCHOR AND GUY ASSEMBLIES                             |       |
|---|-------|
| EXCAVATION OF ROCK                                    |       |
| CONTRACTOR SUPPLIED WOOD POLES                        | 31    |
| NCDOT FURNISHED POLES                                 | 31    |
| WOOD POLE REMOVAL                                     | 32    |
| METAL STRAIN POLES                                    |       |
| METAL POLE FOUNDATION                                 |       |
| METAL POLE WITH MAST ARMS(S)                          |       |
| FOUNDATIONS AND ANCHOR ROD ASSEMBLIES FOR METAL POLES | 34    |
| MATERIALS   |       |
| WORK ZONE TRAFFIC CONTROL GENERAL REQUIREMENTS        |       |
| STANDARD SPECIAL PROVISIONS                           | 52-85 |
| AVAILABILITY OF FUNDS-TERMINATION OF CONTRACTS        | 52    |
| ERRATA  | 53-54 |
| PLANT AND PEST QUARANTINES                            |       |
| AWARD OF CONTRACT                                     |       |
| MINORITY AND FEMALE EMPLOYMENT REQUIREMENTS           |       |
| REQUIRED CONTRACT PROVISIONS FEDERAL-AID CONSTRUCTION |       |
| CONTRACTS   |       |
| ON-THE-JOB TRAINING                                   |       |
| MINIMUM WAGES   |       |
| LISTING OF DBE SUBCONTRACTORS                         | 84-85 |
|   |       |
| DIVISION CONTRACT BID FORM AND RELATED SIGNATURE SHTS | 86-97 |
| DIVISION CONTRACT BID FORM                            | 86-88 |
| NON-COLLUSION AFFIDAVIT, DEBARMENT CERTIFICATION      |       |
| AND GIFT BAN CERTIFICATION                            | 89-96 |

# **INSTRUCTIONS TO BIDDERS**

#### PLEASE READ ALL INSTRUCTIONS CAREFULLY BEFORE PREPARING AND SUBMITTING YOUR BID.

All bids shall be prepared and submitted in accordance with the following requirements. Failure to comply with any requirement shall cause the bid to be considered irregular and shall be grounds for rejection of the bid.

- 1. The bid sheet furnished by NCDOT with the proposal shall be used and shall not be altered in any manner. THE ENTIRE PROPOSAL WITH THE BID SHEET COMPLETED ALONG WITH ANY ADDENDA SHALL BE SUBMITTED IN ORDER FOR THE BID TO BE CONSIDERED FOR AWARD. (SEE ITEM #11 BELOW)
- 2. All entries on the bid sheet, including signatures, shall be written in ink.
- 3. The Bidder shall submit a unit price for every item on the bid form. The unit prices for the various contract items shall be written in figures. UNIT PRICES SHALL BE ROUNDED OFF BY THE BIDDER TO CONTAIN NO MORE THAN FOUR DECIMAL PLACES.
- 4. An amount bid shall be entered on the bid sheet for every item. The amount bid for each item shall be determined by multiplying each unit bid by the quantity for that item, and shall be written in figures in the "Amount Bid" column of the sheet.
- 5. The total amount bid shall be written in figures in the proper place on the bid sheet. The total amount shall be determined by adding the amounts bid for each item.
- 6. Changes in any entry shall be made by marking through the entry in ink and making the correct entry adjacent thereto in ink. A representative of the Bidder shall initial the change in ink.
- 7. The bid shall be properly executed. All bids shall show the following information:
  - a. Name of individual, firm, corporation, partnership, or joint venture submitting bid.
  - b. Name and signature of individual or representative submitting bid and position or title.
  - c. Name, signature, and position or title of witness.
  - d. Federal Identification Number (or Social Security Number of Individual)
  - e. Contractor's License Number (if Applicable)
- 8. Bids submitted by corporations shall bear the seal of the corporation.
- 9. The bid shall not contain any unauthorized additions, deletions, or conditional bids.
- **10.** The bidder shall not add any provision reserving the right to accept or reject an award, or to enter into a contract pursuant to an award.
- 11. THE ENTIRE PROPOSAL WITH THE BID SHEET, AS WELL AS ANY PROJECT ADDENDA SHOULD BE STAPLED OR OTHERWISE SECURELY FASTENED AND SHALL BE PLACED IN A SEALED ENVELOPE AND SHALL HAVE BEEN DELIVERED TO AND RECEIVED IN THE DIVISION ENGINEER'S OFFICE AT 55 ORANGE STREET, ASHEVILLE, NC BY 2:00 P.M. ON WEDNESDAY, MARCH 19, 2014.
- 12. The sealed bid must display the following statement on the front of the sealed envelope:

#### QUOTATION FOR CONTRACT NUMBER 11348036 - BLANKET CONTRACT FOR TRAFFIC SIGNAL CONSTRUCTION IN DIVISION 13 ON AN AS NEED BASIS TO BE OPENED AT 2:00 PM, WEDNESDAY, MARCH 19, 2014.

#### ATTN: MIKE CALLOWAY, DIVISION PROJECT MANAGER

**13.** If delivered by mail, the sealed envelope shall be placed in another sealed envelope and the outer envelope shall be addressed as follows:

Mike Calloway Division Project Manager N. C. Department of Transportation 55 Orange Street Asheville N.C 28801

## **PROJECT SPECIAL PROVISIONS**

## **GENERAL**

#### **SCOPE**

This contract is for the installation of signal heads, spanwire, signal cable, cabinets, detector loops/sealant and emergency repairs for traffic signal installations, upgrades, and emergency construction and repair at various locations in Buncombe, Burke, Madison, McDowell, Mitchell, Rutherford, and Yancey County on an as needed basis. The Contractor will furnish labor, equipment, traffic control and some materials.

All work and materials shall be in accordance with the provisions of this contract, the North Carolina Department of Transportation 2012 NCDOT Standard Specifications for Roads and Structures (Standard Specifications), the 2012 NCDOT Roadway Standard Drawings (Standard Drawings), the current NCDOT Metal Pole Standards, the current National Electric Code (NEC), the current National Electrical Safety Code (NESC), the 2009 Manual of Uniform Traffic Control Devices (MUTCD) and the 2009 North Carolina Supplement to the Manual of Uniform Traffic Control Devices (NCMUTCD) The current edition of these specifications and publications in effect on the date of advertisement will apply.

#### **PRE-CONSTRUCTION CONFERENCE**

After receipt of notice of execution, the Department and the Contractor will establish a mutually agreeable date and time on which the pre-construction conference will be held. The Contractor's project superintendent and other individuals representing the Contractor who will be responsible for the Contractor's progress schedule and who will be in charge of the completion and quality of the items of work shall attend the pre-construction conference.

# CONTRACT TIME AND LIQUIDATED DAMAGES: (7 1-95) (Rev. 12-18-07) 108

SP1 G10 A

The date of availability for this contract is April 17, 2014.

The completion date for this contract is April 16, 2015.

Except where otherwise provided by the contract, observation periods required by the contract will not be a part of the work to be completed by the completion date and/or intermediate contract times stated in the contract. The acceptable completion of the observation periods that extend beyond the final completion date shall be a part of the work covered by the performance and payment bonds.

Work deployments for this contract will be in the form of mobilizations on an **as needed basis**. The liquidated damages for a Normal Mobilization are One Thousand Dollars (\$1,000.00) per calendar day, for a High Priority Mobilization are One Thousand Dollars (\$1,000.00) per calendar day, and for an Emergency Mobilization are Twenty Five Hundred (\$2,500.00) per hour. See MOBILIZATIONS in PROJECT SPECIAL PROVISIONS ROADWAY for additional information regarding specifics of these liquidated damages.

#### PERFORMANCE BOND AND PAYMENT BOND REQUIREMENTS

Payment and Performance Bonds will be required by the Department for this contract.

- (A) The successful Bidder, at the time of the execution of the contract, shall provide a contract performance bond in the amount of one hundred percent (100%) of the contract amount, conditioned upon the faithful performance of the contract in accordance with the plans, specifications and conditions of the contract. Such bond shall be solely for the protection of the contracting body which awarded the contract.
- (B) The successful Bidder, at the time of the execution of the contract, shall provide a contract payment bond in the amount of one hundred percent (100%) of the contract amount, conditioned upon the prompt payment for all labor or materials for which a contractor or sub-contractor is liable. The payment bond shall be solely for the protection of the persons furnishing materials or performing labor for which a contractor or subcontractor is liable.

The performance bond and the payment bond shall be executed by one or more surety companies legally authorized to do business in the State of North Carolina and become effective upon the awarding of the construction contract.

#### **CONTRACT PERIOD**

The Contractor shall submit his or her bid for one year. At the option of the Department, this contract may be extended for two (2) additional periods of one (1) year each (maximum three (3) years total). The unit bid prices will be adjusted 3% per year for the duration of the contract. No changes in the terms, condition, etc. of this contract will be made when an extension of the contract is implemented The Engineer will notify the Contractor in writing within sixty (60) days of the original contract completion date if the contract may be extended. The Contractor must notify the Engineer in writing within forty-five (45) days of the original contract completion date of his acceptance or rejection of this offer. Failure on the part of the Contractor to reply will be received as a rejection of contract extension.

| NO MAJOR CONTRACT ITEMS:<br>(2-19-02) (Rev. 8-21-07)   | 104   | SP1 G31 |  |
|--|-------|---------|--|
| None of the items included in this contract will be major items.   |       |         |  |
| NO SPECIALTY ITEMS:<br>(7-1-95)  | 108-6 | SP1 G34 |  |
| None of the items included in this contract will be specialty items (see Article 108-6 of the 2012 Standard Specifications). |       |         |  |

#### **DISADVANTAGED BUSINESS ENTERPRISE (DIVISIONS):**

(10-16-07)(Rev.12-17-13)

102-15(J)

SP1 G62

#### Description

The purpose of this Special Provision is to carry out the U.S. Department of Transportation's policy of ensuring nondiscrimination in the award and administration of contracts financed in whole or in part with Federal funds. This provision is guided by 49 CFR Part 26.

#### Definitions

Additional DBE Subcontractors - Any DBE submitted at the time of bid that will <u>not</u> be used to meet the DBE goal. No submittal of a Letter of Intent is required.

*Committed DBE Subcontractor* - Any DBE submitted at the time of bid that is being used to meet the DBE goal by submission of a Letter of Intent. Or any DBE used as a replacement for a previously committed DBE firm.

*Contract Goal Requirement* - The approved DBE participation at time of award, but not greater than the advertised contract goal.

*DBE Goal* - A portion of the total contract, expressed as a percentage, that is to be performed by committed DBE subcontractor(s).

*Disadvantaged Business Enterprise (DBE)* - A firm certified as a Disadvantaged Business Enterprise through the North Carolina Unified Certification Program.

*Goal Confirmation Letter* - Written documentation from the Department to the bidder confirming the Contractor's approved, committed DBE participation along with a listing of the committed DBE firms.

*Manufacturer* - A firm that operates or maintains a factory or establishment that produces on the premises, the materials or supplies obtained by the Contractor.

*Regular Dealer* - A firm that owns, operates, or maintains a store, warehouse, or other establishment in which the materials or supplies required for the performance of the contract are bought, kept in stock, and regularly sold to the public in the usual course of business. A regular dealer engages in, as its principal business and in its own name, the purchase and sale or lease of the products in question. A regular dealer in such bulk items as steel, cement, gravel, stone, and petroleum products need not keep such products in stock, if it owns and operates distribution equipment for the products. Brokers and packagers are not regarded as manufacturers or regular dealers within the meaning of this section.

*North Carolina Unified Certification Program (NCUCP)* - A program that provides comprehensive services and information to applicants for DBE certification, such that an applicant is required to apply only once for a DBE certification that will be honored by all

recipients of USDOT funds in the state and not limited to the Department of Transportation only. The Certification Program is in accordance with 49 CFR Part 26.

*United States Department of Transportation (USDOT)* - Federal agency responsible for issuing regulations (49 CFR Part 26) and official guidance for the DBE program.

#### Forms and Websites Referenced in this Provision

*DBE Payment Tracking System* - On-line system in which the Contractor enters the payments made to DBE subcontractors who have performed work on the project. https://apps.dot.state.nc.us/Vendor/PaymentTracking/

DBE-IS *Subcontractor Payment Information* - Form for reporting the payments made to all DBE firms working on the project. This form is for paper bid projects only. http://www.ncdot.org/doh/forms/files/DBE-IS.xls

RF-1 *DBE Replacement Request Form* - Form for replacing a committed DBE. http://connect.ncdot.gov/projects/construction/Construction%20Forms/DBE%20MBE%20WBE %20Replacement%20Request%20Form.pdf

SAF *Subcontract Approval Form* - Form required for approval to sublet the contract. http://connect.ncdot.gov/projects/construction/Construction%20Forms/Subcontract%20Approval %20Form%20Rev.%202012.zip

JC-1 *Joint Check Notification Form* - Form and procedures for joint check notification. The form acts as a written joint check agreement among the parties providing full and prompt disclosure of the expected use of joint checks.

http://connect.ncdot.gov/projects/construction/Construction%20Forms/Joint%20Check%20Notif ication%20Form.pdf

*Letter of Intent* - Form signed by the Contractor and the DBE subcontractor, manufacturer or regular dealer that affirms that a portion of said contract is going to be performed by the signed DBE for the amount listed at the time of bid.

http://connect.ncdot.gov/letting/LetCentral/Letter%20of%20Intent%20to%20Perform%20as%20 a%20Subcontractor.pdf

*Listing of DBE Subcontractors Form* - Form for entering DBE subcontractors on a project that will meet this DBE goal. This form is for paper bids only.

http://connect.ncdot.gov/municipalities/Bid%20Proposals%20for%20LGA%20Content/08%20D BE%20Subcontractors%20(Federal).doc

*Subcontractor Quote Comparison Sheet* - Spreadsheet for showing all subcontractor quotes in the work areas where DBEs quoted on the project. This sheet is submitted with good faith effort packages.

http://connect.ncdot.gov/business/SmallBusiness/Documents/DBE%20Subcontractor%20Quote %20Comparison%20Example.xls

# **DBE Goal**

The following DBE goal for participation by Disadvantaged Business Enterprises is established for this contract:

Disadvantaged Business Enterprises 0%

- (A) *If the DBE goal is more than zero*, the Contractor shall exercise all necessary and reasonable steps to ensure that DBEs participate in at least the percent of the contract as set forth above as the DBE goal.
- (B) *If the DBE goal is zero*, the Contractor shall make an effort to recruit and use DBEs during the performance of the contract. Any DBE participation obtained shall be reported to the Department.

#### **Directory of Transportation Firms (Directory)**

Real-time information is available about firms doing business with the Department and firms that are certified through NCUCP in the Directory of Transportation Firms. Only firms identified in the Directory as DBE certified shall be used to meet the DBE goal. The Directory can be found at the following link. https://partner.ncdot.gov/VendorDirectory/default.html

The listing of an individual firm in the directory shall not be construed as an endorsement of the firm's capability to perform certain work.

#### **Listing of DBE Subcontractors**

At the time of bid, bidders shall submit <u>all</u> DBE participation that they anticipate to use during the life of the contract. Only those identified to meet the DBE goal will be considered committed, even though the listing shall include both committed DBE subcontractors and additional DBE subcontractors. Additional DBE subcontractor participation submitted at the time of bid will be used toward the Department's overall race-neutral goal. Only those firms with current DBE certification at the time of bid opening will be acceptable for listing in the bidder's submittal of DBE participation. The Contractor shall indicate the following required information:

- (A) If the DBE goal is more than zero,
  - (1) Bidders, at the time the bid proposal is submitted, shall submit a listing of DBE participation, including the names and addresses on *Listing of DBE Subcontractors* contained elsewhere in the contract documents in order for the bid to be considered responsive. Bidders shall indicate the total dollar value of the DBE participation for the contract.

- (2) If bidders have no DBE participation, they shall indicate this on the *Listing of DBE Subcontractors* by entering the word "None" or the number "0." This form shall be completed in its entirety. <u>Blank forms will not be deemed to represent</u> <u>zero participation</u>. Bids submitted that do not have DBE participation indicated on the appropriate form will not be read publicly during the opening of bids. The Department will not consider these bids for award and the proposal will be rejected.
- (3) The bidder shall be responsible for ensuring that the DBE is certified at the time of bid by checking the Directory of Transportation Firms. If the firm is not certified at the time of the bid-letting, that DBE's participation will not count towards achieving the DBE goal.
- (B) If the DBE goal is zero, entries on the Listing of DBE Subcontractors are not required, however any DBE participation that is achieved during the project shall be reported in accordance with requirements contained elsewhere in the special provision.

#### **DBE Prime Contractor**

When a certified DBE firm bids on a contract that contains a DBE goal, the DBE firm is responsible for meeting the goal or making good faith efforts to meet the goal, just like any other bidder. In most cases, a DBE bidder on a contract will meet the DBE goal by virtue of the work it performs on the contract with its own forces. However, all the work that is performed by the DBE bidder and any other DBE subcontractors will count toward the DBE goal. The DBE bidder shall list itself along with any DBE subcontractors, if any, in order to receive credit toward the DBE goal.

For example, if the DBE goal is 45% and the DBE bidder will only perform 40% of the contract work, the prime will list itself at 40%, and the additional 5% shall be obtained through additional DBE participation with DBE subcontractors or documented through a good faith effort.

DBE prime contractors shall also follow Sections A or B listed under *Listing of DBE Subcontractor* just as a non-DBE bidder would.

#### Written Documentation – Letter of Intent

The bidder shall submit written documentation for each DBE that will be used to meet the DBE goal of the contract, indicating the bidder's commitment to use the DBE in the contract. This documentation shall be submitted on the Department's form titled *Letter of Intent*.

The documentation shall be received in the office of the Engineer no later than 12:00 noon of the sixth calendar day following opening of bids, unless the sixth day falls on Saturday, Sunday or an official state holiday. In that situation, it is due in the office of the Engineer no later than 12:00 noon on the next official state business day.

If the bidder fails to submit the Letter of Intent from each committed DBE to be used toward the DBE goal, or if the form is incomplete (i.e. both signatures are not present), the DBE participation will not count toward meeting the DBE goal. If the lack of this participation drops the commitment below the DBE goal, the Contractor shall submit evidence of good faith efforts, completed in its entirety, to the Engineer no later than 12:00 noon on the eighth calendar day following opening of bids, unless the eighth day falls on Saturday, Sunday or an official state holiday. In that situation, it is due in the office of the Engineer no later than 12:00 noon on the next official state business day.

## **Submission of Good Faith Effort**

If the bidder fails to meet or exceed the DBE goal the apparent lowest responsive bidder shall submit to the Department documentation of adequate good faith efforts made to reach the DBE goal.

One complete set and four copies of this information shall be received in the office of the Engineer no later than 12:00 noon of the sixth calendar day following opening of bids, unless the sixth day falls on Saturday, Sunday or an official state holiday. In that situation, it is due in the office of the Engineer no later than 12:00 noon on the next official state business day.

Note: Where the information submitted includes repetitious solicitation letters, it will be acceptable to submit a representative letter along with a distribution list of the firms that were solicited. Documentation of DBE quotations shall be a part of the good faith effort submittal. This documentation may include written subcontractor quotations, telephone log notations of verbal quotations, or other types of quotation documentation.

# Consideration of Good Faith Effort for Projects with DBE Goals More Than Zero

Adequate good faith efforts mean that the bidder took all necessary and reasonable steps to achieve the goal which, by their scope, intensity, and appropriateness, could reasonably be expected to obtain sufficient DBE participation. Adequate good faith efforts also mean that the bidder actively and aggressively sought DBE participation. Mere *pro forma* efforts are not considered good faith efforts.

The Department will consider the quality, quantity, and intensity of the different kinds of efforts a bidder has made. Listed below are examples of the types of actions a bidder will take in making a good faith effort to meet the goal and are not intended to be exclusive or exhaustive, nor is it intended to be a mandatory checklist.

(A) Soliciting through all reasonable and available means (e.g. attendance at pre-bid meetings, advertising, written notices, use of verifiable electronic means through the use of the NCDOT Directory of Transportation Firms) the interest of all certified DBEs who have the capability to perform the work of the contract. The bidder must solicit this interest within at least 10 days prior to bid opening to allow the DBEs to respond to the solicitation. Solicitation shall provide the opportunity to DBEs within the Division and surrounding Divisions where the project is located. The bidder must determine with

certainty if the DBEs are interested by taking appropriate steps to follow up initial solicitations.

- (B) Selecting portions of the work to be performed by DBEs in order to increase the likelihood that the DBE goals will be achieved.
  - (1) Where appropriate, break out contract work items into economically feasible units to facilitate DBE participation, even when the prime contractor might otherwise prefer to perform these work items with its own forces.
  - (2) Negotiate with subcontractors to assume part of the responsibility to meet the contract DBE goal when the work to be sublet includes potential for DBE participation  $(2^{nd} \text{ and } 3^{rd} \text{ tier subcontractors}).$
- (C) Providing interested DBEs with adequate information about the plans, specifications, and requirements of the contract in a timely manner to assist them in responding to a solicitation.
- (D) (1) Negotiating in good faith with interested DBEs. It is the bidder's responsibility to make a portion of the work available to DBE subcontractors and suppliers and to select those portions of the work or material needs consistent with the available DBE subcontractors and suppliers, so as to facilitate DBE participation. Evidence of such negotiation includes the names, addresses, and telephone numbers of DBEs that were considered; a description of the information provided regarding the plans and specifications for the work selected for subcontracting; and evidence as to why additional agreements could not be reached for DBEs to perform the work.
  - (2) A bidder using good business judgment would consider a number of factors in negotiating with subcontractors, including DBE subcontractors, and would take a firm's price and capabilities as well as contract goals into consideration. However, the fact that there may be some additional costs involved in finding and using DBEs is not in itself sufficient reason for a bidder's failure to meet the contract DBE goal, as long as such costs are reasonable. Also, the ability or desire of a prime contractor to perform the work of a contract with its own organization does not relieve the bidder of the responsibility to make good faith efforts. Bidding contractors are not, however, required to accept higher quotes from DBEs if the price difference is excessive or unreasonable.
- (E) Not rejecting DBEs as being unqualified without sound reasons based on a thorough investigation of their capabilities. The bidder's standing within its industry, membership in specific groups, organizations, or associates and political or social affiliations (for example, union vs. non-union employee status) are not legitimate causes for the rejection or non-solicitation of bids in the bidder's efforts to meet the project goal.

- (F) Making efforts to assist interested DBEs in obtaining bonding, lines of credit, or insurance as required by the recipient or bidder.
- (G) Making efforts to assist interested DBEs in obtaining necessary equipment, supplies, materials, or related assistance or services.
- (H) Effectively using the services of available minority/women community organizations; minority/women contractors' groups; Federal, State, and local minority/women business assistance offices; and other organizations as allowed on a case-by-case basis to provide assistance in the recruitment and placement of DBEs. Contact within 7 days from the bid opening the Business Development Manager in the Business Opportunity and Work Force Development Unit to give notification of the bidder's inability to get DBE quotes.
- (I) Any other evidence that the bidder submits which shows that the bidder has made reasonable good faith efforts to meet the DBE goal.

In addition, the Department may take into account the following:

- (1) Whether the bidder's documentation reflects a clear and realistic plan for achieving the DBE goal.
- (2) The bidders' past performance in meeting the DBE goals.
- (3) The performance of other bidders in meeting the DBE goal. For example, when the apparent successful bidder fails to meet the DBE goal, but others meet it, you may reasonably raise the question of whether, with additional reasonable efforts the apparent successful bidder could have met the goal. If the apparent successful bidder fails to meet the DBE goal, but meets or exceeds the average DBE participation obtained by other bidders, the Department may view this, in conjunction with other factors, as evidence of the apparent successful bidder having made a good faith effort.

If the Department does not award the contract to the apparent lowest responsive bidder, the Department reserves the right to award the contract to the next lowest responsive bidder that can satisfy to the Department that the DBE goal can be met or that an adequate good faith effort has been made to meet the DBE goal.

#### Non-Good Faith Appeal

The Engineer will notify the contractor verbally and in writing of non-good faith. A contractor may appeal a determination of non-good faith made by the Goal Compliance Committee. If a contractor wishes to appeal the determination made by the Committee, they shall provide written notification to the Engineer. The appeal shall be made within 2 business days of notification of the determination of non-good faith.

#### **Counting DBE Participation Toward Meeting DBE Goal**

(A) Participation

The total dollar value of the participation by a committed DBE will be counted toward the contract goal requirement. The total dollar value of participation by a committed DBE will be based upon the value of work actually performed by the DBE and the actual payments to DBE firms by the Contractor.

(B) Joint Checks

Prior notification of joint check use shall be required when counting DBE participation for services or purchases that involves the use of a joint check. Notification shall be through submission of Form JC-1 (*Joint Check Notification Form*) and the use of joint checks shall be in accordance with the Department's Joint Check Procedures.

(C) Subcontracts (Non-Trucking)

A DBE may enter into subcontracts. Work that a DBE subcontracts to another DBE firm may be counted toward the contract goal requirement. Work that a DBE subcontracts to a non-DBE firm does <u>not</u> count toward the contract goal requirement. If a DBE contractor or subcontractor subcontracts a significantly greater portion of the work of the contract than would be expected on the basis of standard industry practices, it shall be presumed that the DBE is not performing a commercially useful function. The DBE may present evidence to rebut this presumption to the Department. The Department's decision on the rebuttal of this presumption is subject to review by the Federal Highway Administration but is not administratively appealable to USDOT.

(D) Joint Venture

When a DBE performs as a participant in a joint venture, the Contractor may count toward its contract goal requirement a portion of the total value of participation with the DBE in the joint venture, that portion of the total dollar value being a distinct clearly defined portion of work that the DBE performs with its forces.

(E) Suppliers

A contractor may count toward its DBE requirement 60 percent of its expenditures for materials and supplies required to complete the contract and obtained from a DBE regular dealer and 100 percent of such expenditures from a DBE manufacturer.

#### (F) Manufacturers and Regular Dealers

A contractor may count toward its DBE requirement the following expenditures to DBE firms that are not manufacturers or regular dealers:

- (1) The fees or commissions charged by a DBE firm for providing a *bona fide* service, such as professional, technical, consultant, or managerial services, or for providing bonds or insurance specifically required for the performance of a DOT-assisted contract, provided the fees or commissions are determined to be reasonable and not excessive as compared with fees and commissions customarily allowed for similar services.
- (2) With respect to materials or supplies purchased from a DBE, which is neither a manufacturer nor a regular dealer, count the entire amount of fees or commissions charged for assistance in the procurement of the materials and supplies, or fees or transportation charges for the delivery of materials or supplies required on a job site (but not the cost of the materials and supplies themselves), provided the fees are determined to be reasonable and not excessive as compared with fees customarily allowed for similar services.

# **Commercially Useful Function**

(A) DBE Utilization

The Contractor may count toward its contract goal requirement only expenditures to DBEs that perform a commercially useful function in the work of a contract. A DBE performs a commercially useful function when it is responsible for execution of the work of the contract and is carrying out its responsibilities by actually performing, managing, and supervising the work involved. To perform a commercially useful function, the DBE shall also be responsible with respect to materials and supplies used on the contract, for negotiating price, determining quality and quantity, ordering the material and installing (where applicable) and paying for the material itself. To determine whether a DBE is performing a commercially useful function, the Department will evaluate the amount of work subcontracted, industry practices, whether the amount the firm is to be paid under the contract is commensurate with the work it is actually performing and the DBE credit claimed for its performance of the work, and any other relevant factors.

(B) DBE Utilization in Trucking

The following factors will be used to determine if a DBE trucking firm is performing a commercially useful function:

(1) The DBE shall be responsible for the management and supervision of the entire trucking operation for which it is responsible on a particular contract, and there shall not be a contrived arrangement for the purpose of meeting DBE goals.

- (2) The DBE shall itself own and operate at least one fully licensed, insured, and operational truck used on the contract.
- (3) The DBE receives credit for the total value of the transportation services it provides on the contract using trucks it owns, insures, and operates using drivers it employs.
- (4) The DBE may subcontract the work to another DBE firm, including an owner-operator who is certified as a DBE. The DBE who subcontracts work to another DBE receives credit for the total value of the transportation services the subcontracted DBE provides on the contract.
- (5) The DBE may also subcontract the work to a non-DBE firm, including from an owner-operator. The DBE who subcontracts the work to a non-DBE is entitled to credit for the total value of transportation services provided by the non-DBE subcontractor not to exceed the value of transportation services provided by DBE-owned trucks on the contract. Additional participation by non-DBE subcontractors receives credit only for the fee or commission it receives as a result of the subcontract arrangement. The value of services performed under subcontract agreements between the DBE and the Contractor will not count towards the DBE contract requirement.
- (6) A DBE may lease truck(s) from an established equipment leasing business open to the general public. The lease must indicate that the DBE has exclusive use of and control over the truck. This requirement does not preclude the leased truck from working for others during the term of the lease with the consent of the DBE, so long as the lease gives the DBE absolute priority for use of the leased truck. This type of lease may count toward the DBE's credit as long as the driver is under the DBE's payroll.
- (7) Subcontracted/leased trucks shall display clearly on the dashboard the name of the DBE that they are subcontracted/leased to and their own company name if it is not identified on the truck itself. Magnetic door signs are not permitted.

#### **DBE Replacement**

When a Contractor has relied on a commitment to a DBE firm (or an approved substitute DBE firm) to meet all or part of a contract goal requirement, the contractor shall not terminate the DBE for convenience. This includes, but is not limited to, instances in which the Contractor seeks to perform the work of the terminated subcontractor with another DBE subcontractor, a non-DBE subcontractor, or with the Contractor's own forces or those of an affiliate. A DBE may only be terminated after receiving the Engineer's written approval based upon a finding of good cause for the termination.

All requests for replacement of a committed DBE firm shall be submitted to the Engineer for approval on Form RF-1 (*DBE Replacement Request*). If the Contractor fails to follow this procedure, the Contractor may be disqualified from further bidding for a period of up to 6 months.

The Contractor shall comply with the following for replacement of a committed DBE:

(A) Performance Related Replacement

When a committed DBE is terminated for good cause as stated above, an additional DBE that was submitted at the time of bid may be used to fulfill the DBE commitment. A good faith effort will only be required for removing a committed DBE if there were no additional DBEs submitted at the time of bid to cover the same amount of work as the DBE that was terminated.

If a replacement DBE is not found that can perform at least the same amount of work as the terminated DBE, the Contractor shall submit a good faith effort documenting the steps taken. Such documentation shall include, but not be limited to, the following:

- (1) Copies of written notification to DBEs that their interest is solicited in contracting the work defaulted by the previous DBE or in subcontracting other items of work in the contract.
- (2) Efforts to negotiate with DBEs for specific subbids including, at a minimum:
  - (a) The names, addresses, and telephone numbers of DBEs who were contacted.
  - (b) A description of the information provided to DBEs regarding the plans and specifications for portions of the work to be performed.
- (3) A list of reasons why DBE quotes were not accepted.
- (4) Efforts made to assist the DBEs contacted, if needed, in obtaining bonding or insurance required by the Contractor.
- (B) Decertification Replacement
  - (1) When a committed DBE is decertified by the Department after the SAF (*Subcontract Approval Form*) has been received by the Department, the Department will not require the Contractor to solicit replacement DBE participation equal to the remaining work to be performed by the decertified firm. The participation equal to the remaining work performed by the decertified firm will count toward the contract goal requirement.
  - (2) When a committed DBE is decertified prior to the Department receiving the SAF (*Subcontract Approval Form*) for the named DBE firm, the Contractor shall

take all necessary and reasonable steps to replace the DBE subcontractor with another DBE subcontractor to perform at least the same amount of work to meet the DBE goal requirement. If a DBE firm is not found to do the same amount of work, a good faith effort must be submitted to NCDOT (see A herein for required documentation).

#### **Changes in the Work**

When the Engineer makes changes that result in the reduction or elimination of work to be performed by a committed DBE, the Contractor will not be required to seek additional participation. When the Engineer makes changes that result in additional work to be performed by a DBE based upon the Contractor's commitment, the DBE shall participate in additional work to the same extent as the DBE participated in the original contract work.

When the Engineer makes changes that result in extra work, which has more than a minimal impact on the contract amount, the Contractor shall seek additional participation by DBEs unless otherwise approved by the Engineer.

When the Engineer makes changes that result in an alteration of plans or details of construction, and a portion or all of the work had been expected to be performed by a committed DBE, the Contractor shall seek participation by DBEs unless otherwise approved by the Engineer.

When the Contractor requests changes in the work that result in the reduction or elimination of work that the Contractor committed to be performed by a DBE, the Contractor shall seek additional participation by DBEs equal to the reduced DBE participation caused by the changes.

#### **Reports and Documentation**

A SAF (*Subcontract Approval Form*) shall be submitted for all work which is to be performed by a DBE subcontractor. The Department reserves the right to require copies of actual subcontract agreements involving DBE subcontractors.

When using transportation services to meet the contract commitment, the Contractor shall submit a proposed trucking plan in addition to the SAF. The plan shall be submitted prior to beginning construction on the project. The plan shall include the names of all trucking firms proposed for use, their certification type(s), the number of trucks owned by the firm, as well as the individual truck identification numbers, and the line item(s) being performed.

Within 30 calendar days of entering into an agreement with a DBE for materials, supplies or services, not otherwise documented by the SAF as specified above, the Contractor shall furnish the Engineer a copy of the agreement. The documentation shall also indicate the percentage (60% or 100%) of expenditures claimed for DBE credit.

#### **Reporting Disadvantaged Business Enterprise Participation**

The Contractor shall provide the Engineer with an accounting of payments made to all DBE firms, including material suppliers and contractors at all levels (prime, subcontractor, or second tier subcontractor). This accounting shall be furnished to the Engineer for any given month by the end of the following month. Failure to submit this information accordingly may result in the following action:

- (A) Withholding of money due in the next partial pay estimate; or
- (B) Removal of an approved contractor from the prequalified bidders' list or the removal of other entities from the approved subcontractors list.

While each contractor (prime, subcontractor, 2nd tier subcontractor) is responsible for accurate accounting of payments to DBEs, it shall be the prime contractor's responsibility to report all monthly and final payment information in the correct reporting manner.

Failure on the part of the Contractor to submit the required information in the time frame specified may result in the disqualification of that contractor and any affiliate companies from further bidding until the required information is submitted.

Failure on the part of any subcontractor to submit the required information in the time frame specified may result in the disqualification of that contractor and any affiliate companies from being approved for work on future projects until the required information is submitted.

Contractors reporting transportation services provided by non-DBE lessees shall evaluate the value of services provided during the month of the reporting period only.

At any time, the Engineer can request written verification of subcontractor payments.

The Contractor shall report the accounting of payments on the Department's DBE-IS (*Subcontractor Payment Information*) with each invoice. Invoices will not be processed for payment until the DBE-IS is received.

#### **Failure to Meet Contract Requirements**

Failure to meet contract requirements in accordance with Subarticle 102-15(J) of the 2012 Standard Specifications may be cause to disqualify the Contractor.

#### **CERTIFICATION FOR FEDERAL-AID CONTRACTS:**

(3-21-90)

SP1 G85

The prospective participant certifies, by signing and submitting this bid or proposal, to the best of his or her knowledge and belief, that:

- (A) No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.
- (B) If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, *Disclosure Form to Report Lobbying*, in accordance with its instructions.

This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by *Section 1352, Title 31, U.S. Code.* Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

The prospective participant also agrees by submitting his or her bid or proposal that he or she shall require that the language of this certification be included in all lower tier subcontracts, which exceed \$100,000 and that all such subrecipients shall certify and disclose accordingly.

#### CONTRACTOR'S LICENSE REQUIREMENTS: (7-1-95) 102-14

SP1 G88

If the successful bidder does not hold the proper license to perform any plumbing, heating, air conditioning, or electrical work in this contract, he will be required to sublet such work to a contractor properly licensed in accordance with *Article 2 of Chapter 87 of the General Statutes* (licensing of heating, plumbing, and air conditioning contractors) and *Article 4 of Chapter 87* of the *General Statutes* (licensing of electrical contractors).

#### **U.S. DEPARTMENT OF TRANSPORTATION HOTLINE:**

(11-22-94)

To report bid rigging activities call: **1-800-424-9071** 

The U.S. Department of Transportation (DOT) operates the above toll-free hotline Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the hotline to report such activities.

108-5

The hotline is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

#### **SUBSURFACE INFORMATION:**

(7-1-95)

450

SP1 G112 A

SP1 G115

There is **no** subsurface information available on this project. The Contractor shall make his own investigation of subsurface conditions.

# LOCATING EXISTING UNDERGROUND UTILITIES:

(3-20-12)

Revise the 2012 Standard Specifications as follows:

#### Page 1-43, Article 105-8, line 28, after the first sentence, add the following:

Identify excavation locations by means of pre-marking with white paint, flags, or stakes or provide a specific written description of the location in the locate request.

#### **RESOURCE CONSERVATION:**

(5-21-13)

In accordance with North Carolina Executive Order 156, NCGS 130A-309.14(2), and NCGS 136-28.8, it is the policy of the Department to aid in the reduction of materials that become a part of our solid waste stream, to divert materials from landfills, and to find ways to recycle and reuse materials for the benefit of the Citizens of North Carolina.

Initiate, develop and use products and construction methods that incorporate the use of recycled or solid waste products in accordance with Article 104-13 of the *2012 Standard Specifications*. Report the quantities of reused or recycled materials either incorporated in the project or diverted from landfills on the Project Construction Reuse and Recycling Reporting Form.

A location-based tool for finding local recycling facilities and the Project Construction Reuse and Recycling Reporting Form are available at:

http://connect.ncdot.gov/resources/Environmental/Pages/North-Carolina-Recycling-Locations.aspx SP1 G100

104-13

SP1 G118

#### **DOMESTIC STEEL:**

#### (4-16-13)

Revise the 2012 Standard Specifications as follows:

#### Page 1-49, Subarticle 106-1(B) Domestic Steel, lines 2-7, replace the first paragraph with the following:

106

All steel and iron products that are permanently incorporated into this project shall be produced in the United States except minimal amounts of foreign steel and iron products may be used provided the combined material cost of the items involved does not exceed 0.1% of the total amount bid for the entire project or \$2,500, whichever is greater. If invoices showing the cost of the material are not provided, the amount of the bid item involving the foreign material will be used for calculations. This minimal amount of foreign produced steel and iron products permitted for use is not applicable to high strength fasteners. Domestically produced high strength fasteners are required.

#### **COOPERATION BETWEEN CONTRACTORS:**

(7-1-95)

The Contractor's attention is directed to Article 105-7 of the 2012 Standard Specifications.

[Other Project Location-See Insert]

The Contractor on this project shall cooperate with the Contractor working within or adjacent to the limits of this project to the extent that the work can be carried out to the best advantage of all concerned

# GIFTS FROM VENDORS AND CONTRACTORS: 107-1

(12-15-09)

By Executive Order 24, issued by Governor Perdue, and N.C.G.S. § 133-32, it is unlawful for any vendor or contractor (i.e. architect, bidder, contractor, construction manager, design professional, engineer, landlord, offeror, seller, subcontractor, supplier, or vendor), to make gifts or to give favors to any State employee of the Governor's Cabinet Agencies (i.e. Administration, Commerce, Correction, Crime Control and Public Safety, Cultural Resources, Environment and Natural Resources, Health and Human Services, Juvenile Justice and Delinquency Prevention, Revenue, Transportation, and the Office of the Governor). This prohibition covers those vendors and contractors who:

- Have a contract with a governmental agency; or (A)
- Have performed under such a contract within the past year; or **(B)**
- (C) Anticipate bidding on such a contract in the future.

For additional information regarding the specific requirements and exemptions, vendors and contractors are encouraged to review Executive Order 24 and N.C.G.S. § 133-32.

SP1 G133

SP1 G120

Executive Order 24 also encouraged and invited other State Agencies to implement the requirements and prohibitions of the Executive Order to their agencies. Vendors and contractors should contact other State Agencies to determine if those agencies have adopted Executive Order 24.

# **EMPLOYMENT:**

(11-15-11) (Rev. 1-17-12)

108, 102

SP1 G184

Revise the 2012 Standard Specifications as follows:

Page 1-20, Subarticle 102-15(O), delete and replace with the following:

(O) Failure to restrict a former Department employee as prohibited by Article 108-5.

**Page 1-65, Article 108-5 Character of Workmen, Methods, and Equipment, line 32**, delete all of line 32, the first sentence of the second paragraph and the first word of the second sentence of the second paragraph.

#### STATE HIGHWAY ADMINISTRATOR TITLE CHANGE: (9-18-12)

SP1 G185

Revise the 2012 Standard Specifications as follows:

Replace all references to "State Highway Administrator" with "Chief Engineer".

# **PROJECT SPECIAL PROVISIONS**

# ROADWAY

No work shall be performed on Sundays or on official State holidays unless specified by the Engineer. The contractor may be directed to conduct his operations during night or weekend hours.

# **MOBILIZATIONS**

Work deployments for this contract will be in the form of mobilizations on an <u>as needed</u> <u>basis</u>; therefore each mobilization will have its own date of availability and required completion date. Notification of a mobilization will be made via telephone, letter, or e-mail and will include the location of the work and the approximate quantities required. Location refers to either a specific intersection, a project including multiple intersections within one mile proximity, or other specific sites. If the time period between notification of a project and the required completion of a previous project overlaps, the projects will be completed concurrently with the specified time for completion allowed for each individual project.

# **Normal Mobilization**

A <u>Normal Mobilization</u> has a completion date of <u>twenty</u> business days after receipt of the normal mobilization's notification.

A <u>Normal Mobilization</u> shall be incidental to other bid items. No separate payment will be made for a <u>Normal Mobilization</u>. Equipment and Labor shall be incidental to all line items except those described as "Emergency Mobilization".

The liquidated damages for a <u>Normal Mobilization</u> are **One Thousand Dollars (\$1,000.00)** per calendar day beyond the twenty day completion deadline.

# **High Priority Mobilization**

Circumstances may occur that require the contractor to provide an expedited response to an Engineer's request. Upon notification of a <u>High Priority Mobilization</u> the Contractor shall begin work the next business day after notification of the High Priority Mobilization as directed by the Engineer.

Work on a <u>High Priority Mobilization</u> shall begin no later than the <u>beginning of the next</u> <u>business day</u> after receipt of the <u>High Priority Mobilization</u> notification, with work continuing daily until the High Priority Mobilization is completed (not to exceed <u>twenty</u> business days).

# There is a separate line item for a <u>High Priority Mobilization</u> that is in addition to the other line items. Equipment and Labor shall be incidental to all line items except those described as "Emergency Mobilization".

The liquidated damages for a <u>High Priority Mobilization</u> are **One Thousand Dollars (\$1,000.00)** per calendar day beyond the required <u>High Priority Mobilization</u> start date in addition to **One Thousand Dollars (\$1,000.00)** per calendar day beyond the twenty day completion deadline.

# **Emergency Mobilization**

Emergency circumstances may occur that require the contractor to provide an immediate response to supply labor and/or equipment on an emergency basis at the Engineer's request. Upon notification of an Emergency Mobilization the Contractor will have a maximum of **TWO HOURS** to mobilize and be on site with whatever equipment and/or personnel that was requested by the Engineer within Division 13.

Work on an <u>Emergency Mobilization</u> shall begin no later than **One Hundred Twenty Minutes (Two Hours)** after receipt of the <u>Emergency Mobilization</u> notification and work must be continuous until the condition causing the emergency is corrected or stabilized and accepted by the Engineer.

For Emergency Mobilizations there are separate Equipment and Labor line items "Furnish and Operate Line Truck on an Emergency Mobilization", "Furnish and Operate Bucket Truck on an Emergency Mobilization", "Technician Labor on an Emergency Mobilization" and "Technician Helper on an Emergency Mobilization" that are in addition to the other line items. This shall include, but not be limited to, supplying any equipment or labor as requested by the Engineer or his/her delegates within the time frame stated above. A two hour minimum payment will be made to the contractor for Equipment and Labor line items on an Emergency Mobilization as requested by the Engineer.

The liquidated damages for an <u>Emergency Mobilization</u> are **Twenty Five Hundred (\$2,500.00)** per hour beyond the required Two Hour <u>Emergency Mobilization</u> response time.

# SUPERVISION BY CONTRACTOR

At all times during the life of the project the Contractor shall provide one permanent employee who shall have the authority and capability for overall responsibility of the project and who shall be personally available at the work site within 24hours notice. Such employee shall be fully authorized to conduct all business with the subcontractors, to negotiate and execute all supplemental agreements, and to execute the orders or directions of the Engineer.

At all times that work is actually being performed, the Contractor shall have present on the project one competent individual who is authorized to act in a supervisory capacity over all work on the project, including work subcontracted. The individual who has been so authorized shall be experienced in the type of work being performed and shall be fully capable of managing,

directing, and coordinating the work; of reading and thoroughly understanding the contract; and receiving and carrying out directions from the Engineer or his authorized representatives. He shall be an employee of the Contractor unless otherwise approved by the Engineer.

The Contractor may, at his option, designate one employee to meet the requirements of both positions. However, whenever the designated employee is absent from the work site, an authorized individual qualified to act in a supervisory capacity on the project shall be present.

# **UTILITY CONFLICTS**

It shall be the responsibility of the Contractor to contact all affected utility owners and determine the precise locations of all utilities prior to beginning construction. Utility owners shall be contacted a minimum of 48 hours prior to the commencement of operations. Special care shall be used in working around or near existing utilities, protecting them when necessary to provide uninterrupted service. In the event that any utility service is interrupted, the Contractor shall notify the utility owner immediately and shall cooperate with the owner, or his representative, in the restoration of service in the shortest time possible. Existing fire hydrants shall be kept accessible to fire departments at all times. The NCDOT Traffic Services Department shall be notified 48 hours prior to any trenching operations to ensure that underground signal equipment is located properly. The Contractor shall adhere to all applicable regulations and follow accepted safety procedures when working in the vicinity of utilities in order to insure the safety of construction personnel and the public.

# **NOTIFICATION OF OPERATIONS**

The Contractor shall notify the Engineer 48 hours in advance of beginning work on this contract. The Contractor shall give the Engineer sufficient notice of all operations for any sampling, inspection or acceptance testing required.

# **INSPECTION**

All work shall be subject to inspection by the Engineer at any time. Routinely, the Engineer will make periodic inspections of the completed work. It will be the responsibility of the Contractor to keep the Engineer informed of his proposed work plan and to submit written reports of work accomplished on a frequency to be determined by the Engineer.

# **OBSERVATION PERIOD**

All work performed by the Contractor will be subject to inspection by the NCDOT before final payment is made. Invoices for work performed are to be submitted to the Engineer.

If upon inspection the NCDOT finds any problem or inconsistency with the plans or specifications, the Contractor shall begin to make necessary repairs or corrections within two (2) hours of notification. The Contractor shall furnish the Engineer with a quick method of contacting him for emergency repairs. Should the Contractor fail to make necessary repairs to the signal installation within the given time established, the State or its agent will make repairs and shall be reimbursed by the Contractor for all labor, tools, and materials necessary to correct the failure. Such reimbursements shall be deducted from the money due the Contractor. The observation period and corresponding guarantee of all equipment, material, and workmanship will be enforced in accordance with Section 1098 of the (Standard Specifications). During the observation and guarantee period, any part of the installation failing to meet requirements contained in this contract shall be replaced at no expense to NCDOT within fourteen (14) calendar days following notification by the Engineer. Once replaced or repaired, the observation period will be reset and will begin again after inspection and acceptance by the Engineer.

# SITE CLEANUP

The Contractor shall clean the site of excess excavation, waste packing material, wire, and all other debris resulting from the signal work or project at hand. At the end of the work day, the site shall be cleaned and cleared. The Contractor will haul away waste to an approved public landfill. LITTERING OF ANY KIND, INCLUDING CIGARETTE BUTTS, WILL NOT BE PERMITTED.

# SEEDING AND MULCHING

The Contractor shall be responsible for leaving a work area that has been disturbed as it was found, or as near to original condition as possible. If trenching or other work has disturbed the grass, then the entire area that was damaged must be graded and prepared for seeding, seeded, and/or mulched.

# **ELECTRICAL CODES AND INSPECTION**

All Contractor-supplied electrical materials and all electrical work performed on the project shall meet the latest requirements of the current (NEC), the current (NESC), the (Standard Specifications), and all applicable local ordinances. The current edition of these specifications and publications in effect on the date of advertisement will apply. The Contractor shall comply with the Traffic Signal Plans; all prior referenced specifications, and all applicable local ordinances and regulations prior to beginning and during all stages of electrical work. The Contractor shall obtain all permits and licenses required by state and local governmental agencies having jurisdiction over the same. The Contractor will be responsible for payment of any and all permits and/or inspection fees charged by any agency requiring it.

# STATE-FURNISHED MATERIALS

Unless otherwise specified in the line items of this contract, the North Carolina Department of Transportation shall furnish all materials except general hardware items (nuts, bolts, screws, nails, electrical tape, connectors, form boards, lubricant, water proofing material, etc.) that are necessary to successfully construct the project. All material shall be made available and presented to the Contractor during a one-time visit (per project) to the Division 13 Traffic Services Building. The Contractor will sign for required material. The Contractor shall give a 24 hour notice prior to arriving for material pick-up.

# **RISER WITH WEATHERHEAD**

The Contractor shall furnish and install 1-inch and 2-inch, rigid metallic conduit (risers) with weatherheads and all necessary hardware on wood or metal poles for wire runs in accordance with the traffic signal plans and the (<u>Standard Specifications)</u>. The risers with weatherheads for the electrical service shall be 1-inch rigid metallic conduit. The risers with weatherheads for signal cable and detector lead-in cable runs shall be 2-inch, rigid metallic conduit. Separate conduits shall be supplied for the electrical service, the signal cables (bundled), and the detector lead-in cables. One spare 2-inch riser shall be provided at the cabinet pole. Payment will be made under the line item "Furnish & Install Riser with Weatherhead" and shall include, but not be limited to, installing the risers with weatherheads, couplings, brackets, and associated hardware. Payment will not be based on the size or length of the riser.

# **INSTALL METER SERVICE & INSTALL METER SERVICE AND DISCONNECT**

The Contractor shall install the meter service in accordance to the current edition of the <u>NEC</u>. the <u>NESC</u>, (<u>Standard Specifications</u>), and all other local requirements. Any fees for inspection or permits shall be the responsibility of the Contractor. Payment will be made under the line item "Furnish & Install Meter Service (New Install)" or "Furnish & Install Meter Service and Disconnect to Existing Service (Upgrade)" and shall include but not be limited to all necessary hardware, conduit, weatherhead, wire, grounding electrode(s), meter base (100 amp), disconnect (70 amp) with a single pole 120v/50 amp breaker installed. *The meter service shall be installed as specified in the* (<u>Roadway Standard Drawings</u>) <u>Section 1700.01</u>. The meter service shall be grounded as specified in the (<u>Roadway Standard Drawings</u>)<u>Section 1700.02</u>. Any material needed for the meter service will be considered incidental to the installation of the meter service.

# STRAP WIRES TO EXISTING SPAN

The Contractor shall strap any new or existing wiring to the existing span. Payment will be made under the line item "**Strap wires to existing span**". All existing flat ribbon (strapping) shall be removed and new flat ribbon installed. The strapping shall be in accordance to the **(Roadway Standard Drawings)**.

# **OVERHEAD LEAD-IN**

The Contractor shall install loop detector lead-in on an overhead span. The state furnished leadin cable shall be installed to the nearest intersection support pole. Payment will be made under the line item "**Install Lead-In Overhead**" and shall include, but not be limited to, installation of the loop detector lead-in to the nearest intersection support pole. This shall include any strapping with aluminum flat ribbon and any connection to the poles including spanwire. Installation of the Lead-in will be paid for by the linear foot to the intersection pole. From that point to the cabinet, it will be considered incidental and can be strapped with other signal cable to the cabinet.

The installation of the lead-in cable shall be installed in accordance with the traffic signal plans and the (<u>Standard Specifications</u>).

# **UNDERGROUND LEAD-IN (in existing conduit)**

This line item is intended for situations that require installation of underground lead-in wire in existing conduit. [Underground lead-in installed in the initial installation of the conduit is considered incidental.] Payment will be made under the line item **"Install Lead-In Underground (in existing conduit)"** and shall include, but not be limited to, installation of the loop detector lead-in in the existing conduit system including pull boxes and splicing or termination of the same wire. Installation of the Lead-in will be paid for by the linear foot to the intersection pole. From that point to the cabinet, it will be considered incidental and can be strapped with other signal cable to the cabinet.

# ANCHOR AND GUY ASSEMBLIES

The Contractor will furnish and install 8 inch, 8 way anchors with 5/8" diameter, 6 foot anchor rod assemblies as necessary to guy wood poles as requested by the Engineer or designated representative. Payment will be made under the line items "Furnish and Install Anchor and Rod Assembly", "Furnish and Install Normal Guy Assembly" and "Furnish and Install Sidewalk Guy Assembly" and shall include, but not be limited to; furnishing, installing, and grounding the anchors, anchor rods, and guy wire etc.

# **EXCAVATION OF ROCK**

Most pole installations will require only soil removal while boring the necessary hole. Payment for soil removal is considered incidental to pole installation. However, the Contractor may occasionally encounter solid rock while boring for a pole installation. If this happens, every effort will be made by the Engineer to provide a suitable alternate location for this installation. If no alternate location is available, the Contractor will be required to remove an adequate amount of rock in order to obtain the required hole dimensions.

Rock boring and removal shall be done in accordance with Section 410 of the (<u>Standard</u> <u>Specifications</u>). Payment will be made under the line item "Excavate Rock for Wood Pole **Installation**" and will be paid on a cubic yard basis. All measurements to determine actual rock removal will be done in accordance with Section 410-12 of the (<u>Standard Specifications</u>) and approved by the Engineer.

# **CONTRACTOR SUPPLIED WOOD POLES**

The Contractor shall furnish and install poles that are Class 3 or better. The Poles shall be a minimum of 35, 40, or 45 feet in length as directed by the Engineer. The poles provided shall be treated southern pine or treated Douglas Fir that meets the requirements of ANSI 05.1. The poles shall be marked in accordance with ANSI 05.1. The poles shall have a full-length preservative treatment.

Provide poles with pentachlorophenol or chromated copper arsenate (CCA) preservative, in accordance with AWPA Standard C4-99. Ensure the retention of preservative is a minimum of 0.45 lb. per cubic foot (7.2 kg per cubic meter) for pentachlorophenol and 0.6 lb. per cubic foot (9.6 kg per cubic meter) for CCA.

The Engineer shall approve the pole location prior to installation; however, this shall not release the Contractor from any liability incurred by failure to properly locate/avoid underground utilities.

All poles shall be grounded in accordance with the (<u>Standard Specifications</u>). This shall include, but not be limited to, a # 6 ground wire installed prior to installation.

The Contractor shall be required to keep a sufficient stock of 35, 40, or 45-foot poles to be used on an as needed or emergency basis. This number may vary but shall be a minimum of ten (10) 35 foot, five (5) 40 foot, and five (5) 45 foot poles.

Payment will be made under the line items, "35 Foot Class 3 Wood Pole", "40 Foot Class 3 Wood Pole", and "45 Foot Class 3 Wood Pole" and shall include, but not be limited to furnishing, transporting, installing, and grounding the poles.

# **NCDOT FURNISHED WOOD POLE**

The Contractor may be asked to install a NCDOT furnished pole. These poles may be various sizes, shapes, or lengths. Payment will be made under the line item **"Transport and Install NCDOT Furnished Pole"** and shall include, but not be limited to, installing and grounding the pole.

The Contractor may be asked to install a NCDOT furnished sign post. These posts will not exceed 8" X 8" X 20 Feet in length. Payment will be made under the line item **"Install NCDOT Furnished Sign Post"**.

# WOOD POLE REMOVAL

The Contractor shall remove wood poles as directed by the Engineer. Removed poles shall become the property of the Contractor unless otherwise directed by the Engineer. After removing the pole, the Contractor shall backfill the hole and restore the ground surface to a like-new condition. Payment will be made under the line item **"Remove Pole"** and shall include, but not be limited to, removing poles, backfilling the hole, transporting the pole, and restoring the surface to like-new condition; this shall include any seeding/mulching that is necessary.

The Contractor may be asked by the Engineer to remove a pole and transport the removed pole to a location specified by the Engineer or his representative. Payment will be made under the line item **"Remove and Transport Pole to a Specified Location"**.

The Contractor may be asked to relocate an existing wood pole. These poles may be of various lengths (35, 40, or 45 feet) and will be relocated a distance of no more than 1000 feet from the original location. Payment will be made under the line item **"Relocate an Existing Pole"** and shall include, but not be limited to, removing the existing pole, backfilling original hole, transporting, installing, and grounding the pole at the new location.

# **METAL STRAIN POLES**

The department may require poles of various lengths throughout the duration of the contract. The Contractor shall supply the department with shop drawings and foundation design drawings specific to each proposed location. The Contractor shall not proceed with the installation of the metal strain pole until a soil test has been conducted and the foundation designs and shop drawings have been approved by the Transportation Safety and Mobility section. A mobilization will then be given by the department to begin construction.

The contractor will be responsible for **supplying and storage** of these poles throughout the length of this contract.

The color of all Metal Poles shall be powder coated **"BLACK"** unless otherwise specified at the time of order.

The Contractor shall furnish and install various sizes of Metal Strain Poles and all required hardware in accordance with the current NCDOT Traffic Signal Standard Metal Pole Drawings. Payment will be made under the line item "Furnish and Install 26 Foot Powder Coated Metal Strain Pole", "Furnish and Install 30 Foot Powder Coated Metal Strain Pole" and "Furnish and Install 35 Foot Powder Coated Metal Strain Pole"; and shall include, but not

be limited to, installation of the metal strain pole, and any necessary hardware including all clamps, caps and anchor bolts.

On rare occasion, the Contractor may be required to remove a metal pole for various reasons including an emergency. If so, payment will be made under the line item "**Remove Metal Pole**". This shall include removal of a metal pole in a scheduled or in an emergency situation and shall include, but not be limited to, removal of the damaged metal pole and disposing of the same.

Upon completion of this contract, any remaining poles that have not been used on a job will be purchased by the NCDOT. These poles and any other equipment supplied by the contractor must meet all NCDOT specifications.

# **METAL POLE FOUNDATION**

The Contractor shall provide the foundation for metal poles as required by the signal plans, at the Engineer's request, by the manufacturer's specifications, the "N" Blows and foundation design, and /or by the current NCDOT and AASHTO Specifications. This shall include all soil removal, rock removal, and installation of steel cage and concrete that meets current NCDOT Specifications. Payment will be made under the line items "Soil Excavation for Pole Foundation (Auger Hole)", "Rock Excavation for Pole Foundation", and "Steel Reinforced Pier Grade Concrete Foundation". Payment will be by the cubic yard of soil or rock removed. The metal pole foundation shall include, but not be limited to, installation of the foundation, furnishing all necessary equipment and material to install the foundation to current specifications.

On rare occasion, the Contractor may be required to remove an existing concrete foundation. Payment for this removal will be made under the line item "**Concrete Foundation Removal**" and shall include, but not be limited to, removal of the old foundation as well as fill in the hole left by the old foundation. There will not be additional payment for back filling hole as it will be considered incidental to "Concrete Foundation Removal".

# METAL POLE WITH MAST ARM(S)

The Contractor shall furnish and install Metal Poles with Mast arms of various lengths, (up to but not to exceed approximately 50 feet in length) as required by the Engineer, traffic signal plans, or other notification approved by the Engineer. The Contractor shall provide the metal poles with mast arm(s) and they shall meet current NCDOT and AASHTO specifications. Payment will be made under the line items "**Furnish and Install Powder Coated Single Mast Arm Pole**" and "**Furnish and Install Powder Coated Double Mast Arm Pole**" and shall include, but not be limited to, all hardware associated with the installation of the Metal Pole and Mast arm including clamps, anchor bolts, caps and other material as required. The Contractor may be asked to supply Metal Poles with Mast Arms that are different colors. Any additional costs will be determined at the time the request is made and compensation will be determined on a case by case basis.

The color of all Metal Poles with Mast arms shall be powder coated **"BLACK"** unless otherwise specified at the time of order.

#### FOUNDATIONS AND ANCHOR ROD ASSEMBLIES FOR METAL POLES: (1-17-12) (Rev. 5-21-13) 9, 14, 17

SP9 R05

#### Description

Foundations for metal poles include foundations for signals, cameras, overhead and dynamic message signs (DMS) and high mount and low level light standards supported by metal poles or upright trusses. Foundations consist of footings with pedestals and drilled piers with or without grade beams or wings. Anchor rod assemblies consist of anchor rods (also called anchor bolts) with nuts and washers on the exposed ends of rods and nuts and a plate or washers on the other ends of rods embedded in the foundation.

Construct concrete foundations with the required resistances and dimensions and install anchor rod assemblies in accordance with the contract and accepted submittals. Construct drilled piers consisting of cast-in-place reinforced concrete cylindrical sections in excavated holes. Provide temporary casings or polymer slurry as needed to stabilize drilled pier excavations. Use a prequalified Drilled Pier Contractor to construct drilled piers for metal poles. Define "excavation" and "hole" as a drilled pier excavation and "pier" as a drilled pier.

This provision does not apply to materials and anchor rod assemblies for standard foundations for low level light standards. See Section 1405 of the 2012 Standard Specifications and Standard Drawing No. 1405.01 of the 2012 Roadway Standard Drawings for materials and anchor rod assemblies for standard foundations. For construction of standard foundations for low level light standards, standard foundations are considered footings in this provision.

This provision does not apply to foundations for signal pedestals; see Section 1743 of the 2012 Standard Specifications and Standard Drawing No. 1743.01 of the 2012 Roadway Standard Drawings.

#### Materials

Refer to the 2012 Standard Specifications.

| Item                     | Section           |
|--------------------------|-------------------|
| Conduit                  | 1091-3            |
| Grout, Nonshrink         | 1003              |
| Polymer Slurry           | 411-2(B)          |
| Portland Cement Concrete | 1000              |
| Reinforcing Steel        | 1070              |
| Rollers and Chairs       | 411-2(C)          |
| Temporary Casings        | 411 <b>-</b> 2(A) |

Provide Type 3 material certifications in accordance with Article 106-3 of the 2012 Standard Specifications for conduit, rollers, chairs and anchor rod assemblies. Store steel materials on blocking at least 12" above the ground and protect it at all times from damage; and when placing in the work make sure it is free from dirt, dust, loose mill scale, loose rust, paint, oil or other foreign materials. Load, transport, unload and store foundation and anchor rod assembly materials so materials are kept clean and free of damage. Bent, damaged or defective materials will be rejected.

Use conduit type in accordance with the contract. Use Class A concrete for footings and pedestals, Class Drilled Pier concrete for drilled piers and Class AA concrete for grade beams and wings including portions of drilled piers above bottom of wings elevations. Corrugated temporary casings may be accepted at the discretion of the Engineer. A list of approved polymer slurry products is available from:

connect.ncdot.gov/resources/Geological/Pages/Products.aspx

Provide anchor rod assemblies in accordance with the contract consisting of the following:

- (A) Straight anchor rods,
- (B) Heavy hex top and leveling nuts and flat washers on exposed ends of rods, and
- (C) Nuts and either flat plates or washers on the other ends of anchor rods embedded in foundations.

Do not use lock washers. Use steel anchor rods, nuts and washers that meet ASTM F1554 for Grade 55 rods and Grade A nuts. Use steel plates and washers embedded in concrete with a thickness of at least 1/4". Galvanize anchor rods and exposed nuts and washers in accordance with Article 1076-4 of the *2012 Standard Specifications*. It is not necessary to galvanize nuts, plates and washers embedded in concrete.

#### **Construction Methods**

Install the required size and number of conduits in foundations in accordance with the plans and accepted submittals. Construct top of piers, footings, pedestals, grade beams and wings flat, level and within 1" of elevations shown in the plans or approved by the Engineer. Provide an Ordinary Surface finish in accordance with Subarticle 825-6(B) of the 2012 Standard Specifications for portions of foundations exposed above finished grade. Do not remove anchor bolt templates or pedestal or grade beam forms or erect metal poles or upright trusses onto foundations until concrete attains a compressive strength of at least 3,000 psi.

(A) Drilled Piers

Before starting drilled pier construction, hold a predrill meeting to discuss the installation, monitoring and inspection of the drilled piers. Schedule this meeting after the Drilled Pier Contractor has mobilized to the site. The Resident or Division Traffic

Engineer, Contractor and Drilled Pier Contractor Superintendent will attend this predrill meeting.

Do not excavate holes, install piles or allow equipment wheel loads or vibrations within 20 ft of completed piers until 16 hours after Drilled Pier concrete reaches initial set.

Check for correct drilled pier alignment and location before beginning drilling. Check plumbness of holes frequently during drilling.

Construct drilled piers with the minimum required diameters shown in the plans. Install piers with tip elevations no higher than shown in the plans or approved by the Engineer.

Excavate holes with equipment of the sizes required to construct drilled piers. Depending on the subsurface conditions encountered, drilling through rock and boulders may be required. Do not use blasting for drilled pier excavations.

Contain and dispose of drilling spoils and waste concrete as directed and in accordance with Section 802 of the 2012 Standard Specifications. Drilling spoils consist of all materials and fluids removed from excavations.

If unstable, caving or sloughing materials are anticipated or encountered, stabilize holes with temporary casings and/or polymer slurry. Do not use telescoping temporary casings. If it becomes necessary to replace a temporary casing during drilling, backfill the excavation, insert a larger casing around the casing to be replaced or stabilize the excavation with polymer slurry before removing the temporary casing.

If temporary casings become stuck or the Contractor proposes leaving casings in place, temporary casings should be installed against undisturbed material. Unless otherwise approved, do not leave temporary casings in place for mast arm poles and cantilever signs. The Engineer will determine if casings may remain in place. If the Contractor proposes leaving temporary casings in place, do not begin drilling until a casing installation method is approved.

Use polymer slurry and additives to stabilize holes in accordance with the slurry manufacturer's recommendations. Provide mixing water and equipment suitable for polymer slurry. Maintain polymer slurry at all times so slurry meets Table 411-3 of the *2012 Standard Specifications* except for sand content.

Define a "sample set" as slurry samples collected from mid-height and within 2 ft of the bottom of holes. Take sample sets from excavations to test polymer slurry immediately after filling holes with slurry, at least every 4 hours thereafter and immediately before placing concrete. Do not place Drilled Pier concrete until both slurry samples from an excavation meet the required polymer slurry properties. If any slurry test results do not meet the requirements, the Engineer may suspend drilling until both samples from a sample set meet the required slurry properties.

Remove soft and loose material from bottom of holes using augers to the satisfaction of the Engineer. Assemble rebar cages and place cages and Drilled Pier concrete in accordance with Subarticle 411-4(E) of the *2012 Standard Specifications* except for the following:

- (1) Inspections for tip resistance and bottom cleanliness are not required,
- (2) Temporary casings may remain in place if approved, and
- (3) Concrete placement may be paused near the top of pier elevations for anchor rod assembly installation and conduit placement or
- (4) If applicable, concrete placement may be stopped at bottom of grade beam or wings elevations for grade beam or wing construction.

If wet placement of concrete is anticipated or encountered, do not place Drilled Pier concrete until a concrete placement procedure is approved. If applicable, temporary casings and fluids may be removed when concrete placement is paused or stopped in accordance with the exceptions above provided holes are stable. Remove contaminated concrete from exposed Drilled Pier concrete after removing casings and fluids. If holes are unstable, do not remove temporary casings until a procedure for placing anchor rod assemblies and conduit or constructing grade beams or wings is approved.

Use collars to extend drilled piers above finished grade. Remove collars after Drilled Pier concrete sets and round top edges of piers.

If drilled piers are questionable, pile integrity testing (PIT) and further investigation may be required in accordance with Article 411-5 of the *2012 Standard Specifications*. A drilled pier will be considered defective in accordance with Subarticle 411-5(D) of the *2012 Standard Specifications* and drilled pier acceptance is based in part on the criteria in Article 411-6 of the *2012 Standard Specifications* except for the top of pier tolerances in Subarticle 411-6(C) of the *2012 Standard Specifications*.

If a drilled pier is under further investigation, do not grout core holes, backfill around the pier or perform any work on the drilled pier until the Engineer accepts the pier. If the drilled pier is accepted, dewater and grout core holes and backfill around the pier with approved material to finished grade. If the Engineer determines a pier is unacceptable, remediation is required in accordance with Article 411-6 of the 2012 Standard Specifications. No extension of completion date or time will be allowed for remediation of unacceptable drilled piers or post repair testing.

Permanently embed a plate in or mark top of piers with the pier diameter and depth, size and number of vertical reinforcing bars and the minimum compressive strength of the concrete mix at 28 days. (B) Footings, Pedestals, Grade Beams and Wings

Excavate as necessary for footings, grade beams and wings in accordance with the plans, accepted submittals and Section 410 of the *2012 Standard Specifications*. If unstable, caving or sloughing materials are anticipated or encountered, shore foundation excavations as needed with an approved method. Notify the Engineer when foundation excavation is complete. Do not place concrete or reinforcing steel until excavation dimensions and foundation material are approved.

Construct cast-in-place reinforced concrete footings, pedestals, grade beams and wings with the dimensions shown in the plans and in accordance with Section 825 of the *2012 Standard Specifications*. Use forms to construct portions of pedestals and grade beams protruding above finished grade. Provide a chamfer with a 3/4" horizontal width for pedestal and grade beam edges exposed above finished grade. Backfill and fill in accordance with Article 410-8 of the *2012 Standard Specifications*. Proper compaction around footings and wings is critical for foundations to resist uplift and torsion forces. Place concrete against undisturbed soil and do not use forms for standard foundations for low level light standards.

(C) Anchor Rod Assemblies

Size anchor rods for design and the required projection above top of foundations. Determine required anchor rod projections from nut, washer and base plate thicknesses, the protrusion of 3 to 5 anchor rod threads above top nuts after tightening and the distance of one nut thickness between top of foundations and bottom of leveling nuts.

Protect anchor rod threads from damage during storage and installation of anchor rod assemblies. Before placing anchor rods in foundations, turn nuts onto and off rods past leveling nut locations. Turn nuts with the effort of one workman using an ordinary wrench without a cheater bar. Report any thread damage to the Engineer that requires extra effort to turn nuts.

Arrange anchor rods symmetrically about center of base plate locations as shown in the plans. Set anchor rod elevations based on required projections above top of foundations. Securely brace and hold rods in the correct position, orientation and alignment with a steel template. Do not weld to reinforcing steel, temporary casings or anchor rods.

Install top and leveling (bottom) nuts, washers and the base plate for each anchor rod assembly in accordance with the following procedure:

- (1) Turn leveling nuts onto anchor rods to a distance of one nut thickness between the top of foundation and bottom of leveling nuts. Place washers over anchor rods on top of leveling nuts.
- (2) Determine if nuts are level using a flat rigid template on top of washers. If necessary, lower leveling nuts to level the template in all directions or if applicable, lower nuts to tilt the template so the metal pole or upright truss will

lean as shown in the plans. If leveling nuts and washers are not in full contact with the template, replace washers with galvanized beveled washers.

- (3) Verify the distance between the foundation and leveling nuts is no more than one nut thickness.
- (4) Place base plate with metal pole or upright truss over anchor rods on top of washers. High mount luminaires may be attached before erecting metal poles but do not attach cables, mast arms or trusses to metal poles or upright trusses at this time.
- (5) Place washers over anchor rods on top of base plate. Lubricate top nut bearing surfaces and exposed anchor rod threads above washers with beeswax, paraffin or other approved lubricant.
- (6) Turn top nuts onto anchor rods. If nuts are not in full contact with washers or washers are not in full contact with the base plate, replace washers with galvanized beveled washers.
- (7) Tighten top nuts to snug-tight with the full effort of one workman using a 12" wrench. Do not tighten any nut all at once. Turn top nuts in increments. Follow a star pattern cycling through each nut at least twice.
- (8) Repeat (7) for leveling nuts.
- (9) Replace washers above and below the base plate with galvanized beveled washers if the slope of any base plate face exceeds 1:20 (5%), any washer is not in firm contact with the base plate or any nut is not in firm contact with a washer. If any washers are replaced, repeat (7) and (8).
- (10) With top and leveling nuts snug-tight, mark each top nut on a corner at the intersection of 2 flats and a corresponding reference mark on the base plate. Mark top nuts and base plate with ink or paint that is not water-soluble. Use the turn-of-nut method for pretensioning. Do not pretension any nut all at once. Turn top nuts in increments for a total turn that meets the following nut rotation requirements:

| NUT ROTATION REQUIREMENTS<br>(Turn-of-Nut Pretensioning Method) |                    |  |  |  |  |  |
|---|--------------------|--|--|--|--|--|
| Anchor Rod Diameter, inch                                       | Requirement        |  |  |  |  |  |
| $\leq 1 \ 1/2$  | 1/3 turn (2 flats) |  |  |  |  |  |
| > 1 1/2   | 1/6 turn (1 flat)  |  |  |  |  |  |

Follow a star pattern cycling through each top nut at least twice.

(11) Ensure nuts, washers and base plate are in firm contact with each other for each anchor rod. Cables, mast arms and trusses may now be attached to metal poles and upright trusses.

(12) Between 4 and 14 days after pretensioning top nuts, use a torque wrench calibrated within the last 12 months to check nuts in the presence of the Engineer. Completely erect mast arm poles and cantilever signs and attach any hardware before checking top nuts for these structures. Check that top nuts meet the following torque requirements:

| TORQUE REQUIREMENTS       |                    |  |  |  |  |  |  |  |
|---------------------------|--------------------|--|--|--|--|--|--|--|
| Anchor Rod Diameter, inch | Requirement, ft-lb |  |  |  |  |  |  |  |
| 7/8                       | 180                |  |  |  |  |  |  |  |
| 1                         | 270                |  |  |  |  |  |  |  |
| 1 1/8                     | 380                |  |  |  |  |  |  |  |
| 1 1/4                     | 420                |  |  |  |  |  |  |  |
| $\geq$ 1 1/2              | 600                |  |  |  |  |  |  |  |

If necessary, retighten top nuts in the presence of the Engineer with a calibrated torque wrench to within  $\pm$  10 ft-lb of the required torque. Do not overtighten top nuts.

(13) Do not grout under base plate.

# **Measurement and Payment**

Foundations and anchor rod assemblies for metal poles and upright trusses will be measured and paid for elsewhere in the contract.

No payment will be made for temporary casings that remain in drilled pier excavations. No payment will be made for PIT. No payment will be made for further investigation of defective piers. Further investigation of piers that are not defective will be paid as extra work in accordance with Article 104-7 of the *2012 Standard Specifications*. No payment will be made for remediation of unacceptable drilled piers or post repair testing.

# **MATERIALS:**

(2-21-12) (Rev. 1-21-14) 1000, 1005, 1024, 1050, 1056, 1074, 1078, 1080, 1081, 1086, 1084, 1087, 1092 SP10 R01

Revise the 2012 Standard Specifications as follows:

**Page 10-1, Article 1000-1, DESCRIPTION, lines 9-10,** replace the last sentence of the first paragraph with the following:

Type IL, IP, IS or IT blended cement may be used instead of Portland cement.

Page 10-1, Article 1000-1, DESCRIPTION, line 14, add the following:

Use materials which do not produce a mottled appearance through rusting or other staining of the finished concrete surface.

**Page 10-1, Article 1000-2, MATERIALS, line 16,** add the following to the table of item references:

# **Section** 1024-1

|                                     |  |                           | REQ                       | TA<br>UIREMEI        | BLE 1000<br>NTS FOR       |   | CRETE               |              |              |               |              |
|-------------------------------------|--|---------------------------|---------------------------|----------------------|---------------------------|---|---------------------|--------------|--------------|---------------|--------------|
| Class of<br>Concrete                |  | Maxin                     |                           | er-Cement            |                           | Cons  | sistency<br>. Slump |              | Cement       | Content       |              |
|                                     | Min. Comp.<br>Strength<br>at 28 days                         | Air-Entrained<br>Concrete |                           | Non<br>Entra<br>Conc | ained                     | Vibrated                                    | Non-<br>Vibrated    | Vibi         | rated        | Non- Vibrated |              |
|                                     | Mi<br>S<br>at  | Rounded<br>Aggregate      | Angular<br>Aggre-<br>gate | Rounded<br>Aggregate | Angular<br>Aggre-<br>gate | Vib   | N<br>Vib            | Min.         | Max.         | Min.          | Max.         |
| Units                               | psi  |                           |                           |                      |                           | inch  | inch                | lb/cy        | lb/cy        | lb/cy         | lb/cy        |
| AA                                  | 4,500  | 0.381                     | 0.426                     | -                    | -                         | 3.5   | -                   | 639          | 715          | -             | -            |
| AA Slip<br>Form                     | 4,500  | 0.381                     | 0.426                     | -                    | -                         | 1.5   | -                   | 639          | 715          | -             | -            |
| Drilled Pier                        | 4,500  | -                         | -                         | 0.450                | 0.450                     | -   | 5-7 dry<br>7-9 wet  | -            | -            | 640           | 800          |
| А                                   | 3,000  | 0.488                     | 0.532                     | 0.550                | 0.594                     | 3.5   | 4                   | 564          | -            | 602           | -            |
| В                                   | 2,500  | 0.488                     | 0.567                     | 0.559                | 0.630                     | 2.5   | 4                   | 508          | -            | 545           | -            |
| B Slip<br>Formed                    | 2,500  | 0.488                     | 0.567                     | -                    | -                         | 1.5   | -                   | 508          | -            | -             | -            |
| Sand Light-<br>weight               | 4,500  | -                         | 0.420                     | -                    | -                         | 4   | -                   | 715          | -            | -             | -            |
| Latex<br>Modified                   | 3,000<br>7 day   | 0.400                     | 0.400                     | -                    | -                         | 6   | -                   | 658          | -            | -             | -            |
| Flowable<br>Fill<br>excavatable     | 150 max.<br>at 56 days                                       | as needed                 | as needed                 | as needed            | as needed                 | -   | Flow-<br>able       | -            | -            | 40            | 100          |
| Flowable<br>Fill<br>non-excavatable | 125  | as needed                 | as needed                 | as needed            | as needed                 | -   | Flow-<br>able       | -            | -            | 100           | as<br>needed |
| Pavement                            | 4,500<br>design,<br>field<br>650<br>flexural,<br>design only | 0.559                     | 0.559                     | -                    | -                         | 1.5<br>slip<br>form<br>3.0<br>hand<br>place | -                   | 526          | -            | -             | -            |
| Precast                             | See Table<br>1077-1  | as needed                 | as needed                 | -                    | -                         | 6   | as<br>needed        | as<br>needed | as<br>needed | as<br>needed  | as<br>needed |
| Prestress                           | per<br>contract  | See Table<br>1078-1       | See<br>Table<br>1078-1    | -                    | -                         | 8   | -                   | 564          | as<br>needed | -             | -            |

# Page 10-5, Table 1000-1, REQUIREMENTS FOR CONCRETE, replace with the following:

| WEIBIIL                  | Light-<br>weight | ABC<br>(M)                | ABC   | 9          | 14M   | 78M  | 67                                       | 6M         | 57M                    | 57   | S                           | 467M              | 4                 | Std.<br>Size # |                                       |  |
|--------------------------|------------------|---------------------------|---|------------|---|--|--|------------|------------------------|--|-----------------------------|-------------------|-------------------|----------------|---------------------------------------|--|
| A. Se                    | ı                | ı                         |   | ı          | ı   | ı  | ı  | ı          | ı                      | I  | ı                           | 100               | 100               | 2"             |                                       |  |
| e Suhart                 | ı                | 100                       | 100   | ı          | I   | 1  | I  | 1          | 100                    | 100  | 100                         | 95-<br>100        | 90-<br>100        | 1<br>1/2"      |                                       |  |
| See Subarticle 1005-4(A) | I                | 75-<br>100                | 75-<br>97   | ı          | I   | ı  | 100                                      | 100        | 95-<br>100             | 95-<br>100   | 90-<br>100                  | ı                 | 20-<br>55         | 1"             |                                       | AGG                                    |
| 5-4(A).                  | I                | I                         | ı   | ı          | I   | 100  | 90-<br>100                               | 90-<br>100 | ı                      | I  | 20-<br>55                   | 35-<br>70         | 0-15              | 3/4"           | P                                     | REG                                    |
|                          | 100              | 45-<br>79                 | 55-<br>80   | ı          | I   | 98-<br>100   | I  | 20-<br>55  | 25-<br>45              | 25-<br>60  | 0-10                        | ı                 | ı                 | 1/2"           | Percentage of Total by Weight Passing | ATE                                    |
| 100                      | 100              | I                         | 1   | 100        | 100   | 75-<br>100   | 20-<br>55                                | 0-20       | ı                      | I  | 0-5                         | 0-30              | 0-5               | 3/8"           | tage o                                | GRAD                                   |
| Ę                        | 40<br>40         | 20-<br>40                 | 35-<br>55   | 85-<br>100 | 35-<br>70   | 20-<br>45  | 0-10                                     | 8-0        | 0-10                   | 0-10   | I                           | 0-5               | ı                 | #4             | f Tot:                                | ATIC                                   |
|                          | 0-20             | I                         | I   | 40<br>40   | 5-20  | 0-15   | 0-5                                      | I          | 0-5                    | 0-5  | I                           | I                 | ı                 | 8#             | ıl by V                               | )N - C                                 |
|                          | I                | 0-<br>25                  | 25-<br>45   | ı          | I   | I  | I  | I          | I                      | I  | I                           | I                 | ı                 | #10            | Veigh                                 | OAR                                    |
|                          | 0-10             | ı                         |   | 0-10       | 8-0   | ı  | I  | ı          | ı                      | I  | ı                           | ı                 | ı                 | #16            | t Pass                                | SE AC                                  |
|                          | I                | ı                         | 14-<br>30   | ı          | I   | ı  | I  | ı          | I                      | I  | I                           | ı                 | ı                 | #40            | ing                                   | GRE                                    |
|                          | 0-2.5            | 0-<br>12 <sup>в</sup>     | 4-<br>12 <sup>в</sup>                             | A          | A   | A  | A  | A          | A                      | A  | A                           | A                 | A                 | #200           |                                       | AGGREGATE GRADATION - COARSE AGGREGATE |
|                          | AST              | Maintenance Stabilization | Aggregate Base Course,<br>Aggregate Stabilization | AST        | Asphalt Plant Mix,<br>AST, Weep Hole Drains,<br>Str. Concrete | Asphalt Plant Mix, AST,<br>Str. Conc, Weep Hole Drains | AST, Str. Concrete,<br>Asphalt Plant Mix | AST        | AST, Concrete Pavement | AST, Str. Concrete,<br>Shoulder Drain,<br>Sediment Control Stone | AST, Sediment Control Stone | Asphalt Plant Mix | Asphalt Plant Mix | Remarks        |                                       |  |

**Page 10-23, Table 1005-1, AGGREGATE GRADATION-COARSE AGGREGATE,** replace with the following:

**Page 10-46, Article 1024-1, PORTLAND CEMENT, line 33,** add the following as the ninth paragraph:

Use Type IL blended cement that meets AASHTO M 240, except that the limestone content is limited to between 5 and 12% by weight and the constituents shall be interground. Class F fly ash can replace a portion of Type IL blended cement and shall be replaced as outlined in Subarticle 1000-4(I) for Portland cement. For mixes that contain cement with alkali content between 0.6% and 1.0% and for mixes that contain a reactive aggregate documented by the Department, use a pozzolan in the amount shown in Table 1024-1.

Page 10-65, Article 1050-1, GENERAL, line 41, replace the first sentence with the following:

All fencing material and accessories shall meet Section 106.

**Page 10-73, Article 1056-1 DESCRIPTION, lines 7-8**, delete the first sentence of the second paragraph and replace with the following:

Use geotextile fabrics that are on the NCDOT Approved Products List.

**Page 10-73, Article 1056-2 HANDLING AND STORING, line 17**, replace "mechanically stabilized earth (MSE) wall faces" with "temporary wall faces".

|  |   |                                   | BLE 1056-1<br>LE REQUIR | EMENTS                            |  |               |  |  |  |  |  |
|--|---|-----------------------------------|-------------------------|-----------------------------------|--|---------------|--|--|--|--|--|
| Droparty                                     | Requirement (MARV <sup>A</sup> )                    |                                   |                         |                                   |  |               |  |  |  |  |  |
| Property                                     | Type 1  | Type 2                            | Type 3 <sup>B</sup>     | Type 4                            | Type 5 <sup>C</sup>  | Test          |  |  |  |  |  |
| Typical                                      | Shoulder  | Under                             | <i>Temporary</i>        | Soil                              | Temporary  | Method        |  |  |  |  |  |
| Application                                  | Drains  | Rip Rap                           | Silt Fence              | Stabilization                     | Walls  |               |  |  |  |  |  |
| Elongation<br>(MD & CD)                      | $\geq 50\%$   | $\geq 50\%$                       | $\leq$ 25%              | < 50%                             | < 50%  | ASTM<br>D4632 |  |  |  |  |  |
| Grab Strength<br>(MD & CD)                   |   |                                   | 100 lb                  |                                   | -  | ASTM<br>D4632 |  |  |  |  |  |
| Tear Strength<br>(MD & CD)                   | Table 1 <sup>D</sup> ,<br>Class 3                   | Table 1 <sup>D</sup> ,<br>Class 1 | -                       | Table 1 <sup>D</sup> ,<br>Class 3 | -  | ASTM<br>D4533 |  |  |  |  |  |
| Puncture<br>Strength                         |   |                                   | -                       | -                                 | -  | ASTM<br>D6241 |  |  |  |  |  |
| Ultimate<br>Tensile<br>Strength<br>(MD & CD) | _   | _                                 | -                       | -                                 | 2,400 lb/ft<br>(unless<br>required<br>otherwise<br>in the<br>contract) | ASTM<br>D4595 |  |  |  |  |  |
| Permittivity                                 | T 11  | аD                                |                         |                                   | $0.20 \text{ sec}^{-1}$  | ASTM<br>D4491 |  |  |  |  |  |
| Apparent<br>Opening Size                     | 15% t   | e 2 <sup>D</sup> ,<br>o 50%       | Table 7 <sup>D</sup>    | Table 5 <sup>D</sup>              | No. 30 <sup>E</sup>  | ASTM<br>D4751 |  |  |  |  |  |
| UV Stability<br>(Retained<br>Strength)       | <i>in Situ</i> Soil<br>Passing No. 200 <sup>E</sup> |                                   |                         |                                   | 70%  | ASTM<br>D4355 |  |  |  |  |  |

**Page 10-74, TABLE 1056-1 GEOTEXTILE REQUIREMENTS**, replace table with the following:

A. MARV does not apply to elongation

**B.** Minimum roll width of 36" required

**C.** Minimum roll width of 13 ft required

**D.** AASHTO M 288

**E.** US Sieve No. per AASHTO M 92

Page 10-115, Subarticle 1074-7(B), Gray Iron Castings, lines 10-11, replace with the first two sentences with the following:

Supply gray iron castings meeting all facets of AASHTO M 306 excluding proof load. Proof load testing will only be required for new casting designs during the design process, and conformance to M306 loading (40,000 lbs.) will be required only when noted on the design documents.

| Page 10-126, Table 1078-1, REQUIREMENTS FOR CONCRETE, replace with | h the |
|--|-------|
| following:   |       |

| TABLE 1078-1REQUIREMENTS FOR CONCRETE     |   |   |  |  |  |  |  |  |
|---|---|---|--|--|--|--|--|--|
| Property                                  | 28 Day Design<br>Compressive<br>Strength<br>6,000 psi or less | 28 Day Design<br>Compressive<br>Strength<br>greater than<br>6,000 psi |  |  |  |  |  |  |
| Maximum Water/Cementitious Material Ratio | 0.45  | 0.40  |  |  |  |  |  |  |
| Maximum Slump without HRWR                | 3.5"  | 3.5"  |  |  |  |  |  |  |
| Maximum Slump with HRWR                   | 8"  | 8"  |  |  |  |  |  |  |
| Air Content (upon discharge into forms)   | 5 + 2%  | 5 + 2%  |  |  |  |  |  |  |

**Page 10-151, Article 1080-4 Inspection and Sampling, lines 18-22,** replace (B), (C) and (D) with the following:

- (B) At least 3 panels prepared as specified in 5.5.10 of AASHTO M 300, Bullet Hole Immersion Test.
- (C) At least 3 panels of 4"x6"x1/4" for the Elcometer Adhesion Pull Off Test, ASTM D4541.
- (D) A certified test report from an approved independent testing laboratory for the Salt Fog Resistance Test, Cyclic Weathering Resistance Test, and Bullet Hole Immersion Test as specified in AASHTO M 300.
- (E) A certified test report from an approved independent testing laboratory that the product has been tested for slip coefficient and meets AASHTO M253, Class B.

**Page 10-161, Subarticle 1081-1(A) Classifications, lines 29-33,** delete first 3 sentences of the description for Type 2 and replace with the following:

**Type 2** - A low-modulus, general-purpose adhesive used in epoxy mortar repairs. It may be used to patch spalled, cracked or broken concrete where vibration, shock or expansion and contraction are expected.

**Page 10-162, Subarticle 1081-1(A) Classifications, lines 4-7,** delete the second and third sentences of the description for Type 3A. Lines 16-22, delete Types 6A, 6B and 6C.

**Page 10-162, Subarticle 1081-1(B) Requirements, lines 26-30,** replace the second paragraph with the following:

For epoxy resin systems used for embedding dowel bars, threaded rods, rebar, anchor bolts and other fixtures in hardened concrete, the manufacturer shall submit test results showing that the bonding system will obtain 125% of the specified required yield strength of the fixture. Furnish certification that, for the particular bolt grade, diameter and embedment depth required, the

anchor system will not fail by adhesive failure and that there is no movement of the anchor bolt. For certification and anchorage, use 3,000 psi as the minimum Portland cement concrete compressive strength used in this test. Use adhesives that meet Section 1081.

List the properties of the adhesive on the container and include density, minimum and maximum temperature application, setting time, shelf life, pot life, shear strength and compressive strength.

**Page 10-163, Table 1081-1 Properties of Mixed Epoxy Resin Systems,** replace table with the following:

|   | Max                          | 2<br>2<br>Mii  | Miı<br>2"   | Tens                             | Mi  |                    |             |             | Vis  |            |   |
|---|------------------------------|--|---|----------------------------------|---|--------------------|-------------|-------------|--|------------|---|
| Min. Bond Strength Slant Shear<br>Test at 14 days (psi) | Maximum Water Absorption (%) | Min. Compressive Strength of 2" mortar cubes at 7 days | Min. Compressive Strength of 2". mortar cubes at 24 hours | Tensile Elongation at 7 days (%) | Minimum Tensile Strength at<br>7 days (psi) | Pot Life (Minutes) | Speed (RPM) | Spindle No. | Viscosity-Poises at $77^{\circ}F \pm 2^{\circ}F$ | Property   |   |
| 1,500   | 1.5                          | 5,000<br>(Neat)  | 3,000<br>(Neat)   | 30 min.                          | 1,500                                       | 20-50              | I           | ı           | Gel  | Туре 1     | Properties  |
| 1,500   | 1.0                          | I  | 4,000-  | 30 min.                          | 2,000                                       | 30-60              | 20          | ω           | 10-30  | Type 2     | Table 1081-1<br>Properties of Mixed Epoxy Resin Systems |
| 2,000   | 1.0                          | I  | 6,000-  | 2-5                              | 4,000                                       | 20-50              | 20          | 4           | 25-75  | Type 3     | 081-1<br>2poxy Resin                                    |
| 2,000   | 1.5                          | I  | 6,000<br>(Neat)   | 2-5                              | 4,000                                       | 5-50               | ł           | ł           | Gel  | Type<br>3A | Systems   |
| 1,500   | 1.0                          | I  | 3,000   | 5-15                             | 1,500                                       | 40-80              | 10          | 4           | 40-150   | Type<br>4A |   |
| 1,500   | 1.0                          | 5,000  | 3,000   | 5-15                             | 1,500                                       | 40-80              | 10          | 4           | 40-150   | Type<br>4B |   |
| 1,500   | 1.0                          | I  | 6,000   | 2-5                              | 4,000                                       | 20-60              | 50          | 2           | 1-6  | Type 5     |   |

**Page 10-164, Subarticle 1081-1(E) Prequalification, lines 31-33,** replace the second sentence of the first paragraph with the following:

Manufacturers choosing to supply material for Department jobs must submit an application through the Value Management Unit with the following information for each type and brand name:

Page 10-164, Subarticle 1081-1(E)(3), line 37, replace this subarticle with the following:

(3) Type of the material in accordance with Articles 1081-1 and 1081-4,

**Page 10-165, Subarticle 1081-1(E)(6), line 1,** in the first sentence of the first paragraph replace "AASHTO M 237" with "the specifications".

Page 10-165, Subarticle 1081-1(E) Prequalification, line 9-10, delete the second sentence of the last paragraph.

**Page 10-165, Subarticle 1081-1(F) Acceptance, line 14,** in the first sentence of the first paragraph replace "Type 1" with "Type 3".

Page 10-169, Subarticle 1081-3(G) Anchor Bolt Adhesives, delete this subarticle.

Page 10-170, Article 1081-3 Hot Bitumen, line 9, add the following at the end of Section 1081:

# **1081-4 EPOXY RESIN ADHESIVE FOR BONDING TRAFFIC MARKINGS**

# (A) General

This section covers epoxy resin adhesive for bonding traffic markers to pavement surfaces.

# (B) Classification

The types of epoxies and their uses are as shown below:

**Type I** – Rapid Setting, High Viscosity, Epoxy Adhesive. This type of adhesive provides rapid adherence to traffic markers to the surface of pavement.

**Type II** – Standard Setting, High Viscosity, Epoxy Adhesive. This type of adhesive is recommended for adherence of traffic markers to pavement surfaces when rapid set is not required.

**Type III** – Rapid Setting, Low Viscosity, Water Resistant, Epoxy Adhesive. This type of rapid setting adhesive, due to its low viscosity, is appropriate only for use with embedded traffic markers.

Type IV – Standard Set Epoxy for Blade Deflecting-Type Plowable Markers.

# (C) Requirements

Epoxies shall conform to the requirements set forth in AASHTO M 237.

# (D) Prequalification

Refer to Subarticle 1081-1(E).

# (E) Acceptance

Refer to Subarticle 1081-1(F).

# **Page 10-173, Article 1084-2 STEEL SHEET PILES, lines 37-38,** replace first paragraph with the following:

Steel sheet piles detailed for permanent applications shall be hot rolled and meet ASTM A572 or ASTM A690 unless otherwise required by the plans. Steel sheet piles shall be coated as required by the plans. Galvanized sheet piles shall be coated in accordance with Section 1076. Metallized sheet piles shall be metallized in accordance to the Project Special Provision "Thermal Sprayed Coatings (Metallization)" with an 8 mil, 99.9% aluminum alloy coating and a 0.5 mil seal coating. Any portion of the metallized sheet piling encased in concrete shall receive a barrier coat. The barrier coat shall be an approved waterborne coating with a low-viscosity which readily absorbs into the pores of the aluminum thermal sprayed coating. The waterborne coating shall be applied at a spreading rate that results in a theoretical 1.5 mil dry film thickness. The manufacturer shall issue a letter of certification that the resin chemistry of the waterborne coating is compatible with the 99.9% aluminum thermal sprayed alloy and suitable for tidal water applications.

# **Page 10-174, Subarticle 1086-1(B)(1) Epoxy, lines 18-24**, replace this subarticle with the following:

The epoxy shall meet Article 1081-4.

The 2 types of epoxy adhesive which may be used are Type I, Rapid Setting, and Type II, Standard Setting. Use Type II when the pavement temperature is above 60°F or per the manufacturer's recommendations whichever is more stringent. Use Type I when the pavement temperature is between 50°F and 60°F or per the manufacturer's recommendations whichever is more stringent. Epoxy adhesive Type I, Cold Set, may be used to attach temporary pavement markers to the pavement surface when the pavement temperature is between 32°F and 50°F or per the manufacturer's recommendations whichever is more stringent.

Page 10-175, Subarticle 1086-2(E) Epoxy Adhesives, line 27, replace "Section 1081" with "Article 1081-4".

Page 10-177, Subarticle 1086-3(E) Epoxy Adhesives, line 22, replace "Section 1081" with "Article 1081-4".

**Page 10-179, Subarticle 1087-4(A) Composition, lines 39-41**, replace the third paragraph with the following:

All intermixed and drop-on glass beads shall not contain more than 75 ppm arsenic or 200 ppm lead.

Page 10-180, Subarticle 1087-4(B) Physical Characteristics, line 8, replace the second paragraph with the following:

All intermixed and drop-on glass beads shall comply with NCGS § 136-30.2 and 23 USC § 109(r).

**Page 10-181, Subarticle 1087-7(A) Intermixed and Drop-on Glass Beads, line 24**, add the following after the first paragraph:

Use X-ray Fluorescence for the normal sampling procedure for intermixed and drop-on beads, without crushing, to check for any levels of arsenic and lead. If any arsenic or lead is detected, the sample shall be crushed and repeat the test using X-ray Fluorescence. If the X-ray Fluorescence test shows more than a LOD of 5 ppm, test the beads using United States Environmental Protection Agency Method 6010B, 6010C or 3052 for no more than 75 ppm arsenic or 200 ppm lead.

| TABLE 1092-3         MINIMUM COEFFICIENT OF RETROREFLECTION FOR NC GRADE A         (Candelas Per Lux Per Square Meter) |       |        |       |     |      |                             |                       |     |  |  |  |  |
|--|-------|--------|-------|-----|------|-----------------------------|-----------------------|-----|--|--|--|--|
| <b>Observation</b><br><b>Angle, degrees</b>  | White | Yellow | Green | Red | Blue | Fluorescent<br>Yellow Green | Fluorescent<br>Yellow |     |  |  |  |  |
| 0.2  | -4.0  | 525    | 395   | 52  | 95   | 30                          | 420                   | 315 |  |  |  |  |
| 0.2  | 30.0  | 215    | 162   | 22  | 43   | 10                          | 170                   | 130 |  |  |  |  |
| 0.5  | -4.0  | 310    | 230   | 31  | 56   | 18                          | 245                   | 185 |  |  |  |  |
| 0.5  | 30.0  | 135    | 100   | 14  | 27   | 6                           | 110                   | 81  |  |  |  |  |
| 1.0  | -4.0  | 120    | 60    | 8   | 16   | 3.6                         | 64                    | 48  |  |  |  |  |
| 1.0  | 30.0  | 45     | 34    | 4.5 | 9    | 2                           | 36                    | 27  |  |  |  |  |

# **Page 10-204, Subarticle 1092-2(A) Performance and Test Requirements**, replace **Table 1092-3 Minimum Coefficient of Retroreflection for NC Grade A** with the following:

## WORK ZONE TRAFFIC CONTROL GENERAL REQUIREMENTS

# **TEMPORARY TRAFFIC CONTROL (TTC):**

(7-16-13) (Rev. 2-18-14)

Maintain traffic in accordance with Divisions 10, 11 and 12 of the 2012 Standard Specifications and the following provisions:

Install Work Zone Advance Warning Signs in accordance with the detail drawing provided in these plans prior to beginning any other work. Use a lane closure or slow moving operation to complete the work, as necessary, unless otherwise indicated. Refer to Standard Drawing No. 1101.02, 1101.11, 1110.01, 1110.02, 1130.01 1135.01 and 1180.01 of the *2012 Roadway Standard Drawings*. Use a moving operation only if the minimum speed maintained at all times is 3 mph with no stops that narrow or close a lane of travel. If the moving operation is progressing slower than 3 mph at any time, install a lane closure. Maintain the existing traffic pattern at all times, except in the immediate work zone where lane closures are allowed as determined by the Engineer.

Refer to attached details and Standard Drawing No. 1101.02, 1101.03, 1101.04, 1101.05, 1101.11, 1110.01, 1110.02, 1115.01, 1130.01, 1135.01, 1145.01, 1150.01, 1165.01, and 1180.01 of the *2012 Roadway Standard Drawings* when closing a lane of travel in a stationary work zone such as pavement patching resurfacing, or pavement marking removal. Properly ballasted cones and skinny drums may be used instead of drums. However, drums are required for the upstream taper portion of lane closures in all applications. The stationary work zone shall be a maximum of 1 mile in length at any given time on 2 Lane, 2 Way facilities unless otherwise approved by the Engineer. A pilot vehicle operation may be used in conjunction with flaggers and the appropriate pilot vehicle warning signing as directed by the Engineer. During periods of construction inactivity, return the traffic pattern to the existing alignment and remove or cover any work zone signs. When covering work zone signs, use an opaque material that prevents reading of the sign at night by a driver using high beam headlights. Use material, which does not damage the sign sheeting. Replace any obliterated markings as required by other sections of the *2012 Standard Specifications* and the Engineer.

When personnel and/or equipment are working on the shoulder adjacent to and within 5 feet of an open travel lane, close the nearest open travel lane using Standard Drawing No. 1101.02 of the 2012 Roadway Standard Drawings. When personnel and/or equipment are working within a lane of travel of an undivided facility, close the lane according to the traffic control plans, 2012 Roadway Standard Drawings or as directed by the Engineer. Conduct the work so that all personnel and/or equipment remain within the closed travel lane. Do not work simultaneously, on both sides of an open travel way, within the same location, on a two-lane, two-way road. Perform work only when weather and visibility conditions allow safe operations as directed by the Engineer.

# **Measurement and Payment**

No direct payment will be made for providing other work zone signing as required herein, as the cost of same will be considered incidental to the work being paid for under those various work

RWZ-1

zone signing items that have been included. Where the Contractor provides work zone signing as required herein but no specific pay items have been included in the contract, all associated costs will be considered incidental to the work being paid for under the various items in the contract.

#### <u>STANDARD SPECIAL PROVISION</u> <u>AVAILABILITY OF FUNDS – TERMINATION OF CONTRACTS</u> (5-20-08)

*General Statute 143C-6-11. (h) Highway Appropriation* is hereby incorporated verbatim in this contract as follows:

Z-2

(h) Amounts Encumbered. – Transportation project appropriations may be encumbered in the amount of allotments made to the Department of Transportation by the Director for the estimated payments for transportation project contract work to be performed in the appropriation fiscal year. The allotments shall be multiyear allotments and shall be based on estimated revenues and shall be subject to the maximum contract authority contained in *General Statute* 143C-6-11(c). Payment for transportation project work performed pursuant to contract in any fiscal year other than the current fiscal year is subject to appropriations by the General Assembly. Transportation project contracts shall contain a schedule of estimated completion progress, and any acceleration of this progress shall be subject to the approval of the Department of Transportation provided funds are available. The State reserves the right to terminate or suspend any transportation project contract, and any transportation project contract shall be so terminated or suspended if funds will not be available for payment of the work to be performed during that fiscal year pursuant to the contract. In the event of termination of any contract, the contractor shall be given a written notice of termination at least 60 days before completion of scheduled work for which funds are available. In the event of termination, the contractor shall be paid for the work already performed in accordance with the contract specifications.

Payment will be made on any contract terminated pursuant to the special provision in accordance with Subarticle 108-13(E) of the *2012 Standard Specifications*.

<u>ERRATA</u>

(1-17-12) (Rev. 1-21-14)

Revise the 2012 Standard Specifications as follows:

## **Division 2**

**Page 2-7, line 31, Article 215-2 Construction Methods,** replace "Article 107-26" with "Article 107-25".

Page 2-17, Article 226-3, Measurement and Payment, line 2, delete "pipe culverts,".

Page 2-20, Subarticle 230-4(B), Contractor Furnished Sources, change references as follows: Line 1, replace "(4) Buffer Zone" with "(c) Buffer Zone"; Line 12, replace "(5) Evaluation for Potential Wetlands and Endangered Species" with "(d) Evaluation for Potential Wetlands and Endangered Species"; and Line 33, replace "(6) Approval" with "(4) Approval".

## **Division 3**

Page 3-1, after line 15, Article 300-2 Materials, replace "1032-9(F)" with "1032-6(F)".

#### **Division 4**

Page 4-77, line 27, Subarticle 452-3(C) Concrete Coping, replace "sheet pile" with "reinforcement".

### **Division 6**

**Page 6-7, line 31, Article 609-3 Field Verification of Mixture and Job Mix Formula Adjustments,** replace "30" with "45".

Page 6-10, line 42, Subarticle 609-6(C)(2), replace "Subarticle 609-6(E)" with "Subarticle 609-6(D)".

**Page 6-11, Table 609-1 Control Limits,** replace "Max. Spec. Limit" for the Target Source of  $P_{0.075}/P_{be}$  Ratio with "1.0".

**Page 6-40, Article 650-2 Materials,** replace "Subarticle 1012-1(F)" with "Subarticle 1012-1(E)"

#### **Division 8**

**Page 8-23, line 10, Article 838-2 Materials,** replace "Portland Cement Concrete, Class B" with "Portland Cement Concrete, Class A".

### **Division 12**

Page 12-7, Table 1205-3, add "FOR THERMOPLASTIC" to the end of the title. Page 12-8, Subarticle 1205-5(B), line 13, replace "Table 1205-2" with "Table 1205-4". Page 12-8, Table 1205-4 and 1205-5, replace "THERMOPLASTIC" in the title of these tables with "POLYUREA".

Page 12-9, Subarticle 1205-6(B), line 21, replace "Table 1205-4" with "Table 1205-6". Page 12-11, Subarticle 1205-8(C), line 25, replace "Table 1205-5" with "Table 1205-7".

### **Division 15**

**Page 15-4, Subarticle 1505-3(F) Backfilling, line 26,** replace "Subarticle 235-4(C)" with "Subarticle 235-3(C)".

**Page 15-6, Subarticle 1510-3(B), after line 21,** replace the allowable leakage formula with the following:  $W = LD\sqrt{P} \div 148,000$ 

Page 15-6, Subarticle 1510-3(B), line 32, delete "may be performed concurrently or" and replace with "shall be performed".

Page 15-17, Subarticle 1540-3(E), line 27, delete "Type 1".

# **Division 17**

Page 17-26, line 42, Subarticle 1731-3(D) Termination and Splicing within Interconnect Center, delete this subarticle.

Revise the 2012 Roadway Standard Drawings as follows:

**1633.01 Sheet 1 of 1, English Standard Drawing for Matting Installation,** replace "1633.01" with "1631.01".

# PLANT AND PEST QUARANTINES

## (Imported Fire Ant, Gypsy Moth, Witchweed, And Other Noxious Weeds) (3-18-03) (Rev. 10-15-13)

Z-04a

## Within Quarantined Area

This project may be within a county regulated for plant and/or pests. If the project or any part of the Contractor's operations is located within a quarantined area, thoroughly clean all equipment prior to moving out of the quarantined area. Comply with federal/state regulations by obtaining a certificate or limited permit for any regulated article moving from the quarantined area.

## **Originating in a Quarantined County**

Obtain a certificate or limited permit issued by the N.C. Department of Agriculture/United States Department of Agriculture. Have the certificate or limited permit accompany the article when it arrives at the project site.

## Contact

Contact the N.C. Department of Agriculture/United States Department of Agriculture at 1-800-206-9333, 919-733-6932, or *http://www.ncagr.gov/plantind/* to determine those specific project sites located in the quarantined area or for any regulated article used on this project originating in a quarantined county.

## **Regulated Articles Include**

- 1. Soil, sand, gravel, compost, peat, humus, muck, and decomposed manure, separately or with other articles. This includes movement of articles listed above that may be associated with cut/waste, ditch pulling, and shoulder cutting.
- 2. Plants with roots including grass sod.
- 3. Plant crowns and roots.
- 4. Bulbs, corms, rhizomes, and tubers of ornamental plants.
- 5. Hay, straw, fodder, and plant litter of any kind.
- 6. Clearing and grubbing debris.
- 7. Used agricultural cultivating and harvesting equipment.
- 8. Used earth-moving equipment.
- 9. Any other products, articles, or means of conveyance, of any character, if determined by an inspector to present a hazard of spreading imported fire ant, gypsy moth, witchweed or other noxious weeds.

# AWARD OF CONTRACT

(6-28-77)

"The North Carolina Department of Transportation, in accordance with the provisions of *Title VI* of the Civil Rights Act of 1964 (78 Stat. 252) and the Regulations of the Department of Transportation (49 C.F.R., Part 21), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that the contract entered into pursuant to this advertisement will be awarded to the lowest responsible bidder without discrimination on the ground of race, color, or national origin".

Z-6

## MINORITY AND FEMALE EMPLOYMENT REQUIREMENTS

Z-7

# NOTICE OF REQUIREMENTS FOR AFFIRMATIVE ACTION TO ENSURE EQUAL EMPLOYMENT OPPORTUNITY (*EXECUTIVE NUMBER 11246*)

1. The goals and timetables for minority and female participation, expressed in percentage terms for the Contractor's aggregate workforce in each trade on all construction work in the covered area, see as shown on the attached sheet entitled "Employment Goals for Minority and Female participation".

These goals are applicable to all the Contractor's construction work (whether or not it is Federal or federally assisted) performed in the covered area. If the Contractor performs construction work in a geographical area located outside of the covered area, it shall apply the goals established for such geographical area where the work is actually performed. With regard to this second area, the Contractor also is subject to the goals for both its federally involved and nonfederally involved construction.

The Contractor's compliance with the Executive Order and the regulations in 41 CFR *Part 60-4* shall be based on its implementation of the Equal Opportunity Clause, specific affirmative action obligations required by the specifications set forth in 41 CFR 60-4.3(a), and its effort to meet the goals. The hours of minority and female employment and training must be substantially uniform throughout the length of the contract, and in each trade and the Contractor shall make a good faith effort to employ minorities and women evenly on each of its projects. The transfer of minority or female employees or trainees from Contractor to Contractor or from project to project or the sole purpose of meeting the Contractor's goals shall be a violation of the contract, the executive Order and the regulations *in 41 CFR Part 60-4*. Compliance with the goals will be measured against the total work hours performed.

2. As used in this Notice and in the contract resulting from this solicitation, the "covered area" is the county or counties shown on the cover sheet of the proposal form and contract.

# EMPLOYMENT GOALS FOR MINORITY AND FEMALE PARTICIPATION

#### Area 023 29.7%

Bertie County Camden County Chowan County Gates County Hertford County Pasquotank County Perquimans County

### <u>Area 024 31.7%</u>

**Beaufort County** Carteret County Craven County Dare County Edgecombe County Green County Halifax County Hyde County Jones County Lenoir County Martin County Nash County Northampton County Pamlico County Pitt County **Tyrrell County** Washington County Wayne County Wilson County

# <u>Area 025 23.5%</u>

Columbus County Duplin County Onslow County Pender County

# Economic Areas

Area 026 33.5% Bladen County Hoke County Richmond County Robeson County Sampson County Scotland County

## Area 027 24.7%

Chatham County Franklin County Granville County Harnett County Johnston County Lee County Person County Vance County Warren County

## Area 028 15.5%

Alleghany County Ashe County Caswell County Davie County Moore County Moore County Rockingham County Surry County Watauga County Wilkes County

# Area 029 15.7%

Alexander County Anson County Burke County Cabarrus County Caldwell County Catawba County Cleveland County Iredell County Lincoln County Polk County Rowan County Rutherford County Stanly County

## Area 0480 8.5%

Buncombe County Madison County

## Area 030 6.3%

Avery County Cherokee County Clay County Graham County Haywood County Henderson County Jackson County McDowell County Macon County Mitchell County Swain County Transylvania County Yancey County

# **SMSA Areas**

## Area 5720 26.6% Currituck County

Area 9200 20.7% Brunswick County New Hanover County

# Area 2560 24.2% Cumberland County

# Area 6640 22.8%

Durham County Orange County Wake County

# <u>Area 1300 16.2%</u> Alamance County

## Area 3120 16.4%

Davidson County Forsyth County Guilford County Randolph County Stokes County Yadkin County

# Area 1520 18.3%

Gaston County Mecklenburg County Union County

Goals for Female

Participation in Each Trade

(Statewide) 6.9%

#### **REQUIRED CONTRACT PROVISIONS FEDERAL - AID CONSTRUCTION CONTRACTS**

Z-8

FHWA - 1273 Electronic Version - May 1, 2012

I. General

II. Nondiscrimination

III. Nonsegregated Facilities

IV. Davis-Bacon and Related Act Provisions

V. Contract Work Hours and Safety Standards Act Provisions

VI. Subletting or Assigning the Contract

VII. Safety: Accident Prevention

VIII. False Statements Concerning Highway Projects

IX. Implementation of Clean Air Act and Federal Water Pollution Control Act

X. Compliance with Governmentwide Suspension and Debarment Requirements

XI. Certification Regarding Use of Contract Funds for Lobbying

#### ATTACHMENTS

A. Employment and Materials Preference for Appalachian Development Highway System or Appalachian Local Access Road Contracts (included in Appalachian contracts only)

#### I. GENERAL

 Form FHWA-1273 must be physically incorporated in each construction contract funded under Title 23 (excluding emergency contracts solely intended for debris removal). The contractor (or subcontractor) must insert this form in each subcontract and further require its inclusion in all lower tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services).

The applicable requirements of Form FHWA-1273 are incorporated by reference for work done under any purchase order, rental agreement or agreement for other services. The prime contractor shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider.

Form FHWA-1273 must be included in all Federal-aid design-build contracts, in all subcontracts and in lower tier subcontracts (excluding subcontracts for design services, purchase orders, rental agreements and other agreements for supplies or services). The design-builder shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider.

Contracting agencies may reference Form FHWA-1273 in bid proposal or request for proposal documents, however, the Form FHWA-1273 must be physically incorporated (not referenced) in all contracts, subcontracts and lower-tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services related to a construction contract).

- Subject to the applicability criteria noted in the following sections, these contract provisions shall apply to all work performed on the contract by the contractor's own organization and with the assistance of workers under the contractor's immediate superintendence and to all work performed on the contract by piecework, station work, or by subcontract.
- 3. A breach of any of the stipulations contained in these Required Contract Provisions may be sufficient grounds for withholding of progress payments, withholding of final payment, termination of the contract, suspension / debarment or any other action determined to be appropriate by the contracting agency and FHWA.
- 4. Selection of Labor: During the performance of this contract, the contractor shall not use convict labor for any purpose within the limits of a construction project on a Federal-aid highway unless it is labor performed by convicts who are on parole, supervised release, or probation. The term Federal-aid highway does not include roadways functionally classified as local roads or rural minor collectors.

#### **II. NONDISCRIMINATION**

The provisions of this section related to 23 CFR Part 230 are applicable to all Federal-aid construction contracts and to all related construction subcontracts of \$10,000 or more. The provisions of 23 CFR Part 230 are not applicable to material supply, engineering, or architectural service contracts.

In addition, the contractor and all subcontractors must comply with the following policies: Executive Order 11246, 41 CFR 60, 29 CFR 1625-1627, Title 23 USC Section 140, the Rehabilitation Act of 1973, as amended (29 USC 794), Title VI of the Civil Rights Act of 1964, as amended, and related regulations including 49 CFR Parts 21, 26 and 27; and 23 CFR Parts 200, 230, and 633.

The contractor and all subcontractors must comply with: the requirements of the Equal Opportunity Clause in 41 CFR 60-1.4(b) and, for all construction contracts exceeding \$10,000, the Standard Federal Equal Employment Opportunity Construction Contract Specifications in 41 CFR 60-4.3.

Note: The U.S. Department of Labor has exclusive authority to determine compliance with Executive Order 11246 and the policies of the Secretary of Labor including 41 CFR 60, and 29 CFR 1625-1627. The contracting agency and the FHWA have the authority and the responsibility to ensure compliance with Title 23 USC Section 140, the Rehabilitation Act of 1973, as amended (29 USC 794), and Title VI of the Civil Rights Act of 1964, as amended, and related regulations including 49 CFR Parts 21, 26 and 27; and 23 CFR Parts 200, 230, and 633.

The following provision is adopted from 23 CFR 230, Appendix A, with appropriate revisions to conform to the U.S. Department of Labor (US DOL) and FHWA requirements.

Equal Employment Opportunity: Equal employment opportunity (EEO) requirements not to discriminate and to take affirmative action to
assure equal opportunity as set forth under laws, executive orders, rules, regulations (28 CFR 35, 29 CFR 1630, 29 CFR 1625-1627,
41 CFR 60 and 49 CFR 27) and orders of the Secretary of Labor as modified by the provisions prescribed herein, and imposed pursuant to
23 U.S.C. 140 shall constitute the EEO and specific affirmative action standards for the contractor's project activities under this contract.
The provisions of the Americans with Disabilities Act of 1990 (42 U.S.C. 12101 et seq.) set forth under 28 CFR 35 and 29 CFR 1630 are

incorporated by reference in this contract. In the execution of this contract, the contractor agrees to comply with the following minimum specific requirement activities of EEO:

- a. The contractor will work with the contracting agency and the Federal Government to ensure that it has made every good faith effort to provide equal opportunity with respect to all of its terms and conditions of employment and in their review of activities under the contract.
- b. The contractor will accept as its operating policy the following statement: "It is the policy of this Company to assure that applicants are employed, and that employees are treated during employment, without regard to their race, religion, sex, color, national origin, age or disability. Such action shall include: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship, pre-apprenticeship, and/or on-the-job training."
- EEO Officer: The contractor will designate and make known to the contracting officers an EEO Officer who will have the responsibility for and
  must be capable of effectively administering and promoting an active EEO program and who must be assigned adequate authority and
  responsibility to do so.
- 3. **Dissemination of Policy:** All members of the contractor's staff who are authorized to hire, supervise, promote, and discharge employees, or who recommend such action, or who are substantially involved in such action, will be made fully cognizant of, and will implement, the contractor's EEO policy and contractual responsibilities to provide EEO in each grade and classification of employment. To ensure that the above agreement will be met, the following actions will be taken as a minimum:
  - a. Periodic meetings of supervisory and personnel office employees will be conducted before the start of work and then not less often than once every six months, at which time the contractor's EEO policy and its implementation will be reviewed and explained. The meetings will be conducted by the EEO Officer.
  - b. All new supervisory or personnel office employees will be given a thorough indoctrination by the EEO Officer, covering all major aspects of the contractor's EEO obligations within thirty days following their reporting for duty with the contractor.
  - c. All personnel who are engaged in direct recruitment for the project will be instructed by the EEO Officer in the contractor's procedures for locating and hiring minorities and women.
  - d. Notices and posters setting forth the contractor's EEO policy will be placed in areas readily accessible to employees, applicants for employment and potential employees.
  - e. The contractor's EEO policy and the procedures to implement such policy will be brought to the attention of employees by means of meetings, employee handbooks, or other appropriate means.
- 4. Recruitment: When advertising for employees, the contractor will include in all advertisements for employees the notation: "An Equal Opportunity Employer." All such advertisements will be placed in publications having a large circulation among minorities and women in the area from which the project work force would normally be derived.
  - a. The contractor will, unless precluded by a valid bargaining agreement, conduct systematic and direct recruitment through public and private employee referral sources likely to yield qualified minorities and women. To meet this requirement, the contractor will identify sources of potential minority group employees, and establish with such identified sources procedures whereby minority and women applicants may be referred to the contractor for employment consideration.
  - b. In the event the contractor has a valid bargaining agreement providing for exclusive hiring hall referrals, the contractor is expected to observe the provisions of that agreement to the extent that the system meets the contractor's compliance with EEO contract provisions. Where implementation of such an agreement has the effect of discriminating against minorities or women, or obligates the contractor to do the same, such implementation violates Federal nondiscrimination provisions.
  - c. The contractor will encourage its present employees to refer minorities and women as applicants for employment. Information and procedures with regard to referring such applicants will be discussed with employees.
- 5. **Personnel Actions:** Wages, working conditions, and employee benefits shall be established and administered, and personnel actions of every type, including hiring, upgrading, promotion, transfer, demotion, layoff, and termination, shall be taken without regard to race, color, religion, sex, national origin, age or disability. The following procedures shall be followed:
  - a. The contractor will conduct periodic inspections of project sites to insure that working conditions and employee facilities do not indicate discriminatory treatment of project site personnel.
  - b. The contractor will periodically evaluate the spread of wages paid within each classification to determine any evidence of discriminatory wage practices.
  - c. The contractor will periodically review selected personnel actions in depth to determine whether there is evidence of discrimination. Where evidence is found, the contractor will promptly take corrective action. If the review indicates that the discrimination may extend beyond the actions reviewed, such corrective action shall include all affected persons.
  - d. The contractor will promptly investigate all complaints of alleged discrimination made to the contractor in connection with its obligations under this contract, will attempt to resolve such complaints, and will take appropriate corrective action within a reasonable time. If the investigation indicates that the discrimination may affect persons other than the complainant, such corrective action shall include such other persons. Upon completion of each investigation, the contractor will inform every complainant of all of their avenues of appeal.
- 6. Training and Promotion:
  - a. The contractor will assist in locating, qualifying, and increasing the skills of minorities and women who are applicants for employment or current employees. Such efforts should be aimed at developing full journey level status employees in the type of trade or job classification involved.
  - b. Consistent with the contractor's work force requirements and as permissible under Federal and State regulations, the contractor shall make full use of training programs, i.e., apprenticeship, and on-the-job training programs for the geographical area of contract performance. In the event a special provision for training is provided under this contract, this subparagraph will be superseded as indicated in the special provision. The contracting agency may reserve training positions for persons who receive welfare assistance in accordance with 23 U.S.C. 140(a).
  - e The contractor will advise employees and applicants for employment of available training programs and entrance requirements for each.
  - d. The contractor will periodically review the training and promotion potential of employees who are minorities and women and will encourage eligible employees to apply for such training and promotion.

- 7. Unions: If the contractor relies in whole or in part upon unions as a source of employees, the contractor will use good faith efforts to obtain the cooperation of such unions to increase opportunities for minorities and women. Actions by the contractor, either directly or through a contractor's association acting as agent, will include the procedures set forth below:
  - a. The contractor will use good faith efforts to develop, in cooperation with the unions, joint training programs aimed toward qualifying more minorities and women for membership in the unions and increasing the skills of minorities and women so that they may qualify for higher paying employment.
  - b. The contractor will use good faith efforts to incorporate an EEO clause into each union agreement to the end that such union will be contractually bound to refer applicants without regard to their race, color, religion, sex, national origin, age or disability.
  - c. The contractor is to obtain information as to the referral practices and policies of the labor union except that to the extent such information is within the exclusive possession of the labor union and such labor union refuses to furnish such information to the contractor, the contractor shall so certify to the contracting agency and shall set forth what efforts have been made to obtain such information.
  - d. In the event the union is unable to provide the contractor with a reasonable flow of referrals within the time limit set forth in the collective bargaining agreement, the contractor will, through independent recruitment efforts, fill the employment vacancies without regard to race, color, religion, sex, national origin, age or disability; making full efforts to obtain qualified and/or qualifiable minorities and women. The failure of a union to provide sufficient referrals (even though it is obligated to provide exclusive referrals under the terms of a collective bargaining agreement) does not relieve the contractor from the requirements of this paragraph. In the event the union referral practice prevents the contractor from meeting the obligations pursuant to Executive Order 11246, as amended, and these special provisions, such contractor shall immediately notify the contracting agency.
- 8. Reasonable Accommodation for Applicants / Employees with Disabilities: The contractor must be familiar with the requirements for and comply with the Americans with Disabilities Act and all rules and regulations established there under. Employers must provide reasonable accommodation in all employment activities unless to do so would cause an undue hardship.
- 9. Selection of Subcontractors, Procurement of Materials and Leasing of Equipment: The contractor shall not discriminate on the grounds of race, color, religion, sex, national origin, age or disability in the selection and retention of subcontractors, including procurement of materials and leases of equipment. The contractor shall take all necessary and reasonable steps to ensure nondiscrimination in the administration of this contract.
  a. The contractor shall notify all potential subcontractors and suppliers and lessors of their EEO obligations under this contract.
  - The contractor will use good faith efforts to ensure subcontractor compliance with their EEO obligations.
- 10. Assurance Required by 49 CFR 26.13(b):
  - a. The requirements of 49 CFR Part 26 and the State DOT's U.S. DOT-approved DBE program are incorporated by reference.
  - b. The contractor or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of 49 CFR Part 26 in the award and administration of DOT-assisted contracts. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the contracting agency deems appropriate.
- 11. **Records and Reports:** The contractor shall keep such records as necessary to document compliance with the EEO requirements. Such records shall be retained for a period of three years following the date of the final payment to the contractor for all contract work and shall be available at reasonable times and places for inspection by authorized representatives of the contracting agency and the FHWA.
  - a. The records kept by the contractor shall document the following:
  - The number and work hours of minority and non-minority group members and women employed in each work classification on the project;
  - (2) The progress and efforts being made in cooperation with unions, when applicable, to increase employment opportunities for minorities and women; and
  - (3) The progress and efforts being made in locating, hiring, training, qualifying, and upgrading minorities and women;
  - b. The contractors and subcontractors will submit an annual report to the contracting agency each July for the duration of the project, indicating the number of minority, women, and non-minority group employees currently engaged in each work classification required by the contract work. This information is to be reported on Form FHWA-1391. The staffing data should represent the project work force on board in all or any part of the last payroll period preceding the end of July. If on-the-job training is being required by special provision, the contractor will be required to collect and report training data. The employment data should reflect the work force on board during all or any part of the last payroll period preceding the end of July.

#### III. NONSEGREGATED FACILITIES

This provision is applicable to all Federal-aid construction contracts and to all related construction subcontracts of \$10,000 or more.

The contractor must ensure that facilities provided for employees are provided in such a manner that segregation on the basis of race, color, religion, sex, or national origin cannot result. The contractor may neither require such segregated use by written or oral policies nor tolerate such use by employee custom. The contractor's obligation extends further to ensure that its employees are not assigned to perform their services at any location, under the contractor's control, where the facilities are segregated. The term "facilities" includes waiting rooms, work areas, restaurants and other eating areas, time clocks, restrooms, washrooms, locker rooms, and other storage or dressing areas, parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing provided for employees. The contractor shall provide separate or single-user restrooms and necessary dressing or sleeping areas to assure privacy between sexes.

#### IV. DAVIS-BACON AND RELATED ACT PROVISIONS

This section is applicable to all Federal-aid construction projects exceeding \$2,000 and to all related subcontracts and lower-tier subcontracts (regardless of subcontract size). The requirements apply to all projects located within the right-of-way of a roadway that is functionally classified as Federal-aid highway. This excludes roadways functionally classified as local roads or rural minor collectors, which are exempt. Contracting agencies may elect to apply these requirements to other projects.

The following provisions are from the U.S. Department of Labor regulations in 29 CFR 5.5 "Contract provisions and related matters" with minor revisions to conform to the FHWA-1273 format and FHWA program requirements.

#### 1. Minimum wages

a. All laborers and mechanics employed or working upon the site of the work, will be paid unconditionally and not less often than once a week, and without subsequent deduction or rebate on any account (except such payroll deductions as are permitted by regulations issued by the Secretary of Labor under the Copeland Act (29 CFR part 3)), the full amount of wages and bona fide fringe benefits (or cash equivalents thereof) due at time of payment computed at rates not less than those contained in the wage determination of the Secretary of Labor which is attached hereto and made a part hereof, regardless of any contractual relationship which may be alleged to exist between the contractor and such laborers and mechanics.

Contributions made or costs reasonably anticipated for bona fide fringe benefits under section 1(b)(2) of the Davis-Bacon Act on behalf of laborers or mechanics are considered wages paid to such laborers or mechanics, subject to the provisions of paragraph 1.d. of this section; also, regular contributions made or costs incurred for more than a weekly period (but not less often than quarterly) under plans, funds, or programs which cover the particular weekly period, are deemed to be constructively made or incurred during such weekly period. Such laborers and mechanics shall be paid the appropriate wage rate and fringe benefits on the wage determination for the classification of work actually performed, without regard to skill, except as provided in 29 CFR 5.5(a)(4). Laborers or mechanics performing work in more than one classification may be compensated at the rate specified for each classification in which work is performed. The wage determination (including any additional classification and wage rates conformed under paragraph 1.b. of this section) and the Davis-Bacon poster (WH–1321) shall be posted at all times by the contractor and its subcontractors at the site of the work in a prominent and accessible place where it can be easily seen by the workers.

- b. (1) The contracting officer shall require that any class of laborers or mechanics, including helpers, which is not listed in the wage determination and which is to be employed under the contract shall be classified in conformance with the wage determination. The contracting officer shall approve an additional classification and wage rate and fringe benefits therefore only when the following criteria have been met:
  - (i) The work to be performed by the classification requested is not performed by a classification in the wage determination; and
  - (ii) The classification is utilized in the area by the construction industry; and
  - (iii) The proposed wage rate, including any bona fide fringe benefits, bears a reasonable relationship to the wage rates contained in the wage determination.
  - (2) If the contractor and the laborers and mechanics to be employed in the classification (if known), or their representatives, and the contracting officer agree on the classification and wage rate (including the amount designated for fringe benefits where appropriate), a report of the action taken shall be sent by the contracting officer to the Administrator of the Wage and Hour Division, Employment Standards Administration, U.S. Department of Labor, Washington, DC 20210. The Administrator, or an authorized representative, will approve, modify, or disapprove every additional classification action within 30 days of receipt and so advise the contracting officer or will notify the contracting officer within the 30-day period that additional time is necessary.
  - (3) In the event the contractor, the laborers or mechanics to be employed in the classification or their representatives, and the contracting officer do not agree on the proposed classification and wage rate (including the amount designated for fringe benefits, where appropriate), the contracting officer shall refer the questions, including the views of all interested parties and the recommendation of the contracting officer, to the Wage and Hour Administrator for determination. The Wage and Hour Administrator, or an authorized representative, will issue a determination within 30 days of receipt and so advise the contracting officer or will notify the contracting officer within the 30-day period that additional time is necessary.
  - (4) The wage rate (including fringe benefits where appropriate) determined pursuant to paragraphs 1.b.(2) or 1.b.(3) of this section, shall be paid to all workers performing work in the classification under this contract from the first day on which work is performed in the classification.
- c. Whenever the minimum wage rate prescribed in the contract for a class of laborers or mechanics includes a fringe benefit which is not expressed as an hourly rate, the contractor shall either pay the benefit as stated in the wage determination or shall pay another bona fide fringe benefit or an hourly cash equivalent thereof.
- d. If the contractor does not make payments to a trustee or other third person, the contractor may consider as part of the wages of any laborer or mechanic the amount of any costs reasonably anticipated in providing bona fide fringe benefits under a plan or program, Provided, That the Secretary of Labor has found, upon the written request of the contractor, that the applicable standards of the Davis-Bacon Act have been met. The Secretary of Labor may require the contractor to set aside in a separate account assets for the meeting of obligations under the plan or program.
- 2. Withholding. The contracting agency shall upon its own action or upon written request of an authorized representative of the Department of Labor, withhold or cause to be withheld from the contractor under this contract, or any other Federal contract with the same prime contractor, or any other federally-assisted contract subject to Davis-Bacon prevailing wage requirements, which is held by the same prime contractor, so much of the accrued payments or advances as may be considered necessary to pay laborers and mechanics, including apprentices, trainees, and helpers, employed by the contractor or any subcontractor the full amount of wages required by the contract. In the event of failure to pay any laborer or mechanic, including any apprentice, trainee, or helper, employed or working on the site of the work, all or part of the wages required by the contract, the contracting agency may, after written notice to the contractor, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds until such violations have ceased.
- 3. Payrolls and basic records
  - a. Payrolls and basic records relating thereto shall be maintained by the contractor during the course of the work and preserved for a period of three years thereafter for all laborers and mechanics working at the site of the work. Such records shall contain the name, address, and social security number of each such worker, his or her correct classification, hourly rates of wages paid (including rates of contributions or costs anticipated for bona fide fringe benefits or cash equivalents thereof of the types described in section 1(b)(2)(B) of the Davis-Bacon Act), daily and weekly number of hours worked, deductions made and actual wages paid. Whenever the Secretary of Labor has found under 29 CFR 5.5(a)(1)(iv) that the wages of any laborer or mechanic include the amount of any costs reasonably anticipated in providing benefits under a plan or program described in section 1(b)(2)(B) of the Davis-Bacon Act, the contractor shall maintain records which show that the commitment to provide such benefits is enforceable, that the plan or program is financially responsible, and the plan or program has been communicated in writing to the laborers or mechanics affected, and records which show the costs anticipated or the actual cost incurred in providing such benefits. Contractors employing apprentices or trainees under approved programs shall maintain written evidence of the registration of apprenticeship programs and certification of trainee programs, the registration of the apprentices and trainees, and the ratios and wage rates prescribed in the applicable programs.
  - b. (1) The contractor shall submit weekly for each week in which any contract work is performed a copy of all payrolls to the contracting agency. The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR 5.5(a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead the

payrolls shall only need to include an individually identifying number for each employee (e.g., the last four digits of the employee's social security number). The required weekly payroll information may be submitted in any form desired. Optional Form WH–347 is available for this purpose from the Wage and Hour Division Web site at http://www.dol.gov/esa/whd/forms/ wh347instr.htm or its successor site. The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request to the contracting agency for transmission to the State DOT, the FHWA or the Wage and Hour Division of this section for a prime contractor to require a subcontractor to provide addresses and social security numbers to the prime contractor for its own records, without weekly submission to the contracting agency.

- (2) Each payroll submitted shall be accompanied by a "Statement of Compliance," signed by the contractor or subcontractor or his or her agent who pays or supervises the payment of the persons employed under the contract and shall certify the following:
  - (i) That the payroll for the payroll period contains the information required to be provided under §5.5 (a)(3)(ii) of Regulations, 29 CFR part 5, the appropriate information is being maintained under §5.5 (a)(3)(i) of Regulations, 29 CFR part 5, and that such information is correct and complete;
  - (ii) That each laborer or mechanic (including each helper, apprentice, and trainee) employed on the contract during the payroll period has been paid the full weekly wages earned, without rebate, either directly or indirectly, and that no deductions have been made either directly or indirectly from the full wages earned, other than permissible deductions as set forth in Regulations, 29 CFR part 3;
  - (iii) That each laborer or mechanic has been paid not less than the applicable wage rates and fringe benefits or cash equivalents for the classification of work performed, as specified in the applicable wage determination incorporated into the contract.
- (3) The weekly submission of a properly executed certification set forth on the reverse side of Optional Form WH–347 shall satisfy the requirement for submission of the "Statement of Compliance" required by paragraph 3.b.(2) of this section.
- (4) The falsification of any of the above certifications may subject the contractor or subcontractor to civil or criminal prosecution under section 1001 of title 18 and section 231 of title 31 of the United States Code.
- c. The contractor or subcontractor shall make the records required under paragraph 3.a. of this section available for inspection, copying, or transcription by authorized representatives of the contracting agency, the State DOT, the FHWA, or the Department of Labor, and shall permit such representatives to interview employees during working hours on the job. If the contractor or subcontractor fails to submit the required records or to make them available, the FHWA may, after written notice to the contractor, the contracting agency or the State DOT, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds. Furthermore, failure to submit the required records upon request or to make such records available may be grounds for debarment action pursuant to 29 CFR 5.12.

#### 4. Apprentices and trainees

a. Apprentices (programs of the USDOL). Apprentices will be permitted to work at less than the predetermined rate for the work they performed when they are employed pursuant to and individually registered in a bona fide apprenticeship program registered with the U.S. Department of Labor, Employment and Training Administration, Office of Apprenticeship Training, Employer and Labor Services, or with a State Apprenticeship Agency recognized by the Office, or if a person is employed in his or her first 90 days of probationary employment as an apprenticeship program, who is not individually registered in the program, but who has been certified by the Office of Apprenticeship Training, Employer and Labor Services or a State Apprenticeship Agency (where appropriate) to be eligible for probationary employment as an apprentice.

The allowable ratio of apprentices to journeymen on the job site in any craft classification shall not be greater than the ratio permitted to the contractor as to the entire work force under the registered program. Any worker listed on a payroll at an apprentice wage rate, who is not registered or otherwise employed as stated above, shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any apprentice performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the work actually performed. Where a contractor is performing construction on a project in a locality other than that in which its program is registered, the ratios and wage rates (expressed in percentages of the journeyman's hourly rate) specified in the contractor's or subcontractor's registered program shall be observed.

Every apprentice must be paid at not less than the rate specified in the registered program for the apprentice's level of progress, expressed as a percentage of the journeymen hourly rate specified in the applicable wage determination. Apprentices shall be paid fringe benefits in accordance with the provisions of the apprenticeship program. If the apprenticeship program does not specify fringe benefits, apprentices must be paid the full amount of fringe benefits listed on the wage determination for the applicable classification. If the Administrator determines that a different practice prevails for the applicable apprentice classification, fringes shall be paid in accordance with that determination.

In the event the Office of Apprenticeship Training, Employer and Labor Services, or a State Apprenticeship Agency recognized by the Office, withdraws approval of an apprenticeship program, the contractor will no longer be permitted to utilize apprentices at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

Trainees (programs of the USDOL). Except as provided in 29 CFR 5.16, trainees will not be permitted to work at less than the predetermined rate for the work performed unless they are employed pursuant to and individually registered in a program which has received prior approval, evidenced by formal certification by the U.S. Department of Labor, Employment and Training Administration.

The ratio of trainees to journeymen on the job site shall not be greater than permitted under the plan approved by the Employment and Training Administration.

Every trainee must be paid at not less than the rate specified in the approved program for the trainee's level of progress, expressed as a percentage of the journeyman hourly rate specified in the applicable wage determination. Trainees shall be paid fringe benefits in accordance with the provisions of the trainee program. If the trainee program does not mention fringe benefits, trainees shall be paid the full amount of fringe benefits listed on the wage determination unless the Administrator of the Wage and Hour Division determines that there is an apprenticeship program associated with the corresponding journeyman wage rate on the wage determination which provides for less than full fringe benefits for apprentices. Any employee listed on the payroll at a trainee rate who is not registered and participating in a training plan approved by the Employment and Training Administration shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any trainee performing work on the job site in excess of the ratio performed.

In the event the Employment and Training Administration withdraws approval of a training program, the contractor will no longer be permitted to utilize trainees at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

- c. Equal employment opportunity. The utilization of apprentices, trainees and journeymen under this part shall be in conformity with the equal employment opportunity requirements of Executive Order 11246, as amended, and 29 CFR part 30.
- d. Apprentices and Trainees (programs of the U.S. DOT). Apprentices and trainees working under apprenticeship and skill training programs which have been certified by the Secretary of Transportation as promoting EEO in connection with Federal-aid highway construction programs are not subject to the requirements of paragraph 4 of this Section IV. The straight time hourly wage rates for apprentices and trainees under such programs will be established by the particular programs. The ratio of apprentices and trainees to journeymen shall not be greater than permitted by the terms of the particular program.
- 5. Compliance with Copeland Act requirements. The contractor shall comply with the requirements of 29 CFR part 3, which are incorporated by reference in this contract.
- Subcontracts. The contractor or subcontractor shall insert Form FHWA-1273 in any subcontracts and also require the subcontractors to include Form FHWA-1273 in any lower tier subcontracts. The prime contractor shall be responsible for the compliance by any subcontractor or lower tier subcontractor with all the contract clauses in 29 CFR 5.5.
- 7. Contract termination: debarment. A breach of the contract clauses in 29 CFR 5.5 may be grounds for termination of the contract, and for debarment as a contractor and a subcontractor as provided in 29 CFR 5.12.
- 8. Compliance with Davis-Bacon and Related Act requirements. All rulings and interpretations of the Davis-Bacon and Related Acts contained in 29 CFR parts 1, 3, and 5 are herein incorporated by reference in this contract.
- 9. **Disputes concerning labor standards.** Disputes arising out of the labor standards provisions of this contract shall not be subject to the general disputes clause of this contract. Such disputes shall be resolved in accordance with the procedures of the Department of Labor set forth in 29 CFR parts 5, 6, and 7. Disputes within the meaning of this clause include disputes between the contractor (or any of its subcontractors) and the contracting agency, the U.S. Department of Labor, or the employees or their representatives.

#### 10. Certification of eligibility.

- a. By entering into this contract, the contractor certifies that neither it (nor he or she) nor any person or firm who has an interest in the contractor's firm is a person or firm ineligible to be awarded Government contracts by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).
- b. No part of this contract shall be subcontracted to any person or firm ineligible for award of a Government contract by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).
- c. The penalty for making false statements is prescribed in the U.S. Criminal Code, 18 U.S.C. 1001.

#### V. CONTRACT WORK HOURS AND SAFETY STANDARDS ACT

The following clauses apply to any Federal-aid construction contract in an amount in excess of \$100,000 and subject to the overtime provisions of the Contract Work Hours and Safety Standards Act. These clauses shall be inserted in addition to the clauses required by 29 CFR 5.5(a) or 29 CFR 4.6. As used in this paragraph, the terms laborers and mechanics include watchmen and guards.

- 1. **Overtime requirements.** No contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers or mechanics shall require or permit any such laborer or mechanic in any workweek in which he or she is employed on such work to work in excess of forty hours in such workweek unless such laborer or mechanic receives compensation at a rate not less than one and one-half times the basic rate of pay for all hours worked in excess of forty hours in such workweek.
- 2. Violation; liability for unpaid wages; liquidated damages. In the event of any violation of the clause set forth in paragraph (1.) of this section, the contractor and any subcontractor responsible therefor shall be liable for the unpaid wages. In addition, such contractor and subcontractor shall be liable to the United States (in the case of work done under contract for the District of Columbia or a territory, to such District or to such territory), for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer or mechanic, including watchmen and guards, employed in violation of the clause set forth in paragraph (1.) of this section, in the sum of \$10 for each calendar day on which such individual was required or permitted to work in excess of the standard workweek of forty hours without payment of the overtime wages required by the clause set forth in paragraph (1.) of this section.
- 3. Withholding for unpaid wages and liquidated damages. The FHWA or the contacting agency shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld, from any moneys payable on account of work performed by the contractor or subcontractor under any such contract or any other Federal contract with the same prime contractor, or any other federally-assisted contract subject to the Contract Work Hours and Safety Standards Act, which is held by the same prime contractor, such sums as may be determined to be necessary to satisfy any liabilities of such contractor or subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in paragraph (2.) of this section.
- 4. Subcontracts. The contractor or subcontractor shall insert in any subcontracts the clauses set forth in paragraph (1.) through (4.) of this section and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor shall be responsible for compliance by any subcontractor or lower tier subcontractor with the clauses set forth in paragraphs (1.) through (4.) of this section.

#### VI. SUBLETTING OR ASSIGNING THE CONTRACT

This provision is applicable to all Federal-aid construction contracts on the National Highway System.

- 1. The contractor shall perform with its own organization contract work amounting to not less than 30 percent (or a greater percentage if specified elsewhere in the contract) of the total original contract price, excluding any specialty items designated by the contracting agency. Specialty items may be performed by subcontract and the amount of any such specialty items performed may be deducted from the total original contract price before computing the amount of work required to be performed by the contractor's own organization (23 CFR 635.116).
  - a. The term "perform work with its own organization" refers to workers employed or leased by the prime contractor, and equipment owned or rented by the prime contractor, with or without operators. Such term does not include employees or equipment of a subcontractor or lower tier subcontractor, agents of the prime contractor, or any other assignees. The term may include payments for the costs of hiring leased employees

from an employee leasing firm meeting all relevant Federal and State regulatory requirements. Leased employees may only be included in this term if the prime contractor meets all of the following conditions:

- (1) the prime contractor maintains control over the supervision of the day-to-day activities of the leased employees;
- (2) the prime contractor remains responsible for the quality of the work of the leased employees;
- (3) the prime contractor retains all power to accept or exclude individual employees from work on the project; and
- (4) the prime contractor remains ultimately responsible for the payment of predetermined minimum wages, the submission of payrolls, statements of compliance and all other Federal regulatory requirements.
- b. "Specialty Items" shall be construed to be limited to work that requires highly specialized knowledge, abilities, or equipment not ordinarily available in the type of contracting organizations qualified and expected to bid or propose on the contract as a whole and in general are to be limited to minor components of the overall contract.
- 2. The contract amount upon which the requirements set forth in paragraph (1) of Section VI is computed includes the cost of material and manufactured products which are to be purchased or produced by the contractor under the contract provisions.
- 3. The contractor shall furnish (a) a competent superintendent or supervisor who is employed by the firm, has full authority to direct performance of the work in accordance with the contract requirements, and is in charge of all construction operations (regardless of who performs the work) and (b) such other of its own organizational resources (supervision, management, and engineering services) as the contracting officer determines is necessary to assure the performance of the contract.
- 4. No portion of the contract shall be sublet, assigned or otherwise disposed of except with the written consent of the contracting officer, or authorized representative, and such consent when given shall not be construed to relieve the contractor of any responsibility for the fulfillment of the contract. Written consent will be given only after the contracting agency has assured that each subcontract is evidenced in writing and that it contains all pertinent provisions and requirements of the prime contract.
- 5. The 30% self-performance requirement of paragraph (1) is not applicable to design-build contracts; however, contracting agencies may establish their own self-performance requirements.

#### VII. SAFETY: ACCIDENT PREVENTION

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

- 1. In the performance of this contract the contractor shall comply with all applicable Federal, State, and local laws governing safety, health, and sanitation (23 CFR 635). The contractor shall provide all safeguards, safety devices and protective equipment and take any other needed actions as it determines, or as the contracting officer may determine, to be reasonably necessary to protect the life and health of employees on the job and the safety of the public and to protect property in connection with the performance of the work covered by the contract.
- 2. It is a condition of this contract, and shall be made a condition of each subcontract, which the contractor enters into pursuant to this contract, that the contractor and any subcontractor shall not permit any employee, in performance of the contract, to work in surroundings or under conditions which are unsanitary, hazardous or dangerous to his/her health or safety, as determined under construction safety and health standards (29 CFR 1926) promulgated by the Secretary of Labor, in accordance with Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C. 3704).
- 3. Pursuant to 29 CFR 1926.3, it is a condition of this contract that the Secretary of Labor or authorized representative thereof, shall have right of entry to any site of contract performance to inspect or investigate the matter of compliance with the construction safety and health standards and to carry out the duties of the Secretary under Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C.3704).

#### VIII. FALSE STATEMENTS CONCERNING HIGHWAY PROJECTS

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

In order to assure high quality and durable construction in conformity with approved plans and specifications and a high degree of reliability on statements and representations made by engineers, contractors, suppliers, and workers on Federal-aid highway projects, it is essential that all persons concerned with the project perform their functions as carefully, thoroughly, and honestly as possible. Willful falsification, distortion, or misrepresentation with respect to any facts related to the project is a violation of Federal law. To prevent any misunderstanding regarding the seriousness of these and similar acts, Form FHWA-1022 shall be posted on each Federal-aid highway project (23 CFR 635) in one or more places where it is readily available to all persons concerned with the project:

18 U.S.C. 1020 reads as follows:

"Whoever, being an officer, agent, or employee of the United States, or of any State or Territory, or whoever, whether a person, association, firm, or corporation, knowingly makes any false statement, false representation, or false report as to the character, quality, quantity, or cost of the material used or to be used, or the quantity or quality of the work performed or to be performed, or the cost thereof in connection with the submission of plans, maps, specifications, contracts, or costs of construction on any highway or related project submitted for approval to the Secretary of Transportation; or

Whoever knowingly makes any false statement, false representation, false report or false claim with respect to the character, quality, quantity, or cost of any work performed or to be performed, or materials furnished or to be furnished, in connection with the construction of any highway or related project approved by the Secretary of Transportation; or

Whoever knowingly makes any false statement or false representation as to material fact in any statement, certificate, or report submitted pursuant to provisions of the Federal-aid Roads Act approved July 1, 1916, (39 Stat. 355), as amended and supplemented;

Shall be fined under this title or imprisoned not more than 5 years or both."

#### IX. IMPLEMENTATION OF CLEAN AIR ACT AND FEDERAL WATER POLLUTION CONTROL ACT

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

By submission of this bid/proposal or the execution of this contract, or subcontract, as appropriate, the bidder, proposer, Federal-aid construction contractor, or subcontractor, as appropriate, will be deemed to have stipulated as follows:

- 1. That any person who is or will be utilized in the performance of this contract is not prohibited from receiving an award due to a violation of Section 508 of the Clean Water Act or Section 306 of the Clean Air Act.
- 2. That the contractor agrees to include or cause to be included the requirements of paragraph (1) of this Section X in every subcontract, and further agrees to take such action as the contracting agency may direct as a means of enforcing such requirements.

#### X. CERTIFICATION REGARDING DEBARMENT, SUSPENSION, INELIGIBILITY AND VOLUNTARY EXCLUSION

This provision is applicable to all Federal-aid construction contracts, design-build contracts, subcontracts, lower-tier subcontracts, purchase orders, lease agreements, consultant contracts or any other covered transaction requiring FHWA approval or that is estimated to cost \$25,000 or more – as defined in 2 CFR Parts 180 and 1200.

#### 1. Instructions for Certification – First Tier Participants:

- a. By signing and submitting this proposal, the prospective first tier participant is providing the certification set out below.
- b. The inability of a person to provide the certification set out below will not necessarily result in denial of participation in this covered transaction. The prospective first tier participant shall submit an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the prospective first tier participant to furnish a certification or an explanation shall disqualify such a person from participation in this transaction.
- c. The certification in this clause is a material representation of fact upon which reliance was placed when the contracting agency determined to enter into this transaction. If it is later determined that the prospective participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the contracting agency may terminate this transaction for cause of default.
- d. The prospective first tier participant shall provide immediate written notice to the contracting agency to whom this proposal is submitted if any time the prospective first tier participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
- e. The terms "covered transaction," "debarred," "suspended," "ineligible," "participant," "person," "principal," and "voluntarily excluded," as used in this clause, are defined in 2 CFR Parts 180 and 1200. "First Tier Covered Transactions" refers to any covered transaction between a grantee or subgrantee of Federal funds and a participant (such as the prime or general contract). "Lower Tier Covered Transactions" refers to any covered transaction under a First Tier Covered Transaction (such as subcontracts). "First Tier Participant" refers to the participant who has entered into a covered transaction with a grantee or subgrantee of Federal funds (such as the prime or general contractor). "Lower Tier Participant" refers any participant who has entered into a covered transaction with a First Tier Participant or other Lower Tier Participants (such as subcontractors and suppliers).
- f. The prospective first tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency entering into this transaction.
- g. The prospective first tier participant further agrees by submitting this proposal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transactions," provided by the department or contracting agency, entering into this covered transaction, without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions exceeding the \$25,000 threshold.
- h. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant is responsible for ensuring that its principals are not suspended, debarred, or otherwise ineligible to participant in covered transactions. To verify the eligibility of its principals, as well as the eligibility of any lower tier prospective participants, each participant may, but is not required to, check the Excluded Parties List System website (https://www.epls.gov/), which is compiled by the General Services Administration.
- Nothing contained in the foregoing shall be construed to require the establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of the prospective participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
- j. Except for transactions authorized under paragraph (f) of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause or default.

#### \* \* \* \* \*

#### 2. Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion - First Tier Participants:

- The prospective first tier participant certifies to the best of its knowledge and belief, that it and its principals:
- (1) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participating in covered transactions by any Federal department or agency;
- (2) Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
- (3) Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph (a)(2) of this certification; and
- (4) Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default.
- b. Where the prospective participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

#### 2. Instructions for Certification - Lower Tier Participants:

(Applicable to all subcontracts, purchase orders and other lower tier transactions requiring prior FHWA approval or estimated to cost \$25,000 or more - 2 CFR Parts 180 and 1200)

- a. By signing and submitting this proposal, the prospective lower tier is providing the certification set out below.
- b. The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department, or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.

- c. The prospective lower tier participant shall provide immediate written notice to the person to which this proposal is submitted if at any time the prospective lower tier participant learns that its certification was erroneous by reason of changed circumstances.
- d. The terms "covered transaction," "debarred," "suspended," "ineligible," "participant," "person," "principal," and "voluntarily excluded," as used in this clause, are defined in 2 CFR Parts 180 and 1200. You may contact the person to which this proposal is submitted for assistance in obtaining a copy of those regulations. "First Tier Covered Transactions" refers to any covered transaction between a grantee or subgrantee of Federal funds and a participant (such as the prime or general contract). "Lower Tier Covered Transactions" refers to any covered transactions under a First Tier Covered Transaction (such as subcontracts). "First Tier Participant" refers to the participant who has entered into a covered transaction with a grantee or subgrantee of Federal funds (such as the prime or general contractor). "Lower Tier Participant" refers any participant who has entered into a covered transaction with a First Tier Participant or other Lower Tier Participants (such as subcontractors and suppliers).
- e. The prospective lower tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated.
- f. The prospective lower tier participant further agrees by submitting this proposal that it will include this clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction," without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions exceeding the \$25,000 threshold.
- g. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant is responsible for ensuring that its principals are not suspended, debarred, or otherwise ineligible to participant in covered transactions. To verify the eligibility of its principals, as well as the eligibility of any lower tier prospective participants, each participant may, but is not required to, check the Excluded Parties List System website (https://www.epls.gov/), which is compiled by the General Services Administration.
- h. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
- i. Except for transactions authorized under paragraph e of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarrent.

#### \* \* \* \*

#### Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Participants:

- 1. The prospective lower tier participant certifies, by submission of this proposal, that neither it nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participating in covered transactions by any Federal department or agency.
- 2. Where the prospective lower tier participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

#### \* \* \* \* \*

#### XI. CERTIFICATION REGARDING USE OF CONTRACT FUNDS FOR LOBBYING

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts which exceed \$100,000 (49 CFR 20).

- 1. The prospective participant certifies, by signing and submitting this bid or proposal, to the best of his or her knowledge and belief, that:
  - a. No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.
  - b. If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.
- 2. This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by 31 U.S.C. 1352. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.
- 3. The prospective participant also agrees by submitting its bid or proposal that the participant shall require that the language of this certification be included in all lower tier subcontracts, which exceed \$100,000 and that all such recipients shall certify and disclose accordingly.

Z-10

## **ON-THE-JOB TRAINING**

(10-16-07) (Rev. 5-21-13)

## Description

The North Carolina Department of Transportation will administer a custom version of the Federal On-the-Job Training (OJT) Program, commonly referred to as the Alternate OJT Program. All contractors (existing and newcomers) will be automatically placed in the Alternate Program. Standard OJT requirements typically associated with individual projects will no longer be applied at the project level. Instead, these requirements will be applicable on an annual basis for each contractor administered by the OJT Program Manager.

On the Job Training shall meet the requirements of 23 CFR 230.107 (b), 23 USC – Section 140, this provision and the On-the-Job Training Program Manual.

The Alternate OJT Program will allow a contractor to train employees on Federal, State and privately funded projects located in North Carolina. However, priority shall be given to training employees on NCDOT Federal-Aid funded projects.

## **Minorities and Women**

Developing, training and upgrading of minorities and women toward journeyman level status is a primary objective of this special training provision. Accordingly, the Contractor shall make every effort to enroll minority and women as trainees to the extent that such persons are available within a reasonable area of recruitment. This training commitment is not intended, and shall not be used, to discriminate against any applicant for training, whether a member of a minority group or not.

# **Assigning Training Goals**

The Department, through the OJT Program Manager, will assign training goals for a calendar year based on the contractors' past three years' activity and the contractors' anticipated upcoming year's activity with the Department. At the beginning of each year, all contractors eligible will be contacted by the Department to determine the number of trainees that will be assigned for the upcoming calendar year. At that time the Contractor shall enter into an agreement with the Department to provide a self-imposed on-the-job training program for the calendar year. This agreement will include a specific number of annual training goals agreed to by both parties. The number of training assignments may range from 1 to 15 per contractor per calendar year. The Contractor shall sign an agreement to fulfill their annual goal for the year. A sample agreement is available at www.ncbowd.com/section/on-the-job-training.

# **Training Classifications**

The Contractor shall provide on-the-job training aimed at developing full journeyman level workers in the construction craft/operator positions. Preference shall be given to providing training in the following skilled work classifications:

| Equipment Operators | Office Engineers                 |
|---------------------|----------------------------------|
| Truck Drivers       | Estimators                       |
| Carpenters          | Iron / Reinforcing Steel Workers |
| Concrete Finishers  | Mechanics                        |
| Pipe Layers         | Welders                          |

The Department has established common training classifications and their respective training requirements that may be used by the contractors. However, the classifications established are not all-inclusive. Where the training is oriented toward construction applications, training will be allowed in lower-level management positions such as office engineers and estimators. Contractors shall submit new classifications for specific job functions that their employees are performing. The Department will review and recommend for acceptance to FHWA the new classifications proposed by contractors, if applicable. New classifications shall meet the following requirements:

Proposed training classifications are reasonable and realistic based on the job skill classification needs, and

The number of training hours specified in the training classification is consistent with common practices and provides enough time for the trainee to obtain journeyman level status.

The Contractor may allow trainees to be trained by a subcontractor provided that the Contractor retains primary responsibility for meeting the training and this provision is made applicable to the subcontract. However, only the Contractor will receive credit towards the annual goal for the trainee.

Where feasible, 25 percent of apprentices or trainees in each occupation shall be in their first year of apprenticeship or training. The number of trainees shall be distributed among the work classifications on the basis of the contractor's needs and the availability of journeymen in the various classifications within a reasonable area of recruitment.

No employee shall be employed as a trainee in any classification in which they have successfully completed a training course leading to journeyman level status or in which they have been employed as a journeyman.

# **Records and Reports**

The Contractor shall maintain enrollment, monthly and completion reports documenting company compliance under these contract documents. These documents and any other information as requested shall be submitted to the OJT Program Manager.

Upon completion and graduation of the program, the Contractor shall provide each trainee with a certification Certificate showing the type and length of training satisfactorily completed.

# **Trainee Interviews**

All trainees enrolled in the program will receive an initial and Trainee/Post graduate interview conducted by the OJT program staff.

# Trainee Wages

Contractors shall compensate trainees on a graduating pay scale based upon a percentage of the prevailing minimum journeyman wages (Davis-Bacon Act). Minimum pay shall be as follows:

| 60 percent | of the journeyman wage for the first half of the training period    |
|------------|---|
| 75 percent | of the journeyman wage for the third quarter of the training period |

90 percent of the journeyman wage for the last quarter of the training period

In no instance shall a trainee be paid less than the local minimum wage. The Contractor shall adhere to the minimum hourly wage rate that will satisfy both the NC Department of Labor (NCDOL) and the Department.

# Achieving or Failing to Meet Training Goals

The Contractor will be credited for each trainee employed by him on the contract work who is currently enrolled or becomes enrolled in an approved program and who receives training for at least 50 percent of the specific program requirement. Trainees will be allowed to be transferred between projects if required by the Contractor's scheduled workload to meet training goals.

If a contractor fails to attain their training assignments for the calendar year, they may be taken off the NCDOT's Bidders List.

# **Measurement and Payment**

No compensation will be made for providing required training in accordance with these contract documents.

## GENERAL DECISION NC140088 01/03/2014 NC88

Date: January 3, 2014

**MINIMUM WAGES** 

General Decision Number: NC140088 01/03/2014 NC88

Superseded General Decision Numbers: NC20130088

State: North Carolina

Construction Type: HIGHWAY

## **COUNTIES:**

| Buncombe  |  |
|-----------|--|
| Haywood   |  |
| Henderson |  |
| Madison   |  |

HIGHWAY CONSTRUCTION PROJECTS (excluding tunnels, building structures in rest area projects, railroad construction, bascule, suspension and spandrel arch bridges designed for commercial navigation, bridges involving marine construction, and other major bridges).

Modification Number 0

Publication Date 01/03/2014

|   | SUNC2011-069 |         |
|---|--------------|---------|
|   | Rates        | Fringes |
| CARPENTER (Form Work Only)                        |              |         |
| Buncombe County                                   | 13.18        |         |
| Haywood, Henderson, and Madison Counties          | 13.38        |         |
| CEMENT MASON/CONCRETE FINISHER                    | 13.84        |         |
| IRONWORKER (Reinforcing)                          | 14.88        |         |
| LABORER   |              |         |
| Asphalt, Asphalt Distributor, Raker, and Spreader |              |         |
| Buncombe County                                   | 12.18        |         |
| Haywood, Henderson, and Madison Counties          | 12.33        |         |
| Common or General                                 |              |         |
| Buncombe County                                   | 11.60        |         |
| Haywood County                                    | 11.53        |         |
| Henderson County                                  | 10.75        |         |
| Madison County                                    | 11.54        |         |
| Concrete Saw                                      | 14.55        |         |
| Landscape   | 10.35        |         |
| Luteman   | 13.00        |         |
| Mason Tender (Cement/Concrete)                    | 11.25        |         |
| Pipelayer   | 12.80        |         |
| Traffic Control (Cone Setter)                     | 13.15        |         |
| Traffic Control (Flagger)                         | 10.24        |         |

Z-88

|  | Rates | Fringes |
|--|-------|---------|
| POWER EQUIPMENT OPERATORS                |       |         |
| Backhoe/Excavator/Trackhoe               |       |         |
| Buncombe County                          | 13.82 |         |
| Haywood and Madison Counties             | 14.05 |         |
| Henderson County                         | 13.92 |         |
| Broom/Sweeper                            | 13.97 |         |
| Bulldozer                                | 15.27 |         |
| Crane                                    | 17.97 |         |
| Curb Machine                             | 14.43 |         |
| Distributor                              | 14.99 |         |
| Drill                                    | 16.68 |         |
| Grader/Blade                             |       |         |
| Buncombe, Haywood, and Madison County    | 15.95 |         |
| Henderson County                         | 14.25 |         |
| Loader                                   |       |         |
| Buncombe County                          | 13.81 |         |
| Haywood, Henderson, and Madison Counties | 14.14 |         |
| Mechanic                                 | 17.90 |         |
| Milling Machine                          | 15.72 |         |
| Oiler                                    | 13.79 |         |
| Paver                                    | 17.60 |         |
| Roller                                   | 11.00 |         |
| Buncombe County                          | 14.97 |         |
| Haywood, Henderson, and Madison Counties | 15.04 |         |
| Scraper                                  | 15.85 |         |
| Screed                                   | 14.93 |         |
| Tractor                                  | 14.47 |         |
| TRUCK DRIVER                             | 17.7/ |         |
| Distributor                              | 16.75 |         |
| Distributor                              | 10.75 |         |
| Buncombe County                          | 12.28 |         |
| Haywood, Henderson, and Madison Counties | 12.28 |         |
| Flatbed Truck                            | 15.02 |         |
| Lowboy Truck                             | 15.02 |         |
| Off the Road Truck                       | 15.00 |         |
| Single Axle Truck                        | 12.13 |         |
| Tack Truck                               | 12.13 |         |
| Water Truck                              | 16.52 |         |
| water fruck                              | 13.10 |         |

Welders – Receive rate prescribed for craft performing operation to which welding is incidental.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29 CFR 5.5(a)(1)(ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of "identifiers" that indicate whether the particular rate is union or non-union.

Union Identifiers

An identifier enclosed in dotted lines beginning with characters other than "SU" denotes that the union classification and rate have found to be prevailing for that classification. Example: PLUM0198-005 07/01/2011. The first four letters, PLUM, indicate the international union and the four-digit number, 0198, that follows indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. The date, 07/01/2011, following these characters is the effective date of the most current negotiated rate/collective bargaining agreement which would be July 1, 2011 in the above example.

Union prevailing wage rates will be updated to reflect any changes in the collective bargaining agreements governing the rates.

0000/9999: weighted union wage rates will be published annually each January.

Non-Union Identifiers

Classifications listed under an "SU" identifier were derived from survey data by computing average rates and are not union rates; however, the data used in computing these rates may include both union and non-union data. Example: SULA2004-007 5/13/2010. SU indicates the rates are not union rates, LA indicates the State of Louisiana; 2004 is the year of the survey; and 007 is an internal number used in producing the wage determination. A 1993 or later date, 5/13/2010, indicates the classifications and rates under that identifier were issued as a General Wage Determination on that date.

Survey wage rates will remain in effect and will not change until a new survey is conducted.

WAGE DETERMINATION APPEALS PROCESS

- 1.) Has there been an initial decision in the matter? This can be:
  - \* an existing published wage determination
  - \* a survey underlying a wage determination
  - \* a Wage and Hour Division letter setting forth a position on a wage determination matter
  - \* a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations Wage and Hour Division U. S. Department of Labor 200 Constitution Avenue, N.W. Washington, D.C. 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, D.C. 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, D.C. 20210

4.) All decisions by the Administrative Review Board are final.

END OF GENERAL DECISION

## STANDARD SPECIAL PROVISION

# **GENERAL DECISION NC140089 01/03/2014 NC89**

Date: January 3, 2014

**MINIMUM WAGES** 

General Decision Number: NC140089 01/03/2014 NC89

Superseded General Decision Numbers: NC20130089

State: North Carolina

Construction Type: HIGHWAY

## **COUNTIES:**

| Alexander |
|-----------|
| Burke     |
| Caldwell  |
| Catawba   |

HIGHWAY CONSTRUCTION PROJECTS (excluding tunnels, building structures in rest area projects, railroad construction, bascule, suspension and spandrel arch bridges designed for commercial navigation, bridges involving marine construction, and other major bridges).

Modification Number 0

Publication Date 01/03/2014

Z-89

| SUNC2011-070  | 09/16/2011 |
|---------------|------------|
| 501102011-070 | 07/10/2011 |

|   |       | UNC2011-070 09 |
|---|-------|----------------|
|   | Rates | Fringes        |
| CARPENTER (Form Work Only)                        | 13.69 |                |
| CEMENT MASON/CONCRETE FINISHER                    | 16.04 |                |
| IRONWORKER (Reinforcing)                          | 14.88 |                |
| LABORER   |       |                |
| Asphalt, Asphalt Distributor, Raker, and Spreader | 12.15 |                |
| Common or General                                 |       |                |
| Alexander and Burke Counties                      | 10.70 |                |
| Caldwell County                                   | 11.20 |                |
| Catawba County                                    | 10.38 |                |
| Concrete Saw                                      | 14.26 |                |
| Landscape   | 10.35 |                |
| Luteman   | 12.88 |                |
|   | 11.25 |                |
| Mason Tender (Cement/Concrete)                    |       |                |
| Pipelayer   | 12.80 |                |
| Traffic Control (Cone Setter)                     | 11.15 |                |
| Traffic Control (Flagger)                         | 9.99  |                |
| POWER EQUIPMENT OPERATORS                         |       |                |
| Backhoe/Excavator/Trackhoe                        |       |                |
| Alexander, Burke, and Catawba Counties            | 14.19 |                |
| Caldwell County                                   | 13.29 |                |
| Broom/Sweeper                                     | 13.97 |                |
| Bulldozer   | 15.05 |                |
| Crane   | 19.11 |                |
| Curb Machine                                      | 14.43 |                |
| Distributor                                       | 14.99 |                |
| Drill   | 16.68 |                |
| Grader/Blade                                      | 13.98 |                |
| Loader  | 12.66 |                |
| Mechanic  | 15.57 |                |
| Milling Machine                                   | 15.80 |                |
| Oiler   | 13.79 |                |
|   |       |                |
| Paver   | 16.35 |                |
| Roller  | 13.92 |                |
| Scraper   | 15.85 |                |
| Screed  | 14.93 |                |
| Tractor   | 14.47 |                |
| TRUCK DRIVER                                      |       |                |
| 4 Axle Truck                                      | 13.06 |                |
| Distributor                                       | 16.75 |                |
| Dump Truck  | 12.51 |                |
| Flatbed Truck                                     | 15.02 |                |
| Lowboy Truck                                      | 15.21 |                |
| Off the Road Truck                                | 15.00 |                |
| Single Axle Truck                                 | 12.13 |                |
| Tack Truck  | 16.52 |                |
| Water Truck                                       | 13.16 |                |

Welders – Receive rate prescribed for craft performing operation to which welding is incidental.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29 CFR 5.5(a)(1)(ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of "identifiers" that indicate whether the particular rate is union or non-union.

Union Identifiers

An identifier enclosed in dotted lines beginning with characters other than "SU" denotes that the union classification and rate have found to be prevailing for that classification. Example: PLUM0198-005 07/01/2011. The first four letters, PLUM, indicate the international union and the four-digit number, 0198, that follows indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. The date, 07/01/2011, following these characters is the effective date of the most current negotiated rate/collective bargaining agreement which would be July 1, 2011 in the above example.

Union prevailing wage rates will be updated to reflect any changes in the collective bargaining agreements governing the rates.

0000/9999: weighted union wage rates will be published annually each January.

Non-Union Identifiers

Classifications listed under an "SU" identifier were derived from survey data by computing average rates and are not union rates; however, the data used in computing these rates may include both union and non-union data. Example: SULA2004-007 5/13/2010. SU indicates the rates are not union rates, LA indicates the State of Louisiana; 2004 is the year of the survey; and 007 is an internal number used in producing the wage determination. A 1993 or later date, 5/13/2010, indicates the classifications and rates under that identifier were issued as a General Wage Determination on that date.

Survey wage rates will remain in effect and will not change until a new survey is conducted.

WAGE DETERMINATION APPEALS PROCESS

- 1.) Has there been an initial decision in the matter? This can be:
  - \* an existing published wage determination
  - \* a survey underlying a wage determination
  - \* a Wage and Hour Division letter setting forth a position on a wage determination matter
  - \* a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations Wage and Hour Division U. S. Department of Labor 200 Constitution Avenue, N.W. Washington, D.C. 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, D.C. 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, D.C. 20210

4.) All decisions by the Administrative Review Board are final.

END OF GENERAL DECISION

# STANDARD SPECIAL PROVISION

# GENERAL DECISION NC140097 01/03/2014 NC97

Date: January 3, 2014

**MINIMUM WAGES** 

General Decision Number: NC140097 01/03/2014 NC97

Superseded General Decision Numbers: NC20130097

State: North Carolina

Construction Type: HIGHWAY

## **COUNTIES:**

| Alleghany | Jackson    | Surry        |
|-----------|------------|--------------|
| Ashe      | Macon      | Swain        |
| Avery     | McDowell   | Transylvania |
| Cherokee  | Mitchell   | Watauga      |
| Clay      | Polk       | Wilkes       |
| Graham    | Rutherford | Yancey       |

HIGHWAY CONSTRUCTION PROJECTS (excluding tunnels, building structures in rest area projects, railroad construction, bascule, suspension and spandrel arch bridges designed for commercial navigation, bridges involving marine construction, and other major bridges).

Modification Number 0

Publication Date 01/03/2014

Z-97

|   | Rates | Fringes |
|---|-------|---------|
| CARPENTER (Form Work Only)                        | 13.29 | ringes  |
| CEMENT MASON/CONCRETE FINISHER                    | 13.29 |         |
| Cherokee County                                   | 13.95 |         |
| Remaining Counties                                | 13.93 |         |
| IRONWORKER (Reinforcing)                          | 13.81 |         |
| LABORER   | 15.61 |         |
| Asphalt, Asphalt Distributor, Raker, and Spreader | 13.07 |         |
| Common or General                                 | 15.07 |         |
| Cherokee County                                   | 10.59 |         |
|   | 10.39 |         |
| Jackson County                                    |       |         |
| McDowell County                                   | 10.83 |         |
| Mitchell and Yancey Counties                      | 11.17 |         |
| Remaining Counties                                | 11.01 |         |
| Swain County                                      | 11.24 |         |
| Concrete Saw                                      | 11.61 |         |
| Landscape   | 9.57  |         |
| Luteman   | 12.24 |         |
| Mason Tender (Cement/Concrete)                    | 10.53 |         |
| Pipelayer   | 9.00  |         |
| Traffic Control (Flagger)                         | 10.31 |         |
| POWER EQUIPMENT OPERATORS                         |       |         |
| Backhoe/Excavator/Trackhoe                        | 14.75 |         |
| Broom/Sweeper                                     | 12.29 |         |
| Bulldozer   | 14.37 |         |
| Crane   | 16.75 |         |
| Grader/Blade                                      | 15.98 |         |
| Loader  | 14.21 |         |
| Mechanic  | 14.00 |         |
| Milling Machine                                   | 14.43 |         |
| Oiler   | 11.50 |         |
| Paver   | 12.00 |         |
| Roller  |       |         |
| Alleghany and Cherokee Counties                   | 12.91 |         |
| Remaining Counties                                | 13.39 |         |
| Scraper   | 12.29 |         |
| Screed  | 15.82 |         |
| Tractor   | 13.60 |         |
| TRUCK DRIVER                                      |       |         |
| Dump Truck  | 12.52 |         |
| Lowboy Truck                                      | 15.71 |         |
| Single Axle Truck                                 | 11.83 |         |
| Water Truck                                       | 13.82 |         |

Welders – Receive rate prescribed for craft performing operation to which welding is incidental.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29 CFR 5.5(a)(1)(ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of "identifiers" that indicate whether the particular rate is union or non-union.

Union Identifiers

An identifier enclosed in dotted lines beginning with characters other than "SU" denotes that the union classification and rate have found to be prevailing for that classification. Example: PLUM0198-005 07/01/2011. The first four letters, PLUM, indicate the international union and the four-digit number, 0198, that follows indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. The date, 07/01/2011, following these characters is the effective date of the most current negotiated rate/collective bargaining agreement which would be July 1, 2011 in the above example.

Union prevailing wage rates will be updated to reflect any changes in the collective bargaining agreements governing the rates.

0000/9999: weighted union wage rates will be published annually each January.

Non-Union Identifiers

Classifications listed under an "SU" identifier were derived from survey data by computing average rates and are not union rates; however, the data used in computing these rates may include both union and non-union data. Example: SULA2004-007 5/13/2010. SU indicates the rates are not union rates, LA indicates the State of Louisiana; 2004 is the year of the survey; and 007 is an internal number used in producing the wage determination. A 1993 or later date, 5/13/2010, indicates the classifications and rates under that identifier were issued as a General Wage Determination on that date.

Survey wage rates will remain in effect and will not change until a new survey is conducted.

WAGE DETERMINATION APPEALS PROCESS

- 1.) Has there been an initial decision in the matter? This can be:
  - \* an existing published wage determination
  - \* a survey underlying a wage determination
  - \* a Wage and Hour Division letter setting forth a position on a wage determination matter
  - \* a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations Wage and Hour Division U. S. Department of Labor 200 Constitution Avenue, N.W. Washington, D.C. 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, D.C. 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, D.C. 20210

4.) All decisions by the Administrative Review Board are final.

END OF GENERAL DECISION

| LISTING OF DBE SUB    | <u>BCONTRA</u> | CTORS            | Sheet                          | of                          |
|-----------------------|----------------|------------------|--------------------------------|-----------------------------|
| Firm Name and Address | Item No.       | Item Description | * Agreed<br>upon Unit<br>Price | ** Dollar<br>Volume of Item |
| Name                  |                |                  |                                |                             |
| Address               |                |                  |                                |                             |
| Name                  |                |                  |                                |                             |
| Address               |                |                  |                                |                             |
| Name                  |                |                  |                                |                             |
| Address               |                |                  |                                |                             |
| Name                  |                |                  |                                |                             |
| Address               |                |                  |                                |                             |
| Name                  |                |                  |                                |                             |
| Address               |                |                  |                                |                             |
| Name                  |                |                  |                                |                             |
| Address               |                |                  |                                |                             |
| Name                  |                |                  |                                |                             |
| Address               |                |                  |                                |                             |

\* The Dollar Volume shown in this column shall be the Actual Price Agreed Upon by the Prime Contractor and the DBE subcontractor, and these prices will be used to determine the percentage of the DBE participation in the contract. \*\* Dollar Volume of DBE Subcontractor Percentage of Total Contract Bid Price:

If firm is a Material Supplier Only, show Dollar Volume as 60% of Agreed Upon Amount from Letter of Intent.

If firm is a Manufacturer, show Dollar Volume as 100% of Agreed Upon Amount from Letter of Intent.

| LISTING OF DBE SU                          | BCONTRAC                  | CTORS            | Sheet                          | of                          |
|--|---------------------------|------------------|--------------------------------|-----------------------------|
| Firm Name and Address                      | Item No.                  | Item Description | * Agreed<br>upon Unit<br>Price | ** Dollar<br>Volume of Item |
| Name                                       |                           |                  |                                |                             |
| Address                                    |                           |                  |                                |                             |
| Name                                       |                           |                  |                                |                             |
| Address                                    |                           |                  |                                |                             |
| Name                                       |                           |                  |                                |                             |
| Address                                    |                           |                  |                                |                             |
| Name                                       |                           |                  |                                |                             |
| Address                                    |                           |                  |                                |                             |
| Name                                       |                           |                  |                                |                             |
| Address                                    |                           |                  |                                |                             |
| Name                                       |                           |                  |                                |                             |
| Address                                    |                           |                  |                                |                             |
| * The Dollar Volume shown in this column s | 1 - 11 1 - 41 - 4 - 4 - 1 |                  |                                |                             |

\* The Dollar Volume shown in this column shall be the Actual Price Agreed Upon by the Prime Contractor and the DBE

subcontractor, and these prices will be used to determine the

\*\* Dollar Volume of DBE Subcontractor \$\_\_\_\_\_

%

percentage of the DBE participation in the contract. **Percentage of Total Contract Bid Price** \*\* Dollar Volume of DBE Subcontractor Percentage of Total Contract Bid Price:

If firm is a Material Supplier Only, show Dollar Volume as 60% of Agreed Upon Amount from Letter of Intent.

If firm is a Manufacturer, show Dollar Volume as 100% of Agreed Upon Amount from Letter of Intent.

# North Carolina Department of Transportation DIVISION CONTRACT BID FORM

Description: Blanket Contract for Traffic Signal Construction in Division 13 on an As Needed Basis

| ITEM | SECT         | DESCRIPTION  | QUANTITY | UNIT | UNIT<br>PRICE | AMOUNT BID |
|------|--------------|--|----------|------|---------------|------------|
| 1    | 1751         | Install Base Mounted Cabinet   | 20       | EA   |               |            |
| 2    | 1751         | Install Pole Mount Cabinet   | 20       | EA   |               |            |
| 3    | 1751         | Install Pole Mounted Flasher Cabinet   | 3        | EA   |               |            |
| 4    | 1705         | Install Three Section Traffic Signal Head                                    | 200      | EA   |               |            |
| 5    | 1705         | Install Four Section Traffic Signal Head                                     | 30       | EA   |               |            |
| 6    | 1705         | Install Five Section Traffic Signal Head                                     | 25       | EA   |               |            |
| 7    | 1705         | Install Single Section Traffic Signal Head                                   | 20       | EA   |               |            |
| 8    | 1705         | Install Pedestal Mounted Signal Head   | 30       | EA   |               |            |
| 9    | 1705         | Install Pedestal Pole and Base for<br>Pedestrian Head                        | 50       | EA   |               |            |
| 10   | 1743         | Install Foundation for Pedestrian Base                                       | 50       | EA   |               |            |
| 11   | 1705         | Install Pedestrian Head on Pole  | 50       | EA   |               |            |
| 12   | 1722<br>& SP | Furnish & Install Riser with Weatherhead                                     | 300      | EA   |               |            |
| 13   | 1710         | Install Spanwire   | 12,000   | LF   |               |            |
| 14   | 1745         | Install Overhead Lane Control Sign   | 25       | EA   |               |            |
| 15   | 1745         | Install Blank Out Sign   | 5        | EA   |               |            |
| 16   | 1705         | <b>Remove Traffic Signal Head</b>  | 250      | EA   |               |            |
| 17   | 1700         | Remove Traffic Signal Cabinet  | 20       | EA   |               |            |
| 18   | 1700         | Remove and Dispose of Cabinet Foundation                                     | 10       | EA   |               |            |
| 19   | 1733         | Remove and Dispose of Signal Cable   | 8,000    | LF   |               |            |
| 20   | 1098         | Furnish & Install Meter Service (New Install)                                | 35       | EA   |               |            |
| 21   | 1098         | Furnish & Install Meter Base and Disconnect<br>to Existing Service (Upgrade) | 10       | EA   |               |            |
| 22   | 1735         | Raise Existing Span (One End Only)   | 50       | EA   |               |            |
| 23   | 1705         | Install LED in Existing Signal Head  | 2,000    | EA   |               |            |
| 24   | 1751         | Connect wire in existing cabinet   | 35       | EA   |               |            |
| 25   | 1705         | Strap wire(s) to existing spanwire   | 5,000    | LF   |               |            |

|    |                   |   | r      |     | 1 | i |
|----|-------------------|---|--------|-----|---|---|
| 26 | 1098<br>&<br>1726 | Furnish and Install Detection Loop,<br>lead-in wire and Sealer    | 35,000 | LF  |   |   |
| 27 | 1715              | Furnish and Install 2" PVC Conduit Including<br>Unpaved Trenching | 15,000 | LF  |   |   |
| 28 | 1715              | Furnish and Install 2" Rigid Conduit<br>(Underground)             | 200    | LF  |   |   |
| 29 | 1715              | Paved Trenching   | 650    | LF  |   |   |
| 30 | 1716              | Furnish and Install Traffic Signal Pull Box                       | 150    | EA  |   |   |
| 31 | 1716              | Furnish and Install Oversize<br>Traffic Signal Pull Box           | 20     | EA  |   |   |
| 32 | 1715              | Directional Boring with 2" Rigid Conduit<br>or Equivalent         | 400    | LF  |   |   |
| 33 | 1715              | Directional Boring with (1) 2" PVC Conduit<br>or Equivalent       | 1500   | LF  |   |   |
| 34 | 1715              | Directional Boring with (2) 2" PVC Conduit<br>or Equivalent       | 1000   | LF  |   |   |
| 35 | 1715              | Directional Boring with (3) 2" PVC Conduit<br>or Equivalent       | 1000   | LF  |   |   |
| 36 | SP                | Install Lead-in Underground (in existing conduit)                 | 3,000  | LF  |   |   |
| 37 | SP                | Install Lead-in Overhead  | 6,000  | LF  |   |   |
| 38 | SP                | Furnish and Operate Line Truck<br>on Emergency Mobilization       | 80     | HR  |   |   |
| 39 | SP                | Furnish and Operate Bucket Truck<br>on Emergency Mobilization     | 80     | HR  |   |   |
| 40 | SP                | Technician Labor on an<br>Emergency Mobilization                  | 80     | HR  |   |   |
| 41 | SP                | Technician Helper on an<br>Emergency Mobilization                 | 80     | HR  |   |   |
| 42 | SP                | Furnish and Install 26 Foot<br>Powder Coated Metal Strain Pole    | 2      | EA  |   |   |
| 43 | SP                | Furnish and Install 30 Foot<br>Powder Coated Metal Strain Pole    | 25     | EA  |   |   |
| 44 | SP                | Furnish and Install 35 Foot<br>Powder Coated Metal Strain Pole    | 3      | EA  |   |   |
| 45 | SP                | Furnish and Install Powder Coated<br>Single Mast Arm Pole         | 7      | EA  |   |   |
| 46 | SP                | Furnish and Install Powder Coated<br>Double Mast Arm Pole         | 7      | EA  |   |   |
| 47 | SP                | <b>Remove Metal Pole</b>  | 2      | EA  |   |   |
| 48 | SP                | Soil Excavation for Pole Foundation (Auger Hole)                  | 200    | CYD |   |   |
| 49 | SP                | <b>Rock Excavation for Pole Foundation</b>                        | 30     | CYD |   |   |
| 50 | SP                | <b>Concrete Foundation Removal</b>                                | 30     | CYD |   |   |
| 51 | SP                | Steel Reinforced Pier Grade Concrete Foundation                   | 300    | CYD |   |   |
| 52 | SP                | Soil Test for Metal Pole Foundation                               | 60     | EA  |   |   |
| 53 | SP                | Furnish and Install 35 Foot Class 3 Wood Pole                     | 60     | EA  |   |   |
| 54 | SP                | Furnish and Install 40 Foot Class 3 Wood Pole                     | 10     | EA  |   |   |

| 55 | SP | Furnish and Install 45 Foot Class 3 Wood Pole   | 5   | EA  |  |
|----|----|---|-----|-----|--|
| 56 | SP | Remove Pole                                     | 150 | EA  |  |
| 57 | SP | Remove and Transport Pole to Specified Location | 20  | EA  |  |
| 58 | SP | <b>Relocate Existing Pole</b>                   | 5   | EA  |  |
| 59 | SP | Transport and Install NCDOT Furnished Pole      | 15  | EA  |  |
| 60 | SP | Install NCDOT Furnished Sign Post               | 20  | EA  |  |
| 61 | SP | Furnish and Install Anchor and Rod Assembly     | 150 | EA  |  |
| 62 | SP | Furnish and Install Normal Guy Assembly         | 150 | EA  |  |
| 63 | SP | Furnish and Install Sidewalk Guy Assembly       | 15  | EA  |  |
| 64 | SP | Excavate Rock for Wood Pole Installation        | 50  | CYD |  |
| 65 | SP | High Priority Mobilization                      | 50  | EA  |  |

TOTAL BID FOR PROJECT:\_\_\_\_\_

Note: These quantities are an estimate only. The actual quantities may vary greatly. This estimate will not bind the Department or the Contractor to provide or install a set amount of material.

CONTRACTOR\_\_\_\_\_

ADDRESS \_\_\_\_\_Office Phone: \_\_\_\_\_

 Federal Identification Number
 \_\_\_\_\_\_ Contractors License Number

#### THIS SECTION TO BE COMPLETED BY NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

This bid has been reviewed in accordance with Article 103-1 of the Standard Specifications for Roads and Structures January 2012.

| Reviewed by       |                   | (date) |
|-------------------|-------------------|--------|
|                   |                   |        |
| Accepted by NCDOT | Division Engineer | (date) |

## **EXECUTION OF BID**

#### NON-COLLUSION AFFIDAVIT, DEBARMENT CERTIFICATION AND GIFT BAN CERTIFICATION

#### **CORPORATION**

The person executing the bid, on behalf of the Bidder, being duly sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee of the bidder has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the bidder has not been convicted of violating *N.C.G.S.* § 133-24 within the last three years, and that the Bidder intends to do th e work with its own bonafide employees or subcontractors and is not bidding for the benefit of another contractor.

In addition, execution of this bid in the proper manner also constitutes the Bidder's certification of status under penalty of perjury under the laws of the United S tates in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

*N.C.G.S.* § *133-32* and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

## SIGNATURE OF CONTRACTOR

|                  | Full name  | of Corpora  | tion  |
|------------------|--|-------------|---|
|                  |  |             |   |
|                  |  |             |   |
|                  | Address  | as Prequali | ñed   |
|                  |  |             |   |
| Attest           | etary/Assistant Secretary                            | By          | President/Vice President/Assistant Vice President                             |
|                  | etary/Assistant Secretary<br>elect appropriate title |             | President/Vice President/Assistant Vice President<br>Select appropriate title |
|                  |  |             |   |
| Prir             | nt or type Signer's name                             |             | Print or type Signer's name   |
|                  |  |             | CORPORATE SEAL  |
|                  |  |             | CORPORATE SEAL  |
|                  |  |             |   |
|                  | AFFIDAVIT MU   | ST BE I     | NOTARIZED   |
| Subscribed and s | sworn to before me this the                          |             |   |
| day of           | 20   |             |   |
|                  |  |             | NOTARY SEAL   |
| Sig              | gnature of Notary Public                             |             |   |
| of               | County   |             |   |
| State of         |  |             |   |
| My Commission    | Expires:   |             |   |
|                  |  |             |   |

#### PARTNERSHIP

The person executing the bid, on behalf of the Bidder, being duly sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee of the bidder has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the bidder has not been convicted of violating N.C.G.S. § 133-24 within the last three years, and that the Bidder intends to do the work with its own bonafide employees or subcontractors and is not bidding for the benefit of another contractor.

In addition, execution of this bid in the prope r manner also constitutes the Bidder's certification of status unde r penalty of perjury under the laws of the United States in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

*N.C.G.S.* § 133-32 and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

# SIGNATURE OF CONTRACTOR

| Full Name of Partnership               |                |                             |  |
|--|----------------|-----------------------------|--|
| A                                      | Address as Pre | equalified                  |  |
|  | B              | ySignature of Partner       |  |
| Signature of Witness                   |                | Signature of Partner        |  |
| Print or type Signer's name            |                | Print or type Signer's name |  |
|  |                |                             |  |
|  |                |                             |  |
| AFFIDAVI                               | T MUST         | BE NOTARIZED                |  |
| Subscribed and sworn to before me this | the            | NOTARY SEAL                 |  |
| day of 20                              |                |                             |  |
|  |                |                             |  |
| Signature of Notary Public             |                |                             |  |
| ofCo                                   | ounty          |                             |  |
| State of                               |                |                             |  |
| My Commission Expires:                 |                |                             |  |

#### LIMITED LIABILITY COMPANY

The person executing the bid, on behalf of the Bidder, being duly sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee of the bidder has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the bidder has not been convicted of violating N.C.G.S. § 133-24 within the last three years, and that the Bidder intends to do the work with its own bonafide employees or subcontractors and is not bidding for the benefit of another contractor.

In addition, execution of this bid in the prope r manner also constitutes the Bidder's certification of status unde r penalty of perjury under the laws of the United States in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

*N.C.G.S.* § *133-32* and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

## SIGNATURE OF CONTRACTOR

|                                  | Full Name of   | of Firm  |
|----------------------------------|----------------|--|
|                                  |                | 1.6.1  |
|                                  | Address as Pre | equalified   |
|                                  |                |  |
| Signature of Witness             |                | Signature of Member/Manager/Authorized Agent<br>Select appropriate title |
| Print or type Signer's name      |                | Print or type Signer's Name  |
| AFFI                             | DAVIT MUST     | BE NOTARIZED   |
| Subscribed and sworn to before m | ne this the    | NOTARY SEAL  |
| day of                           | 20             |  |
|                                  |                |  |
| Signature of Notary Public       | с              |  |
| of                               | County         |  |
| State of                         |                |  |
| My Commission Expires:           |                |  |

# **EXECUTION OF BID** NON-COLLUSION AFFIDAVIT, DEBARMENT CERTIFICATION AND GIFT BAN CERTIFICATION JOINT VENTURE (2) or (3)

The person executing the bid, on behalf of the Bidder, being duly sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee of the bidder has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the bidder has not b een convicted of violating N.C.G.S. § 133-24 within the last three years, and that the Bidder intends to do the work with its own bonafide employees or subcontractors and is not bidding for the benefit of another contractor.

In addition, execution of this bid in the proper manner also constitutes the Bidder's certification of status under penalty of perjury under the laws of the United Stat es in accordance with the Debar ment Certification attached, provided that the Debar ment Certification also in cludes any required statements concerning exceptions that are applicable.

N.C.G.S. § 133-32 and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any su ch gift has been offered, accepted, or prom ised by any employees of your organization.

## SIGNATURE OF CONTRACTOR

Instructions: 2 Joint Venturers Fill in lines (1), (2) and (3) and execute. 3 Joint Venturers Fill in lines (1), (2), (3) and (4) and execute. On Line (1), fill in the na me of the Joint Venture Company. On Line (2), fill in t he name of one of the joint venturers and execute below in the appropriate manner. On Line (3), print or type the name of the other joint venturer and execute below in the appropriate manner. On Line (4), fill in the name of the third joint venturer, if applicable and execute below in the appropriate manner.

| (1)      |   |   |               |  |
|----------|---|---|---------------|--|
|          | Name of Joint Venture   |   |               |  |
| (2)      |   | Name of Contractor  |               |  |
|          |   | Address as Prequalifie  | d             |  |
|          | Signature of Witness or Attest                                | By  |               | Signature of Contractor  |
|          | Print or type Signer's name                                   |   |               | Print or type Signer's name  |
|          | If Corporation, affix Corporate Seal                          | and   |               |  |
| (3)      |   |   |               |  |
|          |   | Name of Contractor  |               |  |
|          |   | Address as Prequalifie  | d             |  |
|          | Signature of Witness or Attest                                | By  |               | Signature of Contractor  |
|          | Print or type Signer's name                                   |   |               | Print or type Signer's name  |
|          | If Corporation, affix Corporate Seal                          | and   |               |  |
| (4)      |   | Name of Contractor (for 3 Joint V                                   | Venture only) |  |
|          |   | Address as Prequalifie  | d             |  |
|          | Signature of Witness or Attest                                | By  |               | Signature of Contractor  |
|          | Print or type Signer's name                                   |   |               | Print or type Signer's name  |
|          | If Corporation, affix Corporate Seal                          |   |               |  |
| ARY SEA  |   | NOTARY SEAL   |               | NOTARY   |
|          | <i>be notarized for Line (2)</i><br>d sworn to before me this | Affidavit must be notarized for L<br>Subscribed and sworn to before |               | Affidavit must be notarized for Line (4)<br>Subscribed and sworn to before me this |
| _day of_ |   | day of  |               | day of 20  |
|          | Notary Public   | Signature of Notary Public  |               | Signature of Notary Public   |
|          | County  | of<br>State of  | County        | ofCou<br>State of  |
| of       |   | State of  |               | State of   |
| Commissi | ion Expires:  | My Commission Expires:  |               | My Commission Expires:   |

# INDIVIDUAL DOING BUSINESS UNDER A FIRM NAME

The person executing the bid, on behalf of the Bidder, being duly sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee of the bidder has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the bidder has not been convicted of violating N.C.G.S. § 133-24 within the last three years, and that the Bidder intends to do the work with its own bonafide employees or subcontractors and is not bidding for the benefit of another contractor.

In addition, execution of this bid in the proper manner also constitutes the Bidder's certification of status under r penalty of perjury under the laws of the United States in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

*N.C.G.S.* § *133-32* and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

## SIGNATURE OF CONTRACTOR

ъ т

00

| Name of Contractor                         |                                       |
|--|---------------------------------------|
|  | Individual name                       |
| Trading and doing business as              |                                       |
|  | Full name of Firm                     |
| Address as I                               | Prequalified                          |
| Signature of Witness                       | Signature of Contractor, Individually |
| Signature of witness                       | Signature of Contractor, individually |
| Print or type Signer's name                | Print or type Signer's name           |
| AFFIDAVIT MUST                             | Γ BE NOTARIZED                        |
| Subscribed and sworn to before me this the | NOTARY SEAL                           |
| day of 20                                  |                                       |
| Signature of Notary Public                 |                                       |
| ofCounty                                   |                                       |
| State of                                   |                                       |
| My Commission Expires:                     |                                       |

#### **INDIVIDUAL DOING BUSINESS IN HIS OWN NAME**

The person executing the bid, on behalf of the Bidder, being dul y sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee of the bidder has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the bidd er has not b een convicted of violating N.C.G.S. § 133-24 within the last three years, and that the Bidder intends to do the work with its own bonafide employees or subcontractors and is not bidding for the benefit of another contractor.

In addition, execution of this bid in the proper manner also constitutes the Bidder's certification of status under penalty of perjury under the laws of the United S tates in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

N.C.G.S. § 133-32 and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

# SIGNATURE OF CONTRACTOR

Name of Contractor Print or type Individual name

Address as Prequalified

Signature of Contractor, Individually

Print or type Signer's Name

Signature of Witness

Print or type Signer's name

## **AFFIDAVIT MUST BE NOTARIZED**

Subscribed and sworn to before me this the

\_\_\_\_\_ day of \_\_\_\_\_\_ 20\_ .

Signature of Notary Public

of \_\_\_\_\_County

State of

My Commission Expires:\_\_\_\_\_

**NOTARY SEAL** 

# **DEBARMENT CERTIFICATION**

Conditions for certification:

- 1. The prequalified bidder shall provide immediate written notice to the Department if at any time the bidder learns that his certification was erroneous when he submitted his debarment certification or explanation filed with the Department, or has become erroneous because of changed circumstances.
- 2. The terms *covered transaction, debarred, suspended, ineligible, lower tier covered transaction, participant, person, primary covered transaction, principal, proposal,* and *voluntarily excluded,* as used in this provision, have the meanings set out in the Definitions and Coverage sections of the rules im plementing Executive Order 12549. A copy of the Federal Rules requiring this certification and detailing the definitions and coverages may be obtained from the Contract Officer of the Department.
- 3. The prequalified bidder agrees by submitting this form, that he will not knowingly enter into any lower tier cove red transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in NCDOT contracts, unless authorized by the Department.
- 4. For Federal Aid projects, the prequalified bidder further agrees that by submitting this form he will include the Federal-Aid Provision titled *Required Contract Provisions Federal-Aid Construction Contract (Form FHWA PR* 1273) provided by the Department, without subsequent modification, in all lower tier covered transactions.
- 5. The prequalified bidder may rely upon a certification of a participant in a lower tier covered transaction that he is not de barred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless he knows that the certification is erroneous. The bidder m ay decide the m ethod and frequency by which he will d etermine the eligibility of his subcontractors.
- 6. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this provision. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
- 7. Except as authorized in paragraph 6 herein, the Department may terminate any contract if the bidder knowingly enters into a lower tier covered tran saction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available by the Federal Government.

# **DEBARMENT CERTIFICATION**

The prequalified bidder certifies to the best of his knowl edge and belief, that he and his principals:

- a. Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
- b. Have not within a three-year period preced ing this proposal been convicted of or had a civ il judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attem pting to obtain, or perfor ming a public (Federal, State or local) transaction or contract under a public transacti on; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records; making false statements; or receiving stolen property;
- c. Are not presently indicted for or otherwise criminally or civilly charged by a governm ental entity (Federal, S tate or local) with comm ission of any of the offenses enum erated in paragraph b. of this certification; and
- d. Have not within a th ree-year period preced ing this proposal had one or more public transactions (Federal, State or local) terminated for cause or default.
- e. Will submit a revised Debarment Certification immediately if his status changes and will show in his bid proposal an explanation for the change in status.

If the prequalified bidder cannot certify that he is not debarred, he shall provide an explanation with this submittal. An explana tion will not necessarily result in denial of participation in a contract.

Failure to subm it a non-collusion affidavit and debarm ent certification will result in the prequalified bidder's bid being considered non-responsive.

 $\Box$  Check here if an explanation is attached to this certification.