

**This electronic collection of documents is provided
for the convenience of the user
and is Not a Certified Document –**

**The documents contained herein were originally issued
and sealed by the individuals whose names and license
numbers appear on each page, on the dates appearing
with their signature on that page.**

**This file or an individual page
shall not be considered a certified document.**

STATE OF NORTH CAROLINA
 DEPARTMENT OF TRANSPORTATION
 DIVISION OF HIGHWAYS
 GEOTECHNICAL ENGINEERING UNIT

**HELENE
 EMERGENCY REPAIRS**

COUNTY TRANSYLVANIA
 PROJECT DESCRIPTION 3 SITES ON CASCADE LAKE RD



DocuSigned by:
 J. Dean Hardister
 6E97D04F0000403

11/21/2024

SIGNATURE DATE


DOCUMENT NOT CONSIDERED FINAL
 UNLESS ALL SIGNATURES COMPLETED

CONTRACT: DN01089

ROUTE	SITE #	SITE LATITUDE	SITE LONGITUDE	REPAIR OPTION 1	REPAIR OPTION 2	REPAIR OPTION 3
SR-1536 Cascade Lake Rd	811	35.21893135	-82.64053517	Soil Nail Shoulder Buildout	Soil Nail Retaining Wall with Shotcrete Face + 2x3 Micropile Grade Beam	
SR-1536 Cascade Lake Rd	812	35.21770899	-82.64022416	Soil Nail Shoulder Buildout	Soil Nail Retaining Wall with Shotcrete Face + 2x3 Micropile Grade Beam	
SR-1536 Cascade Lake Rd	902	35.22419393	-82.6361207	1.25:1 Rock Embankment with Toe Key	Soil Nail Shoulder Buildout	Soil Nail Retaining Wall with Shotcrete Face + 2x3 Micropile Grade Beam

WHEN MULTIPLE REPAIR OPTIONS ARE AVAILABLE AT A SITE LOCATION, THE CONTRACTOR SHALL PROCEED IN SEQUENTIAL ORDER AND CHOOSE THE FIRST OPTION THAT FITS WITHIN SITE CONSTRAINTS


PRIOR TO CONSTRUCTING THE GEOTECHNICAL REPAIRS, AN ON-SITE MEETING WITH THE PRIME CONTRACTOR, THE GEOTECHNICAL SPECIALTY SUBCONTRACTOR (IF APPLICABLE), THE DIVISION CONSTRUCTION REPRESENTATIVE AND THE GEOTECHNICAL OPERATIONS GROUP REPRESENTATIVE SHALL BE CONDUCTED



- NOTES:**
- 1) FOR SOIL NAIL SHOULDER BUILD-OUT, SEE SOIL NAIL WALL PROVISION.
 - 2) FOR MICROPILE 2"x6" GRADE BEAM, SEE SLOPE STABILIZATION GRADE BEAM PLANS AND MICROPILE PROVISION.
 - 3) FOR MICROPILES, SEE MICROPILE PROVISION.
 - 4) ESTABLISH THE BACK OF SOIL NAIL WALL FACE AT A 3.5' OFFSET FROM THE BACK OF THE EXISTING OR PROPOSED GUARDRAIL POST.
 - 5) EXTEND THE TOP TWO LAYERS OF GEOTEXTILE TO CENTERLINE OF ROAD.
 - 6) ESTIMATED SOIL NAIL AVERAGE LENGTH = 20'
 - 7) ESTIMATED MICROPILE AVERAGE LENGTH = 15'
 - 8) MINIMUM MICROPILE ROCK BOND LENGTH = 5'
 - 9) MINIMUM SOIL NAIL ROCK BOND LENGTH = 5'
 - 10) MINIMUM OVERALL SOIL NAIL AND MICROPILE LENGTH = 10'

CONTRACT NO.: DN01089

DO NOT USE THESE DETAILS UNLESS DIRECTED BY THE ENGINEER




NORTH CAROLINA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS

GEOTECHNICAL ENGINEERING UNIT

HURRICANE HELENE EMERGENCY REPAIRS

SOIL NAIL SHOULDER BUILD-OUT

REVISIONS					
NO.	BY	DATE	NO.	BY	DATE
1			3		
2			4		



NOTES:

FOR SOIL NAIL WALL, SEE SOIL NAIL WALL PROVISION.

FOR MICROPILE GRADE BEAM, SEE SLOPE STABILIZATION GRADE BEAM PLANS AND MICROPILE PROVISION.

FOR MICROPILES, SEE MICROPILE PROVISION.

ESTIMATED SOIL NAIL AVERAGE LENGTH = 20'

ESTIMATED MICROPILE AVERAGE LENGTH = 15'


MINIMUM MICROPILE ROCK BOND LENGTH = 5'

MINIMUM SOIL NAIL ROCK BOND LENGTH = 5'

MINIMUM OVERALL SOIL NAIL AND MICROPILE LENGTH = 10'

CONTRACT NO.: DN01089

DO NOT USE THESE DETAILS UNLESS DIRECTED BY THE ENGINEER




NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS


**GEOTECHNICAL
ENGINEERING UNIT**

**HURRICANE HELENE EMERGENCY REPAIRS
SOIL NAIL RETAINING WALL
WITH SHOTCRETE FACING**


REVISIONS					
NO.	BY	DATE	NO.	BY	DATE
1			3		
2			4		



MICROPILE DETAIL



MICROPILE HEAD DETAIL



MICROPILE SECTION

NOTES:

GENERAL NOTES:

1. THE MICROPILES HAVE BEEN DESIGNED IN GENERAL ACCORDANCE WITH AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS. THE MICROPILE FOUNDATIONS HAVE BEEN DESIGNED TO SUPPORT A LOAD OF 60 KIPS IN COMPRESSION AND TENSION.
2. LAYOUT OF THE PILES SHALL BE BY THE GENERAL CONTRACTOR. MICROPILE LAYOUT IS BASED ON PILE LOCATION AT THE BOTTOM OF THE MICROPILE CAP. GENERAL CONTRACTOR SHALL LAY OUT PILES BASED ON DRILLING ELEVATION SUCH THAT THE MICROPILE LOCATION WILL BE AT THE PLANNED LOCATION AT THE BOTTOM OF THE PILE CAP.

MATERIAL SPECIFICATIONS:

1. FOR MICROPILE USE TYPE 5 GROUT, SEE SECTION 1003 OF THE STANDARD SPECIFICATIONS.
2. PROVIDE STEEL PLATES THAT MEET ASTM A572 GRADE 50 KSI.
3. ALL THREAD MICROPILE REINFORCEMENT SHALL BE MINIMUM GRADE 75 KSI.
4. MICROPILE NUTS WILL BE MANUFACTURED BY THE BAR MANUFACTURER AND COMPATIBLE WITH THE BAR TYPE SPECIFIED.
5. CENTRALIZERS- PLASTIC, STAINLESS STEEL, OR OTHER NON-DELETERIOUS MATERIAL WHICH WILL MAINTAIN SHAPE AND LOCATION TO KEEP REINFORCEMENT BAR IN CENTRAL PORTION OF THE DRILL HOLE.


TYPICAL MICROPILE CONSTRUCTION SEQUENCE:

1. WHERE POSSIBLE LEVEL AREA OF MICROPILE FOOTING PRIOR TO DRILLING.
2. IF REQUIRED, INSTALL AND TEST PILES IN ACCORDANCE AASHTO GUIDLINES AS DIRECTED BY THE ENGINEER.
3. ROTARY FLUSH TEMPORARY CASING TO TOP OF ROCK USING AIR OR WATER AS FLUSHING MEDIUM. CARE SHALL BE TAKEN SO MINIMAL LOSS OF MATERIALS OUTSIDE THE THE TEMPORARY CASING OCCURS.
4. USE ROTARY PERCUSSIVE DRILLING TO DRILL ROCK SOCKET TO REQUIRED DEPTH. MINIMUM BOND LENGTH IS 5 FEET INTO COMPETENT ROCK, WITH A MINIMUM OVERALL LENGTH OF AT LEAST 10 FT.
5. PLACE GROUT FOR MICROPILES BY TREMIE METHOD FROM BOTTOM OF THE HOLE.
6. FOR SOLID BAR MICROPILES, INSTALL CENTER CORE REINFORCEMENT STEEL (STEEL MAY BE PLACED PRIOR TO OR IMMEDIATELY AFTER GROUTING).
7. CUT TOPS OF PILES TO FINAL ELEVATION AND INSTALL PLATES. FOR MICROPILES AND MICROPILE FOOTING, SEE MICROPILE SLOPE STABILIZATION PROVISION.

CONTRACT NO.: DN01089

PREPARED BY: MS	DATE: 10/24
REVIEWED BY:	DATE:

DO NOT USE THESE DETAILS UNLESS DIRECTED BY THE ENGINEER




NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS


**GEOTECHNICAL
ENGINEERING UNIT**

HURRICANE HELENE EMERGENCY REPAIRS					
MICROPILES					
REVISIONS					
NO.	BY	DATE	NO.	BY	DATE
1			3		
2			4		


SHEET NO. 3 OF 3



SECTION A-A



PLAN



MICROPILE DETAIL

BAR TYPES				
1	5'-6"	1'-6"	5 1/2"	HK.
2	5'-6"	5'-6"	5 1/2"	HK.
3	6"	2'-6"		


ALL BAR DIMENSIONS ARE OUT TO OUT

BILL OF MATERIAL				
BAR	SIZE	TYPE	LENGTH	
B1	#7	STR.	-	
B2	#5	STR.	-	
B3	#4	STR.	5'-6"	
B4	#4	STR.	2'-6"	
-	-	-	-	
S1	#4	1	9'-5"	
S2	#4	2	6'-5"	
-	-	-	-	
U1	#4	3	5'-6"	
REINFORCING STEEL =			64 LBS./LIN.FT.	
CLASS A CONCRETE =			0.5 CU.YD./LIN.FT.	

NOTES

- DESIGN ASSUMPTIONS:
- ANCHOR/VERTICAL MICROPILE LOAD OF 55 KIPS.
 - VERTICAL LOAD OF 4.6 KIPS/SQFT.
 - LATERAL LOAD OF 4.9 KIPS/SQFT.
- INVERT ALTERNATE STIRRUPS AS SHOWN.
- STIRRUPS MAY BE SHIFTED SLIGHTLY AS NECESSARY TO CLEAR MICROPILES.
- FOR OTHER DESIGN DATA AND GENERAL NOTES, SEE MCP DETAILS.
- BEARING PLATES SHALL BE GRADE 50STEEL.

CONTRACT NO. : DN01089




STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
RALEIGH

SLOPE STABILIZATION
2'-0" X 6'-0"
GRADE BEAM


DRAWN BY : _____ DATE : _____
CHECKED BY : _____ DATE : _____
DESIGN ENGINEER OF RECORD : _____ DATE : _____

REVISIONS						SHEET NO.
NO.	BY:	DATE:	NO.	BY:	DATE:	TOTAL SHEETS
1			3			
2			4			


DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED



SECTION A-A



MICROPILE DETAIL



PLAN

BAR TYPES			
	1	STR.	1'-6"
	2	STR.	2'-6"
	3	STR.	2'-6"


ALL BAR DIMENSIONS ARE OUT TO OUT

BILL OF MATERIAL			
BAR	SIZE	TYPE	LENGTH
B1	#7	STR.	-
B2	#5	STR.	-
B3	#4	STR.	2'-6"
-	-	-	-
S1	#4	1	6'-5"
S2	#4	2	3'-5"
-	-	-	-
U1	#4	3	5'-6"
REINFORCING STEEL =			45 LBS./LIN.FT.
CLASS A CONCRETE =			0.3 CU.YD./LIN.FT.

NOTES

- DESIGN ASSUMPTIONS:
- ANCHOR/VERTICAL MICROPILE LOAD OF 55 KIPS.
 - VERTICAL LOAD OF 4.6 KIPS/SQFT.
 - LATERAL LOAD OF 4.9 KIPS/SQFT.
- INVERT ALTERNATE STIRRUPS AS SHOWN.
- STIRRUPS MAY BE SHIFTED SLIGHTLY AS NECESSARY TO CLEAR MICROPILES.
- FOR OTHER DESIGN DATA AND GENERAL NOTES, SEE MCP DETAILS.
- BEARING PLATES SHALL BE GRADE 50 STEEL.

CONTRACT NO.: DN01089



STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
RALEIGH

SLOPE STABILIZATION
2'-0" X 3'-0"
GRADE BEAM

DRAWN BY : NAP DATE : 11/24
CHECKED BY : G. AYES DATE : 11/24
DESIGN ENGINEER OF RECORD : G. AYES DATE : 11/24

DOCUMENT NOT CONSIDERED
FINAL UNLESS ALL
SIGNATURES COMPLETED

REVISIONS				SHEET NO.
NO.	BY:	DATE:	NO.	DATE:
1			3	
2			4	

TOTAL SHEETS


GEOTECHNICAL ENGINEER

ENGINEER


DocuSigned by:
Dean Hardister 11/21/2024

SEAL
023481
NORTH CAROLINA
PROFESSIONAL
ENGINEER
CLEAN HANDSISTER


DOCUMENT NOT CONSIDERED FINAL
UNLESS ALL SIGNATURES COMPLETED



GEOTEXTILE OVERLAP DETAIL
(PLAN VIEW)



ROCK EMBANKMENT DETAIL



ROCK EMBANKMENT WITH TOE KEY DETAIL

FOR H ≤ 40 FEET, X = 3 FEET
FOR H > 40 FEET, X = 6 FEET

NOTES:

1. THE MAXIMUM ALLOWABLE HEIGHT FOR THE ROCK EMBANKMENT DETAIL IS 80'.
2. FOR ROCK EMBANKMENT, BENCH EXISTING SLOPE IN ACCORDANCE WITH SECTION 235 OF THE STANDARD SPECIFICATIONS, WHERE POSSIBLE.

CONTRACT NO.: DN01089

DO NOT USE THESE DETAILS UNLESS DIRECTED BY THE ENGINEER

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS

GEOTECHNICAL ENGINEERING UNIT

HURRICANE HELENE EMERGENCY REPAIRS

ROCK EMBANKMENT

REVISIONS					
NO.	BY	DATE	NO.	BY	DATE
1			3		
2			4		

SHEET NO. 1 OF 1

PREPARED BY: DP	DATE: 10/24
REVIEWED BY:	DATE:


GROUNDWATER CONDITION (SEE NOTE 6)	H SHORING HEIGHT (FT)	SLOPE OR SURCHARGE CASE WITH NO TRAFFIC IMPACT					SURCHARGE CASE WITH TRAFFIC IMPACT				
		SHEET PILES		H-PILES WITH TIMBER LAGGING			SHEET PILES		H-PILES WITH TIMBER LAGGING		
		MINIMUM REQUIRED EMBEDMENT (FT)	MINIMUM REQUIRED SECTION MODULUS (IN ³ /FT)	MINIMUM REQUIRED EMBEDMENT* (FT) (SEE NOTE 10)			MINIMUM REQUIRED EMBEDMENT (FT)	MINIMUM REQUIRED SECTION MODULUS (IN ³ /FT)	MINIMUM REQUIRED EMBEDMENT* (FT) (SEE NOTE 10)		
			HP 10x42	HP 12x53	HP 14x73			HP 10x42	HP 12x53	HP 14x73	
GROUNDWATER ELEVATION BETWEEN BOTTOM OF SHORING AND PILE TIP	< 6	11.5	4.5	11.5	11.5	11.5	16.0	12.0	13.0	13.0	13.0
	7	13.0	7.0	13.0	13.0	13.0	17.0	14.5	14.5	14.5	14.5
	8	15.0	10.0	--	15.0	15.0	18.0	17.0	--	15.5	15.5
	9	17.0	14.0	--	17.0	17.0	19.0	20.0	--	17.0	17.0
	10	18.5	19.5	--	--	18.5	20.0	23.5	--	--	18.5
	11	20.5	26.0	--	--	--	21.0	28.0	--	--	20.0
12	22.5	33.0	--	--	--	22.0	33.0	--	--	21.5	
GROUNDWATER ELEVATION BELOW PILE TIP	< 6	7.5	3.0	8.0	8.0	8.0	11.0	10.0	9.5	9.5	9.5
	7	8.5	4.5	9.5	9.5	9.5	12.0	12.0	10.5	10.5	10.5
	8	10.0	6.5	10.5	10.5	10.5	12.5	14.0	11.5	11.5	11.5
	9	11.0	9.5	--	12.0	12.0	13.5	16.5	--	12.5	12.5
	10	12.5	13.0	--	--	13.5	14.0	19.5	--	13.5	13.5
	11	13.5	17.0	--	--	14.5	15.0	22.5	--	--	14.5
12	15.0	21.5	--	--	16.0	16.0	25.5	--	--	15.5	

MINIMUM REQUIRED EMBEDMENT AND SECTION MODULUS


*DO NOT USE H-PILES WITH TIMBER LAGGING FOR GROUNDWATER CONDITION, SHORING HEIGHT AND H-PILE SIZE SHOWN IF MINIMUM REQUIRED EMBEDMENT IS "--".

NOTES:


- AT THE CONTRACTOR'S OPTION, USE STANDARD TEMPORARY SHORING AS NOTED IN THE PLANS.
- FOR STANDARD TEMPORARY SHORING, SEE STANDARD SHORING PROVISION.
- STANDARD TEMPORARY SHORING IS BASED ON THE FOLLOWING IN-SITU ASSUMED SOIL PARAMETERS:
UNIT WEIGHT, $\gamma = 120$ PCF
FRICTION ANGLE, $\phi = 30$ DEGREES
COHESION, $c = 0$ PSF
- DO NOT USE STANDARD TEMPORARY SHORING IF ASSUMED SOIL PARAMETERS ARE NOT APPLICABLE.
- DO NOT USE STANDARD TEMPORARY SHORING WHEN VERY LOOSE OR SOFT SOIL OR MUCK IS WITHIN THE EMBEDMENT DEPTH.
- USE GROUNDWATER ELEVATION NOTED IN THE PLANS. IF NO GROUNDWATER ELEVATION IS SHOWN IN THE PLANS, USE "GROUNDWATER ELEVATION BETWEEN BOTTOM OF SHORING AND PILE TIP" FOR GROUNDWATER CONDITION. DO NOT USE STANDARD TEMPORARY SHORING IF GROUNDWATER IS ABOVE BOTTOM OF SHORING.
- AT THE CONTRACTOR'S OPTION OR IF AVAILABLE CLEAR DISTANCE IS LESS THAN THE MINIMUM REQUIRED FOR CONCRETE BARRIER, SET BARRIER NEXT TO AND UP AGAINST TRAFFIC SIDE OF PILES AND USE "SURCHARGE CASE WITH TRAFFIC IMPACT".
- AT THE CONTRACTOR'S OPTION OR IF AVAILABLE CLEAR DISTANCE IS LESS THAN 4' FOR TEMPORARY GUARDRAIL, ATTACH GUARDRAIL TO TRAFFIC SIDE OF PILES AS SHOWN IN THE PLANS AND USE "SURCHARGE CASE WITH TRAFFIC IMPACT".
- MINIMUM REQUIRED EXTENSION IS 6' FOR "SLOPE OR SURCHARGE CASE WITH NO TRAFFIC IMPACT" AND 32' FOR "SURCHARGE CASE WITH TRAFFIC IMPACT".
- MINIMUM REQUIRED EMBEDMENT FOR H-PILES WITH TIMBER LAGGING IS BASED ON DRIVEN H-PILES AT MAXIMUM 6' SPACING. AT THE CONTRACTOR'S OPTION, EMBEDMENT DEPTHS MAY BE REDUCED BY 25% FOR DRILLED-IN H-PILES.
- SUBMIT A "STANDARD TEMPORARY SHORING SELECTION FORM" AT LEAST 7 DAYS BEFORE STARTING TEMPORARY SHORING CONSTRUCTION. UP TO 3 SHORING LOCATIONS MAY BE INCLUDED ON EACH FORM. STANDARD SHORING SELECTION FORMS ARE AVAILABLE FROM:
connect.ncdot.gov/resources/Geological/Pages/Geotech_Forms_Details.aspx
- CONTACT THE ENGINEER IF PILES DO NOT ATTAIN THE MINIMUM REQUIRED EMBEDMENT.



CONCRETE BARRIER
**TOP OF SHORING =
EDGE OF PAVEMENT




TEMPORARY GUARDRAIL
**GUARDRAIL FACE =
EDGE OF PAVEMENT



STANDARD TEMPORARY SHORING
(SLOPE CASE)
*SEE TABLE ABOVE.

STANDARD TEMPORARY SHORING
(SURCHARGE CASE)
*SEE TABLE ABOVE.




NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS


**GEOTECHNICAL
ENGINEERING UNIT**

STANDARD DETAIL NO. 1801.01


STANDARD
TEMPORARY SHORING




SURCHARGE CASE



SLOPE CASE




FACING DETAIL




STANDARD TEMPORARY WALL

(FOR STANDARD TEMPORARY WALLS ON STRUCTURES, SEE TEMPORARY WALL ON STRUCTURE DETAIL ON SHEET 2.)
 *SEE GEOSYNTHETIC PLACEMENT DETAILS ON SHEET 2.
 **SEE REINFORCEMENT TABLES ON SHEET 3.



STANDARD TEMPORARY WALL - PARTIAL ELEVATION


*SEE GEOSYNTHETIC PLACEMENT DETAILS ON SHEET 2.
 **SEE REINFORCEMENT TABLES ON SHEET 3.




NORTH CAROLINA
 DEPARTMENT OF TRANSPORTATION
 DIVISION OF HIGHWAYS
**GEOTECHNICAL
 ENGINEERING UNIT**

STANDARD DETAIL NO. 1801.02

STANDARD
 TEMPORARY WALL
 SHEET 1 OF 3




GEOTEXTILE PLACEMENT
(100% COVERAGE MIN FOR GEOTEXTILE REINFORCEMENT)



GEOGRID PLACEMENT
(80% COVERAGE MIN FOR GEOGRID REINFORCEMENT - $\frac{W}{W+S} \times 100 \geq 80\%$, SEE NOTE 11)

GEOSYNTHETIC PLACEMENT DETAILS
(PLAN VIEW)
*SEE NOTE 12.




TEMPORARY WALL ON STRUCTURE DETAIL
*SEE GEOSYNTHETIC PLACEMENT DETAILS.
**SEE REINFORCEMENT TABLES ON SHEET 3.

NOTES:

1. AT THE CONTRACTOR'S OPTION, USE STANDARD TEMPORARY WALLS AS NOTED IN THE PLANS.
2. FOR STANDARD TEMPORARY WALLS, SEE STANDARD SHORING PROVISION.
3. STANDARD TEMPORARY WALLS ARE BASED ON THE FOLLOWING IN-SITU ASSUMED SOIL PARAMETERS:
UNIT WEIGHT, $\gamma = 120$ PCF
FRICTION ANGLE, $\phi = 30$ DEGREES
COHESION, $c = 0$ PSF
4. DO NOT USE STANDARD TEMPORARY WALLS IF ASSUMED SOIL PARAMETERS ARE NOT APPLICABLE.
5. DO NOT USE STANDARD TEMPORARY WALLS WHEN VERY LOOSE OR SOFT SOIL OR MUCK IS BELOW TEMPORARY WALLS.
6. USE GROUNDWATER ELEVATION NOTED IN THE PLANS. IF NO GROUNDWATER ELEVATION IS SHOWN IN THE PLANS, ASSUME GROUNDWATER DEPTH IS LESS THAN 7' BELOW BOTTOM OF REINFORCED ZONE. DO NOT USE STANDARD TEMPORARY WALLS IF GROUNDWATER OR FLOOD ELEVATION IS ABOVE BOTTOM OF REINFORCED ZONE.
7. DO NOT USE A-2-4 SOIL FOR STANDARD TEMPORARY WALLS AROUND CULVERTS OR IN THE REINFORCED ZONE OF STANDARD TEMPORARY WALLS FOR SLOPE CASES. DO NOT USE CLASS VI SELECT MATERIAL IN THE REINFORCED ZONE OF STANDARD TEMPORARY WALLS WITH GEOTEXTILE REINFORCEMENT.
8. WALL EMBEDMENT IS NOT REQUIRED FOR STANDARD TEMPORARY WALLS ON STRUCTURES OR ROCK AS DETERMINED BY THE ENGINEER.
9. DO NOT USE MORE THAN 4 DIFFERENT REINFORCEMENT STRENGTHS FOR EACH STANDARD TEMPORARY WALL.
10. GEOGRIDS FOR GEOGRID REINFORCEMENT ARE APPROVED FOR SHORT TERM DESIGN STRENGTHS (3-YEAR DESIGN LIFE) IN THE MD AND CD BASED ON MATERIAL TYPE. THE LIST OF APPROVED GEOGRIDS WITH DESIGN STRENGTHS IS AVAILABLE FROM: connect.ncdot.gov/resources/Geological/Pages/Products.aspx
DEFINE MATERIAL TYPE FROM THE WEBSITE ABOVE FOR SHORING BACKFILL AS FOLLOWS:

MATERIAL TYPE	SHORING BACKFILL
BORROW	A-2-4 SOIL
FINE AGGREGATE	CLASS II, TYPE I OR CLASS III SELECT MATERIAL
COARSE AGGREGATE	CLASS V OR VI SELECT MATERIAL

11. FOR GEOGRID REINFORCEMENT WITH LESS THAN 100% COVERAGE, STAGGER REINFORCEMENT SO GEOGRIDS ARE CENTERED OVER GAPS IN THE REINFORCEMENT LAYER BELOW.
12. AT THE CONTRACTOR'S OPTION, REINFORCEMENT MAY BE INSTALLED WITH THE MD PARALLEL TO THE WALL FACE IF BOTH OF THE FOLLOWING CONDITIONS OCCUR:
- W (REINFORCEMENT ROLL WIDTH) \geq (MINIMUM REQUIRED REINFORCEMENT LENGTH) + 4.5' AND
- REINFORCEMENT STRENGTH IN CD \geq MINIMUM REQUIRED REINFORCEMENT STRENGTH IN MD.
13. SUBMIT A "STANDARD TEMPORARY WALL SELECTION FORM" AT LEAST 7 DAYS BEFORE STARTING TEMPORARY WALL CONSTRUCTION. STANDARD SHORING SELECTION FORMS ARE AVAILABLE FROM: connect.ncdot.gov/resources/Geological/Pages/Geotech_Forms_Details.aspx
14. DO NOT PLACE SHORING BACKFILL OR REINFORCEMENT UNTIL EXCAVATION DIMENSIONS AND FOUNDATION MATERIAL ARE APPROVED.
15. FOR STANDARD TEMPORARY WALLS WITH PILE FOUNDATIONS IN THE REINFORCED ZONE, DRIVE PILES THROUGH REINFORCEMENT AFTER CONSTRUCTING TEMPORARY WALLS.
16. DO NOT SPLICE OR OVERLAP REINFORCEMENT SO SEAMS ARE PARALLEL TO THE WALL FACE.
17. CONTACT THE ENGINEER WHEN EXISTING OR FUTURE OBSTRUCTIONS SUCH AS FOUNDATIONS, PAVEMENTS, PIPES, INLETS OR UTILITIES WILL INTERFERE WITH REINFORCEMENT.
18. FOR STANDARD TEMPORARY WALLS WITH INTERIOR ANGLES LESS THAN 90 DEGREES, WRAP GEOSYNTHETICS AT ACUTE CORNERS AS DIRECTED BY THE ENGINEER.
19. FOR STANDARD TEMPORARY WALLS WITH TOP OF WALL WITHIN 5' OF FINISHED GRADE, REMOVE TOP FACING AND INCORPORATE TOP REINFORCEMENT LAYER INTO FILL WHEN PLACING FILL IN FRONT OF WALL.

PROJECT REFERENCE NO. DN01076	SHEET NO. 2G-4
GEOTECHNICAL ENGINEER  ENGINEER	ENGINEER DATE: _____ SIGNATURE: _____
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	

SLOPE OR SURCHARGE CASE	GROUNDWATER DEPTH BELOW BOTTOM OF REINFORCED ZONE (SEE NOTE 6 ON SHEET 2) (FT)	SHORING BACKFILL TYPE IN THE REINFORCED ZONE (SEE NOTE 7 ON SHEET 2)	H - WALL HEIGHT (FT)																									
			< 4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	
SLOPE CASE	> 0	CLASS II, TYPE I, CLASS III, CLASS V OR CLASS VI SELECT MATERIAL	6	6	7	8	9	11	12	13	13	14	15	16	17	18	19	20	21	22	23	24	24	25	26	27	27	
SURCHARGE CASE	> 0 TO 7 FOR H < 20' > 0 TO 10 FOR H ≥ 20'	ALL SHORING BACKFILL TYPES	6	7	7	8	8	9	9	10	11	11	12	12	13	14	14	15	16	17	17	18	19	19	20	21	22	
		A-2-4 SOIL	6	6	7	8	8	9	9	10	11	11	12	12	13	14	14	15	16	16	17	18	18	19	20	20	21	
		CLASS II, TYPE I OR CLASS III SELECT MATERIAL	6	6	7	7	8	8	9	10	10	11	11	12	12	13	14	15	15	16	16	17	17	18	18	19	20	
	> 7 FOR H < 20' > 10 FOR H ≥ 20'	CLASS V OR CLASS VI SELECT MATERIAL	6	6	7	7	8	8	9	9	10	10	11	12	13	13	14	14	15	15	16	17	17	18	19	19		

L - MINIMUM REQUIRED REINFORCEMENT LENGTH (FT)
(FOR ALL REINFORCEMENT TYPES)

WALL HEIGHT (H) + WALL EMBEDMENT (FT)	NUMBER OF REINFORCEMENT LAYERS*
2.5 - 4	3
4 - 5.5	4
5.5 - 7	5
7 - 8.5	6
8.5 - 10	7
10 - 11.5	8
11.5 - 13	9
13 - 14.5	10
14.5 - 16	11
16 - 17.5	12
17.5 - 19	13
19 - 20.5	14
20.5 - 22	15
22 - 23.5	16
23.5 - 25	17
25 - 26.5	18
26.5 - 28	19
28 - 29.5	20

*BASED ON VERTICAL REINFORCEMENT SPACING SHOWN ON SHEET 1.


REINFORCEMENT LAYER NUMBER*	SHORING BACKFILL TYPE IN THE REINFORCED ZONE (SEE NOTE 7 ON SHEET 2)				
	SLOPE CASE		SURCHARGE CASE		
	CLASS II, TYPE I OR CLASS III SELECT MATERIAL	CLASS V SELECT MATERIAL	A-2-4 SOIL	CLASS II, TYPE I OR CLASS III SELECT MATERIAL	CLASS V SELECT MATERIAL
1	2400	2400	2400	2400	2400
2	2400	2400	2400	2400	2400
3	2400	2400	2400	2400	2400
4	2400	2400	2500	2400	2400
5	2500	2400	3000	2400	2400
6	3000	2400	3500	2800	2400
7	3500	2700	4000	3200	2600
8	4000	3100	4500	3600	2900
9	4500	3500	5000	4000	3200
10	5000	3900	5500	4400	3500
11	5500	4300	6000	4800	3800
12	6000	4700	6500	5200	4100
13	6500	5100	7000	5600	4400
14	7000	5400	7500	6000	4700
15	7500	5800	8000	6400	5000
16	8000	6200	8500	6800	5300
17	8500	6600	9000	7200	5600
18	9000	7000	9500	7600	5900
19	9500	7400	10000	8000	6200
20	10000	7800	10500	8400	6500

GEOTEXTILE REINFORCEMENT
ULTIMATE TENSILE STRENGTH (LB/FT)

REINFORCEMENT LAYER NUMBER*	SHORING BACKFILL TYPE IN THE REINFORCED ZONE (SEE NOTE 7 ON SHEET 2)				
	SLOPE CASE		SURCHARGE CASE		
	CLASS II, TYPE I OR CLASS III SELECT MATERIAL	CLASS V OR CLASS VI SELECT MATERIAL	A-2-4 SOIL	CLASS II, TYPE I OR CLASS III SELECT MATERIAL	CLASS V OR CLASS VI SELECT MATERIAL
1	240	200	340	290	240
2	380	310	520	430	350
3	530	420	700	570	460
4	690	550	870	720	570
5	860	690	1050	860	680
6	1030	830	1220	1000	790
7	1200	970	1400	1150	900
8	1370	1110	1580	1290	1010
9	1550	1240	1750	1430	1120
10	1720	1380	1930	1580	1230
11	1890	1520	2100	1720	1340
12	2060	1660	2280	1860	1450
13	2240	1800	2450	2010	1560
14	2410	1940	2630	2150	1670
15	2580	2080	2800	2290	1780
16	2750	2220	2980	2440	1890
17	2930	2360	3160	2580	2000
18	3100	2500	3330	2720	2110
19	3270	2640	3510	2860	2220
20	3440	2780	3690	3000	2330

GEOGRID REINFORCEMENT
SHORT-TERM DESIGN STRENGTH (LB/FT)
(SEE NOTE 10 ON SHEET 2.)

MINIMUM REQUIRED REINFORCEMENT STRENGTH IN MD
(SEE NOTE 9 ON SHEET 2.)
*SEE PARTIAL ELEVATION ON SHEET 1 FOR REINFORCEMENT LAYER NUMBERING.



NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

**GEOTECHNICAL
ENGINEERING UNIT**

STANDARD DETAIL NO. 1801.02
STANDARD TEMPORARY WALL SHEET 3 OF 3
DATE: 11-19-13

SUMMARY OF QUANTITIES

PROJECT NO	COUNTY	MAP NO	LENGTH	BEGIN MP	END MP	0106000000-E BORROW EXCAVATION	0222000000-E GEOTEXTILE FOR ROCK EMBANKMENTS	0223000000-E ROCK PLATING	0314000000-E SELECT MATERIAL, CLASS VII	3635000000-E RIP RAP, CLASS II	3642000000-E RIP RAP, CLASS A	3649000000-E RIP RAP, CLASS B	8834000000-N SOIL NAIL, AVERAGE LENGTH	8834000000-N SOIL NAIL PROOF TEST	8834000000-N MICROPILE, AVERAGE LENGTH	8834000000-N MICROPILE PROOF TEST	8834000000-N WIRE BASKET FORMS	8839000000-E GEOCOMPOSITE DRAINS	8839000000-E SOIL NAIL, ADDITIONAL LENGTH OVER AVERAGE	8839000000-E MICROPILE, ADDITIONAL LENGTH OVER AVERAGE	8848000000-E GEOSYNTHETICS	8853000000-E SHOTCRETE	8252000000-E REINFORCING STEEL (RETAINING WALL)
			MI			TON	SY	SY	TON	TON	TON	TON	EA	EA	EA	EA	EA	LF	LF	LF	SY	CY	LB
DF18314.2088026	Transylvania	1	0.05	2.4	2.45					30		30											
OTAL FOR MAP NO. 1			0.05							30		30											
R PROJ NO. DF18314.2088026			0.05							30		30											
DF18314.2088027	Transylvania	2	0.03	1.86	1.89			278		10		20											
OTAL FOR MAP NO. 2			0.03					278		10		20											
R PROJ NO. DF18314.2088027			0.03					278		10		20											
DF18314.2088064	Transylvania	3	0.1	2.1	2.2	318			318	425	200	100	50	4	80	3	40	60	100	50	350	38	3,375
OTAL FOR MAP NO. 3			0.1			318			318	425	200	100	50	4	80	3	40	60	100	50	350	38	3,375
R PROJ NO. DF18314.2088064			0.1			318			318	425	200	100	50	4	80	3	40	60	100	50	350	38	3,375
DF18314.2088065	Transylvania	4	0.1	2.2	2.3	633			633	80		20	82	6	100	5	70	100	100	50	850	52	4,275
OTAL FOR MAP NO. 4			0.1			633			633	80		20	82	6	100	5	70	100	100	50	850	52	4,275
R PROJ NO. DF18314.2088065			0.1			633			633	80		20	82	6	100	5	70	100	100	50	850	52	4,275
																		250					
DF18314.2088081	Transylvania	5	0.1	1.5	1.6		450			889		100											
OTAL FOR MAP NO. 5			0.1				450			889		100											
R PROJ NO. DF18314.2088081			0.1				450			889		100											
GRAND TOTAL			0.38			951	450	278	951	1,434	200	270	132	10	180	8	110	160	200	100	1,200	90	7,650

SUMMARY OF QUANTITIES

PROJECT NO	COUNTY	MAP NO	ROUTE	LANES	LANE TYPE	LENGTH	WIDTH	BEGIN MP	END MP	1491000000-E	1523000000-E	1575000000-E
										BASE COURSE, B25.0C	SURFACE COURSE, S9.5C	ASPHALT BINDER FOR PLANT MIX
						MI	FT	TONS	TONS	TONS		
DF18314.2088026	Transylvania	1	SR-1533 / EVERETT RD	2	2WU	0.05	18	2.4	2.45			
TOTAL FOR MAP NO. 1						0.05						
TOTAL FOR PROJ NO. DF18314.2088026						0.05						
DF18314.2088027	Transylvania	2	SR-1534 / HART RD	2	2WU	0.03	18	1.86	1.89	88	33	6
TOTAL FOR MAP NO. 2						0.03				88	33	6
TOTAL FOR PROJ NO. DF18314.2088027						0.03				88	33	6
DF18314.2088064	Transylvania	3	SR-1536 / CASCADE LAKE RD	2	2WU	0.1	18	2.1	2.2			
TOTAL FOR MAP NO. 3						0.1						
TOTAL FOR PROJ NO. DF18314.2088064						0.1						
DF18314.2088065	Transylvania	4	SR-1536 / CASCADE LAKE RD	2	2WU	0.1	18	2.2	2.3			
TOTAL FOR MAP NO. 4						0.1						
TOTAL FOR PROJ NO. DF18314.2088065						0.1						
DF18314.2088081	Transylvania	5	SR-1536 / CASCADE LAKE RD	2	2WU	0.1	18	1.5	1.6			
TOTAL FOR MAP NO. 5						0.1						
TOTAL FOR PROJ NO. DF18314.2088081						0.1						
GRAND TOTAL						0.38				88	33	6

SUMMARY OF QUANTITIES

PROJECT NO	COUNTY	MAP NO	ROUTE	LENGTH	WIDTH	BEGIN MP	END MP	6000000000-E	6009000000-E	6012000000-E	6036000000-E	6029000000-E	6037000000-E	6042000000-E	6071012000-E	6084000000-E	6117000000-N	6117500000-N
								TEMPORARY SILT FENCE	STONE FOR EROSION CONTROL, CLASS B	SEDIMENT CONTROL STONE	MATTING FOR EROSION CONTROL	SAFETY FENCE	COIR FIBER MAT	1/4" HARDWARE CLOTH	COIR FIBER WATTLE	SEED & MULCHING	RESPONSE FOR EROSION CONTROL	CONCRETE WASHOUT STRUCTURE
				MI	FT			LF	TON	TON	SY	LF	SY	LF	LF	AC	EA	EA
DF18314.2088026	Transylvania	1	SR-1533 / EVERETT RD	0.05	18	2.4	2.45	500		20	100		200	10	56	1.00		
TOTAL FOR MAP NO. 1				0.05				500	20	100		200	10	56	1.00			
TOTAL FOR PROJ NO. DF18314.2088026				0.05				500	20	100		200	10	56	1.00			
DF18314.2088027	Transylvania	2	SR-1534 / HART RD	0.03	18	1.86	1.89	500	20	20	50			10		1.01	1	
TOTAL FOR MAP NO. 2				0.03				500	20	20	50			10		1.01	1	
TOTAL FOR PROJ NO. DF18314.2088027				0.03				500	20	20	50			10		1.01	1	
DF18314.2088064	Transylvania	3	SR-1536 / CASCADE LAKE RD	0.1	18	2.1	2.2	200	20			100		10		0.50	1	1
TOTAL FOR MAP NO. 3				0.1				200	20			100		10		0.50	1	1
TOTAL FOR PROJ NO. DF18314.2088064				0.1				200	20			100		10		0.50	1	1
DF18314.2088065	Transylvania	4	SR-1536 / CASCADE LAKE RD	0.1	18	2.2	2.3	100	20	20		100		10		0.50	1	1
TOTAL FOR MAP NO. 4				0.1				100	20	20		100		10		0.50	1	1
TOTAL FOR PROJ NO. DF18314.2088065				0.1				100	20	20		100		10		0.50	1	1
DF18314.2088081	Transylvania	5	SR-1536 / CASCADE LAKE RD	0.1	18	1.5	1.6	500	20	20				10		0.50	1	
TOTAL FOR MAP NO. 5				0.1				500	20	20				10		0.50	1	
TOTAL FOR PROJ NO. DF18314.2088081				0.1				500	20	20				10		0.50	1	
GRAND TOTAL				0.38				1,800	80	80	150	200	200	50	56	3.51	4	2

SUMMARY OF QUANTITIES

PROJECT NO	COUNTY	MAP NO	ROUTE	LENGTH	WIDTH	BEGIN MP	END MP	0000400000-N	0043000000-N	0134000000-E	0335800000-E	1220000000-E
								CONSTRUCTION SURVEYING	GRADING	DRAINAGE DITCH EXCAVATION	48" DRAINAGE PIPE	INCIDENTAL STONE BASE
								MI	FT	LS	LS	CY
DF18314.2088026	Transylvania	1	SR-1533 / EVERETT RD	0.05	18	2.4	2.45	0.2	0.2	38		30
TOTAL FOR MAP NO. 1				0.05				0.2	0.2	38		30
TOTAL FOR PROJ NO. DF18314.2088026				0.05				0.2	0.2	38		30
DF18314.2088027	Transylvania	2	SR-1534 / HART RD	0.03	18	1.86	1.89	0.2	0.2	30	60	60
TOTAL FOR MAP NO. 2				0.03				0.2	0.2	30	60	60
TOTAL FOR PROJ NO. DF18314.2088027				0.03				0.2	0.2	30	60	60
DF18314.2088064	Transylvania	3	SR-1536 / CASCADE LAKE RD	0.1	18	2.1	2.2	0.2	0.2			60
TOTAL FOR MAP NO. 3				0.1				0.2	0.2			60
TOTAL FOR PROJ NO. DF18314.2088064				0.1				0.2	0.2			60
DF18314.2088065	Transylvania	4	SR-1536 / CASCADE LAKE RD	0.1	18	2.2	2.3	0.2	0.2			60
TOTAL FOR MAP NO. 4				0.1				0.2	0.2			60
TOTAL FOR PROJ NO. DF18314.2088065				0.1				0.2	0.2			60
DF18314.2088081	Transylvania	5	SR-1536 / CASCADE LAKE RD	0.1	18	1.5	1.6	0.2	0.2			60
TOTAL FOR MAP NO. 5				0.1				0.2	0.2			60
TOTAL FOR PROJ NO. DF18314.2088081				0.1				0.2	0.2			60
GRAND TOTAL				0.38				1	1	68	60	270

SUMMARY OF QUANTITIES

PROJECT NO	COUNTY	MAP NO	ROUTE	LENGTH	WIDTH	BEGIN MP	END MP	3030000000-E	3288000000-N	3360000000-E
								STEEL BEAM GUARDRAIL	GUARDRAIL END UNITS, TYPE TL-2	REMOVE EXISTING GUARDRAIL
				MI	FT			LF	EA	LF
DF18314.2088026	Transylvania	1	SR-1533 / EVERETT RD	0.05	18	2.4	2.45			
TOTAL FOR MAP NO. 1				0.05						
TOTAL FOR PROJ NO. DF18314.2088026				0.05						
DF18314.2088027	Transylvania	2	SR-1534 / HART RD	0.03	18	1.86	1.89			
TOTAL FOR MAP NO. 2				0.03						
TOTAL FOR PROJ NO. DF18314.2088027				0.03						
DF18314.2088064	Transylvania	3	SR-1536 / CASCADE LAKE RD	0.1	18	2.1	2.2	100	2	100
TOTAL FOR MAP NO. 3				0.1				100	2	100
TOTAL FOR PROJ NO. DF18314.2088064				0.1				100	2	100
DF18314.2088065	Transylvania	4	SR-1536 / CASCADE LAKE RD	0.1	18	2.2	2.3	100	2	100
TOTAL FOR MAP NO. 4				0.1				100	2	100
TOTAL FOR PROJ NO. DF18314.2088065				0.1				100	2	100
DF18314.2088081	Transylvania	5	SR-1536 / CASCADE LAKE RD	0.1	18	1.5	1.6	100	2	150
TOTAL FOR MAP NO. 5				0.1				100	2	150
TOTAL FOR PROJ NO. DF18314.2088081				0.1				100	2	150
GRAND TOTAL				0.38				300	6	350

SUMMARY OF QUANTITIES

											445700000-N	
PROJECT NO	COUNTY	MAP NO	ROUTE	DESCRIPTION	LANES	LANE TYPE	LENGTH	WIDTH	BEGIN MP	END MP	TEMPORARY TRAFFIC CONTROL	
							MI	FT			LS	
DF18314.2088026	Transylvania	1	SR-1533 / EVERETT RD		2	2WU	0.05	18	2.4	2.45	0.2	
TOTAL FOR MAP NO. 1							0.05				0.2	
TOTAL FOR PROJ NO. DF18314.2088026							0.05				0.2	
DF18314.2088027	Transylvania	2	SR-1534 / HART RD	GRADING, PATCHING, TRAFFIC CONTROL, EROSION CONTROL	2	2WU	0.03	18	1.86	1.89	0.2	
TOTAL FOR MAP NO. 2							0.03				0.2	
TOTAL FOR PROJ NO. DF18314.2088027							0.03				0.2	
DF18314.2088064	Transylvania	3	SR-1536 / CASCADE LAKE RD	INCIDENTAL STONE BASE, RIP RAP, TRAFFIC CONTROL	2	2WU	0.1	18	2.1	2.2	0.2	
TOTAL FOR MAP NO. 3							0.1				0.2	
TOTAL FOR PROJ NO. DF18314.2088064							0.1				0.2	
DF18314.2088065	Transylvania	4	SR-1536 / CASCADE LAKE RD	REMOVE AND RESET GUARDRAIL, TRAFFIC CONTROL	2	2WU	0.1	18	2.2	2.3	0.2	
TOTAL FOR MAP NO. 4							0.1				0.2	
TOTAL FOR PROJ NO. DF18314.2088065							0.1				0.2	
DF18314.2088081	Transylvania	5	SR-1536 / CASCADE LAKE RD	REMOVE AND RESET EXISTING GUARDRAIL, TRAFFIC CONTROL, RETAINING WALL	2	2WU	0.1	18	1.5	1.6	0.2	
TOTAL FOR MAP NO. 5							0.1				0.2	
TOTAL FOR PROJ NO. DF18314.2088081							0.1				0.2	
GRAND TOTAL												1
							0.38					