DocuSign Envelope ID: 3FA7C69F-0CCD-46EA-804D-8AA07422B6F5

PROJECT REFERENCE NO.	SHEET NO.
B-6035	EC-4/CONST.4



Excavate Proposed Ditch according to Detail A from Sta. 10+60 to Sta. 11+50

INSTALL DRIVEWAY PIPE DURING CLEARING & GRUBBING PHASE

NOTE: UTILIZE SPECIAL STILLING BASIN(S) AS STILLING BASIN WHERE APPLICABLE

NOTE: PERIMETER EROSION CONTROL MEASURES SHALL BE INSTALLED DURING CLEARING & GRUBBING PHASE.

CLEARING AND GRUBBING EROSION CONTROL FOR CONSTRUCTION SHEET 4

NOTE:
PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE – B AND TEMPORARY ROCK SILT CHECKS TYPE – A AT DRAINAGE OUTLETS

GRAPHIC SCALE
20 10 0 20 40
PLANS

ENVIRONMENTALLY SENSITIVE AREA
SEE PROJECT SPECIAL PROVISIONS

11/5/2021 6:28:36 AM
B6035_EC-4.dgn
$$USERNAME$$
$$USER$$