

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

DIVISION OF HIGHWAYS


GEOTECHNICAL ENGINEERING UNIT

SUBSURFACE INVESTIGATION

SOIL AND ROCK LEGEND, TERMS, SYMBOLS, AND ABBREVIATIONS

SOIL DESCRIPTION										GRADATION										ROCK DESCRIPTION										TERMS AND DEFINITIONS									
SOIL IS CONSIDERED UNCONSOLIDATED, SEMI-CONSOLIDATED, OR WEATHERED EARTH MATERIALS THAT CAN BE PENETRATED WITH A CONTINUOUS FLIGHT POWER AUGER AND YIELD LESS THAN 100 BLOWS PER FOOT ACCORDING TO THE STANDARD PENETRATION TEST (AASHTO T 206, ASTM D1586). SOIL CLASSIFICATION IS BASED ON THE AASHTO SYSTEM. BASIC DESCRIPTIONS GENERALLY INCLUDE THE FOLLOWING: CONSISTENCY, COLOR, TEXTURE, MOISTURE, AASHTO CLASSIFICATION, AND OTHER PERTINENT FACTORS SUCH AS MINERALOGICAL COMPOSITION, ANGULARITY, STRUCTURE, PLASTICITY, ETC. FOR EXAMPLE, <i>VERY STIFF, GRAY, SILTY CLAY, MOIST WITH INTERBEDDED FINE SAND LAYERS, HIGHLY PLASTIC, A-7-6</i>										WELL GRADED - INDICATES A GOOD REPRESENTATION OF PARTICLE SIZES FROM FINE TO COARSE. UNIFORMLY GRADED - INDICATES THAT SOIL PARTICLES ARE ALL APPROXIMATELY THE SAME SIZE. GAP-GRADED - INDICATES A MIXTURE OF UNIFORM PARTICLE SIZES OF TWO OR MORE SIZES.										HARD ROCK IS NON-COASTAL PLAIN MATERIAL THAT WOULD YIELD SPT REFUSAL IF TESTED. AN INFERRED ROCK LINE INDICATES THE LEVEL AT WHICH NON-COASTAL PLAIN MATERIAL WOULD YIELD SPT REFUSAL. SPT REFUSAL IS PENETRATION BY A SPLIT SPOON SAMPLER EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS IN NON-COASTAL PLAIN MATERIAL. THE TRANSITION BETWEEN SOIL AND ROCK IS OFTEN REPRESENTED BY A ZONE OF WEATHERED ROCK. ROCK MATERIALS ARE TYPICALLY DIVIDED AS FOLLOWS: WEATHERED ROCK (WR) CRYSTALLINE ROCK (ICR) NON-CRYSTALLINE ROCK (NCR) COASTAL PLAIN SEDIMENTARY ROCK (CPI)										ALLUVIUM (ALLUV.) - SOILS THAT HAVE BEEN TRANSPORTED BY WATER. AQUIFER - A WATER BEARING FORMATION OR STRATA. ARENACEOUS - APPLIED TO ROCKS THAT HAVE BEEN DERIVED FROM SAND OR THAT CONTAIN SAND. ARGILLACEOUS - APPLIED TO ALL ROCKS OR SUBSTANCES COMPOSED OF CLAY MINERALS, OR HAVING A NOTABLE PROPORTION OF CLAY IN THEIR COMPOSITION, SUCH AS SHALE, SLATE, ETC. ARTESIAN - GROUND WATER THAT IS UNDER SUFFICIENT PRESSURE TO RISE ABOVE THE LEVEL AT WHICH IT IS ENCOUNTERED, BUT WHICH DOES NOT NECESSARILY RISE TO OR ABOVE THE GROUND SURFACE. CALCAREOUS (CALC.) - SOILS THAT CONTAIN APPRECIABLE AMOUNTS OF CALCIUM CARBONATE. COLLUVIUM - ROCK FRAGMENTS MIXED WITH SOIL DEPOSITED BY GRAVITY ON SLOPE OR AT BOTTOM OF SLOPE. CORE RECOVERY (REC.) - TOTAL LENGTH OF ALL MATERIAL RECOVERED IN THE CORE BARREL DIVIDED BY TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE. DIKE - A TABULAR BODY OF IGNEOUS ROCK THAT CUTS ACROSS THE STRUCTURE OF ADJACENT ROCKS OR CUTS MASSIVE ROCK. DIP - THE ANGLE AT WHICH A STRATUM OR ANY PLANAR FEATURE IS INCLINED FROM THE HORIZONTAL. DIP DIRECTION (DIP AZIMUTH) - THE DIRECTION OR BEARING OF THE HORIZONTAL TRACE OF THE LINE OF DIP, MEASURED CLOCKWISE FROM NORTH. FAULT - A FRACTURE OR FRACTURE ZONE ALONG WHICH THERE HAS BEEN DISPLACEMENT OF THE SIDES RELATIVE TO ONE ANOTHER PARALLEL TO THE FRACTURE. FISSILE - A PROPERTY OF SPLITTING ALONG CLOSELY SPACED PARALLEL PLANES. FLOOD - ROCK FRAGMENTS ON SURFACE NEAR THEIR ORIGINAL POSITION AND DISLOOED FROM PARENT MATERIAL. FLOOD PLAIN (FP) - LAND BORDERING A STREAM, BUILT OF SEDIMENTS DEPOSITED BY THE STREAM. FORMATION (FM) - A MAPPABLE GEOLOGIC UNIT THAT CAN BE RECOGNIZED AND TRACED IN THE FIELD. JOINT - FRACTURE IN ROCK ALONG WHICH NO APPRECIABLE MOVEMENT HAS OCCURRED. LEDGE - A SHELF-LIKE RIDGE OR PROJECTION OF ROCK WHOSE THICKNESS IS SMALL COMPARED TO ITS LATERAL EXTENT. LENS - A BODY OF SOIL OR ROCK THAT THINS OUT IN ONE OR MORE DIRECTIONS. MOTTLED (MOT.) - IRREGULARLY MARKED WITH SPOTS OF DIFFERENT COLORS. MOTTLING IN SOILS USUALLY INDICATES POOR AERATION AND LACK OF GOOD DRAINAGE. PERCHED WATER - WATER MAINTAINED ABOVE THE NORMAL GROUND WATER LEVEL BY THE PRESENCE OF AN INTERVENING IMPERVIOUS STRATUM. RESIDUAL (RES.) SOIL - SOIL FORMED IN PLACE BY THE WEATHERING OF ROCK. ROCK QUALITY DESIGNATION (ROD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE. SAPROLITE (SAP.) - RESIDUAL SOIL THAT RETAINS THE RELIC STRUCTURE OR FABRIC OF THE PARENT ROCK. SILL - AN INTRUSIVE BODY OF IGNEOUS ROCK OF APPROXIMATELY UNIFORM THICKNESS AND RELATIVELY THIN COMPARED WITH ITS LATERAL EXTENT, THAT HAS BEEN EMPLACED PARALLEL TO THE BEDDING OR SCHISTOSITY OF THE INTRUDED ROCKS. SLICKENSIDE - POLISHED AND STRIATED SURFACE THAT RESULTS FROM FRICTION ALONG A FAULT OR SLIP PLANE. STANDARD PENETRATION TEST (PENETRATION RESISTANCE) (SPT) - NUMBER OF BLOWS (N OR BPF) OF A 140 LB. HAMMER FALLING 30 INCHES REQUIRED TO PRODUCE A PENETRATION OF 1 FOOT INTO SOIL WITH A 2 INCH OUTSIDE DIAMETER SPLIT SPOON SAMPLER. SPT REFUSAL IS PENETRATION EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS. STRATA CORE RECOVERY (SREC.) - TOTAL LENGTH OF STRATA MATERIAL RECOVERED DIVIDED BY TOTAL LENGTH OF STRATUM AND EXPRESSED AS A PERCENTAGE. STRATA ROCK QUALITY DESIGNATION (SROD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS WITHIN A STRATUM EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF STRATA AND EXPRESSED AS A PERCENTAGE. TOPSOIL (TS.) - SURFACE SOILS USUALLY CONTAINING ORGANIC MATTER.									
SOIL LEGEND AND AASHTO CLASSIFICATION										MINERALOGICAL COMPOSITION										WEATHERING																			
GENERAL CLASS.										MINERAL NAMES SUCH AS QUARTZ, FELDSPAR, MICA, TALC, KAOLIN, ETC. ARE USED IN DESCRIPTIONS WHEN THEY ARE CONSIDERED OF SIGNIFICANCE.										FRESH VERY SLIGHT (V SLI.) SLIGHT (SLI.) MODERATE (MOD.) MODERATELY SEVERE (MOD. SEV.) SEVERE (SEV.) VERY SEVERE (V SEV.) COMPLETE																			
GROUP CLASS.										COMPRESSIBILITY										ROCK FRESH, CRYSTALS BRIGHT, FEW JOINTS MAY SHOW SLIGHT STAINING. ROCK RINGS UNDER HAMMER IF CRYSTALLINE. ROCK GENERALLY FRESH, JOINTS STAINED. SOME JOINTS MAY SHOW THIN CLAY COATINGS IF OPEN. CRYSTALS ON A BROKEN SPECIMEN FACE SHINE BRIGHTLY. ROCK RINGS UNDER HAMMER BLOWS IF OF A CRYSTALLINE NATURE. ROCK GENERALLY FRESH, JOINTS STAINED AND DISCOLORATION EXTENDS INTO ROCK UP TO 1 INCH. OPEN JOINTS MAY CONTAIN CLAY. IN GRANITOID ROCKS SOME OCCASIONAL FELDSPAR CRYSTALS ARE DULL AND DISCOLORED. CRYSTALLINE ROCKS RING UNDER HAMMER BLOWS. SIGNIFICANT PORTIONS OF ROCK SHOW DISCOLORATION AND WEATHERING EFFECTS. IN GRANITOID ROCKS, MOST FELDSPARS ARE DULL AND DISCOLORED, SOME SHOW CLAY. ROCK HAS DULL SOUND UNDER HAMMER BLOWS AND SHOWS SIGNIFICANT LOSS OF STRENGTH AS COMPARED WITH FRESH ROCK. ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. IN GRANITOID ROCKS, ALL FELDSPARS DULL AND DISCOLORED AND A MAJORITY SHOW KAOLINIZATION. ROCK SHOWS SEVERE LOSS OF STRENGTH AND CAN BE EXCAVATED WITH A GEOLOGIST'S PICK. ROCK GIVES "CLUNK" SOUND WHEN STRUCK. <i>IF TESTED, WOULD YIELD SPT REFUSAL</i> ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC CLEAR AND EVIDENT BUT REDUCED IN STRENGTH TO STRONG SOIL. IN GRANITOID ROCKS ALL FELDSPARS ARE KAOLINIZED TO SOME EXTENT. SOME FRAGMENTS OF STRONG ROCK USUALLY REMAIN. <i>IF TESTED, WOULD YIELD SPT N VALUES > 100 BPF</i> ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC ELEMENTS ARE DISCERNIBLE BUT MASS IS EFFECTIVELY REDUCED TO SOIL STATUS, WITH ONLY FRAGMENTS OF STRONG ROCK REMAINING. SAPROLITE IS AN EXAMPLE OF ROCK WEATHERED TO A DEGREE THAT ONLY MINOR VESTIGES OF ORIGINAL ROCK FABRIC REMAIN. <i>IF TESTED, WOULD YIELD SPT N VALUES < 100 BPF</i> ROCK REDUCED TO SOIL. ROCK FABRIC NOT DISCERNIBLE, OR DISCERNIBLE ONLY IN SMALL AND SCATTERED CONCENTRATIONS. QUARTZ MAY BE PRESENT AS DIKES OR STRINGERS. SAPROLITE IS ALSO AN EXAMPLE.																			
SYMBOL										PERCENTAGE OF MATERIAL										GROUND WATER																			
%										ORGANIC MATERIAL										WATER LEVEL IN BORE HOLE IMMEDIATELY AFTER DRILLING																			
%										TRACE OF ORGANIC MATTER										STATIC WATER LEVEL AFTER 24 HOURS																			
%										LITTLE ORGANIC MATTER										PERCHED WATER, SATURATED ZONE, OR WATER BEARING STRATA																			
%										MODERATELY ORGANIC										PIEZOMETER																			
%										HIGHLY ORGANIC										SPRING OR SEEP																			
%										GROUND WATER										MISCELLANEOUS SYMBOLS																			
%										ROADWAY EMBANKMENT (RE) WITH SOIL DESCRIPTION										ROADWAY EMBANKMENT (RE) WITH SOIL DESCRIPTION																			
%										SOIL SYMBOL										SOIL SYMBOL																			
%										ARTIFICIAL FILL (AF) OTHER THAN ROADWAY EMBANKMENT										ARTIFICIAL FILL (AF) OTHER THAN ROADWAY EMBANKMENT																			
%										INFERRED SOIL BOUNDARY										INFERRED SOIL BOUNDARY																			
%										INFERRED ROCK LINE										INFERRED ROCK LINE																			
%										ALLUVIAL SOIL BOUNDARY										ALLUVIAL SOIL BOUNDARY																			
%										RECOMMENDATION SYMBOLS										RECOMMENDATION SYMBOLS																			
%										UNDERCUT										UNDERCUT																			
%										UNCLASSIFIED EXCAVATION - UNSUITABLE WASTE										UNCLASSIFIED EXCAVATION - UNSUITABLE WASTE																			
%										UNCLASSIFIED EXCAVATION - ACCEPTABLE DEGRADABLE ROCK										UNCLASSIFIED EXCAVATION - ACCEPTABLE DEGRADABLE ROCK																			
%										ABBREVIATIONS										ABBREVIATIONS																			
%										AR - AUGER REFUSAL										AR - AUGER REFUSAL																			
%										BT - BORING TERMINATED										BT - BORING TERMINATED																			
%										CL - CLAY										CL - CLAY																			
%										CPT - CONE PENETRATION TEST										CPT - CONE PENETRATION TEST																			
%										CSE - COARSE										CSE - COARSE																			
%										DMT - DILATOMETER TEST										DMT - DILATOMETER TEST																			
%										DPT - DYNAMIC PENETRATION TEST										DPT - DYNAMIC PENETRATION TEST																			
%										e - VOID RATIO										e - VOID RATIO																			
%										F - FINE										F - FINE																			
%										FOSS. - FOSSILIFEROUS										FOSS. - FOSSILIFEROUS																			
%										FRAC. - FRACTURED, FRACTURES										FRAC. - FRACTURED, FRACTURES																			
%										FRAGS. - FRAGMENTS										FRAGS. - FRAGMENTS																			
%										HI. - HIGHLY										HI. - HIGHLY																			
%										MED. - MEDIUM										MED. - MEDIUM																			
%										MICA. - MICACEOUS										MICA. - MICACEOUS																			
%										MOD. - MODERATELY										MOD. - MODERATELY																			
%										NP - NON PLASTIC										NP - NON PLASTIC																			
%										ORG. - ORGANIC										ORG. - ORGANIC																			
%										PMT - PRESSUREMETER TEST										PMT - PRESSUREMETER TEST																			
%										SAP. - SAPROLITIC										SAP. - SAPROLITIC																			
%										SD. - SAND, SANDY										SD. - SAND, SANDY																			
%										SL. - SILT, SILTY										SL. - SILT, SILTY																			
%										SLI. - SLIGHTLY										SLI. - SLIGHTLY																			
%										TCR - TRICONE REFUSAL										TCR - TRICONE REFUSAL																			
%										w - MOISTURE CONTENT										w - MOISTURE CONTENT																			
%										V - VERY										V - VERY																			
%										VST - VANE SHEAR TEST										VST - VANE SHEAR TEST																			
%										WEA. - WEATHERED										WEA. - WEATHERED																			
%										UNIT WEIGHT										UNIT WEIGHT																			
%										UNIT WEIGHT										UNIT WEIGHT																			
%										SAMPLE ABBREVIATIONS										SAMPLE ABBREVIATIONS																			
%										S - BULK										S - BULK																			
%										SS - SPLIT SPOON										SS - SPLIT SPOON																			
%										ST - SHELBY TUBE										ST - SHELBY TUBE																			
%										RS - ROCK										RS - ROCK																			
%										RT - RECOMPACTED TRIAXIAL										RT - RECOMPACTED TRIAXIAL																			
%										CBR - CALIFORNIA BEARING RATIO										CBR - CALIFORNIA BEARING RATIO																			
%										EQUIPMENT USED ON SUBJECT PROJECT										EQUIPMENT USED ON SUBJECT PROJECT																			
%										DRILL UNITS:										DRILL UNITS:																			
%										CME-45C										CME-45C																			
%										CME-55										CME-55																			
%										CME-550										CME-550																			
%										VANE SHEAR TEST										VANE SHEAR TEST																			
%										PORTABLE HOIST										PORTABLE HOIST																			
%										CLAY BITS										CLAY BITS																			
%										6" CONTINUOUS FLIGHT AUGER										6" CONTINUOUS FLIGHT AUGER																			
%										8" HOLLOW AUGERS										8" HOLLOW AUGERS																			
%										HARD FACED FINGER BITS										HARD FACED FINGER BITS																			
%										TUNG.-CARBIDE INSERTS										TUNG.-CARBIDE INSERTS																			
%										CASING										CASING																			
%										TRICONE										TRICONE																			
%										TRICONE										TRICONE																			
%										CORE BIT										CORE BIT																			
%										HAMMER TYPE:										HAMMER TYPE:																			
%										AUTOMATIC										AUTOMATIC																			
%										MANUAL										MANUAL																			
%										CORE SIZE:										CORE SIZE:																			
%										-B										-B																			
%										-H										-H																			
%										-N										-N																			
%										HAND TOOLS:										HAND TOOLS:																			
%										POST HOLE DIGGER										POST HOLE DIGGER																			
%										HAND AUGER										HAND AUGER																			
%										SOUNDING ROD										SOUNDING ROD																			
%										VANE SHEAR TEST										VANE SHEAR TEST																			
%										PLASTICITY										PLASTICITY																			
%										NON PLASTIC										NON PLASTIC																			
%										SLIGHTLY PLASTIC										SLIGHTLY PLASTIC																			
%										MODERATELY PLASTIC										MODERATELY PLASTIC																			
%										HIGHLY PLASTIC										HIGHLY PLASTIC																			
%										COLOR										COLOR																			
%										DESCRIPTIONS MAY INCLUDE COLOR OR COLOR COMBINATIONS (TAN, RED, YELLOW-BROWN, BLUE-GRAY). MODIFIERS SUCH AS LIGHT, DARK, STREAKED, ETC. ARE USED TO DESCRIBE APPEARANCE.										DESCRIPTIONS MAY INCLUDE COLOR OR COLOR COMBINATIONS (TAN, RED, YELLOW-BROWN, BLUE-GRAY). MODIFIERS SUCH AS LIGHT, DARK, STREAKED, ETC. ARE USED TO DESCRIBE APPEARANCE.																			

GEOTECHNICAL BORING REPORT
BORE LOG

WBS 51214.01AM			TIP 51214.01AM			COUNTY HENDERSON			GEOLOGIST Johnson, C. D.						
SITE DESCRIPTION I-26/US-25 WESTBOUND EXIT 54-DRAINAGE REPAIR												GROUND WTR (ft)			
BORING NO. B-1			STATION N/A			OFFSET N/A			ALIGNMENT N/A			0 HR. Dry			
COLLAR ELEV. 2,088.9 ft			TOTAL DEPTH 24.5 ft			NORTHING 576,067			EASTING 985,332			24 HR. FIAD			
DRILL RIG/HAMMER EFF./DATE AFO6744 CME - 45C 96% 04/08/2019						DRILL METHOD H.S. Augers			HAMMER TYPE Automatic						
DRILLER Cheek, D. O.			START DATE 01/14/22			COMP. DATE 01/14/22			SURFACE WATER DEPTH N/A						
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100				ELEV. (ft)	DEPTH (ft)
2090															
2085	2,085.9	3.0	2	2	2							M		2,088.9 GROUND SURFACE 0.0	
2080	2,080.9	8.0	1	1	4							M		ARTIFICIAL FILL (ENGINEERED) BROWN-GREY, SL MIC, SANDY-SILT w/TRACE CLAY, SOME GRAVELS	
2075	2,075.9	13.0	4	4	6							M			
2070	2,070.9	18.0	WOH	0	0							M			
2065	2,065.9	23.0	1	1	1							M		2,068.1 20.8	
														2,064.4 ALLUVIAL GREY, SL MIC, SANDY-SILT w/TRACE CLAY, SOME ROUNDED PEBBLES 24.5	
														Boring Terminated at Elevation 2,064.4 ft IN ALLUVIUM	

GEOTECHNICAL BORING REPORT
BORE LOG

SHEET 4

WBS 51214.01AM			TIP 51214.01AM			COUNTY HENDERSON			GEOLOGIST Johnson, C. D.							
SITE DESCRIPTION I-26/US-25 WESTBOUND EXIT 54-DRAINAGE REPAIR										GROUND WTR (ft)						
BORING NO. B-2			STATION N/A			OFFSET N/A			ALIGNMENT N/A							
COLLAR ELEV. 2,094.0 ft			TOTAL DEPTH 19.6 ft			NORTHING 576,176			EASTING 985,501							
DRILL RIG/HAMMER EFF./DATE AFC6744 CME - 45C 96% 04/08/2019						DRILL METHOD H.S. Augers			HAMMER TYPE Automatic							
DRILLER Cheek, D. O.			START DATE 01/12/22			COMP. DATE 01/12/22			SURFACE WATER DEPTH N/A							
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION		
			0.5ft	0.5ft	0.5ft	0	25	50	75	100				ELEV. (ft)	DEPTH (ft)	
2095																
2090	2,090.9	3.1												2,094.0	0.0	GROUND SURFACE
			3	5	6											ARTIFICIAL FILL
																LT BROWN, SL MIC, FINE-COARSE
																SANDY-SILT, w/GRAVELS/PEBBLES
2085	2,085.9	8.1												2,087.5	6.5	ALLUVIAL
			2	3	3											GREY-GREEN, SL MIC,
																SANDY-SILTY-CLAY w/FEW PEBBLES
2080	2,080.9	13.1														
			WOH	1	1											
2075	2,075.9	18.1												2,076.5	17.5	SAPROLITE
			7	14	14									2,074.4	19.6	ORANGE-BROWN, SL MIC,
																FINE-COARSE SANDY-SILT w/TR CLAY
																Boring Terminated at Elevation 2,074.4 ft IN
																SAPROLITE

NCDOT BORE DOUBLE 51214.01AM_GEO_PIPE_HENDERSON_I26_MM54.GPJ NC_DOT.GDT 1/20/22

NCDOT BORE SINGLE 51214.01AM_GEO_PIPE_HENDERSON_I26_MM54.GPJ NC_DOT.GDT 1/20/22

GEOTECHNICAL BORING REPORT
BORE LOG

WBS 51214.01AM			TIP 51214.01AM			COUNTY HENDERSON			GEOLOGIST Johnson, C. D.						
SITE DESCRIPTION I-26/US-25 WESTBOUND EXIT 54-DRAINAGE REPAIR											GROUND WTR (ft)				
BORING NO. B-3			STATION N/A			OFFSET N/A			ALIGNMENT N/A			0 HR.	17.6		
COLLAR ELEV. 2,101.5 ft			TOTAL DEPTH 24.3 ft			NORTHING 576,250			EASTING 985,616			24 HR.	14.8		
DRILL RIG/HAMMER EFF./DATE AFC6744 CME - 45C 96% 04/08/2019						DRILL METHOD H.S. Augers			HAMMER TYPE Automatic						
DRILLER Cheek, D. O.			START DATE 01/12/22			COMP. DATE 01/12/22			SURFACE WATER DEPTH N/A						
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	MOI	L O G	SOIL AND ROCK DESCRIPTION	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100				ELEV. (ft)	DEPTH (ft)
2105															
2100														2,101.5	GROUND SURFACE 0.0
	2,098.7	2.8													
2095			2	3	5										
	2,093.7	7.8													
2090			1	1	2										
	2,088.7	12.8													
2085			1	1	1										
	2,083.7	17.8													
2080			2	9	16										
	2,078.7	22.8													
			8	14	24										

NCDOT BORE DOUBLE 51214.01AM_GEO_PIPE_HENDERSON_126_MM54.GPJ NC_DOT.GDT 1/20/22

GEOTECHNICAL BORING REPORT
BORE LOG



WBS 51214.01AM				TIP 51214.01AM				COUNTY HENDERSON				GEOLOGIST Johnson, C. D.					
SITE DESCRIPTION I-26/US-25 WESTBOUND EXIT 54-DRAINAGE REPAIR												GROUND WTR (ft)					
BORING NO. B-4				STATION N/A				OFFSET N/A				ALIGNMENT N/A				0 HR. N/A	
COLLAR ELEV. 2,102.6 ft				TOTAL DEPTH 24.7 ft				NORTHING 576,334				EASTING 985,744				24 HR. 14.7	
DRILL RIG/HAMMER EFF./DATE AFC6744 CME - 45C 96% 04/08/2019								DRILL METHOD H.S. Augers				HAMMER TYPE Automatic					
DRILLER Cheek, D. O.				START DATE 01/12/22				COMP. DATE 01/12/22				SURFACE WATER DEPTH N/A					
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION			
			0.5ft	0.5ft	0.5ft	0	25	50	75	100				ELEV. (ft)	DEPTH (ft)		
2105																	
2100	2,099.4	3.2												2,102.6	GROUND SURFACE 0.0		
2095	2,094.4	8.2	4	5	7							M		ARTIFICIAL FILL BROWN, SL MIC, SOFT TO V. SOFT, CLAYEY-SANDY-SILT			
2090	2,089.4	13.2	1	1	1							M		2,089.6	13.0		
2085	2,084.4	18.2	1	1	1							M		ALLUVIAL BLACK TO GREY, SL MIC, SANDY-SILT w/TR CLAY, PEBBLES			
2080	2,079.4	23.2	2	2	2							M		2,084.1	18.5		
			2	4	6							M		2,077.9	24.7		
														Boring Terminated at Elevation 2,077.9 ft IN SAPROLITE			

NCDOT BORE SINGLE 51214.01AM_GEO_PIPE_HENDERSON_126_MM54.GPJ NC_DOT.GDT 1/20/22

NCDOT BORE DOUBLE 51214.01AM GEO_PIPE PIPE_HENDERSON_I26 MM54.GPJ NC_DOT.GDT 1/20/22

NC DOT BORE SINGLE 51214.01AM GEO_PIPE HENDERSON_I26 MM54.GPJ NC DOT.GDT 1/20/22

GEOTECHNICAL BORING REPORT
BORE LOG

WBS 51214.01AM			TIP 51214.01AM			COUNTY HENDERSON			GEOLOGIST Johnson, C. D.						
SITE DESCRIPTION I-26/US-25 WESTBOUND EXIT 54-DRAINAGE REPAIR												GROUND WTR (ft)			
BORING NO. B-7			STATION N/A			OFFSET N/A			ALIGNMENT N/A			0 HR. N/A			
COLLAR ELEV. 2,101.5 ft			TOTAL DEPTH 24.8 ft			NORTHING 576,585			EASTING 985,664			24 HR. 9.7			
DRILL RIGHAMMER EFF./DATE AFC6744 CME - 45C 96% 04/08/2019						DRILL METHOD H.S. Augers			HAMMER TYPE Automatic						
DRILLER Cheek, D. O.			START DATE 01/12/22			COMP. DATE 01/12/22			SURFACE WATER DEPTH N/A						
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100				ELEV. (ft)	DEPTH (ft)
2105															
2100														2,101.5	GROUND SURFACE 0.0
	2,098.2	3.3	WOH	1	1							M		ARTIFICIAL FILL TAN, SL MIC, SANDY-SILT w/TR CLAY, SOFT TO V. SOFT	
2095	2,093.2	8.3	WOH	WOH	1							W			
2090	2,088.2	13.3	WOH	1	1							M		2,089.3	12.2
2085	2,083.2	18.3	2	3	3							M		2,083.9	17.6
2080	2,078.2	23.3	1	2	3							M		SAPROLITE TAN-BROWN, SL MIC, SANDY-SILT w/TR CLAY & QUARTZ RK FRAGS	
												M		2,076.7	24.8
														Boring Terminated at Elevation 2,076.7 ft IN SAPROLITE	

NCDOT BORE DOUBLE 51214.01AM_GEO_PIPE_HENDERSON_126_MM54.GPJ NC_DOT.GDT 1/20/22

GEOTECHNICAL BORING REPORT
BORE LOG

WBS 51214.01AM			TIP 51214.01AM			COUNTY HENDERSON			GEOLOGIST Johnson, C. D.						
SITE DESCRIPTION I-26/US-25 WESTBOUND EXIT 54-DRAINAGE REPAIR									GROUND WTR (ft)						
BORING NO. PDI-1			STATION N/A			OFFSET N/A			ALIGNMENT N/A			0 HR. Dry			
COLLAR ELEV. 2,102.2 ft			TOTAL DEPTH 4.1 ft			NORTHING 576,346			EASTING 985,705			24 HR. FIAD			
DRILL RIG/HAMMER EFF./DATE AFC6744 CME - 45C 96% 04/08/2019						DRILL METHOD NW Casing w/ SPT			HAMMER TYPE Automatic						
DRILLER Cheek, D. O.			START DATE 01/14/22			COMP. DATE 01/14/22			SURFACE WATER DEPTH N/A						
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100				ELEV. (ft)	DEPTH (ft)
2105															
2100						1				2,102.2	GROUND SURFACE 0.0
						1				2,100.7	ASPHALT 1.5
	2,098.5	3.7	13	4	2	1				2,098.1	ROADWAY EMBANKMENT ABC GRAVELS, V. LITTLE SUBGRADE MATERIAL 4.1
															Boring Terminated at Elevation 2,098.1 ft IN ROADWAY EMBANKMENT

NCDOT BORE SINGLE 51214.01AM_GEO_PIPE_HENDERSON_126_MM54.GPJ NC_DOT.GDT 1/20/22