


6" WATER LINE STREAM CROSSING CONSTRUCTION SEQUENCE


PHASE I

- 1. INSTALL SPECIAL STILLING BASIN AS NEEDED ON WEST SIDE OF PROPOSED CROSSING FOR DEWATERING.
- 2. INSTALL IMPERVIOUS DIKE 1 AND DEWATER WORK AREA.
- 3. CONSTRUCT 6" WATER LINE BEYOND MIDPOINT OF STREAM AND INSTALL TEMPORARY CAP.
- 4. PLACE CLASS II RIP RAP IN AREA OF DISTURBED CHANNEL BED.
- 4. BEGIN PHASE II.



PHASE II


- 1. REMOVE IMPERVIOUS DIKE 1.
- 2. INSTALL SPECIAL STILLING BASIN ON EAST SIDE OF PROPOSED CROSSING FOR DEWATERING.
- 3. INSTALL IMPERVIOUS DIKE 2 AND DEWATER WORK AREA.
- 4. CONSTRUCT REMAINDER OF 6" WATER LINE WITHIN STREAM CHANNEL. CONNECT TO LINE COMPLETED IN PHASE I CONSTRUCTION.
- 5. PLACE CLASS II RIP RAP IN AREA OF DISTURBED CHANNEL BED.
- 6. REMOVE IMPERVIOUS DIKE 2.



DF18314.2044188

UC-4A

NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
HAYWOOD COUNTY



UTILITY CONSTRUCTION
PLANS ONLY

PREPARED BY
vhb
VHB Engineering NC, P.C. (C-3705)
540 Main Campus Drive, Suite 500
Raleigh, NC 27606

DOCUMENT NOT CONSIDERED FINAL
UNLESS ALL SIGNATURES COMPLETED