

**This electronic collection of documents is provided  
for the convenience of the user  
and is Not a Certified Document –**

**The documents contained herein were originally issued  
and sealed by the individuals whose names and license  
numbers appear on each page, on the dates appearing  
with their signature on that page.**

**This file or an individual page  
shall not be considered a certified document.**



STATE OF NORTH CAROLINA  
DIVISION OF HIGHWAYS

**TRANSPORTATION MANAGEMENT PLAN**


**HENDERSON COUNTY**

LOCATION: *SLOPE AND PAVEMENT ADJUSTMENTS ALONG BALD ROCK ROAD (SR1710)  
FROM HURRICANE HELENE*

TYPE OF WORK: *GRADING, DRAINAGE, PAVING AND WIDENING*



VICINITY MAP (NTS)



LOCATION MAP (NTS)

**INDEX OF SHEETS**


SHEET NO.	TITLE
TMP-1	TITLE SHEET, VICINITY MAP, AND INDEX OF SHEETS
TMP-1A	ROADWAY STANDARD DRAWINGS AND LEGEND
TMP-1B	GENERAL NOTES
TMP-1C	PHASING NOTES
TMP-2	-L- BALD ROCK ROAD (SR1710) SIGN DESIGN (SD-1)
TMP-2A	-Y1- LEDBETTER ROAD (SR1712) SIGN DESIGN (SD-2)
TMP-3	-L- BALD ROCK ROAD (SR1710) OFFSITE DETOUR LAYOUT
TMP-4	-L- BALD ROCK ROAD (SR1710) OFFSITE DETOUR SIGNING
TMP-5	-Y1- LEDBETTER ROAD (SR1712) OFFSITE DETOUR LAYOUT
TMP-6	-Y1- LEDBETTER ROAD (SR1712) OFFSITE DETOUR SIGNING

SHEET NO.  
TMP-1

**DF18314.2045060**

**TIP PROJECT:**

DOCUMENT NOT CONSIDERED FINAL  
UNLESS ALL SIGNATURES COMPLETED



**WORK ZONE SAFETY & MOBILITY**  
"from the MOUNTAINS to the COAST"


PLANS PREPARED BY:

JACOB H. DUKE, P.E.  
WZTC PROJECT ENGINEER

ALLEN J. MCSWAIN  
WZTC PROJECT DESIGN ENGINEER


NCDOT CONTACTS:

BARRY MOSTELLER  
PROJECT MANAGER



APPROVED: 

DATE: 7/29/2025



SEAL

Kisinger Campo & Associates Corp.  
301 Fayetteville Street, Suite 1500  
Raleigh, NC 27601  
(919) 882-7839  
NC Firm License No: C-1506

# ROADWAY STANDARD DRAWINGS

THE FOLLOWING ROADWAY STANDARDS AS SHOWN IN "ROADWAY STANDARD DRAWINGS" - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2024 MAY BE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

STD. NO.	TITLE
1101.01	WORK ZONE ADVANCE WARNING SIGNS
1101.02	TEMPORARY LANE CLOSURES
1101.03	TEMPORARY ROAD CLOSURES
1101.04	TEMPORARY SHOULDER CLOSURES
1101.05	WORK ZONE VEHICLE ACCESSES
1101.06	WARNING SIGNS FOR BLASTING ZONES
1101.11	TRAFFIC CONTROL DESIGN TABLES
1110.01	STATIONARY WORK ZONE SIGNS
1110.02	PORTABLE WORK ZONE SIGNS
1115.01	FLASHING ARROW BOARDS
1130.01	DRUMS
1135.01	CONES
1145.01	BARRICADES - TYPE III
1150.01	FLAGGERS
1160.01	TEMPORARY CRASH CUSHION - REFLECTIVE END TREATMENT
1165.01	TRUCK MOUNTED ATTENUATOR
1170.01	PORTABLE CONCRETE BARRIER
1180.01	SKINNY DRUMS
1205.01	PAVEMENT MARKINGS - LINE TYPES AND OFFSETS
1205.02	PAVEMENT MARKINGS - TWO-LANE AND MULTI-LANE ROADWAYS
1205.03	PAVEMENT MARKINGS - EXIT AND ENTRANCE RAMP
1205.04	PAVEMENT MARKINGS - INTERSECTIONS
1205.05	PAVEMENT MARKINGS - TURN LANES
1205.06	PAVEMENT MARKINGS - LANE DROPS
1205.07	PAVEMENT MARKINGS - PEDESTRIAN CROSSWALKS
1205.08	PAVEMENT MARKINGS - SYMBOLS AND WORD MESSAGES
1205.09	PAVEMENT MARKINGS - PAINTED ISLANDS
1205.10	PAVEMENT MARKINGS - SCHOOL AREAS
1205.11	PAVEMENT MARKINGS - RAILROAD CROSSINGS
1205.12	PAVEMENT MARKINGS - BRIDGES
1205.13	PAVEMENT MARKINGS - LANE REDUCTIONS
1205.14	PAVEMENT MARKINGS - ROUNDABOUTS
1205.15	PAVEMENT MARKINGS - REDUCED CONFLICT INTERSECTIONS
1205.16	BICYCLE FACILITIES
1205.17	PAVEMENT MARKINGS - SIDE-BY-SIDE/ADJACENT ON/OFF RAMP PVMT. MARKING LANE TREATMENT
1250.01	RAISED PAVEMENT MARKERS INSTALLATION SPACING
1251.01	RAISED PAVEMENT MARKERS - PERMANENT AND TEMPORARY
1261.01	GUARDRAIL AND BARRIER DELINEATORS - INSTALLATION SPACING
1261.02	GUARDRAIL AND BARRIER DELINEATORS - TYPES AND MOUNTING
1262.01	GUARDRAIL END DELINEATION
1264.01	OBJECT MARKERS - TYPES
1264.02	OBJECT MARKERS - INSTALLATION
1266.01	RAISED PAVEMENT MARKERS - TUBULAR MARKERS
1267.01	FLEXIBLE DELINEATORS - INSTALLATION
1267.02	FLEXIBLE DELINEATORS - SPACING TABLES
1267.03	FLEXIBLE DELINEATORS - INTERCHANGE PLACEMENT

# LEGEND

## GENERAL

- DIRECTION OF TRAFFIC FLOW
- EXISTING DIRECTION OF TRAFFIC FLOW
- DIRECTION OF PEDESTRIAN TRAFFIC FLOW
- EXIST. PVMT.
- NORTH ARROW
- PROPOSED PVMT.
- TEMP. SHORING (LOCATION PURPOSES ONLY)

- WORK AREA
- REMOVAL
- TEMPORARY WEDGING
- TEMPORARY PAVEMENT

## SIGNALS

- EXISTING
- PROPOSED

## PAVEMENT MARKINGS

- EXISTING LINES
- TEMPORARY LINES

## ABBREVIATIONS

- SB - SOUTHBOUND
- NB - NORTHBOUND
- WB - WESTBOUND
- EB - EASTBOUND

## TRAFFIC CONTROL DEVICES

- BARRICADE (TYPE III)
- CONE
- DRUM SKINNY DRUM TUBULAR MARKER
- TEMPORARY CRASH CUSHION
- FLASHING ARROW BOARD
- FLAGGER
- LAW ENFORCEMENT (LEO)
- TRUCK MOUNTED ATTENUATOR (TMA)
- CHANGEABLE MESSAGE SIGN
- PORTABLE CONCRETE BARRIER (PCB)

## TEMPORARY SIGNING

- PORTABLE SIGN
- STATIONARY SIGN
- STATIONARY OR PORTABLE SIGN

## PAVEMENT MARKERS

- CRYSTAL/CRYSTAL
- CRYSTAL/RED
- YELLOW/YELLOW

## PAVEMENT MARKING SYMBOLS

- PAVEMENT MARKING SYMBOLS
- EXISTING PAVEMENT MARKING SYMBOLS

APPROVED: DATE: 7/29/2025  SEAL		
<b>ROADWAY STANDARD DRAWINGS &amp; LEGEND</b>		
<b>DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED</b>		

## GENERAL NOTES

CHANGES MAY BE REQUIRED WHEN PHYSICAL DIMENSIONS IN THE DETAIL DRAWINGS, STANDARD DETAILS, AND ROADWAY DETAILS ARE NOT ATTAINABLE TO MEET FIELD CONDITIONS OR RESULT IN DUPLICATE OR UNDESIRE OVERLAPPING OF DEVICES. MODIFICATION MAY INCLUDE: MOVING, SUPPLEMENTING, COVERING, OR REMOVAL OF DEVICES AS DIRECTED BY THE ENGINEER.

THE FOLLOWING GENERAL NOTES APPLY AT ALL TIMES FOR THE DURATION OF THE CONSTRUCTION PROJECT EXCEPT WHEN OTHERWISE NOTED IN THE PLAN OR DIRECTED BY THE ENGINEER.

### LANE AND SHOULDER CLOSURE REQUIREMENTS

- A) REMOVE LANE CLOSURE DEVICES FROM THE LANE WHEN WORK IS NOT BEING PERFORMED BEHIND THE LANE CLOSURE OR WHEN A LANE CLOSURE IS NO LONGER NEEDED OR AS DIRECTED BY THE ENGINEER.
  - B) WHEN PERSONNEL AND/OR EQUIPMENT ARE WORKING WITHIN 15 FT OF AN OPEN TRAVEL LANE, CLOSE THE NEAREST OPEN SHOULDER USING ROADWAY STANDARD DRAWING NO. 1101.04 UNLESS THE WORK AREA IS PROTECTED BY BARRIER OR GUARDRAIL OR A LANE CLOSURE IS INSTALLED.
  - C) WHEN PERSONNEL AND/OR EQUIPMENT ARE WORKING WITHIN 5 FT OF AN OPEN TRAVEL LANE ON AN UNDIVIDED FACILITY, CLOSE THE NEAREST OPEN TRAVEL LANE USING ROADWAY STANDARD DRAWING NO. 1101.02 UNLESS THE WORK AREA IS PROTECTED BY BARRIER OR GUARDRAIL.
- WHEN PERSONNEL AND/OR EQUIPMENT ARE WORKING WITHIN 10 FT OF AN OPEN TRAVEL LANE ON A DIVIDED FACILITY, CLOSE THE NEAREST OPEN TRAVEL LANE USING ROADWAY STANDARD DRAWING NO. 1101.02 UNLESS THE WORK AREA IS PROTECTED BY BARRIER OR GUARDRAIL.
- D) WHEN PERSONNEL AND/OR EQUIPMENT ARE WORKING WITHIN A LANE OF TRAVEL OF AN UNDIVIDED OR DIVIDED FACILITY, CLOSE THE LANE ACCORDING TO THE TRAFFIC CONTROL PLANS, ROADWAY STANDARD DRAWINGS, OR AS DIRECTED BY THE ENGINEER. CONDUCT THE WORK SO THAT ALL PERSONNEL AND/OR EQUIPMENT REMAIN WITHIN THE CLOSED TRAVEL LANE.
  - E) DO NOT WORK SIMULTANEOUSLY WITHIN 15 FT ON BOTH SIDES OF AN OPEN TRAVELWAY, RAMP, OR LOOP WITHIN THE SAME LOCATION UNLESS PROTECTED WITH GUARDRAIL OR BARRIER.
  - F) DO NOT INSTALL MORE THAN ONE LANE CLOSURE IN ANY ONE DIRECTION ON Bald Rock Road.

### PAVEMENT EDGE DROP OFF REQUIREMENTS

- G) BACKFILL AT A 6:1 SLOPE UP TO THE EDGE AND ELEVATION OF EXISTING PAVEMENT IN AREAS ADJACENT TO AN OPENED TRAVEL LANE THAT HAS AN EDGE OF PAVEMENT DROP-OFF AS FOLLOWS:
  - BACKFILL DROP-OFFS THAT EXCEED 2 INCHES ON ROADWAYS WITH POSTED SPEED LIMITS OF 45 MPH OR GREATER.
  - BACKFILL DROP-OFFS THAT EXCEED 3 INCHES ON ROADWAYS WITH POSTED SPEED LIMITS LESS THAN 45 MPH.
  - BACKFILL WITH SUITABLE COMPACTED MATERIAL, AS APPROVED BY THE ENGINEER, AT NO EXPENSE TO THE DEPARTMENT.
- H) DO NOT EXCEED A DIFFERENCE OF 2 INCHES IN ELEVATION BETWEEN OPEN LANES OF TRAFFIC FOR NOMINAL LIFTS OF 1.5 INCHES. INSTALL ADVANCE WARNING "UNEVEN LANES" SIGNS (W8-11) 100 FT IN ADVANCE AND A MINIMUM OF EVERY HALF MILE THROUGHOUT THE UNEVEN AREA.

### TRAFFIC PATTERN ALTERATIONS

- I) NOTIFY THE ENGINEER THIRTY (30) CALENDAR DAYS PRIOR TO ANY TRAFFIC PATTERN ALTERATION.

### SIGNING

- J) INSTALL ADVANCE WORK ZONE WARNING SIGNS WHEN WORK IS WITHIN 40 FT FROM THE EDGE OF TRAVEL LANE AND NO MORE THAN THREE (3) DAYS PRIOR TO THE BEGINNING OF CONSTRUCTION.
- K) PROVIDE SIGNING AND DEVICES REQUIRED TO CLOSE THE ROAD ACCORDING TO THE ROADWAY STANDARD DRAWINGS AND TRAFFIC CONTROL PLANS.
  - SIGNING REQUIRED FOR THE OFF-SITE DETOUR ROUTE AS SHOWN IN THE TRAFFIC CONTROL PLANS.
- L) COVER OR REMOVE ALL SIGNS AND DEVICES REQUIRED TO CLOSE THE ROAD WHEN ROAD CLOSURE IS NOT IN OPERATION.
  - COVER OR REMOVE ALL SIGNS REQUIRED FOR THE OFF-SITE DETOUR WHEN THE DETOUR IS NOT IN OPERATION.
- M) ENSURE ALL NECESSARY SIGNING IS IN PLACE PRIOR TO ALTERING ANY TRAFFIC PATTERN.
- N) INSTALL BLACK ON ORANGE "DIP" SIGNS (W8-2) AND/OR "BUMP" SIGNS (W8-1) 100 FT IN ADVANCE OF THE UNEVEN AREA, OR AS DIRECTED BY THE ENGINEER.

### TRAFFIC CONTROL DEVICES

- O) WHEN LANE CLOSURES ARE NOT IN EFFECT SPACE CHANNELIZING DEVICES IN WORK AREAS NO GREATER IN FEET THAN TWICE THE POSTED SPEED LIMIT (MPH) EXCEPT, 10 FT ON-CENTER IN RADII, AND 3 FT OFF THE EDGE OF AN OPEN TRAVELWAY. REFER TO STANDARD SPECIFICATIONS FOR ROADS AND STRUCTURES SECTIONS 1130 (DRUMS), 1135 (CONES) AND 1180 (SKINNY DRUMS) FOR ADDITIONAL REQUIREMENTS.
- P) PLACE TYPE III BARRICADES, WITH "ROAD CLOSED" SIGN R11-2 ATTACHED, OF SUFFICIENT LENGTH TO CLOSE ENTIRE ROADWAY.
- Q) PLACE ADDITIONAL SETS OF THREE CHANNELIZING DEVICES SKINNY DRUMS PERPENDICULAR TO THE EDGE OF TRAVELWAY ON 500 FT CENTERS WHEN UNOPENED LANES ARE CLOSED TO TRAFFIC.

### PAVEMENT MARKINGS AND MARKERS


- R) INSTALL TEMPORARY PAVEMENT MARKINGS AND TEMPORARY PAVEMENT MARKERS ON INTERIM LAYERS OF PAVEMENT AS FOLLOWS:

ROAD NAME	MARKING	MARKER
BALD ROCK RD	PAINT	NONE

- S) PLACE ONE APPLICATION OF PAINT FOR TEMPORARY TRAFFIC PATTERNS. PLACE A SECOND APPLICATION OF PAINT SIX (6) MONTHS AFTER THE INITIAL APPLICATION AND EVERY SIX MONTHS AS DIRECTED BY THE ENGINEER.
- T) TIE PROPOSED PAVEMENT MARKING LINES TO EXISTING PAVEMENT MARKING LINES.


### MISCELLANEOUS

- U) IN THE EVENT A TIE-IN CANNOT BE MADE IN ONE DAY'S TIME, BRING THE TIE-IN AREA TO AN APPROPRIATE ROADWAY ELEVATION AS DETERMINED BY THE ENGINEER. PLACE BLACK ON ORANGE "LOOSE GRAVEL" SIGNS (W8-7) AND BLACK ON ORANGE "PAVEMENT ENDS" SIGNS (W8-3) 100 FT AND 100 FT RESPECTIVELY IN ADVANCE OF THE UNEVEN AREAS. USE DRUMS TO DELINEATE THE EDGE OF ROADWAY ALONG UNPAVED AREAS.


APPROVED:   
Signed by: Jacob H. Duke  
295303054E94D9

DATE: 7/29/2025

SEAL



**DOCUMENT NOT CONSIDERED FINAL  
UNLESS ALL SIGNATURES COMPLETED**



GENERAL NOTES

PROJ. REFERENCE NO.	SHEET NO.
DF18314.2045060	TMP-1C

301 FAYETTEVILLE STREET  
 SUITE 1500  
 RALEIGH, NC 27601  
 (919) 882-7839  
 NC FIRM LICENSE: C-1506

## PHASING NOTES

THE CONTRACTOR IS RESPONSIBLE FOR ENSURING ONLY ONE SITE IS CLOSED AT A TIME DURING CONSTRUCTION. THE IMMEDIATE CLOSURE OF A SITE SHOULD BE DONE USING RSD 1101.01 (SHEET 3 OF 3) AND RSD 1101.03 (SHEET 1 OF 9). ONCE ONE SITE IS COMPLETE, THE CONTRACTOR SHALL MOVE THE APPROPRIATE CLOSURE SIGNAGE TO THE NEXT AVAILABLE SITE.

SITE 3 MUST BE CONSTRUCTED FIRST AND SITE 8 MUST BE CONSTRUCTED LAST. ALL OTHER SITES MAY BE COMPLETED IN ANY ORDER, BUT THE CONTRACTOR SHALL COORDINATE WITH THE ENGINEER FOR APPROVAL OF SEQUENCING PRIOR TO MOVING CLOSURE SIGNAGE.

### PHASE 1:

STEP 1: PRIOR TO ANY CONSTRUCTION OPERATIONS, PLACE AND COVER OFFSITE DETOUR SIGNS AND DEVICES FOR SR 1602 (GILLIAM MOUNTAIN RD) AND SR 1602 (SUGAR LOAF MOUNTAIN RD), AS SHOWN ON TMP-3 AND TMP-4. PLACE ADVANCE WARNING SIGNS PER RSD 1101.01 (SHEET 3 OF 3).

STEP 2: USING THE OFFSITE DETOUR, SHOWN ON TMP-3 AND TMP-4, UNCOVER DETOUR SIGNS, CLOSE -L- SR 1710 (BALD ROCK RD) TO TRAFFIC AND CONSTRUCT PROPOSED ROADWAY, DRAINAGE, AND GEOTECHNICAL UP TO AND INCLUDING THE FINAL LAYER OF SURFACE COURSE PER THE ROADWAY PLANS.

### PHASE 2:

STEP 1: REPEAT PHASE 1 UNTIL ALL SITES ARE COMPLETE EXCEPT SITE 8. WHEN WORKING ON SITES 10 AND 11 USE RSD 1101.03 SHEETS 1 AND 2 OF 9.

STEP 2: UPON COMPLETION OF ROADWAY CONSTRUCTION ON ALL SITES, PLACE FINAL PAVEMENT MARKINGS AND MARKERS PER PAVEMENT MARKING PLANS. REMOVE ALL SIGNS AND DEVICES AND OPEN -L- SR 1710 (BALD ROCK RD) TO TRAFFIC.



### PHASE 3:

STEP 1: PRIOR TO ANY CONSTRUCTION OPERATIONS ON SITE 8, PLACE AND COVER OFFSITE DETOUR SIGNS AND DEVICES FOR SR 1712 (LEDBETTER RD), SR 1710 (BALD ROCK RD), AND SR 1602 (SUGAR LOAF MOUNTAIN RD), AS SHOWN ON TMP-5 AND TMP-6. PLACE ADVANCE WARNING SIGNS PER RSD 1101.01 (SHEET 3 OF 3).

STEP 2: USING THE OFFSITE DETOUR, SHOWN ON TMP-5 AND TMP-6, UNCOVER DETOUR SIGNS, CLOSE -Y1- SR 1712 (LEDBETTER RD) TO TRAFFIC AND CONSTRUCT PROPOSED ROADWAY, DRAINAGE, AND GEOTECHNICAL UP TO AND INCLUDING THE FINAL LAYER OF SURFACE COURSE PER THE ROADWAY PLANS. USE RSD 1101.02 SHEET 1 OF 19 AS NEEDED FOR THE TIE-IN WORK WITH SR 1710 (BALD ROCK RD).


STEP 3: UPON COMPLETION OF ROADWAY CONSTRUCTION, PLACE FINAL PAVEMENT MARKINGS AND MARKERS PER PAVEMENT MARKING PLANS. REMOVE ALL SIGNS AND DEVICES AND OPEN -Y1- SR 1712 (LEDBETTER RD) TO TRAFFIC.

7/29/2025  
DF18314\_TC\_TMP\_1C.dgn  
User: jdebbon

APPROVED:  DATE: 7/29/2025	SEAL 		PHASING NOTES
<b>DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED</b>			







**LEGEND:**

DETOUR LIFESTYLE:


**DETOUR DESCRIPTION:**

EASTBOUND: GILLIAM MOUNTAIN RD (SR1602) TO SUGAR LOAF MOUNTAIN RD (SR1602) TO BALD ROCK RD (SR1710)  
 WESTBOUND: BALD ROCK RD (SR1710) TO SUGAR LOAF MOUNTAIN RD (SR1602) TO GILLIAM MOUNTAIN RD (SR1602)

**NOTES:**



- TRAFFIC CONTROL DEVICES (A) THRU (L) SHALL BE INSTALLED PER ENGINEER'S INSTRUCTIONS.
- SIGNS (G) THRU (L) ARE SPACED AT 200 FT PER RSD 1101.11 SHEET 4 OF 4. SIGN SPACING FOR DETOUR SIGNS IS DETAILED ON 1101.03, SHEETS 1 AND 2 OF 9 AND STARTS AT 500 UNLESS OTHERWISE SPECIFIED.
- THE CONTRACTOR IS RESPONSIBLE FOR MAINTAINING DRIVEWAY ACCESS THROUGHOUT THE LIFE OF THE PROJECT.
- SEE TMP-2 FOR BALD ROCK ROAD SIGN DESIGN (SD-1).
- USE THIS SHEET IN CONJUNCTION WITH TMP-4 AND RSD 1101.03 SHEET 1 OF 9.

APPROVED:   
 DATE: 7/29/2025  
 SEAL  
 DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED



**-L- BALD ROCK RD (SR1710)  
 OFFSITE DETOUR LAYOUT**




7/29/2025  
 DF18314\_TC\_TMP\_3.dgn  
 User: jdebone




**NOTES:**

1. TRAFFIC CONTROL DEVICES (A) THRU (L) SHALL BE INSTALLED PER ENGINEER'S INSTRUCTIONS.
2. SIGNS (G) THRU (L) ARE SPACED AT 200 FT PER RSD 1101.11 SHEET 4 OF 4.
3. THE CONTRACTOR IS RESPONSIBLE FOR MAINTAINING DRIVEWAY ACCESS THROUGHOUT THE LIFE OF THE PROJECT.
4. SEE TMP-2 FOR BALD ROCK ROAD SIGN DESIGN (SD-1).
5. USE THIS SHEET IN CONJUNCTION WITH TMP-3 AND RSD 1101.03 SHEET 1 OF 9.

7/29/2025  
DF18314\_TC\_TMP\_3.dgn  
User: jdebone

APPROVED:  DATE: 7/29/2025 SEAL: 		-L- BALD ROCK RD (SR1710) OFFSITE DETOUR SIGNING
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED		



**LEGEND:**

DETOUR LINSTYLE:


**DETOUR DESCRIPTION:**

EASTBOUND: BALD ROCK RD (SR1710) TO SUGAR LOAF MOUNTAIN RD (SR1602) TO LEDBETTER RD (SR1712)  
 WESTBOUND: LEDBETTER RD (SR1712) TO SUGAR LOAF MOUNTAIN RD (SR1602) TO BALD ROCK RD (SR1710)

**NOTES:**


- TRAFFIC CONTROL DEVICES (A) THRU (M) SHALL BE INSTALLED PER ENGINEER'S INSTRUCTIONS.
- SIGNS (I) THRU (M) ARE SPACED AT 200 FT PER RSD 1101.11 SHEET 4 OF 4. SIGN SPACING FOR DETOUR SIGNS IS DETAILED ON 1101.03, SHEETS 1 AND 2 OF 9 AND STARTS AT 500 UNLESS OTHERWISE SPECIFIED.
- THE CONTRACTOR IS RESPONSIBLE FOR MAINTAINING DRIVEWAY ACCESS THROUGHOUT THE LIFE OF THE PROJECT.
- SEE TMP-2A FOR LEDBETTER ROAD SIGN DESIGN (SD-2).
- USE THIS SHEET IN CONJUNCTION WITH TMP-6 AND RSD 1101.03 SHEETS 1 AND 2 OF 9.

APPROVED:   
 DATE: 7/29/2025  
 SEAL  
**DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED**




**-Y1- LEDBETTER RD (SR1712) OFFSITE DETOUR LAYOUT**


7/29/2025  
 DF18314\_TC\_TMP\_5.dgn  
 User: jidebone



A




B



C




D




E




F




G




H




I




J



K



L




M


**NOTES:**

1. TRAFFIC CONTROL DEVICES (A) THRU (M) SHALL BE INSTALLED PER ENGINEER'S INSTRUCTIONS.
2. SIGNS (I) THRU (M) ARE SPACED AT 200 FT PER RSD 1101.11 SHEET 4 OF 4.
3. THE CONTRACTOR IS RESPONSIBLE FOR MAINTAINING DRIVEWAY ACCESS THROUGHOUT THE LIFE OF THE PROJECT.
4. SEE TMP-2A FOR LEDBETTER ROAD SIGN DESIGN (SD-2).
5. USE THIS SHEET IN CONJUNCTION WITH TMP-5 AND RSD 1101.03 SHEETS 1 AND 2 OF 9.


7/29/2025  
DF18314.TC\_TMP\_5.dgn  
User: jdebbon

APPROVED:   
DATE: 7/29/2025

SEAL



**DOCUMENT NOT CONSIDERED FINAL  
UNLESS ALL SIGNATURES COMPLETED**





**-Y1- LEDBETTER RD (SR1712)  
OFFSITE DETOUR SIGNING**

PROJECT NUMBER: DF18314.2045060

SITE #1

STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION

TIP NO. DF18314.2045060	SHEET NO. PMP - 1
APPROVED: 	
DATE: 7/29/2025	
SEAL 	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	

PAVEMENT MARKING PLAN  
HENDERSON COUNTY

ROADWAY STANDARD DRAWING

THE FOLLOWING ROADWAY STANDARDS AS APPEAR IN "ROADWAY STANDARD DRAWINGS" - PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2024 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

STD. NO.	TITLE
1205.01	PAVEMENT MARKINGS - LINE TYPES AND OFFSETS
1205.02	PAVEMENT MARKINGS - TWO-LANE AND MULTILANE ROADWAYS

GENERAL NOTES

THE FOLLOWING GENERAL NOTES APPLY AT ALL TIMES FOR THE DURATION OF THE CONSTRUCTION PROJECT, EXCEPT WHEN OTHERWISE NOTED IN THE PLAN, OR DIRECTED BY THE ENGINEER.


- A) INSTALL PAVEMENT MARKINGS AND PAVEMENT MARKERS ON THE FINAL SURFACE AS FOLLOWS:
 

ROAD NAME	MARKING	MARKER
SR 1710 BALD ROCK RD	THERMOPLASTIC	NONE
- B) TIE PROPOSED PAVEMENT MARKING LINES TO EXISTING PAVEMENT MARKING LINES.
- C) REMOVE/REPLACE ANY CONFLICTING/DAMAGED PAVEMENT MARKINGS.

PAVEMENT MARKING SCHEDULE


SYMBOL	DESCRIPTION
<u>THERMOPLASTIC</u>	
T1	WHITE EDGELINE (4", 90 MIL)
T13	YELLOW DOUBLE CENTER (4", 90 MIL)

PAVEMENT MARKING PLAN



PLAN SUBMITTED TO:

BARRY MOSTELLER, SENIOR PROJECT MANAGER, DIVISION 14



PLAN PREPARED BY: KISINGER CAMPO & ASSOCIATES

BRYCEN TAYLOR PROJECT DESIGNER

JACOB H. DUKE, PE ENGINEER OF RECORD




NC FIRM LICENSE: C-1506  
301 FAYETTEVILLE ST. SUITE 1500  
RALEIGH, NC 27601 919-882-7839

PROJECT NUMBER: DF18314.2045061

SITE #2

STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION

TIP NO. DF18314.2045061	SHEET NO. PMP-2
APPROVED: <i>Jacob H. Duke</i> <small>2053000604E94D9</small>	SEAL
DATE: 7/29/2025	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	

PAVEMENT MARKING PLAN  
HENDERSON COUNTY

ROADWAY STANDARD DRAWING

THE FOLLOWING ROADWAY STANDARDS AS APPEAR IN "ROADWAY STANDARD DRAWINGS" - PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2024 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

STD. NO.	TITLE
1205.01	PAVEMENT MARKINGS - LINE TYPES AND OFFSETS
1205.02	PAVEMENT MARKINGS - TWO-LANE AND MULTILANE ROADWAYS

GENERAL NOTES

THE FOLLOWING GENERAL NOTES APPLY AT ALL TIMES FOR THE DURATION OF THE CONSTRUCTION PROJECT, EXCEPT WHEN OTHERWISE NOTED IN THE PLAN, OR DIRECTED BY THE ENGINEER.


- A) INSTALL PAVEMENT MARKINGS AND PAVEMENT MARKERS ON THE FINAL SURFACE AS FOLLOWS:
 

ROAD NAME	MARKING	MARKER
SR 1710 BALD ROCK RD	THERMOPLASTIC	NONE
- B) TIE PROPOSED PAVEMENT MARKING LINES TO EXISTING PAVEMENT MARKING LINES.
- C) REMOVE/REPLACE ANY CONFLICTING/DAMAGED PAVEMENT MARKINGS.

PAVEMENT MARKING SCHEDULE


SYMBOL	DESCRIPTION
<u>THERMOPLASTIC</u>	
T1	WHITE EDGELINE (4", 90 MIL)
T13	YELLOW DOUBLE CENTER (4", 90 MIL)

PAVEMENT MARKING PLAN



PLAN SUBMITTED TO:

BARRY MOSTELLER, SENIOR PROJECT MANAGER, DIVISION 14



PLAN PREPARED BY: KISINGER CAMPO & ASSOCIATES

BRYCEN TAYLOR PROJECT DESIGNER

JACOB H. DUKE, PE ENGINEER OF RECORD



NC FIRM LICENSE: C-1506  
301 FAYETTEVILLE ST. SUITE 1500  
RALEIGH, NC 27601 919-882-7839

PROJECT NUMBER: DF18314.2045062

**SITE #3**

**STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION**

**PAVEMENT MARKING PLAN  
HENDERSON COUNTY**

<small>TIP NO.</small> DF18314.2045062	<small>SHEET NO.</small> PMP-3
<small>APPROVED:</small> <b>Jacob H. Duke</b> <small>2953002654E94D9</small>	
<small>DATE:</small> 7/29/2025	
<small>DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED</small>	

**ROADWAY STANDARD DRAWING**

THE FOLLOWING ROADWAY STANDARDS AS APPEAR IN "ROADWAY STANDARD DRAWINGS" - PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2024 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

<u>STD. NO.</u>	<u>TITLE</u>
1205.01	PAVEMENT MARKINGS - LINE TYPES AND OFFSETS
1205.02	PAVEMENT MARKINGS - TWO-LANE AND MULTILANE ROADWAYS
1261.01	GUARDRAIL AND BARRIER DELINEATORS - INSTALLATION SPACING
1261.02	GUARDRAIL AND BARRIER DELINEATORS - TYPES AND MOUNTING
1262.01	GUARDRAIL END DELINEATION

**GENERAL NOTES**

THE FOLLOWING GENERAL NOTES APPLY AT ALL TIMES FOR THE DURATION OF THE CONSTRUCTION PROJECT, EXCEPT WHEN OTHERWISE NOTED IN THE PLAN, OR DIRECTED BY THE ENGINEER.


- A) INSTALL PAVEMENT MARKINGS AND PAVEMENT MARKERS ON THE FINAL SURFACE AS FOLLOWS:
 

<small>ROAD NAME</small>	<small>MARKING</small>	<small>MARKER</small>
SR 1710 BALD ROCK RD	THERMOPLASTIC	NONE
- B) TIE PROPOSED PAVEMENT MARKING LINES TO EXISTING PAVEMENT MARKING LINES.
- C) REMOVE/REPLACE ANY CONFLICTING/DAMAGED PAVEMENT MARKINGS.

**PAVEMENT MARKING SCHEDULE**


<u>SYMBOL</u>	<u>TITLE</u>
<u>THERMOPLASTIC</u>	
T1	WHITE EDGELINE (4", 90 MIL)
T13	YELLOW DOUBLE CENTER (4", 90 MIL)

**PAVEMENT MARKING PLAN**



**PLAN SUBMITTED TO:**

**BARRY MOSTELLER, SENIOR PROJECT MANAGER, DIVISION 14**



**PLAN PREPARED BY: KISINGER CAMPO & ASSOCIATES**



**BRYCEN TAYLOR** PROJECT DESIGNER  
**JACOB H. DUKE, PE** ENGINEER OF RECORD



PROJECT NUMBER: DF18314.2045063

SITE #4

STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION

TIP NO. DF18314.2045063	SHEET NO. PMP - 4
APPROVED: 	
DATE: 7/29/2025	
SEAL 	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	

PAVEMENT MARKING PLAN  
HENDERSON COUNTY

ROADWAY STANDARD DRAWING

THE FOLLOWING ROADWAY STANDARDS AS APPEAR IN "ROADWAY STANDARD DRAWINGS" - PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2024 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

STD. NO.	TITLE
1205.01	PAVEMENT MARKINGS - LINE TYPES AND OFFSETS
1205.02	PAVEMENT MARKINGS - TWO-LANE AND MULTILANE ROADWAYS
1261.01	GUARDRAIL AND BARRIER DELINEATORS - INSTALLATION SPACING
1261.02	GUARDRAIL AND BARRIER DELINEATORS - TYPES AND MOUNTING
1262.01	GUARDRAIL END DELINEATION

GENERAL NOTES

THE FOLLOWING GENERAL NOTES APPLY AT ALL TIMES FOR THE DURATION OF THE CONSTRUCTION PROJECT, EXCEPT WHEN OTHERWISE NOTED IN THE PLAN, OR DIRECTED BY THE ENGINEER.


- A) INSTALL PAVEMENT MARKINGS AND PAVEMENT MARKERS ON THE FINAL SURFACE AS FOLLOWS:
 

ROAD NAME	MARKING	MARKER
SR 1710 BALD ROCK RD	THERMOPLASTIC	NONE
- B) TIE PROPOSED PAVEMENT MARKING LINES TO EXISTING PAVEMENT MARKING LINES.
- C) REMOVE/REPLACE ANY CONFLICTING/DAMAGED PAVEMENT MARKINGS.

PAVEMENT MARKING SCHEDULE


SYMBOL	TITLE
THERMOPLASTIC	
T1	WHITE EDGELINE (4", 90 MIL)
T13	YELLOW DOUBLE CENTER (4", 90 MIL)

PAVEMENT MARKING PLAN



PLAN SUBMITTED TO:

BARRY MOSTELLER, SENIOR PROJECT MANAGER, DIVISION 14



PLAN PREPARED BY: KISINGER CAMPO & ASSOCIATES

BRYCEN TAYLOR PROJECT DESIGNER

JACOB H. DUKE, PE ENGINEER OF RECORD



NC FIRM LICENSE: C-1506  
301 FAYETTEVILLE ST. SUITE 1500  
RALEIGH, NC 27601 919-882-7839

**PROJECT NUMBER: DF18314.2045465**

**SITE #5**

**STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION**


**PAVEMENT MARKING PLAN  
HENDERSON COUNTY**

**SHEET INTENTIONALLY LEFT BLANK**

TIP NO.	SHEET NO.
DF18314.2045465	PMP-5
APPROVED: _____	
DATE: _____	
SEAL	
<div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;"> <b>INCOMPLETE PLANS</b>  <small>DO NOT USE FOR R/W ACQUISITION</small> </div>	
<small><b>DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED</b></small>	

*PLAN SUBMITTED TO:*

*BARRY MOSTELLER, SENIOR PROJECT MANAGER, DIVISION 14*



*PLAN PREPARED BY: KISINGER CAMPO & ASSOCIATES*

*BRYCEN TAYLOR* PROJECT DESIGNER

*JACOB H. DUKE, PE* ENGINEER OF RECORD




NC FIRM LICENSE: C-1506  
301 FAYETTEVILLE ST. SUITE 1500  
RALEIGH, NC 27601 919-882-7839

PROJECT NUMBER: DF18314.2045064

SITE #6

STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION

TIP NO. DF18314.2045064	SHEET NO. PMP-6
APPROVED: <u>Jacob H. Duke</u> <small>2953002654E94D9</small>	
DATE: 7/29/2025	
SEAL 	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	

PAVEMENT MARKING PLAN  
HENDERSON COUNTY

ROADWAY STANDARD DRAWING

THE FOLLOWING ROADWAY STANDARDS AS APPEAR IN "ROADWAY STANDARD DRAWINGS" - PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2024 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

STD. NO.	TITLE
1205.01	PAVEMENT MARKINGS - LINE TYPES AND OFFSETS
1205.02	PAVEMENT MARKINGS - TWO-LANE AND MULTILANE ROADWAYS
1261.01	GUARDRAIL AND BARRIER DELINEATORS - INSTALLATION SPACING
1261.02	GUARDRAIL AND BARRIER DELINEATORS - TYPES AND MOUNTING
1262.01	GUARDRAIL END DELINEATION

GENERAL NOTES

THE FOLLOWING GENERAL NOTES APPLY AT ALL TIMES FOR THE DURATION OF THE CONSTRUCTION PROJECT, EXCEPT WHEN OTHERWISE NOTED IN THE PLAN, OR DIRECTED BY THE ENGINEER.


- A) INSTALL PAVEMENT MARKINGS AND PAVEMENT MARKERS ON THE FINAL SURFACE AS FOLLOWS:
 

ROAD NAME	MARKING	MARKER
SR 1710 BALD ROCK RD	THERMOPLASTIC	NONE
- B) TIE PROPOSED PAVEMENT MARKING LINES TO EXISTING PAVEMENT MARKING LINES.
- C) REMOVE/REPLACE ANY CONFLICTING/DAMAGED PAVEMENT MARKINGS.

PAVEMENT MARKING SCHEDULE


SYMBOL	TITLE
THERMOPLASTIC	
T1	WHITE EDGELINE (4", 90 MIL)
T13	YELLOW DOUBLE CENTER (4", 90 MIL)

PAVEMENT MARKING PLAN



PLAN SUBMITTED TO:

BARRY MOSTELLER, SENIOR PROJECT MANAGER, DIVISION 14



PLAN PREPARED BY: KISINGER CAMPO & ASSOCIATES

BRYCEN TAYLOR PROJECT DESIGNER  
JACOB H. DUKE, PE ENGINEER OF RECORD

**KCA**  
KISINGER CAMPO & ASSOCIATES

NC FIRM LICENSE: C-1506  
301 FAYETTEVILLE ST. SUITE 1500  
RALEIGH, NC 27601 919-882-7839

PROJECT NUMBER: DF18314.2045066

SITE #7

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

PAVEMENT MARKING PLAN HENDERSON COUNTY

TIP NO. SHEET NO. APPROVED: DATE: SEAL DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

ROADWAY STANDARD DRAWING

THE FOLLOWING ROADWAY STANDARDS AS APPEAR IN "ROADWAY STANDARD DRAWINGS" - PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2024 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

Table with 2 columns: STD. NO., TITLE. Rows include 1205.01 PAVEMENT MARKINGS - LINE TYPES AND OFFSETS, 1205.02 PAVEMENT MARKINGS - TWO-LANE AND MULTILANE ROADWAYS, 1205.12 PAVEMENT MARKINGS - BRIDGES

PAVEMENT MARKING SCHEDULE


Table with 2 columns: SYMBOL, TITLE. Rows include T1 WHITE EDGELINE (4", 90 MIL), T13 YELLOW DOUBLE CENTER (4", 90 MIL)

GENERAL NOTES


THE FOLLOWING GENERAL NOTES APPLY AT ALL TIMES FOR THE DURATION OF THE CONSTRUCTION PROJECT, EXCEPT WHEN OTHERWISE NOTED IN THE PLAN, OR DIRECTED BY THE ENGINEER.

- A) INSTALL PAVEMENT MARKINGS AND PAVEMENT MARKERS ON THE FINAL SURFACE AS FOLLOWS: ROAD NAME MARKING MARKER SR 1710 BALD ROCK RD THERMOPLASTIC NONE
B) TIE PROPOSED PAVEMENT MARKING LINES TO EXISTING PAVEMENT MARKING LINES.
C) REMOVE/REPLACE ANY CONFLICTING/DAMAGED PAVEMENT MARKINGS.
D) REMOVE/REPLACE MARKINGS ON THE BRIDGE.

PAVEMENT MARKING PLAN



PLAN SUBMITTED TO: BARRY MOSTELLER, SENIOR PROJECT MANAGER, DIVISION 14



PLAN PREPARED BY: KISINGER CAMPO & ASSOCIATES BRYCEN TAYLOR PROJECT DESIGNER JACOB H. DUKE, PE ENGINEER OF RECORD



**PROJECT NUMBER: DF18314.2045455**

**SITE #8**

**STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION**

**PAVEMENT MARKING PLAN  
HENDERSON COUNTY**

<small>TIP NO.</small> DF18314.24045455	<small>SHEET NO.</small> PMP - 1
<small>APPROVED:</small> <small>Signed by:</small> <small>29530C805AE94D9</small>	
<small>DATE:</small> 7/29/2025	
<small>DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED</small>	

**ROADWAY STANDARD DRAWING**

THE FOLLOWING ROADWAY STANDARDS AS APPEAR IN "ROADWAY STANDARD DRAWINGS" - PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2024 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

<u>STD. NO.</u>	<u>TITLE</u>
1205.01	PAVEMENT MARKINGS - LINE TYPES AND OFFSETS
1205.02	PAVEMENT MARKINGS - TWO-LANE AND MULTILANE ROADWAYS
1205.04	PAVEMENT MARKINGS - INTERSECTIONS
1205.05	PAVEMENT MARKINGS - TURN LANES
1205.12	PAVEMENT MARKINGS - BRIDGES
1261.01	GUARDRAIL AND BARRIER DELINEATORS - INSTALLATION SPACING
1261.02	GUARDRAIL AND BARRIER DELINEATORS - TYPES AND MOUNTING
1262.01	GUARDRAIL END DELINEATION

**PAVEMENT MARKING SCHEDULE**

<u>STD. NO.</u>	<u>TITLE</u>
<u>THERMOPLASTIC</u>	
T1	WHITE EDGELINE (4", 90 MIL)
T5	2FT-6FT/SP WHITE MINISKIP (4", 90 MIL)
T13	YELLOW DOUBLE CENTER (4", 90 MIL)


**GENERAL NOTES**

THE FOLLOWING GENERAL NOTES APPLY AT ALL TIMES FOR THE DURATION OF THE CONSTRUCTION PROJECT, EXCEPT WHEN OTHERWISE NOTED IN THE PLAN, OR DIRECTED BY THE ENGINEER.

- A) INSTALL PAVEMENT MARKINGS AND PAVEMENT MARKERS ON THE FINAL SURFACE AS FOLLOWS:
 


ROAD NAME	MARKING	MARKER
SR 1712 LEDBETTER RD	THERMOPLASTIC	NONE
- B) TIE PROPOSED PAVEMENT MARKING LINES TO EXISTING PAVEMENT MARKING LINES.
- C) REMOVE/REPLACE ANY CONFLICTING/DAMAGED PAVEMENT MARKINGS.

**PAVEMENT MARKING PLAN**



**PLAN SUBMITTED TO:**

**BARRY MOSTELLER, SENIOR PROJECT MANAGER, DIVISION 14**



**PLAN PREPARED BY: KISINGER CAMPO**

**BRYCEN TAYLOR** PROJECT DESINGER  
**JACOB H. DUKE, PE** ENGINEER OF RECORD




NC FIRM LICENSE: C-1506  
301 FAYETTEVILLE ST. SUITE 1500  
RALEIGH, NC 27601 919-882-7839

PROJECT NUMBER: DF18314.2045479

SITE #9

STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION

PAVEMENT MARKING PLAN  
HENDERSON COUNTY

TIP NO. DF18314.2045479	SHEET NO. PMP-9
APPROVED: <u>Jacob H. Duke</u> <small>205300064E94D9</small>	
DATE: 7/29/2025	
SEAL 	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	

ROADWAY STANDARD DRAWING

THE FOLLOWING ROADWAY STANDARDS AS APPEAR IN "ROADWAY STANDARD DRAWINGS" - PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2024 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

STD. NO.	TITLE
1205.01	PAVEMENT MARKINGS - LINE TYPES AND OFFSETS
1205.02	PAVEMENT MARKINGS - TWO-LANE AND MULTILANE ROADWAYS

PAVEMENT MARKING SCHEDULE

SYMBOL	TITLE
THERMOPLASTIC	
T1	WHITE EDGELINE (4", 90 MIL)
T13	YELLOW DOUBLE CENTER (4", 90 MIL)


GENERAL NOTES

THE FOLLOWING GENERAL NOTES APPLY AT ALL TIMES FOR THE DURATION OF THE CONSTRUCTION PROJECT, EXCEPT WHEN OTHERWISE NOTED IN THE PLAN, OR DIRECTED BY THE ENGINEER.

- A) INSTALL PAVEMENT MARKINGS AND PAVEMENT MARKERS ON THE FINAL SURFACE AS FOLLOWS:
 


ROAD NAME	MARKING	MARKER
SR 1710 BALD ROCK RD	THERMOPLASTIC	NONE
- B) TIE PROPOSED PAVEMENT MARKING LINES TO EXISTING PAVEMENT MARKING LINES.
- C) REMOVE/REPLACE ANY CONFLICTING/DAMAGED PAVEMENT MARKINGS.

PAVEMENT MARKING PLAN



PLAN SUBMITTED TO:

BARRY MOSTELLER, SENIOR PROJECT MANAGER, DIVISION 14



PLAN PREPARED BY: KISINGER CAMPO & ASSOCIATES

BRYCEN TAYLOR PROJECT DESIGNER

JACOB H. DUKE, PE ENGINEER OF RECORD





NC FIRM LICENSE: C-1506  
301 FAYETTEVILLE ST. SUITE 1500  
RALEIGH, NC 27601 919-882-7839

PROJECT NUMBER: DF18314.2045067

SITE #10

STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION

PAVEMENT MARKING PLAN  
HENDERSON COUNTY

TIP NO. DF18314.2045067	SHEET NO. PMP-10
APPROVED: 	
DATE: 7/29/2025	
SEAL 	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	

ROADWAY STANDARD DRAWING

THE FOLLOWING ROADWAY STANDARDS AS APPEAR IN "ROADWAY STANDARD DRAWINGS" - PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2024 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

STD. NO.	TITLE
1205.01	PAVEMENT MARKINGS - LINE TYPES AND OFFSETS
1205.02	PAVEMENT MARKINGS - TWO-LANE AND MULTILANE ROADWAYS

PAVEMENT MARKING SCHEDULE

SYMBOL	TITLE
THERMOPLASTIC	
T1	WHITE EDGELINE (4", 90 MIL)
T13	YELLOW DOUBLE CENTER (4", 90 MIL)


GENERAL NOTES

THE FOLLOWING GENERAL NOTES APPLY AT ALL TIMES FOR THE DURATION OF THE CONSTRUCTION PROJECT, EXCEPT WHEN OTHERWISE NOTED IN THE PLAN, OR DIRECTED BY THE ENGINEER.

- A) INSTALL PAVEMENT MARKINGS AND PAVEMENT MARKERS ON THE FINAL SURFACE AS FOLLOWS:
 


ROAD NAME	MARKING	MARKER
SR 1710 BALD ROCK RD	THERMOPLASTIC	NONE
- B) TIE PROPOSED PAVEMENT MARKING LINES TO EXISTING PAVEMENT MARKING LINES.
- C) REMOVE/REPLACE ANY CONFLICTING/DAMAGED PAVEMENT MARKINGS.

PAVEMENT MARKING PLAN



PLAN SUBMITTED TO:

BARRY MOSTELLER, SENIOR PROJECT MANAGER, DIVISION 14



PLAN PREPARED BY: KISINGER CAMPO & ASSOCIATES

BRYCEN TAYLOR PROJECT DESIGNER

JACOB H. DUKE, PE ENGINEER OF RECORD

**KCA**  
KISINGER CAMPO & ASSOCIATES



NC FIRM LICENSE: C-1506  
301 FAYETTEVILLE ST. SUITE 1500  
RALEIGH, NC 27601 919-882-7839

PROJECT NUMBER: DF18314.2045478

# SITE #11

## STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

# PAVEMENT MARKING PLAN HENDERSON COUNTY

TIP NO. DF18314.2045478	SHEET NO. PMP-11
APPROVED:  <small>Signed by: Jacob H. Duke 2953000684E94D9</small>	
DATE: 7/29/2025	
SEAL 	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	

### ROADWAY STANDARD DRAWING

THE FOLLOWING ROADWAY STANDARDS AS APPEAR IN "ROADWAY STANDARD DRAWINGS" - PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2024 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

STD. NO.	TITLE
1205.01	PAVEMENT MARKINGS - LINE TYPES AND OFFSETS
1205.02	PAVEMENT MARKINGS - TWO-LANE AND MULTILANE ROADWAYS

### GENERAL NOTES

THE FOLLOWING GENERAL NOTES APPLY AT ALL TIMES FOR THE DURATION OF THE CONSTRUCTION PROJECT, EXCEPT WHEN OTHERWISE NOTED IN THE PLAN, OR DIRECTED BY THE ENGINEER.


- A) INSTALL PAVEMENT MARKINGS AND PAVEMENT MARKERS ON THE FINAL SURFACE AS FOLLOWS:
 

ROAD NAME	MARKING	MARKER
SR 1710 BALD ROCK RD	THERMOPLASTIC	NONE
- B) TIE PROPOSED PAVEMENT MARKING LINES TO EXISTING PAVEMENT MARKING LINES.
- C) REMOVE/REPLACE ANY CONFLICTING/DAMAGED PAVEMENT MARKINGS.


### PAVEMENT MARKING SCHEDULE

SYMBOL	TITLE
<u>THERMOPLASTIC</u>	
T1	WHITE EDGELINE (4", 90 MIL)
T13	YELLOW DOUBLE CENTER (4", 90 MIL)

### PAVEMENT MARKING PLAN



PLAN SUBMITTED TO:  
**BARRY MOSTELLER, SENIOR PROJECT MANAGER, DIVISION 14**



PLAN PREPARED BY: **KISINGER CAMPO & ASSOCIATES**  
**BRYCEN TAYLOR** PROJECT DESIGNER  
**JACOB H. DUKE, PE** ENGINEER OF RECORD

