



STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

JOSH STEIN

GOVERNOR

October 8, 2026

DANIEL H. JOHNSON

SECRETARY

ADDENDUM # 2

Contract Number: DN01162
TIP Number: B-5929
Federal Aid Number: BRSTP-1932(9)
WBS Number: 50150.3.1
County: Henderson
Description: Grading, Paving, Drainage And Structures At Bridge No. 440350
Over Devils Fork Creek On Tracy Grove Road in Henderson
County

Letting Date: October 13, 2026

Plan Holders

Content Summary: Sheet 1A Revision

The above contract has experienced the following revisions:

1. Revise Sheet 1A of the Roadway Plans (see attached)
2. Addition of Provision SP1 G112 B SUBSURFACE INFORMATION on page G-26 of the Proposal

These revisions do not change bid items or the associated quantities.

There is no ebsx addenda file associated with this addendum.

Thank you for your attention to this matter.

If you have any questions, please contact the Division Proposal Engineer at (828) 331-5200.

Sincerely,

Signed by:

A blue ink signature of Jeanette L. White, written in a cursive style.

29BD93927CF24F6

Jeanette L. White, P.E.

Highway Division 14, Project Development-
Team Lead

Mailing Address:
NC DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS - DIVISION 14
253 WEBSTER ROAD
SYLVA, NC 28779

Telephone: (828) 331-5200
Fax: (828) 331-5201
Customer Service: 1-877-368-4968

Website: www.ncdot.gov

Location:
253 WEBSTER ROAD
SYLVA, NC 28779



DocuSigned by:
Reece Schuler

THE GRADE LINES SHOWN DENOTE THE FINISHED ELEVATION OF THE PROPOSED SURFACING AT GRADE POINTS SHOWN ON THE TYPICAL SECTIONS. GRADE LINES MAY BE ADJUSTED AT THEIR BEGINNING AND ENDING AND AT STRUCTURES AS DIRECTED BY THE ENGINEER IN ORDER TO SECURE A PROPER TIE-IN.

STD.NO.	TITLE
DIVISION 2 - EARTHWORK	
200.02	METHOD OF CLEARING - METHOD II
225.02	GUIDE FOR GRADING SUBGRADE - SECONDARY AND LOCAL
225.04	METHOD OF OBTAINING SUPERELEVATION - TWO LANE PAVEMENT
DIVISION 3 - PIPE CULVERTS	
300.01	METHOD OF PIPE INSTALLATION (USE DETAIL IN LIEU OF STANDARDS FOR SHEETS 1 AND 2 OF 2)
310.10	DRIVEWAY PIPE CONSTRUCTION

DIVISION 8 - INCIDENTALS	
815.02	SUBSURFACE DRAIN
840.00	CONCRETE BASE PAD FOR DRAINAGE STRUCTURES
840.01	BRICK CATCH BASIN - 12" THRU 54" PIPE
840.02	CONCRETE CATCH BASIN - 12" THRU 54" PIPE
840.03	FRAME, GRATES AND HOOD - FOR USE ON STANDARD CATCH BASIN
840.18	CONCRETE GRATED DROP INLET TYPE 'B' - 12" THRU 36" PIPE
840.25	ANCHORAGE FOR FRAMES - BRICK OR CONCRETE OR PRECAST
840.27	BRICK GRATED DROP INLET TYPE 'B' - 12" THRU 36" PIPE
840.29	FRAME WITH TWO GRATES
840.45	PRECAST DRAINAGE STRUCTURE
840.66	DRAINAGE STRUCTURE STEPS
846.01	CONCRETE CURB, GUTTER AND CURB & GUTTER
848.01	CONCRETE SIDEWALK (USE DETAIL IN LIEU OF STANDARDS FOR SHEET 1 OF 1)
848.03	DRIVEWAY TURNOUT- DROP CURB TYPE
848.06	CURB RAMP (USE DETAIL IN LIEU OF STANDARDS FOR SHEETS 9 AND 10 OF 13)
862.01	GUARDRAIL PLACEMENT (USE DETAIL IN LIEU OF STANDARDS FOR SHEETS 4, 6, 12 AND 14 OF 15)
862.02	GUARDRAIL INSTALLATION (USE DETAIL IN LIEU OF STANDARD FOR SHEET 5 OF 9)
862.03	STRUCTURE ANCHOR UNITS (USE DETAIL IN LIEU OF STANDARDS FOR SHEETS 6 AND 8 OF 9)
876.02	GUIDE FOR RIP RAP AT PIPE OUTLETS
876.04	DRAINAGE DITCHES WITH CLASS 'B' RIP RAP

The hotline is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

SUBSURFACE INFORMATION:

(7-1-95)(Rev. 8-16-22)

450

SP1 G112 B

Subsurface information is available on the structure portion of this project.

ELECTRONIC BIDDING:

(8-18-26)

101, 102, 103

SP1 G140

Revise the *Standard Specifications* as follows:

Page 1-4, Article 101-3, DEFINITIONS, BID (OR PROPOSAL) *Electronic Bid*, line 3, replace “electronic bidding software” with “electronic bidding website”.

Page 1-16, Subarticle 102-8(B), Electronic Bids, lines 13-14, replace “electronic bidding software” with “electronic bidding website”.

Page 1-18, Article 102-10, BID BOND OR BID DEPOSIT, line 43, replace “electronic bidding software” with “electronic bidding website”.

Page 1-18, Article 102-11, DELIVERY OF BIDS, line 47, replace “electronic bidding software” with “electronic bidding website”.

Page 1-25, Subarticle 103-4(B)(2), Electronic Bids, line 20, replace the first paragraph with the following:

This form is located on the electronic submittal website. The bidder shall click on yes or no to indicate whether or not the bidder desires to limit the award, provide the award limit if desiring to limit the award, and provide the project number and county of the projects associated with the award limit.

EROSION AND SEDIMENT CONTROL/STORMWATER CERTIFICATION:

(1-16-07) (Rev. 10-15-24)

105-16, 225-2, 16

SP1 G180

General

Schedule and conduct construction activities in a manner that will minimize soil erosion and the resulting sedimentation and turbidity of surface waters. Comply with the requirements herein regardless of whether or not a National Pollution discharge Elimination System (NPDES) permit for the work is required.

Establish a chain of responsibility for operations and subcontractors' operations to ensure that the *Erosion and Sediment Control/Stormwater Pollution Prevention Plan* is implemented and maintained over the life of the contract.

- (A) *Certified Supervisor* - Provide a certified Erosion and Sediment Control/Stormwater Supervisor to manage the Contractor and subcontractor operations, insure compliance with