




STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION

ROY COOPER  
GOVERNOR

J. ERIC BOYETTE  
SECRETARY

November 6, 2020

**ADDENDUM # 3**

To: Plan Holders   
From: Wes Jamison  
Project Manager

RE: **Revised Summary of Quantities sheets to reflect Typical Section corrections and addition of special provision**  
Contract ID: DN00669  
County: Macon  
Letting Date: November 10, 2020

The above contract has experienced the following revisions:

1. **Plan sheet 5, the Summary of Quantities**, has been **revised** to correctly associate each typical section with its corresponding map and to reflect revised quantities. See attached.
2. On page **G-23**, insert standard provision **SP6 R25, PRICE ADJUSTMENT - ASPHALT BINDER FOR PLANT MIX**, between SP6 R03R and SP6 R45. See attached.

There were no quantities changed with this addendum.

The ebsx addendum file is accessible on Bid Express® (bidx.com website).

Thank you for your attention to this matter.

PROJECT NO.	SHEET NO.	TOTAL NO.
2020CPT.14.05.10561, 2020CPT.14.05.20561	8	

### SUMMARY OF QUANTITIES

PROJECT NO	COUNTY	MAP NO	ROUTE	DESCRIPTION	TYP NO	LANES	LANE TYPE	FINAL SURFACE TESTING REQUIRED	WARM MIX ASPHALT REQUIRED	LENGTH	WIDTH	1245000000-E	1297000000-E	1519000000-E	1520000000-E	1575000000-E	1704000000-E	2815000000-N	2845000000-N	4898000000-N	7444000000-E		
												SHOULDER RECONSTRUCTION	1½" MILLING	SURFACE COURSE, \$9.5B	LEVELING COURSE, \$9.5B	ASPHALT BINDER FOR PLANT MIX	PATCHING EXISTING PAVEMENT	ADJ. OF DROP INLET	ADJ. OF METER OR VALVE BOX	GENERIC PAVEMENT MARKING ITEM (SNOWPLOWABLE PAVEMENT MARKERS WITH NON-METALLIC HOUSINGS)	INDUCTIVE LOOP		
												MI	SY	TONS	TONS	TONS	TONS	EA	EA	EA	LF		
2020CPT.14.05.10561	Macon	1	US-64 (N. 4TH STREET)	FROM NC-106 TO NC-28	1	2	2WU	YES	NO	0.35	54		11,088	1,009		68	177				268		
<b>TOTAL FOR MAP NO. 1</b>												<b>0.35</b>	<b>11,088</b>	<b>1,009</b>		<b>68</b>	<b>177</b>					<b>268</b>	
2020CPT.14.05.10561	Macon	2	US-64 (N.4TH STREET)	FROM NC-28 TO SR-1538	1	2	2WU	YES	NO	2.67	24		42,401	3,429		230	839			185			
<b>TOTAL FOR MAP NO. 2</b>												<b>2.67</b>	<b>42,401</b>	<b>3,429</b>		<b>230</b>	<b>839</b>				<b>185</b>		
2020CPT.14.05.10561	Macon	3	NC-28 (S.4TH STREET)	FROM SR-1613 TO BEGIN OF CURB AND GUTTER	2	2	2WU	YES	NO	1.7	22	3.40		2,002	1,211	215	281						
<b>TOTAL FOR MAP NO. 3</b>												<b>1.7</b>		<b>2,002</b>	<b>1,211</b>	<b>215</b>	<b>281</b>						
2020CPT.14.05.10561	Macon	4	NC-28 (S.4TH STREET)	FROM BEGIN OF CURB AND GUTTER TO US-64	1	2	2WU	NO	NO	0.43	22		7,025	507		34	86				80		
<b>TOTAL FOR MAP NO. 4</b>												<b>0.43</b>	<b>7,025</b>	<b>507</b>		<b>34</b>	<b>86</b>					<b>80</b>	
<b>TOTAL FOR PROJ NO. 2020CPT.14.05.10561</b>												<b>5.15</b>		<b>6,947</b>	<b>1,211</b>	<b>547</b>	<b>1,383</b>				<b>185</b>	<b>348</b>	
2020CPT.14.05.20561	Macon	5	SR-1001(ELIJAY RD)	FROM SR-1528 TO US64/NC28	2	2	2WU	NO	NO	4.4	18	8.10		3,273	1,923	348	27						
<b>TOTAL FOR MAP NO. 5</b>												<b>4.4</b>		<b>3,273</b>	<b>1,923</b>	<b>348</b>	<b>27</b>						
2020CPT.14.05.20561	Macon	6	SR-1603 (MAIN STREET)	FROM US 64/NC 28 TO SR-1689	1	2		NO	NO	0.11	84		5,421	493		33		4	4				
<b>TOTAL FOR MAP NO. 6</b>												<b>0.11</b>		<b>493</b>		<b>33</b>		<b>4</b>	<b>4</b>				
2020CPT.14.05.20561	Macon	7	SR-1600 (WHITESIDE MTN)	FROM US 64 TO END OF MAINT	3	2	2WU	NO	NO	1.41	16				1,055	71	235						
<b>TOTAL FOR MAP NO. 7</b>												<b>1.41</b>			<b>1,055</b>	<b>71</b>	<b>235</b>						
<b>TOTAL FOR PROJ NO. 2020CPT.14.05.20561</b>												<b>5.92</b>		<b>3,766</b>	<b>2,978</b>	<b>452</b>	<b>262</b>	<b>4</b>	<b>4</b>				
<b>GRAND TOTAL</b>												<b>11.07</b>		<b>11,50</b>	<b>65,935</b>	<b>10,713</b>	<b>4,189</b>	<b>999</b>	<b>1,645</b>	<b>4</b>	<b>4</b>	<b>185</b>	<b>348</b>

### THERMOPLASTIC AND PAINT QUANTITIES

PROJECT NO	COUNTY	MAP NO	ROUTE	DESCRIPTION	TYP NO	LANES	LANE TYPE	LENGTH	WIDTH	4413000000-E	4457000000-N	4702000000-E	4710000000-E	4725000000-E		4810000000-E		4825000000-E	4835000000-E	4845000000-N		4890000000-E			
										WORK ZONE ADVANCE/GENERAL WARNING SIGNING	TEMPORARY TRAFFIC CONTROL	12" X 90 M WHITE THERMO	24" X 90 M WHITE THERMO	THERMO LT ARROW 90 M	THERMO STR & RT ARROW 90 M	4" WHITE PAINT	4" YELLOW PAINT	12" WHITE PAINT	24" WHITE PAINT	PAINT LT ARROW	PAINT STR & RT ARROW	GENERIC PAVE. MARK ITEM 4" X 50 MIL WHITE THERMO	GENERIC PAVE. MARK ITEM 4" X 50 MIL YELLOW THERMO.		
										MI	LS	LF	LF	EA	EA	LF	LF	EA	EA	EA	EA	LF	LF		
2020CPT.14.05.10561	Macon	1	US-64 (N. 4TH STREET)	FROM NC-106 TO NC-28	1	2	2WU	0.35	54	38	1.00	316	264	2	2	7,317	7,317	316	264					3,658	3,658
<b>TOTAL FOR MAP NO. 1</b>										<b>0.35</b>	<b>1</b>	<b>316</b>	<b>264</b>	<b>2</b>	<b>2</b>	<b>7,317</b>	<b>7,317</b>	<b>316</b>	<b>264</b>					<b>3,658</b>	<b>3,658</b>
2020CPT.14.05.10561	Macon	2	US-64 (N.4TH STREET)	FROM NC-28 TO SR-1538	1	2	2WU	2.67	24	299			380	6	2	57,458	57,458		380	6	2			28,195	28,195
<b>TOTAL FOR MAP NO. 2</b>										<b>2.67</b>			<b>380</b>	<b>6</b>	<b>2</b>	<b>57,458</b>	<b>57,458</b>		<b>380</b>	<b>6</b>	<b>2</b>			<b>28,195</b>	<b>28,195</b>
2020CPT.14.05.10561	Macon	3	NC-28 (S.4TH STREET)	FROM SR-1613 TO BEGIN OF CURB AND GUTTER	2	2	2WU	1.7	22	190						36,584	36,584							18,292	18,292
<b>TOTAL FOR MAP NO. 3</b>										<b>1.7</b>						<b>36,584</b>	<b>36,584</b>							<b>18,292</b>	<b>18,292</b>
2020CPT.14.05.10561	Macon	4	NC-28 (S.4TH STREET)	FROM BEGIN OF CURB AND GUTTER TO US-64	1	2	2WU	0.43	22	48				1		2,000	4,528			1				2,264	1,000
<b>TOTAL FOR MAP NO. 4</b>										<b>0.43</b>				<b>1</b>		<b>2,000</b>	<b>4,528</b>			<b>1</b>				<b>2,264</b>	<b>1,000</b>
<b>TOTAL FOR PROJ NO. 2020CPT.14.05.10561</b>										<b>5.15</b>	<b>1</b>	<b>316</b>	<b>644</b>	<b>9</b>	<b>4</b>	<b>103,359</b>	<b>105,887</b>	<b>316</b>	<b>644</b>	<b>7</b>	<b>2</b>			<b>52,409</b>	<b>51,145</b>
														<b>13</b>		<b>209,246</b>		<b>9</b>		<b>103,554</b>					
2020CPT.14.05.20561	Macon	5	SR-1001(ELIJAY RD)	FROM SR-1528 TO US64/NC28	2	2	2WU	4.4	18	454						87,156	87,156								
<b>TOTAL FOR MAP NO. 5</b>										<b>4.4</b>						<b>87,156</b>	<b>87,156</b>								
2020CPT.14.05.20561	Macon	6	SR-1603 (MAIN STREET)	FROM US 64/NC 28 TO SR-1689	1	2		0.11	84	64						4,646									
<b>TOTAL FOR MAP NO. 6</b>										<b>0.11</b>			<b>64</b>			<b>4,646</b>									
2020CPT.14.05.20561	Macon	7	SR-1600 (WHITESIDE MTN)	FROM US 64 TO END OF MAINT	3	2	2WU	1.41	16	96						30,343	30,366								
<b>TOTAL FOR MAP NO. 7</b>										<b>1.41</b>			<b>96</b>			<b>30,343</b>	<b>30,366</b>								
<b>TOTAL FOR PROJ NO. 2020CPT.14.05.20561</b>										<b>5.92</b>			<b>614</b>			<b>122,145</b>	<b>117,522</b>								
														<b>239,667</b>											
<b>GRAND TOTAL</b>										<b>11.07</b>	<b>1</b>	<b>316</b>	<b>644</b>	<b>9</b>	<b>4</b>	<b>225,504</b>	<b>223,409</b>	<b>316</b>	<b>644</b>	<b>7</b>	<b>2</b>	<b>52,409</b>	<b>51,145</b>		
														<b>13</b>		<b>448,913</b>		<b>9</b>		<b>103,554</b>					

**EXTRUDED THERMOPLASTIC PAVEMENT MARKING THICKNESS:**

3-19-19 (11-10-20)

1205

SP12 R05

Revise the *2018 Standard Specifications* as follows:

**Page 12-6, Subarticle 1205-4(A)(1) General, lines 5-8,** delete the second sentence and replace with the following:

Use application equipment that provides multiple width settings ranging from 4 inches to 12 inches and multiple thickness settings to achieve a minimum pavement marking thickness of 0.090 inch above the surface of the pavement.

**Page 12-7, Table 1205-3, THICKNESS REQUIREMENTS FOR THERMOPLASTIC,** replace with the following:

<b>TABLE 1205-3 MINIMUM THICKNESS REQUIREMENTS FOR THERMOPLASTIC</b>	
<b>Thickness</b>	<b>Location</b>
240 mils	In-lane and shoulder-transverse pavement markings (rumble strips). May be placed in 2 passes.
90 mils	Skip lines, transverse bands, mini-skip lines, characters, bike lane symbols, crosswalk lines, gore lines, diagonals, and arrow symbols