

SIGN NUMBER: 1
 TYPE: A
 QUANTITY: 1

DESIGN BY: none
 PROJECT ID: ID
 CHECKED BY: DIV: 03
 DATE: Mar 21, 2013

SYMBOL	X	Y	WID	HT
M1_4	77.5	36.8	30	24
ARMED	14	25.3	19.2	30.2


SIGN WIDTH: 16'-6"
 HEIGHT: 6'-0"
 TOTAL AREA: 99.0 Sq.Ft.

BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 2"
 RADII: 9"
 NO. Z BARS: 2
 LENGTH: 190.0

MAT'L: 0.125" (3.2 mm) ALUMINUM

USE NOTES: 1,2

- Legend and border (except those that are colored black) shall be direct applied Grade C sheeting.
- Background shall be Grade C reflective sheeting.



Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

Letter locations are panel edge to lower left corner

		Letter locations are panel edge to lower left corner										Series/Size Text Length	
N	O	R	T	H								E	2000
117.5	127.7	136.2	143.6	151									40
E	I	L	I	S	A	I	R	P	O	R	T	EM	2000
50.9	64.4	72.4	80.4	86.9	95.7	109.1	125.7	133.7	143.6	155.3	168.5	177	133

DESIGN BY: none
 PROJECT ID: ID

CHECKED BY: DATE: Mar 21, 2013
 DIV: 03

SIGN NUMBER: 10
 TYPE: A
 QUANTITY: 1

BACKG COLOR: Green
 COPY COLOR: White

SYMBOL	X	Y	WID	HT
M1_4	50.1	95	30	24
AR90L1	13.2	7.5	34.9	34.9
AR90L1	132	7.5	34.9	34.9

SIGN WIDTH: 15'-0"
 HEIGHT: 10'-6"
 TOTAL AREA: 157.5 Sq.Ft.


BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 2"
 RADII: 12"

NO. Z BARS: 3
 LENGTH: 172.0

MAT'L: 0.125" (3.2 mm) ALUMINUM

USE NOTES: 1,2

- Legend and border (except those that are colored black) shall be direct applied Grade C sheeting.
- Background shall be Grade C reflective sheeting.



Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

Letter locations are panel edge to lower left corner											Series / Size	Text Length
S	O	U	T	H							E 2000	39.8
90.1	99.7	108.2	116.1	123.4							EM 2000	134.1
J	a	c	k	s	o	n	v	i	l	e	E 2000	64.1
23.2	36.6	49.6	62.5	74	85.7	98.9	111.5	125.7	133.7	141.7	148.5	
D	o	w	n	t	o	w	n					
58.2	67.9	75.1	85.8	92.9	98.2	105.4	116.1					

SIGN NUMBER: 11
 TYPE: A
 QUANTITY: 1

BACKG COLOR: Green
 COPY COLOR: White

DESIGN BY: none
 PROJECT ID: ID

CHECKED BY: DATE: Mar 21, 2013
 DIV: 03

SYMBOL	X	Y	WID	HT
M1-5-2-24-10C	107.7	107.3	24	24
M1_4	41.3	105.3	24	24
ARDOWN	19.3	6.7	21.3	14.6
ARDOWN	139.3	6.7	21.3	14.6

SIGN WIDTH: 15'-0"
 HEIGHT: 13'-0"
 TOTAL AREA: 195.0 Sq.Ft.


BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 2"
 RADII: 12"

NO. Z BARS: 4
 LENGTH: 172.0

MAT'L: 0.125" (3.2 mm) ALUMINUM

USE NOTES: 1,2

- Legend and border(except those that are colored black) shall be direct applied Grade C sheeting.
- Background shall be Grade C reflective sheeting.



BORDER 15.2"
 R=12"
 TH=2"

Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

Letter locations are panel edge to lower left corner

		Letter locations are panel edge to lower left corner												Series/Size	Text Length	
E	A	S	T												E 2000	30.9
107.7	116.2	125.2	132.6												E 2000	17.3
T	O														EIM 2000	119
45.9	54.8														EIM 2000	149.6
W	i	l	m	i	n	g	t	o	n						EIM 2000	99.8
30.5	47.8	55.8	63.8	83.8	91.8	104.7	117.5	127.5	140.7							
C	a	m	p	L	e	j	e	u	n	e						
15.2	28.5	42.7	62.7	71.5	84.8	96.4	106.9	116	128.9	143.1	156					
N	e	w		B	u	r	n									
40.1	54.2	65.7	79.3	92.6	107.1	121.3	131.1									

SIGN NUMBER: 12
 TYPE: A
 QUANTITY: 1

BACKG COLOR: Green
 COPY COLOR: White
 DESIGN BY: none
 PROJECT ID: ID

DATE: Mar 25, 2013
 CHECKED BY:
 DIV: 03

SYMBOL	X	Y	WID	HT
M1-5-2-24-10C	12.7	76.5	24	24
AR90R1	35.2	9.7	31.6	31.6

SIGN WIDTH: 8'-6"
 HEIGHT: 9'-0"
 TOTAL AREA: 76.5 Sq.Ft.


BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 2"
 RADII: 12"

NO. Z BARS: 3
 LENGTH: 94.0

MAT'L: 0.125" (3.2 mm) ALUMINUM

USE NOTES: 1,2

1. Legend and border(except those that are colored black) shall be direct applied Grade C sheeting.
2. Background shall be Grade C reflective sheeting.



Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

Letter locations are panel edge to lower left corner

W	E	S	T	Series /Size Text Length
46.7	58.8	65.9	73.3	E 2000
B	u	r	g	EM 2000
12.8	27.3	41.4	50.1	76.5

SIGN NUMBER: 13
 TYPE: A
 QUANTITY: 1

BACKG COLOR: Green
 COPY COLOR: White

DESIGN BY: none
 PROJECT ID: ID

CHECKED BY:
 DIV: 03
 DATE: Mar 21, 2013

SIGN WIDTH: 9'-0"
 HEIGHT: 7'-0"
 TOTAL AREA: 63.0 Sq.Ft.


SYMBOL	X	Y	WID	HT
M1_1	15.5	33.2	24	24
M1-5-2-24-10C	64.1	33.2	24	24

BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 2"
 RADII: 12"
 NO. Z BARS: 2
 LENGTH: 100.0

MAT'L: 0.125" (3.2 mm) ALUMINUM

USE NOTES: 1,2

- Legend and border(except those that are colored black) shall be direct applied Grade C sheeting.
- Background shall be Grade C reflective sheeting.



LETTER POSITIONS

Letter locations are panel edge to lower left corner						Series/Size	Text Length
W	E	S	T			E 2000	32.5
15.5	27.5	34.6	42			E 2000	32.5
W	E	S	T			E 2000	32.5
57.8	69.8	76.9	84.3			EIM 2000	72.6
B	e	n	s	o	n	EIM 2000	72.6
19.9	33.2	46.1	58.8	70.5	83.7		

Spacing Factor is 1 unless specified otherwise

SIGN NUMBER: 14
TYPE: A
QUANTITY: 1

BACKG COLOR: Green
COPY COLOR: White

DESIGN BY: none
PROJECT ID: ID

CHECKED BY:
DIV: 03

DATE: Mar 18, 2013

SIGN WIDTH: 17'-0"
HEIGHT: 11'-6"
TOTAL AREA: 195.5 Sq.Ft.

BORDER TYPE: FLUSH
RECESS: 0"
WIDTH: 2"
RADII: 12"


NO. Z BARS: 3
LENGTH: 196.0

MAT'L: 0.125" (3.2 mm) ALUMINUM

SYMBOL	X	Y	WID	HT
NC242	33.7	66.5	36	36
M1-5-3-36-12D	108.8	66.5	36	36
ARMED	160.8	38.5	22.4	35.3

USE NOTES: 1,2

1. Legend and border (except those that are colored black) shall be direct applied Grade C sheeting.
2. Background shall be Grade C reflective sheeting.



LETTER POSITIONS

Letter locations are panel edge to lower left corner						Series /Size
						Text Length
E	A	S	T			E 2000
33.7	46.6	60.1	71.2			46.5
M	a	g	n	o	l i a	EIM 2000
33.7	52.6	68.1	85.1	100.6	116.5 126.1 134.2	111
K	e	n	a	n	s v i l e	EIM 2000
15.7	30.9	46.5	62	78.9	94.1 107.9 124.9 134.5 144.1 152.2	147

SIGN NUMBER: 15
 TYPE: D
 QUANTITY: 1

BACKG COLOR: Green
 COPY COLOR: Black/White

DESIGN BY:
 PROJECT ID: ID

CHECKED BY:
 DIV: 03
 DATE: Mar 14, 2013

SIGN WIDTH: 8'-11"
 HEIGHT: 3'-6"
 TOTAL AREA: 31.2 Sq.Ft.


BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 0"
 RADII: 0"

NO. Z BARS:
 LENGTH:

MAT'L: 0.125" (3.2 mm) ALUMINUM

USE NOTES: 1,2

1. Legend and border (except those that are colored black) shall be direct applied Grade C sheeting.
2. Background shall be Grade C reflective sheeting.



Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

Letter locations are panel edge to lower left corner

		Letter Locations are panel edge to lower left corner					Series/Size	Text Length
E	X	I	T	3	7	3	E 2000	
10.4	19.3	30	33.5	56	69.8	84.5	86.3	

SYMBOL	X	Y	WID	HT
M1_4	36.4	60.4	45	36
ARDOWN	16.8	9.6	32.1	22
ARDOWN	143.1	9.6	32.1	22

SIGN NUMBER: 16
 TYPE: A
 QUANTITY: 1
 SIGN WIDTH: 16'-0"
 HEIGHT: 9'-0"
 TOTAL AREA: 144.0 Sq.Ft.


BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 2"
 RADII: 12"
 NO. Z BARS: 3
 LENGTH: 184.0

MAT'L: 0.125" (3.2 mm) ALUMINUM

USE NOTES: 1,2

1. Legend and border (except those that are colored black) shall be direct applied Grade C sheeting.
2. Background shall be Grade C reflective sheeting.

16'-0"



BORDER 16.8"
 R=12"
 TH=2"
 158.4"
 16.8"

Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

							Letter locations are panel edge to lower left corner	
					Series /Size	Text Length		
N	O	R	T	H	E	2000		
96.4	111.7	124.6	135.6	146.6		59.9		
D	u	n	n			EM	2000	
59.6	77.4	94.4	111.3			62.2		

SIGN NUMBER: 17
 TYPE: A
 QUANTITY: 1

DESIGN BY: none
 PROJECT ID: ID

CHECKED BY:
 DIV: 03

DATE: Mar 21, 2013

BACKG COLOR: Green
 COPY COLOR: White

SYMBOL	X	Y	WID	HT
M1_4	42	69.1	45	36
ARDOWN	15.6	6.9	32.1	22
ARDOWN	156.3	6.9	32.1	22

SIGN WIDTH: 17'-0"
 HEIGHT: 9'-6"
 TOTAL AREA: 161.5 Sq.Ft.


BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 2"
 RADII: 12"

NO. Z BARS: 3
 LENGTH: 196.0

MAT'L: 0.125" (3.2 mm) ALUMINUM

USE NOTES: 1,2

1. Legend and border(except those that are colored black) shall be direct applied Grade C sheeting.
2. Background shall be Grade C reflective sheeting.



Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

Letter locations are panel edge to lower left corner										Series/Size Text Length
N	O	R	T	H						E 2000
102	117.3	130.2	141.2	152.2						59.9
N	e	w	t	o	n	G	r	o	v	e
15.6	32.6	46.3	65.7	77.7	93.5	104.1	120.1	137.8	148.2	162.3
										172.8

DESIGN BY: none
 PROJECT ID: ID
 CHECKED BY: DIV: 03
 DATE: Mar 21, 2013


SIGN NUMBER: 18
 TYPE: A
 QUANTITY: 1
 SIGN WIDTH: 14'-6"
 HEIGHT: 9'-0"
 TOTAL AREA: 130.5 Sq.Ft.
 BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 2"
 RADII: 12"
 NO. Z BARS: 3
 LENGTH: 166.0

SYMBOL	X	Y	WID	HT
M1_4	47.6	57.7	24	24
ARDOWN	15	7.9	24	16.5
ARDOWN	135	7.9	24	16.5

MAT'L: 0.125" (3.2 mm) ALUMINUM

USE NOTES: 1,2

- Legend and border(except those that are colored black) shall be direct applied Grade C sheeting.
- Background shall be Grade C reflective sheeting.



Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

Letter locations are panel edge to lower left corner										Series/Size	
B	U	S	I	N	E	S	S			Text Length	
23.6	33.7	43.8	53.9	58.3	69	77.9	87.4			E 2000	
										71.9	
N	O	R	T	H							E 2000
81.6	91.8	100.3	107.7	115.1							40
N	e	w	B	e	r	n					EM 2000
37.9	52	63.4	77	90.4	103.7	116.6	126.5				97.4

DESIGN BY: none
 PROJECT ID: ID
 CHECKED BY: DIV: 03
 DATE: Mar 21, 2013

SIGN NUMBER: 19
 TYPE: A
 QUANTITY: 1

BACKG COLOR: Green
 COPY COLOR: White

SYMBOL	X	Y	WID	HT
ARNDWN	66.4	8.7	30	20.6

SIGN WIDTH: 14'-6"
 HEIGHT: 10'-6"
 TOTAL AREA: 152.3 Sq.Ft.

BORDER TYPE: FLUSH


RECESS: 0"
 WIDTH: 2"
 RADII: 12"

NO. Z BARS: 3
 LENGTH: 166.0

MAT'L: 0.125" (3.2 mm) ALUMINUM

USE NOTES: 1,2

- Legend and border(except those that are colored black) shall be direct applied Grade C sheeting.
- Background shall be Grade C reflective sheeting.



Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

		Letter locations are panel edge to lower left corner																Series/Size
																		Text Length
O	I	d																EM 2000
75	90.1	96.9																30.7
B	r	i	d	g	e													EM 2000
53.9	68.4	78.3	85.1	98	110.9													65.7
S	t	r	e	e	t													EM 2000
56.5	70.1	81.2	89.9	101.6	113.2													63.6
E	X	I	T															E 2000
17.7	28.4	41.2	45.4															36.7
O	N	L	Y															E 2000
108.4	121.3	134.1	144.1															47.9

SIGN NUMBER: 2
 TYPE: A
 QUANTITY: 1

DESIGN BY: none
 PROJECT ID: ID

BACKG COLOR: Green
 COPY COLOR: White

CHECKED BY:
 DIV: 03
 DATE: Mar 21, 2013

SYMBOL	X	Y	WID	HT
M1_4	52.5	57.5	24	24
ARDOWN	12.6	6.7	24	16.5
ARDOWN	131.4	6.5	24	16.5


SIGN WIDTH: 14'-0"
 HEIGHT: 8'-6"
 TOTAL AREA: 119.0 Sq.Ft.

BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 2"
 RADII: 12"
 NO. Z BARS: 3
 LENGTH: 160.0

MAT'L: 0.125" (3.2 mm) ALUMINUM

USE NOTES: 1,2

- 1. Legend and border(except those that are colored black) shall be direct applied Grade C sheeting.
- 2. Background shall be Grade C reflective sheeting.



Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

Letter locations are panel edge to lower left corner

		Letter locations are panel edge to lower left corner												Series/Size Text Length
B	u	s	i	n	e	s	s							E 2000
42.3	50	56	61.8	64.7	70.8	76.4	81.8							44.4
N	O	R	T	H										E 2000
86.5	96.7	105.3	112.6	120										40
N	e	w		B	e	r	n							EIM 2000
36.4	50.5	62	75.6	88.9	102.3	115.2	125.1							97.4

SIGN NUMBER: 20
 TYPE: A
 QUANTITY: 1

DESIGN BY: none
 PROJECT ID: ID

CHECKED BY: DIV: 03
 DATE: Mar 21, 2013

SYMBOL	X	Y	WID	HT
ARMED	37.8	11.1	22.4	35.3

BACKG COLOR: Green
 COPY COLOR: White

SIGN WIDTH: 9'-0"
 HEIGHT: 8'-0"
 TOTAL AREA: 72.0 Sq.Ft.


BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 2"
 RADII: 12"

NO. Z BARS: 3
 LENGTH: 100.0

MAT'L: 0.125" (3.2 mm) ALUMINUM

USE NOTES: 1,2

1. Legend and border(except those that are colored black) shall be direct applied Grade C sheeting.
2. Background shall be Grade C reflective sheeting.



BORDER 13.35" 81.3" 13.35"
 R=12" TH=2"

Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

Letter locations are panel edge to lower left corner										Series/Size Text Length	
C	a	I	y	p	o					EM 2000	81.3
13.4	26.7	40.8	47.3	62.4	73.9	85.6					
F	a	I	s	o	n					EM 2000	66.5
22.2	34.5	48.6	55.1	66.8	80						

SIGN NUMBER: 21
 TYPE: A
 QUANTITY: 1

BACKG COLOR: Green
 COPY COLOR: White

SYMBOL	X	Y	WID	HT
M1_1	46	63.7	24	24
M1-5-3-24-8D	97.3	63.7	24	24
ARROWN	13.3	7.8	21.3	14.6
ARROWN	133.3	7.8	21.3	14.6

SIGN WIDTH: 14'-0"
 HEIGHT: 9'-6"
 TOTAL AREA: 133.0 Sq.Ft.

BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 2"
 RADII: 12"


NO. Z BARS: 3
 LENGTH: 160.0

MAT'L: 0.125" (3.2 mm) ALUMINUM

USE NOTES: 1,2

- Legend and border(except those that are colored black) shall be direct applied Grade C sheeting.
- Background shall be Grade C reflective sheeting.

DESIGN BY: none
 PROJECT ID: ID
 CHECKED BY: DIV: 03
 DATE: Mar 21, 2013



LETTER POSITIONS

		Letter locations are panel edge to lower left corner																Series/Size	
																		Text Length	
T	0																		E 2000
	50.6	59.5																	17.3
T	0																		E 2000
	101.9	110.8																	17.3
C	I	i	n	t	o	n													EM 2000
	46	60.6	68.6	76.6	89.3	99.3	112.5												75.3

Spacing Factor is 1 unless specified otherwise

DESIGN BY: none
 PROJECT ID: ID
 CHECKED BY: DIV: 03
 DATE: Mar 20, 2013


SYMBOL	X	Y	WID	HT
M1-5-2-24-10C	57.5	76.7	24	24
ARMED	75.6	8.8	18.3	28.8

SIGN NUMBER: 23
 TYPE: A
 QUANTITY: 1
 SIGN WIDTH: 15'-0"
 HEIGHT: 9'-0"
 TOTAL AREA: 135.0 Sq.Ft.
 BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 2"
 RADII: 12"
 NO. Z BARS: 3
 LENGTH: 172.0

MAT'L: 0.125" (3.2 mm) ALUMINUM

USE NOTES: 1,2

- Legend and border(except those that are colored black) shall be direct applied Grade C sheeting.
- Background shall be Grade C reflective sheeting.



Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

		Letter locations are panel edge to lower left corner										Series/Size
												Text Length
E	A	S	T									E 2000
91.5	100.1	109.1	116.5									30.9
C	a	m	p	L	e	j	e	u	n	e		EM 2000
15.2	28.5	42.7	62.7	71.5	84.8	96.4	106.9	116	128.9	143.1	156	149.6
M	a	i	n	G	a	t	e					E 2000
56.6	70	79.4	83.7	91.1	103.1	114.6	123	129.4				80.3

DESIGN BY: none
 PROJECT ID: ID

CHECKED BY: none
 DIV: 03


SIGN NUMBER: 24
 TYPE: A
 QUANTITY: 1

SYMBOL	X	Y	WID	HT
M1-5-2-24-10C	17.8	35.3	24	24
M1-5-2-24-10C	62	34.9	24	24
ARMED	33.6	7.2	18.3	28.8

BACKG COLOR: Green
 COPY COLOR: White
 MAT'L: 0.125" (3.2 mm) ALUMINUM
 NO. Z BARS: 2
 LENGTH: 88.0

USE NOTES: 1,2
 1. Legend and border(except those that are colored black) shall be direct applied Grade C sheeting.
 2. Background shall be Grade C reflective sheeting.

DATE: Mar 21, 2013



Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

Letter locations are panel edge to lower left corner

W	E	S	T	Series/Size
10	22	29.1	36.5	E 2000
52.5	64.6	71.7	79	E 2000

DESIGN BY: none
PROJECT ID: ID
CHECKED BY: DIV: 03
DATE: Mar 20, 2013

SIGN NUMBER: 25
TYPE: A
QUANTITY: 1


BACKG COLOR: Green
COPY COLOR: White

SYMBOL	X	Y	WID	HT
ARMED	16.4	38	22.4	35.3
NC242	66.2	38.6	36	36

SIGN WIDTH: 15'-0"
HEIGHT: 7'-0"
TOTAL AREA: 105.0 Sq.Ft.

BORDER TYPE: FLUSH
RECESS: 0"
WIDTH: 2"
RADI: 12"

NO. Z BARS: 2
LENGTH: 172.0



MAT'L: 0.125" (3.2 mm) ALUMINUM

USE NOTES: 1,2

- Legend and border(except those that are colored black) shall be direct applied Grade C sheeting.
- Background shall be Grade C reflective sheeting.

Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

E	A	S	T	Series/Size	Text Length
117.2	130	143.6	154.6	E 2000	46.4
66.2	85.6	102.5	112.6	EM 2000	92

Letter locations are panel edge to lower left corner

SIGN NUMBER: 26
TYPE: A
QUANTITY: 1

BACKG COLOR: Green
COPY COLOR: White

DESIGN BY: none
PROJECT ID: ID

CHECKED BY:
DIV: 03

DATE: Mar 14, 2013

SYMBOL	X	Y	WID	HT

SIGN WIDTH: 12'-6"
HEIGHT: 4'-6"
TOTAL AREA: 56.3 Sq.Ft.


BORDER TYPE: FLUSH
RECESS: 0"
WIDTH: 2"
RADII: 9"

MAT'L: 0.125" (3.2 mm) ALUMINUM

NO. Z BARS: 2
LENGTH: 142.0

USE NOTES: 1,2

- Legend and border(except those that are colored black) shall be direct applied Grade C sheeting.
- Background shall be Grade C reflective sheeting.



BORDER
R=9"
TH=2"

Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

		Letter locations are panel edge to lower left corner						Series/Size Text Length	
T	r	a	m	R	d			EM	2000
17.2	32.8	43.2	60.2	77.8	93.8	109.6		103	
E	X	I	T	M	I	L	E	E	2000
17.2	26.1	36.8	40.3	62.8	99.7	111.7	116.1	115.7	

SIGN NUMBER: 3
 TYPE: A
 QUANTITY: 1

BACKG COLOR: Green
 COPY COLOR: White

DESIGN BY: none
 PROJECT ID: ID
 CHECKED BY: DIV: 03
 DATE: Mar 21, 2013

SYMBOL	X	Y	WID	HT
M1-5-2-24-10C	78	81.6	24	24
ARDOWN	18.1	8.4	24	16.5
ARDOWN	138.1	8.4	24	16.5

SIGN WIDTH: 15'-0"
 HEIGHT: 11'-0"
 TOTAL AREA: 165.0 Sq.Ft.


BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 2"
 RADII: 12"

NO. Z BARS: 3
 LENGTH: 172.0

MAT'L: 0.125" (3.2 mm) ALUMINUM

USE NOTES: 1,2

- Legend and border(except those that are colored black) shall be direct applied Grade C sheeting.
- Background shall be Grade C reflective sheeting.



Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

Letter locations are panel edge to lower left corner										Series/Size Text Length			
E	A	S	T							E 2000			
74.5	83.1	92.2	99.5							31			
S	w	a	n	s	b	o	r	o		EM 2000			
33.9	47.4	63.7	77.8	90.5	103.4	115.1	128.3	137		112.1			
M	o	r	e	h	e	a	d	c	i	t	y	EM 2000	
13.8	29.5	42.7	51.3	64.3	77.2	88.9	101.9	110.7	124	138.5	145.2	154.9	152.5

SIGN NUMBER: 4
 TYPE: A
 QUANTITY: 1

DESIGN BY: none
 PROJECT ID: ID
 CHECKED BY: none
 DIV: 03

DATE: Mar 21, 2013

SIGN WIDTH: 15'-0"
 HEIGHT: 6'-0"
 TOTAL AREA: 90.0 Sq.Ft.


BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 2"
 RADII: 9"
 NO. Z BARS: 2
 LENGTH: 172.0

SYMBOL	X	Y	WID	HT
ARDOWN	15.2	6.1	24	16.5
ARDOWN	135.2	6.1	24	16.5

MAT'L: 0.125" (3.2 mm) ALUMINUM

USE NOTES: 1,2

- Legend and border(except those that are colored black) shall be direct applied Grade C sheeting.
- Background shall be Grade C reflective sheeting.



Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

Letter locations are panel edge to lower left corner

		Letter locations are panel edge to lower left corner													Series/Size Text Length
C	a	m	p	L	e	j	e	u	n	e				EM 2000	
15.2	28.5	42.7	62.7	71.5	84.8	96.4	106.9	116	128.9	143.1	156				149.6
M	a	i	n	G	a	t	e								E 2000
49.9	63.3	72.7	77	84.4	96.4	107.9	116.3	122.7							80.3

SIGN NUMBER: 5
 TYPE: A
 QUANTITY: 1

SYMBOL	X	Y	WID	HT
M1_4	13.3	65.1	24	24
ARMED	51.5	9.1	18.3	28.8

SIGN WIDTH: 10'-6"
 HEIGHT: 8'-0"
 TOTAL AREA: 84.0 Sq.Ft.

BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 2"
 RADII: 12"
 NO. Z BARS: 3
 LENGTH: 118.0


MAT'L: 0.125" (3.2 mm) ALUMINUM

USE NOTES: 1,2

1. Legend and border(except those that are colored black) shall be direct applied Grade C sheeting.
 2. Background shall be Grade C reflective sheeting.

DESIGN BY: none
 PROJECT ID: ID
 CHECKED BY: 03
 DIV: 03

DATE: Mar 21, 2013



Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

Letter locations are panel edge to lower left corner										Series / Size Text Length	
N	O	R	T	H						E 2000	
47.3	57.5	66.1	73.4	80.8						40	
N	e	w	B	e	r	n					EM 2000
15.2	29.4	40.8	54.4	67.8	81.1	94	103.9			97.4	

SIGN NUMBER: 6 BACKG COLOR: Green
 TYPE: A COPY COLOR: White
 QUANTITY: 1

SIGN WIDTH: 15'-0"
 HEIGHT: 7'-6"
 TOTAL AREA: 112.5 Sq.Ft.

SYMBOL	X	Y	WID	HT
M1-5-2-24-10C	67.5	59.1	24	24
ARDOWN	19.6	6.2	21.3	14.6
ARDOWN	139.1	6	21.3	14.6

BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 2"
 RADII: 12"
 NO. Z BARS: 3
 LENGTH: 172.0


MAT'L: 0.125" (3.2 mm) ALUMINUM

USE NOTES: 1,2

- Legend and border (except those that are colored black) shall be direct applied Grade C sheeting.
- Background shall be Grade C reflective sheeting.

DESIGN BY: none
 PROJECT ID: ID

CHECKED BY: DATE: Mar 21, 2013
 DIV: 03



Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

Letter locations are panel edge to lower left corner													Series / Size
T	o											Text Length	
42.6	51.1												E 2000
E	A	S	T										E 2000
101.5	110	119.1	126.4										30.9
C	a	m	p	L	e	j	e	u	n	e			EIM 2000
15.2	28.5	42.7	62.7	71.5	84.8	96.4	106.9	116	128.9	143.1	156		149.6
M	a	i	n	G	a	t	e						E 2000
50.6	64	73.4	77.7	85.1	97.1	108.6	117	123.4					80.3

SIGN NUMBER: 7
 TYPE: A
 QUANTITY: 1

SIGN WIDTH: 13'-6"
 HEIGHT: 10'-0"
 TOTAL AREA: 135.0 Sq.Ft.

BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 2"
 RADII: 12"

NO. Z BARS: 3
 LENGTH: 154.0

BACKG COLOR: Green
 COPY COLOR: White


SYMBOL	X	Y	WID	HT
M1_4	22.8	62.4	24	24
M1_4	67.3	62.4	30	24
M1-5-2-24-10C	117.9	62.4	24	24
ARMED	68	10.8	18.3	28.8

MAT'L: 0.125" (3.2 mm) ALUMINUM

USE NOTES: 1,2

1. Legend and border (except those that are colored black) shall be direct applied Grade C sheeting.
2. Background shall be Grade C reflective sheeting.

DESIGN BY: none
 PROJECT ID: ID
 CHECKED BY: DIV: 03
 DATE: Mar 21, 2013



Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

Letter locations are panel edge to lower left corner

	Letter Locations												Series/Size Text Length		
	T	O												E 2000	
72.4	81.3													17.3	
S	O	U	T	H										E 2000	
15.4	25	33.6	41.4	48.8										39.8	
W	E	S	T											E 2000	
114.1	126.1	133.2	140.6											32.5	
W	I	L	M	I	N	G	T	O	N					EM 2000	
22.8	40.1	48.1	56.1	64.1	72.1	80.1	88.1	96.1	104.1	112.1	120.1	128.1	136.1	119	

SIGN NUMBER: 8
 TYPE: A
 QUANTITY: 1

BACKG COLOR: Green
 COPY COLOR: White

DESIGN BY: none
 PROJECT ID: ID

CHECKED BY:
 DIV: 03

DATE: Mar 21, 2013

SYMBOL	X	Y	WID	HT
M1_4	14.5	77.4	30	24
ARDOWN	70.3	6.1	21.3	14.6


SIGN WIDTH: 13'-6"
 HEIGHT: 9'-0"
 TOTAL AREA: 121.5 Sq.Ft.

BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 2"
 RADII: 12"
 NO. Z BARS: 3
 LENGTH: 154.0

MAT'L: 0.125" (3.2 mm) ALUMINUM

USE NOTES: 1,2

- Legend and border(except those that are colored black) shall be direct applied Grade C sheeting.
- Background shall be Grade C reflective sheeting.



Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

Letter locations are panel edge to lower left corner

										Series / Size		
										Text Length		
N	O	R	T	H						E 2000		
54.5	64.7	73.2	80.6	88						40		
E	I	L	I	S	A	I	R	P	O	R	T	EM 2000
14.5	27.9	35.9	43.9	50.5	59.3	72.6	89.3	97.3	107.1	118.9	132.1	133
K	I	N	S	T	O	N						EM 2000
42	55.9	63.8	76.5	88.1	98	111.2						77.9

DESIGN BY: none
 PROJECT ID: ID
 CHECKED BY: none
 DIV: 03
 DATE: Mar 20, 2013

SIGN NUMBER: 9
 TYPE: A
 QUANTITY: 1

BACKG COLOR: Green
 COPY COLOR: White

SYMBOL	X	Y	WID	HT
M1_4	41.3	80.1	24	24
M1-5-2-24-10C	121	77.4	24	24
ARDOWN	13.3	6.5	21.3	14.6
ARDOWN	133.3	6.5	21.3	14.6

SIGN WIDTH: 14'-0"
 HEIGHT: 12'-6"
 TOTAL AREA: 175.0 Sq.Ft.


BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 2"
 RADII: 12"

NO. Z BARS: 4
 LENGTH: 160.0

MAT'L: 0.125" (3.2 mm) ALUMINUM

USE NOTES: 1,2

- Legend and border(except those that are colored black) shall be direct applied Grade C sheeting.
- Background shall be Grade C reflective sheeting.



Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

Letter locations are panel edge to lower left corner

		Letter locations are panel edge to lower left corner										Series /Size	Text Length
B	u	s	i	n	e	s	s					E	2000
24.6	34.2	41.7	49	52.6	60.2	67.2	74						55.5
S	o	U	T	H								E	2000
29	38.6	47.2	55	62.4									39.8
T	o											E	2000
121.5	130.4												17.3
W	i	l	m	i	n	g	t	o	n			EIM	2000
24.6	41.9	49.9	57.9	77.9	85.9	98.8	111.6	121.6	134.8				119
R	i	c	h	l	a	n	d	s				EIM	2000
32.3	46.7	53.5	66.4	80.6	87.4	101.5	114.4	127.1					103.6