


WBS NO: 2026CPT.03.01.10101, ETC.

CONTRACT: DC00486




**STATE OF NORTH CAROLINA
DIVISION OF HIGHWAYS
BRUNSWICK COUNTY**

TYPE OF WORK: RESURFACING & PRESERVATION

STATE	STATE PROJECT REFERENCE NUMBER	SHEET NO.
NC	2026CPT.03.01.10101, ETC.	1
STATE PROJECT NUMBER		DESCRIPTION

- Resurfacing
- Division 3 Bridges

MAP	ROUTE	DESCRIPTION	TYPE
1	NC 179 / VILLAGE RD	FROM SR 1163 (HALE SWAMP RD) TO US 17 BUS (MAIN ST) [MP 13.92 - MP 16.23]	Resurfacing
2	SR 1173 / VILLAGE RD	FROM NC 179 (VILLAGE RD) TO US 17 BUS (MAIN ST) [MP 0.00 - MP 0.27]	Resurfacing



PROJECT LENGTH	
MAP	MILES
1	2.31
2	0.27


Prepared in the Office of:
DIVISION OF HIGHWAYS
5501 BARBADOS BLVD., CASTLE HAYNE, NC, 28429

This exhibit does not meet NC 47-30 requirements and therefore is not intended for design, construction, or recording or transfer of title.



WBS NO: 2026CPT.03.01.10101, ETC.

CONTRACT: DC00486




STATE OF NORTH CAROLINA
DIVISION OF HIGHWAYS
BRUNSWICK COUNTY

TYPE OF WORK: RESURFACING & PRESERVATION

STATE	STATE PROJECT REFERENCE NUMBER	SHEET NO.
NC	2026CPT.03.01.10101, ETC.	2
STATE PROJECT NUMBER		DESCRIPTION

- Resurfacing
- Division 3 Bridges

MAP	ROUTE	DESCRIPTION	TYPE
3	SR 1152 / PIGOTT RD SW	FROM NC 179 (BRICK LANDING RD SW) TO SR 1145 (VILLAGE POINT RD SW) [MP 0.00 - MP 1.97]	Resurfacing
4	SR 1147 / TODD RD SW	FROM SR 1151 (BAY RD SW) TO NC 179 (BRICK LANDING RD SW) [MP 0.10 - MP 1.47]	Resurfacing
5	SR 1147 / BAY RD SW	FROM SR 1145 (VILLAGE POINT RD SW) TO SR 1147 (TODD RD SW) [MP 0.00 - MP 0.10]	Resurfacing
6	SR 1151 / BAY RD SW	FROM SR 1147 (TODD RD SW) TO SR 1152 (PIGOTT RD SW) [MP 0.00 - MP 0.73]	Resurfacing
7	SR 1151 / GURGANUS RD SW	FROM SR 1152 (PIGOTT RD SW) TO DEAD END [MP 0.73 - MP 1.31]	Resurfacing



<i>PROJECT LENGTH</i>			
MAP	MILES	MAP	MILES
3	1.97	6	0.73
4	1.37	7	0.58
5	0.10		


Prepared in the Office of:
DIVISION OF HIGHWAYS
 5501 BARBADOS BLVD., CASTLE HAYNE, NC, 28429

This exhibit does not meet NC 47-30 requirements and therefore is not intended for design, construction, or recording or transfer of title.



WBS NO: 2026CPT.03.01.10101, ETC.

CONTRACT: DC00486




STATE OF NORTH CAROLINA
DIVISION OF HIGHWAYS
BRUNSWICK COUNTY

TYPE OF WORK: RESURFACING & PRESERVATION

STATE	STATE PROJECT REFERENCE NUMBER	SHEET NO.
NC	2026CPT.03.01.10101, ETC.	3
STATE PROJECT NUMBER		DESCRIPTION

- Preservation
- Division 3 Bridges

MAP	ROUTE	DESCRIPTION	TYPE
8	SR-1155 / GOOSE CREEK RD SW	FROM SR 1154 (HALE SWAMP RD) TO NC 179 (BEACH DR SW) [MP 0.00 - MP 0.72]	Preservation
9	SR-1296 / N LONG ACRES DR SW	FROM SR 1295 (W LONG ACRES DR SW) TO SR 1297 (E LONG ACRES DR SW) [MP 0.00 - MP 0.05]	Preservation
10	SR-1295 / W LONG ACRES DR SW	FROM SR 1155 (LONG BEACH RD) TO DEAD END [MP 0.00 - MP 0.31]	Preservation
11	SR 1297 / E LONG ACRES DR SW	FROM SR 1155 (LONG BEACH RD) TO DEAD END [MP 0.00 - MP 0.31]	Preservation



<i>PROJECT LENGTH</i>	
MAP	MILES
8	0.72
9	0.05
10	0.31
11	0.31


Prepared in the Office of:
DIVISION OF HIGHWAYS
 5501 BARBADOS BLVD., CASTLE HAYNE, NC, 28429

This exhibit does not meet NC 47-30 requirements and therefore is not intended for design, construction, or recording or transfer of title.



WBS NO: 2026CPT.03.01.10101, ETC.

CONTRACT: DC00486




STATE OF NORTH CAROLINA
DIVISION OF HIGHWAYS
BRUNSWICK COUNTY

TYPE OF WORK: RESURFACING & PRESERVATION

STATE	STATE PROJECT REFERENCE NUMBER	SHEET NO.
NC	2026CPT.03.01.10101, ETC.	4
STATE PROJECT NUMBER		DESCRIPTION

— Preservation

MAP	ROUTE	DESCRIPTION	TYPE
12	SR 1157 / CULPEPPER RD SW	FROM NC 179 (BEACH DR SW) TO SR 1157 (HALE BEACH RD SW) [MP 0.19 - MP 0.70]	Preservation
13	SR 1157 / HALE BEACH RD SW	FROM NC 179 (BEACH DR SW) TO END OF MAINTENANCE [MP 0.00 - MP 0.19]	Preservation
14	SR 1158 / HALE BEACH RD SW	FROM SR 1157 (HALE BEACH RD SW / CULPEPPER RD SW) TO END OF MAINTENANCE [MP 0.00 - MP 0.09]	Preservation
15	SR-1271 / OLD CAUSEWAY DR	FROM SR 1157 (CULPEPPER RD SW) TO CUL DE SAC [MP 0.00 - MP 0.13]	Preservation



PROJECT LENGTH

MAP	MILES
12	0.51
13	0.19
14	0.09
15	0.13

Prepared in the Office of:


DIVISION OF HIGHWAYS
 5501 BARBADOS BLVD., CASTLE HAYNE, NC, 28429

This exhibit does not meet NC 47-30 requirements and therefore is not intended for design, construction, or recording or transfer of title.



WBS NO: 2026CPT.03.01.10101, ETC.

CONTRACT: DC00486



STATE OF NORTH CAROLINA
DIVISION OF HIGHWAYS
BRUNSWICK COUNTY

TYPE OF WORK: RESURFACING & PRESERVATION

STATE	STATE PROJECT REFERENCE NUMBER	SHEET NO.
NC	2026CPT.03.01.10101, ETC.	5
STATE PROJECT NUMBER		DESCRIPTION

— Preservation

MAP	ROUTE	DESCRIPTION	TYPE
16	SR 1185 / PHARVIEW DR SW	FROM NC 179 (BEACH DR SW) TO END OF MAINTENANCE [MP 0.00 - MP 0.46]	Preservation




PROJECT LENGTH	
MAP	MILES
16	0.46

Prepared in the Office of:
DIVISION OF HIGHWAYS
 5501 BARBADOS BLVD., CASTLE HAYNE, NC, 28429


This exhibit does not meet NC 47-30 requirements and therefore is not intended for design, construction, or recording or transfer of title.





TYPICAL SECTION NO. 1

MAP NO. 1
 NC 179 (VILLAGE RD)
 MP 13.92 - MP 15.00



TYPICAL SECTION NO. 2

MAP NO. 1	MAP NO. 2
NC 179 (VILLAGE RD)	SR 1173 (VILLAGE RD)
MP 15.00 - MP 16.23	MP 0.00 - MP 0.27

PAVEMENT SCHEDULE	
C1	PROP. APPROX. 1.5" DEPTH ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5C, AT AN AVERAGE RATE OF 168 LBS. PER SQ.YD.
C2	PROP. APPROX. 1.5" DEPTH ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 165 LBS. PER SQ.YD.
C3	PROP. APPROX. 1" DEPTH ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 110 LBS. PER SQ.YD.
E1	PROP. APPROX. 5" DEPTH ASPHALT CONCRETE BASE COURSE, TYPE B25.0C, AT AN AVERAGE RATE OF 570 LBS. PER SQ.YD.
R1	EXISTING 2'6" CURB & GUTTER
R2	EXISTING MONOLITHIC ISLAND
R3	EXISTING BRIDGE BARRIER RAIL
T1	EARTH MATERIAL (SHOULDER RECONSTRUCTION)
U	EXISTING PAVEMENT
V1	MILLING ASPHALT PAVEMENT, 1" DEPTH

NOTES: MILL A SINGLE LANE AND PAVE BACK BY THE END OF EACH WORK DAY.
 SHOULDER WORK ON MAP NO. 1 - 7 AS NEEDED, TO BE DETERMINED BY ENGINEER.

PAVEMENT EDGE SLOPES ARE 1:1, EXCEPT FINAL SURFACE COURSE. SEE SHOULDER WEDGE DETAIL.

THESE ROUTES WILL HAVE PAVED SHOULDERS

SR	ROAD NAME	LANE WIDTH (LF)
NC 179	VILLAGE RD	12 - 14
	MP 13.92 - MP 15.00	


2024 ROADWAY ENGLISH STANDARD DRAWINGS
 The following Roadway Standards as appear in "Roadway Standard Drawings" Highway Design Branch - N.C. Department of Transportation - Raleigh, N.C., Dated January, 2024 are applicable to this project and by reference hereby are considered a part of these plans:
 STD.NO. TITLE
 DIVISION 8 - INCIDENTALS
 846.01 Concrete Curb, Gutter and Curb & Gutter
 DIVISION 12 - PVT MARKING, MARKERS AND DELINEATION
 1205.08 Pavement Markings - Symbols & Word Messages

EFF.01-16-2024 REV.

REVISIONS


8/17/99

\$\$\$\$\$SYTIME\$\$\$\$\$
 \$\$\$\$DESIGN\$\$\$\$\$
 \$\$\$\$NAME\$\$\$\$\$



TYPICAL SECTION NO. 3

MAP NO. 3
 SR 1152 (PIGOTT RD SW)
 MP 0.00 - MP 1.97



TYPICAL SECTION NO. 4

MAP NO. 4
 SR 1147 (TODD RD SW)
 MP 0.10 - MP 1.47

PAVEMENT SCHEDULE	
C2	PROP. APPROX. 1.5" DEPTH ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 165 LBS. PER SQ.YD.
E1	PROP. APPROX. 5" DEPTH ASPHALT CONCRETE BASE COURSE, TYPE B25.0C, AT AN AVERAGE RATE OF 570 LBS. PER SQ.YD.
T1	EARTH MATERIAL (SHOULDER RECONSTRUCTION)
U	EXISTING PAVEMENT

NOTES: MILL A SINGLE LANE AND PAVE BACK BY THE END OF EACH WORK DAY.

SHOULDER WORK ON MAP NO. 1 - 7 AS NEEDED, TO BE DETERMINED BY ENGINEER.


PAVEMENT EDGE SLOPES ARE 1:1, EXCEPT FINAL SURFACE COURSE. SEE SHOULDER WEDGE DETAIL.

THESE ROUTES WILL HAVE PAVED SHOULDERS

SR	ROAD NAME	LANE WIDTH (LF)
1152	PIGOTT RD SW	10
1147	TODD RD SW	10

REVISIONS

8/17/99
 SYSTEMS DESIGN
 PLANNER



TYPICAL SECTION NO. 5

MAP NO. 5
SR 1147 (BAY RD SW)
MP 0.00 - MP 0.10

MAP NO. 6
SR 1151 (BAY RD SW)
MP 0.00 - MP 0.73


MAP NO. 7
SR 1151 (GURGANUS RD SW)
MP 0.73 - MP 1.31

PAVEMENT SCHEDULE	
C2	PROP. APPROX. 1.5" DEPTH ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 165 LBS. PER SQ.YD.
C3	PROP. APPROX. 1" DEPTH ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 110 LBS. PER SQ.YD.
E1	PROP. APPROX. 5" DEPTH ASPHALT CONCRETE BASE COURSE, TYPE B25.0C, AT AN AVERAGE RATE OF 570 LBS. PER SQ.YD.
T1	EARTH MATERIAL (SHOULDER RECONSTRUCTION)
U	EXISTING PAVEMENT

NOTES: MILL A SINGLE LANE AND PAVE BACK BY THE END OF EACH WORK DAY.

SHOULDER WORK ON MAP NO. 1 - 7 AS NEEDED, TO BE DETERMINED BY ENGINEER.

PAVEMENT EDGE SLOPES ARE 1:1, EXCEPT FINAL SURFACE COURSE. SEE SHOULDER WEDGE DETAIL.



TYPICAL SECTION NO. 6

MAP NO. 9
SR 1296 (N LONG ACRES DR SW)
MP 0.00 - MP 0.05

MAP NO. 10
SR 1295 (W LONG ACRES DR SW)
MP 0.00 - MP 0.31

MAP NO. 11
SR 1297 (E LONG ACRES DR SW)
MP 0.00 - MP 0.31

MAP NO. 12
SR 1157 (CULPEPPER RD SW)
MP 0.19 - MP 0.70

MAP NO. 13
SR 1157 (HALE BEACH RD SW)
MP 0.00 - MP 0.19

MAP NO. 14
SR 1158 (HALE BEACH RD SW)
MP 0.00 - MP 0.09

MAP NO. 15
SR 1271 (OLD CAUSEWAY DR)
MP 0.00 - MP 0.13

MAP NO. 16
SR 1185 (PHARVIEW DR SW)
MP 0.00 - MP 0.46

THESE ROUTES WILL HAVE PAVED SHOULDERS


SR	ROAD NAME	LANE WIDTH (LF)
1147	BAY RD SW	9
1151	BAY RD SW	9
1151	GURGANUS RD SW	9

REVISIONS

8/17/99


SYSTEMS DESIGN

PAVEMENT SCHEDULE	
C3	PROP. APPROX. 1" DEPTH ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 110 LBS. PER SQ.YD.
R3	EXISTING BRIDGE BARRIER RAIL
U	EXISTING PAVEMENT
V1	MILLING ASPHALT PAVEMENT, 1" DEPTH




TYPICAL SECTION NO. 7

MAP NO. 8
SR 1155 (GOOSE CREEK RD SW)
MP 0.00 - MP 0.72



TYPICAL SECTION NO. 8

MAP NO. 8
SR 1155 (GOOSE CREEK RD SW)
BRUNSWICK BRIDGE #0190
MP 0.45 - MP 0.47



MAP 8: BRIDGE #0190 - SR 1155 (GOOSE CREEK RD SW)

REVISIONS

8/17/99


SYSTEMS DESIGN
NAME

STATE OF NORTH CAROLINA
DEPT. OF TRANSPORTATION
DIVISION OF HIGHWAYS
RALEIGH, N.C.


ENGLISH DETAIL DRAWING FOR
MANHOLE AND VALVE BOX ADJUSTMENTS

GENERAL NOTES:


1. USE RAPID SET GROUT, MORTAR, OR CONCRETE THAT WILL TAKE FULL SET AND BECOME LOAD BEARING WITHIN SIXTY MINUTES OF PLACEMENT WITH A MINIMUM COMPRESSIVE STRENGTH OF 4000 PSI.
2. REMOVE ALL FAULTY EXISTING BRICKWORK AND REPLACE WITH NEW BRICK MASONRY.
3. SHEER CUT EXCAVATION FOR THE ADJUSTMENT ON ALL SIDES.
4. FILL AREA BELOW 8" DEPTH WITH 78M OR NO. 57 CLEAN STONE.
5. MIX MORTAR TO NCDOT SPECIFICATIONS.
6. MORTAR JOINTS $\frac{1}{2}$ " +/- $\frac{1}{8}$ "
7. CONSTRUCT AN ASPHALT RAMP IN ACCORDANCE WITH SECTION 858-3 OF THE 2024 STANDARD SPECIFICATIONS.



MANHOLE CONCRETE ENCASEMENT



VALVE BOX CONCRETE ENCASEMENT



ELEVATION VIEW

PLACE BRICK ACCORDING TO ELEVATION VIEW

STATE OF NORTH CAROLINA
DEPT. OF TRANSPORTATION
DIVISION OF HIGHWAYS
RALEIGH, N.C.

ENGLISH DETAIL DRAWING FOR
MANHOLE AND VALVE BOX ADJUSTMENTS


REVISIONS

840055


840055

SYSTEMS
DRAWING
NAME


DETAILS OF REPAIRING EXISTING PAVEMENT PRIOR TO RESURFACING FOR FULL DEPTH AND MILLING




DETAIL NO. 1




DETAIL NO. 2



DETAIL NO. 3



DETAIL NO. 4




DETAIL NO. 5

REVISIONS


8/17/99

SYSTEM TIME 11:55:55 AM 8/17/99


- NOTES:
- 1) DETAIL DOES NOT APPLY TO OGAFC AND ULTRA-THIN BONDED WEARING COURSE.
 - 2) BACKFILL SHOULDER WITH APPROVED MATERIAL.
 - 3) THE SHOULDER WEDGE DEVICE MAY BE DISENGAGED AT PAVED DRIVEWAYS, SIDE STREETS, HIGH SHOULDERS, AND OTHER LOCATIONS NOT FEASIBLE TO CONSTRUCT AS APPROVED BY THE ENGINEER.



SHOULDER WEDGE DETAIL
(Resurfacing Projects w/ Widening or with Existing Paved Shoulder having no dropoffs)



SHOULDER WEDGE DETAIL
(Resurfacing Projects w/ NO Widening)



SHOULDER WEDGE DETAIL
(Resurfacing Adjacent to Rutted Shoulder)

- SHOULDER WEDGE ANGLE = 30°

CONTRACT STANDARDS AND DEVELOPMENT UNIT			
Office 919-707-6950		FAX 919-250-4119	
SHOULDER WEDGE DETAILS			
ORIGINAL BY: T.SPELL	DATE: 7-19-11		
MODIFIED BY:	DATE: 2/2/16		
CHECKED BY:	DATE:		
FILE SPEC.: s:\usr\details\stand\shoulderwedgedetail.dgn			

27 JUN 2018 13:22
 s:\usr\details\stand\shoulderwedgedetail.dgn
 3\Sampson August 2018 Revised Shoulder Wedge Detail.dgn
 2026CPT.03.01.10101, ETC.

DIVISION OF HIGHWAYS
STATE OF NORTH CAROLINA



SOIL STABILIZATION TIMEFRAMES

<i>SITE DESCRIPTION</i>	<i>STABILIZATION TIME</i>	<i>TIMEFRAME EXCEPTIONS</i>
PERIMETER DIKES, SWALES, DITCHES AND SLOPES	7 DAYS	NONE
HIGH QUALITY WATER (HQW) ZONES	7 DAYS	NONE
SLOPES STEEPER THAN 3:1	7 DAYS	IF SLOPES ARE 10' OR LESS IN LENGTH AND ARE NOT STEEPER THAN 2:1, 14 DAYS ARE ALLOWED.
SLOPES 3:1 OR FLATTER	14 DAYS	7 DAYS FOR SLOPES GREATER THAN 50' IN LENGTH.
ALL OTHER AREAS WITH SLOPES FLATTER THAN 4:1	14 DAYS	NONE, EXCEPT FOR PERIMETERS AND HQW ZONES.

NOTES: Less than 5' - 10' undisturbed buffer from ROW, ditchline, water feature, or drainage inlet, add BMP.

BMP Options: Wattle or Silt Fence


EROSION CONTROL DETAIL



Use BMP's if shoulders and/or frontslopes and/or ditchline and/or backslopes are disturbed



< 5' - 10' Undisturbed buffer from inlet, add wattle




NOT TO SCALE

SIGNING FOR RESURFACING PROJECTS

LEGEND

┃ STATIONARY SIGN

← DIRECTION OF TRAFFIC FLOW



MAINLINE (-L-) SIGNING

-Y- LINE SIGNING

SIGNING NOTES AND PLACEMENT PER DIRECTION	1	 <small>W20-1 48" X 48"</small>	PLACE 1000' PRIOR TO BEGINNING OF CONSTRUCTION LIMITS. ONLY USED ON -Y- LINES IF RESURFACING LIMITS EXTEND 1000' ALONG -Y- LINE.	
	2	 <small>NEXT XX MILES W7-3aP 24" X 18"</small>	#2 SIGN ONLY USED WHEN CONSTRUCTION LIMITS ARE 2 OR MORE MILES IN LENGTH. ROUND UP TO NEXT WHOLE NUMBER. (NO FRACTIONAL OR DECIMAL NUMBERS)	
	3	 <small>SP 13107 48" X 48"</small>	- PLACE INITIALLY AT THE CONSTRUCTION LIMITS AND SPACE 1 MILE APART THEREAFTER. - AT TEE INTERSECTIONS INSTALL INITIALLY 1/2 MILE FROM INTERSECTION AND SPACE 1 MILE APART THEREAFTER.	
	4	 <small>SP 13106 48" X 48"</small>	- THESE ARE FOR -Y- LINES THAT ARE "THROUGH" ROADWAYS. - DEAD END AND SUBDIVISION ROADS ARE NOT "THROUGH" ROADWAYS. - INSTALL 500' +/- FROM EACH -Y- LINE APPROACH AS SHOWN ABOVE. - FOR MULTIPLE -Y- LINES THAT ARE SEPARATED BY 0.25 MILES OR LESS, TREAT AS A SINGLE UNIT AND INSTALL WITHIN 500' OF EACH APPROACH. - A MAXIMUM OF 2 SIGN SETS PER MILE. DO NOT INSTALL WHEN -Y- LINES ARE WITHIN 0.5 MILES FROM "END ROAD WORK" SIGN. - FOR TEE INTERSECTIONS, INSTALL WITHIN 500' +/- OF THE INTERSECTION ALONG -L- LINE.	
	5	 <small>G20-2 A 48" X 24"</small>	PLACE 500' FOLLOWING THE END OF CONSTRUCTION LIMITS OR AS SHOWN WHEN WORK ENDS AT A 3-WAY TEE INTERSECTION.	

NO REQUIRED STATIONARY SIGNING FOR THE FOLLOWING -Y- LINE CONDITIONS:

- 1) LESS THAN 1000' OF RESURFACING ALONG -Y- LINE
- 2) SUBDIVISION ROADS
- 3) DEAD END ROADS

WHEN PAVING/CONSTRUCTION ACTIVITIES PROCEED ACROSS AN UNSIGNED -Y- LINE, PORTABLE ADVANCE WARNING SIGNS SHALL BE USED ALONG THE -Y- LINE AS SHOWN BELOW. REMOVE UPON COMPLETION OF WORK.


W20-1
48" X 48"
 PLACED 500' IN ADVANCE OF FLAGGER.

W20-7 A
48" X 48"
 PLACED 250' IN ADVANCE OF FLAGGER.

THE ABOVE SIGNS ARE ALL THAT ARE REQUIRED FOR A CONTRACTOR TO BEGIN A RESURFACING CONTRACT. ANY ADDITIONAL SIGNS REQUESTED BY NCDOT DIVISIONS SHALL BE INSTALLED WITHIN 7 BUSINESS DAYS OF THE START OF CONTRACT WORK.

MAPS LESS THAN 2 MILES

FOR RESURFACING MAPS WITH CONSTRUCTION LIMITS LESS THAN 2 MILES IN LENGTH, NO STATIONARY SIGNS ARE REQUIRED. USE PORTABLE "ROAD UNDER CONSTRUCTION" OR "ROAD WORK AHEAD" SIGNS IN LIEU OF STATIONARY ADVANCE WARNINGS SIGNS.



ADVANCE WARNING SIGNS FOR RURAL AND SUBURBAN 2-LANE ROADWAY RESURFACING

PROJECT NO.	SHEET NO.
2026CPT.03.01.10101, ETC.	14

SUMMARY OF QUANTITIES

PROJECT NO	COUNTY	MAP NO	ROUTE	DESCRIPTION	TYP NO	LANES	LANE TYPE	LENGTH	WIDTH	BEGIN MP	END MP	0106000000-E	1220000000-E	1245000000-E	1297000000-E	1308000000-E	1330000000-E	1491000000-E	1519000000-E	1523000000-E		
												BORROW EXCAVATION	INCIDENTAL STONE BASE	SHOULDER RECONSTRUCTION	1" MILLING	0" - 1.5" MILLING (GENERIC)	0" - 1" MILLING	INCIDENTAL MILLING	BASE COURSE, B25.0C	SURFACE COURSE, S9.5B	SURFACE COURSE, S9.5C	
												CY	TON	SMI	SY	SY	SY	SY	TONS	TON	TON	
2026CPT.03.01.10101	Brunswick	1	NC-179 / VILLAGE RD	FROM SR 1163 (HALE SWAMP RD) TO US 17 BUS (MAIN ST)	1,2	2	2WU	2.31	28-40	13.92	16.23	116		0.95		8,370		572		4,338		
TOTAL FOR MAP NO. 1								2.31				116		0.95		8,370		572		4,338		
TOTAL FOR PROJ NO. 2026CPT.03.01.10101								2.31				116		0.95		8,370		572		4,338		
																8,370						
206CPT.03.01.20101	Brunswick	2	SR-1173 / VILLAGE RD	FROM NC 179 (VILLAGE RD) TO US 17 BUS (MAIN ST)	2	2	2WU	0.27	39-43	0	0.27					1,796				515		
TOTAL FOR MAP NO. 2								0.27								1,796				515		
206CPT.03.01.20101	Brunswick	3	SR-1152 / PIGOTT RD SW	FROM NC 179 (BRICK LANDING RD SW) TO SR 1145 (VILLAGE POINT RD SW)	3	2	2WU	1.97	22	0	1.97	237	144	3.90				248		2,241		
TOTAL FOR MAP NO. 3								1.97				237	144	3.90				248		2,241		
206CPT.03.01.20101	Brunswick	4	SR-1147 / TODD RD SW	FROM SR 1151 (BAY RD SW) TO NC 179 (BRICK LANDING RD SW)	4	2	2WU	1.37	22	0.1	1.47	164	54	2.70				63	463	1,526		
TOTAL FOR MAP NO. 4								1.37				164	54	2.70				63	463	1,526		
206CPT.03.01.20101	Brunswick	5	SR-1147 / BAY RD SW	FROM SR 1145 (VILLAGE POINT RD SW) TO SR 1147 (TODD RD SW)	5	2	2WU	0.1	22	0	0.1	11	2	0.18				63	64	119		
TOTAL FOR MAP NO. 5								0.1				11	2	0.18				63	64	119		
206CPT.03.01.20101	Brunswick	6	SR-1151 / BAY RD SW	FROM SR 1147 (TODD RD SW) TO SR 1152 (PIGOTT RD SW)	5	2	2WU	0.73	22	0	0.73	85	42	1.40				63	477	801		
TOTAL FOR MAP NO. 6								0.73				85	42	1.40				63	477	801		
206CPT.03.01.20101	Brunswick	7	SR-1151 / GURGANUS RD SW	FROM SR 1152 (PIGOTT RD SW) TO DEAD END	5	2	2WU	0.58	22	0.73	1.31	70	76	1.15					402	524		
TOTAL FOR MAP NO. 7								0.58				70	76	1.15					402	524		
TOTAL FOR PROJ NO. 206CPT.03.01.20101								5.02				567	318	9.33			1,796		437	1,406	5,211	515
																1,796						
2026CPT.03.06.20102	Brunswick	8	SR-1155 / GOOSE CREEK RD SW	FROM SR 1154 (HALE SWAMP RD) TO NC 179 (BEACH DR SW)	7,8	2	2WU	0.72	20	0	0.72		16		466			225		456		
TOTAL FOR MAP NO. 8								0.72					16		466			225		456		
2026CPT.03.06.20102	Brunswick	9	SR-1296 / N. LONG ACRES DR SW	FROM SR 1295 (W LONG ACRES DR SW) TO SR 1297 (E LONG ACRES DR SW)	6	2	2WU	0.05	17	0	0.05		2							26		
TOTAL FOR MAP NO. 9								0.05					2							26		
2026CPT.03.06.20102	Brunswick	10	SR-1295 / W. LONG ACRES DR SW	FROM SR 1155 (LONG BEACH RD) TO DEAD END	6	2	2WU	0.31	18	0	0.31		58					51		185		
TOTAL FOR MAP NO. 10								0.31					58					51		185		
2026CPT.03.06.20102	Brunswick	11	SR-1297 / E. LONG ACRES DR SW	FROM SR 1155 (LONG BEACH RD) TO DEAD END	6	2	2WU	0.31	18	0	0.31		52					51		184		
TOTAL FOR MAP NO. 11								0.31					52					51		184		
2026CPT.03.06.20102	Brunswick	12	SR-1157 / CULPEPPER RD SW	FROM NC 179 (BEACH DR SW) TO SR 1157 (HALE BEACH RD SW)	6	2	2WU	0.51	20	0.185	0.7		68					249		336		
TOTAL FOR MAP NO. 12								0.51					68					249		336		
2026CPT.03.06.20102	Brunswick	13	SR-1157 / HALE BEACH RD SW	FROM NC 179 (BEACH DR SW) TO END OF MAINTENANCE	5	2	2WU	0.19	18	0	0.19							129		111		
TOTAL FOR MAP NO. 13								0.19										129		111		
2026CPT.03.06.20102	Brunswick	14	SR-1158 / HALE BEACH RD SW	FROM SR 1157 (HALE BEACH RD SW / CULPEPPER RD SW) TO END OF MAINTENANCE	6	2	2WU	0.09	18	0	0.09		8					103		48		
TOTAL FOR MAP NO. 14								0.09					8					103		48		
2026CPT.03.06.20102	Brunswick	15	SR-1271 / OLD CAUSEWAY DR	FROM SR 1157 (CULPEPPER RD SW) TO CUL DE SAC	6	2	2WU	0.13	21	0	0.13							200		92		
TOTAL FOR MAP NO. 15								0.13										200		92		
2026CPT.03.06.20102	Brunswick	16	SR-1185 PHARVIEW DR SW	FROM NC 179 (BEACH DR SW) TO DEAD END	6	2	2WU	0.46	20	0	0.46		2					125		311		
TOTAL FOR MAP NO. 16								0.46					2				125		311			
TOTAL FOR PROJ NO. 2026CPT.03.06.20102								2.77					206		466		200		933		1,749	
																200						
GRAND TOTAL								10.10					683	524	10.28	466	10,166	200	1,942	1,406	6,960	4,853
																10,366						

PROJECT NO.	SHEET NO.
2026CPT.03.01.10101, ETC.	15

SUMMARY OF QUANTITIES

PROJECT NO	COUNTY	MAP NO	ROUTE	DESCRIPTION	TYP NO	LANES	LANE TYPE	LENGTH	WIDTH	BEGIN MP	END MP	1575000000-E	1705500000-E	2845000000-N	5255000000-N	6000000000-E	6009000000-E	6012000000-E	6015000000-E	6018000000-E	
												ASPHALT BINDER FOR PLANT MIX	PATCHING EXISTING PAVEMENT (MILL)	ADJUSTMENT OF METER OR VALVE BOX	PORTABLE LIGHTING	TEMPORARY SILT FENCE	STONE FOR EC CLASS B	SEDIMENT CONTROL STONE	TEMPORARY MULCHING	SEED FOR TEMPORARY SEEDING	
												TON	TON	EA	LS	LF	TON	TON	ACR	LBS	
2026CPT.03.01.10101	Brunswick	1	NC-179 / VILLAGE RD	FROM SR 1163 (HALE SWAMP RD) TO US 17 BUS (MAIN ST)	1,2	2	2WU	2.31	28-40	13.92	16.23	273	350		0.80	230	58	58	2.50	115	
TOTAL FOR MAP NO. 1								2.31				273	350		0.80	230	58	58	2.50	115	
TOTAL FOR PROJ NO. 2026CPT.03.01.10101								2.31				273	350		0.80	230	58	58	2.50	115	
206CPT.03.01.20101	Brunswick	2	SR-1173 / VILLAGE RD	FROM NC 179 (VILLAGE RD) TO US 17 BUS (MAIN ST)	2	2	2WU	0.27	39-43	0	0.27	33	48	3	0.20	230	58	58	2.00		
TOTAL FOR MAP NO. 2								0.27				33	48	3	0.20	230	58	58	2.00		
206CPT.03.01.20101	Brunswick	3	SR-1152 / PIGOTT RD SW	FROM NC 179 (BRICK LANDING RD SW) TO SR 1145 (VILLAGE POINT RD SW)	3	2	2WU	1.97	22	0	1.97	157	244			200	49	49	2.00		
TOTAL FOR MAP NO. 3								1.97				157	244			200	49	49	2.00		
206CPT.03.01.20101	Brunswick	4	SR-1147 / TODD RD SW	FROM SR 1151 (BAY RD SW) TO NC 179 (BRICK LANDING RD SW)	4	2	2WU	1.37	22	0.1	1.47	132	255			140	35	35	1.50	70	
TOTAL FOR MAP NO. 4								1.37				132	255			140	35	35	1.50	70	
206CPT.03.01.20101	Brunswick	5	SR-1147 / BAY RD SW	FROM SR 1145 (VILLAGE POINT RD SW) TO SR 1147 (TODD RD SW)	5	2	2WU	0.1	22	0	0.1	11				10	2	2	0.10	5	
TOTAL FOR MAP NO. 5								0.1				11			10	2	2	0.10	5		
206CPT.03.01.20101	Brunswick	6	SR-1151 / BAY RD SW	FROM SR 1147 (TODD RD SW) TO SR 1152 (PIGOTT RD SW)	5	2	2WU	0.73	22	0	0.73	84	214			75	18	18	0.75	35	
TOTAL FOR MAP NO. 6								0.73				84	214			75	18	18	0.75	35	
206CPT.03.01.20101	Brunswick	7	SR-1151 / GURGANUS RD SW	FROM SR 1152 (PIGOTT RD SW) TO DEAD END	5	2	2WU	0.58	22	0.73	1.31	55	63								
TOTAL FOR MAP NO. 7								0.58				55	63								
TOTAL FOR PROJ NO. 206CPT.03.01.20101								5.02				472	824	3	0.20	655	162	162	6.35	110	
2026CPT.03.06.20102	Brunswick	8	SR-1155 / GOOSE CREEK RD SW	FROM SR 1154 (HALE SWAMP RD) TO NC 179 (BEACH DR SW)	7,8	2	2WU	0.72	20	0	0.72	35	114								
TOTAL FOR MAP NO. 8								0.72				35	114								
2026CPT.03.06.20102	Brunswick	9	SR-1296 / N. LONG ACRES DR SW	FROM SR 1295 (W LONG ACRES DR SW) TO SR 1297 (E LONG ACRES DR SW)	6	2	2WU	0.05	17	0	0.05	2	4	1							
TOTAL FOR MAP NO. 9								0.05				2	4	1							
2026CPT.03.06.20102	Brunswick	10	SR-1295 / W. LONG ACRES DR SW	FROM SR 1155 (LONG BEACH RD) TO DEAD END	6	2	2WU	0.31	18	0	0.31	14	44								
TOTAL FOR MAP NO. 10								0.31				14	44								
2026CPT.03.06.20102	Brunswick	11	SR-1297 / E. LONG ACRES DR SW	FROM SR 1155 (LONG BEACH RD) TO DEAD END	6	2	2WU	0.31	18	0	0.31	15	64								
TOTAL FOR MAP NO. 11								0.31				15	64								
2026CPT.03.06.20102	Brunswick	12	SR-1157 / CULPEPPER RD SW	FROM NC 179 (BEACH DR SW) TO SR 1157 (HALE BEACH RD SW)	6	2	2WU	0.51	20	0.185	0.7	25	59								
TOTAL FOR MAP NO. 12								0.51				25	59								
2026CPT.03.06.20102	Brunswick	13	SR-1157 / HALE BEACH RD SW	FROM NC 179 (BEACH DR SW) TO END OF MAINTENANCE	5	2	2WU	0.19	18	0	0.19	9	40								
TOTAL FOR MAP NO. 13								0.19				9	40								
2026CPT.03.06.20102	Brunswick	14	SR-1158 / HALE BEACH RD SW	FROM SR 1157 (HALE BEACH RD SW / CULPEPPER RD SW) TO END OF MAINTENANCE	6	2	2WU	0.09	18	0	0.09	4	24								
TOTAL FOR MAP NO. 14								0.09				4	24								
2026CPT.03.06.20102	Brunswick	15	SR-1271 / OLD CAUSEWAY DR	FROM SR 1157 (CULPEPPER RD SW) TO CUL DE SAC	6	2	2WU	0.13	21	0	0.13	7	29								
TOTAL FOR MAP NO. 15								0.13				7	29								
2026CPT.03.06.20102	Brunswick	16	SR-1185 PHARVIEW DR SW	FROM NC 179 (BEACH DR SW) TO DEAD END	6	2	2WU	0.46	20	0	0.46	22	40								
TOTAL FOR MAP NO. 16								0.46				22	40								
TOTAL FOR PROJ NO. 2026CPT.03.06.20102								2.77				133	418	1							
GRAND TOTAL								10.10				878	1,592	4	1.00	885	220	220	8.85	225	

PROJECT NO.	SHEET NO.
2026CPT.03.01.10101, ETC.	16

SUMMARY OF QUANTITIES

PROJECT NO	COUNTY	MAP NO	ROUTE	DESCRIPTION	TYP NO	LANES	LANE TYPE	LENGTH	WIDTH	BEGIN	END	6021000000-E	6036000000-E	6042000000-E	6071010000-E	6084000000-E	6090000000-E	6093000000-E	6117000000-N	7444000000-E		
								MI	FT	MP	MP	FERTILIZER FOR TEMPORARY SEEDING	MATting FOR EROSION CONTROL	1/4" HARDWARE CLOTH	WATTLE	SEED & MULCHING	SEED FOR REPAIR SEEDING	FERTILIZER FOR REPAIR SEEDING	RESPONSE FOR EROSION CONTROL	INDUCTIVE LOOP SAWCUT		
								TON				TON	SY	LF	LF	AC	LB	TON	EA	LF		
2026CPT.03.01.10101	Brunswick	1	NC-179 / VILLAGE RD	FROM SR 1163 (HALE SWAMP RD) TO US 17 BUS (MAIN ST)	1,2	2	2WU	2.31	28-40	13.92	16.23	0.50	20	115	40	2.00	115	0.50	4	1,215		
TOTAL FOR MAP NO. 1								2.31				0.50	20	115	40	2.00	115	0.50	4	1,215		
TOTAL FOR PROJ NO. 2026CPT.03.01.10101								2.31				0.50	20	115	40	2.00	115	0.50	4	1,215		
206CPT.03.01.20101	Brunswick	2	SR-1173 / VILLAGE RD	FROM NC 179 (VILLAGE RD) TO US 17 BUS (MAIN ST)	2	2	2WU	0.27	39-43	0	0.27	0.50	20	115	40	2.00	230	0.50	2			
TOTAL FOR MAP NO. 2								0.27				0.50	20	115	40	2.00	230	0.50	2			
206CPT.03.01.20101	Brunswick	3	SR-1152 / PIGOTT RD SW	FROM NC 179 (BRICK LANDING RD SW) TO SR 1145 (VILLAGE POINT RD SW)	3	2	2WU	1.97	22	0	1.97	0.50	20	100		2.00	100	0.50	4			
TOTAL FOR MAP NO. 3								1.97				0.50	20	100		2.00	100	0.50	4			
206CPT.03.01.20101	Brunswick	4	SR-1147 / TODD RD SW	FROM SR 1151 (BAY RD SW) TO NC 179 (BRICK LANDING RD SW)	4	2	2WU	1.37	22	0.1	1.47	0.30	20	70	30	1.50	70	0.30	4			
TOTAL FOR MAP NO. 4								1.37				0.30	20	70	30	1.50	70	0.30	4			
206CPT.03.01.20101	Brunswick	5	SR-1147 / BAY RD SW	FROM SR 1145 (VILLAGE POINT RD SW) TO SR 1147 (TODD RD SW)	5	2	2WU	0.1	22	0	0.1	0.10	10	5	10	0.10	5	0.10	2			
TOTAL FOR MAP NO. 5								0.1				0.10	10	5	10	0.10	5	0.10	2			
206CPT.03.01.20101	Brunswick	6	SR-1151 / BAY RD SW	FROM SR 1147 (TODD RD SW) TO SR 1152 (PIGOTT RD SW)	5	2	2WU	0.73	22	0	0.73	0.20	20	35	20	0.75	35	0.20	2			
TOTAL FOR MAP NO. 6								0.73				0.20	20	35	20	0.75	35	0.20	2			
206CPT.03.01.20101	Brunswick	7	SR-1151 / GURGANUS RD SW	FROM SR 1152 (PIGOTT RD SW) TO DEAD END	5	2	2WU	0.58	22	0.73	1.31											
TOTAL FOR MAP NO. 7								0.58														
TOTAL FOR PROJ NO. 206CPT.03.01.20101								5.02				1.60	90	325	100	6.35	440	1.60	14			
2026CPT.03.06.20102	Brunswick	8	SR-1155 / GOOSE CREEK RD SW	FROM SR 1154 (HALE SWAMP RD) TO NC 179 (BEACH DR SW)	7,8	2	2WU	0.72	20	0	0.72											
TOTAL FOR MAP NO. 8								0.72														
2026CPT.03.06.20102	Brunswick	9	SR-1296 / N. LONG ACRES DR SW	FROM SR 1295 (W LONG ACRES DR SW) TO SR 1297 (E LONG ACRES DR SW)	6	2	2WU	0.05	17	0	0.05											
TOTAL FOR MAP NO. 9								0.05														
2026CPT.03.06.20102	Brunswick	10	SR-1295 / W. LONG ACRES DR SW	FROM SR 1155 (LONG BEACH RD) TO DEAD END	6	2	2WU	0.31	18	0	0.31											
TOTAL FOR MAP NO. 10								0.31														
2026CPT.03.06.20102	Brunswick	11	SR-1297 / E. LONG ACRES DR SW	FROM SR 1155 (LONG BEACH RD) TO DEAD END	6	2	2WU	0.31	18	0	0.31											
TOTAL FOR MAP NO. 11								0.31														
2026CPT.03.06.20102	Brunswick	12	SR-1157 / CULPEPPER RD SW	FROM NC 179 (BEACH DR SW) TO SR 1157 (HALE BEACH RD SW)	6	2	2WU	0.51	20	0.185	0.7									200		
TOTAL FOR MAP NO. 12								0.51													200	
2026CPT.03.06.20102	Brunswick	13	SR-1157 / HALE BEACH RD SW	FROM NC 179 (BEACH DR SW) TO END OF MAINTENANCE	5	2	2WU	0.19	18	0	0.19											
TOTAL FOR MAP NO. 13								0.19														
2026CPT.03.06.20102	Brunswick	14	SR-1158 / HALE BEACH RD SW	FROM SR 1157 (HALE BEACH RD SW / CULPEPPER RD SW) TO END OF MAINTENANCE	6	2	2WU	0.09	18	0	0.09											
TOTAL FOR MAP NO. 14								0.09														
2026CPT.03.06.20102	Brunswick	15	SR-1271 / OLD CAUSEWAY DR	FROM SR 1157 (CULPEPPER RD SW) TO CUL DE SAC	6	2	2WU	0.13	21	0	0.13											
TOTAL FOR MAP NO. 15								0.13														
2026CPT.03.06.20102	Brunswick	16	SR-1185 PHARVIEW DR SW	FROM NC 179 (BEACH DR SW) TO DEAD END	6	2	2WU	0.46	20	0	0.46											
TOTAL FOR MAP NO. 16								0.46														
TOTAL FOR PROJ NO. 2026CPT.03.06.20102								2.77														200
GRAND TOTAL								10.10				2.10	110	440	140	8.35	555	2.10	18	1,415		

PROJECT NO.	SHEET NO.
2026CPT.03.01.10101, ETC.	17

THERMOPLASTIC AND PAINT QUANTITIES

PROJECT NO	COUNTY	MAP NO	ROUTE	DESCRIPTION	TYP NO	LANES	LANE TYPE	LENGTH	WIDTH	BEGIN MP	END MP	4413000000-E	4457000000-N	4510000000-N	4685000000-E		4688000000-E		4695000000-E	4709000000-E	
								MI	FT			WORK ZONE ADVANCE/GENERAL WARNING SIGNING	TEMPORARY TRAFFIC CONTROL	LAW ENFORCEMENT	4" X 90 M YELLOW THERMO	4" X 90 M WHITE THERMO	6" X 90 M YELLOW THERMO	6" X 90 M WHITE THERMO	8" X 90 M YELLOW THERMO	THERMOPLASTIC PAVEMENT MARKING LINES (24" X 90 MILS)	
2026CPT.03.01.10101	Brunswick	1	NC-179 / VILLAGE RD	FROM SR 1163 (HALE SWAMP RD) TO US 17 BUS (MAIN ST)	1,2	2	2WU	2.31	28-40	13.92	16.23	240	0.24	60			29,158	11,795	500	82	
TOTAL FOR MAP NO. 1								2.31				240	0.24	60			29,158	11,795	500	82	
TOTAL FOR PROJ NO. 2026CPT.03.01.10101								2.31				240	0.24	60			29,158	11,795	500	82	
																40,953					
206CPT.03.01.20101	Brunswick	2	SR-1173 / VILLAGE RD	FROM NC 179 (VILLAGE RD) TO US 17 BUS (MAIN ST)	2	2	2WU	0.27	39-43	0	0.27	64	0.03	20			3,274	130		52	
TOTAL FOR MAP NO. 2								0.27				64	0.03	20			3,274	130		52	
206CPT.03.01.20101	Brunswick	3	SR-1152 / PIGOTT RD SW	FROM NC 179 (BRICK LANDING RD SW) TO SR 1145 (VILLAGE POINT RD SW)	3	2	2WU	1.97	22	0	1.97	224	0.20		13,560	20,472					
TOTAL FOR MAP NO. 3								1.97				224	0.20		13,560	20,472					
206CPT.03.01.20101	Brunswick	4	SR-1147 / TODD RD SW	FROM SR 1151 (BAY RD SW) TO NC 179 (BRICK LANDING RD SW)	4	2	2WU	1.37	22	0.1	1.47		0.14		9,757	14,180					
TOTAL FOR MAP NO. 4								1.37					0.14		9,757	14,180					
206CPT.03.01.20101	Brunswick	5	SR-1147 / BAY RD SW	FROM SR 1145 (VILLAGE POINT RD SW) TO SR 1147 (TODD RD SW)	5	2	2WU	0.10	22	0	0.1		0.01		980	980					
TOTAL FOR MAP NO. 5								0.10					0.01		980	980					
206CPT.03.01.20101	Brunswick	6	SR-1151 / BAY RD SW	FROM SR 1147 (TODD RD SW) TO SR 1152 (PIGOTT RD SW)	5	2	2WU	0.73	22	0	0.73		0.07		4,809	7,312					
TOTAL FOR MAP NO. 6								0.73					0.07		4,809	7,312					
206CPT.03.01.20101	Brunswick	7	SR-1151 / GURGANUS RD SW	FROM SR 1152 (PIGOTT RD SW) TO DEAD END	5	2	2WU	0.58	22	0.73	1.31		0.06								
TOTAL FOR MAP NO. 7								0.58					0.06								
TOTAL FOR PROJ NO. 206CPT.03.01.20101								5.02				288	0.51	20	29,106	42,944	3,274	130			52
																72,050		3,404			
2026CPT.03.06.20102	Brunswick	8	SR-1155 / GOOSE CREEK RD SW	FROM SR 1154 (HALE SWAMP RD) TO NC 179 (BEACH DR SW)	7,8	2	2WU	0.72	20	0	0.72		0.06		5,185	7,176					
TOTAL FOR MAP NO. 8								0.72					0.06		5,185	7,176					
2026CPT.03.06.20102	Brunswick	9	SR-1296 / N. LONG ACRES DR SW	FROM SR 1295 (W LONG ACRES DR SW) TO SR 1297 (E LONG ACRES DR SW)	6	2	2WU	0.05	17	0	0.05		0.01								
TOTAL FOR MAP NO. 9								0.05					0.01								
2026CPT.03.06.20102	Brunswick	10	SR-1295 / W. LONG ACRES DR SW	FROM SR 1155 (LONG BEACH RD) TO DEAD END	6	2	2WU	0.31	18	0	0.31		0.02								
TOTAL FOR MAP NO. 10								0.31					0.02								
2026CPT.03.06.20102	Brunswick	11	SR-1297 / E. LONG ACRES DR SW	FROM SR 1155 (LONG BEACH RD) TO DEAD END	6	2	2WU	0.31	18	0	0.31		0.02								
TOTAL FOR MAP NO. 11								0.31					0.02								
2026CPT.03.06.20102	Brunswick	12	SR-1157 / CULPEPPER RD SW	FROM NC 179 (BEACH DR SW) TO SR 1157 (HALE BEACH RD SW)	6	2	2WU	0.51	20	0.185	0.7		0.05	40						48	
TOTAL FOR MAP NO. 12								0.51					0.05	40							48
2026CPT.03.06.20102	Brunswick	13	SR-1157 / HALE BEACH RD SW	FROM NC 179 (BEACH DR SW) TO END OF MAINTENANCE	5	2	2WU	0.19	18	0	0.19		0.02								
TOTAL FOR MAP NO. 13								0.19					0.02								
2026CPT.03.06.20102	Brunswick	14	SR-1158 / HALE BEACH RD SW	FROM SR 1157 (HALE BEACH RD SW / CULPEPPER RD SW) TO END OF MAINTENANCE	6	2	2WU	0.09	18	0	0.09		0.01								
TOTAL FOR MAP NO. 14								0.09					0.01								
2026CPT.03.06.20102	Brunswick	15	SR-1271 / OLD CAUSEWAY DR	FROM SR 1157 (CULPEPPER RD SW) TO CUL DE SAC	6	2	2WU	0.13	21	0	0.13		0.01								
TOTAL FOR MAP NO. 15								0.13					0.01								
2026CPT.03.06.20102	Brunswick	16	SR-1185 PHARVIEW DR SW	FROM NC 179 (BEACH DR SW) TO DEAD END	6	2	2WU	0.46	20	0	0.46		0.05								
TOTAL FOR MAP NO. 16								0.46					0.05								
TOTAL FOR PROJ NO. 2026CPT.03.06.20102								2.77					0.250	40	5,185	7,176					48
																12,361					
GRAND TOTAL								10.10				528	1	120	34,291	50,120	32,432	11,925	500	182	
																84,411		44,357			

PROJECT NO.	SHEET NO.
2026CPT.03.01.10101, ETC.	18

THERMOPLASTIC AND PAINT QUANTITIES

PROJECT NO	COUNTY	MAP NO	ROUTE	DESCRIPTION	TYP NO	LANES	LANE TYPE	LENGTH	WIDTH	BEGIN MP	END MP	472000000-E					472500000-E			489500000-N	
												THERMO MSG SCHOOL (90 MIL)	THERMO RT ARROW (90 MIL)	THERMO LT ARROW (90 MIL)	THERMO STR ARROW (90 MIL)	MERGE ARROW (90 MIL)	THERMO STR & LT ARROW (90 MIL)	POLYCARBONATE H SHAPED MARKER (C/R)	POLYCARBONATE H SHAPED MARKER (Y/Y)		
								MI	FT			EA	EA	EA	EA	EA	EA	EA			
2026CPT.03.01.10101	Brunswick	1	NC-179 / VILLAGE RD	FROM SR 1163 (HALE SWAMP RD) TO US 17 BUS (MAIN ST)	1,2	2	2WU	2.31	28-40	13.92	16.23	12	13	43	6	3	3	90	282		
TOTAL FOR MAP NO. 1								2.31				12	13	43	6	3	3	90	282		
TOTAL FOR PROJ NO. 2026CPT.03.01.10101								2.31				12	13	43	6	3	3	90	282		
												68					372				
206CPT.03.01.20101	Brunswick	2	SR-1173 / VILLAGE RD	FROM NC 179 (VILLAGE RD) TO US 17 BUS (MAIN ST)	2	2	2WU	0.27	39-43	0	0.27	6	2	8				6	34		
TOTAL FOR MAP NO. 2								0.27				6	2	8				6	34		
206CPT.03.01.20101	Brunswick	3	SR-1152 / PIGOTT RD SW	FROM NC 179 (BRICK LANDING RD SW) TO SR 1145 (VILLAGE POINT RD SW)	3	2	2WU	1.97	22	0	1.97								128		
TOTAL FOR MAP NO. 3								1.97											128		
206CPT.03.01.20101	Brunswick	4	SR-1147 / TODD RD SW	FROM SR 1151 (BAY RD SW) TO NC 179 (BRICK LANDING RD SW)	4	2	2WU	1.37	22	0.1	1.47								97		
TOTAL FOR MAP NO. 4								1.37												97	
206CPT.03.01.20101	Brunswick	5	SR-1147 / BAY RD SW	FROM SR 1145 (VILLAGE POINT RD SW) TO SR 1147 (TODD RD SW)	5	2	2WU	0.10	22	0	0.1								6		
TOTAL FOR MAP NO. 5								0.10												6	
206CPT.03.01.20101	Brunswick	6	SR-1151 / BAY RD SW	FROM SR 1147 (TODD RD SW) TO SR 1152 (PIGOTT RD SW)	5	2	2WU	0.73	22	0	0.73								46		
TOTAL FOR MAP NO. 6								0.73												46	
206CPT.03.01.20101	Brunswick	7	SR-1151 / GURGANUS RD SW	FROM SR 1152 (PIGOTT RD SW) TO DEAD END	5	2	2WU	0.58	22	0.73	1.31										
TOTAL FOR MAP NO. 7								0.58													
TOTAL FOR PROJ NO. 206CPT.03.01.20101								5.02				6	2	8					6	311	
												10					317				
2026CPT.03.06.20102	Brunswick	8	SR-1155 / GOOSE CREEK RD SW	FROM SR 1154 (HALE SWAMP RD) TO NC 179 (BEACH DR SW)	7,8	2	2WU	0.72	20	0	0.72								45		
TOTAL FOR MAP NO. 8								0.72												45	
2026CPT.03.06.20102	Brunswick	9	SR-1296 / N. LONG ACRES DR SW	FROM SR 1295 (W LONG ACRES DR SW) TO SR 1297 (E LONG ACRES DR SW)	6	2	2WU	0.05	17	0	0.05										
TOTAL FOR MAP NO. 9								0.05													
2026CPT.03.06.20102	Brunswick	10	SR-1295 / W. LONG ACRES DR SW	FROM SR 1155 (LONG BEACH RD) TO DEAD END	6	2	2WU	0.31	18	0	0.31										
TOTAL FOR MAP NO. 10								0.31													
2026CPT.03.06.20102	Brunswick	11	SR-1297 / E. LONG ACRES DR SW	FROM SR 1155 (LONG BEACH RD) TO DEAD END	6	2	2WU	0.31	18	0	0.31										
TOTAL FOR MAP NO. 11								0.31													
2026CPT.03.06.20102	Brunswick	12	SR-1157 / CULPEPPER RD SW	FROM NC 179 (BEACH DR SW) TO SR 1157 (HALE BEACH RD SW)	6	2	2WU	0.51	20	0.185	0.7										
TOTAL FOR MAP NO. 12								0.51													
2026CPT.03.06.20102	Brunswick	13	SR-1157 / HALE BEACH RD SW	FROM NC 179 (BEACH DR SW) TO END OF MAINTENANCE	5	2	2WU	0.19	18	0	0.19										
TOTAL FOR MAP NO. 13								0.19													
2026CPT.03.06.20102	Brunswick	14	SR-1158 / HALE BEACH RD SW	FROM SR 1157 (HALE BEACH RD SW / CULPEPPER RD SW) TO END OF MAINTENANCE	6	2	2WU	0.09	18	0	0.09										
TOTAL FOR MAP NO. 14								0.09													
2026CPT.03.06.20102	Brunswick	15	SR-1271 / OLD CAUSEWAY DR	FROM SR 1157 (CULPEPPER RD SW) TO CUL DE SAC	6	2	2WU	0.13	21	0	0.13										
TOTAL FOR MAP NO. 15								0.13													
2026CPT.03.06.20102	Brunswick	16	SR-1185 PHARVIEW DR SW	FROM NC 179 (BEACH DR SW) TO DEAD END	6	2	2WU	0.46	20	0	0.46										
TOTAL FOR MAP NO. 16								0.46													
TOTAL FOR PROJ NO. 2026CPT.03.06.20102								2.77												45	
												78					734				
GRAND TOTAL								10.10				18	15	51	6	3	3	96	638		