STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION HIGHWAY DIVISION 4

#### **PROPOSAL**

DATE AND TIME OF BID OPENING: JULY 12, 2022 AT 2:00 PM

CONTRACT ID: D4POC0089

**WBS ELEMENT NO.: 4.1096SM, 4.2064SM, ETC.** 

FEDERAL AID NO.: STATE FUNDED

COUNTY: EDGECOMBE, HALIFAX, JOHNSTON, NASH,

WAYNE AND WILSON COUNTIES

TIP NO.: N/A

**ROUTE NO.:** VARIOUS

LOCATION: VARIOUS LOCATIONS WITHIN DIVISION 4

TYPE OF WORK: ON CALL SIGNAL INSTALLATION AND REPAIR

#### **NOTICE:**

ALL BIDDERS SHALL COMPLY WITH ALL APPLICABLE LAWS REGULATING THE PRACTICE OF GENERAL CONTRACTING AS CONTAINED IN CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA WHICH REQUIRES THE BIDDER TO BE LICENSED BY THE N.C. LICENSING BOARD FOR CONTRACTORS WHEN BIDDING ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$30,000 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD. BIDDERS SHALL ALSO COMPLY WITH ALL OTHER APPLICABLE LAWS REGULATING THE PRACTICES OF ELECTRICAL, PLUMBING, HEATING AND AIR CONDITIONING AND REFRIGERATION CONTRACTING AS CONTAINED IN CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA. NOTWITHSTANDING THESE LIMITATIONS ON BIDDING, THE BIDDER WHO IS AWARDED ANY FEDERAL - AID FUNDED PROJECT SHALL COMPLY WITH CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA FOR LICENSING REQUIREMENTS WITHIN 60 CALENDAR DAYS OF BID OPENING.

THIS IS A ROADWAY PROJECT.

BID BONDS ARE NOT REQUIRED.

NAME OF BIDDER

# PROPOSAL FOR THE CONSTRUCTION OF CONTRACT No. D4POC0089 IN EDGECOMBE, HALIFAX, JOHNSTON, NASH, WAYNE AND WILSON COUNTIES, NORTH CAROLINA

**JULY 12, 2022** 

## DEPARTMENT OF TRANSPORTATION, WILSON, NORTH CAROLINA

The Bidder has carefully examined the location of the proposed work to be known as Contract No. <u>D4POC0089</u>; has carefully examined the plans and specifications, which are acknowledged to be part of the proposal, the special provisions, the proposal, the form of contract; and thoroughly understands the stipulations, requirements and provisions. The undersigned bidder agrees to bound upon his execution of the bid and subsequent award to him by the Department of Transportation in accordance with this proposal to provide all necessary machinery, tools, labor, and other means of construction; and to do all the work and to furnish all materials, except as otherwise noted, necessary to perform and complete the said contract in accordance with *the 2018 Standard Specifications for Roads and Structures* by the dates(s) specified in the Project Special Provisions and in accordance with the requirements of the Engineer, and at the unit or lump sum prices, as the case may be, for the various items given on the sheets contained herein.

The Bidder shall provide and furnish all the materials, machinery, implements, appliances and tools, and perform the work and required labor to construct and complete State Highway Contract No. <u>D4POC0089</u> in <u>Edgecombe, Halifax</u>, <u>Johnston, Nash, Northampton, Wayne and Wilson Counties</u>, for the unit or lump sum prices, as the case may be, bid by the Bidder in his bid and according to the proposal, plans, and specifications prepared by said Department, which proposal, plans, and specifications show the details covering this project, and hereby become a part of this contract.

The published volume entitled North Carolina Department of Transportation, Raleigh, Standard Specifications for Roads and Structures, January 2018 with all amendments and supplements thereto, is by reference incorporated into and made a part of this contract; that, except as herein modified, all the construction and work included in this contract is to be done in accordance with the specifications contained in said volume, and amendments and supplements thereto, under the direction of the Engineer.

If the proposal is accepted and the award is made, the contract is valid only when signed either by the Contract Officer or such other person as may be designated by the Secretary to sign for the Department of Transportation. The conditions and provisions herein cannot be changed except over the signature of the said Contract Officer or Division Engineer.

The quantities shown in the itemized proposal for the project are considered to be approximate only and are given as the basis for comparison of bids. The Department of Transportation may increase or decrease the quantity of any item or portion of the work as may be deemed necessary or expedient.

An increase or decrease in the quantity of an item will not be regarded as sufficient ground for an increase or decrease in the unit prices, nor in the time allowed for the completion of the work, except as provided for the contract.

THIS CONTRACT IS FOR CONTRACT ID **D4POC0089** FOR **ON CALL DIVISION 4 SIGNAL INSTALLATION AND REPAIR** TYPE OF WORK IN **EDGECOMBE**, **HALIFAX**, **JOHNSTON**, **NASH**, **WAYNE AND WILSON COUNTIES**.

#### **TABLE OF CONTENTS**

## COVER SHEET PROPOSAL SHEET

#### **SPECIAL PROVISIONS**

| GENERAL:   | 6  |
|--|----|
| REQUIRED PRECONSTRUCTION MEETING:                          | 6  |
| NON-EXCLUSIVE CONTRACT:                                    |    |
| WORK ORDER ASSIGNMENT (MULTIPLE AWARDS) FOR ID/IQ:         | 7  |
| BONDING REQUIREMENTS FOR ID/IQ:                            | 7  |
| CONTRACT TIME FOR ID/IQ:                                   |    |
| MOBILIZATION AND LIQUIDATED DAMAGES FOR ID/IQ:             |    |
| EMERGENCY MOBILIZATION FOR ID/IQ:                          |    |
| NOTIFICATION OF OPERATIONS:                                |    |
| NO MAJOR CONTRACT ITEMS:                                   |    |
| NO SPECIALTY ITEMS:  |    |
| RENEWAL OF CONTRACT (CPI PRICE ADJUSTMENT) FOR ID/IQ:      |    |
| DISPUTE RESOLUTION PROCESS FOR ID/IQ:                      | 11 |
| MINORITY BUSINESS ENTERPRISE AND WOMEN BUSINESS ENTERPRISE |    |
| (DIVISIONS):   | 11 |
| MULTI-YEAR MAINTENANCE CONTRACTS (ID/IQ):                  |    |
| CONTRACTOR'S LICENSE REQUIREMENTS:                         |    |
| RESTRICTIONS ON EQUIPMENT AND SERVICES:                    |    |
| USE OF UNMANNED AIRCRAFT SYSTEM (UAS):                     |    |
| EQUIPMENT IDLING GUIDELINES:                               |    |
| COOPERATION BETWEEN CONTRACTORS:                           |    |
| AWARD LIMITS:  |    |
| OVERRUNS AND UNDERRUNS:                                    |    |
| OUTSOURCING OUTSIDE THE USA:                               |    |
| ROADWAY  |    |
| SIGNALS  |    |
| MATERIAL AND LABOR   |    |
| OBSERVATION PERIOD   | 46 |
| NON STANDARD PAY ITEMS:                                    |    |
| WORK ZONE TRAFFIC CONTROL DEVICES                          |    |
| AVAILABILITY OF FUNDS – TERMINATION OF CONTRACTS           |    |
| ERRATA   |    |
| PLANT AND PEST QUARANTINES                                 |    |
| MINIMUM WAGES  |    |
| TITLE VI AND NONDISCRIMINATION:                            |    |
| ON-THE-JOB TRAINING  | 72 |

| D4POC0089 – DIVISION 4 ON CALL |
|--------------------------------|
| SIGNAL INSTALLATION AND REPAIR |

| EDGECOMBE, HALIFAX, JOHNSTON,   |  |
|---------------------------------|--|
| NASH, WAYNE AND WILSON COUNTIES |  |

| LISTING OF MBE/WBE SUBCONTRACTORS         | 75 |
|---|----|
| PROPOSAL ITEM SHEETS AND SIGNATURE SHEETS |    |

#### INSTRUCTIONS TO BIDDERS

## PLEASE READ ALL INSTRUCTIONS CAREFULLY BEFORE PREPARING AND SUBMITTING YOUR BID.

All bids shall be prepared and submitted in accordance with the following requirements. Failure to comply with any requirement may cause the bid to be considered irregular and may be grounds for rejection of the bid.

#### **TRADITIONAL PAPER BIDS:**

- 1. Download the entire proposal from the Connect NCDOT website and return the entire proposal with your bid.
- 2. All entries on the itemized proposal sheet (bid form) shall be written in ink or typed.
- **3.** The Bidder shall submit a unit price for every item on the itemized proposal sheet. The unit prices for the various contract items shall be written in figures. Unit prices shall be rounded off by the Bidder to contain no more than FOUR decimal places.
- **4.** An amount bid shall be entered on the itemized proposal sheet for every item. The amount bid for each item shall be determined by multiplying each unit bid by the quantity for that item, and shall be written in figures in the "Amount" column of the form.
- 5. The total amount bid shall be written in figures in the proper place on the bid form. The total amount bid shall be determined by adding the amounts bid for each item.
- **6.** Changes to any entry shall be made by marking through the entry in ink and making the correct entry adjacent thereto in ink. A representative of the Bidder shall initial the change in ink. Do not use correction fluid, correction tape or similar product to make corrections.
- 7. The bid shall be properly executed on the included Execution of Bid Non-collusion, Debarment and Gift Ban Certification form. All bids shall show the following information:
  - a. Name of corporation, partnership, Limited Liability Company, joint venture, individual or firm, submitting bid.
    - Corporations that have a corporate seal should include it on the bid.
  - b. Name of individual or representative submitting bid and position or title held on behalf of the bidder.
  - c. Name, signature, and position or title of witness.
- **8.** The bid shall not contain any unauthorized additions, deletions, or conditional bids.
- **9.** The Bidder shall not add any provision reserving the right to accept or reject an award, or to enter into a contract pursuant to an award.
- 10. THE PROPOSAL WITH THE ITEMIZED PROPOSAL SHEET ATTACHED SHALL BE PLACED IN A SEALED ENVELOPE AND SHALL BE DELIVERED TO AND RECEIVED IN THE NCDOT DIVISION OFFICE, LOCATED AT 509 Ward Blvd., P.O. Box 3165, BY 2:00 PM ON JULY 12, 2022.
- 11. The sealed bid must display the following statement on the front of the sealed envelope:

# QUOTATION FOR D4POC0089 – ON CALL SIGNAL INSTALLATION AND REPAIR AT VARIOUS LOCATIONS WITHIN DIVISION 4 TO BE OPENED AT 2:00 PM ON JULY 12, 2022.

**12.** If delivered by mail, the sealed envelope shall be placed in another sealed envelope and the outer envelope shall be addressed as follows:

N. C. DEPARTMENT OF TRANSPORTATION ATTN: Vickie P. Gardner 509 Ward Blvd., P.O. Box 3165 Wilson, NC 27895

#### **PROJECT SPECIAL PROVISIONS**

#### **GENERAL:**

This contract is for Traffic Signal Heads, Pedestrian Heads and Controller Cabinet Mounting, Internal Cabinet Wiring, Controller Programming, Pole installation, Loop Installation, Fiber Optic SMFO Cable, Splice Cabinets, and Enclosures. Work to be performed to include new installations, revisions or modifications to existing signals and emergency repair or replacement due to weather related or vehicular damage at various locations as needed in Edgecombe, Halifax, Johnston, Nash, Wayne and Wilson Counties.

Any tools and/or installation equipment not specifically shown as being furnished by the Department in these Special Provisions shall be furnished by the Contractor.

All work and materials shall be in accordance with the provisions of the General Guidelines of this contract, the Project Special Provisions, the North Carolina Department of Transportation Standard Specifications for Roads and Structures January, 2018, the North Carolina Department of Transportation Roadway Standards Drawings January, 2018, the current edition of the Manual on Uniform Traffic Control Devices (MUTCD), the current version of the Project Special Provisions (Version 12.2) for Signals and Intelligent Transportation Systems, and the current version for "Policies and Procedures for accommodating Utilities on Highway Rights of Way".

All equipment to be properly placed according to specific intersection signal design, if applicable.

#### **REQUIRED PRECONSTRUCTION MEETING:**

The Contractor shall contact Paul Marak, PE, Division Traffic Engineer, at (252)640-6502 to arrange the required pre-construction meeting. The project superintendent is required to attend.

The proposed progress schedule must be submitted to the Resident Engineer seven (7) days prior to the date of the preconstruction meeting. At the preconstruction meeting the Contractor shall supply the following information:

- Name of persons authorized to sign Supplemental Agreements
- Name of the EEO Officer and Minority Liaison Officer
- Name of the Erosion Control and Sediment Control/Storm Water Certified Supervisor, Certified Foreman, Certified Installer, and Certified Designer
- Name of the Work Zone Traffic Control Supervisor
- Buy America Certification

#### **NON-EXCLUSIVE CONTRACT:**

(6-1-15) SPD 01-750

The Department may, as it deems to be in the best interest of the state and the Department of Transportation, execute more than one contract based on this proposal. The Contractor(s) understands and agrees, by signature on the Purchase Order Contract Bid Proposal, that this agreement **does not** constitute an exclusive contract. If awarded, the contracts will be executed

with the lowest responsible bidders. The Department of Transportation reserves the right to make multiple awards for the services provided by this contract. Furthermore, the Department reserves the right to reject all bids received.

#### **WORK ORDER ASSIGNMENT (MULTIPLE AWARDS) FOR ID/IQ:**

(2-15-22) SPD 01-800B

Work orders will be assigned based on the lowest work order cost for the line items and estimated quantities necessary to complete the work order. Unit prices from each awarded contractor's bid will be used to determine the lowest cost for each work order. The assigned Contractor shall respond to the work order assignment with the anticipated start date, within three working days of notification unless noted otherwise. Failure on the part of the Contractor to reply within the specified time frame may be received as a rejection of the work order. If the Contractor with the lowest work order cost cannot complete the work within the time specified in the assignment, the Engineer may contact the Contractor with the next lowest work order cost. If that Contractor can complete the work within the time specified in the assignment, then the work order will be assigned to that contractor. If not, assignment of work order will continue in order of work order cost until all awarded Contractors have had a chance to accept the terms of the assignment.

For federal ID/IQ contracts, all work orders will be assigned via the Work Order Assignment form (Form IDIQ-1MA), and the Contractor is required to formally respond in writing for federal work orders within three working days, unless noted otherwise. The Work Order Assignment form will also be used for any state ID/IQ contract in which the estimated work order cost meets the threshold for Performance and Payment Bonds in accordance with the Bonding Requirements for ID/IQ provision found elsewhere in this contract. For state ID/IQ contracts in which the work order assignment doesn't meet the threshold for bonds, the Department has the option to use the Work Order Assignment Form or other methods for work order assignments as agreed upon by the Engineer and Contractor.

The Contractor shall be required to prosecute the work in a continuous and uninterrupted manner from the time they begin the work until completion and final acceptance of the work order. Multiple failures of the Contractor to mobilize and begin work on the work order within the agreed upon time frame or failure to complete the work within the given time frame may result in the Contractor being excluded from future work on this contract in accordance with the *Standard Specifications*.

#### **BONDING REQUIREMENTS FOR ID/IQ:**

(2-15-22) SPD 01-810

For purposes of this ID/IQ contract, the following definitions apply:

Project Agreement: A transportation improvement with a defined scope of work; a written agreement between NCDOT and the Federal Government defining the extent of construction work to be undertaken in accordance with the submitted plans, specifications and estimates. Execution of the agreement prompts the authorization to proceed (construction funding).

Project: An undertaking issued to a contractor through a Work Order Assignment. The construction under a Project Agreement may be accomplished by one or more work order

assignments, from one or more ID/IQ contracts. Note that for ID/IQ contracts this definition supersedes the definition in the *Standard Specifications*.

Award: The issuance of a signed Work Order Assignment by NCDOT shall constitute the notice of award of a project.

In accordance with North Carolina General Statute 44A-26, bonds are required on contracts awarded for any one project that exceeds \$500,000. Beyond statutory requirements, NCDOT policy requires payment and performance bonds on all projects where the engineer's estimate is \$450,000 or greater, all Asphalt Surface Treatment projects, and projects containing the 12-month guarantee provision. The limit for waiving bonds for all bridge replacement and major bridge rehabilitation projects (latex overlays, etc.) is \$300,000 based on the engineer's estimate. The decision of bonding of a work order assignment below the dollar amounts listed shall be at the discretion of the Division's evaluation of the risks associated with the project.

The need for contract payment and performance bonds will be determined at the Work Order Assignment level. The Work Order Assignment will notify the Contractor of an award of a project and if required, to provide contract payment and performance bonds per Article 103-7 of the *Standard Specifications*. The Work Order Assignment replaces the Notification of Award Letter mentioned in Article 103-4(A) of the *Standard Specifications*.

#### **CONTRACT TIME FOR ID/IQ:**

(2-15-22) 108 SP1 G11

The date of availability for this contract is **August 1, 2022**.

The completion date for this contract is July 30, 2023.

Except where otherwise provided by the contract, observation periods required by the contract will not be a part of the work to be completed by the completion date and/or intermediate contract times stated in the contract. The acceptable completion of the observation periods that extend beyond the final completion date shall be a part of the work covered by the performance and payment bonds.

Work shall be accomplished in a continuous manner once the contractor begins.

Any liquidated damages for this contract will be assessed per the Mobilization and Liquidated Damages provision located elsewhere in this Contract.

### MOBILIZATION AND LIQUIDATED DAMAGES FOR ID/IQ:

(2-15-22) SPD 01-820

The Contractor shall mobilize to each location he is required to perform work. There will be no direct pay for Mobilization as it will be incidental to the other bid items. The only exception is if there is an Emergency Mobilization provision within the contract.

The Contractor will be provided a Work Order Assignment for each project with location(s), estimated quantities, and liquidated damages unless waived by the Engineer. Notification will be verbal followed by a faxed or emailed signed Work Order Assignment. There will be no minimum

quantities for any line item associated with a particular mobilization. The Contractor shall complete the work identified on each Work Order Assignment.

The Contractor shall mobilize and complete the work within the time specified on the Work Order Assignment. Failure to complete the work by the completion date may result in the application of liquidated damages. Liquidated damage amounts will be based on the work order estimate and the liquidated damage table below.

| Work Order Value | Liquidated Damages (per calendar day) |
|------------------|---------------------------------------|
| \$0 - \$100K     | \$100.00                              |
| \$100K - \$200K  | \$250.00                              |
| \$200K - \$300K  | \$500.00                              |
| \$300K - \$500K  | \$600.00                              |
| \$500K - \$1M    | \$700.00                              |
| \$1M - \$2M      | \$850.00                              |

#### **EMERGENCY MOBILIZATION FOR ID/IQ:**

(2-15-22)

SPD 01-830 (revised)

Contractors shall be On Call for Emergency Mobilization 24 hours a day, seven days a week. The Contractor shall arrive on site within 4 hours of notification. Compensation will be in addition to the specific line items in the contract. *Emergency Mobilization* will be paid for at the contract unit price per each. Failure to respond within the time frame will result in nonpayment of this item in addition to any Liquidated Damages that may accrue.

Payment will be made under:

Pay Item
Emergency Mobilization

Pay Unit Each

#### **NOTIFICATION OF OPERATIONS:**

The contractor shall obtain authorization from the Electronics Technician III at least 24 hours prior to commencing any work within the Division. The Contractor will be required to prosecute the work in a continuous and uninterrupted manner from the time he begins work until completion and final acceptance of the project. The contractor will not be permitted to suspend his operations except for reasons beyond his control or except where the Engineer has authorized a suspension of the Contractor's operations. If work is suspended, for any reason, the Contractor is required to get reauthorization to resume work. Any work conducted without prior approval will be considered unauthorized work in accordance with Article 105-12 and will not be paid.

Work on weekends and holidays is not permitted unless approved by the Division Traffic Engineer, Deputy Division Traffic Engineer or the Electronics Technician III.

When the Contractor completes the assigned work, he shall notify Mr. Kevin Wrenn, Electronics Technician III at (252) 295-2432 so subject work can be inspected. All work shall be inspected and approved prior to payment. Contractor shall send all invoices to:

North Carolina Department of Transportation - Traffic Services P. O. Box 3165 Wilson, North Carolina 27895-3165

Attention: Kevin Wrenn, ELT III

#### **NO MAJOR CONTRACT ITEMS:**

(2-19-02) (Rev. 8-21-07) 104 SPI G31

None of the items included in this contract will be major items.

#### **NO SPECIALTY ITEMS:**

(7-1-95) 108-6 SPI G34

None of the items included in this contract will be specialty items (see Article 108-6 of the 2018 Standard Specifications).

#### RENEWAL OF CONTRACT (CPI PRICE ADJUSTMENT) FOR ID/IQ:

(2-15-22) SPD 01-840

The Contractor shall submit a bid for one year. At the option of the Department, this contract may be extended for 2 additional periods of one year each (maximum (3) three years total). Each year shall have a limit of **Seventy-Five Thousand Dollars (\$75,000.00)**.

The compensation payable to the contractor shall be fixed for the first twelve months of this contract. However, upon an application of renewal of the contract, or thirty days prior to the end of each contract period, the renewal contract may be adjusted to reflect the adjustment in the Consumer Price Index for the previous twelve-month period as published by the US Bureau of Labor and Statistics at http://www.bls.gov/cpi to be applied to new work order assignments. The Consumer Price Index for All Urban Consumers (CPI-U), US City Average, All Items, 1982-84=100, not seasonally adjusted will be used. If the amount of the requested adjustment is more than ten percent, the Department of Transportation reserves the right to cancel this contract.

#### The CPI will be determined from a 12-month period. Example below:

| <u>Year</u> | <u>J</u>     | <u>F</u>     | <u>M</u> | <u>A</u>     | <u>M</u> | <u>J</u> | <u>J</u>     | <u>A</u>     | <u>S</u>     | <u>O</u> | <u>N</u>     | <u>D</u>     |
|-------------|--------------|--------------|----------|--------------|----------|----------|--------------|--------------|--------------|----------|--------------|--------------|
| <u>2019</u> | <u>251.7</u> | <u>252.8</u> | 254.2    | <u>255.5</u> | 256.1    | 256.1    | <u>256.6</u> | <u>256.6</u> | <u>256.8</u> | 257.3    | <u>257.2</u> | <u>257.0</u> |
| 2020        | 258.0        | 258.7        | 258.1    | 256.4        | 256.4    | 257.8    | 259.1        | 259.9        | 260.3        | 260.4    | 260.2        | <u>260.5</u> |
| 2021        | 261.6        | 263.0        | 264.9    | 267.1        | 269.2    | 271.7    | 273.0        | 273.6        | 274.3        | 276.6    | 277.9        | 278.8        |
| <u>2022</u> | 281.1        | I            | _        | _            | _        | I        | _            | _            |              | _        | 1            |              |

CPI for current period (July 2021) 273.0 Less CPI for previous period (July 2020) 259.1 Equals index point change 13.9 Divided by previous period CPI 259.1 Equals 0.0536 Result multiplied by 100 i.e. 0.0536 x 100 Equals percent change 5.36%

This price escalation method will not be applied to items of work that are separately covered under commodity price escalation clauses. No other changes in the terms, conditions, etc. of this contract will be made when an extension to the contract is implemented. The Engineer will notify the Contractor in writing by June 1st if the contract may be extended. The Contractor must notify the Engineer in writing by July 1st of his acceptance or rejection of this offer. Failure on the part of the Contractor to reply will be received as a rejection of contract extension.

#### **DISPUTE RESOLUTION PROCESS FOR ID/IQ:**

(2-15-22)SPD 01-850

If a question should arise on the contract or assignment of a work order, the contractor should notify the Engineer noted on the assignment documentation or the Division Engineer within 48 hours after the scheduled time of bid opening or work order assignment. The following should be included in the notification if applicable:

- the contract for which bids were solicited;
- the particular law, regulation, or contract specification violated;
- a detailed description of the alleged violation; and
- any other information deemed to be relevant.

Once the initial evaluation has been completed, the contractor may be asked to attend a meeting for further discussion and clarification.

Once a determination has been made, the contractor will be notified of the decision by the Division Engineer. If the decision does not meet the satisfaction of the contractor, they have 24 hours from the Division Engineer's notification to elevate the dispute to the Chief Engineer. The Chief Engineer will make the final decision and will not be subject to further review by NCDOT.

### MINORITY BUSINESS ENTERPRISE AND WOMEN BUSINESS ENTERPRISE (DIVISIONS): (10-16-07)(Rev. 8-17-21)

102-15(J) SP1 G67

#### **Description**

The purpose of this Special Provision is to carry out the North Carolina Department of Transportation's policy of ensuring nondiscrimination in the award and administration of contracts financed in whole or in part with State funds.

#### **Definitions**

Additional MBE/WBE Subcontractors - Any MBE/WBE submitted at the time of bid that will not be used to meet the Combined MBE/WBE goal. No submittal of a Letter of Intent is required.

Combined MBE/WBE Goal: A portion of the total contract, expressed as a percentage that is to be performed by committed MBE/WBE subcontractors.

Committed MBE/WBE Subcontractor - Any MBE/WBE submitted at the time of bid that is being used to meet the Combined MBE / WBE goal by submission of a Letter of Intent. Or any MBE or WBE used as a replacement for a previously committed MBE or WBE firm.

*Contract Goal Requirement* - The approved participation at time of award, but not greater than the advertised Combined MBE/WBE contract goal.

Goal Confirmation Letter - Written documentation from the Department to the bidder confirming the Contractor's approved, committed participation along with a listing of the committed MBE and WBE firms.

*Manufacturer* - A firm that operates or maintains a factory or establishment that produces on the premises, the materials or supplies obtained by the Contractor.

MBE Participation (Anticipated) - A portion of the total contract, expressed as a percentage that is anticipated to be performed by committed MBE subcontractor(s).

Minority Business Enterprise (MBE) - A firm certified as a Disadvantaged Minority-Owned Business Enterprise through the North Carolina Unified Certification Program.

Regular Dealer - A firm that owns, operates, or maintains a store, warehouse, or other establishment in which the materials or supplies required for the performance of the contract are bought, kept in stock, and regularly sold to the public in the usual course of business. A regular dealer engages in, as its principal business and in its own name, the purchase and sale or lease of the products in question. A regular dealer in such bulk items as steel, cement, gravel, stone, and petroleum products need not keep such products in stock, if it owns and operates distribution equipment for the products. Brokers and packagers are not regarded as manufacturers or regular dealers within the meaning of this section.

Replacement / Substitution – A full or partial reduction in the amount of work subcontracted to a committed (or an approved substitute) MBE/WBE firm.

North Carolina Unified Certification Program (NCUCP) - A program that provides comprehensive services and information to applicants for MBE/WBE certification. The MBE/WBE program follows the same regulations as the federal Disadvantaged Business Enterprise (DBE) program in accordance with 49 CFR Part 26.

*United States Department of Transportation (USDOT)* - Federal agency responsible for issuing regulations (49 CFR Part 26) and official guidance for the DBE program.

WBE Participation (Anticipated) - A portion of the total contract, expressed as a percentage that is anticipated to be performed by committed WBE subcontractor(s).

Women Business Enterprise (WBE) - A firm certified as a Disadvantaged Women-Owned Business Enterprise through the North Carolina Unified Certification Program.

#### Forms and Websites Referenced in this Provision

Payment Tracking System - On-line system in which the Contractor enters the payments made to MBE and WBE subcontractors who have performed work on the project. https://apps.dot.state.nc.us/Vendor/PaymentTracking/

DBE-IS Subcontractor Payment Information - Form for reporting the payments made to all MBE/WBE firms working on the project. This form is for paper bid projects only. https://connect.ncdot.gov/business/Turnpike/Documents/Form%20DBE-IS%20Subcontractor%20Payment%20Information.pdf

RF-1 *MBE/WBE Replacement Request Form* - Form for replacing a committed MBE or WBE. http://connect.ncdot.gov/projects/construction/Construction%20Forms/DBE%20MBE%20WBE %20Replacement%20Request%20Form.pdf

SAF *Subcontract Approval Form* - Form required for approval to sublet the contract. http://connect.ncdot.gov/projects/construction/Construction%20Forms/Subcontract%20Approval%20Form%20Rev.%202012.zip

JC-1 *Joint Check Notification Form* - Form and procedures for joint check notification. The form acts as a written joint check agreement among the parties providing full and prompt disclosure of the expected use of joint checks.

http://connect.ncdot.gov/projects/construction/Construction%20 Forms/Joint%20 Check%20 Notification%20 Form.pdf

Letter of Intent - Form signed by the Contractor and the MBE/WBE subcontractor, manufacturer or regular dealer that affirms that a portion of said contract is going to be performed by the signed MBE/WBE for the estimated amount (based on quantities and unit prices) listed at the time of bid. http://connect.ncdot.gov/letting/LetCentral/Letter%20of%20Intent%20to%20Perform%20as%20 a%20Subcontractor.pdf

*Listing of MBE and WBE Subcontractors Form* - Form for entering MBE/WBE subcontractors on a project that will meet the Combined MBE/WBE goal. This form is for paper bids only. http://connect.ncdot.gov/municipalities/Bid%20Proposals%20for%20LGA%20Content/09%20MBE-WBE%20Subcontractors%20(State).docx

Subcontractor Quote Comparison Sheet - Spreadsheet for showing all subcontractor quotes in the work areas where MBEs and WBEs quoted on the project. This sheet is submitted with good faith effort packages.

http://connect.ncdot.gov/business/SmallBusiness/Documents/DBE%20Subcontractor%20Quote%20Comparison%20Example.xls

#### **Combined MBE/WBE Goal**

The Combined MBE/WBE Goal for this project is **0.0%** 

The Combined Goal was established utilizing the following anticipated participation for Minority Business Enterprises and Women Business Enterprises:

#### (A) Minority Business Enterprises **0.0%**

- (1) If the anticipated MBE participation is more than zero, the Contractor shall exercise all necessary and reasonable steps to ensure that MBEs participate in at least the percent of the contract as set forth above.
- (2) If the anticipated MBE participation is zero, the Contractor shall make an effort to recruit and use MBEs during the performance of the contract. Any MBE participation obtained shall be reported to the Department.

#### (B) Women Business Enterprises 0.0%

- (1) If the anticipated WBE participation is more than zero, the Contractor shall exercise all necessary and reasonable steps to ensure that WBEs participate in at least the percent of the contract as set forth above.
- (2) If the anticipated WBE participation is zero, the Contractor shall make an effort to recruit and use WBEs during the performance of the contract. Any WBE participation obtained shall be reported to the Department.

The Bidder is required to submit only participation to meet the Combined MBE/WBE Goal. The Combined Goal may be met by submitting all MBE participation, all WBE participation, or a combination of MBE and WBE participation.

#### **Directory of Transportation Firms (Directory)**

Real-time information is available about firms doing business with the Department and firms that are certified through NCUCP in the Directory of Transportation Firms. Only firms identified in the Directory as MBE and WBE certified shall be used to meet the Combined MBE / WBE goal. The Directory can be found at the following link.

https://www.ebs.nc.gov/VendorDirectory/default.html

The listing of an individual firm in the directory shall not be construed as an endorsement of the firm's capability to perform certain work.

#### **Listing of MBE/WBE Subcontractors**

At the time of bid, bidders shall submit <u>all</u> MBE and WBE participation that they anticipate to use during the life of the contract. Only those identified to meet the Combined MBE/WBE goal will

be considered committed, even though the listing shall include both committed MBE/WBE subcontractors and additional MBE/WBE subcontractors. Any additional MBE/WBE subcontractor participation above the goal will follow the banking guidelines found elsewhere in this provision. All other additional MBE/WBE subcontractor participation submitted at the time of bid will be used toward the Department's overall race-neutral goals. Only those firms with current MBE and WBE certification at the time of bid opening will be acceptable for listing in the bidder's submittal of MBE and WBE participation. The Contractor shall indicate the following required information:

#### (A) Electronic Bids

Bidders shall submit a listing of MBE and WBE participation in the appropriate section of the electronic submittal file.

- (1) Submit the names and addresses of MBE and WBE firms identified to participate in the contract. If the bidder uses the updated listing of MBE and WBE firms shown in the electronic submittal file, the bidder may use the dropdown menu to access the name and address of the firms.
- (2) Submit the contract line numbers of work to be performed by each MBE and WBE firm. When no figures or firms are entered, the bidder will be considered to have no MBE or WBE participation.
- (3) The bidder shall be responsible for ensuring that the MBE and WBE are certified at the time of bid by checking the Directory of Transportation Firms. If the firm is not certified at the time of the bid-letting, that MBE's or WBE's participation will not count towards achieving the Combined MBE/WBE goal.

#### (B) Paper Bids

- (1) If the Combined MBE/WBE goal is more than zero,
  - (a) Bidders, at the time the bid proposal is submitted, shall submit a listing of MBE/WBE participation, including the names and addresses on *Listing of MBE and WBE Subcontractors* contained elsewhere in the contract documents in order for the bid to be considered responsive. Bidders shall indicate the total dollar value of the MBE and WBE participation for the contract.
  - (b) If bidders have no MBE or WBE participation, they shall indicate this on the *Listing of MBE and WBE Subcontractors* by entering the word "None" or the number "0." This form shall be completed in its entirety. **Blank forms will not be deemed to represent zero participation.** Bids submitted that do not have MBE and WBE participation indicated on the appropriate form will not be read publicly during the opening of bids. The Department will not consider these bids for award and the proposal will be rejected.

- (c) The bidder shall be responsible for ensuring that the MBE/WBE is certified at the time of bid by checking the Directory of Transportation Firms. If the firm is not certified at the time of the bid-letting, that MBE's or WBE's participation will not count towards achieving the Combined MBE/WBE goal.
- (2) If the Combined MBE/WBE Goal is zero, entries on the Listing of MBE and WBE Subcontractors are not required for the zero goal, however any MBE or WBE participation that is achieved during the project shall be reported in accordance with requirements contained elsewhere in the special provision.

#### **MBE or WBE Prime Contractor**

When a certified MBE or WBE firm bids on a contract that contains a Combined MBE/WBE Goal, the firm is responsible for meeting the goal or making good faith efforts to meet the goal, just like any other bidder. In most cases, a MBE or WBE bidder on a contract will meet the Combined MBE/WBE goal by virtue of the work it performs on the contract with its own forces. However, all the work that is performed by the MBE or WBE bidder and any other similarly certified subcontractors will count toward the goal. The MBE or WBE bidder shall list itself along with any MBE or WBE subcontractors, if any, in order to receive credit toward the goals.

MBE/WBE prime contractors shall also follow Sections A or B listed under *Listing of MBE/WBE Subcontractors* just as a non-MBE/WBE bidder would.

#### Written Documentation - Letter of Intent

The bidder shall submit written documentation for each MBE/WBE that will be used to meet the Combined MBE/WBE goal of the contract, indicating the bidder's commitment to use the MBE/WBE in the contract. This documentation shall be submitted on the Department's form titled *Letter of Intent*.

The documentation shall be received in the office of the Engineer no later than 2:00 p.m. of the fifth calendar day following opening of bids, unless the fifth day falls on Saturday, Sunday or an official state holiday. In that situation, it is due in the office of the Engineer no later than 10:00 a.m. on the next official state business day.

If the bidder fails to submit the Letter of Intent from each committed MBE and WBE to be used toward the Combined MBE/WBE goal, or if the form is incomplete (i.e. both signatures are not present), the MBE/WBE participation will not count toward meeting the Combined MBE/WBE goal. If the lack of this participation drops the commitment below the Combined MBE/WBE goal, the Contractor shall submit evidence of good faith efforts for the goal not met, completed in its entirety, to the Engineer no later than 2:00 p.m. of the eighth calendar day following opening of bids, unless the eighth day falls on Saturday, Sunday or an official state holiday. In that situation, it is due in the office of the Engineer no later than 10:00 a.m. on the next official state business day.

#### **Banking MBE/WBE Credit**

If the committed MBE/WBE participation submitted exceeds the algebraic sum of the Combined MBE/WBE goal by \$1,000 or more, the excess will be placed on deposit by the Department for future use by the bidder. Separate accounts will be maintained for MBE and WBE participation and these may accumulate for a period not to exceed 24 months.

When the apparent lowest responsive bidder fails to submit sufficient participation by MBE and WBE firms to meet the advertised goal, as part of the good faith effort, the Department will consider allowing the bidder to withdraw funds to meet the Combined MBE/WBE goal as long as there are adequate funds available from the bidder's MBE and WBE bank accounts.

#### **Submission of Good Faith Effort**

If the bidder fails to meet or exceed the Combined MBE/WBE goal, the apparent lowest responsive bidder shall submit to the Department documentation of adequate good faith efforts made to reach that specific goal.

One complete set and one electronic copy (in .PDF format) of this information shall be received in the office of the Engineer no later than 2:00 p.m. of the fifth calendar day following opening of bids, unless the fifth day falls on Saturday, Sunday or an official state holiday. In that situation, it is due in the office of the Engineer no later than 10:00 a.m. on the next official state business day.

Note: Where the information submitted includes repetitious solicitation letters, it will be acceptable to submit a representative letter along with a distribution list of the firms that were solicited. Documentation of MBE/WBE quotations shall be a part of the good faith effort submittal. This documentation may include written subcontractor quotations, telephone log notations of verbal quotations, or other types of quotation documentation.

## Consideration of Good Faith Effort for Projects with a Combined MBE/WBE Goal More Than Zero

Adequate good faith efforts mean that the bidder took all necessary and reasonable steps to achieve the goal which, by their scope, intensity, and appropriateness, could reasonably be expected to obtain sufficient MBE/WBE participation. Adequate good faith efforts also mean that the bidder actively and aggressively sought MBE/WBE participation. Mere *pro forma* efforts are not considered good faith efforts.

The Department will consider the quality, quantity, and intensity of the different kinds of efforts a bidder has made. Listed below are examples of the types of actions a bidder will take in making a good faith effort to meet the goals and are not intended to be exclusive or exhaustive, nor is it intended to be a mandatory checklist.

(A) Soliciting through all reasonable and available means (e.g. attendance at pre-bid meetings, advertising, written notices, use of verifiable electronic means through the use of the NCDOT Directory of Transportation Firms) the interest of all certified MBEs/WBEs that are also prequalified subcontractors. The bidder must solicit this interest within at least

10 days prior to bid opening to allow the MBEs/WBEs to respond to the solicitation. Solicitation shall provide the opportunity to MBEs/WBEs within the Division and surrounding Divisions where the project is located. The bidder must determine with certainty if the MBEs/WBEs are interested by taking appropriate steps to follow up initial solicitations.

- (B) Selecting portions of the work to be performed by MBEs/WBEs in order to increase the likelihood that the Combined MBE/WBE goal will be achieved.
  - (1) Where appropriate, break out contract work items into economically feasible units to facilitate MBE/WBE participation, even when the prime contractor might otherwise prefer to perform these work items with its own forces.
  - (2) Negotiate with subcontractors to assume part of the responsibility to meet the advertised goal when the work to be sublet includes potential for MBE/WBE participation (2<sup>nd</sup> and 3<sup>rd</sup> tier subcontractors).
- (C) Providing interested certified MBEs/WBEs that are also prequalified subcontractors with adequate information about the plans, specifications, and requirements of the contract in a timely manner to assist them in responding to a solicitation.
- (D) (1) Negotiating in good faith with interested MBEs/WBEs. It is the bidder's responsibility to make a portion of the work available to MBE/WBE subcontractors and suppliers and to select those portions of the work or material needs consistent with the available MBE/WBE subcontractors and suppliers, so as to facilitate MBE/WBE participation. Evidence of such negotiation includes the names, addresses, and telephone numbers of MBEs/WBEs that were considered; a description of the information provided regarding the plans and specifications for the work selected for subcontracting; and evidence as to why additional agreements could not be reached for MBEs/WBEs to perform the work.
  - (2) A bidder using good business judgment would consider a number of factors in negotiating with subcontractors, including MBE/WBE subcontractors, and would take a firm's price and capabilities as well as the advertised goal into consideration. However, the fact that there may be some additional costs involved in finding and using MBEs/WBEs is not in itself sufficient reason for a bidder's failure to meet the advertised goal, as long as such costs are reasonable. Also, the ability or desire of a prime contractor to perform the work of a contract with its own organization does not relieve the bidder of the responsibility to make good faith efforts. Bidding contractors are not, however, required to accept higher quotes from MBEs/WBEs if the price difference is excessive or unreasonable.
- (E) Not rejecting MBEs/WBEs as being unqualified without sound reasons based on a thorough investigation of their capabilities. The bidder's standing within its industry, membership in specific groups, organizations, or associates and political or social affiliations (for example, union vs. non-union employee status) are not legitimate causes for the rejection or non-solicitation of bids in the bidder's efforts to meet the project goal.

- (F) Making efforts to assist interested MBEs/WBEs in obtaining bonding, lines of credit, or insurance as required by the recipient or bidder.
- (G) Making efforts to assist interested MBEs/WBEs in obtaining necessary equipment, supplies, materials, or related assistance or services.
- (H) Effectively using the services of available minority/women community organizations; minority/women contractors' groups; Federal, State, and local minority/women business assistance offices; and other organizations as allowed on a case-by-case basis to provide assistance in the recruitment and placement of MBEs/WBEs. Contact within 7 days from the bid opening the Business Opportunity and Work Force Development Unit at BOWD@ncdot.gov to give notification of the bidder's inability to get MBE or WBE quotes.
- (I) Any other evidence that the bidder submits which shows that the bidder has made reasonable good faith efforts to meet the advertised goal.

In addition, the Department may take into account the following:

- (1) Whether the bidder's documentation reflects a clear and realistic plan for achieving the Combined MBE/WBE goal.
- (2) The bidders' past performance in meeting the contract goal.
- (3) The performance of other bidders in meeting the advertised goal. For example, when the apparent successful bidder fails to meet the goal, but others meet it, you may reasonably raise the question of whether, with additional reasonable efforts the apparent successful bidder could have met the goal. If the apparent successful bidder fails to meet the advertised goal, but meets or exceeds the average MBE and WBE participation obtained by other bidders, the Department may view this, in conjunction with other factors, as evidence of the apparent successful bidder having made a good faith effort.

If the Department does not award the contract to the apparent lowest responsive bidder, the Department reserves the right to award the contract to the next lowest responsive bidder that can satisfy to the Department that the Combined MBE/WBE goal can be met or that an adequate good faith effort has been made to meet the advertised goal.

#### **Non-Good Faith Appeal**

The Engineer will notify the contractor verbally and in writing of non-good faith. A contractor may appeal a determination of non-good faith made by the Goal Compliance Committee. If a contractor wishes to appeal the determination made by the Committee, they shall provide written notification to the Engineer. The appeal shall be made within 2 business days of notification of the determination of non-good faith.

#### Counting MBE/WBE Participation Toward Meeting the Combined MBE/WBE Goal

#### (A) Participation

The total dollar value of the participation by a committed MBE/WBE will be counted toward the contract goal requirements. The total dollar value of participation by a committed MBE/WBE will be based upon the value of work actually performed by the MBE/WBE and the actual payments to MBE/WBE firms by the Contractor.

#### (B) Joint Checks

Prior notification of joint check use shall be required when counting MBE/WBE participation for services or purchases that involves the use of a joint check. Notification shall be through submission of Form JC-1 (*Joint Check Notification Form*) and the use of joint checks shall be in accordance with the Department's Joint Check Procedures.

#### (C) Subcontracts (Non-Trucking)

A MBE/WBE may enter into subcontracts. Work that a MBE subcontracts to another MBE firm may be counted toward the anticipated MBE participation. The same holds for work that a WBE subcontracts to another WBE firm. Work that a MBE/WBE subcontracts to a non-MBE/WBE firm does <u>not</u> count toward the contract goal requirement. It should be noted that every effort shall be made by MBE and WBE contractors to subcontract to the same certification (i.e., MBEs to MBEs and WBEs to WBEs), in order to fulfill the MBE or WBE participation breakdown. This, however, may not always be possible due to the limitation of firms in the area. If the MBE or WBE firm shows a good faith effort has been made to reach out to similarly certified firms and there is no interest or availability, and they can get assistance from other certified firms, the Engineer will not hold the prime responsible for meeting the individual MBE or WBE breakdown. If a MBE or WBE contractor or subcontractor subcontracts a significantly greater portion of the work of the contract than would be expected on the basis of standard industry practices, it shall be presumed that the MBE or WBE is not performing a commercially useful function.

#### (D) Joint Venture

When a MBE or WBE performs as a participant in a joint venture, the Contractor may count toward its contract goal requirement a portion of the total value of participation with the MBE or WBE in the joint venture, that portion of the total dollar value being a distinct clearly defined portion of work that the MBE or WBE performs with its forces.

#### (E) Suppliers

A contractor may count toward its MBE /WBE requirement 60 percent of its expenditures for materials and supplies required to complete the contract and obtained from a MBE or WBE regular dealer and 100 percent of such expenditures from a MBE or WBE manufacturer.

#### (F) Manufacturers and Regular Dealers

A contractor may count toward its MBE /WBE requirement the following expenditures to MBE/WBE firms that are not manufacturers or regular dealers:

- (1) The fees or commissions charged by a MBE/WBE firm for providing a *bona fide* service, such as professional, technical, consultant, or managerial services, or for providing bonds or insurance specifically required for the performance of a DOT-assisted contract, provided the fees or commissions are determined to be reasonable and not excessive as compared with fees and commissions customarily allowed for similar services.
- (2) With respect to materials or supplies purchased from a MBE/WBE, which is neither a manufacturer nor a regular dealer, count the entire amount of fees or commissions charged for assistance in the procurement of the materials and supplies, or fees or transportation charges for the delivery of materials or supplies required on a job site (but not the cost of the materials and supplies themselves), provided the fees are determined to be reasonable and not excessive as compared with fees customarily allowed for similar services.

#### **Commercially Useful Function**

#### (A) MBE/WBE Utilization

The Contractor may count toward its contract goal requirement only expenditures to MBEs and WBEs that perform a commercially useful function in the work of a contract. A MBE/WBE performs a commercially useful function when it is responsible for execution of the work of the contract and is carrying out its responsibilities by actually performing, managing, and supervising the work involved. To perform a commercially useful function, the MBE/WBE shall also be responsible with respect to materials and supplies used on the contract, for negotiating price, determining quality and quantity, ordering the material and installing (where applicable) and paying for the material itself. To determine whether a MBE/WBE is performing a commercially useful function, the Department will evaluate the amount of work subcontracted, industry practices, whether the amount the firm is to be paid under the contract is commensurate with the work it is actually performing and the MBE/WBE credit claimed for its performance of the work, and any other relevant factors. If it is determined that a MBE or WBE is not performing a Commercially Useful Function, the contractor may present evidence to rebut this presumption to the Department.

#### (B) MBE/WBE Utilization in Trucking

The following factors will be used to determine if a MBE or WBE trucking firm is performing a commercially useful function:

- (1) The MBE/WBE shall be responsible for the management and supervision of the entire trucking operation for which it is responsible on a particular contract, and there shall not be a contrived arrangement for the purpose of meeting the Combined MBE/WBE goal.
- (2) The MBE/WBE shall itself own and operate at least one fully licensed, insured, and operational truck used on the contract.
- (3) The MBE/WBE receives credit for the total value of the transportation services it provides on the contract using trucks it owns, insures, and operates using drivers it employs.
- (4) The MBE may subcontract the work to another MBE firm, including an owner-operator who is certified as a MBE. The same holds true that a WBE may subcontract the work to another WBE firm, including an owner-operator who is certified as a WBE. When this occurs, the MBE or WBE who subcontracts work receives credit for the total value of the transportation services the subcontracted MBE or WBE provides on the contract. It should be noted that every effort shall be made by MBE and WBE contractors to subcontract to the same certification (i.e., MBEs to MBEs and WBEs to WBEs), in order to fulfill the participation breakdown. This, however, may not always be possible due to the limitation of firms in the area. If the MBE or WBE firm shows a good faith effort has been made to reach out to similarly certified transportation service providers and there is no interest or availability, and they can get assistance from other certified providers, the Engineer will not hold the prime responsible for meeting the individual MBE or WBE participation breakdown.
- (5) The MBE/WBE may also subcontract the work to a non-MBE/WBE firm, including from an owner-operator. The MBE/WBE who subcontracts the work to a non-MBE/WBE is entitled to credit for the total value of transportation services provided by the non-MBE/WBE subcontractor not to exceed the value of transportation services provided by MBE/WBE-owned trucks on the contract. Additional participation by non-MBE/WBE subcontractors receives credit only for the fee or commission it receives as a result of the subcontract arrangement. The value of services performed under subcontract agreements between the MBE/WBE and the Contractor will not count towards the MBE/WBE contract requirement.
- (6) A MBE/WBE may lease truck(s) from an established equipment leasing business open to the general public. The lease must indicate that the MBE/WBE has exclusive use of and control over the truck. This requirement does not preclude the leased truck from working for others during the term of the lease with the consent of the MBE/WBE, so long as the lease gives the MBE/WBE absolute priority for

- use of the leased truck. This type of lease may count toward the MBE/WBE's credit as long as the driver is under the MBE/WBE's payroll.
- (7) Subcontracted/leased trucks shall display clearly on the dashboard the name of the MBE/WBE that they are subcontracted/leased to and their own company name if it is not identified on the truck itself. Magnetic door signs are not permitted.

#### **MBE/WBE Replacement**

When a Contractor has relied on a commitment to a MBE or WBE subcontractor (or an approved substitute MBE or WBE subcontractor) to meet all or part of a contract goal requirement, the contractor shall not terminate the MBE/WBE subcontractor for convenience. This includes, but is not limited to, instances in which the Contractor seeks to perform the work of the terminated subcontractor with another MBE/WBE subcontractor, a non-MBE/WBE subcontractor, or with the Contractor's own forces or those of an affiliate.

The Contractor must give notice in writing both by certified mail and email to the MBE/WBE subcontractor, with a copy to the Engineer of its intent to request to terminate and/or substitute, and the reason for the request. The Contractor must give the MBE/WBE subcontractor five (5) business days to respond to the Contractor's Notice of Intent to Request Termination and/or Substitution. If the MBE/WBE subcontractor objects to the intended termination/substitution, the MBE/WBE, within five (5) business days must advise the Contractor and the Department of the reasons why the action should not be approved. The five-day notice period shall begin on the next business day after written notice is provided to the MBE/WBE subcontractor.

A committed MBE/WBE subcontractor may only be terminated after receiving the Department's written approval based upon a finding of good cause for the proposed termination and/or substitution. For purposes of this section, good cause shall include the following circumstances:

- (a) The listed MBE/WBE subcontractor fails or refuses to execute a written contract;
- (b) The listed MBE/WBE subcontractor fails or refuses to perform the work of its subcontract in a way consistent with normal industry standards. Provided, however, that good cause does not exist if the failure or refusal of the MBE/WBE subcontractor to perform its work on the subcontract results from the bad faith or discriminatory action of the prime contractor;
- (c) The listed MBE/WBE subcontractor fails or refuses to meet the prime contractor's reasonable, nondiscriminatory bond requirements;
- (d) The listed MBE/WBE subcontractor becomes bankrupt, insolvent, or exhibits credit unworthiness:
- (e) The listed MBE/WBE subcontractor is ineligible to work on public works projects because of suspension and debarment proceedings pursuant to 2 CFR Parts 180, 215 and 1,200 or applicable state law;
- (f) The listed MBE/WBE subcontractor is not a responsible contractor;
- (g) The listed MBE/WBE voluntarily withdraws from the project and provides written notice of withdrawal;
- (h) The listed MBE/WBE is ineligible to receive MBE/WBE credit for the type of work required;

- (i) A MBE/WBE owner dies or becomes disabled with the result that the listed MBE/WBE contractor is unable to complete its work on the contract;
- (j) Other documented good cause that compels the termination of the MBE/WBE subcontractor. Provided, that good cause does not exist if the prime contractor seeks to terminate a MBE/WBE it relied upon to obtain the contract so that the prime contractor can self-perform the work for which the MBE/WBE contractor was engaged or so that the prime contractor can substitute another MBE/WBE or non-MBE/WBE contractor after contract award.

The Contractor shall comply with the following for replacement of a committed MBE/WBE:

#### (A) Performance Related Replacement

When a committed MBE/WBE is terminated for good cause as stated above, an additional MBE/WBE that was submitted at the time of bid may be used to fulfill the MBE/WBE commitment to meet the Combined MBE/WBE Goal. A good faith effort will only be required for removing a committed MBE/WBE if there were no additional MBE/WBE submitted at the time of bid to cover the same amount of work as the MBE/WBE that was terminated.

If a replacement MBE/WBE is not found that can perform at least the same amount of work as the terminated MBE/WBE, the Contractor shall submit a good faith effort documenting the steps taken. Such documentation shall include, but not be limited to, the following:

- (1) Copies of written notification to MBE/WBEs that their interest is solicited in contracting the work defaulted by the previous MBE/WBE or in subcontracting other items of work in the contract.
- (2) Efforts to negotiate with MBE/WBEs for specific subbids including, at a minimum:
  - (a) The names, addresses, and telephone numbers of MBE/WBEs who were contacted.
  - (b) A description of the information provided to MBE/WBEs regarding the plans and specifications for portions of the work to be performed.
- (3) A list of reasons why MBE/WBE quotes were not accepted.
- (4) Efforts made to assist the MBE/WBEs contacted, if needed, in obtaining bonding or insurance required by the Contractor.

#### (B) Decertification Replacement

(1) When a committed MBE/WBE is decertified by the Department after the SAF (Subcontract Approval Form) has been received by the Department, the Department will not require the Contractor to solicit replacement MBE/WBE participation equal to the remaining work to be performed by the

decertified firm. The participation equal to the remaining work performed by the decertified firm will count toward the contract goal requirement.

- When a committed MBE/WBE is decertified prior to the Department receiving the SAF (*Subcontract Approval Form*) for the named MBE/WBE firm, the Contractor shall take all necessary and reasonable steps to replace the MBE/WBE subcontractor with another MBE/WBE subcontractor to perform at least the same amount of work to meet the Combined MBE/WBE goal requirement. If a MBE/WBE firm is not found to do the same amount of work, a good faith effort must be submitted to NCDOT (see A herein for required documentation).
- (3) Exception: If the MBE/WBE's ineligibility is caused solely by its having exceeded the size standard during the performance of the contract, the Department will not require the Contractor to solicit replacement MBE/WBE participation equal to the remaining work to be performed by the decertified firm. The participation equal to the remaining work performed by the decertified firm will count toward the contract goal requirement and overall goal.

All requests for replacement of a committed MBE/WBE firm shall be submitted to the Engineer for approval on Form RF-1 (DBE Replacement Request). If the Contractor fails to follow this procedure, the Contractor may be disqualified from further bidding for a period of up to 6 months.

#### Changes in the Work

When the Engineer makes changes that result in the reduction or elimination of work to be performed by a committed MBE/WBE, the Contractor will not be required to seek additional participation. When the Engineer makes changes that result in additional work to be performed by a MBE/WBE based upon the Contractor's commitment, the MBE/WBE shall participate in additional work to the same extent as the MBE/WBE participated in the original contract work.

When the Engineer makes changes that result in extra work, which has more than a minimal impact on the contract amount, the Contractor shall seek additional participation by MBEs/WBEs unless otherwise approved by the Engineer.

When the Engineer makes changes that result in an alteration of plans or details of construction, and a portion or all of the work had been expected to be performed by a committed MBE/WBE, the Contractor shall seek participation by MBEs/WBEs unless otherwise approved by the Engineer.

When the Contractor requests changes in the work that result in the reduction or elimination of work that the Contractor committed to be performed by a MBE/WBE, the Contractor shall seek additional participation by MBEs/WBEs equal to the reduced MBE/WBE participation caused by the changes.

#### **Reports and Documentation**

A SAF (*Subcontract Approval Form*) shall be submitted for all work which is to be performed by a MBE/WBE subcontractor. The Department reserves the right to require copies of actual subcontract agreements involving MBE/WBE subcontractors.

When using transportation services to meet the contract commitment, the Contractor shall submit a proposed trucking plan in addition to the SAF. The plan shall be submitted prior to beginning construction on the project. The plan shall include the names of all trucking firms proposed for use, their certification type(s), the number of trucks owned by the firm, as well as the individual truck identification numbers, and the line item(s) being performed.

Within 30 calendar days of entering into an agreement with a MBE/WBE for materials, supplies or services, not otherwise documented by the SAF as specified above, the Contractor shall furnish the Engineer a copy of the agreement. The documentation shall also indicate the percentage (60% or 100%) of expenditures claimed for MBE/WBE credit.

#### Reporting Minority and Women Business Enterprise Participation

The Contractor shall provide the Engineer with an accounting of payments made to all MBE and WBE firms, including material suppliers and contractors at all levels (prime, subcontractor, or second tier subcontractor). This accounting shall be furnished to the Engineer for any given month by the end of the following month. Failure to submit this information accordingly may result in the following action:

- (A) Withholding of money due in the next partial pay estimate; or
- (B) Removal of an approved contractor from the prequalified bidders' list or the removal of other entities from the approved subcontractors list.

While each contractor (prime, subcontractor, 2nd tier subcontractor) is responsible for accurate accounting of payments to MBEs/WBEs, it shall be the prime contractor's responsibility to report all monthly and final payment information in the correct reporting manner.

Failure on the part of the Contractor to submit the required information in the time frame specified may result in the disqualification of that contractor and any affiliate companies from further bidding until the required information is submitted.

Failure on the part of any subcontractor to submit the required information in the time frame specified may result in the disqualification of that contractor and any affiliate companies from being approved for further work on future projects until the required information is submitted.

Contractors reporting transportation services provided by non-MBE/WBE lessees shall evaluate the value of services provided during the month of the reporting period only.

At any time, the Engineer can request written verification of subcontractor payments.

The Contractor shall report the accounting of payments through the Department's DBE Payment Tracking System.

#### **Failure to Meet Contract Requirements**

Failure to meet contract requirements in accordance with Subarticle 102-15(J) of the 2018 Standard Specifications may be cause to disqualify the Contractor.

#### **MULTI-YEAR MAINTENANCE CONTRACTS (ID/IQ):**

(4-20-21) (Rev. 4-19-22)

SP1 G75

This contract is a multi-year maintenance contract let pursuant to the provisions of N.C. General Statute §136-28.1(b). No minimum quantity of services is guaranteed to be awarded bidders under this contract. In accordance with N.C. General Statute §136-28.1(b), an award in a maintenance contract may be for an amount less but shall not exceed \$5,000,000 per year. No payments in excess of this amount will be disbursed, in accordance with the Statute.

#### **CONTRACTOR'S LICENSE REQUIREMENTS:**

(7-1-95)

102-14

SP1 G88

If the successful bidder does not hold the proper license to perform any plumbing, heating, air conditioning, or electrical work in this contract, he will be required to sublet such work to a contractor properly licensed in accordance with *Article 2 of Chapter 87 of the General Statutes* (licensing of heating, plumbing, and air conditioning contractors) and *Article 4 of Chapter 87* of the *General Statutes* (licensing of electrical contractors).

#### RESTRICTIONS ON EQUIPMENT AND SERVICES:

(11-17-20)

SP01 G090

All telecommunications, video or other ITS equipment or services installed or utilized on this project must be in conformance with UNIFORM ADMINISTRATIVE REQUIREMENTS, COST PRINCIPLES, AND AUDIT REQUIREMENTS FOR FEDERAL AWARDS 2 CFR, § 200.216 Prohibition on certain telecommunications and video surveillance services or equipment.

#### **USE OF UNMANNED AIRCRAFT SYSTEM (UAS):**

(8-20-19)

SP1 G092

The Contractor shall adhere to all Federal, State and Local regulations and guidelines for the use of Unmanned Aircraft Systems (UAS). This includes but is not limited to US 14 CFR Part 107 Small UAS Rule, NC GS 15A-300.2 Regulation of launch and recovery sites, NC GS 63-95 Training required for the operation of unmanned aircraft systems, NC GS 63-96 Permit required for commercial operation of unmanned aircraft system, and NCDOT UAS Policy. The required operator certifications include possessing a current Federal Aviation Administration (FAA) Remote Pilot Certificate, a NC UAS Operator Permit as well as operating a UAS registered with the FAA.

Prior to beginning operations, the Contractor shall complete the NCDOT UAS – Flight Operation Approval Form and submit it to the Engineer for approval. All UAS operations shall be approved by the Engineer prior to beginning the operations.

All contractors or subcontractors operating UAS shall have UAS specific general liability insurance to cover all operations under this contract.

The use of UAS is at the Contractor's discretion. No measurement or payment will be made for the use of UAS. In the event that the Department directs the Contractor to utilize UAS, payment will be in accordance with Article 104-7 Extra Work.

#### **EQUIPMENT IDLING GUIDELINES:**

SP1 G096

Exercise reduced fuel consumption and reduced equipment emissions during the construction of all work associated with this contract. Employees engaged in the construction of this project should turn off vehicles when stopped for more than thirty (30) minutes and off-highway equipment should idle no longer than fifteen (15) consecutive minutes.

These guidelines for turning off vehicles and equipment when idling do not apply to:

- 1. Idling when queuing.
- 2. Idling to verify the vehicle is in safe operating condition.
- 3. Idling for testing, servicing, repairing or diagnostic purposes.
- 4. Idling necessary to accomplish work for which the vehicle was designed (such as operating a crane, mixing concrete, etc.).
- 5. Idling required to bring the machine system to operating temperature.
- 6. Emergency vehicles, utility company, construction, and maintenance vehicles where the engines must run to perform needed work.
- 7. Idling to ensure safe operation of the vehicle.
- 8. Idling when the propulsion engine is providing auxiliary power for other than heating or air conditioning. (such as hydraulic systems for pavers)
- 9. When specific traffic, safety, or emergency situations arise.
- 10. If the ambient temperature is less than 32 degrees Fahrenheit. Limited idling to provide for the safety of vehicle occupants (e.g. to run the heater).
- 11. If the ambient temperature is greater than 90 degrees Fahrenheit. Limited idling to provide for the safety of vehicle occupants of off-highway equipment (e.g. to run the air conditioning) no more than 30 minutes.
- 12. Diesel powered vehicles may idle for up to 30 minutes to minimize restart problems.

Any vehicle, truck, or equipment in which the primary source of fuel is natural gas or electricity is exempt from the idling limitations set forth in this special provision.

## **COOPERATION BETWEEN CONTRACTORS:**105-7

SP1 G133

The Contractor's attention is directed to Article 105-7 of the 2018 Standard Specifications.

The Contractor on this project shall cooperate with the Contractor working within or adjacent to the limits of this project to the extent that the work can be carried out to the best advantage of all concerned.

#### **AWARD LIMITS:**

(4-19-22) 103 SP1 G141

Revise the 2018 Standard Specifications as follows:

Page 1-29, Subarticle 103-4(C), Award Limits, line 4-8, delete and replace the first sentence in the first paragraph with the following:

A bidder who desires to bid on more than one project on which bids are to be opened in the same letting and who desires to avoid receiving an award of more projects than he is equipped to handle, may bid on any number of projects but may limit the total amount of work awarded to him on selected projects by completing the form Award Limits on Multiple Projects for each project subject to the award limit.

#### **OVERRUNS AND UNDERRUNS:**

The provisions of article 104-5 of the Standard Specifications shall not apply to this contract.

#### **OUTSOURCING OUTSIDE THE USA:**

(9-21-04) (Rev. 5-16-06)

SP1 G150

All work on consultant contracts, services contracts, and construction contracts shall be performed in the United States of America. No work shall be outsourced outside of the United States of America.

*Outsourcing* for the purpose of this provision is defined as the practice of subcontracting labor, work, services, staffing, or personnel to entities located outside of the United States.

The North Carolina Secretary of Transportation shall approve exceptions to this provision in writing.

#### **UTILITY CONFLICTS**

It shall be the responsibility of the Contractor to contact all affected utility owners and determine the precise locations of all utilities for the purposes of spotting and/or relocating any utilities which might conflict with this work prior to beginning construction. Utility owners shall be contacted a minimum of 48 hours prior to the commencement of operations. If necessary, the Contractor shall contact the locating service and/or affected local utility agency in order to provide immediate location of any utilities as required by the Department.

Special care shall be used in working around or near existing utilities, protecting them when necessary to provide uninterrupted service. In the event that any utility service is interrupted, the Contractor shall notify the utility owner immediately and shall cooperate with the owner, or his representative, in the restoration of service in the shortest time possible. The Contractor shall be responsible for any damages to utilities resulting from work performed by the Contractor.

Existing fire hydrants shall be kept accessible to fire departments at all times.

The Contractor shall maintain minimum clearances from existing utilities as required by the utility having jurisdiction over the pole to which conductor's conduit, etc. are attached by the Contractor.

The Contractor shall adhere to all applicable regulations and follow accepted safety procedures when working in the vicinity of utilities in order to insure the safety of construction personnel and the public.

#### **PROJECT SPECIAL PROVISIONS**

#### **ROADWAY**

#### **FOUNDATIONS AND ANCHOR ROD ASSEMBLIES FOR METAL POLES:**

(1-17-12) (Rev. 1-16-18) 9, 14, 17 SP9 R05

#### **Description**

Foundations for metal poles include foundations for signals, cameras, overhead and dynamic message signs (DMS) and high mount and light standards supported by metal poles or upright trusses. Foundations consist of footings with pedestals and drilled piers with or without grade beams or wings. Anchor rod assemblies consist of anchor rods (also called anchor bolts) with nuts and washers on the exposed ends of rods and nuts and a plate or washers on the other ends of rods embedded in the foundation.

Construct concrete foundations with the required resistances and dimensions and install anchor rod assemblies in accordance with the contract and accepted submittals. Construct drilled piers consisting of cast-in-place reinforced concrete cylindrical sections in excavated holes. Provide temporary casings or polymer slurry as needed to stabilize drilled pier excavations. Use a prequalified Drilled Pier Contractor to construct drilled piers for metal poles. Define "excavation" and "hole" as a drilled pier excavation and "pier" as a drilled pier.

This provision does not apply to foundations for signal pedestals; see Section 1743 of the 2018 Standard Specifications and 2018 Roadway Standard Drawing No. 1743.01.

#### **Materials**

Refer to the 2018 Standard Specifications.

| Item                     | Section     |
|--------------------------|-------------|
| Conduit                  | 1091-3      |
| Grout, Type 2            | 1003        |
| Polymer Slurry           | 411-2(B)(2) |
| Portland Cement Concrete | 1000        |
| Reinforcing Steel        | 1070        |
| Rollers and Chairs       | 411-2(C)    |
| Temporary Casings        | 411-2(A)    |

Provide Type 3 material certifications in accordance with Article 106-3 of the 2018 Standard Specifications for conduit, rollers, chairs and anchor rod assemblies. Store steel materials on blocking at least 12" above the ground and protect it at all times from damage; and when placing in the work make sure it is free from dirt, dust, loose mill scale, loose rust, paint, oil or other foreign materials. Load, transport, unload and store foundation and anchor rod assembly materials so materials are kept clean and free of damage. Bent, damaged or defective materials will be rejected.

Use conduit type in accordance with the contract. Use Class A concrete for footings and pedestals, Class Drilled Pier concrete for drilled piers and Class AA concrete for grade beams and wings

including portions of drilled piers above bottom of wings elevations. Corrugated temporary casings may be accepted at the discretion of the Engineer. A list of approved polymer slurry products is available from:

connect.ncdot.gov/resources/Geological/Pages/Products.aspx

Provide anchor rod assemblies in accordance with the contract consisting of the following:

- (A) Straight anchor rods,
- (B) Heavy hex top and leveling nuts and flat washers on exposed ends of rods, and
- (C) Nuts and either flat plates or washers on the other ends of anchor rods embedded in foundations.

Do not use lock washers. Use steel anchor rods, nuts and washers that meet ASTM F1554 for Grade 55 rods and Grade A nuts. Use steel plates and washers embedded in concrete with a thickness of at least 1/4". Galvanize anchor rods and exposed nuts and washers in accordance with Article 1076-4 of the 2018 Standard Specifications. It is not necessary to galvanize nuts, plates and washers embedded in concrete.

#### **Construction Methods**

Install the required size and number of conduits in foundations in accordance with the plans and accepted submittals. Construct top of piers, footings, pedestals, grade beams and wings flat, level and within 1" of elevations shown in the plans or approved by the Engineer. Provide an Ordinary Surface finish in accordance with Subarticle 825-6(B) of the 2018 Standard Specifications for portions of foundations exposed above finished grade. Do not remove anchor bolt templates or pedestal or grade beam forms or erect metal poles or upright trusses onto foundations until concrete attains a compressive strength of at least 3,000 psi.

#### (A) Drilled Piers

Before starting drilled pier construction, hold a predrill meeting to discuss the installation, monitoring and inspection of the drilled piers. Schedule this meeting after the Drilled Pier Contractor has mobilized to the site. The Resident or Division Traffic Engineer, Contractor and Drilled Pier Contractor Superintendent will attend this predrill meeting.

Do not excavate holes, install piles or allow equipment wheel loads or vibrations within 20 ft of completed piers until 16 hours after Drilled Pier concrete reaches initial set.

Check for correct drilled pier alignment and location before beginning drilling. Check plumbness of holes frequently during drilling.

Construct drilled piers with the minimum required diameters shown in the plans. Install piers with tip elevations no higher than shown in the plans or approved by the Engineer.

Excavate holes with equipment of the sizes required to construct drilled piers. Depending on the subsurface conditions encountered, drilling through rock and boulders may be required. Do not use blasting for drilled pier excavations.

Contain and dispose of drilling spoils and waste concrete as directed and in accordance with Section 802 of the 2018 Standard Specifications. Drilling spoils consist of all materials and fluids removed from excavations.

If unstable, caving or sloughing materials are anticipated or encountered, stabilize holes with temporary casings and/or polymer slurry. Do not use telescoping temporary casings. If it becomes necessary to replace a temporary casing during drilling, backfill the excavation, insert a larger casing around the casing to be replaced or stabilize the excavation with polymer slurry before removing the temporary casing.

If temporary casings become stuck or the Contractor proposes leaving casings in place, temporary casings should be installed against undisturbed material. Unless otherwise approved, do not leave temporary casings in place for mast arm poles and cantilever signs. The Engineer will determine if casings may remain in place. If the Contractor proposes leaving temporary casings in place, do not begin drilling until a casing installation method is approved.

Use polymer slurry and additives to stabilize holes in accordance with the slurry manufacturer's recommendations. Provide mixing water and equipment suitable for polymer slurry. Maintain the required slurry properties at all times except for sand content.

Define a "sample set" as slurry samples collected from mid-height and within 2 ft of the bottom of holes. Take sample sets from excavations to test polymer slurry immediately after filling holes with slurry, at least every 4 hours thereafter and immediately before placing concrete. Do not place Drilled Pier concrete until both slurry samples from an excavation meet the required polymer slurry properties. If any slurry test results do not meet the requirements, the Engineer may suspend drilling until both samples from a sample set meet the required polymer slurry properties.

Remove soft and loose material from bottom of holes using augers to the satisfaction of the Engineer. Assemble rebar cages and place cages and Drilled Pier concrete in accordance with Subarticle 411-4(E) of the 2018 Standard Specifications except for the following:

- (1) Inspections for tip resistance and bottom cleanliness are not required,
- (2) Temporary casings may remain in place if approved, and
- (3) Concrete placement may be paused near the top of pier elevations for anchor rod assembly installation and conduit placement or
- (4) If applicable, concrete placement may be stopped at bottom of grade beam or wings elevations for grade beam or wing construction.

If wet placement of concrete is anticipated or encountered, do not place Drilled Pier concrete until a concrete placement procedure is approved. If applicable, temporary

casings and fluids may be removed when concrete placement is paused or stopped in accordance with the exceptions above provided holes are stable. Remove contaminated concrete from exposed Drilled Pier concrete after removing casings and fluids. If holes are unstable, do not remove temporary casings until a procedure for placing anchor rod assemblies and conduit or constructing grade beams or wings is approved.

Use collars to extend drilled piers above finished grade. Remove collars after Drilled Pier concrete sets and round top edges of piers.

If drilled piers are questionable, pile integrity testing (PIT) and further investigation may be required in accordance with Article 411-5 of the 2018 Standard Specifications. A drilled pier will be considered defective in accordance with Subarticle 411-5(D) of the 2018 Standard Specifications and drilled pier acceptance is based in part on the criteria in Article 411-6 of the 2018 Standard Specifications except for the top of pier tolerances in Subarticle 411-6(C) of the 2018 Standard Specifications.

If a drilled pier is under further investigation, do not grout core holes, backfill around the pier or perform any work on the drilled pier until the Engineer accepts the pier. If the drilled pier is accepted, dewater and grout core holes and backfill around the pier with approved material to finished grade. If the Engineer determines a pier is unacceptable, remediation is required in accordance with Article 411-6 of the 2018 Standard Specifications. No extension of completion date or time will be allowed for remediation of unacceptable drilled piers or post repair testing.

Permanently embed a plate in or mark top of piers with the pier diameter and depth, size and number of vertical reinforcing bars and the minimum compressive strength of the concrete mix at 28 days.

#### (B) Footings, Pedestals, Grade Beams and Wings

Excavate as necessary for footings, grade beams and wings in accordance with the plans, accepted submittals and Section 410 of the 2018 Standard Specifications. If unstable, caving or sloughing materials are anticipated or encountered, shore foundation excavations as needed with an approved method. Notify the Engineer when foundation excavation is complete. Do not place concrete or reinforcing steel until excavation dimensions and foundation material are approved.

Construct cast-in-place reinforced concrete footings, pedestals, grade beams and wings with the dimensions shown in the plans and in accordance with Section 825 of the 2018 Standard Specifications. Use forms to construct portions of pedestals and grade beams protruding above finished grade. Provide a chamfer with a 3/4" horizontal width for pedestal and grade beam edges exposed above finished grade. Place concrete against undisturbed soil or backfill and fill in accordance with Article 410-8 of the 2018 Standard Specifications. Proper compaction around footings and wings is critical for foundations to resist uplift and torsion forces.

#### (C) Anchor Rod Assemblies

Size anchor rods for design and the required projection above top of foundations. Determine required anchor rod projections from nut, washer and base plate thicknesses, the protrusion of 3 to 5 anchor rod threads above top nuts after tightening and the distance of one nut thickness between top of foundations and bottom of leveling nuts.

Protect anchor rod threads from damage during storage and installation of anchor rod assemblies. Before placing anchor rods in foundations, turn nuts onto and off rods past leveling nut locations. Turn nuts with the effort of one workman using an ordinary wrench without a cheater bar. Report any thread damage to the Engineer that requires extra effort to turn nuts.

Arrange anchor rods symmetrically about center of base plate locations as shown in the plans. Set anchor rod elevations based on required projections above top of foundations. Securely brace and hold rods in the correct position, orientation and alignment with a steel template. Do not weld to reinforcing steel, temporary casings or anchor rods.

Install top and leveling (bottom) nuts, washers and the base plate for each anchor rod assembly in accordance with the following procedure:

- (1) Turn leveling nuts onto anchor rods to a distance of one nut thickness between the top of foundation and bottom of leveling nuts. Place washers over anchor rods on top of leveling nuts.
- (2) Determine if nuts are level using a flat rigid template on top of washers. If necessary, lower leveling nuts to level the template in all directions or if applicable, lower nuts to tilt the template so the metal pole or upright truss will lean as shown in the plans. If leveling nuts and washers are not in full contact with the template, replace washers with galvanized beveled washers.
- (3) Verify the distance between the foundation and leveling nuts is no more than one nut thickness.
- (4) Place base plate with metal pole or upright truss over anchor rods on top of washers. High mount luminaires may be attached before erecting metal poles but do not attach cables, mast arms or trusses to metal poles or upright trusses at this time.
- (5) Place washers over anchor rods on top of base plate. Lubricate top nut bearing surfaces and exposed anchor rod threads above washers with beeswax, paraffin or other approved lubricant.
- (6) Turn top nuts onto anchor rods. If nuts are not in full contact with washers or washers are not in full contact with the base plate, replace washers with galvanized beveled washers.
- (7) Tighten top nuts to snug-tight with the full effort of one workman using a 12" wrench. Do not tighten any nut all at once. Turn top nuts in increments. Follow a star pattern cycling through each nut at least twice.
- (8) Repeat (7) for leveling nuts.
- (9) Replace washers above and below the base plate with galvanized beveled washers if the slope of any base plate face exceeds 1:20 (5%), any washer is not in firm

- contact with the base plate or any nut is not in firm contact with a washer. If any washers are replaced, repeat (7) and (8).
- (10) With top and leveling nuts snug-tight, mark each top nut on a corner at the intersection of 2 flats and a corresponding reference mark on the base plate. Mark top nuts and base plate with ink or paint that is not water-soluble. Use the turn-of-nut method for pretensioning. Do not pretension any nut all at once. Turn top nuts in increments for a total turn that meets the following nut rotation requirements:

| NUT ROTATION REQUIREMENTS          |                    |  |  |  |  |  |
|------------------------------------|--------------------|--|--|--|--|--|
| (Turn-of-Nut Pretensioning Method) |                    |  |  |  |  |  |
| Anchor Rod Diameter, inch          | Requirement        |  |  |  |  |  |
| ≤ 1 1/2                            | 1/3 turn (2 flats) |  |  |  |  |  |
| > 1 1/2                            | 1/6 turn (1 flat)  |  |  |  |  |  |

Follow a star pattern cycling through each top nut at least twice.

- (11) Ensure nuts, washers and base plate are in firm contact with each other for each anchor rod. Cables, mast arms and trusses may now be attached to metal poles and upright trusses.
- (12) Between 4 and 14 days after pretensioning top nuts, use a torque wrench calibrated within the last 12 months to check nuts in the presence of the Engineer. Completely erect mast arm poles and cantilever signs and attach any hardware before checking top nuts for these structures. Check that top nuts meet the following torque requirements:

| TORQUE REQUIREMENTS       |                    |  |  |  |  |
|---------------------------|--------------------|--|--|--|--|
| Anchor Rod Diameter, inch | Requirement, ft-lb |  |  |  |  |
| 7/8                       | 180                |  |  |  |  |
| 1                         | 270                |  |  |  |  |
| 1 1/8                     | 380                |  |  |  |  |
| 1 1/4                     | 420                |  |  |  |  |
| ≥ 1 1/2                   | 600                |  |  |  |  |

If necessary, retighten top nuts in the presence of the Engineer with a calibrated torque wrench to within  $\pm$  10 ft-lb of the required torque. Do not overtighten top nuts.

(13) Do not grout under base plate.

#### **Measurement and Payment**

Foundations and anchor rod assemblies for metal poles and upright trusses will be measured and paid for elsewhere in the contract.

No payment will be made for temporary casings that remain in drilled pier excavations. No payment will be made for PIT. No payment will be made for further investigation of defective piers. Further investigation of piers that are not defective will be paid as extra work in accordance with Article 104-7 of the 2018 Standard Specifications. No payment will be made for remediation of unacceptable drilled piers or post repair testing.

# **OVERHEAD AND DYNAMIC MESSAGE SIGN FOUNDATIONS:**

(1-16-18) SP9 R07

## **Description**

Sign foundations include foundations for overhead and dynamic message signs (DMS) supported by metal poles or upright trusses. Sign foundations consist of footings with pedestals or drilled piers with or without grade beams or wings, conduit and anchor rod assemblies. Construct sign foundations in accordance with the contract and accepted submittals. Define "cantilever sign" as an overhead cantilever sign support in accordance with Figure 1-1 of the AASHTO Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals.

## **Materials**

Use sign foundation materials that meet the Foundations and Anchor Rod Assemblies for Metal Poles provision.

#### **Subsurface Conditions**

Assume the following soil parameters and groundwater elevation for sign foundations unless these subsurface conditions are not applicable to sign locations:

- (A) Unit weight  $(\gamma) = 120$  pcf,
- (B) Friction angle ( $\phi$ ) = 30°,
- (C) Cohesion (c) = 0 psf and
- (D) Groundwater 7 feet below finished grade.

A subsurface investigation is required if the Engineer determines these assumed subsurface conditions do not apply to a sign location and the sign cannot be moved. Subsurface conditions requiring a subsurface investigation include but are not limited to weathered or hard rock, boulders, very soft or loose soil, muck or shallow groundwater. No extension of completion date or time will be allowed for subsurface investigations.

## **Subsurface Investigations**

Use a prequalified geotechnical consultant to perform one standard penetration test (SPT) boring in accordance with ASTM D1586 at each sign location requiring a subsurface investigation. Rough grade sign locations to within 2 feet of finished grade before beginning drilling. Drill borings to 2 drilled pier diameters below anticipated pier tip elevations or refusal, whichever is higher.

Use the computer software gINT version V8i or later manufactured by Bentley Systems, Inc. with the current NCDOT gINT library and data template to produce SPT boring logs. Provide boring logs sealed by a geologist or engineer licensed in the state of North Carolina.

## **Sign Foundation Designs**

Design sign foundations for the wind zone and clearances shown in the plans and the slope of finished grade at each sign location. Use the assumed soil parameters and groundwater elevation

above for sign foundation designs unless a subsurface investigation is required. For sign locations requiring a subsurface investigation, design sign foundations for the subsurface conditions at each sign location. Design footings, pedestals, drilled piers, grade beams and wings in accordance with the AASHTO Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals. In some instances, conflicts with drainage structures may dictate sign foundation types.

Design footings in accordance with Section 4.4 of the AASHTO Standard Specifications for Highway Bridges. Do not use an allowable bearing pressure of more than 3,000 psf for footings. Design drilled piers for side resistance only in accordance with Section 4.6 of the AASHTO Standard Specifications for Highway Bridges except reduce ultimate side resistance by 25% for uplift. Use the computer software LPILE version 2016 or later manufactured by Ensoft, Inc. to analyze drilled piers. Provide drilled pier designs with a horizontal deflection of less than 1" at top of piers. For cantilever signs with single drilled pier foundations supporting metal poles, use wings to resist torsion forces. Provide drilled pier designs with a factor of safety of at least 2.0 for torsion.

For drilled pier sign foundations supporting upright trusses, use dual drilled piers connected with a grade beam having a moment of inertia approximately equal to that of either pier. The Broms' method is acceptable to analyze drilled piers with grade beams instead of LPILE. Use a safety factor of at least 3.5 for the Broms' design method in accordance with C13.6.1.1 of the AASHTO Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals.

Submit boring logs, if any, working drawings and design calculations for acceptance in accordance with Article 105-2 of the 2018 Standard Specifications. Submit working drawings showing plan views, required foundation dimensions and elevations and typical sections with reinforcement, conduit and anchor rod assembly details. Include all boring logs, design calculations and LPILE output for sign foundation design submittals. Have sign foundations designed, detailed and sealed by an engineer licensed in the state of North Carolina.

#### **Construction Methods**

Construct footings, pedestals, drilled piers, grade beams and wings and install anchor rod assemblies for sign foundations in accordance with the *Foundations and Anchor Rod Assemblies* for *Metal Poles* provision.

## **Measurement and Payment**

Overhead Footings will be measured and paid in cubic yards. Sign foundations will be measured as the cubic yards of foundation concrete for footings, pedestals, drilled piers, grade beams and wings shown in the accepted submittals. The contract unit price for Overhead Footings will be full compensation for providing labor, tools, equipment and foundation materials, stabilizing or shoring excavations, supplying and placing concrete, reinforcing steel, conduit, anchor rod assemblies and any incidentals necessary to construct sign foundations. Subsurface investigations required by the Engineer will be paid as extra work in accordance with Article 104-7 of the 2018 Standard Specifications.

Payment will be made under:

**Pay Item**Overhead Footings

Pay Unit
Cubic Yard

# PORTLAND CEMENT CONCRETE PRODUCTION AND DELIVERY:

(9-15-20) 1000, 1014, 1024

SP10 R01

Revise the 2018 Standard Specifications as follows:

Page 10-6, Table 1000-1, REQUIREMENTS FOR CONCRETE, replace with the following:

| TABLE 1000-1 REQUIREMENTS FOR CONCRETE  |   |                           |                      |                       |                                 |   |                              |           |                   |              |           |
|---|---|---------------------------|----------------------|-----------------------|---------------------------------|---|------------------------------|-----------|-------------------|--------------|-----------|
| Class of Concrete                       | essive<br>8 days                        |                           |                      |                       | Consistency<br>Maximum<br>Slump |   | Cement Content               |           |                   |              |           |
|   | Min. Compressive<br>Strength at 28 days | Air-Entrained<br>Concrete |                      | Entrained<br>Concrete |                                 | Vibrated  | Non-<br>Vibrated             | Vibrated  |                   | Non-Vibrated |           |
|   | Min<br>Stre                             | Rounded<br>Aggregate      | Angular<br>Aggregate | Rounded<br>Aggregate  | Angular<br>Aggregate            | Vib   | Vib                          | Min. Max. |                   | Min. Max.    |           |
| Units                                   | psi                                     |                           |                      |                       |                                 | inch  | inch                         | lb/cy     | Max. <i>lb/cy</i> | lb/cy        | lb/cy     |
| AA                                      | $\frac{psi}{4500}$                      | 0.381                     | 0.426                |                       |                                 | 3.5 <sup>A</sup>                                    |                              | 639       | 715               |              | 10/Cy     |
| AA Slip<br>Form                         | 4500                                    | 0.381                     | 0.426                |                       |                                 | 1.5   |                              | 639       | 715               |              |           |
| Drilled Pier                            | 4500                                    |                           |                      | 0.450                 | 0.450                           |   | 5 – 7<br>dry<br>7 - 9<br>wet |           |                   | 640          | 800       |
| A                                       | 3000                                    | 0.488                     | 0.532                | 0.550                 | 0.594                           | 3.5 A   | 4.0                          | 564       |                   | 602          |           |
| В                                       | 2500                                    | 0.488                     | 0.567                | 0.559                 | 0.630                           | 1.5<br>machine<br>placed<br>2.5 A<br>hand<br>placed | 4.0                          | 508       |                   | 545          |           |
| Sand Light-<br>weight                   | 4500                                    |                           | 0.420                |                       |                                 | 4.0 A   |                              | 715       |                   |              |           |
| Latex<br>Modified                       | 3000<br>(at 7<br>days)                  | 0.400                     | 0.400                |                       |                                 | 6.0   |                              | 658       |                   |              |           |
| Flowable<br>Fill<br>excavatable         | 150<br>max.<br>(at 56<br>days)          | as needed                 | as needed            | as needed             | as needed                       |   | Flowable                     |           |                   | 40           | 100       |
| Flowable<br>Fill<br>non-<br>excavatable | 125                                     | as needed                 | as needed            | as needed             | as needed                       |   | Flowable                     |           |                   | 100          | as needed |

| Pavement    | 4500<br>Design,<br>field<br>650<br>flexural,<br>design<br>only | 0.559               | 0.559               | <br> | 1.5<br>slip form<br>3.0<br>hand<br>placed |           | 526       |           |           |           |
|-------------|--|---------------------|---------------------|------|---|-----------|-----------|-----------|-----------|-----------|
| Precast     | See<br>Table<br>1077-1   | as needed           | as needed           | <br> | 6.0                                       | as needed |
| Prestressed | per<br>contract  | See Table<br>1078-1 | See Table<br>1078-1 | <br> | 8.0                                       |           | 564       | as needed |           |           |

A. The slump may be increased to 6 inches, provided the increase in slump is achieved by adding a chemical admixture conforming to Section 1024-3. In no case shall the water-cement ratio on the approved design be exceeded. Concrete exhibiting segregation and/or excessive bleeding will be rejected. Utilizing an Admixture to modify slump does not relinquish the contractor's responsibility to ensure the final product quality and overall configuration meets design specifications. Caution should be taken when placing these modified mixes on steep grades to prevent unintended changes to the set slope.

## **MATERIALS FOR PORTLAND CEMENT CONCRETE:**

(9-15-20) 1000, 1024 SP10 R24

Revise the 2018 Standard Specifications as follows:

Page 10-52, Article 1024-4, WATER, lines 3-6, delete and replace with the following: Test water from wells at all locations. Test public water supplies from all out of state locations and in the following counties: Beaufort, Bertie, Brunswick, Camden, Carteret, Chowan, Craven, Currituck, Dare, Gates, Hyde, New Hanover, Onslow, Pamlico, Pasquotank, Pender, Perquimans, Tyrell and Washington unless the Engineer waives the testing requirements.

Page 10-52, Table 1024-2, PHYSICAL PROPERTIES OF WATER, replace with the following:

| Property   | Requirement                                   | <b>Test Method</b> |
|--|---|--------------------|
| Compression Strength, minimum percent of control at 3 and 7 days | 90%   | ASTM C1602         |
| Time of set, deviation from control                              | From 1:00 hr.<br>earlier to 1:30 hr.<br>later | ASTM C1602         |
| рН   | 4.5 to 8.5                                    | ASTM D1293 *       |
| Chloride Ion Content, Max.                                       | 250 ppm                                       | ASTM D512 *        |
| Total Solids Content (Residue), Max.                             | 1,000 ppm                                     | SM 2540B *         |
| Resistivity, Min.  | 0.500 kohm-cm                                 | ASTM D1125 *       |

<sup>\*</sup>Denotes an alternate method is acceptable. Test method used shall be referenced in the test report.

# MATERIAL AND EQUIPMENT STORAGE & PARKING OF PERSONAL VEHICLES:

11-17-21 1101 SP11 R03

Revise the 2018 Standard Specifications as follows:

# Page 11-2, Article 1101-8 MATERIAL AND EQUIPMENT STORAGE, line 35-38, delete and replace with the following:

When work is not in progress, keep all personnel, equipment, machinery, tools, construction debris, materials and supplies away from active travel lanes that meets Table 1101-1.

| TABLE 1101-1<br>MATERIAL AND EQUIPMENT STORAGE FROM ACTIVE TRAVEL LANES |               |  |  |  |  |  |
|---|---------------|--|--|--|--|--|
| Posted Speed Limit (mph)  | Distance (ft) |  |  |  |  |  |
| 40 or less  | ≥ 18          |  |  |  |  |  |
| 45-50   | ≥ 28          |  |  |  |  |  |
| 55  | ≥ 32          |  |  |  |  |  |
| 60 or higher  | ≥ 40          |  |  |  |  |  |

When vehicles, equipment and materials are protected by concrete barrier or guardrail, they shall be offset at least 5 feet from the barrier or guardrail.

# Page 11-2, Article 1101-9 PARKING OF PERSONAL VEHICLES, line 40-41, delete and replace with the following:

Provide staging areas for personal vehicle parking in accordance with section 1101-8 or as directed by the Engineer before use.

## **WORK ZONE INSTALLER:**

(7-20-21) 1101, 1150 SP11 R04

Provide the service of at least one qualified work zone installer during the setup, installation, and removal of temporary traffic control within the highway right of way. The qualified work zone installer shall serve as crew leader and shall be on site and directing the installation and removal of temporary traffic control. If multiple temporary traffic control installations or removals are occurring simultaneously, then each shall have a qualified work zone installer.

The work zone installer shall be qualified by an NCDOT approved training agency in the safe and competent set up of temporary traffic control. For a complete listing of approved training agencies, see the Work Zone Safety Training webpage.

A work zone supervisor, in accordance with Article 1101-13 of the *Standard Specifications*, may fulfill the role of the work zone installer during the setup, installation, and removal of temporary traffic control within the highway right of way provided they are on site and directing the installation and removal of temporary traffic control.

All other individuals participating in the setup, installation, and removal of temporary traffic control within the highway right of way shall be certified as a qualified flagger in accordance with

Article 1150-3 of the *Standard Specifications*, even if flagging is not being performed as part of the traffic control.

Provide the name and contact information of all qualified work zone installers to the Engineer prior to or at the preconstruction conference. Additionally, provide a qualification statement that all other individuals participating in the setup, installation, and removal of temporary traffic control are qualified flaggers that have been properly trained through an NCDOT approved training agency.

## **ROADWAY LIGHTING FOUNDATIONS:**

(1-16-18) SP14 R04

## **Description**

Roadway lighting foundations include foundations for high mount and light standards. High mount foundations for high mount standards and standard foundations for light standards consist of drilled piers or footings with pedestals, conduit and anchor rod assemblies. Construct roadway lighting foundations in accordance with the contract, 2018 Roadway Standard Drawings and accepted submittals. Define "high mount foundation" as a drilled pier including the conduit and anchor rod assembly that meets 2018 Roadway Standard Drawing No. 1402.01. Define "standard foundation" as a drilled pier or footing with pedestal including the conduit and anchor rod assembly that meets 2018 Roadway Standard Drawing No. 1405.01.

#### **Materials**

Use roadway lighting foundation materials that meet the *Foundations and Anchor Rod Assemblies* for *Metal Poles* provision. Provide metal shrouds for median mounted light standards in accordance with Subarticle 1400-4(I) of the 2018 Standard Specifications.

## **Roadway Lighting Foundations**

## (A) High Mount Foundations

Construct high mount foundations for the wind zone and high mount heights shown in the plans unless the following assumed site conditions are not applicable to high mount locations:

- (1) Soil with unit weight  $(\gamma) \ge 120$  pcf and friction angle  $(\phi) \ge 30^{\circ}$ ,
- (2) Groundwater at least 7 feet below finished grade and
- (3) Slope of finished grade 6:1 (H:V) or flatter.

A subsurface investigation and high mount foundation design are required if the Engineer determines these assumed site conditions do not apply to a high mount location and the high mount cannot be moved. Subsurface conditions requiring a high mount foundation design include but are not limited to weathered or hard rock, boulders, very soft or loose soil, muck or shallow groundwater. No extension of completion date or time will be allowed for subsurface investigations or high mount foundation designs.

### (B) Standard Foundations

Construct standard foundation types for the light standard types shown in the plans and the site conditions at each light standard location. When weathered or hard rock, boulders or obstructions conflict with standard foundations, submit an alternate standard foundation design for acceptance in accordance with Article 105-2 of the 2018 Standard Specifications. No extension of completion date or time will be allowed for alternate standard foundations.

## **Subsurface Investigations**

Use a prequalified geotechnical consultant to perform one standard penetration test (SPT) boring in accordance with ASTM D1586 at each high mount location requiring a subsurface investigation. Rough grade high mount locations to within 2 ft of finished grade before beginning drilling. Drill borings to 2 drilled pier diameters below anticipated pier tip elevations or refusal, whichever is higher.

Use the computer software gINT version V8i or later manufactured by Bentley Systems, Inc. with the current NCDOT gINT library and data template to produce SPT boring logs. Provide boring logs sealed by a geologist or engineer licensed in the state of North Carolina.

## **High Mount Foundation Designs**

Design high mount foundations for the wind zone and high mount heights shown in the plans and the slope of finished grade and subsurface conditions at each high mount location. Design drilled piers, footings and pedestals in accordance with the AASHTO Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals.

Design drilled piers for side resistance only in accordance with Section 4.6 of the *AASHTO* Standard Specifications for Highway Bridges. Use the computer software LPILE version 2016 or later manufactured by Ensoft, Inc. to analyze drilled piers. Provide drilled pier designs with a horizontal deflection of less than 0.5" at top of piers.

Design footings in accordance with Section 4.4 of the AASHTO Standard Specifications for Highway Bridges. Do not use an allowable bearing pressure of more than 3,000 psf for footings. Submit boring logs, working drawings and design calculations for acceptance in accordance with Article 105-2 of the 2018 Standard Specifications. Submit working drawings showing plan views, required foundation dimensions and elevations and typical sections with reinforcement, conduit and anchor rod assembly details. Include all boring logs, design calculations and LPILE output for high mount foundation design submittals. Have high mount foundations designed, detailed and sealed by an engineer licensed in the state of North Carolina.

## **Construction Methods**

Grade around roadway lighting locations with cut and fill slopes as shown on 2018 Roadway Standard Drawing No. 1402.01 or 1405.01. Construct drilled piers, footings and pedestals and install anchor rod assemblies for roadway lighting foundations in accordance with the *Foundations* 

and Anchor Rod Assemblies for Metal Poles provision.

For median mounted light standards, place concrete for median barriers and underlying pedestals in the same pour. Construct concrete barriers in accordance with the contract and make concrete median barriers continuous through standard foundations. Coordinate construction of median mounted light standards with sign structures, concrete barriers, drainage structures, etc. to avoid conflicts.

## **Measurement and Payment**

High Mount Foundations will be measured and paid in cubic yards. High mount foundations will be measured as the cubic yards of concrete shown on 2018 Roadway Standard Drawing No. 1402.01 for the high mount height and wind zone shown in the plans. All other high mount foundations will be measured as the cubic yards of foundation concrete for drilled piers, footings and pedestals shown in the accepted submittals. Subsurface investigations and high mount foundation designs required by the Engineer will be paid as extra work in accordance with Article 104-7 of the 2018 Standard Specifications.

| Standard Foundation will be measured and paid in units of each. Standard foundations will be measured as the number of each standard foundation type. Alternate standard foundations will be measured as 1.5 times the number of each standard foundation type replaced.  |
|---|
| The contract unit prices for <i>High Mount Foundations</i> and <i>Standard Foundation</i> will be full compensation for providing labor, tools, equipment and foundation materials, stabilizing or shoring excavations, supplying and placing concrete, reinforcing steel, conduit, anchor rocassemblies and any incidentals necessary to construct roadway lighting foundations. |
| Payment will be made under:   |

Pay Unit

Each

Cubic Yard

## **SIGNALS**

Pay Item

**High Mount Foundations** 

Standard Foundation \_\_\_

Pay items for this contract shall refer to and be accomplished as described in the North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u>, the North Carolina Department of Transportation <u>Roadway Standards Drawings January, 2018</u>, and applicable sections of the current version of the <u>Project Special Provisions (Version 12.2) for Signals and Intelligent Transportation Systems</u> unless otherwise noted.

The Project Special Provisions (Version 12.2) Signals and Intelligent Transportation Systems may be found at the following website and shall be made a part of this contract: https://connect.ncdot.gov/resources/safety/Pages/ITS-Design-Resources.aspx

## **IDENTIFYING AND TAGGING OF CONROLLER CABINET WIRING**

All wires which are to be connected to the controller and/or cabinet shall be identified and tagged. All unused wires shall be labeled as spares.

No direct payment will be made for the required identifying and tagging of these wires as it will be considered incidental to work being paid for the by the various cable installation items of the contract.

## SPLICING AND TERMINATION OF SIGNAL CABLE AND LEAD-IN CABLE

All splices of signal cable shall be made inside the signal heads. All splices of lead-in cable shall be made in junction boxes as shown in the Roadway Standard Drawings & Standard Specifications for Roads and Structures or as allowed by the Engineer. Pole mounted junction boxes are to be installed by the Contractor.

No direct payment will be made for the required splicing and termination of these cables as it will be considered incidental to work being paid for by the various items of the contract.

## **ELECTRICAL REQUIREMENTS**

All contractor supplied electrical materials and all work performed on the project shall meet the latest requirements of the National Electrical Code and all applicable local ordinances.

The Contractor shall comply with all applicable local ordinances and regulations prior to beginning any electrical work. He shall obtain all permits and licenses required by State and local agencies having jurisdiction in his area of work. After the completion of the work, he shall have the work inspected as required by local inspector(s) having jurisdiction in the area and receive written approval of his work from local electrical inspectors after any required inspections.

New service wire of the proper size as prescribed by the Standard Specifications for Roads and Structures or the National Electrical Code shall be installed from the new cabinet to the point of service delivery.

## MATERIAL AND LABOR

Contractor furnished equipment and material shall be new unless pre-approved.

NCDOT furnished equipment to be issued to the Contractor will be located at the following site in Division 4:

Traffic Services Unit 509 Ward Blvd. Wilson, NC 27893 Phone: (252) 640-6519 Material may be obtained from this site during the following times 8:00 am to 10:00 am, Monday thru Thursday or at a time and date mutually agreed upon by the Contractor and the site operator. Twenty-four hours advance notice is recommended before material is to be received. The Contractor will sign for all the equipment received. Upon taking possession of the Department furnished equipment, the Contractor will be responsible for maintaining security of the stated equipment, obtaining security bonds, insurance, and/or any means deemed necessary to insure security and replacement of the equipment against loss, theft, vandalism or any other occurrence which would render the equipment inoperative. The Department will warrant the equipment with respect to parts and its workmanship necessary for proper operation until final acceptance of the individual intersections.

When, in the opinion of the Engineer, the lack of proper operation (failure) of the material and equipment is due to mis-application, cross-connection, improper wiring, physical abuse or damage, the cost of such repairs as may be necessary to render the equipment operable will be deducted from any money due the Contractor.

## **UNUSED MATERIALS**

All unused materials furnished to the Contractor by the Department shall remain the property of the Department and shall be returned to the original point of delivery by the Contractor at the completion of the project. No direct payment will be made for the required return of the unused material as it will be considered incidental to work being paid for by the various items of the contract.

## **OBSERVATION PERIOD**

After the signals have been inspected and approved if applicable, a thirty calendar day observation period shall be required unless waived by the Engineer.

The purpose of this observation period is to assess the adequacy of the installation and operation of the equipment. During this thirty day observation period, the Contractor shall repair any defects in the installation work of the traffic signals performed by the Contractor, and make any adjustments deemed necessary by the Engineer. During this observation period the Contractor shall repair or replace any material and equipment furnished by him that becomes defective, lost, or damaged. The Contractor shall also, during the observation period, replace with Department supplied material or equipment any defective material and equipment originally furnished by the Department. Should any failures occur during this observation period, the Contractor shall begin to make necessary repairs within four (4) hours of notification. Failure to do so will result in liquidated damages in the amount of Two Hundred Fifty Dollars (\$250.00) per hour. Should such necessary repairs not be completed within twenty-four hours of notification, the observation period shall stop, and resume only after such repairs and replacement of materials and equipment have been made, inspected and approved.

Completion and final acceptance of the project shall be contingent upon successful completion of the Observation Period. The Observation period shall be considered a part of the work required to be completed after final completion date specified herein. For inspection purposes, no more than ten (10) locations will be under the thirty-day observation period at any one time.

No direct payment will be made for inventory storage, security, obtaining security bonds, insurance, etc. for the material, as the cost of the same shall be included in the various bid items for the contract.

The Contractor shall clean the site of all debris, excess excavation, waste packing material, wire, etc. At the end of each workday the site shall be clear and clean. The Contractor shall not throw any waste material in any storm sewers or streams. *The Contractor shall be responsible for the management and clean up of any hazardous material in accordance with state environmental policies and OSHA regulations.* 

The Contractor shall be responsible for any damage to private and/or public property resulting from this work.

## **NON STANDARD PAY ITEMS:**

The pay items listed below contain variances from standard pay items found in the North Carolina Department of Transportation Standard Specifications for Roads and Structures January, 2018 and the project special provisions for "Signals and Intelligent Transportation Systems". Variances could include unit of pay, party responsible for furnishing equipment, incidentals to completing work, and separating "complete system" type pay items into individual pay items.

<u>Pay Item 1</u> - Install NCDOT furnished vehicle signal heads, LED's, backplates, and louvers in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for "<u>Signals and Intelligent Transportation Systems</u>". Payment will be made at the contract unit price for:

| Vehicle Signal Head (NCDOT furnished) | $\mathbf{F}$ | 'A |
|---------------------------------------|--------------|----|
|---------------------------------------|--------------|----|

<u>Pay Item 6</u> - Adjust existing signal heads of various sizes and configurations while in service to conform to lane design changes in accordance with North Carolina Department of Transportation Standard Specifications for Roads and Structures January, 2018 and the project special provisions for "Signals and Intelligent Transportation Systems". Contractor to make necessary field connections to complete signal head adjustment. Payment will be made at the contract unit price for:

| Signal Head Adjustments                 | <i>EA</i> |
|---|-----------|
| ~ · · · · · · · · · · · · · · · · · · · |           |

<u>Pay Item 7</u> – Removal of signal head, pedestrian head, or blank out sign in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for "<u>Signals and Intelligent Transportation Systems</u>". Remove LED and transport to a location specified by DOT personnel in Division Four. Dispose of signal head unless otherwise directed by the Engineer. Payment will be made at the contract unit price for:

Removal of Signal Head, Pedestrian Head, or Blank out sign .....EA

<u>Pay Item 9</u> - Remove and dispose of signal cable from messenger cable in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January</u>,

2018 and the project special provisions for "Signals and Intelligent Transportation Systems" unless

| otherwise directed by the Engineer. Quote should be in cost per linear feet of messenger cable. Payment will be made at the contract unit price for:   |
|--|
| Removal of Signal Cable from Messenger CableLF   |
| <u>Pay Item 12</u> – Remove and dispose of messenger cable with conductor attached in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for " <u>Signals and Intelligent Transportation Systems</u> " unless otherwise directed by the Engineer. Payment will be made at the contract unit price for:   |
| Removal of Messenger Cable w/ Conductor AttachedLF   |
| <u>Pay Item 23</u> - Install wood poles furnished by the DOT in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for " <u>Signals and Intelligent Transportation Systems</u> ". The Contractor may pick up these poles at the Traffic Services Sign Shop, 509 Ward Blvd., Wilson, NC for placement at various locations within Division Four. Payment will be made at the contract unit price for: |
| Wood Pole (NCDOT furnished)EA  |
| <u>Pav Item 25</u> - Install guy assembly utilizing existing anchor in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for " <u>Signals and Intelligent Transportation Systems</u> ". Payment will be made at the contract unit price for:  |
| Guy Assembly, No Anchor (Metal Guard Required)EA   |
| <u>Pav Item 26</u> – Remove and dispose of down guys and/or sidewalk guys in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January</u> , <u>2018</u> and the project special provisions for " <u>Signals and Intelligent Transportation Systems</u> " unless otherwise directed by the Engineer. Payment will be made at the contract unit price for:  |
| Guy Assembly RemovalEA   |

Conduit shall extend from sawcut to Junction Box.

special provisions for "Signals and Intelligent Transportation Systems".

A minimum of 400 LF per work order will be paid for Inductive Detection Loop Sawcut, when sawcut is required.

<u>Pay Item 30</u> – Install Inductive Detection Loop Sawcut with loop slot sealant, loop wire, conduit with fittings and all necessary hardware in accordance with North Carolina Department of Transportation Standard Specifications for Roads and Structures January, 2018 and the project

Inductive Detection Loop Sawcut for the replacement of existing inductive loops shall be completed within **fifteen calendar days** of notification of work. Liquidated damages of **Fifty Dollars** (\$50.00) per day will be charged for each calendar day after the fifteen day limit that any part of the loop replacement required by the Department has not been completed.

Payment will be made at the contract unit price for:

| Inductive Detection | Loon Sawcut | L | H |
|---------------------|-------------|---|---|
| maucuve Detection   | LOOD Sawcui | L | Г |

<u>Pay Item 36</u> - Install above ground approved NCDOT splice box (C-Box) in new or existing HW riser and make all wire connections in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for "<u>Signals and Intelligent Transportation Systems</u>". Payment will be made at the contract unit price for:

Above-Ground Splice Box (C-Box).....EA

<u>Pay Item 37</u> - Install DOT furnished triplex service drop cable used to supply power, usually from a pole-mounted transformer to the user's service head where connection to the service entrance cable is made and in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for "<u>Signals and Intelligent Transportation Systems</u>". To be used at voltages of 600 volts or less phase to phase. Hardware to install cable shall be supplied by the Contractor. Payment will be made at the contract unit price for:

Install Triplex (NCDOT Furnished).....LF

<u>Pay Item 38</u> – Install new electrical service in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for "<u>Signals and Intelligent Transportation Systems</u>". For ground mounted service, use combination panel with pedestal extension. Payment will be made at the contract unit price for:

New Electrical Service......EA

<u>Pay Item 39</u> – Transfer all existing attachments including messenger cable, guy assemblies, conduit, meter base and cabinet from existing pole to new pole in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for "<u>Signals and Intelligent Transportation Systems</u>" unless otherwise directed by the Engineer.

Transfer Existing Attachments will be measured and paid by the actual number of messenger cable attachments and guy assembly attachments.

No measurement will be made for transferring existing conduit, meter base and cabinet (F3 and smaller).

| Payment will be made at the contract unit price for:  |
|---|
| Transfer Existing AttachmentsEA   |
| <u>Pay Item 41</u> – Modify radio installation in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for " <u>Signals and Intelligent Transportation Systems</u> ". Payment will be made at the contract unit price for:  |
| Modify Radio InstallationEA   |
| <u>Pay Item 42</u> - Install NCDOT furnished 900 MHZ Wireless Radio System in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for " <u>Signals and Intelligent Transportation Systems</u> ". Payment will be made at the contract unit price for:  |
| 900 MHZ Wireless Radio System (NCDOT furnished)EA   |
| <u>Pay Item 46</u> - Install NCDOT furnished Type III Pedestal (foundation to be provided by Contractor in accordance with Section 1743 and shall be considered incidental) in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January 2018</u> and the project special provisions for " <u>Signals and Intelligent Transportation Systems</u> ". Posts can be picked up by the Contractor at the Traffic Services Signal Shop, 509 Ward Blvd., Wilson NC for placement at various locations within Division Four. Payment will be made at the contract unit price for: |
| Type III Pedestal (NCDOT Furnished)EA   |
| <u>Pay Item 48</u> - Install NCDOT furnished sign for signals in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for " <u>Signals and Intelligent Transportation Systems</u> ". Payment will be made at the contract unit price for:   |
| Sign for Signals (NCDOT furnished)EA  |
| <u>Pav Item 49</u> - Removal and dispose of signs for signals in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for " <u>Signals and Intelligent Transportation Systems</u> unless otherwise directed by the Engineer. Payment will be made at the contract unit price for:   |
| Removal of signs for SignalsEA  |
| <u>Pay Item 50</u> - Install NCDOT furnished LED Blank-Out sign in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for " <u>Signals and Intelligent Transportation Systems</u> ". Payment will be made at the contract unit price for:   |

LED Blank-Out Sign (NCDOT furnished).....EA

| Pay Item 52 - Install ground rods at existing signal cabinets and/or locations specified by DOT   |
|---|
| personnel. Grounding performed in accordance with North Carolina Department of Transportation     |
| Standard Specifications for Roads and Structures January, 2018 and the project special provisions |
| for "Signals and Intelligent Transportation Systems". Ground rod testing required. Number of      |
| ground rods determined by test requirements (20 ohms or less). Payment will be made at the        |
| contract unit price for:  |
| •   |

| Ground | ing | Existing | <b>Cabinets</b> |  | $E_{\angle}$ | Í |
|--------|-----|----------|-----------------|--|--------------|---|
|--------|-----|----------|-----------------|--|--------------|---|

<u>Pay Item 53</u> - Remove existing cabinet in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for "<u>Signals and Intelligent Transportation Systems</u>" and transport to a location specified by DOT personnel in Division Four. Payment will be made at the contract unit price for:

# Removal of Existing Cabinet ......EA

<u>Pay Item 54</u> - Remove and dispose of base mounted cabinet concrete (pad) footing and all attached conduit not to exceed a distance of one hundred (100) feet from the footing per conduit run in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for "<u>Signals and Intelligent Transportation Systems</u>". Payment will be made at the contract unit price for:

# Removal of Existing Concrete Footing & Attachments for Base Mounted Cabinet .....EA

<u>Pay Item 55</u> - Remove and replace miscellaneous concrete in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for "<u>Signals and Intelligent Transportation Systems</u>". Contractor to remove and dispose of concrete sidewalk, curb and gutter, or other and replace with like finished concrete. Measurement will be made for new concrete as measured "in-place". Payment will be made at the contract unit price for:

## Remove & Replace Miscellaneous Concrete ......CY

<u>Pay Item 56</u> - Install NCDOT furnished prewired base or pole mounted cabinet and/or signal cabinet extension in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for "<u>Signals and Intelligent Transportation Systems</u>". Removal of existing cabinets and installation of disconnects will be paid for under separate line items. Payment will be made at the contract unit price for:

## Controller With Cabinet - Type 2070L, Base or Pole Mounted (NCDOT furnished).....EA

<u>Pay Item 57</u> - Install, replace and/or adjust out of pavement vehicle motion detector system including connections at the device, junction box, and controller cabinet in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for "<u>Signals and Intelligent Transportation Systems</u>".

Sufficient length of cable should be left over for proper routing and terminal in junction box and controller cabinet. The Contractor shall install necessary hardware to complete installation. The detector and mounting brackets shall be supplied by NCDOT. Payment will be made at the contract unit price for:

| Install.  | Renlace   | and/Or A | diust V | ehicle. | Motion  | Detector S | System      | (NCDO               | T Furnished   | )EA |
|-----------|-----------|----------|---------|---------|---------|------------|-------------|---------------------|---------------|-----|
| 111Stutt, | , mepiace | unu Oi 1 | ujusi r | CHICK . | MULLULL | DUILLIOI   | , vsiciii i | $(I \cup D \cup D)$ | 1 1 minisiicu | /   |

<u>Pav Item 58</u> - Install metal strain pole in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for "<u>Signals and Intelligent Transportation Systems</u>". Payment will be made at the contract unit price for:

Metal Strain Signal Pole (26').....EA

<u>Pay Item 59</u> - Install metal strain pole in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for "<u>Signals and Intelligent Transportation Systems</u>". Payment will be made at the contract unit price for:

Metal Strain Signal Pole (30').....EA

<u>Pay Item 60</u> - Install metal strain pole in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for "<u>Signals and Intelligent Transportation Systems</u>. Payment will be made at the contract unit price for:

Metal Strain Signal Pole (35')......EA

<u>Pay Item 61</u> - Install metal strain pole furnished by NCDOT in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for "<u>Signals and Intelligent Transportation Systems</u>". Poles can be picked up by the Contractor at the Traffic Services Signal Shop, 509 Ward Blvd., Wilson NC for placement at various locations within Division Four. Payment will be made at the contract unit price for:

Metal Strain Signal Pole (NCDOT furnished)......EA

<u>Pay Item 62</u> - Install metal pole with single mast arm in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for "<u>Signals and Intelligent Transportation Systems</u>. Payment will be made at the contract unit price for:

Metal Pole with Single Mast Arm.....EA

<u>Pay Item 63</u> - Install metal pole with mast arm(s) furnished by DOT in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January</u>, <u>2018</u> and the project special provisions for "<u>Signals and Intelligent Transportation Systems</u>"...

Poles can be picked up by the contractor at the Traffic Services Signal Shop, 509 Ward Blvd.,

be made at the contract unit price for:

| Wilson NC for placement at various locations within Division Four. Payment will be made at the contract unit price for:   |
|---|
| Metal Pole W/ Mast Arm(s) (NCDOT furnished)EA   |
| <u>Pay Item 64</u> - Install metal pole with dual mast arm in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for " <u>Signals and Intelligent Transportation Systems</u> . Payment will be made at the contract unit price for:   |
| Metal Pole with Dual Mast ArmEA   |
| <u>Pay Item 65</u> - Install mast arms furnished by the NCDOT in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for " <u>Signals and Intelligent Transportation Systems</u> ". These mast arms can be picked up at the Traffic Services Sign Shop, 509 Ward Blvd., Wilson, NC for placement at various locations within Division Four. Payment will be made at the contract unit price for: |
| Install Mast Arms (NCDOT furnished)EA   |
| <u>Pay Item 66</u> – Provide soil tests in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for " <u>Signals and Intelligent Transportation Systems</u> ". Payment will be made at the contract unit price for:   |
| Soil TestsEA  |
| <u>Pay Item 67</u> - Install drilled pier foundations in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for " <u>Signals and Intelligent Transportation Systems</u> ". Payment will be made at the contract unit price for:   |
| Drilled Pier FoundationCY   |
| <u>Pay Item 68</u> – Provide metal strain pole design in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for " <u>Signals and Intelligent Transportation Systems</u> ". Payment will be made at the contract unit price for:   |
| Metal Strain Pole DesignEA  |

<u>Pay Item 69</u> – Provide mast arm with metal pole design in accordance with North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> and the project special provisions for "<u>Signals and Intelligent Transportation Systems</u>". Payment will

| Mast Arm with Metal Pole Design   | EA   |
|---|--|
| <u>Pay Item 70</u> – Remove and dispose of metal pole foundation in accordance with N Department of Transportation <u>Standard Specifications for Roads and Structures Januation</u> the project special provisions for " <u>Signals and Intelligent Transportation Systems</u> ". be made at the contract unit price for:  | ary, 2018 and                                    |
| Metal Pole Foundation Removal   | EA   |
| <u>Pay Item 71</u> – Remove and dispose of metal poles in accordance with North Carolin of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> as special provisions for " <u>Signals and Intelligent Transportation Systems</u> " unless other by the Engineer. Payment will be made at the contract unit price for:  | nd the project                                   |
| Metal Pole Removal  | EA   |
| <u>Pay Item 72</u> - Remove and dispose of Wood Pole in accordance with North Carolina of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u> as special provisions for " <u>Signals and Intelligent Transportation Systems</u> " unless other by the Engineer. Attachments not measured under separate line items for removed considered incidental to wood pole removal. Payment will be made at the contract under the contr | nd the project<br>wise directed<br>noval will be |
| Wood Pole Removal   | <i>EA</i>  |
| <u>Pav Item 73</u> - Transport salvageable poles from their existing locations and storing Traffic Services Shop, 509 Ward Blvd., Wilson, NC. Payment will be made at the price for:  | -  |
| Transport Salvageable Poles to NCDOT Shop   | EA   |
| <u>Pay Item 74</u> - Install decorative metal pole with dual mast arm in accordance with N Department of Transportation <u>Standard Specifications for Roads and Structures Januathe project special provisions for "Signals and Intelligent Transportation Systems". be made at the contract unit price for:</u>   | <u>ary, 2018</u> and                             |
| Decorative Metal Pole With Dual Mast Arm  | EA   |
| <u>Pay Item 75</u> - Install decorative metal pole with single mast arm in accordance with N Department of Transportation <u>Standard Specifications for Roads and Structures Januare</u> the project special provisions for " <u>Signals and Intelligent Transportation Systems</u> ". be made at the contract unit price for:   | ary, 2018 and                                    |
| Decorative Metal Pole With Single Mast Arm  | EA   |

<u>Pay Item 76</u> - Install solar powered flasher beacon that includes solar panel, battery, signal head, and allnecessary hardware. Ensure continuous power for the operation of the flasher beacon by the solar panel and battery. Provide the size, color and quantity of signal heads in

accordance withthe plans and bid line items.

Ensure the flasher beacon meets the physical display and operational requirements as specified in PART IV of the *Manual on Uniform Traffic Control Devices (MUTCD)*. During daytime operation ensure the beacon indications conform to the photometric requirements of the Vehicle Traffic Control Signal Heads - Light Emitting Diode (LED) Circular Signal Supplement, dated June 27, 2005, as published by the Institute of Transportation Engineers.

Ensure the flasher beacon meets the requirements of Sub-section 1098-1, General Requirements, of the NCDOT 2012 Standard Specifications for Roads and Structures.

Provide yellow polycarbonate vehicle signal heads with visors and Light Emitting Diode (LED) modules. Fabricate signal head housings and visors from virgin polycarbonate material. Provide UV stabilized polycarbonate plastic with a minimum thickness of  $0.1 \pm 0.01$  inches that is highway yellow (Federal Standard 595C, Color Chip 13538). Ensure the color is incorporated into the plastic material before molding the signal head housings.

Provide 12-inch DC-powered LED modules that meet the display and operational requirements specified in Part IV of the *Manual on Uniform Traffic Control Devices* (MUTCD). In addition to meeting the performance requirements for the minimum period of 60 months, provide a written warranty against defects in materials and workmanship for the modules for a period of 60 months after installation of the modules.

Provide the mounting assemblies with necessary hardware and cables to make a complete and watertight connection of the signal head, solar panel, and battery compartment. When provided as a kit, ensure the flasher beacon can be installed on a 4.5" OD pedestal pole or otherstructure as required. When provided with a supporting structure, ensure assembly has been determined to be eligible for Federal-aid reimbursement by the Office of Safety, Federal Highway Administration. Provide mounting assemblies, brackets, and frames that are corrosionresistant with all hardware, screws, washers, etc. to be of stainless steel material. Provide mounting assemblies, brackets, and frames that ensure a rigid attachment to the supporting postto prevent twisting or swaying.

Provide a 4.8 - 12VDC nickel-metal hydride, sealed gel, sealed lead-acid, or absorption glass mat battery with sufficient capacity for 5 days of continuous operation at full display brightness for 14 hours each day with the remaining 10 hours in a dimmed state with no additional charge from solar panel during the 5 day period. Provide a solar panel with a minimum array-to-loadratio of 1.2 and charging circuitry for the battery. Provide a solar sizing report that shows the system loss of load probability is 0% for the entire year for Raleigh, North Carolina. NOTE: Solar sizing report must account for display(s) to be energized at full intensity during daylighthours, normal flash rate. Where the sizing report and design requires adjustable tilting and/or panning of the solar panel, provide mounting hardware to allow solar panel to be tilted up to atleast 40 degrees and panned 360 degrees, respectively.

Provide an automatic means to dim the beacon indication(s) during nighttime conditions. Disable any feature that causes the beacon displays to dim as a result of battery voltage diminution.

Ensure the flashing rate is not less than 50 or more than 60 times per minute. Ensure the illuminated period of each flash is a minimum of 1/2 and a maximum of 2/3 of the total cycle.

For any equipment that requires personal computer software for programming or configuring, provide a Windows application software that runs on Windows 7 or a later version as allowed by the user. Provide the purchaser a license to duplicate, use, and distribute software to entities maintaining and operating traffic signals for which the user is responsible. Provide software on CD (compact disc) or other approved media. Provide hard copy and electronic copy of user operating and maintenance manuals for each unit with rights to duplicate as necessary.

Provide stainless steel fasteners for all items exposed to the weather. For fasteners protected from the weather, provide fasteners fabricated from stainless steel or other corrosion-resistant materials. Where the battery and charging/controller electronics are not integrated into the signal head housing or solar panel housing, provide a separate enclosure(s) of unpainted natural aluminum, stainless steel, or ultra-violet light resistant polymer. Ensure assemblies provide protection from environmental conditions and accidental contact equivalent to a NEMA 3R-rated enclosure. Ensure all components operate properly within the ambient temperature range from -30.0°F to+120°F.

## **PROJECT SPECIAL PROVISIONS**

# WORK ZONE TRAFFIC CONTROL DEVICES

The Contractor shall maintain traffic during construction and provide, install, and maintain all traffic control devices in accordance with these project guidelines, the Project Special Provisions, North Carolina Department of Transportation <u>Standard Specifications for Roads and Structures January, 2018</u>, The North Carolina Department of Transportation <u>Roadway Standards Drawings January, 2018</u> the current edition of the <u>Manual on Uniform Traffic Control Devices (MUTCD)</u> and all current addenda as of contract award date.

The Contractor shall utilize complete and proper traffic control and traffic control devices during all operations. All traffic control and traffic control devices required for any operation shall be functional and in place prior to the commencement of that operation. Signs for temporary operations shall be removed during periods of inactivity. The Contractor is required to leave the project in a manner that will be safe to the traveling public and which will not impede motorists.

Traffic movements through lane closures on roads with two way traffic shall be controlled by flaggers stationed at each end of the work zone. In situations where sight distance is limited, the Contractor shall provide additional means of controlling traffic, including, but not limited to, two-way radios, variable message signs, arrow boards, pilot vehicles, or additional flaggers. Flaggers shall be competent personnel, adequately trained in flagging procedures, and furnished with proper safety devices and equipment, including, but not limited to, safety vests and stop/slow paddles.

All personnel when working in traffic areas or areas in close proximity to traffic shall wear an approved safety vest, or shirt or jacket which meets the color requirements of the <u>Manual on Uniform Traffic Control Devices (MUTCD)</u>.

When personnel and/or equipment are working on the shoulder adjacent to an undivided facility and within 5 feet of an open travel lane, close the nearest open travel lane using the *Roadway Standard Drawings* No. 1101.02 unless the work area is protected by barrier or guardrail. When personnel and/or equipment are working on the shoulder, adjacent to a divided facility and within 10 feet of an open travel lane, close the nearest open travel lane using the *Roadway Standard Drawings* No. 1101.02 unless the work area is protected by barrier or guardrail. When personnel and/or equipment are working within a lane of travel of an undivided or divided facility, close the lane according to the traffic control plans, *Roadway Standard Drawings* or as directed by the Engineer. Conduct the work so that all personnel and/or equipment remain within the closed travel lane. Do not work simultaneously, on both sides of an open travel way, within the same location, on a two-lane, two-way road. Do not perform work involving heavy equipment within 15 feet of the edge of travel way when work is being performed behind a lane closure on the opposite side of the travel way. Perform work only when weather and visibility conditions allow safe operations as directed by the Engineer.

Operate equipment and conduct operations in the same direction as the flow of traffic. Do not cross medians with equipment, except at properly designated interchanges.

Provide appropriate lighting in accordance with Section 1413 of the *Standard Specifications* when electing to perform paving at night at no expense to the Department.

The Contractor shall comply with all applicable Federal, State, and local laws, ordinances, and regulations governing safety, health, and sanitation, and shall provide all safeguards, safety devices, and protective equipment, and shall take any other needed actions, on his own responsibility that are reasonably necessary to protect the life and health of employees on the job and the safety of the public, and to protect property in connection with the performance of the work covered by the contract.

Failure to comply with any of the requirements for safety and traffic control of this contract shall result in suspension of work as provided in subarticle 108-7(2) of the Standard Specifications.

Payment for Work Zone Traffic Control Devices will be incidental to the various pay items contained in this contract.

# STANDARD SPECIAL PROVISION AVAILABILITY OF FUNDS – TERMINATION OF CONTRACTS

(5-20-08)

Z-2

General Statute 143C-6-11. (h) Highway Appropriation is hereby incorporated verbatim in this contract as follows:

(h) Amounts Encumbered. – Transportation project appropriations may be encumbered in the amount of allotments made to the Department of Transportation by the Director for the estimated payments for transportation project contract work to be performed in the appropriation fiscal year. The allotments shall be multivear allotments and shall be based on estimated revenues and shall be subject to the maximum contract authority contained in General Statute 143C-6-11(c). Payment for transportation project work performed pursuant to contract in any fiscal year other than the current fiscal year is subject to appropriations by the General Assembly. Transportation project contracts shall contain a schedule of estimated completion progress, and any acceleration of this progress shall be subject to the approval of the Department of Transportation provided funds are available. The State reserves the right to terminate or suspend any transportation project contract, and any transportation project contract shall be so terminated or suspended if funds will not be available for payment of the work to be performed during that fiscal year pursuant to the contract. In the event of termination of any contract, the contractor shall be given a written notice of termination at least 60 days before completion of scheduled work for which funds are available. In the event of termination, the contractor shall be paid for the work already performed in accordance with the contract specifications.

Payment will be made on any contract terminated pursuant to the special provision in accordance with Subarticle 108-13(D) of the 2018 Standard Specifications.

## **ERRATA**

(10-16-18) (Rev.1-18-22)

Z-4

Revise the 2018 Standard Specifications as follows:

#### Division 6

Page 6-7, Article 609-1 DESCRIPTION, line 29, replace article number "609-10" with "609-9".

## **Division 7**

Page 7-27, Article 725-1 MEASUREMENT AND PAYMENT, line 4, replace article number "725-1" with "724-4".

Page 7-28, Article 725-1 MEASUREMENT AND PAYMENT, line 10, replace article number "725-1" with "725-3".

#### **Division 10**

Page 10-78, Article 1056-4 GEOTEXTILES, TABLE 1056-1, Permittivity, Type 2, replace "Table 6<sup>D</sup>" with "Table 7<sup>D</sup>" and Permittivity, Type 3<sup>B</sup>, replace "Table 7<sup>D</sup>" with "Table 8<sup>D</sup>".

Page 10-121, Article 1076-7, REPAIR OF GALVANIZING, line 8, replace article number "1080-9" with "1080-7".

Page 10-162, Article 1080-50 PAINT FOR VERTICAL MARKERS, line 1, replace article number "1080-50" with "1080-10".

Page 10-162, Article 1080-61 EPOXY RESIN FOR REINFORCING STEEL, line 5, replace article number "1080-61" with "1080-11".

Page 10-162, Article 1080-72 ABRASIVE MATERIALS FOR BLAST CLEANING STEEL, line 22, replace article number "1080-72" with "1080-12".

Page 10-163, Article 1080-83 FIELD PERFORMANCE AND SERVICES, line 25, replace article number "1080-83" with "1080-13".

#### **Division 17**

Page 17-15, Article 1715-4 MEASUREMENT AND PAYMENT, lines 42-44, replace the second sentence with the following:

An example is an installation of a single 1.25 inch HDPE conduit would be paid as:

Directional Drill (1)(1.25") Linear Foot

Page 17-15, Subarticle 1715-3(E) Bore and Jack, line 5, replace article number "1540-4" with "1550-4".

Page 17-15, Subarticle 1715-3(E) Bore and Jack, lines 10 & 11, replace "NCDOT Policies and Procedures for Accommodating Utilities on Highway Rights of Way" with "NCDOT Utilities Accommodations Manual".

## **PLANT AND PEST QUARANTINES**

(Imported Fire Ant, Gypsy Moth, Witchweed, Emerald Ash Borer, Guava Root Knot Nematode, And Other Noxious Weeds)

(3-18-03) (Rev. 5-21-19) Z-04a

## Within Quarantined Area

This project may be within a county regulated for plant and/or pests. If the project or any part of the Contractor's operations is located within a quarantined area, thoroughly clean all equipment prior to moving out of the quarantined area. Comply with federal/state regulations by obtaining a certificate or limited permit for any regulated article moving from the quarantined area.

# Originating in a Quarantined County

Obtain a certificate or limited permit issued by the N.C. Department of Agriculture/United States Department of Agriculture. Have the certificate or limited permit accompany the article when it arrives at the project site.

#### Contact

Contact the N.C. Department of Agriculture/United States Department of Agriculture at 1-800-206-9333, 919-707-3730, or <a href="https://www.ncagr.gov/plantindustry/Plant/quaran/table2.htm">https://www.ncagr.gov/plantindustry/Plant/quaran/table2.htm</a> to determine those specific project sites located in the quarantined area or for any regulated article used on this project originating in a quarantined county.

## **Regulated Articles Include**

- 1. Soil, sand, gravel, compost, peat, humus, muck, and decomposed manure, separately or with other articles. This includes movement of articles listed above that may be associated with cut/waste, ditch pulling, and shoulder cutting.
- 2. Plants with roots including grass sod.
- 3. Plant crowns and roots.
- 4. Bulbs, corms, rhizomes, and tubers of ornamental plants.
- 5. Hay, straw, fodder, and plant litter of any kind.
- 6. Clearing and grubbing debris.
- 7. Used agricultural cultivating and harvesting equipment.
- 8. Used earth-moving equipment.
- 9. Any other products, articles, or means of conveyance, of any character, if determined by an inspector to present a hazard of spreading imported fire ant, gypsy moth, witchweed, emerald ash borer, guava root knot nematode, or other noxious weeds.

## **MINIMUM WAGES**

(7-21-09) Z-5

**FEDERAL:** The Fair Labor Standards Act provides that with certain exceptions every employer shall pay wages at the rate of not less than SEVEN DOLLARS AND TWENTY

FIVE CENTS (\$7.25) per hour.

**STATE:** The North Carolina Minimum Wage Act provides that every employer shall pay to

each of his employees, wages at a rate of not less than SEVEN DOLLARS AND

TWENTY FIVE CENTS (\$7.25) per hour.

The minimum wage paid to all skilled labor employed on this contract shall be

SEVEN DOLLARS AND TWENTY FIVE CENTS (\$7.25) per hour.

The minimum wage paid to all intermediate labor employed on this contract shall

be SEVEN DOLLARS AND TWENTY FIVE CENTS (\$7.25) per hour.

The minimum wage paid to all unskilled labor on this contract shall be SEVEN

DOLLARS AND TWENTY FIVE CENTS (\$7.25) per hour.

This determination of the intent of the application of this act to the contract on this

project is the responsibility of the Contractor.

The Contractor shall have no claim against the Department of Transportation for any changes in the minimum wage laws, Federal or State. It is the responsibility of the Contractor to keep fully informed of all Federal and State Laws affecting his contract.

## **TITLE VI AND NONDISCRIMINATION:**

(6-28-77)(Rev 6/19/2018)

Z-6

Revise the 2018 Standard Specifications as follows:

Replace Article 103-4(B) with the following:

The North Carolina Department of Transportation is committed to carrying out the U.S. Department of Transportation's policy of ensuring nondiscrimination in the award and administration of contracts.

The provisions of this section related to United States Department of Transportation (US DOT) Order 1050.2A, Title 49 Code of Federal Regulations (CFR) part 21, 23 United States Code (U.S.C.) 140 and 23 CFR part 200 (or 49 CFR 303, 49 U.S.C. 5332 or 49 U.S.C. 47123) are applicable to all North Carolina Department of Transportation (NCDOT) contracts and to all related subcontracts, material supply, engineering, architectural and other service contracts, regardless of dollar amount. Any Federal provision that is specifically required not specifically set forth is hereby incorporated by reference.

# (1) Title VI Assurances (USDOT Order 1050.2A, Appendix A)

During the performance of this contract, the contractor, for itself, its assignees, and successors in interest (hereinafter referred to as the "contractor") agrees as follows:

- (a) Compliance with Regulations
  - The contractor (hereinafter includes consultants) shall comply with the Acts and the Regulations relative to Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation, Federal Highway Administration (FHWA), as they may be amended from time to time, which are herein incorporated by reference and made a part of this contract.
- (b) Nondiscrimination
  - The contractor, with regard to the work performed by it during the contract, shall not discriminate on the grounds of race, color, or national origin in the selection and retention of subcontractors, including procurements of materials and leases of equipment. The contractor shall not participate directly or indirectly in the discrimination prohibited by the Acts and the Regulations, including employment practices when the contract covers any activity, project, or program set forth in Appendix B of 49 CFR Part 21.
- (c) Solicitations for Subcontractors, Including Procurements of Materials and Equipment In all solicitations, either by competitive bidding, or negotiation made by the contractor for work to be performed under a subcontract, including procurements of materials, or leases of equipment, each potential subcontractor or supplier shall be notified by the contractor of the contractor's obligations under this contract and the Acts and the Regulations relative to Nondiscrimination on the grounds of race, color, or national origin.

# (d) Information and Reports

The contractor shall provide all information and reports required by the Acts, the Regulations, and directives issued pursuant thereto and shall permit access to its books, records, accounts, other sources of information, and its facilities as may be determined

by the Recipient or the FHWA to be pertinent to ascertain compliance with such Acts, Regulations, and instructions. Where any information required of a contractor is in the exclusive possession of another who fails or refuses to furnish the information, the contractor shall so certify to the Recipient or the FHWA, as appropriate, and shall set forth what efforts it has made to obtain the information.

## (e) Sanctions for Noncompliance:

In the event of a contractor's noncompliance with the Non-discrimination provisions of this contract, the Recipient will impose such contract sanctions as it and/or the FHWA may determine to be appropriate, including, but not limited to:

- (i) Withholding payments to the contractor under the contract until the contractor complies; and/or
- (ii) Cancelling, terminating, or suspending a contract, in whole or in part.

## (f) Incorporation of Provisions

The contractor shall include the provisions of paragraphs (a) through (f) in every subcontract, including procurements of materials and leases of equipment, unless exempt by the Acts, the Regulations and directives issued pursuant thereto. The contractor shall take action with respect to any subcontract or procurement as the Recipient or the FHWA may direct as a means of enforcing such provisions including sanctions for noncompliance. Provided, that if the contractor becomes involved in, or is threatened with litigation by a subcontractor, or supplier because of such direction, the contractor may request the Recipient to enter into any litigation to protect the interests of the Recipient. In addition, the contractor may request the United States to enter into the litigation to protect the interests of the United States.

# (2) Title VI Nondiscrimination Program (23 CFR 200.5(p))

The North Carolina Department of Transportation (NCDOT) has assured the USDOT that, as a condition to receiving federal financial assistance, NCDOT will comply with Title VI of the Civil Rights Act of 1964 and all requirements imposed by Title 49 CFR part 21 and related nondiscrimination authorities to ensure that no person shall, on the ground of race, color, national origin, limited English proficiency, sex, age, or disability (including religion/creed or income-level, where applicable), be excluded from participation in, be denied the benefits of, or be subjected to discrimination under any programs, activities, or services conducted or funded by NCDOT. Contractors and other organizations under contract or agreement with NCDOT must also comply with Title VI and related authorities, therefore:

- (a) During the performance of this contract or agreement, contractors (e.g., subcontractors, consultants, vendors, prime contractors) are responsible for complying with NCDOT's Title VI Program. Contractors are not required to prepare or submit Title VI Programs. To comply with this section, the prime contractor shall:
  - 1. Post NCDOT's Notice of Nondiscrimination and the Contractor's own Equal Employment Opportunity (EEO) Policy in conspicuous locations accessible to all employees, applicants and subcontractors on the jobsite.
  - 2. Physically incorporate the required Title VI clauses into all subcontracts on federally-assisted and state-funded NCDOT projects, and ensure inclusion by subcontractors into all lower-tier subcontracts.

- 3. Required Solicitation Language. The Contractor shall include the following notification in all solicitations for bids and requests for work or material, regardless of funding source:
  - "The North Carolina Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 US.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award. In accordance with other related nondiscrimination authorities, bidders and contractors will also not be discriminated against on the grounds of sex, age, disability, low-income level, creed/religion, or limited English proficiency in consideration for an award."
- 4. Physically incorporate the FHWA-1273, in its entirety, into all subcontracts and subsequent lower tier subcontracts on Federal-aid highway construction contracts only.
- 5. Provide language assistance services (i.e., written translation and oral interpretation), free of charge, to LEP employees and applicants. Contact NCDOT OCR for further assistance, if needed.
- 6. For assistance with these Title VI requirements, contact the NCDOT Title VI Nondiscrimination Program at 1-800-522-0453.
- (b) Subrecipients (e.g. cities, counties, LGAs, planning organizations) may be required to prepare and submit a Title VI Plan to NCDOT, including Title VI Assurances and/or agreements. Subrecipients must also ensure compliance by their contractors and subrecipients with Title VI. (23 CFR 200.9(b)(7))
- (c) If reviewed or investigated by NCDOT, the contractor or subrecipient agrees to take affirmative action to correct any deficiencies found within a reasonable time period, not to exceed 90 calendar days, unless additional time is granted by NCDOT. (23 CFR 200.9(b)(15))
- (d) The Contractor is responsible for notifying subcontractors of NCDOT's External Discrimination Complaints Process.
  - 1. Applicability
    - Title VI and related laws protect participants and beneficiaries (e.g., members of the public and contractors) from discrimination by NCDOT employees, subrecipients and contractors, regardless of funding source.
  - 2. Eligibility
    - Any person—or class of persons—who believes he/she has been subjected to discrimination based on race, color, national origin, Limited English Proficiency (LEP), sex, age, or disability (and religion in the context of employment, aviation, or transit) may file a written complaint. The law also prohibits intimidation or retaliation of any sort.
  - 3. Time Limits and Filing Options
    Complaints may be filed by the affected individual(s) or a representative and must be filed no later than 180 calendar days after the following:
    - (i) The date of the alleged act of discrimination; or
    - (ii) The date when the person(s) became aware of the alleged discrimination; or

(iii) Where there has been a continuing course of conduct, the date on which that conduct was discontinued or the latest instance of the conduct.

Title VI and related discrimination complaints may be submitted to the following entities:

- North Carolina Department of Transportation, Office of Civil Rights, Title VI Program, 1511 Mail Service Center, Raleigh, NC 27699-1511; toll free 1-800-522-0453
- Federal Highway Administration, North Carolina Division Office, 310 New Bern Avenue, Suite 410, Raleigh, NC 27601, 919-747-7010
- ➤ US Department of Transportation, Departmental Office of Civil Rights, External Civil Rights Programs Division, 1200 New Jersey Avenue, SE, Washington, DC 20590; 202-366-4070

# 4. Format for Complaints

Complaints must be in writing and signed by the complainant(s) or a representative, and include the complainant's name, address, and telephone number. Complaints received by fax or e-mail will be acknowledged and processed. Allegations received by telephone will be reduced to writing and provided to the complainant for confirmation or revision before processing. Complaints will be accepted in other languages, including Braille.

5. Discrimination Complaint Form
Contact NCDOT Civil Rights to receive a full copy of the Discrimination
Complaint Form and procedures.

## 6. Complaint Basis

Allegations must be based on issues involving race, color, national origin (LEP), sex, age, disability, or religion (in the context of employment, aviation or transit). "Basis" refers to the complainant's membership in a protected group category.

| TABLE 103-1<br>COMPLAINT BASIS                |  |  |  |  |  |
|---|--|--|--|--|--|
| Protected Categories                          | Definition   | Examples   | Applicable Nondiscrimination<br>Authorities  |  |  |
| Race and Ethnicity                            | An individual belonging to one of the accepted racial groups; or the perception, based usually on physical characteristics that a person is a member of a racial group | Black/African American, Hispanic/Latino, Asian, American Indian/Alaska Native, Native Hawaiian/Pacific Islander, White | Title VI of the Civil Rights Act of 1964;<br>49 CFR Part 21;<br>23 CFR 200;<br>49 U.S.C. 5332(b);<br>49 U.S.C. 47123.<br>(Executive Order 13166) |  |  |
| Color   | Color of skin, including shade of skin within a racial group   | Black, White, brown, yellow, etc.  |  |  |  |
| National Origin (Limited English Proficiency) | Place of birth. Citizenship is not<br>a factor. (Discrimination based<br>on language or a person's<br>accent is also covered)  | Mexican, Cuban,<br>Japanese,<br>Vietnamese, Chinese  |  |  |  |
| Sex   | Gender. The sex of an individual. <i>Note:</i> Sex under this program does not include sexual orientation.   | Women and Men  | 1973 Federal-Aid Highway Act;<br>49 U.S.C. 5332(b);<br>49 U.S.C. 47123.  |  |  |
| Age   | Persons of any age   | 21-year-old person   | Age Discrimination Act of 1975<br>49 U.S.C. 5332(b);   |  |  |

|  |  |   | 49 U.S.C. 47123.  |
|--|--|---|---|
| Disability   | Physical or mental impairment, permanent or temporary, or perceived.   | Blind, alcoholic,<br>para-amputee,<br>epileptic, diabetic,<br>arthritic | Section 504 of the Rehabilitation Act of 1973; Americans with Disabilities Act of 1990  |
| Religion (in the context of employment) (Religion/ Creed in all aspects of any aviation or transit-related construction) | An individual belonging to a religious group; or the perception, based on distinguishable characteristics that a person is a member of a religious group. In practice, actions taken as a result of the moral and ethical beliefs as to what is right and wrong, which are sincerely held with the strength of traditional religious views. <i>Note:</i> Does not have to be associated with a recognized religious group or church; if an individual sincerely holds to the belief, it is a protected religious practice. | Muslim, Christian,<br>Sikh, Hindu, etc.                                 | Title VII of the Civil Rights Act of 1964;<br>23 CFR 230;<br>FHWA-1273 Required Contract Provisions.<br>(49 U.S.C. 5332(b);<br>49 U.S.C. 47123) |

## (3) Pertinent Nondiscrimination Authorities

During the performance of this contract, the contractor, for itself, its assignees, and successors in interest agrees to comply with the following non-discrimination statutes and authorities, including, but not limited to:

- (a) Title VI of the Civil Rights Act of 1964 (42 U.S.C. § 2000d et seq., 78 stat. 252), (prohibits discrimination on the basis of race, color, national origin); and 49 CFR Part 21.
- (b) The Uniform Relocation Assistance and Real Property Acquisition Policies Act of 1970, (42 U.S.C. § 4601), (prohibits unfair treatment of persons displaced or whose property has been acquired because of Federal or Federal-aid programs and projects);
- (c) Federal-Aid Highway Act of 1973, (23 U.S.C. § 324 et seq.), (prohibits discrimination on the basis of sex);
- (d) Section 504 of the Rehabilitation Act of 1973, (29 U.S.C. § 794 et seq.), as amended, (prohibits discrimination on the basis of disability) and 49 CFR Part 27;
- (e) The Age Discrimination Act of 1975, as amended, (42 U.S.C. § 6101 et seq.), (prohibits discrimination on the basis of age);
- (f) Airport and Airway Improvement Act of 1982, (49 USC § 471, Section 47123), as amended, (prohibits discrimination based on race, creed, color, national origin, or sex);
- (g) The Civil Rights Restoration Act of 1987, (PL 100-209), (Broadened the scope, coverage and applicability of Title VI of the Civil Rights Act of 1964, The Age Discrimination Act of 1975 and Section 504 of the Rehabilitation Act of 1973, by expanding the definition of the terms "programs or activities" to include all of the programs or activities of the Federal-aid recipients, sub-recipients and contractors, whether such programs or activities are Federally funded or not);
- (h) Titles II and III of the Americans with Disabilities Act, which prohibit discrimination on the basis of disability in the operation of public entities, public and private transportation systems, places of public accommodation, and certain testing entities (42 U.S.C. §§ 12131-12189) as implemented by Department of Transportation regulations at 49 C.F.R. parts 37 and 38;

- (i) The Federal Aviation Administration's Nondiscrimination statute (49 U.S.C. § 47123) (prohibits discrimination on the basis of race, color, national origin, and sex);
- (j) Executive Order 12898, Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations, which ensures Nondiscrimination against minority populations by discouraging programs, policies, and activities with disproportionately high and adverse human health or environmental effects on minority and low-income populations;
- (k) Executive Order 13166, Improving Access to Services for Persons with Limited English Proficiency, and resulting agency guidance, national origin discrimination includes discrimination because of Limited English proficiency (LEP). To ensure compliance with Title VI, you must take reasonable steps to ensure that LEP persons have meaningful access to your programs (70 Fed. Reg. at 74087 to 74100);
- (l) Title IX of the Education Amendments of 1972, as amended, which prohibits you from discriminating because of sex in education programs or activities (20 U.S.C. 1681 et seq).
- (m) Title VII of the Civil Rights Act of 1964 (42 U.S.C. § 2000e et seq., Pub. L. 88-352), (prohibits employment discrimination on the basis of race, color, religion, sex, or national origin).

## (4) Additional Title VI Assurances

- \*\*The following Title VI Assurances (Appendices B, C and D) shall apply, as applicable
- (a) Clauses for Deeds Transferring United States Property (1050.2A, Appendix B) The following clauses will be included in deeds effecting or recording the transfer of real property, structures, or improvements thereon, or granting interest therein from the United States pursuant to the provisions of Assurance 4.

NOW, THEREFORE, the U.S. Department of Transportation as authorized by law and upon the condition that the North Carolina Department of Transportation (NCDOT) will accept title to the lands and maintain the project constructed thereon in accordance with the North Carolina General Assembly, the Regulations for the Administration of the Federal-Aid Highway Program, and the policies and procedures prescribed by the Federal Highway Administration of the U.S. Department of Transportation in accordance and in compliance with all requirements imposed by Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the U.S Department of Transportation pertaining to and effectuating the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252; 42 U.S.C. § 2000d to 2000d-4), does hereby remise, release, quitclaim and convey unto the NCDOT all the right, title and interest of the U.S. Department of Transportation in and to said lands described in Exhibit A attached hereto and made a part hereof.

(HABENDUM CLAUSE)

TO HAVE AND TO HOLD said lands and interests therein unto the North Carolina Department of Transportation (NCDOT) and its successors forever, subject, however, to the covenants, conditions, restrictions and reservations herein contained as follows, which will remain in effect for the period during which the real property or structures are used for a purpose for which Federal financial assistance is extended or for another purpose involving the provision of similar services or benefits and will be binding on the NCDOT, its successors and assigns.

The NCDOT, in consideration of the conveyance of said lands and interests in lands, does hereby covenant and agree as a covenant running with the land for itself, its successors and assigns, that (1) no person will on the grounds of race, color, or national origin, be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination with regard to any facility located wholly or in part on, over, or under such lands hereby conveyed [,] [and]\* (2) that the NCDOT will use the lands and interests in lands and interests in lands so conveyed, in compliance with all requirements imposed by or pursuant to Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Nondiscrimination in Federally-assisted programs of the U.S. Department of Transportation, Effectuation of Title VI of the Civil Rights Act of 1964, and as said Regulations and Acts may be amended [, and (3) that in the event of breach of any of the above-mentioned nondiscrimination conditions, the Department will have a right to enter or re-enter said lands and facilities on said land, and that above described land and facilities will thereon revert to and vest in and become the absolute property of the U.S. Department of Transportation and its assigns as such interest existed prior to this instruction].\*

- (\*Reverter clause and related language to be used only when it is determined that such a clause is necessary in order to make clear the purpose of Title VI.)
- (b) Clauses for Transfer of Real Property Acquired or Improved Under the Activity, Facility, or Program (1050.2A, Appendix C)
  - The following clauses will be included in deeds, licenses, leases, permits, or similar instruments entered into by the North Carolina Department of Transportation (NCDOT) pursuant to the provisions of Assurance 7(a):
  - 1. The (grantee, lessee, permittee, etc. as appropriate) for himself/herself, his/her heirs, personal representatives, successors in interest, and assigns, as a part of the consideration hereof, does hereby covenant and agree [in the case of deeds and leases add "as a covenant running with the land"] that:
    - (i.) In the event facilities are constructed, maintained, or otherwise operated on the property described in this (deed, license, lease, permit, etc.) for a purpose for which a U.S. Department of Transportation activity, facility, or program is extended or for another purpose involving the provision of similar services or benefits, the (grantee, licensee, lessee, permittee, etc.) will maintain and operate such facilities and services in compliance with all requirements imposed by the Acts and Regulations (as may be amended) such that no person on the grounds of race, color, or national origin, will be excluded from participation in, denied the benefits of, or be otherwise subjected to discrimination in the use of said facilities.

- 2. With respect to licenses, leases, permits, etc., in the event of breach of any of the above Nondiscrimination covenants, the NCDOT will have the right to terminate the (lease, license, permit, etc.) and to enter, re-enter, and repossess said lands and facilities thereon, and hold the same as if the (lease, license, permit, etc.) had never been made or issued. \*
- 3. With respect to a deed, in the event of breach of any of the above Nondiscrimination covenants, the NCDOT will have the right to enter or re-enter the lands and facilities thereon, and the above described lands and facilities will there upon revert to and vest in and become the absolute property of the NCDOT and its assigns. \*

(\*Reverter clause and related language to be used only when it is determined that such a clause is necessary to make clear the purpose of Title VI.)

- (c) Clauses for Construction/Use/Access to Real Property Acquired Under the Activity, Facility or Program (1050.2A, Appendix D)
  - The following clauses will be included in deeds, licenses, permits, or similar instruments/ agreements entered into by the North Carolina Department of Transportation (NCDOT) pursuant to the provisions of Assurance 7(b):
  - 1. The (grantee, licensee, permittee, etc., as appropriate) for himself/herself, his/her heirs, personal representatives, successors in interest, and assigns, as a part of the consideration hereof, does hereby covenant and agree (in the case of deeds and leases add, "as a covenant running with the land") that (1) no person on the ground of race, color, or national origin, will be excluded from participation in, denied the benefits of, or be otherwise subjected to discrimination in the use of said facilities, (2) that in the construction of any improvements on, over, or under such land, and the furnishing of services thereon, no person on the ground of race, color, or national origin, will be excluded from participation in, denied the benefits of, or otherwise be subjected to discrimination, (3) that the (grantee, licensee, lessee, permittee, etc.) will use the premises in compliance with all other requirements imposed by or pursuant to the Acts and Regulations, as amended, set forth in this Assurance.
  - 2. With respect to (licenses, leases, permits, etc.), in the event of breach of any of the above Non¬ discrimination covenants, the NCDOT will have the right to terminate the (license, permit, etc., as appropriate) and to enter or re-enter and repossess said land and the facilities thereon, and hold the same as if said (license, permit, etc., as appropriate) had never been made or issued. \*
  - 3. With respect to deeds, in the event of breach of any of the above Nondiscrimination covenants, the NCDOT will there upon revert to and vest in and become the absolute property of the NCDOT and its assigns. \*

(\*Reverter clause and related language to be used only when it is determined that such a clause is necessary to make clear the purpose of Title VI.)

## **ON-THE-JOB TRAINING**

(10-16-07) (Rev. 4-21-15)

Z-10

## **Description**

The North Carolina Department of Transportation will administer a custom version of the Federal On-the-Job Training (OJT) Program, commonly referred to as the Alternate OJT Program. All contractors (existing and newcomers) will be automatically placed in the Alternate Program. Standard OJT requirements typically associated with individual projects will no longer be applied at the project level. Instead, these requirements will be applicable on an annual basis for each contractor administered by the OJT Program Manager.

On the Job Training shall meet the requirements of 23 CFR 230.107 (b), 23 USC – Section 140, this provision and the On-the-Job Training Program Manual.

The Alternate OJT Program will allow a contractor to train employees on Federal, State and privately funded projects located in North Carolina. However, priority shall be given to training employees on NCDOT Federal-Aid funded projects.

#### **Minorities and Women**

Developing, training and upgrading of minorities and women toward journeyman level status is a primary objective of this special training provision. Accordingly, the Contractor shall make every effort to enroll minority and women as trainees to the extent that such persons are available within a reasonable area of recruitment. This training commitment is not intended, and shall not be used, to discriminate against any applicant for training, whether a member of a minority group or not.

## **Assigning Training Goals**

The Department, through the OJT Program Manager, will assign training goals for a calendar year based on the contractors' past three years' activity and the contractors' anticipated upcoming year's activity with the Department. At the beginning of each year, all contractors eligible will be contacted by the Department to determine the number of trainees that will be assigned for the upcoming calendar year. At that time the Contractor shall enter into an agreement with the Department to provide a self-imposed on-the-job training program for the calendar year. This agreement will include a specific number of annual training goals agreed to by both parties. The number of training assignments may range from 1 to 15 per contractor per calendar year. The Contractor shall sign an agreement to fulfill their annual goal for the year.\

#### **Training Classifications**

The Contractor shall provide on-the-job training aimed at developing full journeyman level workers in the construction craft/operator positions. Preference shall be given to providing training in the following skilled work classifications:

Equipment Operators Office Engineers

Truck Drivers Estimators

Carpenters Iron / Reinforcing Steel Workers

Concrete Finishers Mechanics
Pipe Layers Welders

The Department has established common training classifications and their respective training requirements that may be used by the contractors. However, the classifications established are not all-inclusive. Where the training is oriented toward construction applications, training will be allowed in lower-level management positions such as office engineers and estimators. Contractors shall submit new classifications for specific job functions that their employees are performing. The Department will review and recommend for acceptance to FHWA the new classifications proposed by contractors, if applicable. New classifications shall meet the following requirements:

Proposed training classifications are reasonable and realistic based on the job skill classification needs, and

The number of training hours specified in the training classification is consistent with common practices and provides enough time for the trainee to obtain journeyman level status.

The Contractor may allow trainees to be trained by a subcontractor provided that the Contractor retains primary responsibility for meeting the training and this provision is made applicable to the subcontract. However, only the Contractor will receive credit towards the annual goal for the trainee.

Where feasible, 25 percent of apprentices or trainees in each occupation shall be in their first year of apprenticeship or training. The number of trainees shall be distributed among the work classifications on the basis of the contractor's needs and the availability of journeymen in the various classifications within a reasonable area of recruitment.

No employee shall be employed as a trainee in any classification in which they have successfully completed a training course leading to journeyman level status or in which they have been employed as a journeyman.

#### **Records and Reports**

The Contractor shall maintain enrollment, monthly and completion reports documenting company compliance under these contract documents. These documents and any other information as requested shall be submitted to the OJT Program Manager.

Upon completion and graduation of the program, the Contractor shall provide each trainee with a certification Certificate showing the type and length of training satisfactorily completed.

#### **Trainee Interviews**

All trainees enrolled in the program will receive an initial and Trainee/Post graduate interview conducted by the OJT program staff.

#### **Trainee Wages**

Contractors shall compensate trainees on a graduating pay scale based upon a percentage of the prevailing minimum journeyman wages (Davis-Bacon Act). Minimum pay shall be as follows:

| 60 percent | of the journeyman wage for the first half of the training period    |
|------------|---|
| 75 percent | of the journeyman wage for the third quarter of the training period |
| 90 percent | of the journeyman wage for the last quarter of the training period  |

In no instance shall a trainee be paid less than the local minimum wage. The Contractor shall adhere to the minimum hourly wage rate that will satisfy both the NC Department of Labor (NCDOL) and the Department.

#### **Achieving or Failing to Meet Training Goals**

The Contractor will be credited for each trainee employed by him on the contract work who is currently enrolled or becomes enrolled in an approved program and who receives training for at least 50 percent of the specific program requirement. Trainees will be allowed to be transferred between projects if required by the Contractor's scheduled workload to meet training goals.

If a contractor fails to attain their training assignments for the calendar year, they may be taken off the NCDOT's Bidders List.

#### **Measurement and Payment**

No compensation will be made for providing required training in accordance with these contract documents.

#### LISTING OF MBE/WBE SUBCONTRACTORS

Sheet of \* Agreed \*\* Dollar Volume of Item Circle Firm Name and Address Item Description upon Unit One No. Item Price Name MBE WBE Address Name MBE WBE Address Name MBE WBE Address Name **MBE** Address **WBE** Name MBE WBE Address Name **MBE** Address **WBE** 

<sup>\*</sup> The Dollar Volume shown in this column shall be the Actual Price Agreed Upon by the Prime Contractor and the MBE/WBE subcontractor, and these prices will be used to determine the percentage of the MBE/WBE participation in the contract.

<sup>\*\*</sup> Dollar Volume of MBE/WBE Subcontractor Percentage of Total Contract Bid Price:

If firm is a Material Supplier Only, show Dollar Volume as 60% of Agreed Upon Amount from Letter of Intent. If firm is a Manufacturer, show Dollar Volume as 100% of Agreed Upon Amount from Letter of Intent.

#### LISTING OF MBE/WBE SUBCONTRACTORS

|                       |               |             |                     | Sheet                          | of                       |
|-----------------------|---------------|-------------|---------------------|--------------------------------|--------------------------|
| Firm Name and Address | Circle<br>One | Item<br>No. | Item Description    | * Agreed<br>upon Unit<br>Price | ** Dollar Volume of Item |
| Name                  | MBE           |             |                     |                                |                          |
| Address               | WBE           |             |                     |                                |                          |
|                       |               |             |                     |                                |                          |
| Name                  | MBE           |             |                     |                                |                          |
| Address               | WBE           |             |                     |                                |                          |
|                       |               |             |                     |                                |                          |
| Name                  | MBE           |             |                     |                                |                          |
| Address               | WBE           |             |                     |                                |                          |
|                       |               |             |                     |                                |                          |
| Name                  |               |             |                     |                                |                          |
| Name                  | MBE           |             |                     |                                |                          |
| Address               | WBE           |             |                     |                                |                          |
|                       |               |             |                     |                                |                          |
| Name                  | MBE           |             |                     |                                |                          |
| Address               | WBE           |             |                     |                                |                          |
|                       |               |             |                     |                                |                          |
|                       |               |             | ** Dollar Volume of | MBE Subcontra                  | actor \$                 |
|                       |               |             | MBE Percentage of T | otal Contract Bi               | d Price%                 |
|                       |               |             | ** Dollar Volume of | WBE Subcontra                  | actor \$                 |

WBE Percentage of Total Contract Bid Price \_\_\_\_\_\_%

<sup>\*</sup>The Dollar Volume shown in this column shall be the Actual Price Agreed Upon by the Prime Contractor and the MBE/WBE subcontractor, and these prices will be used to determine the percentage of the MBE/WBE participation in the contract.

<sup>\*\*</sup> Dollar Volume of MBE/WBE Subcontractor Percentage of Total Contract Bid Price.

If firm is a Material Supplier Only, show Dollar Volume as 60% of Agreed Upon Amount from Letter of Intent.

If firm is a Manufacturer, show Dollar Volume as 100% of Agreed Upon Amount from Letter of Intent.

## North Carolina Dept. of Transportation Bid Form

| ITEM | SECT | DESCRIPTION   | QUANTITY | UNIT | UNIT<br>PRICE | AMOUNT BID |
|------|------|---|----------|------|---------------|------------|
| 1    | SP   | Vehicle Signal Head (NCDOT furnished)                         | 100      | EA   |               |            |
| 2    | 1705 | Vehicle Signal Head (12", 3 section)                          | 80       | EA   |               |            |
| 3    | 1705 | Vehicle Signal Head (12", 4 section)                          | 20       | EA   |               |            |
| 4    | 1705 | Vehicle Signal Head (12", 5 section)                          | 10       | EA   |               |            |
| 5    | 1705 | Pedestrian Signal Head (16", 1 Section)                       | 8        | EA   |               |            |
| 6    | SP   | Signal Head Adjustments                                       | 10       | EA   |               |            |
| 7    | SP   | Removal Of Signal Head, Pedestrian<br>Head, or Blank Out Sign | 100      | EA   |               |            |
| 8    | 1705 | Signal Cable  | 12,000   | LF   |               |            |
| 9    | SP   | Removal Of Signal Cable From<br>Messenger Cable               | 5,000    | LF   |               |            |
| 10   | 1710 | Messenger Cable (1/4")  | 3,000    | LF   |               |            |
| 11   | 1710 | Messenger Cable (3/8")  | 5,000    | LF   |               |            |
| 12   | SP   | Removal Of Messenger Cable W/<br>Conductor Attached           | 4,000    | LF   |               |            |
| 13   | 1715 | Unpaved Trenching (1" Rigid Conduit)                          | 300      | LF   |               |            |
| 14   | 1715 | Unpaved Trenching (2" Rigid Conduit)                          | 200      | LF   |               |            |
| 15   | 1715 | Unpaved Trenching (1" PVC)                                    | 500      | LF   |               |            |
| 16   | 1715 | Unpaved Trenching (2" PVC)                                    | 4,000    | LF   |               |            |
| 17   | 1715 | Bore & Jack (2" Conduit)                                      | 200      | LF   |               |            |
| 18   | 1716 | Junction Box (Standard Size)                                  | 80       | EA   |               |            |
| 19   | 1716 | Junction Box (Over-Sized, Heavy Duty)                         | 10       | EA   |               |            |
| 20   | 1720 | Wood Pole (35') – Class 3                                     | 20       | EA   |               |            |
| 21   | 1720 | Wood Pole (40') – Class 3                                     | 40       | EA   |               |            |
| 22   | 1720 | Wood Pole (45', 50', or 55') – Class 3                        | 2        | EA   |               |            |
| 23   | SP   | Wood Pole (NCDOT furnished)                                   | 4        | EA   |               |            |
| 24   | 1721 | Guy Assembly (Metal Guard Required)                           | 50       | EA   |               |            |

## North Carolina Dept. of Transportation Bid Form (continued)

| ITEM | SECT | DESCRIPTION                                    | QUANTITY | UNIT | UNIT<br>PRICE | AMOUNT BID |
|------|------|--|----------|------|---------------|------------|
| 25   | SP   | Guy Assembly, No Anchor (Metal Guard Required) | 10       | EA   |               |            |
| 26   | SP   | Guy Assembly Removal                           | 30       | EA   |               |            |
| 27   | 1722 | 1/2" Riser With Weatherhead                    | 5        | EA   |               |            |
| 28   | 1722 | 1" Riser With Weatherhead                      | 5        | EA   |               |            |
| 29   | 1722 | 2" Riser With Weatherhead                      | 80       | EA   |               |            |
| 30   | SP   | Inductive Detection Loop Sawcut                | 30,000   | LF   |               |            |
| 31   | 1726 | Lead-In Cable (#14-2)                          | 20,000   | LF   |               |            |
| 32   | 1730 | Communication Cable (24 or Less Fiber)         | 2,000    | LF   |               |            |
| 33   | 1730 | Drop Cable                                     | 200      | LF   |               |            |
| 34   | 1731 | Interconnect Center                            | 2        | EA   |               |            |
| 35   | 1731 | Splice Enclosure                               | 2        | EA   |               |            |
| 36   | SP   | Above-Ground Splice Box (C-Box)                | 10       | EA   |               |            |
| 37   | SP   | Install Triplex (NCDOT furnished)              | 200      | LF   |               |            |
| 38   | SP   | New Electrical Service                         | 15       | EA   |               |            |
| 39   | SP   | Transfer Existing Attachments                  | 40       | EA   |               |            |
| 40   | 1736 | 900 MHZ Radio                                  | 5        | EA   |               |            |
| 41   | SP   | Modify Radio Installation                      | 5        | EA   |               |            |
| 42   | SP   | 900 MHZ Radio (NCDOT furnished)                | 2        | EA   |               |            |
| 43   | 1743 | Type I Post with Foundation                    | 4        | EA   |               |            |
| 44   | 1743 | Type II Pedestal with Foundation               | 8        | EA   |               |            |
| 45   | 1743 | Type III Pedestal with Foundation              | 4        | EA   |               |            |
| 46   | SP   | Type III Pedestal (NCDOT Furnished)            | 8        | EA   |               |            |
| 47   | 1745 | Sign for Signals (Maximum size 16 SF)          | 5        | EA   |               |            |
| 48   | SP   | Sign for Signals (NCDOT furnished)             | 20       | EA   |               |            |

## North Carolina Dept. of Transportation Bid Form (continued)

| ITEM | SECT | DESCRIPTION   | QUANTITY | UNIT | UNIT<br>PRICE | AMOUNT BID |
|------|------|---|----------|------|---------------|------------|
| 49   | SP   | Removal of Sign for Signals   | 20       | EA   |               |            |
| 50   | SP   | LED Blank-Out Sign (NCDOT furnished)  | 5        | EA   |               |            |
| 51   | 1750 | Signal Cabinet Foundation   | 10       | EA   |               |            |
| 52   | SP   | Grounding Existing Cabinets   | 5        | EA   |               |            |
| 53   | SP   | Removal Of Existing Cabinet   | 10       | EA   |               |            |
| 54   | SP   | Removal Of Existing Concrete Footing & Attachments for Base Mounted Cabinet             | 10       | EA   |               |            |
| 55   | SP   | Remove & Replace Miscellaneous Concrete   | 10       | CY   |               |            |
| 56   | SP   | Controller With Cabinet - Type 2070L,<br>Base or Pole Mounted (NCDOT furnished)         | 20       | EA   |               |            |
| 57   | SP   | Install, Replace And / Or Adjust Vehicle<br>Motion Detector System (NCDOT<br>Furnished) | 4        | EA   |               |            |
| 58   | SP   | Metal Strain Signal Pole (26')  | 1        | EA   |               |            |
| 59   | SP   | Metal Strain Signal Pole (30')  | 2        | EA   |               |            |
| 60   | SP   | Metal Strain Signal Pole (35')  | 2        | EA   |               |            |
| 61   | SP   | Metal Strain Signal Pole (NCDOT furnished)  | 8        | EA   |               |            |
| 62   | SP   | Metal Pole With Single Mast Arm   | 2        | EA   |               |            |
| 63   | SP   | Metal Pole W/ Mast Arm (s) (NCDOT furnished)  | 4        | EA   |               |            |
| 64   | SP   | Metal Pole With Dual Mast Arm   | 2        | EA   |               |            |
| 65   | SP   | Install Mast Arms (NCDOT furnished)   | 2        | EA   |               |            |
| 66   | SP   | Soil Tests  | 15       | EA   |               |            |
| 67   | SP   | Drilled Pier Foundation   | 100      | CY   |               |            |
| 68   | SP   | Metal Strain Pole Design  | 1        | EA   |               |            |
| 69   | SP   | Mast Arm with Metal Pole Design   | 1        | EA   |               |            |
| 70   | SP   | Metal Pole Foundation Removal   | 1        | EA   |               |            |
| 71   | SP   | Metal Pole Removal  | 1        | EA   |               |            |
| 72   | SP   | Wood Pole Removal W/ All Existing<br>Attachments  | 50       | EA   |               |            |

## North Carolina Dept. of Transportation Bid Form (continued)

| ITEM | SECT | DESCRIPTION                                     | QUANTITY | UNI<br>T | UNIT<br>PRICE | AMOUNT BID |
|------|------|---|----------|----------|---------------|------------|
| 73   | SP   | Transport Salvageable Poles To NCDOT<br>Shop    | 2        | EA       |               |            |
| 74   | SP   | Decorative Metal Pole With Dual Mast<br>Arm     | 2        | EA       |               |            |
| 75   | SP   | Decorative Metal Pole With Single Mast<br>Arm   | 2        | EA       |               |            |
| 76   | SP   | Solar Powered Flashing Beacon                   | 4        | EA       |               |            |
| 77   | SP   | Solar Powered Flashing Beacon (NCDOT furnished) | 4        | EA       |               |            |

| TOTAL BID FOR PROJECT: |
|------------------------|
|------------------------|

#### **EXECUTION OF BID**

#### NON-COLLUSION, DEBARMENT AND GIFT BAN CERTIFICATION

#### **CORPORATION**

The prequalified bidder being duly sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the prequalified bidder has not been convicted of violating N.C.G.S. §133-24 within the last three years, and that the prequalified bidder intends to do the work with his own bona fide employees or subcontractors and will not bid for the benefit of another contractor.

By submitting this non-collusion, debarment and gift ban certification, the Contractor is attesting his status under penalty of perjury under the laws of the United States in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

N.C.G.S. §133-32 and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

#### SIGNATURE OF PREQUALIFIED BIDDER

| •      |  |   |
|--------|--|---|
| Attest | Secretary/Assistant Secretary (Select appropriate title) | By President/Vice President/Assistant Vice President (Select appropriate title) |
|        | Print or type Signer's name                              | Print or type Signer's name   |

**CORPORATE SEAL** 

# NON-COLLUSION AFFIDAVIT, DEBARMENT CERTIFICATION AND GIFT BAN CERTIFICATION PARTNERSHIP

The prequalified bidder, being duly sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the prequalified bidder has not been convicted of violating  $N.C.G.S. \ \S \ 133-24$  within the last three years, and that the prequalified bidder intends to do the work with its own bona fide employees or subcontractors and will not bid for the benefit of another contractor.

By submitting this non-collusion, debarment and gift ban certification, the Contractor is attesting his status under penalty of perjury under the laws of the United States in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

N.C.G.S. § 133-32 and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

|                             | Full Name of<br>Partnership |
|-----------------------------|-----------------------------|
|                             |                             |
|                             | Address as                  |
|                             | Prequalified                |
|                             |                             |
|                             |                             |
| Signature of Witness        | Signature of Partner        |
|                             |                             |
| Print or Type Signer's Name | Print or Type Signer's Name |

## NON-COLLUSION AFFIDAVIT, DEBARMENT CERTIFICATION AND GIFT BAN CERTIFICATION

#### LIMITED LIABILITY COMPANY

The prequalified bidder, being duly sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the prequalified bidder has not been convicted of violating  $N.C.G.S. \ \S \ 133-24$  within the last three years, and that the prequalified bidder intends to do the work with its own bona fide employees or subcontractors and will not bid for the benefit of another contractor.

By submitting this non-collusion, debarment and gift ban certification, the Contractor is attesting his status under penalty of perjury under the laws of the United States in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

N.C.G.S. § 133-32 and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

| F                    | ull Name of Firm  |
|----------------------|---|
|                      |   |
| Add                  | dress as Prequalified   |
|                      |   |
| Signature of Witness | Signature of Member/Manager/Authorized Agent (Select appropriate Title) |
|                      |   |

#### NON-COLLUSION, DEBARMENT AND GIFT BAN CERTIFICATION

#### **JOINT VENTURE (2) or (3)**

The prequalified bidder, being duly sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the prequalified bidder has not been convicted of violating N.C.G.S. § 133-24 within the last three years, and that the prequalified bidder intends to do the work with its own bona fide employees or subcontractors and will not bid for the benefit of another contractor.

By submitting this non-collusion, debarment and gift ban certification, the Contractor is attesting his status under penalty of perjury under the laws of the United States in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

N.C.G.S. § 133-32 and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

#### SIGNATURE OF PREQUALIFIED BIDDER

Instructions: **2 Joint Venturers** Fill in lines (1), (2) and (3) and execute. **3 Joint Venturers** Fill in lines (1), (2), (3) and (4) and execute. On Line (1), fill in the name of the Joint Venture Company. On Line (2), fill in the name of one of the joint venturers and execute below in the appropriate manner. On Line (3), print or type the name of the other joint venturer and execute below in the appropriate manner. On Line (4), fill in the name of the third joint venturer, if applicable and execute below in the appropriate manner.

|                                      | Name of Joint Venture   |                              |
|--------------------------------------|-------------------------|------------------------------|
|                                      | Name of Contractor      |                              |
|                                      | Address as Prequalified |                              |
|                                      | Address as Prequamied   |                              |
| Signature of Witness or Attest       | BY                      | Signature of Contractor      |
| Print or Type Signer's Name          | _                       | Print or Type Signer's Name  |
| If Corporation, affix Corporate Seal | AND                     | Time of Type Signer of Amine |
|                                      |                         |                              |
|                                      | Name of Contractor      |                              |
|                                      | Address as Prequalified |                              |
|                                      | BY                      |                              |
| Signature of Witness or Attest       |                         | Signature of Contractor      |
| Print or Type Signer's Name          | _                       | Print or Type Signer's Name  |
| If Corporation, affix Corporate Seal | AND                     |                              |
|                                      | Name of Contractor      |                              |
|                                      |                         |                              |
|                                      | Address as Prequalified |                              |
| Q                                    | BY                      | 91                           |
| Signature of Witness or Attest       |                         | Signature of Contractor      |
| Print or Type Signer's Name          | _                       | Print or Type Signer's Name  |
| If Corporation, affix Corporate Seal |                         |                              |

## NON-COLLUSION AFFIDAVIT, DEBARMENT CERTIFICATION AND GIFT BAN CERTIFICATION

#### INDIVIDUAL DOING BUSINESS UNDER A FIRM NAME

The prequalified bidder, being duly sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the prequalified bidder has not been convicted of violating  $N.C.G.S. \ \S \ 133-24$  within the last three years, and that the prequalified bidder intends to do the work with its own bona fide employees or subcontractors and will not bid for the benefit of another contractor.

By submitting this non-collusion, debarment and gift ban certification, the Contractor is attesting his status under penalty of perjury under the laws of the United States in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

N.C.G.S. § 133-32 and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

| Name of Prequalified Bidder   | Individual Name                              |
|-------------------------------|--|
| Trading and Doing Business As | Full name of Firm                            |
| Addr                          | ress as Prequalified                         |
| Signature of Witness          | Signature of Prequalified Bidder, Individual |
| Print or Type Signer's Name   | Print or Type Signer's Name                  |

## NON-COLLUSION AFFIDAVIT, DEBARMENT CERTIFICATION AND GIFT BAN CERTIFICATION

#### INDIVIDUAL DOING BUSINESS IN HIS OWN NAME

The prequalified bidder, being duly sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the prequalified bidder has not been convicted of violating  $N.C.G.S. \ \S \ 133-24$  within the last three years, and that the prequalified bidder intends to do the work with its own bona fide employees or subcontractors and will not bid for the benefit of another contractor.

By submitting this non-collusion, debarment and gift ban certification, the Contractor is attesting his status under penalty of perjury under the laws of the United States in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

N.C.G.S. § 133-32 and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

| Name of Prequalified Bidder |  |
|-----------------------------|--|
|                             | Print or Type Name                             |
|                             |  |
| Address                     | s as Prequalified                              |
|                             |  |
|                             |  |
|                             | Signature of Prequalified Bidder, Individually |
|                             |  |
|                             | Print or type Signer's Name                    |
|                             | Time of the signer of the signer               |
| Signature of Witness        |  |
|                             |  |
|                             |  |
| Print or type Signer's name |  |

#### DEBARMENT CERTIFICATION OF PREQUALIFIED BIDDER

#### Conditions for certification:

- 1. The prequalified bidder shall provide immediate written notice to the Department if at any time the bidder learns that his certification was erroneous when he submitted his debarment certification or explanation that is file with the Department, or has become erroneous because of changed circumstances.
- 2. The terms covered transaction, debarred, suspended, ineligible, lower tier covered transaction, participant, person, primary covered transaction, principal, proposal, and voluntarily excluded, as used in this provision, have the meanings set out in the Definitions and Coverage sections of the rules implementing Executive Order 12549. A copy of the Federal Rules requiring this certification and detailing the definitions and coverages may be obtained from the Contract Officer of the Department.
- 3. The prequalified bidder agrees by submitting this form, that he will not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in NCDOT contracts, unless authorized by the Department.
- 4. For Federal Aid projects, the prequalified bidder further agrees that by submitting this form he will include the Federal-Aid Provision titled *Required Contract Provisions Federal-Aid Construction Contract (Form FHWA PR 1273)* provided by the Department, without subsequent modification, in all lower tier covered transactions.
- 5. The prequalified bidder may rely upon a certification of a participant in a lower tier covered transaction that he is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless he knows that the certification is erroneous. The bidder may decide the method and frequency by which he will determine the eligibility of his subcontractors.
- 6. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this provision. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
- 7. Except as authorized in paragraph 6 herein, the Department may terminate any contract if the bidder knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available by the Federal Government.

#### **DEBARMENT CERTIFICATION**

The prequalified bidder certifies to the best of his knowledge and belief, that he and his principals:

- a. Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
- b. Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records; making false statements; or receiving stolen property;
- c. Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph b. of this certification; and
- d. Have not within a three-year period preceding this proposal had one or more public transactions (Federal, State or local) terminated for cause or default.
- e. Will submit a revised Debarment Certification immediately if his status changes and will show in his bid proposal an explanation for the change in status.

If the prequalified bidder cannot certify that he is not debarred, he shall provide an explanation with this submittal. An explanation will not necessarily result in denial of participation in a contract.

Failure to submit a non-collusion affidavit and debarment certification will result in the prequalified bidder's bid being considered non-responsive.

| Check here if an explanation is attached to this certification. |
|---|
|---|

### **Execution of Contract**

| Contract No: D4POC0089   |                        |
|--|------------------------|
| County: EDGECOMBE, HALIFAX, JOHNSTON, NAS<br>AND WILSON COUNTIES | SH, NORTHAMPTON, WAYNE |
| ACCEPTED BY THE DEPARTMENT                                       |                        |
| Proposals Engineer   |                        |
| Date   |                        |
| EXECUTION OF CONTRACT AND BONDS APPROVED AS TO FORM:             |                        |
| for <u>Division Engineer</u>                                     |                        |
| Date   | _                      |
| Signature Sheet (Bid) - ACCEPTANCE SHEET                         |                        |

## CONTRACTOR INFORMATION SHEET

| CONTRACTOR                       | FEDERAL ID |
|----------------------------------|------------|
|                                  |            |
| ADDRESS                          |            |
|                                  |            |
| PHONE                            |            |
|                                  |            |
| AUTHORIZED AGENT                 | TITLE      |
|                                  |            |
| SIGNATURE                        | DATE       |
|                                  |            |
| EMAIL ADDRESS FOR CORRESPONDENCE |            |