

# STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

ROY COOPER J. ERIC BOYETTE SECRETARY GOVERNOR

November 3, 2021

Addendum No. 1

RE: **DD00362** 

**Johnston County** 

To Whom It May Concern:

Reference is made to the above-mentioned project. The following changes/additions/deletions have been made:

1. Map 16 should include items and the Special Provision for the Railroad Crossing. The attached pages should be added to the proposal. Please also replace the Summary of Quantities page and Proposal Item Sheet with the attached pages.

This sheet and attachments shall be made a part of the plans and bid documents and shall be submitted with the bid. Bids submitted without the addenda and attachments will be considered non-responsive.

If there are any questions, please contact me at (252) 640-6433.

Sincerely,

DocuSigned by: Vickie P. Gardner

Vickie P. Gardner 11/3/2021 Division Four Contract Engineer

VPG/

Attachments

## RIGHT OF ENTRY TO NORTH CAROLINA RAILROAD RIGHT-OF-WAY:

Before entering North Carolina Railroad Company (NCRR) right of way, obtain a Right of Entry from the North Carolina Railroad. Visit the following website for guidance and assistance with downloading and completing all of the pertinent information to complete the NCRR Right of Entry application. <a href="https://www.ncrr.com/corridor-access/best-practices-for-contractors/">https://www.ncrr.com/corridor-access/best-practices-for-contractors/</a>

Insurance will need to be provided for both NCRR and Norfolk Southern Railroad. Insurance provisions are listed below.

All costs associated with satisfying railroad requirements and obtaining the ROE agreement, including, but not limited to, ROE fees, and insurance, shall be included in the price bid for the pay items associated with the work inside the railroad right of way. No separate measurement or payment will be made for these costs.

Once work begins within the Railroad Right-of-Way, complete all operations in the Railroad Right of Way in a continuous manner in order to minimize railroad flagging resources.

Contact the Resident Engineer or the Surfaces and Encroachment manager with the Rail Division of the NCDOT with any questions pertaining to the Right of Entry at at 919-707-4132.

## NCRR AND NS INSURANCE REQUIREMENTS

#### 1. INSURANCE:

- A. In addition to any other forms of insurance or bonds required under the terms of the contract and specifications, the Prime Contractor will be required to carry insurance of the following kinds and amounts:
  - 1. a. <u>Commercial General Liability Insurance</u> having a combined single limit of not less than \$2,000,000 per occurrence for all loss, damage, cost and expense, including attorneys' fees, arising out of bodily injury liability and property damage liability during the policy period. Said policy shall include explosion, collapse, and underground hazard (XCU) coverage, shall be endorsed to name Company and Railroad specified in item A.2.c. below both as the certificate holders and as an additional insureds, and shall include a severability of interests provision.
    - b. **Automobile Liability Insurance** with a combined single limit of not less than \$1,000,000 each occurrence for injury to or death of persons and damage to or loss or destruction of property. Said policy or policies shall be endorsed to name Company and Railroad specified in item A.2.c. below both as the certificate holder and as an additional insured and shall include a severability of interests provision.
  - 2. <u>Railroad Protective Liability Insurance</u> having a combined single limit of not less than \$2,000,000 each occurrence and \$6,000,000 in the aggregate applying separately to each annual period. If the project involves track over

which passenger trains operate, the insurance limits required are not less than a combined single limit of \$5,000,000 each occurrence and \$10,000,000 in the aggregate applying separately to each annual period. Said policy shall provide coverage for all loss, damage or expense arising from bodily injury and property damage liability, and physical damage to property attributed to acts or omissions at the job site.

The standards for the Railroad Protective Liability Insurance are as follows:

- a. The insurer must be rated A- or better by A.M. Best Railroad, Inc. NOTE: NS does not accept from insurers Chartis (AIG or Affiliated Company including Lexington Insurance Company), Hudson Group or Liberty or Affiliated Company, American Contractors Insurance Company and Erie Insurance Company including Erie Insurance Exchange and Erie Indemnity Company.
- b. The policy must be written using one of the following combinations of Insurance Services Office ("ISO") Railroad Protective Liability Insurance Form Numbers:
  - (1) CG 00 35 01 96 and CG 28 31 10 93; or
  - (2) CG 00 35 07 98 and CG 28 31 07 98; or
  - (3) CG 00 35 10 01; or
  - (4) CG 00 35 12 04; or
  - (5) CG 00 35 12 07; or
  - (6) CG 00 35 04 13.
- c. The named insured on each policy as required to be issued to each Company and to Railroad shall read: (NOTE: The below insured is to be treated separately as an insured on each railroad protective policy for a total of (2) two separate policies being issued.)

#### **COMPANY**

North Carolina Railroad Company 2809 Highwoods Boulevard Raleigh, NC 27604-1000

Attn: Infrastructure Manager; and

(NOTE: Company does not share coverage on RRPL with any other entity on this policy)

# 2022CPT.04.04.20512

#### RAILROAD

Norfolk Southern Corporation and its subsidiaries Three Commercial Place Norfolk, Virginia 23510-

2191 Attn: Risk Management

(NOTE: Railroad does not share coverage on RRPL with any other entity on this policy)

d. The description of operations must appear on the Declarations, must match the project description in this agreement, and must include the appropriate Department project and contract identification numbers. The Description(s) and Designation(s) shall read:

Contract No. DD00362

WBS No.: 2022CPT.04.04.20512

**Description: Thin Lift Asphalt Pavement Preservation on** 

Bizzell-Braswell Rd. (SR 2322)

- e. The job location must appear on the Declarations and must include the city, state, and appropriate highway name/number. NOTE: Do not include any references to milepost, valuation station, or mile marker on the insurance policy. Each project description requires a separate insurance policy for both NCRR and NS.
- f. The name and address of the prime Contractor must appear on the Declarations.
- g. The name and address of the Department must be identified on the Declarations as the "Involved Governmental Authority or Other Contracting Party."
- h. Endorsements/forms that are required are:
  - (1) Physical damage to Property Amendment
  - (2) Terrorism Risk Insurance Act (TRIA) coverage must be included
- i. Other endorsements/forms that will be accepted are:
  - (1) Broad Form Nuclear Exclusion Form IL 00 21
  - (2) 30-day Advance Notice of Non-renewal or cancellation
  - (3) Required State Cancellation Endorsement
  - (4) Quick Reference or Index Form CL/IL 240
- j. Endorsements/forms that are NOT acceptable are:

- (1) Any Pollution Exclusion Endorsement except CG 28 31
- (2) Any Punitive or Exemplary Damages Exclusion
- (3) Known injury or Damage Exclusion form CG 00 59
- (4) Any Common Policy Conditions form
- (5) An Endorsement that limits or excludes Professional Liability coverage
- (6) A Non-Cumulation of Liability of Pyramiding of Limits Endorsement
- (7) An Endorsement that excludes TRIA coverage
- (8) A Sole Agent Endorsement
- (9) Any type of deductible endorsement of amendment
- (10) Any other endorsement/form not specifically authorized in item no. 2.h above.
- B. If any part of the work is sublet, similar insurance, and evidence thereof as specified in A.1 above, shall be provided by or on behalf of the subcontractor to cover its operations on Company's corridor.
- C. All insurance required under the preceding subsection A shall be underwritten by insurers and be of such form and content, as may be acceptable to the Company and Railroad. Prior to entry on Company's corridor, the original Railroad Protective Liability Insurance Policy and one duplicate copy shall be submitted by the Prime Contractor to the Department at the address below for its review and transmittal to the Company and Railroad. In addition, certificates of insurance evidencing the Prime

Contractor's and any subcontractors' Commercial General Liability Insurance shall be issued to the Company, the Railroad and the Department at the addresses below, and forwarded to the Department for its review and transmittal to the Company and the Railroad. The certificates of insurance shall state that the insurance coverage will not be suspended, voided, canceled, or reduced in coverage or limits without (30) days advance written notice to Company, Railroad and the Department. No work will be permitted by Railroad on the Company's corridor until both the Company and Railroad have reviewed and approved the evidence of insurance required herein.

#### **DEPARTMENT:**

NCDOT Rail Division Engineering & Safety Branch Company C/O Meredith McLamb 1556 Mail Service Center 2191 Raleigh, NC 27699-1556

#### RAILROAD:

Risk Management Norfolk Southern Railway Three Commercial Place Norfolk, Virginia 23510-

# 2022CPT.04.04.20512

### COMPANY:

North Carolina Railroad Company 2809 Highwoods Boulevard Raleigh, NC 27604

- D. The insurance required herein shall in no way serve to limit the liability of Department or its Contractors under the terms of this agreement.
- E. Insurance Submission Procedures
  - Company and Railroad will only accept initial insurance submissions via US
    Mail or Overnight carrier to the addresses noted in C above. Company and
    Railroad will NOT accept initial insurance submissions via email or faxes.
    Please provide point of contact information with the submission including
    a phone number and email address.
  - 2. Company and Railroad requires the following two (2) forms of insurance in the initial insurance submission to be submitted under a cover letter providing details of the project and contact information. The Company and Railroad are to be treated separately as an insured on each insurance policy for a total of (2) two separate policies being issued.
    - a. The full original or certified true countersigned copy of the railroad protective liability insurance policy in its entirely inclusive of all declarations, schedule of forms and endorsements along with the policy forms and endorsements.
      - b. The Contractor's commercial general, automobile, and workers' compensation liability insurance certificate of liability insurance evidencing a combined single limit of a minimum of \$2M per occurrence of general and \$1M per occurrence of automobile liability insurance naming North Carolina Railroad Company, 2809 Highwoods Boulevard, Raleigh, 27604 and Norfolk Southern Railway Company, Three Commercial Place, Norfolk, VA 23510 as the certificate holders and as an additional insureds on both the general and automobile liability insurance policy.
  - 3. It should be noted that the Company and Railroad do not accept notation of Railroad Protective insurance on a certificate of liability insurance form or Binders as Company and Railroad must have the full original countersigned policy. Further, please note that mere receipt of the policy is not the only issue but review for compliance. Due to the number of projects system-wide, it typically takes a minimum of 30-45 days for the Railroad to review.
- F. The insurance amounts specified are minimum amounts and the Contractor may carry insurance in larger amounts if he so desires.

All insurance herein before specified shall be carried until the final inspection and acceptance of the Project by the Department, Company and Railroad, or acceptance of that portion of the Project

# DD00362 **27F** JOHNSTON COUNTY 2022CPT.04.04.20512

within Company's corridor. At this point, no work or any other activities by the Contractor shall take place in Company's corridor without written permission from the Department, Company and Railroad.

																			PROJEC	CT NO.			SHEET NO.
					<b>.</b>		ADV	05 01		TIEC									2022CPT.04				1
					<b>5</b> U	IVI IVI	AKY	OF Q	JANII	IIES									JOHN	STON			_
							133000000-E	1526000000-E	1575000000-E	2830000000-N	2845000000-N	4413000000-E	4457000000-N	7444000000-E	4890000000-E	4890000000-E	470000000-E	4890000000-E	4890000000-E	472000	0000-Е	4725000000-E	4725000000-E
PROJECT	MAP	ROUTE	DESCRIPTION	TYP	LENGTH	WIDTH	INCIDENTAL MILLING	ASPHALT CONC SURFACE COURSE, TYPE S4.75A	ASPHALT BINDER FOR PLANT MIX	ADJUSTMENT OF MANHOLES	ADJUSTMENT OF METER BOXES OR VALVE BOXES	WORK ZONE ADVANCE / GENERAL WARNING SIGNING	TEMPORARY TRAFFIC CONTROL	INDUCTIVE LOOP	4" HOT SPRAY THERMO 50 MIL WHITE	4" HOT SPRAY . THERMO 50 MIL YELLOW	12" THERMO 90 MILS	16" THERMO WHITE 90 MILS	24" THERMO		THERMO MSG SCHOOL 90 MILS	THERMO RT ARROW 90 MILS	THERMO LT ARROW 90 MILS
	NO	ROUTE	DESCRIPTION	NO	-	FT	SY	TON	TON	EA	EA	CE	LS	LF	LF	IF	LF	LS	IF	LF	LF	EA	EA
2022CPT.04.04.20512 JOHNSTON	1	SR 1103 - ASHLEY RD	FROM NC 242 TO SR 1102	1	0.35	20	31	172	12	LA	LA	118	0.01	Li	3660	2490	Li	L3	Li	Li	Li	LA	LA
	2	SR 1135 - HOOD GROVE CHURCH RD	FROM SR 1137 TO SR 1132	1	1.37	20		675	47.3			230	0.05		14320	9770							
	3	SR 1137 - MARLER RD	FROM US 701 TO SR 1136	1	1.64	20		808	56.6			230	0.06		17150	11690							
	4	SR 1146 - WHITE OAK RD	FROM SR 1143 TO SR 1145	1	1.84	20		907	63.5			150	0.07		19240	13120							
	5	SR 1150 - THOMPSON RD	FROM SR 1143 TO NC 96	1	3.32	20		1636	114.5			534	0.12		34710	23670							
	6	SR 1153 - WEBB MILL/BLACKMON RD	FROM NC 96 TO SR 1179	1	2.89	20		1426	99.8			582	0.10		30250	20620							
	7	SR 1155 - WOOD-LEE RD	FROM SR 1143 TO SR 1157	1	1.88	20		927	64.9			230	0.07		19670	13410							ļ
	8	SR 1173 - N HONEYCUTT ST	FROM US 301 TO NC 50	1	1.48	20	1400	731	51.2	5	4	310	0.05	300	15500	10570	300		130		12	6	6
	9	SR 1174 - ADAMS RD	FROM SR 1143 TO SR 1176	1	1.81	20		891	62.4			150	0.07		18910	12890							ļ
	10	SR 1178 - KEEN RD	FROM US 701 TO SR 1225	1	2.29	20		1129	79			502	0.08		23940	16320	220		80				ļ
	11	SR 1189 - BRITT RD	FROM SR 1136 TO SR 1188	1	0.55	20		271	19			118	0.02		5750	3920							ļ
	12	SR 1195 - L FLOWERS RD	FROM SR 1008 TO County Line	1	0.20	20		99	6.9			118	0.01		2090	1430							
	13	SR 2137 - DAVIS HOMESTEAD RD	FROM SR 1934 TO US 301	1	1.64	18		728	51			310	0.06		17150	11700							ļ
	14	SR 2141 - OAK GROVE INN RD	FROM US 301 TO SR 1934	1	1.36	18		601	42.1			390	0.05		14180	9670			60				
	15	SR 2321 - JUMP RD	FROM SR 2141 TO SR 2320	1	1.87	20		920	64.4			230	0.07		19510	13300							
	16	SR 2322 - BIZZELL-BRASWELL RD	FROM SR 2321 TO US 70 ALT	1	1.28	20		628	44			230	0.05		13330	9090		88	68	4			]
	17	SR 2374 - W BLANCHE ST	FROM SR 2305 TO SR 2309	1	1.65	20	300	814	57	3	1	230	0.06		17260	11770					12		
		Total for Project2022CPT.04.04.2	20512		17.387		1700	13363	936	8	5	4662	1	300	286620	195430	520	88	338	4	24	6	6
					17.387																		
	GRAND TOTAL						1700	13363	936	8	5	4662	1	300	48	2050	520	88	338	2	8	:	12

## ITEMIZED PROPOSAL FOR CONTRACT NO. DD00362

Line #	Item Number	Sec #	Description	Quantity	Unit Cost	Amoun
		F	COADWAY ITEMS			
0001	0000100000-N	800	MOBILIZATION	Lump Sum	L.S.	
0002	133000000-E	607	INCIDENTAL MILLING	1,700 SY		
0003	1526000000-E	610	ASPHALT CONC SURFACE COURSE, TYPE S4.75A	13,363 TON		
0004	1575000000-E	620	ASPHALT BINDER FOR PLANT MIX	936 TON		
0005	2830000000-N	858	ADJUSTMENT OF MANHOLES	8 EA		
0006	2845000000-N	858	ADJUSTMENT OF METER BOXES OR VALVE BOXES	5 EA		
0007	4413000000-E	SP	WORK ZONE ADVANCE/GENERAL WARNING SIGNING	4,662 SF		
0008	4457000000-N	SP	TEMPORARY TRAFFIC CONTROL	Lump Sum	L.S.	
0009	4700000000-E	1205	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)	520 LF		
0010	4720000000-E	1205	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)	28 EA		
0011	4725000000-E	1205	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)	12 EA		
 0012	4890000000-E	SP	GENERIC PAVEMENT MARKING ITEM HOT SPRAY THERMO PM LINES (4", 50 MILS)	482,050 LF		
0013	4890000000-Е	SP	GENERIC PAVEMENT MARKING ITEM THERMOPLASTIC PM LINES (24", 90 MILS)	338 LF		
0014	7444000000-E	1725	INDUCTIVE LOOP SAWCUT	300 LF		
 0015	4890000000-E	SP	GENERIC PAVEMENT MARKING ITEM THERMOPLASTIC PM LINES (16", 90 MILS)	88 LF		