

**This electronic collection of documents is provided
for the convenience of the user
and is Not a Certified Document –**

**The documents contained herein were originally issued
and sealed by the individuals whose names and license
numbers appear on each page, on the dates appearing
with their signature on that page.**

**This file or an individual page
shall not be considered a certified document.**

TIP No.	WBS No.	County	Map	On Route	Starting Point	End Point	Treatment	Edgeline	Centerline	MP Start	MP End	Total Distance (mi)	LF	Total LF to be paid
HS-2405AU	50977.3.48	Wake	1 (AU)	SR 1119 (Buckhorn Duncan Rd)	CL - Harnett	SR 1116 (Cass Holt)	6", 90 mil Thermoplastic Pavement Marking Lines	yes	no	0.00	2.85	2.85	15048	30096
HS-2405AU	50977.3.48	Wake	2 (AU)	SR 1371 (Lake Wheeler Rd)	SR 1009 (Tryon Rd)	SR 1375 (Simpkins Rd)	6", 90 mil Thermoplastic Pavement Marking Lines	yes	no	0.00	2.95	2.95	15576	31152
HS-2405AU	50977.3.49	Wake	3 (AU)	SR 1375 (Lake Wheeler Rd)	SR 1375 (Simpkins Rd)	SR 5411 (Lakewind Ct)	6", 90 mil Thermoplastic Pavement Marking Lines	yes	no	1.15	1.57	0.41	2181	4362
HS-2405AU	50977.3.48	Harnett	4 (AU)	SR 1403 (Cokesbury Rd)	CL-Wake	NC 42	6", 90 mil Thermoplastic Pavement Marking Lines	yes	no	0.00	0.51	0.51	2677	5354
HS-2405BA	50977.3.54	Franklin	1 (BA)	SR 1001 (Pearces Rd)	From SR 1729 (Johnson Town Rd) to NC 581 Hwy		4", 90 mil Extruded Thermoplastic listed on the NCDOT APL with Visiultra/Standard Bead double drop	yes	yes	1.66	14.61	12.95	68390	273660
HS-2405BA	50977.3.54	Wake	2 (BA)	SR 1152 (Holly Springs Rd)	From SR 3977 (SE Cary Pkwy) to SR 1010 (Ten-Ten Rd)		4", 90 mil Extruded Thermoplastic listed on the NCDOT APL with Duralux/Standard Bead double drop	yes	yes	0.62	4.06	3.44	18163	73578
HS-2405BA	50977.3.54	Wake	3 (BA)	SR 2049 (Forestville Rd / Old Knight Rd)	From SR 2930 (Holden Rd) to 0.45 miles south of SR 2217 (Old Milburnie Rd)		4", 90 mil Extruded Thermoplastic listed on the NCDOT APL with Visiultra/Standard Bead double drop	yes	yes	5.39	9.08	3.69	19501	86419
HS-2405BA	50977.3.54	Wake	4 (BA)	NC 98 (Durham Rd)	From SR 2053 (Jones Dairy Rd) to NC 96 (Zebulon Rd)		4", 90 mil Extruded Thermoplastic listed on the NCDOT APL with Visiultra/Standard Bead double drop	yes	yes	12.78	16.07	3.28	17343	78135
HS-2405BA	50977.3.54	Wake	5 (BA)	SR 2509 (Mial Plantation Rd)	From the Johnston County Line to SR 2233 (Smithfield Rd)		4", 90 mil Integrated Multipolymer with 3M Wet Reflective Elements	yes	yes	0.00	3.73	3.73	19708	78834
HS-2405BA	50977.3.54	Wake	6 (BA)	SR 1004 (E Garner Rd / Garner Rd / W Garner Rd)	From Grove Creek Ln to SR 2540(Capital View St)		4", 90 mil Integrated Multipolymer with Duralux/Standard bead double drop	yes	yes	0.00	1.43	1.43	7529	27707
HS-2405BA	50977.3.54	Wake	7 (BA)	SR 2231 (Horton Rd)	From SR 2215 (Buffaloe Rd) to Knollcrest Ln		4", 90 mil Extruded Thermoplastic listed on the NCDOT APL with Visiultra/Standard Bead double drop	yes	yes	0.00	1.92	1.92	10127	40888
HS-2405BA	50977.3.54	Wake	8 (BA)	NC 54	From Linda Dr to SR 1415 (NW Maynard Rd)		4", 90 mil Extruded Thermoplastic listed on the NCDOT APL with Duralux/Standard Bead double drop	yes	yes	4.94	5.95	1.01	5328	24225
HS-2405BA	50977.3.54	Wake	9 (BA)	SR 2542 (Rock Quarry Rd)	From SR 1004 (E Garner Rd) to Interlock Dr		4", 3M All Weather (380AW) Cold Applied Plastic	yes	yes	0.00	4.00	4.00	21131	95495
HS-2405BA	50977.3.54	Wake	10 (BA)	SR 2700 (White Oak Rd)	From the Johnston County Line to SR 2547 (Hebron Church Rd)		4", 90 mil Integrated Multipolymer with Duralux/Standard bead double drop	yes	yes	0.00	2.70	2.70	14256	61689
HS-2405BA	50977.3.54	Wake	11 (BA)	SR 2329 (St. Clair Pl / Lizard Lick Rd / Marshburn Rd)	From US 64 BUS (Wendell Blvd) to SR 2308 (Fowler Rd)		4", 90 mil Integrated Multipolymer with 3M Wet Reflective Elements	yes	yes	0.54	6.74	6.21	32773	131092
HS-2405BA	50977.3.54	Wake	12 (BA)	SR 2555 (Auburn Knightdale Rd / Raynor Rd)	From SR 2511 (Grasshopper Rd) to SR 2700 (White Oak Rd)		4", 3M All Weather (380AW) Cold Applied Plastic	yes	yes	0.00	7.52	7.52	39680	154665
HS-2405BA	50977.3.54	Wake	13 (BA)	SR 1010 (Ten-Ten Rd)	From US 401 (Fayetteville Rd) to Chaumont Dr		4", 90 mil Integrated Multipolymer with Duralux/Standard bead double drop	yes	yes	7.89	13.80	5.91	31210	143769
HS-2405BA	50977.3.54	Wake	14 (BA)	SR 1116 (Cass Holt Rd)	From SR 1115 (Avent Ferry Rd) to the Harnett County Line		4", 90 mil Extruded Thermoplastic listed on the NCDOT APL with Duralux/Standard Bead double drop	yes	yes	0.00	5.76	5.76	30408	96035



SR 1119 (BUCKHORN DUNCAN RD)
FROM HARNETT COUNTY LINE TO
CASS HOLT RD

HS-2405AU

01

Treatment: 6", 90 mil Thermoplastic White
Edgeline Pavement Marking



Cass Holt Rd

Sweet Springs Rd


WAKE COUNTY
CHATHAM COUNTY

HARNETT COUNTY

1

2.85 MI
EST QTY: 30,096 LF

BUCKHORN DUNCAN RD




4

SEE SHEET 4 FOR
MAPPING LAYOUT.

42

42






SR 1371 (LAKE WHEELER RD)
FROM TRYON RD TO SIMPKINS RD

HS-2405AU

Treatment: 6", 90 mil Thermoplastic White
Edgeline Pavement Marking

02

2.95 MI
EST QTY: 31,152 LF



3
SEE SHEET 3 FOR
MAPPING LAYOUT.



SR 1375 (LAKE WHEELER RD) FROM
SIMPKINS RD TO LAKEWIND CT

HS-2405AU

03

Treatment: 6", 90 mil Thermoplastic White
Edgeline Pavement Marking

2

SEE SHEET 2 FOR
MAPPING LAYOUT.

BEGIN: SIMPKINS RD

LAKE WHEELER RD

3


0.41 MI
EST QTY: 4,362 LF

WARD ST

LAKE WHEELER RD

LAKEWIND CT

END: LAKEWIND CT






SR 1403 (COKESBURY RD) FROM
WAKE COUNTY LINE TO NC 42

HS-2405AU

04

Treatment: 6", 90 mil Thermoplastic White
Edgeline Pavement Marking



1
SEE SHEET 1 FOR
MAPPING LAYOUT.

WAKE COUNTY
HARNETT COUNTY

COKESBURY RD


4


0.51 MI
EST QTY: 5,354 LF



COKESBURY RD

NC 42





SR 1001 (PEARCES RD) FROM JOHNSON
TOWN RD TO NC 581 HWY

01

HS-2405BA


Treatment: 4", 90 mil Extruded
Thermoplastic listed on the NCDOT APL
with Visultra/Standard Bead double drop.




1
12.95 MI
EST QTY: 273,660 LF



SEE SHEET 4 FOR
MAPPING LAYOUT.





SR 1152 (HOLLY SPRINGS RD) FROM SE
CARY PKWY TO TEN-TEN RD

HS-2405BA

02

Treatment: 4", 90 mil Extruded
Thermoplastic listed on the NCDOT APL
with Duralux/Standard Bead double drop.




2


3.44 MI
EST QTY: 73,578 LF



13

SEE SHEET 13 FOR
MAPPING LAYOUT.





SR 2049 (FORESTVILLE RD/OLD KNIGHT RD) FROM HOLDEN RD TO 0.45 MI SOUTH OF OLD MILBURNIE RD

HS-2405BA

03

Treatment: 4", 90 mil Extruded Thermoplastic listed on the NCDOT APL with Visultra/Standard Bead double drop.



BEGIN: HOLDEN RD



END 0.45 MI SOUTH OF OLD MILBURNIE RD

3


3.69 MI
EST QTY: 86,419 LF

FORESTVILLE RD

BUFFALO RD

FORESTVILLE RD

NC 540





NC 98 (DURHAM RD) FROM JONES
DAIRY RD TO ZEBULON RD


HS-2405BA

04

Treatment: 4", 90 mil Extruded
Thermoplastic listed on the NCDOT APL
with Visultra/Standard Bead double drop.



4
3.28 MI
EST QTY: 78,135 LF





SR 2509 (MIAL PLANTATION RD)
FROM WAKE COUNTY LINE TO
SMITHFIELD RD

HS-2405BA


05

Treatment: 4", 90 mil Integrated
Multipolymer with 3M Wet Reflective
Elements.



5
3.73 MI
EST QTY: 78,834 LF

WAKE COUNTY
JOHNSTON COUNTY





SR 1004 (GARNER RD) FROM GROVE CREEK LN TO CAPITAL VIEW ST

06

HS-2405BA

Treatment: 4", 90 mil Integrated Multipolymer with Duralux/Standard bead double drop.

BEGIN: GROVE CREEK LN

END: CAPITAL VIEW ST

E TRYON RD

W GARNER RD


W GARNER RD

GARNER RD

GARNER RD

6

1.43 MI
EST QTY: 27,707 LF



SR 2231 (HORTON RD) FROM
BUFFALOE RD TO KNOLLCREST LN


HS-2405BA

07

Treatment: 4", 90 mil Extruded
Thermoplastic listed on the NCDOT APL
with Visultra/Standard Bead double drop.



7
1.92 MI
EST QTY: 40,888 LF



NC 54 (CHAPEL HILL RD) FROM
LINDA DR TO NW MAYNARD RD

HS-2405BA

08

Treatment: 4", 90 mil Extruded
Thermoplastic listed on the NCDOT APL
with Duralux/Standard Bead double drop.



8

1.01 MI
EST QTY: 24,225 LF

CHAPEL HILL RD

CEAR RIDGE RD


CHAPEL HILL RD

NW MAYNARD RD

BEGIN 140 FT PAST LINDA DR

END: NW MAYNARD RD





SR 2542 (ROCK QUARRY RD) FROM
E GARNER RD TO INTERLOCK DR

HS-2405BA

09

Treatment: 4", 3M All Weather (380AW)
Cold Applied Plastic.

END: INTERLOCK DR


4.00 MI
EST QTY: 95,495 LF

12

SEE SHEET 12 FOR
MAPPING LAYOUT.

BEGIN: E GARNER RD

WAKE COUNTY
JOHNSTON COUNTY





SR 2700 (WHITE OAK RD) FROM WAKE
COUNTY LINE TO HEBRON CHURCH RD

HS-2405BA

10


Treatment: 4", 90 mil Integrated
Multipolymer with Duralux/Standard bead
double drop.


12
SEE SHEET 12 FOR
MAPPING LAYOUT.

10
2.70 MI
EST QTY: 61,689 LF

BEGIN: WAKE COUNTY LINE

END: HEBRON CHURCH RD





SR 2329 (LIZARD LICK RD/
MARSHBURN RD) FROM 0.54 MI NORTH
OF WENDELL BLVD TO FOWLER RD

HS-2405BA


11


Treatment: 4", 90 mil Integrated
Multipolymer with 3M Wet Reflective
Elements.

11
6.21 MI
EST QTY: 131,092 LF

END: FOWLER RD

BEGIN 240 PAST WICKETT CIR





SR 2555 (AUBURN KNIGHTDALE RD/
RAYNOR RD) FROM GRASSHOPPER RD
TO WHITE OAK RD

HS-2405BA


12

Treatment: 4", 3M All Weather (380AW)
Cold Applied Plastic.



12

7.52 MI
EST QTY: 154,665 LF





SR 1010 (TEN-TEN RD) FROM
US 401 TO CHAUMONT DR

HS-2405BA

13

Treatment: 4", 90 mil Integrated
Multipolymer with Duralux/Standard bead
double drop.

2

SEE SHEET 2 FOR
MAPPING LAYOUT.

HOLLY SPRINGS RD

TEN-TEN RD

NC 540


13

5.91 MI
EST QTY: 143,769 LF

NC 540

BEGIN: FAYETTEVILLE RD (US 401)

END: CHAUMONT DR





SR 1116 (CASS HOLT RD) FROM AVENT
FERRY RD TO HARNETT COUNTY LINE

HS-2405BA

14

Treatment: 4", 90 mil Extruded
Thermoplastic listed on the NCDOT APL
with Duralux/Standard bead double drop.



AVENT FERRY RD

RONEY COUNTRY RD

CASS HOLT RD

55X RD

14

5.76 MI
EST QTY: 96,035 LF

CASS HOLT RD

1.32 MI NOT PAVED

END: HARNETT COUNTY LINE

WAKE COUNTY
CHATHAM COUNTY

HARNETT COUNTY

