

REFERENCE: SF-230211

PROJECT: 17BP.6.R.71

STATE
N.C.

STATE PROJECT REFERENCE NO.
SF-230211

SHEET NO.
1

TOTAL SHEETS
8

STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT
STRUCTURE
SUBSURFACE INVESTIGATION

COUNTY COLUMBUS
PROJECT DESCRIPTION BRIDGE NO. 211 ON SR 1904
(RED BUG RD.) OVER JOCKEY BRANCH

CONTENTS

SHEET NO.	DESCRIPTION
1	TITLE SHEET
2, 2A	LEGEND (SOIL & ROCK)
3	SITE PLAN
4-7	BORE LOG(S)

PERSONNEL

M. ARNOLD

S. DAVIS

T. SHARPE

INVESTIGATED BY F&R, Inc.

DRAWN BY T.T. WALKER

CHECKED BY C. WANG

SUBMITTED BY R. RIVENBARK

DATE MAY 2017

CAUTION NOTICE

THE SUBSURFACE INFORMATION AND THE SUBSURFACE INVESTIGATION ON WHICH IT IS BASED WERE MADE FOR THE PURPOSE OF STUDY, PLANNING AND DESIGN, AND NOT FOR CONSTRUCTION OR PAY PURPOSES. THE VARIOUS FIELD BORING LOGS, ROCK CORES AND SOIL TEST DATA AVAILABLE MAY BE REVIEWED OR INSPECTED IN RALEIGH BY CONTACTING THE GEOTECHNICAL ENGINEERING UNIT, GEOTECHNICAL ENGINEERING DIVISION, DEPARTMENT OF TRANSPORTATION, 100 SOUTH TRYON STREET, RALEIGH, NC 27603-2302. BIDDING, CONTRACTS, PROPOSALS, REPORTS, FIELD BORING LOGS, ROCK CORES AND SOIL TEST DATA ARE NOT PART OF THE CONTRACT.

GENERAL SOIL AND ROCK STRATA DESCRIPTIONS AND INDICATED BOUNDARIES ARE BASED ON A GEO TECHNICAL INTERPRETATION OF ALL AVAILABLE SUBSURFACE DATA AND MAY NOT NECESSARILY REFLECT THE ACTUAL SUBSURFACE CONDITIONS BETWEEN BORINGS OR BETWEEN SAMPLED STRATA WITHIN THE BOREHOLE. THE LABORATORY SAMPLE DATA AND THE IN SITU (IN-PLACE) TEST DATA CAN BE RELIED ON ONLY TO THE DEGREE OF RELIABILITY INHERENT IN THE STANDARD TEST METHOD. THE OBSERVED WATER LEVELS OR SOIL MOISTURE CONDITIONS INDICATED IN THE SUBSURFACE INVESTIGATIONS ARE AS RECORDED AT THE TIME OF THE INVESTIGATION. THESE WATER LEVELS OR SOIL MOISTURE CONDITIONS MAY VARY CONSIDERABLY WITH TIME ACCORDING TO CLIMATIC CONDITIONS INCLUDING TEMPERATURES, PRECIPITATION AND WIND, AS WELL AS OTHER NON-CLIMATIC FACTORS.

THE BIDDER OR CONTRACTOR IS CAUTIONED THAT DETAILS SHOWN ON THE SUBSURFACE PLANS ARE PRELIMINARY ONLY AND IN MANY CASES THE FINAL DESIGN DETAILS ARE DIFFERENT. FOR BIDDING AND CONSTRUCTION PURPOSES, REFER TO THE CONSTRUCTION PLANS AND DOCUMENTS FOR FINAL DESIGN INFORMATION ON THIS PROJECT. THE DEPARTMENT DOES NOT WARRANT OR GUARANTEE THE SUFFICIENCY OR ACCURACY OF THE INVESTIGATION MADE, NOR THE INTERPRETATIONS MADE, OR OPINION OF THE DEPARTMENT AS TO THE TYPE OF MATERIALS AND CONDITIONS TO BE ENCOUNTERED. THE BIDDER OR CONTRACTOR IS CAUTIONED TO MAKE SUCH INDEPENDENT SUBSURFACE INVESTIGATIONS AS HE DEEMS NECESSARY TO SATISFY HIMSELF AS TO CONDITIONS TO BE ENCOUNTERED ON THE PROJECT. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING PERMISSION OR FOR AN EXPANSION OF THE PROJECT FROM THE FEDERAL HIGHWAY ADMINISTRATION FOR ANY ADDITIONAL CONSTRUCTION OR FOR AN EXPANSION OF THE PROJECT RESULTING FROM THE ACTUAL CONDITIONS ENCOUNTERED AT THE SITE DIFFERING FROM THOSE INDICATED IN THE SUBSURFACE INFORMATION.

- NOTES:
1. THE INFORMATION CONTAINED HEREIN IS NOT IMPLIED OR GUARANTEED BY THE N. C. DEPARTMENT OF TRANSPORTATION AS ACCURATE NOR IS IT CONSIDERED PART OF THE PLANS, SPECIFICATIONS OR CONTRACT FOR THE PROJECT.
 2. BY HAVING REQUESTED THIS INFORMATION, THE CONTRACTOR SPECIFICALLY WAIVES ANY CLAIMS FOR INCREASED COMPENSATION OR EXTENSION OF TIME BASED ON DIFFERENCES BETWEEN THE CONDITIONS INDICATED HEREIN AND THE ACTUAL CONDITIONS AT THE PROJECT SITE.



Prepared in the Office of:
FROEHLING & ROBERTSON, INC.
 Engineering Stability Since 1881
 310 Hubert Street
 Raleigh, North Carolina 27603-2302|USA
 T 919.828.3441|F 919.828.5751
 www.fandr.com



[Signature]
 SIGNATURE
 5/5/17
 DATE

**DOCUMENT NOT CONSIDERED FINAL
UNLESS ALL SIGNATURES COMPLETED**

**NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT**

SUBSURFACE INVESTIGATION

SOIL AND ROCK LEGEND, TERMS, SYMBOLS, AND ABBREVIATIONS (PAGE 1 OF 2)

SOIL DESCRIPTION

SOIL IS CONSIDERED UNCONSOLIDATED, SEMI-CONSOLIDATED, OR WEATHERED EARTH MATERIALS THAT CAN BE PENETRATED WITH A CONTINUOUS FLIGHT POWER AUGER AND YIELD LESS THAN 100 BLOWS PER FOOT ACCORDING TO THE STANDARD PENETRATION TEST (ASTM D1586). SOIL CLASSIFICATION IS BASED ON THE AASHTO SYSTEM, BASIC DESCRIPTIONS GENERALLY INCLUDE THE FOLLOWING: CONSISTENCY, COLOR, TEXTURE, MOISTURE, AASHTO CLASSIFICATION, AND OTHER PERTINENT FACTORS SUCH AS MINERALOGICAL COMPOSITION, ANGULARITY, STRUCTURE, PLASTICITY, ETC. FOR EXAMPLE, *VERY STIFF, GRAY-SILTY CLAY-MOIST WITH INTERBEDDED FINE SAND LAYERS, HIGHLY PLASTIC, A-7-6*

SOIL LEGEND AND AASHTO CLASSIFICATION

GENERAL CLASS.	GRANULAR MATERIALS ($\leq 30\%$ PASSING #200)			SILT-CLAY MATERIALS ($> 30\%$ PASSING #200)			ORGANIC MATERIALS							
	A-1	A-3	A-2	A-4	A-5	A-6	A-7	A-1, A-2	A-4, A-5					
GROUP CLASS.	A-1-a	A-1-b	A-2-1	A-2-2	A-2-3	A-2-4	A-2-5	A-3	A-4-1	A-4-2	A-4-3	A-4-4	A-4-5	
SYMBOL														
% PASSING	50 MM	30 MM	50 MM	50 MM	50 MM	50 MM	50 MM	50 MM	50 MM	50 MM	50 MM	50 MM	50 MM	
GROUP INDEX	0	0	0	0	0	0	0	0	0	0	0	0	0	
MATERIAL	SAND			SANDY SILT			SILT			SILT-CLAY			CLAY	
PASSING #40	-			-			-			-			-	
LL	-			-			-			-			-	
PI	-			-			-			-			-	
USUAL TYPES OF MAJOR MATERIALS	SAND			SANDY SILT			SILT			SILT-CLAY			CLAY	
GEN. RATING AS SUBGRADE	EXCELLENT TO GOOD			FAIR TO POOR			FAIR TO POOR			POOR			UNSATISFACTORY	

CONSISTENCY OR DENSENESS

PRIMARY SOIL TYPE	COMPACTNESS OR CONSISTENCY	RANGE OF STANDARD PENETRATION RESISTANCE (IN-VALUE)	RANGE OF UNCONFINED COMPRESSIVE STRENGTH (TONS/F.T ²)
GENERALLY GRANULAR MATERIAL (NON-COHESIVE)	VERY LOOSE LOOSE MEDIUM DENSE DENSE VERY DENSE	< 4 4 TO 10 10 TO 30 30 TO 50 > 50	N/A
GENERALLY SILT-CLAY MATERIAL (COHESIVE)	VERY SOFT SOFT MEDIUM STIFF STIFF VERY STIFF HARD	< 2 2 TO 4 4 TO 8 8 TO 15 15 TO 30 > 30	< 0.25 0.25 TO 0.5 0.5 TO 1.0 1 TO 2 2 TO 4 > 4

TEXTURE OR GRAIN SIZE

U.S. STD. SIEVE SIZE OPENING (MM)	4	10	40	60	200	270
BOULDER (BLDR.)						
GRAIN SIZE	75	2.0	0.25	0.075	0.053	0.005
	COBBLE (COB.)	GRAVEL (GR.)	COARSE SAND (CSE. SD.)	FINE SAND (F. SD.)	SILT (SL.)	CLAY (CL.)

SOIL MOISTURE - CORRELATION OF TERMS

SOIL MOISTURE SCALE (ATTERBERG LIMITS)	FIELD MOISTURE DESCRIPTION	GUIDE FOR FIELD MOISTURE DESCRIPTION
LL	LIQUID LIMIT	USUALLY LIQUID, VERY WET, USUALLY FROM BELOW THE GROUND WATER TABLE
PL	PLASTIC LIMIT	SEMISOLID; REQUIRES DRYING TO ATTAIN OPTIMUM MOISTURE
OM	OPTIMUM MOISTURE	SOLID, AT OR NEAR OPTIMUM MOISTURE
SL	SHRINKAGE LIMIT	REQUIRES ADDITIONAL WATER TO ATTAIN OPTIMUM MOISTURE
PLASTICITY		
PLASTICITY INDEX (PI)		
NON PLASTIC	0-5	DRY STRENGTH VERY LOW
SLIGHTLY PLASTIC	6-15	SLIGHT MEDIUM
MODERATELY PLASTIC	16-25	MEDIUM HIGH
HIGHLY PLASTIC	26 OR MORE	HIGH
COLOR		
DESCRIPTIONS MAY INCLUDE COLOR OR COLOR COMBINATIONS (TAN, RED, YELLOW, BROWN, BLUE-GRAY), MODIFIERS SUCH AS LIGHT, DARK, STREAKED, ETC. ARE USED TO DESCRIBE APPEARANCE.		

GRADATION

WELL-GRADED - INDICATES A GOOD REPRESENTATION OF PARTICLE SIZES FROM FINE TO COARSE, UNIFORMLY GRADED - INDICATES THAT SOIL PARTICLES ARE ALL APPROXIMATELY THE SAME SIZE, GAP-GRADED - INDICATES A MIXTURE OF UNIFORM PARTICLE SIZES OF TWO OR MORE SIZES.

ANGULARITY OF GRAINS

THE ANGULARITY OR ROUNDNESS OF SOIL GRAINS IS DESIGNATED BY THE TERMS: ANGULAR, SUBANGULAR, SUBROUNDED, OR ROUNDED.

MINERALOGICAL COMPOSITION

MINERAL NAMES SUCH AS QUARTZ, FELDSPAR, MICA, TALC, KAOLIN, ETC. ARE USED IN DESCRIPTIONS WHEN THEY ARE CONSIDERED OF SIGNIFICANCE.

COMPRESSIBILITY

SLIGHTLY COMPRESSIBLE
MODERATELY COMPRESSIBLE
HIGHLY COMPRESSIBLE
LL < 31
LL > 50

PERCENTAGE OF MATERIAL

ORGANIC MATERIAL	GRANULAR SOILS	SILT-CLAY SOILS	OTHER MATERIAL
TRACE OF ORGANIC MATTER	2 - 3%	3 - 5%	TRACE
LITTLE ORGANIC MATTER	3 - 5%	5 - 12%	LITTLE
MODERATELY ORGANIC	5 - 10%	12 - 20%	SOME
HIGHLY ORGANIC	> 10%	> 20%	HIGHLY

GROUND WATER

WATER LEVEL IN BORE HOLE IMMEDIATELY AFTER DRILLING
STATIC WATER LEVEL AFTER 24 HOURS
PERCHED WATER, SATURATED ZONE, OR WATER BEARING STRATA
SPRING OR SEEP

MISCELLANEOUS SYMBOLS

RECOMMENDATION SYMBOLS

AR - AUGER REFUSAL	BT - BORING TERMINATED	CL - CLAY	CPT - CONE PENETRATION TEST	CSE - COARSE	DMT - DILATOMETER TEST	DPT - DYNAMIC PENETRATION TEST	Ø - VOID RATIO	F - FINE	FOSS - FOSSILIFEROUS	FRAC - FRACTURED, FRACTURES	FRAGS - FRAGMENTS	HL - HIGHLY
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

EQUIPMENT USED ON SUBJECT PROJECT

DRILL UNITS:	ADVANCING TOOLS:	HAMMER TYPE:
<input type="checkbox"/> CME-45C	<input type="checkbox"/> CLAY BITS	<input checked="" type="checkbox"/> AUTOMATIC
<input checked="" type="checkbox"/> CME-95	<input type="checkbox"/> 6" CONTINUOUS FLIGHT AUGER	<input type="checkbox"/> MANUAL
<input type="checkbox"/> CME-550	<input type="checkbox"/> 8" HOLLOW AUGERS	CORE SIZE: <input type="checkbox"/> -B <input type="checkbox"/> -H
<input type="checkbox"/> VANE SHEAR TEST	<input type="checkbox"/> HARD FACED FINGER BITS	<input type="checkbox"/> -N
<input type="checkbox"/> PORTABLE HOIST	<input type="checkbox"/> TUNG-CARBIDE INSERTS	HAND TOOLS:
<input type="checkbox"/>	<input checked="" type="checkbox"/> CASING w/ ADVANCER	<input type="checkbox"/> POST HOLE DIGGER
<input type="checkbox"/>	<input type="checkbox"/> TRICONE	<input type="checkbox"/> HAND AUGER
<input type="checkbox"/>	<input type="checkbox"/> TRICONE	<input type="checkbox"/> SOUNDING ROD
<input type="checkbox"/>	<input type="checkbox"/> CORE BIT	<input type="checkbox"/> VANE SHEAR TEST
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> DRAG BIT	

**NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT**

SUBSURFACE INVESTIGATION

**SOIL AND ROCK LEGEND, TERMS, SYMBOLS, AND ABBREVIATIONS
(PAGE 2 OF 2)**

ROCK DESCRIPTION

HARD ROCK IS NON-COASTAL PLAIN MATERIAL THAT WOULD YIELD SPT REFUSAL IF TESTED. AN INFERRED ROCK LINE INDICATES THE LEVEL AT WHICH NON-COASTAL PLAIN MATERIAL WOULD YIELD SPT REFUSAL. SPT REFUSAL IS PENETRATION BY A SPLIT SPOON SAMPLER EQUAL TO OR LESS THAN 60 FOOT PER 60 BLOWS IN NON-COASTAL PLAIN MATERIAL. THE TRANSITION BETWEEN SOIL AND ROCK IS OFTEN REPRESENTED BY A ZONE OF WEATHERED ROCK.
ROCK MATERIALS ARE TYPICALLY DIVIDED AS FOLLOWS:

WEATHERED ROCK (WR)		NON-COASTAL PLAIN MATERIAL THAT WOULD YIELD SPT N VALUES > 100 BLOWS PER FOOT IF TESTED.
CRYSTALLINE ROCK (CR)		FINE TO COARSE GRAIN IGNEOUS AND METAMORPHIC ROCK THAT WOULD YIELD SPT REFUSAL IF TESTED. ROCK TYPE INCLUDES GRANITE, GNEISS, GABBRO, SCHIST, ETC.
NON-CRYSTALLINE ROCK (NCR)		FINE TO COARSE GRAIN METAMORPHIC AND NON-COASTAL PLAIN SEDIMENTARY ROCK THAT WOULD YIELD SPT REFUSAL IF TESTED. ROCK TYPE INCLUDES PHYLITE, SLATE, SANDSTONE, ETC.
COASTAL PLAIN SEDIMENTARY ROCK (CP)		COASTAL PLAIN SEDIMENTS CEMENTED INTO ROCK BUT MAY NOT YIELD SPT REFUSAL. ROCK TYPE INCLUDES LIMESTONE, SANDSTONE, CEMENTED SHELL BEDS, ETC.

WEATHERING

FRESH - ROCK FRESH, CRYSTALS BRIGHT, FEW JOINTS MAY SHOW SLIGHT STAINING. ROCK RINGS UNDER HAMMER IF CRYSTALLINE.

VERY SLIGHT (V SL) - ROCK GENERALLY FRESH. JOINTS STAINED. SOME JOINTS MAY SHOW THIN CLAY COATINGS IF OPEN. CRYSTALS ON A BROKEN SPECIMEN FACE SHINE BRIGHTLY. ROCK RINGS UNDER HAMMER BLOWS IF OF A CRYSTALLINE NATURE.

SLIGHT (SL) - ROCK GENERALLY FRESH. JOINTS STAINED AND DISCOLORATION EXTENDS INTO ROCK UP TO 1 INCH. OPEN JOINTS MAY CONTAIN CLAY. IN GRANITOID ROCKS SOME OCCASIONAL FELDSPAR CRYSTALS ARE DULL AND DISCOLORED. CRYSTALLINE ROCKS RING UNDER HAMMER BLOWS.

MODERATE (MOD.) - SIGNIFICANT PORTIONS OF ROCK SHOW DISCOLORATION AND WEATHERING EFFECTS. IN GRANITOID ROCKS, MOST FELDSPARS ARE DULL AND DISCOLORED. SOME SHOW CLAY. ROCK HAS DULL SOUND UNDER HAMMER BLOWS AND SHOWS SIGNIFICANT LOSS OF STRENGTH AS COMPARED WITH FRESH ROCK.

MODERATELY SEVERE (MOD. SEV.) - ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. IN GRANITOID ROCKS, ALL FELDSPARS DULL AND DISCOLORED AND A MAJORITY SHOW KAOLINIZATION. ROCK SHOWS SEVERE LOSS OF STRENGTH AND CAN BE EXCAVATED WITH A GEOLOGIST'S PICK. ROCK GIVES "CLUNK" SOUND WHEN STRUCK. *(E. TESTED, WOULD YIELD SPT REFUSAL)*

SEVERE (SEV.) - ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC CLEAR AND EVIDENT BUT REDUCED IN STRENGTH TO STRONG SOIL. IN GRANITOID ROCKS ALL FELDSPARS ARE KAOLINIZED TO SOME EXTENT. SOME FRAGMENTS OF STRONG ROCK USUALLY REMAIN. *(E. TESTED, WOULD YIELD SPT N VALUES > 100 BPF)*

VERY SEVERE (V SEV.) - ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC ELEMENTS ARE DISCERNIBLE BUT MASS IS EFFECTIVELY REDUCED TO SOIL STATUS. WITH ONLY FRAGMENTS OF STRONG ROCK REMAINING. SAPROLITE IS AN EXAMPLE OF ROCK WEATHERED TO A DEGREE THAT ONLY MINOR VESTIGES OF ORIGINAL ROCK FABRIC REMAIN. *(E. TESTED, WOULD YIELD SPT N VALUES < 100 BPF)*

COMPLETE - ROCK REDUCED TO SOIL. ROCK FABRIC NOT DISCERNIBLE, OR DISCERNIBLE ONLY IN SMALL AND SCATTERED CONCENTRATIONS. QUARTZ MAY BE PRESENT AS DIKES OR STRINGERS. SAPROLITE IS ALSO AN EXAMPLE.

ROCK HARDNESS

VERY HARD - CANNOT BE SCRATCHED BY KNIFE OR SHARP PICK. BREAKING OF HAND SPECIMENS REQUIRES SEVERAL HARD BLOWS OF THE GEOLOGIST'S PICK.

HARD - CAN BE SCRATCHED BY KNIFE OR PICK ONLY WITH DIFFICULTY. HARD HAMMER BLOWS REQUIRED TO DETACH HAND SPECIMEN.

MODERATELY HARD - CAN BE SCRATCHED BY KNIFE OR PICK. GROUES OR GROOVES TO 0.25 INCHES DEEP CAN BE EXCAVATED BY HARD BLOW OF A GEOLOGIST'S PICK. HAND SPECIMENS CAN BE DETACHED BY MODERATE BLOWS.

MEDIUM HARD - CAN BE GROUDED OR GROUDED 0.065 INCHES DEEP BY FIRM PRESSURE OF KNIFE OR PICK POINT. CAN BE EXCAVATED IN SMALL CHIPS TO PEICES 1 INCH MAXIMUM SIZE BY HARD BLOWS OF THE POINT OF A GEOLOGIST'S PICK.

SOFT - CAN BE GROUDED OR GROUDED READILY BY KNIFE OR PICK. CAN BE EXCAVATED IN FRAGMENTS FROM CHIPS TO SEVERAL INCHES IN SIZE BY MODERATE BLOWS OF A PICK POINT. SMALL, THIN PIECES CAN BE BROKEN BY FINGER PRESSURE.

VERY SOFT - CAN BE CARVED WITH KNIFE. CAN BE EXCAVATED READILY WITH POINT OF PICK. PIECES 1 INCH OR MORE IN THICKNESS CAN BE BROKEN BY FINGER PRESSURE. CAN BE SCRATCHED READILY BY FINGER NAIL.

FRACTURE SPACING

TERM	SPACING	TERM	THICKNESS
VERY WIDE	MORE THAN 10 FEET	VERY THICKLY BEDDED	4 FEET
WIDE	3 TO 10 FEET	THICKLY BEDDED	1.5 - 4 FEET
MODERATELY CLOSE	1 TO 3 FEET	THINLY BEDDED	0.15 - 1.5 FEET
CLOSE	0.15 TO 1 FOOT	VERY THINLY BEDDED	0.03 - 0.15 FEET
VERY CLOSE	LESS THAN 0.15 FEET	THICKLY LAMINATED	0.008 - 0.03 FEET
		THINLY LAMINATED	< 0.008 FEET

INDURATION

FOR SEDIMENTARY ROCKS, INDURATION IS THE HARDENING OF MATERIAL BY CEMENTING, HEAT, PRESSURE, ETC.

FRAGILE - RUBBING WITH FINGER FREES NUMEROUS GRAINS;
GENTLE BLOW BY HAMMER DISINTEGRATES SAMPLE.

MODERATELY INDURATED - GRAINS CAN BE SEPARATED FROM SAMPLE WITH STEEL PROBE;
BREAKS EASILY WHEN HIT WITH HAMMER.

INDURATED - GRAINS ARE DIFFICULT TO SEPARATE WITH STEEL PROBE;
DIFFICULT TO BREAK WITH HAMMER.

EXTREMELY INDURATED - SHARP HAMMER BLOWS REQUIRED TO BREAK SAMPLE;
SAMPLE BREAKS ACROSS GRAINS.

TERMS AND DEFINITIONS

ALLUVIUM (ALUV.) - SOILS THAT HAVE BEEN TRANSPORTED BY WATER.

ADJUCER - A WATER BEARING FORMATION OR STRATA.

ARENACEOUS - APPLIED TO ROCKS THAT HAVE BEEN DERIVED FROM SAND OR THAT CONTAIN SAND.

ARGILLACEOUS - APPLIED TO ALL ROCKS OR SUBSTANCES COMPOSED OF CLAY MINERALS, OR HAVING A NOTABLE PROPORTION OF CLAY IN THEIR COMPOSITION, SUCH AS SHALE, SLATE, ETC.

ARTESIAN - GROUND WATER THAT IS UNDER SUFFICIENT PRESSURE TO RISE ABOVE THE LEVEL AT WHICH IT IS ENCOUNTERED, BUT WHICH DOES NOT NECESSARILY RISE TO OR ABOVE THE GROUND SURFACE.

CALCAREOUS (CALC.) - SOILS THAT CONTAIN APPRECIABLE AMOUNTS OF CALCIUM CARBONATE.

COLLUVIUM - ROCK FRAGMENTS MIXED WITH SOIL DEPOSITED BY GRAVITY ON SLOPE OR AT BOTTOM OF SLOPE.

CORE RECOVERY (RECL.) - TOTAL LENGTH OF ALL MATERIAL RECOVERED IN THE CORE BARREL DIVIDED BY TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE.

DIKE - A TABULAR BODY OF IGNEOUS ROCK THAT CUTS ACROSS THE STRUCTURE OF ADJACENT ROCKS OR CUTS MASSIVE ROCK.

DIP - THE ANGLE AT WHICH A STRATUM OR ANY PLANAR FEATURE IS INCLINED FROM THE HORIZONTAL.

DIP DIRECTION (DIP AZIMUTH) - THE DIRECTION OR BEARING OF THE HORIZONTAL TRACE OF THE LINE OF DIP, MEASURED CLOCKWISE FROM NORTH.

FAULT - A FRACTURE OR FRACTURE ZONE ALONG WHICH THERE HAS BEEN DISPLACEMENT OF THE SIDES RELATIVE TO ONE ANOTHER PARALLEL TO THE FRACTURE.

FISSILE - A PROPERTY OF SPLITTING ALONG CLOSELY SPACED PARALLEL PLANES.

FLOAT - ROCK FRAGMENTS ON SURFACE NEAR THEIR ORIGINAL POSITION AND DISLOOGED FROM PARENT MATERIAL.

FLOOD PLAIN (FP) - LAND BORDERING A STREAM, BUILT OF SEDIMENTS DEPOSITED BY THE STREAM, FIELD.

FORMATION (FM) - A MAPPABLE GEOLOGIC UNIT THAT CAN BE RECOGNIZED AND TRACED IN THE FIELD.

JOINT - FRACTURE IN ROCK ALONG WHICH NO APPRECIABLE MOVEMENT HAS OCCURRED. ITS LATERAL EXTENT.

LEDGE - A SHELF-LIKE RIDGE OR PROJECTION OF ROCK WHOSE THICKNESS IS SMALL COMPARED TO ITS LATERAL EXTENT.

LENS - A BODY OF SOIL OR ROCK THAT THINS OUT IN ONE OR MORE DIRECTIONS.

MOTTLED (MOD.) - IRREGULARLY MARKED WITH SPOTS OF DIFFERENT COLORS. MOTTLING IN SOILS USUALLY INDICATES POOR AERATION AND LACK OF GOOD DRAINAGE.

PERCHED WATER - WATER MAINTAINED ABOVE THE NORMAL GROUND WATER LEVEL BY THE PRESENCE OF AN INTERVENING IMPERVIOUS STRATUM.

RESIDUAL (RESJ) SOIL - SOIL FORMED IN PLACE BY THE WEATHERING OF ROCK.

ROCK QUALITY DESIGNATION (ROD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE.

SAPROLITE (SAP.) - RESIDUAL SOIL THAT RETAINS THE RELIC STRUCTURE OR FABRIC OF THE PARENT ROCK.

SILL - AN INTRUSIVE BODY OF IGNEOUS ROCK OF APPROXIMATELY UNIFORM THICKNESS AND RELATIVELY THIN COMPARED WITH ITS LATERAL EXTENT, THAT HAS BEEN EMPLOYED PARALLEL TO THE BEDDING OR SCHISTOSITY OF THE INTRUDED ROCKS.

SLICKENSIDE - POLISHED AND STRIATED SURFACE THAT RESULTS FROM FRICTION ALONG A FAULT OR SLIP PLANE.

STANDARD PENETRATION TEST (PENETRATION RESISTANCE) (SPT) - NUMBER OF BLOWS IN OR BPF OF A 140 LB. HAMMER FALLING 30 INCHES REQUIRED TO PRODUCE A PENETRATION OF 1 FOOT INTO SOIL WITH A 2 INCH OUTSIDE DIAMETER SPLIT SPOON SAMPLER. SPT REFUSAL IS PENETRATION EQUAL TO OR LESS THAN 60 FOOT PER 60 BLOWS.

STRATA CORE RECOVERY (SRECL.) - TOTAL LENGTH OF STRATA MATERIAL RECOVERED DIVIDED BY TOTAL LENGTH OF STRATUM AND EXPRESSED AS A PERCENTAGE.

STRATA ROCK QUALITY DESIGNATION (SRQD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS WITHIN A STRATUM EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF STRATA AND EXPRESSED AS A PERCENTAGE.


TOPSOIL (TSJ) - SURFACE SOILS USUALLY CONTAINING ORGANIC MATTER.

BENCH MARK: BL-101; N: 204432.522; E: 218327.965; -BL- STA. 14+98.73

ELEVATION: 52.23 FEET

NOTES:

NM = NOT MEASURED
FIAD = FILLED IMMEDIATELY AFTER DRILLING



PROJECT REFERENCE NO. SF-230211	
SHEET NO. 3	
SITE PLAN	
SKEW = 90 DEGREES	

END NCDOT PROJECT 17BP.6.R.71
 -L- STA. 16+62.50

MARK A. EVANS, ET UX
 PROJECT 17BP.6.R.71
 -L- STA. 11+82.50

GEOTECHNICAL BORING REPORT BORE LOG

WBS 17BP.6.R.71		TIP SF-230211		COUNTY COLUMBUS		GEOLOGIST M. Arnold		
SITE DESCRIPTION Bridge No. 211 on SR 1904 (Red Bug Rd.) over Jockey Branch								
BORING NO. EB1-A		STATION 13+87		OFFSET 6 ft LT		ALIGNMENT -L-		
COLLAR ELEV. 52.8 ft		TOTAL DEPTH 85.0 ft		NORTHING 204,405		EASTING 2,118,263		
DRILL RIG/HAMMER EFF/DATE F&R2175 CME-55 88% 02/11/2017		DRILL METHOD Mud Rotary		HAMMER TYPE Automatic				
DRILLER S. Davis		START DATE 03/30/17		COMP. DATE 03/30/17		SURFACE WATER DEPTH N/A		
ELEV (ft)	DRIVE ELEV (ft)	BLOW COUNT			SAMP. NO.	MOI	SOIL AND ROCK DESCRIPTION	DEPTH (ft)
		0.5ft	0.5ft	0.5ft				
55	52.4							GROUND SURFACE
		9	8	9				ASPHALT
50	49.3	1	1	2				ROADWAY EMBANKMENT Brown-Gray-Tan, Silty Fine SAND (A-2-4)
45	44.3	1	2	1				ALLUVIAL Dark Gray, Fine Sandy CLAY (A-7)
40	39.3	10	12	13				Dark Gray, Clayey Fine to Coarse SAND (A-2-6) with Trace Organics (Roots)
35	34.3	1	1	2		Sat.		COASTAL PLAIN Dark Gray, Silty Fine SAND (A-2-4) (PEEDEE FORMATION)
30	29.3	1	2	3				Dark Gray, Fine Sandy Silty CLAY (A-7) with Trace Mica and Shell Fragments
25	24.3	38	19	17				Dark Gray, Clayey Fine SAND (A-2-6) with Trace Cemented Sand Fragments and Shell Fragments
20	19.3	4	5	6				Dark Gray, Silty Fine Sandy CLAY (A-7) with Trace Mica and Shell Fragments
15	14.3	3	5	5				
10	9.3	5	6	8				
5	4.3	5	5	7				
0	-0.7	4	5	5				(Driller noted hard layer 55.7'-57.9')
-5	-5.7	5	6	6				
-10	-10.7	10	7	11				Dark Gray, Fine Sandy CLAY (A-6) with Trace Mica
-15	-15.7	5	6	7				Dark Gray, Clayey Fine SAND (A-2-6)
-20	-20.7	5	9	12				Dark Gray, Fine Sandy CLAY (A-6) with Trace Mica
-25								

GEOTECHNICAL BORING REPORT BORE LOG

WBS 17BP.6.R.71		TIP SF-230211		COUNTY COLUMBUS		GEOLOGIST M. Arnold				
SITE DESCRIPTION Bridge No. 211 on SR 1904 (Red Bug Rd.) over Jockey Branch										
BORING NO. EB1-A		STATION 13+87		OFFSET 6 ft LT		ALIGNMENT -L-				
COLLAR ELEV. 52.8 ft		TOTAL DEPTH 85.0 ft		NORTHING 204,405		EASTING 2,118,263				
DRILL RIG/HAMMER EFF./DATE F&R2175 CME-55 88% 02/11/2017		DRILL METHOD Mud Rotary		HAMMER TYPE Automatic		GROUND WTR (ft) 0 HR. NM 24 HR. FIAD				
DRILLER S. Davis		START DATE 03/30/17		COMP. DATE 03/30/17		SURFACE WATER DEPTH N/A				
ELEV (ft)	DRIVE ELEV (ft)	BLOW COUNT			BLOWS PER FOOT	SAMP. NO.	MOI	L O G	SOIL AND ROCK DESCRIPTION	DEPTH (ft)
		0.5ft	0.5ft	0.5ft						
-25	-25.7	11	14	57						
-30	-30.7	5	7	8	15		W		Dark Gray, Fine Sandy CLAY (A-7) with Trace Shell Fragments, Mica, and Cemented Sand Fragments	79.3
							W		Boring Terminated at Elevation -32.2 ft in CLAY (PEEDEE FORMATION)	85.0

GEOTECHNICAL BORING REPORT BORE LOG

WBS 17BP.6.R.71		TIP SF-230211		COUNTY COLUMBUS		GEOLOGIST M. Arnold		
SITE DESCRIPTION Bridge No. 211 on SR 1904 (Red Bug Rd.) over Jockey Branch				GROUND WTR (ft)				
BORING NO. EB2-B		STATION 14+50		OFFSET 14 ft RT		ALIGNMENT -L-		
COLLAR ELEV. 52.8 ft		TOTAL DEPTH 89.2 ft		NORTHING 204,432		EASTING 2,118,323		
DRILL RIG/HAMMER EFF./DATE F&R2175 CME-55 88% 02/11/2017				DRILL METHOD Mud Rotary		HAMMER TYPE Automatic		
DRILLER S. Davis		START DATE 03/31/17		COMP. DATE 03/31/17		SURFACE WATER DEPTH N/A		
ELEV (ft)	DRIVE ELEV (ft)	BLOW COUNT			SAMP. NO.	MOI	SOIL AND ROCK DESCRIPTION	DEPTH (ft)
		0.5ft	0.5ft	0.5ft				
55	52.8							
50	49.3	1	1	2	3	W	GROUND SURFACE	0.0
45	44.3	2	2	3	5	W	ROADWAY EMBANKMENT Brown-Gray and Tan-Brown, Clayey Silty Fine SAND (A-2-4) with Trace Organics (Roots)	
40	39.3	4	2	3	6	Sat.	ALLUVIAL Dark Gray, Clayey Fine to Coarse SAND (A-2-6) with Trace Organics (Roots)	7.0
35	34.3	8	12	17	29	Sat.	COASTAL PLAIN Dark Gray, Silty Fine SAND (A-2-4) (PEEDEE FORMATION)	12.0
30	29.3	1	1	2	3	W	Dark Gray, Silty CLAY (A-7) with Trace Mica and Shell Fragments	17.0
25	24.3	26	12	11	23	W	Dark Gray, Clayey Fine SAND (A-2-6) with Trace Shell Fragments and Mica	28.0
20	19.3	4	4	6	10	W	Dark Gray, Fine Sandy CLAY (A-7) with Trace Mica and Shell Fragments	32.0
15	14.3	3	4	7	11	W		
10	9.3	4	6	7	13	W		
5	4.3	4	5	7	12	W		
0	-0.7	4	5	6	11	W		
-5	-5.7	4	6	6	12	W	(Driller noted hard drilling 56.4'-57.0')	
-10	-10.7	6	6	9	15	W	Dark Gray, Fine Sandy CLAY (A-6) with Trace Mica	62.0
-15	-15.7	5	6	8	14	W	Dark Gray, Silty Fine Sandy CLAY (A-7) with Trace Mica	72.0
-20	-20.7	5	5	7	12	W	(Driller noted hard thin layers <4" 78.5'-89.2')	
-25								

GEOTECHNICAL BORING REPORT BORE LOG

WBS 17BP.6.R.71	TIP SF-230211	COUNTY COLUMBUS	GEOLOGIST M. Arnold		
SITE DESCRIPTION Bridge No. 211 on SR 1904 (Red Bug Rd.) over Jockey Branch					
BORING NO. EB2-B	STATION 14+50	OFFSET 14 ft RT	ALIGNMENT -L-	GROUND WTR (ft)	
COLLAR ELEV. 52.8 ft	TOTAL DEPTH 89.2 ft	NORTHING 204,432	EASTING 2,118,323	0 HR.	NM
DRILL RIG/HAMMER EFF/DATE F&R2175 CME-55 88% 02/11/2017	DRILL METHOD Mud Rotary			24 HR.	FIAD
DRILLER S. Davis				HAMMER TYPE Automatic	
START DATE 03/31/17	COMP. DATE 03/31/17	SURFACE WATER DEPTH N/A			
DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT	BLOWS PER FOOT	SAMP. NO.	SOIL AND ROCK DESCRIPTION
-25	78.5	6 9 9	0 25 50 75 100	L O MOI G	DEPTH (ft)
-30	83.5	5 6 8	Match Line	W	Dark Gray, Silty Fine Sandy CLAY (A-7) with Trace Mica (Driller noted hard thin layers <4" 78.5'-89.2') (continued)
-35	88.5	18	100/0.2	W	Boring Terminated at Elevation -36.4 ft in CLAY (PEEDEE FORMATION)