

REFERENCE: BR-0082

PROJECT: 67082

**CONTENTS**

<u>SHEET NO.</u>	<u>DESCRIPTION</u>
1	TITLE SHEET
2	LEGEND (SOIL & ROCK)
3	SITE PLAN
4	PROFILE
5-8	CROSS SECTION(S)
9-18	BORE LOG(S), CORE LOG(S), & CORE PHOTOGRAPH(S)
19	ROCK TEST RESULTS

**STATE OF NORTH CAROLINA**  
 DEPARTMENT OF TRANSPORTATION  
 DIVISION OF HIGHWAYS  
 GEOTECHNICAL ENGINEERING UNIT

**STRUCTURE**  
**SUBSURFACE INVESTIGATION**

COUNTY Harnett  
 SITE DESCRIPTION Bridge No. 56 on NC 27 over  
Upper Little River

STATE	STATE PROJECT REFERENCE NO.	SHEET NO.	TOTAL SHEETS
N.C.	BR-0082	1	19

**CAUTION NOTICE**

THE SUBSURFACE INFORMATION AND THE SUBSURFACE INVESTIGATION ON WHICH IT IS BASED WERE MADE FOR THE PURPOSE OF STUDY, PLANNING AND DESIGN, AND NOT FOR CONSTRUCTION OR PAY PURPOSES. THE VARIOUS FIELD BORING LOGS, ROCK CORES AND SOIL TEST DATA AVAILABLE MAY BE REVIEWED OR INSPECTED IN RALEIGH BY CONTACTING THE N. C. DEPARTMENT OF TRANSPORTATION, GEOTECHNICAL ENGINEERING UNIT AT (919) 707-6850. THE SUBSURFACE PLANS AND REPORTS, FIELD BORING LOGS, ROCK CORES AND SOIL TEST DATA ARE NOT PART OF THE CONTRACT.

GENERAL SOIL AND ROCK STRATA DESCRIPTIONS AND INDICATED BOUNDARIES ARE BASED ON A GEOTECHNICAL INTERPRETATION OF ALL AVAILABLE SUBSURFACE DATA AND MAY NOT NECESSARILY REFLECT THE ACTUAL SUBSURFACE CONDITIONS BETWEEN BORINGS OR BETWEEN SAMPLED STRATA WITHIN THE BOREHOLE. THE LABORATORY SAMPLE DATA AND THE IN SITU (IN-PLACE) TEST DATA CAN BE RELIED ON ONLY TO THE DEGREE OF RELIABILITY INHERENT IN THE STANDARD TEST METHOD. THE OBSERVED WATER LEVELS OR SOIL MOISTURE CONDITIONS INDICATED IN THE SUBSURFACE INVESTIGATIONS ARE AS RECORDED AT THE TIME OF THE INVESTIGATION. THESE WATER LEVELS OR SOIL MOISTURE CONDITIONS MAY VARY CONSIDERABLY WITH TIME ACCORDING TO CLIMATIC CONDITIONS INCLUDING TEMPERATURES, PRECIPITATION AND WIND, AS WELL AS OTHER NON-CLIMATIC FACTORS.

THE BIDDER OR CONTRACTOR IS CAUTIONED THAT DETAILS SHOWN ON THE SUBSURFACE PLANS ARE PRELIMINARY ONLY AND IN MANY CASES THE FINAL DESIGN DETAILS ARE DIFFERENT. FOR BIDDING AND CONSTRUCTION PURPOSES, REFER TO THE CONSTRUCTION PLANS AND DOCUMENTS FOR FINAL DESIGN INFORMATION ON THIS PROJECT. THE DEPARTMENT DOES NOT WARRANT OR GUARANTEE THE SUFFICIENCY OR ACCURACY OF THE INVESTIGATION MADE, NOR THE INTERPRETATIONS MADE, OR OPINION OF THE DEPARTMENT AS TO THE TYPE OF MATERIALS AND CONDITIONS TO BE ENCOUNTERED. THE BIDDER OR CONTRACTOR IS CAUTIONED TO MAKE SUCH INDEPENDENT SUBSURFACE INVESTIGATIONS AS HE DEEMS NECESSARY TO SATISFY HIMSELF AS TO CONDITIONS TO BE ENCOUNTERED ON THE PROJECT. THE CONTRACTOR SHALL HAVE NO CLAIM FOR ADDITIONAL COMPENSATION OR FOR AN EXTENSION OF TIME FOR ANY REASON RESULTING FROM THE ACTUAL CONDITIONS ENCOUNTERED AT THE SITE DIFFERING FROM THOSE INDICATED IN THE SUBSURFACE INFORMATION.

- NOTES:
- THE INFORMATION CONTAINED HEREIN IS NOT IMPLIED OR GUARANTEED BY THE N. C. DEPARTMENT OF TRANSPORTATION AS ACCURATE NOR IS IT CONSIDERED PART OF THE PLANS, SPECIFICATIONS OR CONTRACT FOR THE PROJECT.
  - BY HAVING REQUESTED THIS INFORMATION, THE CONTRACTOR SPECIFICALLY WAIVES ANY CLAIMS FOR INCREASED COMPENSATION OR EXTENSION OF TIME BASED ON DIFFERENCES BETWEEN THE CONDITIONS INDICATED HEREIN AND THE ACTUAL CONDITIONS AT THE PROJECT SITE.

**PERSONNEL**

W. Pesl

S. Davis

T. Beard

INVESTIGATED BY F&R, Inc.

DRAWN BY T.T. Walker, F&R Inc.

CHECKED BY P. Alton, P.E.

SUBMITTED BY C. Weng, P.E.

DATE April 2020

SINCE **Prepared in the Office of:**  
**FROEHLING & ROBERTSON, INC.**  
*Engineering Stability Since 1881*  
 310 Hubert Street  
 Raleigh, North Carolina 27603-2302  
 License No. F-0266  
 Bus: 919.828.3441 Fax: 919.828.5751



SIGNATURE DATE

**DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED**

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT
SUBSURFACE INVESTIGATION
SOIL AND ROCK LEGEND, TERMS, SYMBOLS, AND ABBREVIATIONS

Table with 4 main columns: SOIL DESCRIPTION, GRADATION, ROCK DESCRIPTION, and TERMS AND DEFINITIONS. Includes sub-sections like SOIL LEGEND AND AASHTO CLASSIFICATION, CONSISTENCY OR DENSENESS, TEXTURE OR GRAIN SIZE, SOIL MOISTURE - CORRELATION OF TERMS, PLASTICITY, and COLOR.

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION  
 DIVISION OF HIGHWAYS  
**GEOTECHNICAL ENGINEERING UNIT**  
**SUBSURFACE INVESTIGATION**

SUPPLEMENTAL LEGEND, GEOLOGICAL STRENGTH INDEX (GSI) TABLES  
 FROM AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS

AASHTO LRFD Figure 10.4.6.4-1 — Determination of GSI for Jointed Rock Mass (Marinos and Hoek, 2000)



AASHTO LRFD Figure 10.4.6.4-2 — Determination of GSI for Tectonically Deformed Heterogeneous Rock Masses (Marinos and Hoek, 2000)

GEOLOGICAL STRENGTH INDEX (GSI) FOR JOINTED ROCKS (Hoek and Marinos, 2000)		SURFACE CONDITIONS					GSI FOR HETEROGENEOUS ROCK MASSES SUCH AS FLYSCH (Marinos, P and Hoek E., 2000)		SURFACE CONDITIONS OF DISCONTINUITIES (Predominantly bedding planes)					
<p>From the lithology, structure and surface conditions of the discontinuities, estimate the average value of GSI. Do not try to be too precise. Quoting a range from 33 to 37 is more realistic than stating that GSI = 35. Note that the table does not apply to structurally controlled failures. Where weak planar structural planes are present in an unfavorable orientation with respect to the excavation face, these will dominate the rock mass behaviour. The shear strength of surfaces in rocks that are prone to deterioration as a result of changes in moisture content will be reduced if water is present. When working with rocks in the fair to very poor categories, a shift to the right may be made for wet conditions. Water pressure is dealt with by effective stress analysis.</p>		VERY GOOD	GOOD	FAIR	POOR	VERY POOR	<p>From a description of the lithology, structure and surface conditions (particularly of the bedding planes), choose a box in the chart. Locate the position in the box that corresponds to the condition of the discontinuities and estimate the average value of GSI from the contours. Do not attempt to be too precise. Quoting a range from 33 to 37 is more realistic than giving GSI = 35. Note that the Hoek-Brown criterion does not apply to structurally controlled failures. Where unfavourably oriented continuous weak planar discontinuities are present, these will dominate the behaviour of the rock mass. The strength of some rock masses is reduced by the presence of groundwater and this can be allowed for by a slight shift to the right in the columns for fair, poor and very poor conditions. Water pressure does not change the value of GSI and it is dealt with by using effective stress analysis.</p>		VERY GOOD	GOOD	FAIR	POOR	VERY POOR	
		Very rough, fresh unweathered surfaces	Rough, slightly weathered, iron stained surfaces	Smooth, moderately weathered and altered surfaces	Slickensided, highly weathered surfaces with compact coatings or fillings or angular fragments	Slickensided, highly weathered surfaces with soft clay coatings or fillings			Very Rough, fresh unweathered surfaces	Rough, slightly weathered surfaces	Smooth, moderately weathered and altered surfaces	Very smooth, occasionally slickensided surfaces with compact coatings or fillings with angular fragments	Very smooth, slickensided or highly weathered surfaces with soft clay coatings or fillings	
STRUCTURE		DECREASING SURFACE QUALITY →					COMPOSITION AND STRUCTURE							
	INTACT OR MASSIVE - intact rock specimens or massive in situ rock with few widely spaced discontinuities	90			N/A	N/A		A. Thick bedded, very blocky sandstone The effect of pelitic coatings on the bedding planes is minimized by the confinement of the rock mass. In shallow tunnels or slopes these bedding planes may cause structurally controlled instability.	70					
	BLOCKY - well interlocked undisturbed rock mass consisting of cubical blocks formed by three intersecting discontinuity sets	80	70					B. Sandstone with thin inter-layers of siltstone	60					
	VERY BLOCKY - interlocked, partially disturbed mass with multi-faceted angular blocks formed by 4 or more joint sets		60	50				C. Sandstone and siltstone in similar amounts		50				
	BLOCKY/DISTURBED/SEAMY - folded with angular blocks formed by many intersecting discontinuity sets. Persistence of bedding planes or schistosity			40				D. Siltstone or silty shale with sandstone layers			40			
	DISINTEGRATED - poorly interlocked, heavily broken rock mass with mixture of angular and rounded rock pieces				30			E. Weak siltstone or clayey shale with sandstone layers				30		
	LAMINATED/SHEARED - Lack of blockiness due to close spacing of weak schistosity or shear planes					20		F. Tectonically deformed, intensively folded/faulted, sheared clayey shale or siltstone with broken and deformed sandstone layers forming an almost chaotic structure					20	
						10		G. Undisturbed silty or clayey shale with or without a few very thin sandstone layers						10
		N/A	N/A					H. Tectonically deformed silty or clayey shale forming a chaotic structure with pockets of clay. Thin layers of sandstone are transformed into small rock pieces.						

→ Means deformation after tectonic disturbance

PROJECT REFERENCE NO.	SHEET NO.
BR-0082	3
<b>SITE PLAN</b>	
 0                      60                      120 FEET	
<b>SKEW = 45°</b>	


JENNIE P. STANCIL




MELINDA K. SPENCE

LEROY D. SMALLS  
PRISCILLA E. ROBINSON-SMALLS

LEROY D. SMALLS  
PRISCILLA E. ROBINSON-SMALLS



<b>PROJECT REFERENCE NO.</b>	<b>SHEET NO.</b>
BR-0082	4
<b>PROFILE BORINGS PROJECTED ALONG -L-</b>	




GROUNDLINE TAKEN FROM BR0082\_LS\_TNLTIN FILE RECEIVED BY NCDOT DATED 3/24/2020 INFERRED STRATIGRAPHY IS DRAWN THROUGH THE BORINGS WITH BOTH PROJECTED ONTO THE PROFILE


17+00


18+00

19+00




<b>PROJECT REFERENCE NO.</b>	<b>SHEET NO.</b>
BR-0082	5
<b>CROSS SECTION THROUGH END BENT 1</b>	
AT -L- STATION 17+02.50	
SKEW=45°	






<b>PROJECT REFERENCE NO.</b>	<b>SHEET NO.</b>
BR-0082	6
<b>CROSS SECTION THROUGH BENT 1</b>	
AT -L- STATION 17+77.50	
SKEW=45°	




Ⓐ Weathered Rock: Green-Gray (BIOTITE GNEISS)

GROUNDLINE TAKEN FROM BR0082\_LS\_TNL.TIN FILE RECEIVED BY NCDOT DATED 03/24/2020 INFERRED STRATIGRAPHY IS DRAWN THROUGH THE BORINGS WITH BOTH PROJECTED ONTO THE CROSS SECTION




<b>PROJECT REFERENCE NO.</b>	<b>SHEET NO.</b>
BR-0082	7
<b>CROSS SECTION THROUGH BENT 2</b>	
AT -L- STATION 18+52.50	
SKEW=45°	




GROUNDLINE TAKEN FROM BR0082\_LS\_TNL.TIN FILE RECEIVED BY NCDOT, DATED 03/24/2020. INFERRED STRATIGRAPHY IS DRAWN THROUGH THE BORINGS WITH BOTH PROJECTED ONTO THE CROSS SECTION





<b>PROJECT REFERENCE NO.</b>	<b>SHEET NO.</b>
BR-0082	8
<b>CROSS SECTION THROUGH END BENT 2</b>	
AT -L- STATION 19+27.50	
SKEW=45°	



GROUNDLINE TAKEN FROM BR0082\_LS\_TNL.TIN FILE RECEIVED BY NCDOT DATED 03/24/2020 INFERRED STRATIGRAPHY IS DRAWN THROUGH THE BORINGS WITH BOTH PROJECTED ONTO THE CROSS SECTION

# GEOTECHNICAL BORING REPORT

## BORE LOG

WBS 67082.1.1		TIP BR-0082		COUNTY HARNETT		GEOLOGIST W. Pesl									
SITE DESCRIPTION Bridge 56 on NC 27 over Upper Little River							GROUND WTR (ft)								
BORING NO. EB1-A		STATION 16+93		OFFSET 9 ft LT		ALIGNMENT -L-									
COLLAR ELEV. 186.6 ft		TOTAL DEPTH 27.2 ft		NORTHING 578,769		EASTING 2,014,323									
DRILL RIG/HAMMER EFF./DATE F&R2175 CME-55 92% 02/07/2020			DRILL METHOD H.S. Augers			HAMMER TYPE Automatic									
DRILLER S. Davis		START DATE 02/28/20		COMP. DATE 02/28/20		SURFACE WATER DEPTH N/A									
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100					
190															
185	185.6	1.0	6	5	5									186.6 GROUND SURFACE 0.0	
														185.6 ASPHALT 1.0	
	183.1	3.5	4	2	2									182.6 ROADWAY EMBANKMENT 4.0	
														Gray, Fine to Coarse SANDY GRAVEL (A-1-a)	
180														182.2 Brown, Silty Fine to Coarse SAND (A-2-4) with Trace Gravel	
														179.6 RESIDUAL 7.0	
	178.1	8.5	2	2	1									Orange-Brown, Clayey Fine SANDY SILT (A-4) with Trace Mica	
175															
	173.1	13.5	2	2	3										
170															
	168.1	18.5	15	13	12									169.6 Orange-Brown, Silty Fine to Coarse SAND (A-1-b) with Little Gravel 17.0	
165															
	163.1	23.5	100/0.2											164.6 WEATHERED ROCK 22.0	
														Green-Gray (BIOTITE GNEISS)	
160														161.1 CRYSTALLINE ROCK 25.5	
	159.4	27.2	60/0.0											Green-Gray (BIOTITE GNEISS) 27.2	
														Boring Terminated with Standard Penetration Test Refusal at Elevation 159.4 ft in CRYSTALLINE ROCK (BIOTITE GNEISS)	
														Notes: 1. Driller indicated harder drilling at 25.5' 2. Auger refusal at 27.2'	

WBS 67082.1.1		TIP BR-0082		COUNTY HARNETT		GEOLOGIST W. Pesl									
SITE DESCRIPTION Bridge 56 on NC 27 over Upper Little River							GROUND WTR (ft)								
BORING NO. EB1-B		STATION 17+03		OFFSET 9 ft RT		ALIGNMENT -L-									
COLLAR ELEV. 186.4 ft		TOTAL DEPTH 21.2 ft		NORTHING 578,754		EASTING 2,014,337									
DRILL RIG/HAMMER EFF./DATE F&R2175 CME-55 92% 02/07/2020			DRILL METHOD H.S. Augers			HAMMER TYPE Automatic									
DRILLER S. Davis		START DATE 03/02/20		COMP. DATE 03/02/20		SURFACE WATER DEPTH N/A									
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100					
190															
185	185.6	0.8	8	13	12									186.4 GROUND SURFACE 0.0	
														185.6 ASPHALT 0.8	
	182.9	3.5	3	3	4									182.2 ROADWAY EMBANKMENT 4.0	
														Brown-Gray, Silty Fine to Coarse SAND (A-2-4)	
180														179.4 RESIDUAL 7.0	
	177.9	8.5	2	1	2									Orange-Brown, Clayey Fine SANDY SILT (A-4) with Trace Mica	
175															
	172.9	13.5	2	2	2										
170															
	167.9	18.5	60/0.1											169.4 CRYSTALLINE ROCK 17.0	
														Green-Gray (BIOTITE GNEISS)	
	165.2	21.2	60/0.0											165.2 Boring Terminated with Standard Penetration Test Refusal at Elevation 165.2 ft in CRYSTALLINE ROCK (BIOTITE GNEISS) 21.2	
														Notes: 1. Driller indicated harder drilling at 17.0' 2. Auger refusal at 21.2' 3. Caved at 13.9' at probable groundwater level	

NCDOT BORE DOUBLE 66X-0152 BORING LOGS.GPJ NC\_DOT.GDT 4/23/20

# GEOTECHNICAL BORING REPORT BORE LOG

# GEOTECHNICAL BORING REPORT CORE LOG

WBS 67082.1.1		TIP BR-0082		COUNTY HARNETT		GEOLOGIST W. Pesl										
SITE DESCRIPTION Bridge 56 on NC 27 over Upper Little River							GROUND WTR (ft)									
BORING NO. B1-A		STATION 17+68		OFFSET 9 ft LT		ALIGNMENT -L-										
COLLAR ELEV. 167.8 ft		TOTAL DEPTH 41.5 ft		NORTHING 578,787		EASTING 2,014,396										
DRILL RIG/HAMMER EFF./DATE F&R2175 CME-55 92% 02/07/2020				DRILL METHOD NW Casing w/ Advancer		HAMMER TYPE Automatic										
DRILLER S. Davis		START DATE 03/04/20		COMP. DATE 03/06/20		SURFACE WATER DEPTH 4.2ft										
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION			
			0.5ft	0.5ft	0.5ft	0	25	50	75	100			ELEV. (ft)	DEPTH (ft)		
170																
	167.8	0.0	1	3	2									167.8	0.0	GROUND SURFACE
165	164.3	3.5	2	4	8									165.8	2.0	<b>ALLUVIAL</b> Brown-Gray, Silty Fine to Coarse SAND (A-2-4) with Trace Gravel and Organics
160	159.3	8.5	100/0.4											160.8	7.0	<b>RESIDUAL</b> Dark Brown-Orange, Clayey Fine to Coarse Sandy SILT (A-4) with Trace Mica
155	154.3	13.5	60/0.0											155.8	12.0	<b>WEATHERED ROCK</b> Green-Gray (BIOTITE GNEISS)
150	151.3	16.5	60/0.0											151.3	16.5	<b>CRYSTALLINE ROCK</b> Green-Gray (BIOTITE GNEISS)
145														149.0	18.8	<b>WEATHERED ROCK</b> Green-Gray (BIOTITE GNEISS)
140														147.1	20.7	<b>CRYSTALLINE ROCK</b> Green-Gray (BIOTITE GNEISS)
135	136.3	31.5	100/0.4											143.3	24.5	<b>WEATHERED ROCK</b> Green-Gray (BIOTITE GNEISS)
130														133.5	34.3	<b>WEATHERED ROCK</b> Green-Gray (BIOTITE GNEISS)
														126.3	41.5	<b>CRYSTALLINE ROCK</b> Green-Gray (BIOTITE GNEISS)
Boring Terminated at Elevation 126.3 ft in CRYSTALLINE ROCK (BIOTITE GNEISS)																
Notes: 1. 0 HR water level not measured due to water being introduced for coring 2. Driller indicated harder drilling at 12.0' 3. Casing Advancer refusal and start rock coring at 16.5'																




WBS 67082.1.1		TIP BR-0082		COUNTY HARNETT		GEOLOGIST W. Pesl						
SITE DESCRIPTION Bridge 56 on NC 27 over Upper Little River							GROUND WTR (ft)					
BORING NO. B1-A		STATION 17+68		OFFSET 9 ft LT		ALIGNMENT -L-						
COLLAR ELEV. 167.8 ft		TOTAL DEPTH 41.5 ft		NORTHING 578,787		EASTING 2,014,396						
DRILL RIG/HAMMER EFF./DATE F&R2175 CME-55 92% 02/07/2020				DRILL METHOD NW Casing w/ Advancer		HAMMER TYPE Automatic						
DRILLER S. Davis		START DATE 03/04/20		COMP. DATE 03/06/20		SURFACE WATER DEPTH 4.2ft						
ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN		SAMP. NO.	STRATA		LOG	DESCRIPTION AND REMARKS	
					REC. (ft) %	RQD (ft) %		REC. (ft) %	RQD (ft) %		ELEV. (ft)	DEPTH (ft)
151.3												
150	151.3	16.5	5.0	1:40/1.0 1:33/1.0 1:36/1.0 1:50/1.0 1:51/1.0	(3.5) 70%	(1.1) 22%	RS-1	(2.3) 100%	(1.1) 48%		151.3	16.5
											149.0	18.8
	146.3	21.5	5.0	1:23/1.0 1:30/1.0 1:50/1.0 2:15/1.0 2:02/1.0	(3.3) 66%	(1.6) 32%		(0.4) 21%	(0.0) 0%		147.1	20.7
145								(3.8) 100%	(1.6) 42%		143.3	24.5
	141.3	26.5	5.0	1:08/1.0 1:02/1.0 1:03/1.0 1:20/1.0 1:31/1.0	(0.0) 0%	(0.0) 0%		(0.8) 8%	(0.0) 0%		143.3	24.5
140												
	136.3 135.9	31.5 31.9	4.6	N=100/0.4 1:11/0.6 1:33/1.0 1:30/1.0 1:44/1.0 1:29/1.0	(2.4) 52%	(1.2) 26%		(6.6) 92%	(4.6) 64%		133.5	34.3
135												
	131.3	36.5	5.0	1:07/1.0 1:27/1.0 1:22/1.0 1:36/1.0 1:44/1.0	(4.7) 94%	(3.4) 68%	RS-2				133.5	34.3
130												
	126.3	41.5									126.3	41.5
Boring Terminated at Elevation 126.3 ft in CRYSTALLINE ROCK (BIOTITE GNEISS)												
Notes: 1. 0 HR water level not measured due to water being introduced for coring 2. Driller indicated harder drilling at 12.0' 3. Casing Advancer refusal and start rock coring at 16.5'												

NCDOT BORE DOUBLE 66X-0152 BORING LOGS.GPJ NC\_DOT.GDT 4/23/20

NCDOT BORE DOUBLE 66X-0152 BORING LOGS.GPJ NC\_DOT.GDT 4/23/20



**CORE PHOTOGRAPHS:  
BR-0082 | 67082.1.1  
B1-A: -L- Station 17+68, 9' LT**



# GEOTECHNICAL BORING REPORT BORE LOG

# GEOTECHNICAL BORING REPORT CORE LOG

WBS 67082.1.1		TIP BR-0082		COUNTY HARNETT		GEOLOGIST W. Pesl										
SITE DESCRIPTION Bridge 56 on NC 27 over Upper Little River							GROUND WTR (ft)									
BORING NO. B1-B		STATION 17+88		OFFSET 10 ft RT		ALIGNMENT -L-										
COLLAR ELEV. 167.2 ft		TOTAL DEPTH 32.5 ft		NORTHING 578,774		EASTING 2,014,420										
DRILL RIG/HAMMER EFF./DATE F&R2175 CME-55 92% 02/07/2020		DRILL METHOD NW Casing w/ Advancer		HAMMER TYPE Automatic												
DRILLER S. Davis		START DATE 03/02/20		COMP. DATE 03/04/20		SURFACE WATER DEPTH 4.5ft										
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)		
			0.5ft	0.5ft	0.5ft	0	25	50	75	100						
170																
	167.2	0.0	1	1	3									167.2	GROUND SURFACE	0.0
165	163.7	3.5	4	8	13									165.2	ALLUVIAL Brown-Gray, Silty Fine to Coarse SAND (A-2-4) with Trace Organics	2.9
160	158.7	8.5	44	56/0.3										160.7	RESIDUAL Green-Brown-Gray, Fine to Coarse Sandy SILT (A-4) with Trace Mica	6.5
155	153.7	13.5	18	33	39									155.2	WEATHERED ROCK Green-Gray (BIOTITE GNEISS)	12.0
150	148.7	18.5	60/0.0											149.7	RESIDUAL Gray-White, Fine to Coarse Sandy SILT (A-4) with Trace Mica	17.5
145														148.7	CRYSTALLINE ROCK Green-Gray (BIOTITE GNEISS)	18.5
140																
135														134.7		32.5
Boring Terminated at Elevation 134.7 ft in CRYSTALLINE ROCK (BIOTITE GNEISS)																
Notes: 1. 0 HR water level not measured due to being water introduced for coring 2. Driller indicated harder drilling at 6.5' and 17.5' 3. Start rock coring at 18.5'																

NCDOT BORE DOUBLE 66X-0152 BORING LOGS.GPJ NC\_DOT.GDT 4/22/20

WBS 67082.1.1		TIP BR-0082		COUNTY HARNETT		GEOLOGIST W. Pesl					
SITE DESCRIPTION Bridge 56 on NC 27 over Upper Little River							GROUND WTR (ft)				
BORING NO. B1-B		STATION 17+88		OFFSET 10 ft RT		ALIGNMENT -L-					
COLLAR ELEV. 167.2 ft		TOTAL DEPTH 32.5 ft		NORTHING 578,774		EASTING 2,014,420					
DRILL RIG/HAMMER EFF./DATE F&R2175 CME-55 92% 02/07/2020		DRILL METHOD NW Casing w/ Advancer		HAMMER TYPE Automatic							
DRILLER S. Davis		START DATE 03/02/20		COMP. DATE 03/04/20		SURFACE WATER DEPTH 4.5ft					
ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN		STRATA		LOG	DESCRIPTION AND REMARKS	DEPTH (ft)
					REC. (%)	RQD (%)	REC. (%)	RQD (%)			
148.7		18.5	4.0	1:27/1.0	(3.6)	(2.0)	(13.3)	(9.5)		Begin Coring @ 18.5 ft	18.5
145	144.7	22.5	5.0	1:28/1.0 1:36/1.0 1:55/1.0	90%	50%	95%	68%		CRYSTALLINE ROCK Slight to Moderately Severe Weathering, Medium Hard to Hard, Very Close to Close Fracture Spacing, Green-Gray BIOTITE GNEISS RS-3: 23.2'-23.5', qu=2,664 psi, GSI=65-85	18.5
140	139.7	27.5	5.0	1:35/1.0 1:30/1.0 1:39/1.0 2:42/1.0 2:35/1.0	(4.7)	(3.3)			RS-3		
135	134.7	32.5		1:35/1.0 1:29/1.0 1:36/1.0 1:29/1.0 1:31/1.0	(5.0)	(4.2)					
Boring Terminated at Elevation 134.7 ft in CRYSTALLINE ROCK (BIOTITE GNEISS)											
Notes: 1. 0 HR water level not measured due to being water introduced for coring 2. Driller indicated harder drilling at 6.5' and 17.5' 3. Start rock coring at 18.5'											

NCDOT BORE DOUBLE 66X-0152 BORING LOGS.GPJ NC\_DOT.GDT 4/22/20





**CORE PHOTOGRAPHS:  
BR-0082 | 67082.1.1  
B1-B: -L- Station 17+88, 10' RT**

**Begin Run 1  
18.5 feet**




**End Run 1  
22.5 feet**

**Begin Run 2  
22.5 feet**

**RS-3**

**End Run 2  
27.5 feet**




SCALE IN FEET

**Begin Run 3  
27.5 feet**



**End Run 3  
32.5 feet**



SCALE IN FEET

s

# GEOTECHNICAL BORING REPORT BORE LOG

# GEOTECHNICAL BORING REPORT CORE LOG

WBS 67082.1.1		TIP BR-0082		COUNTY HARNETT		GEOLOGIST W. Pesl											
SITE DESCRIPTION Bridge 56 on NC 27 over Upper Little River							GROUND WTR (ft)										
BORING NO. B2-A		STATION 18+41		OFFSET 11 ft LT		ALIGNMENT -L-											
COLLAR ELEV. 165.9 ft		TOTAL DEPTH 30.0 ft		NORTHING 578,807		EASTING 2,014,466											
DRILL RIG/HAMMER EFF./DATE F&R2175 CME-55 92% 02/07/2020				DRILL METHOD NW Casing w/ Advancer		HAMMER TYPE Automatic											
DRILLER S. Davis		START DATE 03/09/20		COMP. DATE 03/09/20		SURFACE WATER DEPTH 5.5ft											
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION				
			0.5ft	0.5ft	0.5ft	0	25	50	75	100			ELEV. (ft)	DEPTH (ft)			
170																	
	165.9	0.0												165.9	0.0	GROUND SURFACE	
165			1	2	4							M				RESIDUAL Green-Brown-Gray, Fine to Coarse Sandy SILT (A-4) with Trace Organics and Mica	
	162.4	3.5										M					
160			3	6	10												
	157.4	8.5															
155			60/0.1											155.9	10.0	CRYSTALLINE ROCK Green-Gray (BIOTITE GNEISS)	
	155.9	10.0	60/0.0											154.3	11.6	WEATHERED ROCK Green-Gray (BIOTITE GNEISS)	
														151.7	14.2	CRYSTALLINE ROCK Green-Gray (BIOTITE GNEISS)	
150																	
145																	
140																	
														135.9	30.0	Boring Terminated at Elevation 135.9 ft in CRYSTALLINE ROCK (BIOTITE GNEISS)	
Notes: 1. 0 HR water level not measured due to water being introduced for coring 2. Driller indicated harder drilling at 7.8' 3. Casing Advancer refusal and start rock coring at 10.0'																	

WBS 67082.1.1		TIP BR-0082		COUNTY HARNETT		GEOLOGIST W. Pesl						
SITE DESCRIPTION Bridge 56 on NC 27 over Upper Little River							GROUND WTR (ft)					
BORING NO. B2-A		STATION 18+41		OFFSET 11 ft LT		ALIGNMENT -L-						
COLLAR ELEV. 165.9 ft		TOTAL DEPTH 30.0 ft		NORTHING 578,807		EASTING 2,014,466						
DRILL RIG/HAMMER EFF./DATE F&R2175 CME-55 92% 02/07/2020				DRILL METHOD NW Casing w/ Advancer		HAMMER TYPE Automatic						
DRILLER S. Davis		START DATE 03/09/20		COMP. DATE 03/09/20		SURFACE WATER DEPTH 5.5ft						
ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	TOTAL RUN		SAMP. NO.	STRATA		LOG	DESCRIPTION AND REMARKS	
					REC. (ft) %	RQD (ft) %		REC. (ft) %	RQD (ft) %			ELEV. (ft)
155.9												
155	155.9	10.0	5.0	1:00/1.0 1:16/1.0 2:34/1.0 2:56/1.0 3:01/1.0	(2.3) 46%	(1.6) 32%		(1.6) 100%	(1.6) 100%		Begin Coring @ 10.0 ft	
								(0.0) 0%	(0.0) 0%		155.9 154.3	10.0 11.6
150	150.9	15.0	5.0	1:55/1.0 1:50/1.0 2:04/1.0 2:04/1.0 1:44/1.0	(5.0) 100%	(4.3) 86%		(15.3) 97%	(10.6) 67%		151.7	14.2
145	145.9	20.0	5.0	1:55/1.0 1:54/1.0 1:42/1.0 1:52/1.0 1:52/1.0	(4.7) 94%	(3.0) 60%						
140	140.9	25.0	5.0	2:09/1.0 2:09/1.0 1:53/1.0 1:32/1.0 1:32/1.0	(4.9) 98%	(3.3) 66%						
	135.9	30.0					RS-6				135.9	30.0
Boring Terminated at Elevation 135.9 ft in CRYSTALLINE ROCK (BIOTITE GNEISS)												
Notes: 1. 0 HR water level not measured due to water being introduced for coring 2. Driller indicated harder drilling at 7.8' 3. Casing Advancer refusal and start rock coring at 10.0'												






**CORE PHOTOGRAPHS:  
BR-0082 | 67082.1.1  
B2-A: -L- Station 18+41, 11' LT**

**Begin Run 1  
10.0 feet**



**End Run 1 &  
Begin Run 2  
15.0 feet**

**End Run 2  
20.0 feet**




SCALE IN FEET

**Begin Run 3  
20.0 feet**



**End Run 3 &  
Begin Run 4  
25.0 feet**

**End Run 4  
25.0 feet**



SCALE IN FEET



# GEOTECHNICAL BORING REPORT BORE LOG

# GEOTECHNICAL BORING REPORT CORE LOG

WBS 67082.1.1		TIP BR-0082		COUNTY HARNETT		GEOLOGIST W. Pesl									
SITE DESCRIPTION Bridge 56 on NC 27 over Upper Little River							GROUND WTR (ft)								
BORING NO. B2-B		STATION 18+60		OFFSET 7 ft RT		ALIGNMENT -L-									
COLLAR ELEV. 165.2 ft		TOTAL DEPTH 29.5 ft		NORTHING 578,795		EASTING 2,014,489									
DRILL RIG/HAMMER EFF./DATE F&R2175 CME-55 92% 02/07/2020				DRILL METHOD NW Casing w/ Advancer		HAMMER TYPE Automatic									
DRILLER S. Davis		START DATE 03/10/20		COMP. DATE 03/10/20		SURFACE WATER DEPTH 6.1ft									
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG MOI	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100					
170															
															WATER SURFACE (03/10/20)
165	165.2	0.0	25	46	29										165.2 GROUND SURFACE 0.0
160	161.7	3.5	100/0.4												163.3 RESIDUAL Green-Tan, Fine to Coarse Sandy SILT (A-4) with Trace Mica 1.9
155	156.7	8.5	60/0.1												WEATHERED ROCK Green-Gray (BIOTITE GNEISS) 7.5
150	154.7	10.5	60/0.0												157.7 CRYSTALLINE ROCK Green-Gray (BIOTITE GNEISS) 10.5
145															154.7 WEATHERED ROCK Green-Gray (BIOTITE GNEISS) 12.5
140															152.7 CRYSTALLINE ROCK Green-Gray (BIOTITE GNEISS) 14.1
															151.1 WEATHERED ROCK Green-Gray (BIOTITE GNEISS) 29.5
															135.7 Boring Terminated at Elevation 135.7 ft in CRYSTALLINE ROCK (BIOTITE GNEISS)

WBS 67082.1.1		TIP BR-0082		COUNTY HARNETT		GEOLOGIST W. Pesl					
SITE DESCRIPTION Bridge 56 on NC 27 over Upper Little River							GROUND WTR (ft)				
BORING NO. B2-B		STATION 18+60		OFFSET 7 ft RT		ALIGNMENT -L-					
COLLAR ELEV. 165.2 ft		TOTAL DEPTH 29.5 ft		NORTHING 578,795		EASTING 2,014,489					
DRILL RIG/HAMMER EFF./DATE F&R2175 CME-55 92% 02/07/2020				DRILL METHOD NW Casing w/ Advancer		HAMMER TYPE Automatic					
DRILLER S. Davis		START DATE 03/10/20		COMP. DATE 03/10/20		SURFACE WATER DEPTH 6.1ft					
ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN		STRATA		LOG	DESCRIPTION AND REMARKS	DEPTH (ft)
					REC. (%)	RQD (%)	REC. (%)	RQD (%)			
154.7	154.7	10.5	4.0	1:27/1.0 1:09/1.0 1:10/1.0 1:19/1.0	(2.4) 60%	(0.7) 18%	(2.0) 100%	(0.7) 35%		Begin Coring @ 10.5 ft	10.5
150	150.7	14.5	5.0	1:18/1.0 1:21/1.0 1:33/1.0 1:41/1.0 1:49/1.0	(5.0) 100%	(4.2) 84%	(0.0) 0%	(0.0) 0%		Slight to Moderately Severe Weathering, Soft to Moderately Hard, Very Close to Close Fracture Spacing, Green-Gray BIOTITE GNEISS RS-4: 10.7'-11.0', qu=1,520 psi, GSI=55-75	12.5
145	145.7	19.5	5.0	1:20/1.0 1:20/1.0 1:24/1.0 1:24/1.0 1:23/1.0	(5.0) 100%	(4.8) 96%	(15.4) 100%	(13.0) 84%		WEATHERED ROCK Green-Gray BIOTITE GNEISS	14.1
140	140.7	24.5	5.0	1:21/1.0 1:24/1.0 1:37/1.0 2:18/1.0 2:17/1.0	(5.0) 100%	(4.0) 80%				CRYSTALLINE ROCK Green-Gray BIOTITE GNEISS Slight to Moderately Severe Weathering, Soft to Moderately Hard, Very Close to Close Fracture Spacing, Green-Gray BIOTITE GNEISS RS-5: 24.6'-24.9', qu=3,948 psi, GSI=60-80	29.5
	135.7	29.5								Boring Terminated at Elevation 135.7 ft in CRYSTALLINE ROCK (BIOTITE GNEISS)	

NCDOT BORE DOUBLE 66X-0152 BORING LOGS.GPJ NC\_DOT.GDT 4/23/20



NCDOT BORE DOUBLE 66X-0152 BORING LOGS.GPJ NC\_DOT.GDT 4/23/20

- Notes:
1. 0 HR water level not measured due to water being introduced for coring
  2. Driller indicated harder drilling at 1.9' and 7.5'
  3. Casing Advancer refusal and start rock coring at 10.5'

- Notes:
1. 0 HR water level not measured due to water being introduced for coring
  2. Driller indicated harder drilling at 1.9' and 7.5'
  3. Casing Advancer refusal and start rock coring at 10.5'



**CORE PHOTOGRAPHS:  
BR-0082 | 67082.1.1  
B2-B: -L- Station 18+60, 7' RT**



# GEOTECHNICAL BORING REPORT

## BORE LOG

WBS 67082.1.1		TIP BR-0082		COUNTY HARNETT		GEOLOGIST W. Pesl									
SITE DESCRIPTION Bridge 56 on NC 27 over Upper Little River							GROUND WTR (ft)								
BORING NO. EB2-A		STATION 19+18		OFFSET 9 ft LT		ALIGNMENT -L-									
COLLAR ELEV. 186.2 ft		TOTAL DEPTH 28.1 ft		NORTHING 578,824		EASTING 2,014,541									
DRILL RIG/HAMMER EFF./DATE F&R2175 CME-55 92% 02/07/2020			DRILL METHOD H.S. Augers			HAMMER TYPE Automatic									
DRILLER S. Davis		START DATE 02/28/20		COMP. DATE 02/28/20		SURFACE WATER DEPTH N/A									
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100					
190															
185	185.2	1.0	6	4	5								D	186.2 GROUND SURFACE 0.0 185.2 ASPHALT 1.0	
	182.7	3.5	2	2	3								M	ROADWAY EMBANKMENT Gray, Fine to Coarse Sandy GRAVEL (A-1-a)	
180													M	179.2 Red-Orange-Brown, Clayey Fine to Coarse SAND (A-2-6) with Trace Gravel 7.0	
	177.7	8.5	2	2	1								M	174.2 Orange-Brown-Gray, Clayey Fine Sandy SILT (A-4) with Trace Mica 12.0	
175													M	172.7 17.0	
	172.7	13.5	3	2	4								M	169.2 ALLUVIAL Black-Gray, Silty Fine SAND (A-2-4) with Trace Mica and Wood Fragments 17.0	
170													M	164.2 RESIDUAL Green-Gray, Fine Sandy SILT (A-4) with Trace Mica 22.0	
	167.7	18.5	1	2	1								W	158.8 27.4 158.1 28.1	
165													M	CRYSTALLINE ROCK Green-Gray (BIOTITE GNEISS) Boring Terminated with Standard Penetration Test Refusal at Elevation 158.1 ft in CRYSTALLINE ROCK (BIOTITE GNEISS)	
	162.7	23.5	18	38	60									Notes: 1. Driller indicated harder drilling at 27.4' 2. Auger refusal at 28.0'	
160															
	158.2	28.0													

WBS 67082.1.1		TIP BR-0082		COUNTY HARNETT		GEOLOGIST W. Pesl									
SITE DESCRIPTION Bridge 56 on NC 27 over Upper Little River							GROUND WTR (ft)								
BORING NO. EB2-B		STATION 19+37		OFFSET 9 ft RT		ALIGNMENT -L-									
COLLAR ELEV. 186.2 ft		TOTAL DEPTH 23.2 ft		NORTHING 578,812		EASTING 2,014,564									
DRILL RIG/HAMMER EFF./DATE F&R2175 CME-55 92% 02/07/2020			DRILL METHOD H.S. Augers			HAMMER TYPE Automatic									
DRILLER S. Davis		START DATE 03/02/20		COMP. DATE 03/02/20		SURFACE WATER DEPTH N/A									
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100					
190															
185	185.3	0.9	6	6	4								M	186.2 GROUND SURFACE 0.0 185.3 ASPHALT 0.9	
	182.7	3.5	2	2	2								M	ROADWAY EMBANKMENT Gray, Fine to Coarse Sandy GRAVEL (A-1-a)	
180													M	179.2 Brown-Gray, Silty Fine to Coarse SAND (A-2-4) 7.0	
	177.7	8.5	2	1	1								M	174.2 Orange-Brown-Gray, Clayey Fine Sandy SILT (A-4) with Trace Mica 12.0	
175													M	172.7 12.0	
	172.7	13.5	1	2	4								M	169.2 ALLUVIAL Black-Gray, Silty Fine SAND (A-2-4) with Trace Organics 17.0	
170													W	164.2 RESIDUAL Green-Gray (BIOTITE GNEISS) Boring Terminated with Standard Penetration Test Refusal at Elevation 163.0 ft in CRYSTALLINE ROCK (BIOTITE GNEISS)	
	167.7	18.5	1	2	2									Notes: 1. Driller indicated harder drilling at 22.0' 2. Auger refusal at 23.2'	
165															
	163.0	23.2	60/0.0												

NCDOT BORE DOUBLE 66X-0152 BORING LOGS.GPJ NC\_DOT.GDT 4/22/20

**LABORATORY SUMMARY SHEET FOR ROCK CORE SAMPLES**

**PROJECT NO.:** 67082.1.1  
**TIP NO.:** BR-0082  
**COUNTY:** Harnett  
**DESCRIPTION:** Bridge 56 on NC 27 over Upper Little River

Sample #	Boring #	Alignment	Station	Offset	Depth (ft)	Rock Type	Geologic Map Unit	Run RQD	Length (in)	Diameter (in)	Unit Weight (pcf)	Unconfined Compressive Strength (psi)	Young's Modulus, E (ksf)	GSI
RS-1	B1-A	-L-	17+68	9' Lt.	16.6 - 16.9	Biotite Gneiss	CZbg	48%	4.24	1.76	169.0	3,088	71,536	60-80
RS-2	B1-A	-L-	17+68	9' Lt.	37.7 - 40.0	Biotite Gneiss	CZbg	65%	4.35	1.77	170.2	5,682	146,016	55-75
RS-3	B1-B	-L-	17+88	10' Rt.	23.2 - 23.5	Biotite Gneiss	CZbg	68%	4.13	1.77	172.5	2,664	42,480	65-85
RS-4	B2-B	-L-	18+60	7' Rt.	10.7 - 11.0	Biotite Gneiss	CZbg	35%	4.31	1.77	163.9	1,520	35,657	55-75
RS-5	B2-B	-L-	18+60	7' Rt.	24.6 - 24.9	Biotite Gneiss	CZbg	84%	4.27	1.77	170.3	3,948	96,581	60-80
RS-6	B2-A	-L-	18+41	11' Lt.	29.3 - 29.6	Biotite Gneiss	CZbg	67%	4.31	1.77	170.9	3,351	73,267	55-75