

# STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

JOSH STEIN GOVERNOR February 26, 2025 J.R. "JOEY" HOPKINS Secretary

## **NOTICE TO PROSPECTIVE BIDDERS**

Subject: Invitation to Bid

**Division Seven** 

CONTRACT ID:DG00662WBS ELEMENT NO.:7B.107914.9COUNTY:ROCKINGHAMROUTE:US 29LOCATION:US 29 - 72" CROSSLINE PIPE CULVERT REHABILITATION NEAR A<br/>TRIBUTARY TO LICK FORK CREEKTYPE OF WORK:GRADING, DRAINAGE AND EROSION CONTROLBID OPENING:MARCH 20, 2025, AT 2:00 PM

The date of availability for this project is April 16, 2025. The completion date for this project is April 30, 2026.

Statements of Disadvantaged Business Enterprises participation must be presented with this bid. The combined DBE goal is 0% for this contract.

The North Caolina Department of Transportation is requesting bids for grading, drainage and erosion control for a 72" crossline pipe culvert rehabilitation near a tributary to Lick Fork Creek in Rockingham County. All quantities are estimates. The Contractor shall furnish labor, equipment and materials.

Contractor's bidding on NCDOT contracts must sign up for the Interested Parties List for each project they intend to submit a bid. As part of this requirement, Contractors must sign up for the Interested Parties List <u>no later than one business day prior to the Letting Date</u>.

The North Carolina Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights of 1964 (78 Stat. 252) and the Regulations of the Department of Transportation (49 C.F.R., Part 21), issued pursuant to such act, hereby notifies all bidders that it will affirmatively ensure that the contract entered into pursuant to this notice will be awarded to the lowest responsible bidder without discrimination on the grounds of sex, race, color, or national origin.

## **BID OPENING**

Electronic bids must be received in Bid Express, by 2:00 on March 20, 2025. Bids will be opened and publicly read at NCDOT Division 7 Office, 1584 Yanceyville Street, Greensboro, NC at the above date, shortly after the time that the bids submissions are due. The As-Read Bids Summaries will be posted within 48 hours of the bid opening. Results <u>will not</u> be provided by any other means than posting to the website.

**The public letting will be held via conference call.** You may join the conference call just prior to 2:00 pm on 3/20/25. Please dial (919) 250-7881, announce name and company name when prompted.

Mailing Address: NC DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS DIVISION 7 PO BOX 14996 GREENSBORO, NC 27415-4996 *Telephone:* (336) 487-0075 *Fax:* (336) 334-3637 *Customer Service:* 1-877-368-4968 *Location:* 1584 YANCEYVILLE STREET GREENSBORO, NC 27405

Website: www.ncdot.gov

## **ELECTRONIC BIDDING**

Electronic bidding is required through Bid Express®. Their website is bidx.com

For electronic bidding, the following files will be located on bidx.com, exclusively. These files will <u>not</u> be included on the Bidding & Letting site on Connect.NCDOT.gov:

- EBSX files
- DBE\_NC.BIN files
- EBSX addenda files

Do NOT submit bids for the project let by Division 7 to the NCDOT Statewide Project Letting Office.

Bidx related questions should be directed to Jaci Kincaid at (919) 707-6920.

Note: It takes a few minutes for Division staff to download the electronic bids before those can be read. The download does not start until 2:00 PM on the day of the letting.

### **BID DOCUMENTS**

The contract proposal, plans and supplemental project information are available online at: <a href="https://connect.ncdot.gov/letting/Pages/Division.aspx">https://connect.ncdot.gov/letting/Pages/Division.aspx</a>.

The printing of all bid-related documents, including the proposal, plans and any supplemental project information shall be the responsibility of the bidder. Division 7 no longer provides hard copies of bid documents.

### PREQUALIFYING TO BID

All prospective bidders shall be prequalified with the Department of Transportation prior to submitting a bid. Contractors who are not prequalified may obtain information and forms for prequalifying from the Contractual Services Unit, Division of Highways, Department of Transportation, 1509 Mail Service Center, Raleigh, NC. All required prequalification statements and documents shall be filed with the Contractual Services Unit at least four weeks prior to the date of opening bids.

Applications and details on becoming a prequalified Bidder or PO Prime contractor can also be found at <a href="https://connect.ncdot.gov/business/prequal/pages/default.aspx">https://connect.ncdot.gov/business/prequal/pages/default.aspx</a>.

### **DIVISION CONTACT**

Questions shall be emailed to Jennifer Sour at jsour@ncdot.gov 7 calendar days prior to the bid opening. Contact with any other NCDOT personnel concerning this project is strictly prohibited and will result in bids being considered non-responsive.

Regards, —DocuSigned by:

Jennifer A. Sour

B213233052CA46B... Jennifer A. Sour DIVISION PROPOSAL ENGINEER

JAS

cc: file ec: W. R. Archer, III, PE C. B. Smitherman, PE Plan Rooms

B. Cvijetic, PE S. D. Dixon B. Snell, PE J. Harris M. P. Whitley, PE, Prospective Bidders

| D | C | $\cap i$ | 16 | 60 |
|---|---|----------|----|----|
| ν | U | υι       | JO | 62 |

Rockingham County

| Feb 26<br>Line | , 2025 10:09 AM<br>Item Number | Sec  | ITEMIZED PROPOSAL FOR CONTRAC   | CT NO. DG00662<br>Quantity | Unit Cost | Page 1 of 3<br>Amount |
|----------------|--------------------------------|------|---|----------------------------|-----------|-----------------------|
| #              |                                | #    |   |                            |           |                       |
|                |                                |      | ROADWAY ITEMS   |                            |           |                       |
| 0001           | 0000100000-N                   | 800  | MOBILIZATION  | Lump Sum                   | L.S.      |                       |
| 0002           | 0000400000-N                   | 801  | CONSTRUCTION SURVEYING  | Lump Sum                   | L.S.      |                       |
| 0003           | 0008000000-E                   | 200  | SUPPLEMENTARY CLEARING & GRUBBING                                     | 1<br>ACR                   |           |                       |
| 0004           | 0043000000-N                   | 226  | GRADING   | Lump Sum                   | L.S.      |                       |
| 0005           | 0223000000-E                   | 275  | ROCK PLATING  | 250<br>SY                  |           |                       |
| 0006           | 0973100000-E                   | 330  | **" WELDED STEEL PIPE, ****" THICK,<br>GRADE B IN SOIL<br>72", 1"     | 261<br>LF                  |           |                       |
| 0007           | 0973300000-E                   | 330  | **" WELDED STEEL PIPE, ****" THICK,<br>GRADE B NOT IN SOIL<br>72", 1" | 25<br>LF                   |           |                       |
| 0008           | 1077000000-E                   | SP   | #57 STONE   | 80<br>TON                  |           |                       |
| 0009           | 1121000000-E                   | 520  | AGGREGATE BASE COURSE   | 476<br>TON                 |           |                       |
| 0010           | 2220000000-E                   | 838  | REINFORCED ENDWALLS   | 13.2<br>CY                 |           |                       |
| 0011           | 3345000000-Е                   | 864  | REMOVE & RESET EXISTING<br>GUARDRAIL                                  | 100<br>LF                  |           |                       |
| 0012           | 3635000000-E                   | 876  | RIP RAP, CLASS II   | 70<br>TON                  |           |                       |
| 0013           | 3656000000-E                   | 876  | GEOTEXTILE FOR DRAINAGE   | 610<br>SY                  |           |                       |
| 0014           | 4402000000-E                   | SP   | HIGH VISIBILITY STATIONARY SIGNS                                      | 456<br>SF                  |           |                       |
| 0015           | 4407000000-E                   | SP   | HIGH VISIBILITY PORTABLE SIGNS  | 96<br>SF                   |           |                       |
| 0016           | 4415000000-N                   | 1115 | FLASHING ARROW BOARD  | 2<br>EA                    |           |                       |
| 0017           | 4422000000-N                   | 1120 | PORTABLE CHANGEABLE MESSAGE<br>SIGN (SHORT TERM)                      | 8<br>DAY                   |           |                       |

| DG00662 |
|---------|
|---------|

| Feb 26, 2025 10:09 AM |              | ITEMIZED PROPOSAL FOR CONTRACT NO. DG00662 |                                       |             | Page 2 of 3 |        |
|-----------------------|--------------|--|---------------------------------------|-------------|-------------|--------|
| Line<br>#             | Item Number  | Sec<br>#                                   | Description                           | Quantity    | Unit Cost   | Amount |
| 0018                  | 443200000-N  | SP   | HIGH VISIBILITY DRUMS                 | 50<br>EA    |             |        |
| 0019                  | 4465000000-N | 1160                                       | TEMPORARY CRASH CUSHIONS              | 2<br>EA     |             |        |
| 0020                  | 4480000000-N | 1165                                       | ТМА                                   | 1<br>EA     |             |        |
| 0021                  | 4485000000-E | 1170                                       | PORTABLE CONCRETE BARRIER             | 400<br>LF   |             |        |
| 0022                  | 5872700000-E | 1550                                       | TUNNELING OF **"<br>72"               | 10<br>LF    |             |        |
| 0023                  | 600000000-E  | 1605                                       | TEMPORARY SILT FENCE                  | 1,125<br>LF |             |        |
| 0024                  | 600600000-E  | 1610                                       | STONE FOR EROSION CONTROL,<br>CLASS A | 65<br>TON   |             |        |
| 0025                  | 600900000-E  | 1610                                       | STONE FOR EROSION CONTROL,<br>CLASS B | 80<br>TON   |             |        |
| 0026                  | 6012000000-E | 1610                                       | SEDIMENT CONTROL STONE                | 175<br>TON  |             |        |
| 0027                  | 6015000000-E | 1615                                       | TEMPORARY MULCHING                    | 1<br>ACR    |             |        |
| 0028                  | 6018000000-E | 1620                                       | SEED FOR TEMPORARY SEEDING            | 100<br>LB   |             |        |
| 0029                  | 6021000000-E | 1620                                       | FERTILIZER FOR TEMPORARY<br>SEEDING   | 0.5<br>TON  |             |        |
| 0030                  | 6029000000-E | SP   | SAFETY FENCE                          | 260<br>LF   |             |        |
| 0031                  | 603000000-E  | 1630                                       | SILT EXCAVATION                       | 50<br>CY    |             |        |
| 0032                  | 6036000000-E | 1631                                       | MATTING FOR EROSION CONTROL           | 500<br>SY   |             |        |
| 0033                  | 6037000000-E | 1629                                       | COIR FIBER MAT                        | 50<br>SY    |             |        |
| 0034                  | 6042000000-Е | 1632                                       | 1/4" HARDWARE CLOTH                   | 170<br>LF   |             |        |

DG00662

**T-3** 

Rockingham County Page 3 of 3

| Feb 26, 2025 10:09 AM |                       |            | ITEMIZED PROPOSAL FOR CONTRACT NO. DG00662                        |                    |           | Rockingham County |  |
|-----------------------|-----------------------|------------|---|--------------------|-----------|-------------------|--|
|                       |                       |            |   |                    |           | Page 3 of 3       |  |
| Line<br>#             | Item Number           | Sec<br>#   | Description   | Quantity           | Unit Cost | Amount            |  |
| 0035                  | 6045000000-E          | SP         | **" TEMPORARY PIPE<br>(18")                                       | 65<br>LF           |           |                   |  |
| 0036                  | 6046000000-E          | 1636       | TEMPORARY PIPE FOR STREAM<br>CROSSING                             | 25<br>LF           |           |                   |  |
| 0037                  | 6070000000-N          | 1639       | SPECIAL STILLING BASINS   | 4<br>EA            |           |                   |  |
| 0038                  | 6071014000-E          | 1642       | COIR FIBER WATTLE BARRIER   | 55<br>LF           |           |                   |  |
| 0039                  | 6084000000-E          | 1660       | SEEDING & MULCHING  | 1<br>ACR           |           |                   |  |
| 0040                  | 6087000000-E          | 1660       | MOWING  | 1<br>ACR           |           |                   |  |
| 0041                  | 609000000-E           | 1661       | SEED FOR REPAIR SEEDING   | 25<br>LB           |           |                   |  |
| 0042                  | 6093000000-E          | 1661       | FERTILIZER FOR REPAIR SEEDING                                     | 0.25<br>TON        |           |                   |  |
| 0043                  | 609600000-E           | 1662       | SEED FOR SUPPLEMENTAL SEEDING                                     | 25<br>LB           |           |                   |  |
| 0044                  | 6108000000-E          | 1665       | FERTILIZER TOPDRESSING  | 0.5<br>TON         |           |                   |  |
| 0045                  | 6111000000-E          | SP         | IMPERVIOUS DIKE   | 80<br>LF           |           |                   |  |
| 0046                  | 6117000000-N          | 1675       | RESPONSE FOR EROSION CONTROL                                      | 13<br>EA           |           |                   |  |
| 0047                  | 6117500000-N          | SP         | CONCRETE WASHOUT STRUCTURE  | 1<br>EA            |           |                   |  |
| 0048                  | 6132000000-N          | SP         | GENERIC EROSION CONTROL ITEM<br>PREFABRICATED CONCRETE<br>WASHOUT | 3<br>EA            |           |                   |  |
| 1009/Fe               | eb26/Q5789.45/D216178 | 114000/E48 | Total Amount Of Bid Fo  | r Entire Project : |           |                   |  |