



STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

ROY COOPER
GOVERNOR

May 29, 2024

J.R. "JOEY" HOPKINS
SECRETARY

NOTICE TO PROSPECTIVE BIDDERS

Subject: Invitation to Bid

Division Seven

CONTRACT ID: DG00603
WBS ELEMENT NO.: 17BP.7. R.136
COUNTY: GUILFORD
ROUTE: SR 3336 (COBLE CHURCH RD)
LOCATION: BRIDGE #247 OVER CLIMAX CREEK ON SR 3336 (COBLE CHURCH RD)
TYPE OF WORK: GRADING, PAVING, DRAINAGE & STRUCTURE
BID OPENING: JUNE 20, 2024, AT 2:00 PM

The date of availability for this project is July 17, 2024.

The completion date for this project is September 29, 2025.

Statements of Disadvantaged Business Enterprises participation must be presented with this bid. The combined DBE goal is 4.0% for this contract.

The North Carolina Department of Transportation is requesting bids for **grading, paving, drainage and bridge replacement on bridge #267 in Guilford County**. All quantities are estimates. The Contractor shall furnish labor, equipment and materials.

Contractor's bidding on NCDOT contracts must sign up for the Interested Parties List for each project they intend to submit a bid. As part of this requirement, Contractors must sign up for the Interested Parties List no later than one business day prior to the Letting Date.

The North Carolina Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights of 1964 (78 Stat. 252) and the Regulations of the Department of Transportation (49 C.F.R., Part 21), issued pursuant to such act, hereby notifies all bidders that it will affirmatively ensure that the contract entered into pursuant to this notice will be awarded to the lowest responsible bidder without discrimination on the grounds of sex, race, color, or national origin.

BID OPENING

Electronic bids must be received in Bid Express, by 2:00 on June 20, 2024. Bids will be opened and publicly read at NCDOT Division 7 Office, 1584 Yanceyville Street, Greensboro, NC at the above date, shortly after the time that the bids submissions are due. The As-Read Bids Summaries will be posted within 48 hours of the bid opening. Results **will not** be provided by any other means than posting to the website.

The public letting will be held via conference call. You may join the conference call just prior to 2:00 pm on 6/20/2024. Please dial (919) 250-7881, announce name and company name when prompted.

Mailing Address:
NC DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS DIVISION 7
PO BOX 14996
GREENSBORO, NC 27415-4996

Telephone: (336) 487-0075
Fax: (336) 334-3637
Customer Service: 1-877-368-4968

Location:
1584 YANCEYVILLE STREET
GREENSBORO, NC 27405

Website: www.ncdot.gov

ELECTRONIC BIDDING

Electronic bidding is required through Bid Express®. Their website is bidx.com

For electronic bidding, the following files will be located on bidx.com, exclusively. These files will **not** be included on the Bidding & Letting site on Connect.NCDOT.gov:

- EBSX files
- DBE_NC.BIN files
- EBSX addenda files

Do **NOT** submit bids for the project let by Division 7 to the NCDOT **Statewide** Project Letting Office.

Bidx related questions should be directed to **Jaci Kincaid** at **(919) 707-6920**.

Note: It takes a few minutes for Division staff to download the electronic bids before those can be read. The download does not start until 2:00 PM on the day of the letting.

BID DOCUMENTS

The contract proposal, plans and supplemental project information are available online at:
<https://connect.ncdot.gov/letting/Pages/Division.aspx>.

The printing of all bid-related documents, including the proposal, plans and any supplemental project information shall be the responsibility of the bidder. Division 7 no longer provides hard copies of bid documents.

PREQUALIFYING TO BID

All prospective bidders shall be prequalified with the Department of Transportation prior to submitting a bid. Contractors who are not prequalified may obtain information and forms for prequalifying from the Contractual Services Unit, Division of Highways, Department of Transportation, 1509 Mail Service Center, Raleigh, NC. All required prequalification statements and documents shall be filed with the Contractual Services Unit at least four weeks prior to the date of opening bids.

Applications and details on becoming a prequalified Bidder or PO Prime contractor can also be found at <https://connect.ncdot.gov/business/prequal/pages/default.aspx>.

DIVISION CONTACT

Questions shall be emailed to Jennifer Sour at jsour@ncdot.gov 7 calendar days prior to the bid opening. Contact with any other NCDOT personnel concerning this project is strictly prohibited and will result in bids being considered non-responsive.

Regards,

DocuSigned by:

Jennifer A. Sour

B213233052CA46B...

Jennifer A. Sour

DIVISION PROPOSAL ENGINEER

JAS/bcj

cc: file

cc: W. R. Archer, III, PE
D. R. Dagenhart, PE

P. P. Eason, PE
Plan Rooms

C. B. Smitherman, PE
Prospective Bidders

B. Cvijetic, PE

Line #	Item Number	Sec #	Description	Quantity	Unit Cost	Amount
ROADWAY ITEMS						
0001	0000100000-N	800	MOBILIZATION	Lump Sum	L.S.	
0002	0000400000-N	801	CONSTRUCTION SURVEYING	Lump Sum	L.S.	
0003	0043000000-N	226	GRADING	Lump Sum	L.S.	
0004	0134000000-E	240	DRAINAGE DITCH EXCAVATION	40 CY		
0005	0248000000-N	SP	GENERIC GRADING ITEM TYPE I APPROACH FILL, -L- STA. 17+05.00	Lump Sum	L.S.	
0006	0318000000-E	300	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	25 TON		
0007	0321000000-E	300	FOUNDATION CONDITIONING GEOTEXTILE	80 SY		
0008	0335200000-E	305	15" DRAINAGE PIPE	60 LF		
0009	0335850000-E	305	*** DRAINAGE PIPE ELBOWS (15")	4 EA		
0010	0343000000-E	310	15" SIDE DRAIN PIPE	24 LF		
0011	0354000000-E	310	**** RC PIPE CULVERTS, CLASS ***** (24", V)	96 LF		
0012	0448200000-E	310	15" RC PIPE CULVERTS, CLASS IV	40 LF		
0013	0995000000-E	340	PIPE REMOVAL	20 LF		
0014	1220000000-E	545	INCIDENTAL STONE BASE	45 TON		
0015	1330000000-E	607	INCIDENTAL MILLING	240 SY		
0016	1491000000-E	610	ASPHALT CONC BASE COURSE, TYPE B25.0C	395 TON		
0017	1503000000-E	610	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C	590 TON		

Line #	Item Number	Sec #	Description	Quantity	Unit Cost	Amount
0018	1523000000-E	610	ASPHALT CONC SURFACE COURSE, TYPE S9.5C	450 TON		
0019	1575000000-E	620	ASPHALT BINDER FOR PLANT MIX	75 TON		
0020	1693000000-E	654	ASPHALT PLANT MIX, PAVEMENT REPAIR	21 TON		
0021	2000000000-N	806	RIGHT-OF-WAY MARKERS	15 EA		
0022	2286000000-N	840	MASONRY DRAINAGE STRUCTURES	4 EA		
0023	2367000000-N	840	FRAME WITH TWO GRATES, STD 840.29	4 EA		
0024	2556000000-E	846	SHOULDER BERM GUTTER	105 LF		
0025	3030000000-E	862	STEEL BEAM GUARDRAIL	525 LF		
0026	3150000000-N	862	ADDITIONAL GUARDRAIL POSTS	5 EA		
0027	3215000000-N	862	GUARDRAIL ANCHOR UNITS, TYPE III	4 EA		
0028	3288000000-N	862	GUARDRAIL END UNITS, TYPE TL-2	4 EA		
0029	3635000000-E	876	RIP RAP, CLASS II	140 TON		
0030	3649000000-E	876	RIP RAP, CLASS B	166 TON		
0031	3656000000-E	876	GEOTEXTILE FOR DRAINAGE	951 SY		
0032	4072000000-E	903	SUPPORTS, 3-LB STEEL U-CHANNEL	13 LF		
0033	4102000000-N	904	SIGN ERECTION, TYPE E	1 EA		
0034	4155000000-N	907	DISPOSAL OF SIGN SYSTEM, U-CHANNEL	3 EA		

Line #	Item Number	Sec #	Description	Quantity	Unit Cost	Amount
0035	4400000000-E	1110	WORK ZONE SIGNS (STATIONARY)	505 SF		
0036	4410000000-E	1110	WORK ZONE SIGNS (BARRICADE MOUNTED)	119 SF		
0037	4445000000-E	1145	BARRICADES (TYPE III)	80 LF		
0038	4685000000-E	1205	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)	3,600 LF		
0039	4900000000-N	1251	PERMANENT RAISED PAVEMENT MARKERS	11 EA		
0040	6000000000-E	1605	TEMPORARY SILT FENCE	1,205 LF		
0041	6006000000-E	1610	STONE FOR EROSION CONTROL, CLASS A	70 TON		
0042	6009000000-E	1610	STONE FOR EROSION CONTROL, CLASS B	75 TON		
0043	6012000000-E	1610	SEDIMENT CONTROL STONE	70 TON		
0044	6015000000-E	1615	TEMPORARY MULCHING	1.5 ACR		
0045	6018000000-E	1620	SEED FOR TEMPORARY SEEDING	200 LB		
0046	6021000000-E	1620	FERTILIZER FOR TEMPORARY SEEDING	1 TON		
0047	6024000000-E	1622	TEMPORARY SLOPE DRAINS	200 LF		
0048	6029000000-E	SP	SAFETY FENCE	320 LF		
0049	6030000000-E	1630	SILT EXCAVATION	120 CY		
0050	6036000000-E	1631	MATTING FOR EROSION CONTROL	5,725 SY		
0051	6037000000-E	1629	COIR FIBER MAT	100 SY		

Line #	Item Number	Sec #	Description	Quantity	Unit Cost	Amount
0052	6042000000-E	1632	1/4" HARDWARE CLOTH	225 LF		
0053	6071002000-E	1642	FLOCCULANT	25 LB		
0054	6071014000-E	1642	COIR FIBER WATTLE BARRIER	120 LF		
0055	6084000000-E	1660	SEEDING & MULCHING	3 ACR		
0056	6087000000-E	1660	MOWING	3 ACR		
0057	6090000000-E	1661	SEED FOR REPAIR SEEDING	50 LB		
0058	6093000000-E	1661	FERTILIZER FOR REPAIR SEEDING	0.25 TON		
0059	6096000000-E	1662	SEED FOR SUPPLEMENTAL SEEDING	50 LB		
0060	6108000000-E	1665	FERTILIZER TOPDRESSING	1.5 TON		
0061	6111000000-E	SP	IMPERVIOUS DIKE	115 LF		
0062	6114500000-N	1667	SPECIALIZED HAND MOWING	10 MHR		
0063	6117000000-N	1675	RESPONSE FOR EROSION CONTROL	7 EA		
0064	6117500000-N	SP	CONCRETE WASHOUT STRUCTURE	2 EA		
0065	6123000000-E	1670	REFORESTATION	0.1 ACR		
STRUCTURE ITEMS						
0066	8035000000-N	402	REMOVAL OF EXISTING STRUCTURE AT STATION ***** (17+05.00 -L-)	Lump Sum	L.S.	
0067	8065000000-N	SP	ASBESTOS ASSESSMENT	Lump Sum	L.S.	

Line #	Item Number	Sec #	Description	Quantity	Unit Cost	Amount
0068	8096000000-E	450	PILE EXCAVATION IN SOIL	112 LF		
0069	8097000000-E	450	PILE EXCAVATION NOT IN SOIL	28 LF		
0070	8121000000-N	412	UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ***** (17+05.00 -L-)	Lump Sum	L.S.	
0071	8182000000-E	420	CLASS A CONCRETE (BRIDGE)	51.2 CY		
0072	8210000000-N	422	BRIDGE APPROACH SLABS, STATION ***** (17+05.00 -L-)	Lump Sum	L.S.	
0073	8217000000-E	425	REINFORCING STEEL (BRIDGE)	7,156 LB		
0074	8328200000-E	450	PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES (HP 12 X 53)	14 EA		
0075	8364000000-E	450	HP 12 X 53 STEEL PILES	210 LF		
0076	8391000000-N	450	STEEL PILE POINTS	14 EA		
0077	8394000000-N	450	DYNAMIC PILE TESTING	1 EA		
0078	8475000000-E	460	TWO BAR METAL RAIL	145 LF		
0079	8517000000-E	460	1'*** X ***** CONCRETE PARAPET (1'-2" X 2'-9 1/2")	160 LF		
0080	8608000000-E	876	RIP RAP CLASS II (2'-0" THICK)	225 TON		
0081	8622000000-E	876	GEOTEXTILE FOR DRAINAGE	255 SY		
0082	8657000000-N	430	ELASTOMERIC BEARINGS	Lump Sum	L.S.	
0083	8753100000-E	430	3'-0" X 2'-9" PRESTRESSED CONC BOX BEAMS	880 LF		