



STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

JOSH STEIN
GOVERNOR

J.R. "JOEY" HOPKINS
SECRETARY

June 4, 2025

NOTICE TO PROSPECTIVE BIDDERS

Subject: Invitation to Bid

Division Seven

CONTRACT ID: DG00659
TIP NO.: B-5722
WBS ELEMENT NO.: 45678.3.1
COUNTY: ROCKINGHAM
ROUTE: SR 1169 (ISLAND DRIVE))
LOCATION: BRIDGE #277 OVER BIG BEAVER ISLAND CREEK
TYPE OF WORK: GRADING, PAVING, DRAINAGE & STRUCTURE
BID OPENING: JUNE 26, 2025, AT 2:00 PM

The date of availability for this project is July 21, 2025

The completion date for this project is June 15, 2026.

Statements of Disadvantaged Business Enterprises participation must be presented with this bid. The combined DBE goal is 2.0% for this contract.

The North Carolina Department of Transportation is requesting bids for **grading, paving, drainage and structure replacement of bridge #277 over Big beaver Island Creek in Rockingham County**. All quantities are estimates. The Contractor shall furnish labor, equipment and materials.

Contractor's bidding on NCDOT contracts must sign up for the Interested Parties List for each project they intend to submit a bid. As part of this requirement, Contractors must sign up for the Interested Parties List no later than one business day prior to the Letting Date.

The North Carolina Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights of 1964 (78 Stat. 252) and the Regulations of the Department of Transportation (49 C.F.R., Part 21), issued pursuant to such act, hereby notifies all bidders that it will affirmatively ensure that the contract entered into pursuant to this notice will be awarded to the lowest responsible bidder without discrimination on the grounds of sex, race, color, or national origin.

BID OPENING

Electronic bids must be received in Bid Express, by 2:00 on June 26, 2025. Bids will be opened and publicly read at NCDOT Division 7 Office, 1584 Yanceyville Street, Greensboro, NC at the above date, shortly after the time that the bids submissions are due. The As-Read Bids Summaries will be posted within 48 hours of the bid opening. Results **will not** be provided by any other means than posting to the website.

The public letting will be held via conference call. You may join the conference call just prior to 2:00 pm on 6/26/25. Please dial (919) 250-7881, announce name and company name when prompted.

Mailing Address:
NC DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS DIVISION 7
PO BOX 14996
GREENSBORO, NC 27415-4996

Telephone: (336) 487-0075
Fax: (336) 334-3637
Customer Service: 1-877-368-4968

Location:
1584 YANCEYVILLE STREET
GREENSBORO, NC 27405

Website: www.ncdot.gov

ELECTRONIC BIDDING

Electronic bidding is required through Bid Express®. Their website is bidx.com

For electronic bidding, the following files will be located on bidx.com, exclusively. These files will **not** be included on the Bidding & Letting site on Connect.NCDOT.gov:

- EBSX files
- DBE_NC.BIN files
- EBSX addenda files

Do **NOT** submit bids for the project let by Division 7 to the NCDOT **Statewide** Project Letting Office.

Bidx related questions should be directed to **Jaci Kincaid** at **(919) 707-6920**.

Note: It takes a few minutes for Division staff to download the electronic bids before those can be read. The download does not start until 2:00 PM on the day of the letting.

BID DOCUMENTS

The contract proposal, plans and supplemental project information are available online at:
<https://connect.ncdot.gov/letting/Pages/Division.aspx>.

The printing of all bid-related documents, including the proposal, plans and any supplemental project information shall be the responsibility of the bidder. Division 7 no longer provides hard copies of bid documents.

PREQUALIFYING TO BID

All prospective bidders shall be prequalified with the Department of Transportation prior to submitting a bid. Contractors who are not prequalified may obtain information and forms for prequalifying from the Contractual Services Unit, Division of Highways, Department of Transportation, 1509 Mail Service Center, Raleigh, NC. All required prequalification statements and documents shall be filed with the Contractual Services Unit at least four weeks prior to the date of opening bids.

Applications and details on becoming a prequalified Bidder or PO Prime contractor can also be found at <https://connect.ncdot.gov/business/prequal/pages/default.aspx>.

DIVISION CONTACT

Questions shall be emailed to Jennifer Sour at jsour@ncdot.gov 7 calendar days prior to the bid opening. Contact with any other NCDOT personnel concerning this project is strictly prohibited and will result in bids being considered non-responsive.

Regards,

DocuSigned by:

Jennifer A. Sour

B213233052CA46B...

Jennifer A. Sour

DIVISION CONTRACT ENGINEER

JAS

cc: file

ec: W. R. Archer, III, PE
B. Ketner, PE

B. Cvijetic, PE
Plan Rooms

S.D. Dixon
Prospective Bidders

D. R. Dagenhart

| Line # | Item Number | Sec # | Description | Quantity | Unit Cost | Amount |
|---------------|--------------|-------|---|------------|-----------|--------|
| ROADWAY ITEMS | | | | | | |
| 0001 | 0000100000-N | 800 | MOBILIZATION | Lump Sum | L.S. | |
| 0002 | 0000400000-N | 801 | CONSTRUCTION SURVEYING | Lump Sum | L.S. | |
| 0003 | 0036000000-E | 225 | UNDERCUT EXCAVATION | 250 CY | | |
| 0004 | 0043000000-N | 226 | GRADING | Lump Sum | L.S. | |
| 0005 | 0050000000-E | 226 | SUPPLEMENTARY CLEARING & GRUBBING | 1 ACR | | |
| 0006 | 0195000000-E | 265 | SELECT GRANULAR MATERIAL | 200 CY | | |
| 0007 | 0196000000-E | 270 | GEOTEXTILE FOR SOIL STABILIZATION | 200 SY | | |
| 0008 | 0248000000-N | SP | GENERIC GRADING ITEM TYPE I APPROACH FILL, STATION 15+31.00 | Lump Sum | L.S. | |
| 0009 | 0318000000-E | 300 | FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES | 10 TON | | |
| 0010 | 0321000000-E | 300 | FOUNDATION CONDITIONING GEOTEXTILE | 25 SY | | |
| 0011 | 0335200000-E | 305 | 15" DRAINAGE PIPE | 32 LF | | |
| 0012 | 0335850000-E | 305 | *** DRAINAGE PIPE ELBOWS (15") | 2 EA | | |
| 0013 | 0448200000-E | 310 | 15" RC PIPE CULVERTS, CLASS IV | 28 LF | | |
| 0014 | 1099500000-E | 505 | SHALLOW UNDERCUT | 100 CY | | |
| 0015 | 1099700000-E | 505 | CLASS IV SUBGRADE STABILIZATION | 200 TON | | |
| 0016 | 1112000000-E | 505 | GEOTEXTILE FOR SUBGRADE STABILIZATION | 300 SY | | |
| 0017 | 1220000000-E | 545 | INCIDENTAL STONE BASE | 25 TON | | |

Jun 02, 2025 12:37 PM

ITEMIZED PROPOSAL FOR CONTRACT NO. DG00659

Page 2 of 6

| Line # | Item Number | Sec # | Description | Quantity | Unit Cost | Amount |
|--------|--------------|-------|---|-------------|-----------|--------|
| 0018 | 1330000000-E | 607 | INCIDENTAL MILLING | 520 SY | | |
| 0019 | 1491000000-E | 610 | ASPHALT CONC BASE COURSE, TYPE B25.0C | 130 TON | | |
| 0020 | 1503000000-E | 610 | ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C | 170 TON | | |
| 0021 | 1519000000-E | 610 | ASPHALT CONC SURFACE COURSE, TYPE S9.5B | 505 TON | | |
| 0022 | 1575000000-E | 620 | ASPHALT BINDER FOR PLANT MIX | 50 TON | | |
| 0023 | 2022000000-E | 815 | SUBDRAIN EXCAVATION | 44.8 CY | | |
| 0024 | 2026000000-E | 815 | GEOTEXTILE FOR SUBSURFACE DRAINS | 200 SY | | |
| 0025 | 2036000000-E | 815 | SUBDRAIN COARSE AGGREGATE | 33.6 CY | | |
| 0026 | 2044000000-E | 815 | 6" PERFORATED SUBDRAIN PIPE | 200 LF | | |
| 0027 | 2070000000-N | 815 | SUBDRAIN PIPE OUTLET | 1 EA | | |
| 0028 | 2077000000-E | 815 | 6" OUTLET PIPE | 6 LF | | |
| 0029 | 2286000000-N | 840 | MASONRY DRAINAGE STRUCTURES | 2 EA | | |
| 0030 | 2367000000-N | 840 | FRAME WITH TWO GRATES, STD 840.29 | 2 EA | | |
| 0031 | 2556000000-E | 846 | SHOULDER BERM GUTTER | 35 LF | | |
| 0032 | 3030000000-E | 862 | STEEL BEAM GUARDRAIL | 212.5 LF | | |
| 0033 | 3045000000-E | 862 | STEEL BEAM GUARDRAIL, SHOP CURVED | 12.5 LF | | |
| 0034 | 3150000000-N | 862 | ADDITIONAL GUARDRAIL POSTS | 5 EA | | |

Jun 02, 2025 12:37 PM

ITEMIZED PROPOSAL FOR CONTRACT NO. DG00659

Page 3 of 6

| Line # | Item Number | Sec # | Description | Quantity | Unit Cost | Amount |
|--------|--------------|-------|---|-------------|-----------|--------|
| 0035 | 3195000000-N | 862 | GUARDRAIL END UNITS, TYPE AT-1 | 1 EA | | |
| 0036 | 3215000000-N | 862 | GUARDRAIL ANCHOR UNITS, TYPE III | 4 EA | | |
| 0037 | 3288000000-N | 862 | GUARDRAIL END UNITS, TYPE TL-2 | 3 EA | | |
| 0038 | 3635000000-E | 876 | RIP RAP, CLASS II | 5 TON | | |
| 0039 | 3649000000-E | 876 | RIP RAP, CLASS B | 1 TON | | |
| 0040 | 3656000000-E | 876 | GEOTEXTILE FOR DRAINAGE | 700 SY | | |
| 0041 | 4400000000-E | 1110 | WORK ZONE SIGNS (STATIONARY) | 343 SF | | |
| 0042 | 4410000000-E | 1110 | WORK ZONE SIGNS (BARRICADE MOUNTED) | 63 SF | | |
| 0043 | 4430000000-N | 1130 | DRUMS | 10 EA | | |
| 0044 | 4445000000-E | 1145 | BARRICADES (TYPE III) | 48 LF | | |
| 0045 | 4685000000-E | 1205 | THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS) | 2,872 LF | | |
| 0046 | 4709000000-E | 1205 | THERMOPLASTIC PAVEMENT MARKING LINES (24", 90 MILS) | 25 LF | | |
| 0047 | 4725000000-E | 1205 | THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS) | 4 EA | | |
| 0048 | 4845000000-N | 1205 | PAINT PAVEMENT MARKING SYMBOL | 4 EA | | |
| 0049 | 4875000000-N | 1205 | REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS | 4 EA | | |
| 0050 | 6000000000-E | 1605 | TEMPORARY SILT FENCE | 1,980 LF | | |
| 0051 | 6006000000-E | 1610 | STONE FOR EROSION CONTROL, CLASS A | 75 TON | | |

| Line # | Item Number | Sec # | Description | Quantity | Unit Cost | Amount |
|--------|--------------|-------|------------------------------------|-------------|-----------|--------|
| 0052 | 6009000000-E | 1610 | STONE FOR EROSION CONTROL, CLASS B | 10 TON | | |
| 0053 | 6012000000-E | 1610 | SEDIMENT CONTROL STONE | 230 TON | | |
| 0054 | 6015000000-E | 1615 | TEMPORARY MULCHING | 0.5 ACR | | |
| 0055 | 6018000000-E | 1620 | SEED FOR TEMPORARY SEEDING | 100 LB | | |
| 0056 | 6021000000-E | 1620 | FERTILIZER FOR TEMPORARY SEEDING | 0.5 TON | | |
| 0057 | 6024000000-E | 1622 | TEMPORARY SLOPE DRAINS | 200 LF | | |
| 0058 | 6029000000-E | SP | SAFETY FENCE | 260 LF | | |
| 0059 | 6030000000-E | 1630 | SILT EXCAVATION | 20 CY | | |
| 0060 | 6036000000-E | 1631 | MATTING FOR EROSION CONTROL | 7,520 SY | | |
| 0061 | 6037000000-E | 1629 | COIR FIBER MAT | 175 SY | | |
| 0062 | 6042000000-E | 1632 | 1/4" HARDWARE CLOTH | 465 LF | | |
| 0063 | 6070000000-N | 1639 | SPECIAL STILLING BASINS | 6 EA | | |
| 0064 | 6071013000-E | 1642 | WATTLE BARRIER | 138 LF | | |
| 0065 | 6084000000-E | 1660 | SEEDING & MULCHING | 3 ACR | | |
| 0066 | 6087000000-E | 1660 | MOWING | 0.5 ACR | | |
| 0067 | 6090000000-E | 1661 | SEED FOR REPAIR SEEDING | 50 LB | | |
| 0068 | 6093000000-E | 1661 | FERTILIZER FOR REPAIR SEEDING | 0.25 TON | | |

Jun 02, 2025 12:37 PM

ITEMIZED PROPOSAL FOR CONTRACT NO. DG00659

Page 5 of 6

| Line # | Item Number | Sec # | Description | Quantity | Unit Cost | Amount |
|-----------------|--------------|-------|--|-------------|-----------|--------|
| 0069 | 6096000000-E | 1662 | SEED FOR SUPPLEMENTAL SEEDING | 50 LB | | |
| 0070 | 6108000000-E | 1665 | FERTILIZER TOPDRESSING | 0.75 TON | | |
| 0071 | 6111000000-E | SP | IMPERVIOUS DIKE | 82 LF | | |
| 0072 | 6114500000-N | 1667 | SPECIALIZED HAND MOWING | 10 MHR | | |
| 0073 | 6117000000-N | 1675 | RESPONSE FOR EROSION CONTROL | 25 EA | | |
| 0074 | 6117500000-N | SP | CONCRETE WASHOUT STRUCTURE | 1 EA | | |
| 0075 | 6132000000-N | SP | GENERIC EROSION CONTROL ITEM PREFABRICATED CONCRETE WASHOUT | 3 EA | | |
| STRUCTURE ITEMS | | | | | | |
| 0076 | 8035000000-N | 402 | REMOVAL OF EXISTING STRUCTURE AT STATION ***** (15+31 -L-) | Lump Sum | L.S. | |
| 0077 | 8065000000-N | SP | ASBESTOS ASSESSMENT | Lump Sum | L.S. | |
| 0078 | 8105540000-E | 411 | 3'-6" DIA DRILLED PIERS IN SOIL | 9.4 LF | | |
| 0079 | 8105640000-E | 411 | 3'-6" DIA DRILLED PIERS NOT IN SOIL | 28 LF | | |
| 0080 | 8111400000-E | 411 | PERMANENT STEEL CASING FOR 3'-6" DIA DRILLED PIER | 8 LF | | |
| 0081 | 8114000000-N | 411 | SPT TESTING | 1 EA | | |
| 0082 | 8115000000-N | 411 | CSL TESTING | 1 EA | | |
| 0083 | 8121000000-N | 412 | UNCLASSIFIED STRUCTURE EXCAVATION AT STATION ***** (15+31 -L-) | Lump Sum | L.S. | |
| 0084 | 8156000000-E | SP | CONCRETE WEARING SURFACE | 4,274 SF | | |

Jun 02, 2025 12:37 PM

ITEMIZED PROPOSAL FOR CONTRACT NO. DG00659

Page 6 of 6

| Line # | Item Number | Sec # | Description | Quantity | Unit Cost | Amount |
|--------|--------------|-------|---|--------------|-----------|--------|
| 0085 | 8161000000-E | 420 | GROOVING BRIDGE FLOORS | 4,486 SF | | |
| 0086 | 8182000000-E | 420 | CLASS A CONCRETE (BRIDGE) | 87.3 CY | | |
| 0087 | 8210000000-N | 422 | BRIDGE APPROACH SLABS, STATION ***** (15+31 -L-) | Lump Sum | L.S. | |
| 0088 | 8217000000-E | 425 | REINFORCING STEEL (BRIDGE) | 16,844 LB | | |
| 0089 | 8238000000-E | 425 | SPIRAL COLUMN REINFORCING STEEL (BRIDGE) | 1,351 LB | | |
| 0090 | 8328200000-E | 450 | PILE DRIVING EQUIPMENT SETUP FOR *** STEEL PILES (12) | 12 EA | | |
| 0091 | 8384000000-E | 450 | HP 14 X 73 STEEL PILES | 240 LF | | |
| 0092 | 8391000000-N | 450 | STEEL PILE POINTS | 12 EA | | |
| 0093 | 8394000000-N | 450 | DYNAMIC PILE TESTING | 1 EA | | |
| 0094 | 8475000000-E | 460 | TWO BAR METAL RAIL | 265.25 LF | | |
| 0095 | 8517000000-E | 460 | 1'-*** X ***** CONCRETE PARAPET (1'-2" X 2'-10 1/2") | 280.25 LF | | |
| 0096 | 8608000000-E | 876 | RIP RAP CLASS II (2'-0" THICK) | 460 TON | | |
| 0097 | 8622000000-E | 876 | GEOTEXTILE FOR DRAINAGE | 512 SY | | |
| 0098 | 8657000000-N | 430 | ELASTOMERIC BEARINGS | Lump Sum | L.S. | |
| 0099 | 8753200000-E | 430 | 3'-0" X 3'-3" PRESTRESSED CONC BOX BEAMS | 1,540 LF | | |

1237/Jun02/Q49416.1/D461982943000/E99

Total Amount Of Bid For Entire Project :