

INVITATION TO BID

City of Kannapolis
246 Oak Avenue
Kannapolis, North Carolina 28081
Dale Earnhardt Sidewalk Improvements

Sealed bids will be received by the City of Kannapolis (Owner), at the **Office of the City Engineer located at 120 S. Main Street, Kannapolis, North Carolina 28081**, until **2:00 PM, Tuesday April 29th, 2014** for the Dale Earnhardt Improvements, NCDOT TIP C-4916A.

At said place and time, and promptly thereafter, all bids that have been duly received will be publicly opened and read aloud.

The proposed work is generally described as follows:

Construction of 4,270 LF of sidewalk, minor storm drainage, and grading along Dale Earnhardt Boulevard beginning approximately 300 feet north of Cannon Boulevard (NC Hwy 29) and extending north to Wood Avenue.

Plans and Bid Documents are on file for examination at Kannapolis City Hall, 246 Oak Avenue, Kannapolis, North Carolina 28081 and at the office of Alley, Williams, Carmen & King, Inc. 120 S. Main Street, Kannapolis, North Carolina 28081. Bid Documents and Construction Drawings, may be obtained from the Consulting Engineer upon receipt of a **\$75.00 Non-Refundable Plan/Bid Document Fee**.

Copies of the Bidding Documents have also been provided to the Associated General Contractors for listing on their website www.cagc.org on IBuild and to the F.W. Dodge Corporation plan room in Charlotte, and Metrolina Minority Contractors Assoc., Charlotte.

All questions related to this project during the advertisement period shall be submitted to Jeffery D. Moody, PE, Project Engineer, at the office of the Engineer (email address is jmoody@awck.com).

An optional pre-bid meeting will be held at **2:00pm local time, Thursday April 24, 2014** at the Office of the City Engineer at 120 S. Main Street, Kannapolis, NC.

CONTRACTOR'S LICENSE: On all Federal-aid contracts, non-licensed contractors are permitted to submit bids, however, they must be licensed prior to performing any work. They are permitted 60 days, after bid opening, to become licensed by the North Carolina Licensing Board. If they fail to do so within 60 days, their bid will be considered non-responsive and will be rejected. If the successful bidder does not hold the proper license to perform any plumbing, heating, air conditioning, or electrical work in this contract, he will be required to sublet such work to a contractor properly licensed in accordance with *Article 2 of Chapter 87 of the General Statutes* (licensing of heating, plumbing, and air conditioning contractors) and *Article 4 of Chapter 87 of the General Statutes* (licensing of electrical contractors).

PREQUALIFICATION REQUIREMENT: Bidders are required to be prequalified with NCDOT for their specific discipline. Contractors wishing to become prequalified may obtain information through the NCDOT website at: <http://www.ncdot.gov/business/>.

Each Bid shall be accompanied with a deposit of cash or CERTIFIED CHECK on some bank or trust company insured by the Federal Deposit Insurance Corporation in an amount equal to not less than five percent (5%) of the Bid, said check to be made payable to the City of Kannapolis.

In lieu of the above cash or CERTIFIED CHECK, the Bidder may execute a Bid Bond for the same amount.

Successful Bidder will be required to furnish a Construction Performance bond and a Construction Payment Bond as security for the faithful performance and the payment of all bids and obligations arising from the performance of the Contract. Bond Forms are available at <http://www.ncdot.gov/doh/preconstruct/ps/contracts/letting>.

Successful bidder and all subcontractors shall be required to obtain and hold a valid City of Kannapolis Business License .

Bidders shall make a Good Faith Effort to use Disadvantaged Business Enterprises (DBE) in accordance with Bid Documents. **The DBE goal for the project is 5.0%.** Minority and female owned businesses are invited and encouraged to bid. Minimum Wage requirements for labor shall comply with the Proposal/Bid Documents.

The Successful Bidder will be required to furnish a Construction Performance Bond and a Construction Payment Bond as security for the faithful performance and the payment of all bills and obligations arising from the performance of the Contract

Owner reserves the right to reject any or all Bids, including without limitation the right to reject any or all nonconforming, nonresponsive, unbalanced, or conditional bids, and to reject the bid of any Bidder if Owner believes that it would not be in the best interest of Owner to make an award to that Bidder. Owner also reserves the right to waive informalities.

If the Contract is to be awarded, Owner will give the Successful Bidder a Notice of Award within the number of days set forth in the Bid Form. No bidder may withdraw their bid within sixty (60) days after the actual date of the opening thereof.

ENGINEER:

Alley, Williams, Carmen & King, Inc.
Post Office Box 1248 (28082-1248)
120 S. Main Street
Kannapolis, North Carolina 28081
704-938-1515 (Phone)
704-938-6810 (Fax)

Mike Legg, City Manager

CONTRACT ID: TIP No. C-4916A DIV OFFICE: ALBEMARLE LENGTH: 0.86 MI
 COUNTY: CABARRUS
 GRADING, DRAINAGE, CURB AND GUTTER, CONCRETE SIDEWALKS, PAVING AND
 EROSION CONTROL

DBE GOAL: 5.0%

OWNER: CITY OF KANNAPOLIS
 DALE EARENHARDT SIDEWALK IMPROVEMENTS
 Roadway Items

Dale Earnhardt Sidewalk Improvements				
ITEM NO.	SECTION NO.	DESCRIPTION	QUANTITY	UNIT
1	800	MOBILIZATION	1.00	LS
2	801	CONSTRUCTION SURVEY	1.00	LS
3	226	COMPREHENSIVE GRADING	1.00	LS
4	226	UNDERCUT EXCAVATION	100.00	CY
5	270	GEOTEXTILE FOR SOIL STABILIZATION, TYPE IV	100.00	SY
6	300	FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES	20.00	TON
7	300	FOUNDATION CONDITIONING GEOTEXTILE	5.00	SY
8	310	18" RCP, CLASS III	4.00	LF
9	310	18" PRECAST CONCRETE CROSS PIPE END SECTION, SD310.03	1.00	EA
10	545	INCIDENTAL STONE	40.00	TN
11	610	ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B	10.00	TN
12	840	24" MANHOLE FRAME AND COVER	1.00	EA
13	846	2'-6" CURB & GUTTER	315.00	LF
14	846	1'-6" CURB & GUTTER	80.00	LF
15	848	4" CONCRETE SIDEWALK- 5'WIDE	1,880.00	SY
16	SP-1	4" CONCRETE SIDEWALK, 5' WIDE WITH TURN DOWN WALL FOR SAFETY RAIL	420.00	SY
17	848	CONCRETE CURB RAMP	27.00	EA
18	848	6" CONCRETE DRIVEWAY	86.00	SY
19	852	5" MONOLITHIC CONCRETE ISLAND (SURFACE MOUNTED)	22.00	SY
20	858	ADJUST WATER VALVE BOX	11.00	EA
21	858	ADJUST WATER METER BOXES	6.00	EA
22	SP-2	ADJUST SEWER CLEAN OUTS	4.00	EA
23	858	ADJUST MANHOLE	1.00	EA
24	859	CONVERT EXISTING DROP INLET TO JUNCTION BOX WITH MANHOLE FRAME AND COVER	1.00	EA
25	1205	24" THERMOPLASTIC PAVEMENT MARKING LINES, 120 MILS	20.00	LF

ITEM NO.	SECTION NO.	DESCRIPTION	QUANTITY	UNIT
26	1205	8" THERMOPLASTIC PAVEMENT MARKING LINES, 120 MILS	225.00	LF
27	1205	4" THERMOPLASTIC PAVEMENT MARKING LINES, 90 MILS	195.00	LF
28	SP-3	RELOCATE WATER METERS	4.00	EA
29	SP-3	RELOCATE SEWER CLEAN-OUT	3.00	EA
30	1605	SILT FENCE	2,050.00	LF
31	SP-4	ROCK INLET SEDIMENT TRAP TYPE C	6.00	EA
32	SP-5	WATTLE	6.00	LF
33	SP-6	BLACK POWDER COATED PIPE HANDRAIL ON EXISTING CONCRETE STEPS OR RETAINING WALLS	40.00	LF
34	SP-7	BLACK POWDER COATED PIPE SAFETY RAIL	760.00	LF
35	SP-8	ASPHALT DRIVE REPAIR (LIGHT DUTY), 6" COMPACTED ABC WITH 2" S9.5B SURFACE COURSE	455.00	SY
36	SP-8	ASPHALT DRIVE REPAIR (HEAVY DUTY), 8" COMPACTED ABC, 2.5" OF I19.0B, AND 2" S9.5B SURFACE COURSE	200.00	SY
37	SP-9	STANDARD SEGMENTED GRAVITY RETAINING WALL WITH FREEZE-THAW SRW UNITS	900.00	SF
38	SP-10	SEEDING/MULCHING	1.00	LS
39	SP-11	SAW CUT EXISTING PAVEMENT AND CONCRETE	860.00	LF
40	SP-12	INCIDENTAL MILLING	15.00	SY
41	SP-13	TRAFFIC CONTROL	1.00	LS
42	SP-14	ORNAMENTAL TREES	1.00	EA
43	SP-15	ORNAMENTAL SHRUBS	4.00	EA
44	SP-16	RE-SETTING OF RIGHT-OF-WAY MONUMENTS	18.00	EA
45	SP-17	ADJUST FIBER OPTIC HAND HOLE BOXES	1.00	EA