



STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

BEVERLY EAVES PERDUE
GOVERNOR

EUGENE A. CONTI, JR.
SECRETARY

June 20th, 2012

TO: Prospective Bidders

FROM: Curtis Barbee, Proposals Engineer

SUBJECT: Addendum 2 – Incorrect Contract Cover Sheet –WBS#10.106011A etc.

The existing Contract Cover Sheet, second page and notice to bidders in this contract have the day of bid opening incorrect. The correct date for the bid opening for this contract is **Tuesday** July 3rd, 2012. Attached to this addendum is the corrected cover sheet, second page, notice to bidders and a revised Special Provision for “Concrete Sidewalk and Driveways”, this provision is for better clarification for the removal of existing sidewalk. Please remove the old cover sheet, second page of the contract and replace with the revised sheets.


Prospective Bidders should attach the new sidewalk provision and revised “Notice to Bidders” as well as Addendum number 1 & 2 to the back of the contract to verify they received these updates.

Prospective Bidders should be aware that any bid package received by the NCDOT on July 3rd, with the revised cover sheet and second page not attached to their proposal will be rejected.

CC: Mr. Ritchie Hearne, PE.
Mr. Louis Mitchell, PE
Mr. Jeff Littlefield, PE
File



STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION



DIVISION 10 DISTRICT 2

SMALL BUSINESS ENTERPRISE
CONTRACT PROPOSAL

WBS ELEMENT: 10.106011A etc. COUNTY: Mecklenburg

LOCATION: Various Primary, Interstate, and Secondary Roads

TYPE OF WORK: Blanket Purchase Order for Miscellaneous Concrete Work

BID OPENING: Tuesday, July 3, 2012 at 9:30 a.m.

NAME OF BIDDER _____

ADDRESS OF BIDDER _____

*****DO NOT SEPARATE THE BID SHEET FROM THE PROPOSAL!*****

RETURN BIDS TO: Mr. Louis L. Mitchell, PE
NC Department of Transportation
7605 District Drive
Charlotte, NC 28213


INSTRUCTIONS TO BIDDERS

PLEASE READ ALL INSTRUCTIONS CAREFULLY BEFORE PREPARING AND SUBMITTING YOUR BID.

All bids shall be prepared and submitted in accordance with the following requirements. Failure to comply with any requirement shall cause the bid to be considered irregular and shall be grounds for rejection of the bid.

1. The bid sheet furnished by NCDOT with the proposal shall be used and shall not be altered in any manner. **DO NOT SEPARATE THE BID SHEET FROM THE PROPOSAL!**
2. All entries on the bid sheet, including signatures, shall be written in ink.
3. The Bidder shall submit a unit price for every item on the bid form. The unit prices for the various contract items shall be written in figures.
4. An amount bid shall be entered on the bid sheet for every item. The amount bid for each item shall be determined by multiplying each unit bid by the quantity for that item, and shall be written in figures in the "Amount Bid" column of the sheet.
5. The total amount bid shall be written in figures in the proper place on the bid sheet. The total amount shall be determined by adding the amounts bid for each item.
6. Changes in any entry shall be made by marking through the entry in ink and making the correct entry adjacent thereto in ink. A representative of the Bidder shall initial the change in ink.
7. The bid shall be properly executed. All bids shall show the following information:
 - a. Name of individual, firm, corporation, partnership, or joint venture submitting bid.
 - b. Name of individual or representative submitting bid and position or title.
 - c. Name, signature, and position or title of witness.
 - d. Federal Identification Number
 - e. Contractor's License Number
8. Bids submitted by corporations shall bear the seal of the corporation.
9. The bid shall not contain any unauthorized additions, deletions, or conditional bids.
10. The bidder shall not add any provision reserving the right to accept or reject an award, or to enter into a contract pursuant to an award.
11. A bid bond or deposit is not required when submitting a bid for this project.
12. **THE PROPOSAL WITH THE BID SHEET STILL ATTACHED SHALL BE PLACED IN A SEALED ENVELOPE AND SHALL HAVE BEEN DELIVERED TO AND RECEIVED IN THE DISTRICT ENGINEER'S OFFICE AT 7605 DISTRICT DRIVE, CHARLOTTE, NC 28213 NO LATER THAN 9:30 A.M. ON TUESDAY, JULY 3, 2012.**
13. The sealed bid must display the following statement on the front of the sealed envelope:
QUOTATION FOR WBS# 10.106011A etc. MISCELLANEOUS CONCRETE WORK, IN MECKLENBURG COUNTY TO BE OPENED AT 9:30 A.M. ON TUESDAY, JULY 3, 2012.
14. If delivered by mail, the sealed envelope shall be placed in another sealed envelope and the outer envelope shall be addressed as follows:
**Mr. Louis L. Mitchell, PE
NC Department of Transportation
7605 District Drive
Charlotte, NC 28213**

The award of the contract, if it is awarded, will be made to the lowest responsible Bidder in accordance with Section 102 (excluding 102-2 and 102-10) of the 2012 Standard Specifications for Roads and Structures. The lowest responsible Bidder will be notified that his bid has been accepted and that he has been awarded the contract. NCDOT reserves the right to reject all bids.



STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

BEVERLY EAVES PERDUE
GOVERNOR

EUGENE A. CONTI, JR.
SECRETARY

June 13th, 2012

NOTICE TO PROSPECTIVE BIDDERS

Subject: Invitation to Bid

WBS Element: **10.106011A etc.**

County: **Mecklenburg**

LOCATION: **Various Primary, Interstate and Secondary Roads**

TYPE OF WORK: **Blanket Purchase Order for Miscellaneous Concrete Work**

BID OPENING: **July 3rd, 2012 @ 9:30am**

The date of availability for this project is **August 1st, 2012**

The date of completion for this project is **July 1st, 2013**

Only Contractors certified as a SBE Contractor can bid on this contract.

Interested bidders must obtain an official bid package in order to bid. Contractors and subcontractors may obtain a proposal in person from the District Engineer's Office at 7605 District Drive, Charlotte NC. Proposal packages may also be obtained from the Division10 website at: <http://www.ncdot.org/doh/operations/division10/>

It will be the Contractor's responsibility to continue to monitor the NCDOT website for any addendums or other updates concerning this project.

Sealed bids must be received in the District Office at 7605 District Drive Charlotte N.C. 28213 by **9:30AM. Tuesday July 3rd, 2012**. Bids must be submitted on the official bid sheet, submitted with the entire proposal, and display the following statement at the bottom left corner of the sealed envelope:

Quotation for work Order Numbers;

WBS# 10.106011A etc.:

To be opened July 3rd, 2012 at 9:30 a.m.

Blanket Purchase Order for Miscellaneous Concrete Work

Contractors must be certified as a SBE by NCDOT prior to bidding on this project. If you have questions about bidding on this project or any other questions concerning this project please contact, Mr. Jeff Littlefield, PE at (704) 596-6900. Return bid packages to the address below if returning by mail.

Mr. Louis L. Mitchell, PE
North Carolina Department of Transportation
7605 District Drive Charlotte, NC 28213

Mr. Curtis Barbee at cbarbee@ncdot.gov or 704-983-4400 may also be contacted

CONCRETE SIDEWALK AND DRIVEWAYS

All concrete sidewalks shall be constructed in accordance with Section 848 of the Standard Specifications and Roadway Standard Drawing 848.01. Concrete shall be Class B, and the concrete shall be given a light broom finish with the brush marks transverse to the direction of traffic. Concrete shall be of a North Carolina Department of Transportation approved mix design dispatched from a currently certified production facility. No concrete shall be placed until the forms and base have been inspected and approved by the Department of Transportation.

A groove joint 1" deep with 1/8" radii shall be required in concrete sidewalk at 5' intervals. One 1/2" expansion joint will be required at 50' intervals. A 1/2" expansion joint will be required where the sidewalk joins any rigid structure or ties into existing sidewalk. If Contractor replaces any length of sidewalk with new, then the old sidewalk debris removal is to be incidental to the work.

No backfill shall be placed adjacent to the sidewalk until at least 3 curing days, as defined in Article 825-9, have elapsed. However, backfill shall be placed no later than 4 calendar days after completion of this 3 curing day time period. Backfill shall be compacted to a degree comparable to the adjacent undisturbed material. Vehicles may be permitted on the completed work after 7 curing days, as defined in Article 825-9, have elapsed.

Sidewalk shall be 6" thick when exposed to vehicular traffic and 4" thick in all other areas. The Engineer shall have the final say in determining sidewalk thickness.

Proposed concrete sidewalk shall match the width of the existing sidewalk.

Payment will be on a per square yard basis, and include all incidentals associated with performing this work. Removal of these bid items shall be incidental to the contract unit bid price. Concrete sidewalk that is to be removal and not replaced will be paid for as follows.

Payment will be made under:

Pay Item	Pay Unit
Removal of Conc. Sidewalk.....	SY
Removal of 4' to 5' Conc. Sidewalk.....	LF