



STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

ROY COOPER
GOVERNOR

J. ERIC BOYETTE
SECRETARY

July 25, 2023

WBS No: 34533.5.TA15
County: Mecklenburg & Union
Description: Selective Undergrowth Removal, Landscape Planting & Sodding along US 74 Bypass

Addendum No. 2
August 2, 2023 Letting

To: Prospective Bidders

Please note the following changes to the proposal for the above referenced project.

- On page 42 the word “four” was corrected to “three” in the first sentence of the Mulch provision.

The changes and attachments included with this addendum will become part of contract DJ00478.

If you have any questions, please contact me at (704) 983-4400.

Sincerely,

DocuSigned by:

8DD1CB4DB58F4FC...
Jared Mathis
Contracts Engineer

cc: File

MULCH:

Mulch for planting shall consist of twice ground, shredded hardwood bark, with no more than 15% wood fiber and an aggregate size of 2.75" maximum and .75" minimum in width or length, clean and void of sticks, leaves or any extraneous materials placed evenly over all bed areas to a depth of three inches (3") and shall be approved by the Engineer prior to placement on planting beds. Mulch with excessive fines will not be accepted. Mulch color shall be dark brown at the time of application. Artificially colored mulch will not be accepted. The Contractor shall Mulch the plant beds upon of the completion of the planting or as directed by the engineer.