



STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION

PAT MCCRORY  
GOVERNOR

P.O. BOX 25201, RALEIGH, NC 27611-5201  
PHONE (919) 733-2520

ANTHONY J. TATA  
SECRETARY

June 15, 2015

**Addendum No. 1**

**SUBJECT:** Contract No. DK00156  
TIP No. BD-5111V  
WBS Element No. 45357.3.FD22  
Replace Bridge No. 244 on SR 1809 (Old Westfield Road) over SR 1856  
(Old US 52) in Surry County – Grading, Drainage, Paving and Structure

**June 25, 2015 Bid Opening**

To Whom It May Concern:

Reference is made to the Contract Proposal recently furnished to you on the above-mentioned project. The following revisions have been made to the Contract Proposal:

**Pages 22-23, CONTRACT BID FORMS (Page 3 of 4 and Page 4 of 4)**, have been revised. This revision changed the Pay Item for Line #110 and added an additional Pay Item for Line #111. These Pay Items are for Foundation Excavation for the Interior Bents. Please void **Pages 22-23** in your proposal and staple the **Revised Pages 22-23** thereto.

The Acknowledgement of Receipt for this Addendum shall be signed by an authorized agent of the company and returned with the bid proposal. Bid Proposals submitted without this Addendum shall be considered irregular and will not be considered for award.

If you have any questions regarding this matter, please feel free to contact me at 336-903-9138.

Sincerely,

A handwritten signature in black ink that reads "Joe L. Laws".

Joe L. Laws, PE  
Division Project Manager

cc: M. A. Pettyjohn, PE  
J. C. Guynn

Acknowledgement of Receipt

---

Company Name

---

Signature

---

Date

# NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

## BID FORM

WBS Element: 45357.3.FD22Contract Number: DK00156DESCRIPTION: Replace Bridge No. 244 on SR 1809 (Old Westfield Rd) over SR 1856 (Old US 52) in Surry County

PAGE 3 OF 4

| LINE | ITEM NUMBER  | SECT. | DESCRIPTION                                               | QUANT. | UNIT | UNIT BID | AMOUNT BID |
|------|--------------|-------|-----------------------------------------------------------|--------|------|----------|------------|
| 81   | 6030000000-E | 1630  | SILT EXCAVATION                                           | 130    | CY   |          |            |
| 82   | 6036000000-E | 1631  | MATTING FOR EROSION CONTROL                               | 1,470  | SY   |          |            |
| 83   | 6037000000-E | SP    | COIR FIBER MAT                                            | 100    | SY   |          |            |
| 84   | 6038000000-E | SP    | PERMANENT SOIL REINFORCEMENT MAT                          | 120    | SY   |          |            |
| 85   | 6042000000-E | 1632  | 1/4" HARDWARE CLOTH                                       | 120    | LF   |          |            |
| 86   | 6071010000-E | SP    | COIR FIBER WATTLE                                         | 190    | LF   |          |            |
| 87   | 6071020000-E | SP    | POLYACRYLAMIDE (PAM)                                      | 20     | LB   |          |            |
| 88   | 6084000000-E | 1660  | SEEDING & MULCHING                                        | 0.5    | ACR  |          |            |
| 89   | 6087000000-E | 1660  | MOWING                                                    | 0.5    | ACR  |          |            |
| 90   | 6090000000-E | 1661  | SEED FOR REPAIR SEEDING                                   | 50     | LB   |          |            |
| 91   | 6093000000-E | 1661  | FERTILIZER FOR REPAIR SEEDING                             | 0.25   | TON  |          |            |
| 92   | 6096000000-E | 1662  | SEED FOR SUPPLEMENTAL SEEDING                             | 50     | LB   |          |            |
| 93   | 6108000000-E | 1665  | FERTILIZER TOPDRESSING                                    | 0.50   | TON  |          |            |
| 94   | 6114500000-N | 1667  | SPECIALIZED HAND MOWING                                   | 10     | MHR  |          |            |
| 95   | 6117000000-N | SP    | RESPONSE FOR EROSION CONTROL                              | 9      | EA   |          |            |
| 96   | 7060000000-E | 1705  | SIGNAL CABLE                                              | 560    | LF   |          |            |
| 97   | 7120000000-E | 1705  | VEHICLE SIGNAL HEAD (12", 3 SECTION)                      | 8      | EA   |          |            |
| 98   | 7264000000-E | 1710  | MESSENGER CABLE (3/8")                                    | 350    | LF   |          |            |
| 99   | 7300000000-E | 1715  | UNPAVED TRENCHING (1,2")                                  | 700    | LF   |          |            |
| 100  | 7324000000-N | 1716  | JUNCTION BOX (STANDARD SIZE)                              | 9      | EA   |          |            |
| 101  | 7360000000-N | 1720  | WOOD POLE                                                 | 4      | EA   |          |            |
| 102  | 7372000000-N | 1721  | GUY ASSEMBLY                                              | 8      | EA   |          |            |
| 103  | 7408000000-E | 1722  | 1" RISER WITH WEATHERHEAD                                 | 1      | EA   |          |            |
| 104  | 7420000000-E | 1722  | 2" RISER WITH WEATHERHEAD                                 | 5      | EA   |          |            |
| 105  | 7444000000-E | 1725  | INDUCTIVE LOOP SAWCUT                                     | 415    | LF   |          |            |
| 106  | 7456000000-E | 1726  | LEAD-IN CABLE (14-2)                                      | 1,650  | LF   |          |            |
| 107  | 7768000000-N | 1751  | CONTROLLER WITH CABINET (TYPE 2070L, POLE MOUNTED)        | 1      | EA   |          |            |
| 108  | 7780000000-N | 1751  | DETECTOR CARD (TYPE 2070L)                                | 4      | EA   |          |            |
| 109  | 8021000000-N | SP    | REMOVAL OF EXISTING STRUCTURE AT STATION 13+58.65 -L-     | 1      | LS   |          |            |
| 110  | 8091000000-N | 410   | FOUNDATION EXCAVATION FOR BENT 1 AT STATION 13+32.94 -L-  | 1      | LS   |          |            |
| 111  | 8091000000-N | 410   | FOUNDATION EXCAVATION FOR BENT 2 AT STATION 13+83.06 -L-  | 1      | LS   |          |            |
| 112  | 8112730000-N | 450   | PDA TESTING                                               | 1      | EA   |          |            |
| 113  | 8121000000-N | 412   | UNCLASSIFIED STRUCTURE EXCAVATION AT STATION 13+58.65 -L- | 1      | LS   |          |            |
| 114  | 8175000000-E | 420   | CLASS AA CONCRETE (BRIDGE)                                | 67.8   | CY   |          |            |
| 115  | 8182000000-E | 420   | CLASS A CONCRETE (BRIDGE)                                 | 134.3  | CY   |          |            |
| 116  | 8210000000-N | 422   | BRIDGE APPROACH SLABS, STATION 13+58.65 -L-               | 1      | LS   |          |            |
| 117  | 8217000000-E | 425   | REINFORCING STEEL (BRIDGE)                                | 19,468 | LB   |          |            |

\*\*CONTINUED ON PAGE 4\*\*

## NORTH CAROLINA DEPARTMENT OF TRANSPORTATION BID FORM

WBS Element: 45357.3.FD22 Contract Number: DK00156

DESCRIPTION: Replace Bridge No. 244 on SR 1809 (Old Westfield Rd) over SR 1856 (Old US 52) in Surry County

PAGE 4 OF 4

| LINE | ITEM NUMBER  | SECT. | DESCRIPTION                                | QUANT.  | UNIT | UNIT BID | AMOUNT BID |
|------|--------------|-------|--------------------------------------------|---------|------|----------|------------|
| 118  | 8224000000-E | 425   | EPOXY COATED REINFORCING STEEL (BRIDGE)    | 2,233   | LB   |          |            |
| 119  | 8238000000-E | 425   | SPIRAL COLUMN REINFORCING STEEL (BRIDGE)   | 2,640   | LB   |          |            |
| 120  | 8364000000-E | 450   | HP 12X53 STEEL PILES                       | 840.0   | LF   |          |            |
| 121  | 8384000000-E | 450   | HP 14X73 STEEL PILES                       | 1,380.0 | LF   |          |            |
| 122  | 8391000000-N | 450   | STEEL PILE POINTS                          | 37      | EA   |          |            |
| 123  | 8475000000-E | 460   | TWO BAR METAL RAIL                         | 258.75  | LF   |          |            |
| 124  | 8517000000-E | 460   | 1'-2"X 2'-6" CONCRETE PARAPET              | 273.75  | LF   |          |            |
| 125  | 8531000000-E | 462   | 4" SLOPE PROTECTION                        | 507     | SY   |          |            |
| 126  | 8657000000-N | 430   | ELASTOMERIC BEARINGS                       | 1       | LS   |          |            |
| 127  | 8762000000-E | 430   | 3'-0" X 1'-9" PRESTRESSED CONC CORED SLABS | 1,992.0 | LF   |          |            |
| 128  | 8892000000-E | SP    | CONCRETE STAIN                             | 2,341   | SF   |          |            |

**TOTAL BID FOR PROJECT:** \_\_\_\_\_

---

**THIS SECTION TO BE COMPLETED BY NORTH CAROLINA DEPARTMENT OF TRANSPORTATION**

*This bid has been reviewed in accordance with Article 103-1 of the Standard Specifications for Roads and Structures 2012.*

Reviewed by \_\_\_\_\_ (date)