

STATE	STATE PROJECT REFERENCE NO.	SHEET NO.	TOTAL SHEETS
N.C.	17BP.14.R.63	1	7

STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT

STRUCTURE
SUBSURFACE INVESTIGATION

PROJ. REFERENCE NO. 17BP.14.R.63 F.A. PROJ. n/a
COUNTY JACKSON
PROJECT DESCRIPTION Bridge No. 207 on SR 1313 over
East Fork Savannah Creek

CONTENTS

SHEET	DESCRIPTION
1	TITLE SHEET
2, 2A	LEGEND
3	SITE PLAN
4-7	BORING LOGS

PERSONNEL

B. Smith

J. Bare

J. Gentry

INVESTIGATED BY B. Worley, PG
CHECKED BY D. Dewey, PE
SUBMITTED BY Summit Design & Engineering
DATE JULY, 2012

CAUTION NOTICE

THE SUBSURFACE INFORMATION AND THE SUBSURFACE INVESTIGATION ON WHICH IT IS BASED WERE MADE FOR THE PURPOSE OF STUDY, PLANNING, AND DESIGN, AND NOT FOR CONSTRUCTION OR PAY PURPOSES. THE VARIOUS FIELD BORING LOGS, ROCK CORES, AND SOIL TEST DATA AVAILABLE MAY BE REVIEWED OR INSPECTED IN RALEIGH BY CONTACTING THE N.C. DEPARTMENT OF TRANSPORTATION, GEOTECHNICAL ENGINEERING UNIT AT (919) 707-6850. NEITHER THE SUBSURFACE PLANS AND REPORTS, NOR THE FIELD BORING LOGS, ROCK CORES, OR SOIL TEST DATA ARE PART OF THE CONTRACT.

GENERAL SOIL AND ROCK STRATA DESCRIPTIONS AND INDICATED BOUNDARIES ARE BASED ON A GEOTECHNICAL INTERPRETATION OF ALL AVAILABLE SUBSURFACE DATA AND MAY NOT NECESSARILY REFLECT THE ACTUAL SUBSURFACE CONDITIONS BETWEEN BORINGS OR BETWEEN SAMPLED STRATA WITHIN THE BOREHOLE. THE LABORATORY SAMPLE DATA AND THE IN SITU (IN-PLACE) TEST DATA CAN BE RELIED ON ONLY TO THE DEGREE OF RELIABILITY INHERENT IN THE STANDARD TEST METHOD. THE OBSERVED WATER LEVELS OR SOIL MOISTURE CONDITIONS INDICATED IN THE SUBSURFACE INVESTIGATIONS ARE AS RECORDED AT THE TIME OF THE INVESTIGATION. THESE WATER LEVELS OR SOIL MOISTURE CONDITIONS MAY VARY CONSIDERABLY WITH TIME ACCORDING TO CLIMATIC CONDITIONS INCLUDING TEMPERATURES, PRECIPITATION, AND WIND, AS WELL AS OTHER NON-CLIMATIC FACTORS.

THE BIDDER OR CONTRACTOR IS CAUTIONED THAT DETAILS SHOWN ON THE SUBSURFACE PLANS ARE PRELIMINARY ONLY AND IN MANY CASES THE FINAL DESIGN DETAILS ARE DIFFERENT. FOR BIDDING AND CONSTRUCTION PURPOSES, REFER TO THE CONSTRUCTION PLANS AND DOCUMENTS FOR FINAL DESIGN INFORMATION ON THIS PROJECT. THE DEPARTMENT DOES NOT WARRANT OR GUARANTEE THE SUFFICIENCY OR ACCURACY OF THE INVESTIGATION MADE, NOR THE INTERPRETATIONS MADE, OR OPINION OF THE DEPARTMENT AS TO THE TYPE OF MATERIALS AND CONDITIONS TO BE ENCOUNTERED. THE BIDDER OR CONTRACTOR IS CAUTIONED TO MAKE SUCH INDEPENDENT SUBSURFACE INVESTIGATIONS AS HE DEEMS NECESSARY TO SATISFY HIMSELF AS TO CONDITIONS TO BE ENCOUNTERED ON THIS PROJECT. THE CONTRACTOR SHALL HAVE NO CLAIM FOR ADDITIONAL COMPENSATION OR FOR AN EXTENSION OF TIME FOR ANY REASON RESULTING FROM THE ACTUAL CONDITIONS ENCOUNTERED AT THE SITE DIFFERING FROM THOSE INDICATED IN THE SUBSURFACE INFORMATION.

NOTE - THE INFORMATION CONTAINED HEREIN IS NOT IMPLIED OR GUARANTEED BY THE N.C. DEPARTMENT OF TRANSPORTATION AS BEING ACCURATE NOR IS IT CONSIDERED TO BE PART OF THE PLANS, SPECIFICATIONS, OR CONTRACT FOR THE PROJECT.

NOTE - BY HAVING REQUESTED THIS INFORMATION THE CONTRACTOR SPECIFICALLY WAIVES ANY CLAIMS FOR INCREASED COMPENSATION OR EXTENSION OF TIME BASED ON DIFFERENCES BETWEEN THE CONDITIONS INDICATED HEREIN AND THE ACTUAL CONDITIONS AT THE PROJECT SITE.

DRAWN BY: B. Worley, PG



Bradley D. Worley

PROJECT REFERENCE NO.
17BP14.R-63SHEET NO.
7NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT
SOIL AND ROCK LEGEND, TERMS, SYMBOLS, AND ABBREVIATIONS

SOIL DESCRIPTION				GRADATION			
SOIL IS CONSIDERED TO BE THE UNCONSOLIDATED, SEMI-CONSOLIDATED, OR WEATHERED EARTH MATERIALS THAT CAN BE PENETRATED WITH A STANDARD PENETRATION TEST (ASTM D 1586, 1205, 45°M) OR 5000 LBS. SOIL CLASSIFICATION IS BASED ON THE AASHTO SYSTEM. BASIC DESCRIPTIONS GENERALLY SHALL INCLUDE: CONSISTENCY, COLOR, TEXTURE, MOISTURE, AASHTO CLASSIFICATION, AND OTHER PERTINENT FACTORS SUCH AS MINERALOGICAL COMPOSITION, ANGULARITY, STRUCTURE, PLASTICITY, ETC. EXAMPLE: <i>VERY SILTY CLAY, 10% FINE SAND, 10% INTERMEDIATE SAND, 80% PASSING #200</i>				WELL GRADED - INDICATES A GOOD REPRESENTATION OF PARTICLE SIZES FROM FINE TO COARSE. MEDIUM - INDICATES THAT SOIL PARTICLES ARE ALL APPROXIMATELY THE SAME SIZE. ALSO POORLY GRADED DAP GRADED - INDICATES A MIXTURE OF UNIFORM PARTICLES OF TWO OR MORE SIZES.			
SOIL LEGEND AND AASHTO CLASSIFICATION				ANGULARITY OF GRAINS			
MINERALOGICAL COMPOSITION				COMPRESSION			
PERCENTAGE OF MATERIAL				GROUND WATER			
CONSISTENCY OR DENSENESS				MISCELLANEOUS SYMBOLS			
TEXTURE OR GRAIN SIZE				ABBREVIATIONS			
SOIL MOISTURE - CORRELATION OF TERMS				EQUIPMENT USED ON SUBJECT PROJECT			
PLASTICITY							
COLOR							

DESCRIPTIONS MAY INCLUDE COLOR OR COLOR COMBINATIONS (TAN, RED, YELLOW-BROWN, BLUE GRAY).
MODIFIERS SUCH AS LIGHT, DARK, STREAKED, ETC., ARE USED TO DESCRIBE APPEARANCE.


NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT
SOIL AND ROCK LEGEND, TERMS, SYMBOLS, AND ABBREVIATIONS

ROCK DESCRIPTION		TERMS AND DEFINITIONS	
HARD ROCK IS NON-COASTAL PLAIN MATERIAL THAT IF TESTED, WOULD YIELD SPT REFUSAL AN INFERRED ROCK TYPE INDICATES THE LEVEL AT WHICH NON-COASTAL PLAIN MATERIAL WOULD YIELD SPT REFUSAL. SPT REFUSAL IS PENETRATION BY A SPLIT SPON sampler EQUAL TO OR LESS THAN 24 FEET PER 6 BLOWS. IN NON COASTAL PLAIN MATERIAL, THE TRANSITION BETWEEN SOIL AND ROCK IS OFTEN REPRESENTED BY A ZONE OF WEATHERED ROCK. ROCK MATERIALS ARE TYPICALLY DIVIDED AS FOLLOWS:		ALLUVIUM (ALLOV) SOILS THAT HAVE BEEN TRANSPORTED BY WATER. AQUIFER A WATER BEARING FORMATION OR STRATA. ARENACEOUS APPLIED TO ROCKS THAT HAVE BEEN DERIVED FROM SAND OR THAT CONTAIN SAND. ARGILLACEOUS APPLIED TO ALL ROCKS OR SUBSTANCES COMPOSED OF CLAY MATERIALS, OR HAVING A NOTABLE PROPORTION OF CLAY IN THEIR COMPOSITION, AS SHALE, SLATE, ETC. ARTESIAN GROUND WATER THAT IS UNDER SUFFICIENT PRESSURE TO RISE ABOVE THE LEVEL AT WHICH IT IS ENCOUNTERED, BUT WHICH DOES NOT NECESSARILY RISE TO OR ABOVE THE GROUND SURFACE. CALCAREOUS (CALC) SOILS THAT CONTAIN APPRECIABLE AMOUNTS OF CALCIUM CARBONATE. CEOLLOVIUM ROCK FRAGMENTS MIXED WITH SOIL, DEPOSITED BY GRAVITY ON SLOPE OR AT BOTTOM OF SLOPE. CORE RECOVERY (REC) TOTAL LENGTH OF ALL MATERIAL RECOVERED IN THE CORE BARREL DIVIDED BY TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE. COKE A TABULAR BODY OF HOMOGENEOUS ROCK THAT CUTS ACROSS THE STRUCTURE OF ADJACENT ROCKS OR CUTS MASSIVE ROCK. DIP THE ANGLE AT WHICH A STRIUM OR ANY PLANAR FEATURE IS INCLINED FROM THE HORIZONTAL. DIP DIRECTION (DIP AZIMUTH) THE DIRECTION OR PLACING OF THE HORIZONTAL FORCE OF THE LINE OF DIP, MEASURED CLOCKWISE FROM NORTH. FACULT A FRACTURE OR FRACTURE ZONE ALONG WHICH THERE HAS BEEN DISPLACEMENT OF THE SIDES RELATIVE TO ONE ANOTHER PARALLEL TO THE FRACTURE. FISSILE A PROPERTY OF SPLITTING ALONG CLOSELY SPACED PARALLEL PLANES. FLORA ROCK FRAGMENTS ON SURFACE NEAR THEIR ORIGINAL POSITION AND DISLOCCED FROM PARENT MATERIAL. FLOOD PLAIN (FP) LAND BORDERING A STREAM, BUILT OF SEDIMENTS DEPOSITED BY THE STREAM. FORMATION (FM) A MAPPABLE GEOLOGIC UNIT THAT CAN BE RECOGNIZED AND TRACED IN THE FIELD. JOINT FRACTURE IN ROCK ALONG WHICH NO APPRECIABLE MOVEMENT HAS OCCURRED. LEDGE A SHALE-LIKE RIDGE OR PROJECTION OF ROCK WHOSE THICKNESS IS SMALL COMPARED TO ITS LATERAL EXTENT. LENS A BODY OF SOIL OR ROCK THAT THINS OUT IN ONE OR MORE DIRECTIONS. NOTES (NOTE) IRREGULARLY MARKED WITH SPOTS OF DIFFERENT COLORS, MOTILING IN SOILS USUALLY INDICATES POOR AERATION AND LACK OF GOOD DRAINAGE. PERCHED WATER WATER MAINTAINED ABOVE THE NORMAL GROUND WATER LEVEL BY THE PRESENCE OF AN INTERVENING IMPERVIOUS STRATUM. RESIDUAL (RESID) SOIL SOIL FORMED IN PLACE BY THE WEATHERING OF ROCK. ROCK QUALITY DESIGNATION (RQD) A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS WITHIN A STRATA EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE. SAPROLITE (SAP) RESIDUAL SOIL THAT RETAINS THE BASIC STRUCTURE OR FABRIC OF THE PARENT ROCK. SILL AN INTRUSIVE BODY OF HOMOGENEOUS ROCK OF APPROXIMATELY UNIFORM THICKNESS AND RELATIVELY THIN COMPARED WITH ITS LATERAL EXTENT THAT HAS BEEN EMBEDDED PARALLEL TO THE BEDDING OR SCHISTOSITY OF THE INTRUDING ROCKS. SLICKENSIDE POLISHED AND STRIATED SURFACE THAT RESULTS FROM FRICTION ALONG A FAULT OR SLIP PLANE. STANDARD PENETRATION TEST (PENETRATION RESISTANCE) (SPT) NUMBER OF BLOWS IN ONE SPOT OF A 142 L.B. HAMMER FALLING 30 INCHES REQUIRED TO PENETRATE A 1.5 FOOT DIA. SOIL WITH A 2 INCH OUTSIDE DIAMETER SPLIT SPON SAMPLER. SPT REFUSAL IS PENETRATION EQUAL TO OR LESS THAN 24 FEET PER 6 BLOWS. STRATA CORE RECOVERY (SRCC) TOTAL LENGTH OF STRATA MATERIAL RECOVERED DIVIDED BY TOTAL LENGTH OF STRATUM AND EXPRESSED AS A PERCENTAGE. STRATA ROCK QUALITY DESIGNATION (SRQD) A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS WITHIN A STRATA EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF STRATA AND EXPRESSED AS A PERCENTAGE. TOPSOIL (TS) SURFACE SOILS USUALLY CONTAINING ORGANIC MATTER.	
WEATHERING			
FRESH	ROCK FRESH, CRYSTALS BRIGHT, FEW JOINTS MAY SHOW SLIGHT STAINING, ROCK BLENDS UNDER HAMMER IF CRYSTALLINE.		
VERY SLIGHT (V. SLG.)	ROCK GENERALLY FRESH, JOINTS STAINED, SOME JOINTS MAY SHOW THIN CLAY COATINGS IF OPEN. CRYSTALS ON A BROKEN SPECIMEN FACE SHINE BRIGHTLY, ROCK BLENDS UNDER HAMMER BLOWS IF OF A CRYSTALLINE NATURE.		
SLIGHT (SLG.)	ROCK GENERALLY FRESH, JOINTS STAINED AND DISCOLORATION EXTENDS INTO ROCK UP TO 1/4 INCH. OPEN JOINTS MAY CONTAIN CLAY. IN GRANITOID ROCKS, SOME OCCASIONAL FELDSPATH CRYSTALS ARE DULL AND DISCOLORED. CRYSTALLINE ROCKS BLENDS UNDER HAMMER BLOWS.		
MODERATE (MOD.)	SIGNIFICANT PORTIONS OF ROCK SHOW DISCOLORATION AND WEATHERING EFFECTS. IN GRANITOID ROCKS, MOST FELDSPARS ARE DULL AND DISCOLORED, SOME SHOW CLAY. ROCK WAS DULL SOUND UNDER HAMMER BLOWS AND SHOWS SIGNIFICANT LOSS OF STRENGTH AS COMPARED WITH FRESH ROCK.		
MODERATELY SEVERE (MOD. SEV.)	ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. IN GRANITOID ROCKS, ALL FELDSPARS DULL AND DISCOLORED AND A MAJORITY SHOW KAOLINIZATION. ROCK SHOWS SEVERE LOSS OF STRENGTH AND CAN BE EXCAVATED WITH A GEOLOGIST'S PICK. ROCK GIVES "CLUNK" SOUND WHEN STRUCK. IF TESTED, WOULD YIELD SPT REFUSAL.		
SEVERE (SEV.)	ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC CLEAR AND EVIDENT BUT REDUCED IN STRENGTH TO STRONG SOIL. IN GRANITOID ROCKS ALL FELDSPARS ARE KAOLINIZED TO SOME EXTENT. SOME FRAGMENTS OF STRONG ROCK USUALLY REMAIN. IF TESTED, WOULD YIELD SPT N VALUES 1-100 OFF.		
VERY SEVERE (V. SEV.)	ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC ELEMENTS ARE DISCERNIBLE BUT THE MASS IS EFFECTIVELY REDUCED TO SOIL STATUS, WITH ONLY FRAGMENTS OF STRONG ROCK REMAINING. SAPROLITE IS AN EXAMPLE OF ROCK WEATHERED TO A DEGREE SUCH THAT ONLY MAJOR VENTURES OF THE ORIGINAL ROCK FABRIC REMAIN. IF TESTED, WOULD YIELD SPT N VALUES 1,000 OFF.		
COMPLETE	ROCK REDUCED TO SOIL. ROCK FABRIC NOT DISCERNIBLE OR DISCERNIBLE ONLY A SMALL AND SCATTERED CONCENTRATIONS. QUARTZ MAY BE PRESENT AS ROCKS OR STRINGS. SAPROLITE IS ALSO AN EXAMPLE.		
ROCK HARDNESS			
VERY HARD	CANNOT BE SCRATCHED BY KNIFE OR PICK. BREAKING OF HARD SPECIMENS REQUIRES SEVERAL HARD BLOWS OF THE GEOLOGIST'S PICK.		
HARD	CAN BE SCRATCHED BY KNIFE OR PICK ONLY WITH DIFFICULTY. HARD HAMMER BLOWS REQUIRED TO DETACH HARD SPECIMEN.		
MODERATELY HARD	CAN BE SCRATCHED BY KNIFE OR PICK. GROUDES OR GROOVES TO 0.25 INCHES DEEP CAN BE EXCAVATED BY HARD BLOW OF A GEOLOGIST'S PICK. HARD SPECIMENS CAN BE DETACHED BY MODERATE BLOWS.		
MEDIUM HARD	CAN BE GROUDED OR GROUDED 0.25 INCHES DEEP BY FIRM PRESSURE OF KNIFE OR PICK POINT. CAN BE EXCAVATED IN SMALL CHIPS TO PIECES 1 INCH MAXIMUM SIZE BY HARD BLOWS OF THE POINT OF A GEOLOGIST'S PICK.		
SOFT	CAN BE GROUDED OR GROUDED EASILY BY KNIFE OR PICK. CAN BE EXCAVATED IN FRAGMENTS FROM CHIPS TO SEVERAL INCHES IN SIZE BY MODERATE BLOWS OF A PICK POINT. SMALL, THIN PIECES CAN BE BROKEN BY FINGER PRESSURE.		
VERY SOFT	CAN BE CARVED WITH KNIFE. CAN BE EXCAVATED EASILY WITH POINT OF PICK. PIECES 1 INCH OR MORE IN THICKNESS CAN BE BROKEN BY FINGER PRESSURE. CAN BE SCRATCHED EASILY BY FINGER NAIL.		
FRACTURE SPACING		BEDDING	
TERM	SPACING	TERM	THICKNESS
VERY WIDE	MORE THAN 10 FEET	VERY THICKY BEDDED	> 4 FEET
WIDE	4 TO 10 FEET	THICKLY BEDDED	.5 - 4 FEET
MODERATELY CLOSE	1 TO 4 FEET	THINLY BEDDED	.25 - .5 FEET
CLOSE	.25 TO 1 FEET	VERY THINLY BEDDED	.025 - .25 FEET
VERY CLOSE	LESS THAN .25 FEET	THICKLY LAMINATED	2.25 - 2.5 FEET
		THINLY LAMINATED	< 2.25 FEET
INDURATION			
IN SEDIMENTARY ROCKS, INDURATION IS THE HARDENING OF THE MATERIAL BY CEMENTING, HEAT, PRESSURE, ETC.			
FRAGILE	ALBING WITH FINGER FINGER NUMEROUS GRAINS. SAMPLE BREAKS BY HAMMER DISINTEGRATED SAMPLE.		
MODERATELY INDURATED	GRAINS CAN BE SEPARATED FROM SAMPLE WITH STEEL PHORSE. BREAKS EASILY WHEN HIT WITH HAMMER.		
INDURATED	GRAINS ARE DIFFICULT TO SEPARATE WITH STEEL PHORSE. DIFFICULT TO BREAK WITH HAMMER.		
EXTREMELY INDURATED	HARD HAMMER BLOWS REQUIRED TO BREAK SAMPLE. SAMPLE BREAKS ACROSS GRAINS.		

SITE PLAN

Bridge 207, Jackson Co.

STATE	STATE PROJECT REFERENCE NO.	SHEET NO.	TOTAL SHEETS
N.C.	17BP.14.R.63	3	7



SCALE 40:1



NCDOT GEOTECHNICAL ENGINEERING UNIT BORELOG REPORT

SHEET 4

WBS 17BP.14.R.63		TIP 17BP.14.R.63		COUNTY JACKSON		GEOLOGIST Brett Smith	
SITE DESCRIPTION Bridge # 207 on SR 1313 across East Fork Savannah Creek							GROUND WTR (ft)
BORING NO. EB1-A		STATION N/A		OFFSET N/A		ALIGNMENT N/A	
COLLAR ELEV. 2,648.9 ft		TOTAL DEPTH 19.0 ft		NORTHING 586,578		EASTING 735,684	
						0 HR.	N/A
						24 HR.	3.5
DRILL RIG/HAMMER EFF./DATE SUM0093 DIEDRICH D-50 82% 07/22/2011				DRILL METHOD NW Casing w/ Advancer		HAMMER TYPE Automatic	
DRILLER Jacob Bare		START DATE 04/09/12		COMP. DATE 04/09/12		SURFACE WATER DEPTH N/A	

ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO	MOI	LOG	SOIL AND ROCK DESCRIPTION		
			0.5ft	0.5ft	0.5ft	0	25	50	75	100				ELEV. (ft)	DEPTH (ft)	
2650															2,648.9	GROUND SURFACE 0.0
2645	2,644.9	4.0	5	5	8											COLLUVIAL Brown. CLAYEY SAND (A-1-a) w/ rock fragments
2640	2,639.9	9.0	29	38	21											
2635	2,634.9	14.0	7	3	14											
2630	2,629.9	19.0	60/0.0												2,629.9	19.0
																CRYSTALLINE ROCK (Biotite Gneiss) Boring Terminated with Standard Penetration Test Refusal at Elevation 2,629.9 ft on Crystalline Rock (Biotite Gneiss) Harder drilling at 18.5 ft.

NCDOT BORE SINGLE JACKSON COUNTY BRIDGE # 207 GINT.GPJ NC_DOT.GDT 7/3/12



WBS 17BP.14.R.63			TIP 17BP.14.R.63			COUNTY JACKSON			GEOLOGIST Brett Smith				
SITE DESCRIPTION Bridge # 207 on SR 1313 across East Fork Savannah Creek									GROUND WTR (ft)				
BORING NO. EB1-B			STATION N/A			OFFSET N/A			ALIGNMENT N/A				
COLLAR ELEV. 2,650.1 ft			TOTAL DEPTH 19.2 ft			NORTHING 586,562			EASTING 735,698				
DRILL RIG/HAMMER EFF./DATE SUM0093 DIEDRICH D-50 82% 07/22/2011						DRILL METHOD NW Casing w/ Advancer			HAMMER TYPE Automatic				
DRILLER Jacob Bare			START DATE 04/09/12			COMP. DATE 04/09/12			SURFACE WATER DEPTH N/A				
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	L O G	SOIL AND ROCK DESCRIPTION
			0.5ft	0.5ft	0.5ft	0	25	50	75	100		MOI	ELEV (ft) DEPTH (ft)
2655													
2650													2 650 1 GROUND SURFACE 0.0
													Brown, SAND (A-1-a) w/ rock fragments
2645	2,645.9	4.2	11	4	1								2 643 4 COLLUVIAL 6.7
													Brown, CLAYEY SILTY SAND (A-2-5) with little rock fragments
2640	2,640.9	9.2	11	14	12								
2635	2,635.9	14.2	20	38	38								
	2,630.9	19.2	60/0.0										2 630 9 CRYSTALLINE ROCK 19.2
													(Biotite Gneiss) Boring Terminated with Standard Penetration Test Refusal at Elevation 2,630.9 ft on Crystalline Rock (Biotite Gneiss) Harder drilling at 18.7 feet.



NCDOT GEOTECHNICAL ENGINEERING UNIT BORELOG REPORT

WBS 17BP.14.R.63		TIP 17BP.14.R.63		COUNTY JACKSON		GEOLOGIST Brett Smith										
SITE DESCRIPTION Bridge # 207 on SR 1313 across East Fork Savannah Creek							GROUND WTR (ft)									
BORING NO. EB2-A		STATION N/A		OFFSET N/A		ALIGNMENT N/A										
COLLAR ELEV. 2,644.0 ft		TOTAL DEPTH 29.6 ft		NORTHING 586,632		EASTING 735,667										
						0 HR.	N/A									
						24 HR.	3.3									
DRILL RIG/HAMMER EFF./DATE SUM0093 DIEDRICH D-50 82% 07/22/2011				DRILL METHOD NW Casing w/ Advancer		HAMMER TYPE Automatic										
DRILLER Jacob Bare		START DATE 04/09/12		COMP. DATE 04/09/12		SURFACE WATER DEPTH N/A										
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG MOI	SOIL AND ROCK DESCRIPTION			
			0-5ft	5-10ft	10-15ft	0	25	50	75	100			ELEV (ft)	DEPTH (ft)		
2645														2,644.0	0.0	GROUND SURFACE
																COLLUVIAL
																Brown, CLAYEY SAND (A-2-6) w/ rock fragments
2640	2,638.7	5.3	9	8	7											
2635	2,633.7	10.3	8	17	35											
2630	2,628.7	15.3	21	12	9											
2625	2,623.7	20.3	11	15	17											RESIDUAL
																Brown to red-brown, saprolitic, micaceous, CLAYEY SILTY SAND (A-2-5)
2620	2,618.7	25.3	60	40/0.4												WEATHERED ROCK
																(Biotite Gneiss)
2615	2,614.4	29.6	60/0.0													CRYSTALLINE ROCK
																(Biotite Gneiss)
																Boring Terminated with Casing Advancer Refusal at Elevation 2,614.4 ft on Crystalline Rock (Biotite Gneiss)
																Boring moved due to numerous utility conflicts.



WBS 17BP.14.R.63			TIP 17BP.14.R.63			COUNTY JACKSON			GEOLOGIST Brett Smith					
SITE DESCRIPTION Bridge # 207 on SR 1313 across East Fork Savannah Creek									GROUND WTR (ft)					
BORING NO. EB2-B			STATION N/A			OFFSET N/A			ALIGNMENT N/A					
COLLAR ELEV. 2,646.9 ft			TOTAL DEPTH 25.1 ft			NORTHING 586,609			EASTING 735,690					
DRILL RIG/HAMMER EFF./DATE SUM0093 DIEDRICH D-50 82% 07/22/2011						DRILL METHOD NW Casing w/ Advancer			HAMMER TYPE Automatic					
DRILLER Jacob Bare			START DATE 04/04/12			COMP. DATE 04/04/12			SURFACE WATER DEPTH N/A					
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP NO.	LOG	SOIL AND ROCK DESCRIPTION	
			0.5ft	0.5ft	0.5ft	0	25	50	75	100				ELEV (ft)
2650														
														2,646.9 GROUND SURFACE 0.0
2645														2,644.9 ROADWAY EMBANKMENT 2.0
														COLLUVIAL
	2,641.8	5.1	13	13	12									Brown, CLAYEY SAND (A-1-a) w/ rock fragments
2640														2,639.3 7.6
	2,636.8	10.1	7	24	18									Brown to orange-brown, CLAYEY SILTY SAND (A-2-5) with some rock fragments
2635														
	2,631.8	15.1	19	22	11									
2630														2,629.3 17.6
	2,626.8	20.1	3	7	9									RESIDUAL
2625														Orange-brown, brown, and black, saprolitic, micaceous, CLAYEY SILTY SAND (A-2-5)
	2,621.8	25.1												2,623.8 23.1
														2,621.8 25.1
														WEATHERED ROCK (Biotite Gneiss)
														CRYSTALLINE ROCK (Biotite Gneiss)
														Boring Terminated with Standard Penetration Test Refusal at Elevation 2,621.8 ft on Crystalline Rock (Biotite Gneiss)
														Harder drilling at 23.1 ft was interpreted as the top of Weathered Rock.